NASA SP-7039(12)
Section 2
Indexes



NASA PATENT ABSTRACTS BIBLIOGRAPHY

DE FILE COPY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

JANUARY 1978

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

ACCESSION NUMBER RANGES

Bibliography Number	*STAR Accession Numbers*
NASA SP-7039(04)	N69-20701–N73-33931
NASA SP-7039(12)	N74-10001–N77-34042

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by Informatics Information Systems Company

NASA SP-7039(12)
Section 2
Indexes

NASA

PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

Indexes for the annotated references to NASA-owned inventions covered by U.S. patents and applications for patent that were announced in *Scientific and Technical Aerospace Reports (STAR)* between May 1969 and December 1977 This issue supersedes all previous Index Sections

Scientific and Technical Information Office JANUARY 1978
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D C

This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, at price code E06 ($10 50 domestic, $21 00 foreign)

INTRODUCTION

Several thousand inventions result each year from the aeronautical and space research supported by the National Aeronautics and Space Administration The inventions having important use in government programs or significant commercial potential are usually patented by NASA These inventions cover practically all fields of technology and include many that have useful and valuable commercial application

NASA inventions best serve the interests of the United States when their benefits are available to the public In many instances, the granting of nonexclusive or exclusive licenses for the practice of these inventions may assist in the accomplishment of this objective This bibliography is published as a service to companies, firms, and individuals seeking new, licensable products for the commercial market

The *NASA Patent Abstracts Bibliography (NASA PAB)* is a semiannual NASA publication containing comprehensive abstracts and indexes of NASA-owned inventions covered by U S patents and applications for patent The citations included in *NASA PAB* were originally published in NASA's *Scientific and Technical Aerospace Reports (STAR)* and cover *STAR* announcements made since May 1969

For the convenience of the user, each issue of *NASA PAB* has a separately bound Abstract Section (Section 1) and Index Section (Section 2) Unlike the most recently published issues of *PAB*, the Abstract Section for this issue covers the years 1974 through 1977 To provide a more convenient abstract arrangement, those items originally appearing under the old category scheme were adapted to the revised version which began in 1975 Thus all items will appear in the Abstract Section in numeric sequence under the currently used categories The Index Section continues to be cumulative, covering all NASA-owned inventions announced in *STAR* since May 1969

The 1091 citations published in this issue of the Abstract Section cover the period January 1974 through December 1977 The Index Section contains references to the 3292 citations covering the period May 1969 through December 1977

ABSTRACT SECTION (SECTION 1)

This *PAB* issue incorporates the 1975 *STAR* category revisions which include 10 major subdivisions divided into 74 specific categories and one general category/division (See Table of Contents for the scope note of each category under which are grouped appropriate NASA inventions) This new scheme was devised in lieu of the 34 category divisions which were utilized in *PAB* supplements (01) through (06) covering *STAR* abstracts from May 1969 through January 1974 Each entry in the Abstract Section consists of a *STAR* citation accompanied by an abstract and a key illustration taken from the patent or application for patent drawing Entries are arranged in subject category in order of the ascending NASA Accession Number originally assigned in *STAR* to the invention The range of NASA Accession Numbers within each issue is printed on the inside front cover

Abstract Citation Data Elements Each of the abstract citations has several data elements useful for identification and indexing purposes, as follows

- NASA Accession Number
- NASA Case Number
- Inventor's Name

Title of Invention
U S Patent Application Serial Number
U S Patent Number (for issued patents only)
U S Patent Office Classification Number(s)
(for issued patents only)

These data elements appear in the citation of the abstract as depicted in the Typical Citation and Abstract reproduced below and are also used in the several indexes

TYPICAL CITATION AND ABSTRACT



INDEX SECTION (SECTION 2)

The Index Section is divided into five indexes which are cross-indexed and are useful in locating a single invention or groups of inventions

Each of the five indexes utilizes basic data elements (1) Subject Category Number, (2) NASA Accession Number, and (3) NASA Case Number, in addition to other specific index terms

Subject Index· Lists all inventions according to appropriate alphabetized technical term and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number

Inventor Index: Lists all inventions according to alphabetized names of inventors and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number

Source Index: Lists all inventions according to alphabetized source of invention (i e , name of contractor or government installation where invention was made) and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number

Number Index. Lists inventions in order of ascending (1) NASA Case Number, (2) U S Patent Application Serial Number, (3) U S Patent Classification Number, and (4) U S Patent Number and indicates the related Subject Category Number and the NASA Accession Number

Accession Number Index: Lists all inventions in order of ascending NASA Accession Number and indicates the related Subject Category Number, the NASA Case Number, the U S Patent Application Serial Number, the U S Patent Classification Number, and the U S Patent Number

HOW TO USE THIS PUBLICATION TO IDENTIFY NASA INVENTIONS

To identify one or more NASA inventions within a specific technical field or subject, several techniques are possible when using the flexibility incorporated into the *NASA PAB* ·

(1) *Using Subject Category* To identify all NASA inventions in any one of the subject categories in this issue of *NASA PAB*, select the desired Subject Category in the Abstract Section (Section 1) and find the inventions abstracted thereunder

(2) *Using Subject Index* To identify all NASA inventions listed under a desired technical subject index term, (A) turn to the cumulative Subject Index in the Index Section and find the invention(s) listed under the desired technical subject term (B) Note the indicated Accession Number and the Subject Category Number (C) Using the indicated Accession Number, turn to the inside front cover of the Index Section to determine which issue of the Abstract Section includes the Accession Number desired (D) To find the abstract of the particular invention in the issue of the Abstract Section selected, (i) use the Subject Category Number to locate the Subject Category and (ii) use the Accession Number to locate the desired invention within the Subject Category listing

(3) *Using Patent Classification Index* To identify all inventions covered by issued NASA patents (does not include applications for patent) within a desired Patent Office Classification, (A) turn to the Patent Classification Number in the Number Index of Section 2 and find the associated inventions(s), and (B) follow the instructions outlined in (2)(B), and (D) above

PUBLIC AVAILABILITY OF COPIES OF PATENTS AND PATENT APPLICATIONS

Copies of U S patents may be purchased directly from the U S Patent Office, Washington, D C 20231, for fifty cents a copy When ordering patents, the U S Patent Number should be used, and payment must be remitted in advance, preferably by money order or check payable to the Commissioner of Patents Prepaid purchase coupons for ordering are also available from the Patent Office

NASA *patent application specifications* are sold in paper copy by the National Technical Information Service at price code A02 ($4 00 domestic, $8 00 foreign) Microfiche are sold at price code A01 ($3 00 domestic, $4 50 foreign) The US-Patent-Appl-SN-number should be used in ordering either paper copy or microfiche from NTIS

LICENSES FOR COMMERCIAL USE· INQUIRIES AND APPLICATIONS FOR LICENSE

NASA inventions, abstracted in *NASA PAB*, are available for nonexclusive or exclusive licensing in accordance with the NASA Patent Licensing Regulations It is significant that all licenses for NASA inventions shall be by express written instruments and that no license will be granted or implied in a NASA invention except as provided in the NASA Patent Licensing Regulations

Inquiries concerning the NASA Patent Licensing Program or the availability of licenses for the commercial use of NASA-owned inventions covered by U S patents or pending applications for patent should be forwarded to the NASA Patent Counsel of the NASA installation having cognizance of the specific invention, or the Assistant General Counsel for Patent Matters, Code GP-4, National Aeronautics and Space Administration, Washington, D C 20546 Inquiries should refer to the NASA Case Number, the Title of the Invention, and the U S Patent Number or the U S Application Serial Number assigned to the invention as shown in *NASA PAB*

The NASA Patent Counsel having cognizance of the invention is determined by the first three letters or prefix of the NASA Case Number assigned to the invention The addresses of NASA Patent Counsels are listed alongside the NASA Case Number prefix letters in the following table Formal application of license must be submitted on the NASA Form, Application for NASA Patent License, which is available upon request from any NASA Patent Counsel

NASA Case Number Prefix Letters	Address of Cognizant NASA Patent Counsel
ARC-xxxxx XAR-xxxxx	Ames Research Center Mail Code 200-11A Moffett Field, California 94035 Telephone (415)965-5104
ERC-xxxxx XER-xxxxx HQN-xxxxx XHQ-xxxxx	NASA Headquarters Mail Code GP-4 Washington, D C 20546 Telephone (202)755-3954
GSC-xxxxx XGS-xxxxx	Goddard Space Flight Center Mail Code 204 Greenbelt, Maryland 20771 Telephone (301)982-2351
KSC-xxxxx XKS-xxxxx	John F Kennedy Space Center Mail Code AA-PAT Kennedy Space Center, Florida 32899 Telephone (305)867-2544
LAR-xxxxx XLA-xxxxx	Langley Research Center Mail Code 456 Langley Station Hampton, Virginia 23365 Telephone (804)827-3725
LEW-xxxxx XLE-xxxxx	Lewis Research Center Mail Code 500-311 21000 Brookpark Road Cleveland, Ohio 44135 Telephone (216)433-6346
MSC-xxxxx XMS-xxxxx	Lyndon B Johnson Space Center Mail Code AM Houston, Texas 77058 Telephone (713)483-4871
MFS-xxxxx XMF-xxxxx	George C Marshall Space Flight Center Mail Code CC01 Huntsville, Alabama 35812 Telephone (205)453-0020
NPO-xxxxx XNP-xxxxx FRC-xxxxx XFR-xxxxx WOO-xxxxx	NASA Resident Legal Office Mail Code 180-601 4800 Oak Grove Drive Pasadena, California 91103 Telephone (213)354-2700

PATENT LICENSING REGULATIONS

Title 14—AERONAUTICS AND SPACE

Chapter V—National Aeronautics and Space Administration

PART 1245—PATENTS

Subpart 2—Patent Licensing Regulations

1. Subpart 2 is revised in its entirety as follows:

Sec.

1245.200 Scope of subpart.
1245.201 Definitions.
1245.202 Basic considerations
1245.203 Licenses for practical application of inventions.
1245.204 Other licenses.
1245.205 Publication of NASA inventions available for license.
1245 206 Application for nonexclusive license.
1245 207 Applicarion for exclusive license.
1245.208 Processing applications for license.
1245.209 Royalties and fees.
1245.210 Reports
1245.211 Revocation of licenses.
1245.212 Appeals
1245 213 Litigation.
1245 214 Address of communications.

AUTHORITY The provisions of this Subpart 2 issued under 42 U.S C. 2457, 2473(b)(3).

§ 1245.200 Scope of subpart.

This Subpart 2 prescribes the terms, conditions, and procedures for licensing inventions covered by U S. patents and patent applications for which the Administrator of the National Aeronautics and Space Administration holds title on behalf of the United States.

§ 1245.201 Definitions.

For the purpose of this subpart, the following definitions apply:

(a) "Invention" means an invention covered by a U.S. patent or patent application for which the Administrator of NASA holds title on behalf of the United States and which is designated by the Administration as appropriate for the grant of license(s) in accordance with this subpart.

(b) "To practice an invention" means to make or have made, use or have used, sell or have sold, or otherwise dispose of according to law any machine, article of manufacture or composition of matter physically embodying the invention, or to use or have used the process or method comprising the invention

(c) "Practical application" means the manufacture in the case of a composition of matter or product, the use in the case of a process, or the operation in the case of a machine, under such conditions as to establish that the invention is being utilized and that its benefits are reasonably accessible to the public.

(d) "Special invention" means any invention designated by the NASA Assistant General Counsel for Patent Matters to be subject to short-form licensing procedures. An invention may be designated as a special invention when a determination is made that:

(1) Practical application has occurred and is likely to continue for the life of the patent and for which an exclusive license is not in force, or

(2) The public interest would be served by the expeditious granting of a nonexclusive license for practice of the invention by the public.

(e) The "Administrator" means the Administrator of the National Aeronautics and Space Administration, or his designee.

(f) "Government" means the Government of the United States of America.

(g) The "Inventions and Contributions Board" means the NASA Inventions and Contributions Board established by the Administrator of NASA within the Administration in accordance with section 305 of the National Aeronautics and Space Act of 1958 as amended (42 U S C 2457)

§ 1245.202 Basic considerations.

(a) Much of the new technology resulting from NASA sponsored research and development in aeronautical and space activities has application in other fields. NASA has special authority and responsibility under the National Aeronautics and Space Act of 1958, as amended (42 U S C 2451), to provide for the widest practical dissemination and utilization of this new technology. In addition, NASA has been given unique requirements to protect the inventions resulting from NASA activities and to promulgate licensing regulations to encourage commercial use of these inventions.

(b) NASA-owned inventions will best serve the interests of the United States when they are brought to practical application in the shortest time possible. Although NASA encourages the nonexclusive licensing of its inventions to promote competition and achieve their widest possible utilization, the commercial development of certain inventions calls for a substantial capital investment which private manufacturers may be unwilling to risk under a nonexclusive license It is the policy of NASA to seek exclusive licensees when such licenses will provide the necessary incentive to the licensee to achieve early practical application of the invention.

(c) The Administrator, in determining whether to grant an exclusive license, will evaluate all relevant information submitted by applicants and all other persons and will consider the necessity for further technical and market development of the invention, the capabilities of prospective licensees, their proposed plans to undertake the required investment and development, the impact on competitors, and the benefits of the license to the Government and to the public Preference for exclusive license shall be given to U.S. citizens or companies who intend to manufacture or use, in the case of a process, the invention in the United States of America, its territories and possessions. Consideration may also be given to assisting small businesses and minority business enterprises, as well as economically depressed, low income and labor surplus areas.

(d) All licenses for inventions shall be by express written instruments. No license shall be granted either expressly or by implication, for a NASA invention except as provided for in §§ 1245 203 and 1245 204 and in any existing or future treaty or agreement between the United States and any foreign government.

(e) Licenses for inventions covered by NASA-owned foreign patents and patent applications shall be granted in accordance with the NASA Foreign Patent Licensing Regulations (§ 1245 4).

§ 1245.203 Licenses for practical application of inventions.

(a) *General* As an incentive to encourage practical application of inventions, licenses will be granted to responsible applicants according to the circumstances and conditions set forth in this section.

(b) *Nonexclusive licenses* (1) Each invention will be made available to responsible applicants for nonexclusive, revocable licensing in accordance with § 1245 206, consistent with the provisions of any existing exclusive license.

(2) The duration of the license shall be for a period as specified in the license.

(3) The license shall require the licensee to achieve the practical application of the invention and to then practice the invention for the duration of the license.

(4) The license may be granted for all or less than all fields of use of the invention and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(5) The license shall extend to the subsidiaries and affiliates of the licensee and shall be nonassignable without approval of the Administrator, NASA, except to the successor of that part of the licensee's business to which the invention pertains.

(c) *Short-form nonexclusive licenses.* A nonexclusive, revocable license for a special invention, as defined in § 1245.201 (d), shall be granted upon written request, to any applicant by the Patent Counsel of the NASA installation having cognizance of the invention.

(d) *Exclusive licenses.* (1) A limited exclusive license may be granted on an invention available for such licensing provided that:

(i) The Administrator has determined that: (*a*) The invention has not been brought to practical application by a nonexclusive licensee in the fields of use or in the geographical locations covered by the application for the exclusive license, (*b*) practical application of the invention in the fields of use or geographical locations covered by the application for the exclusive license is not likely to be achieved expeditiously by the further funding of the invention by the Government or under a nonexclusive license requested by any applicant pursuant to these regulations, and (*c*) the exclusive license will provide the necessary incentive to the licensee to achieve the practical application of the invention; and

(ii) Either a notice pursuant to

§ 1245 205 listing the invention as available for licensing has been published in the FEDERAL REGISTER for at least 9 months, or a patent covering the invention has been issued for at least 6 months However, a limited exclusive license may be granted prior to the periods specified above if the Administrator determines that the public interest will best be served by the earlier grant of an exclusive license.

(2) The license may be granted for all or less than all fields of use of the invention, and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof

(3) The exclusive period of the license shall be negotiated, but shall be for less than the terminal portion of the patent, and shall be related to the period necessary to provide a reasonable incentive to invest the necessary risk capital.

(4) The license shall require the licensee to practice the invention within a period specified in the license and then to achieve practical application of the invention.

(5) The license shall require the licensee to expend a specified minimum sum of money and/or to take other specified actions, within indicated period(s) after the effective date of the license, in an effort to achieve practical application of the invention

(6) The license shall be subject to at least an irrevocable royalty-free right of the Government of the United States to practice and have practiced the invention throughout the world by or on behalf of the Government of the United States and on behalf of any foreign government pursuant to any existing or future treaty or agreement with the United States.

(7) The license may reserve to the Administrator, NASA, under the following circumstances, the right to require the granting of a sublicense to responsible applicant(s) on terms that are considered reasonable by the Administrator, taking into consideration the current royalty rates under similar patents and other pertinent facts: (i) To the extent that the invention is required for public use by Government regulation, or (ii) as may be necessary to fulfill health or safety needs, or (iii) for other purposes stipulated in the license.

(8) The license shall be nontransferable except to the successor of that part of the licensee's business to which the invention pertains.

(9) Subject to the approval of the Administrator, the licensee may grant sublicenses under the license Each sublicense granted by an exclusive licensee shall make reference to and shall provide that the sublicense is subject to the terms of the exclusive license including the rights retained by the Government under the exclusive license A copy of each sublicense shall be furnished to the Administrator.

(10) The license may be subject to such other reservations as may be in the public interest.

§ 1245.204 Other licenses.

(a) *License to contractor.* There is hereby granted to the contractor reporting an invention made in the performance of work under a contract of NASA in the manner specified in section 305(a) (1) or (2) of the National Aeronautics and Space Act of 1958 as amended (42 U.S.C 2457(a) (1) or (2)), a revocable, nonexclusive, royalty-free license for the practice of such invention, together with the right to grant sublicenses of the same scope to the extent the contractor was legally obligated to do so at the time the contract was awarded Such license and right is nontransferable except to the successor of that part of the contractor's business to which the invention pertains

(b) *Miscellaneous licenses* Subject to any outstanding licenses, nothing in this subpart 2 shall preclude the Administrator from granting other licenses for inventions, when he determines that do so would provide for an equitable distribution of rights The following exemplify circumstances wherein such licenses may be granted

(1) In consideration of the settlement of an interference;

(2) In consideration of a release of a claim of infringement; or

(3) In exchange for or as part of the consideration for a license under adversely held patent(s).

§ 1245.205 Publication of NASA inventions available for license.

(a) A notice will be perodically published in the FEDERAL REGISTER listing inventions available for licensing. Abstracts of the inventions will also be published in the NASA Scientific and Technical Aerospace Reports (STAR) and other NASA publications.

(b) Copies of pending patent applications for inventions abstracted in STAR may be purchased from the National Technical Information Service, Springfield, Va 22151.

§ 1245.206 Application for nonexclusive license.

(a) *Submission of application.* An application for nonexclusive license under § 1245 203(b) or a short-form nonexclusive license for special inventions under § 1245.203(c) shall be addressed to the NASA Patent Counsel of the NASA installation having cognizance over the NASA invention for which a license is desired or to the NASA Assistant General Counsel for Patent Matters.

(b) *Contents of an application for nonexclusive license* An application for nonexclusive license under § 1245.203(b) shall include.

(1) Identification of invention for which license is desired, including the NASA patent case number, patent application serial number of patent number, title and date, if known;

(2) Name and address of the person, company or organization applying for license and whether the applicant is a U S. citizen or a U S. corporation;

(3) Name and address of representative of applicant to whom correspondence should be sent;

(4) Nature and type of applicant's business,

(5) Number of employees;

(6) Purpose for which license is desired;

(7) A statement that contains the applicant's best knowledge of the extent to which the invention is being practiced by private industry and the Government,

(8) A description of applicant's capability and plan to undertake the development and marketing required to achieve the practical application of the invention, including the geographical location where the applicant plans to manufacture or use, in the case of a process, the invention; and

(9) A statement indicating the minimum term of years the applicant desires to be licensed.

(c) *Contents of an application for a short-form nonexclusive license* An application for a short-form nonexclusive license under § 1245.203(c) for a special invention shall include:

(1) Identification of invention for which license is desired, including the NASA patent case number, patent application serial number or patent number, title and date, if known;

(2) Name and address of company or organization applying for license; and

(3) Name and address of representative of applicant to whom correspondence should be sent.

§ 1245.207 Application for exclusive license.

(a) *Submission of application* An application for exclusive license under § 1245 203(d) may be submitted to NASA at any time An application for exclusive license shall be addressed to the NASA Assistant General Counsel for Patent Matters

(b) *Contents of an application for exclusive license.* In addition to the requirements set forth in § 1245 206(b), the application for an exclusive license shall include:

(1) Applicant's status, if any, in any one or more of the following categories:

(i) Small business firm;

(ii) Minority business enterprise;

(iii) Location in a surplus labor area;

(iv) Location in a low-income urban area; and

(v) Location in an area designed by the Government as economically depressed.

(2) A statement indicating the time, expenditure, and other acts which the applicant considers necessary to achieve practical application of the invention, and the applicant's offer to invest that sum and to perform such acts if the license is granted,

(3) A statement whether the applicant would be willing to accept a license for all or less than all fields of use of the invention throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(4) A statement indicating the amount of royalty fees or other consideration, if any, the applicant would be willing to pay the Government for the exclusive license; and

(5) Any other facts which the applicant believes to show it to be in the interests of the United States of America for the Administrator to grant an exclusive license rather than a nonexclusive li-

cense and that such an exclusive license should be granted to the applicant

§ 1245.208 Processing applications for license.

(a) *Initial review* Applications for nonexclusive and exclusive licenses under §§ 1245 206 and 1245 207 will be reviewed by the Patent Counsel of the NASA installation having cognizance for the invention and the NASA Assistant General Counsel for Patent Matters, to determine the conformity and appropriateness of the application for license and the availability of the specific invention for the license requested. The Assistant General Counsel for Patent Matters will forward all applications for license conforming to §§ 1245 206(b) and 1245 207(b) to the NASA Inventions and Contributions Board when the invention is available for consideration of the requested license. Prior to forwarding applications for exclusive licenses to the Inventions and Contributions Board, notice in writing will be given to each nonexclusive licensee for the specific invention advising of the receipt of the application for the exclusive license and providing each nonexclusive licensee with a 30-day period for submitting either evidence that practical application of the invention has occurred or is about to occur or, an application for an exclusive license for the invention.

(b) *Recommendations of Inventions and Contributions Board.* The Inventions and Contributions Board shall, in accordance with the basic considerations set forth in §§ 1245.202 and 1245.203, evaluate all applications for license forwarded by the Assistant General Counsel for Patent Matters. Based upon the facts presented to the Inventions and Contributions Board in the application and any other facts in its possession, the Inventions and Contributions Board shall recommend to the Administrator: (1) Whether a nonexclusive or exclusive license should be granted, (2) the identity of the licensee, and (3) any special terms or conditions of the license.

(c) *Determination of Administrator and grant of nonexclusive licenses.* The Administrator shall review the recommendations of the Inventions and Contributions Board and shall determine whether to grant the nonexclusive license as recommended by the Board If the Administrator determines to grant the license, the license will be granted upon the negotiation of the appropriate terms and conditions of the Office of General Counsel.

(d) *Determination of Administrator and grant of exclusive licenses*—(1) *Notice.* If the Administrator determines that the best interest of the United States will be served by the granting of an exclusive license in accordance with the basic considerations set forth in §§ 1245.202 and 1245 203, a notice shall be published in the FEDERAL REGISTER announcing the intent to grant the exclusive license, the identification of the invention, special terms or conditions of the proposed license, and a statement that NASA will grant the exclusive license unless within 30 days of the publication of such notice the Inventions and Contributions Board receives in writing any of the following together with supporting documentation·

(i) A statement from any person setting forth reasons why it would not be in the best interest of the United States to grant the proposed exclusive license, or

(ii) An application for a nonexclusive license under such invention, in accordance with § 1245 206(b), in which applicant states that he has already brought or is likely to bring the invention to practical application within a reasonable period.

The Inventions and Contributions Board shall, upon receipt of a written request within the 30 days' notice period, grant an extension of 30 days for the submission of the documents designated above

(2) *Recommendation of Inventions and Contributions Board.* Upon the expiration of the period required by subparagraph (1) of this paragraph, the Board shall review all written responses to the notice and shall then recommend to the Administrator whether to grant the exclusive license as the Board initially recommended or whether a different form of license, if any, should instead be granted

(3) *Grant of exclusive licenses.* The Administrator shall review the Board's recommendation and shall determine if the interest of the United States would best be served by the grant of an exclusive license as recommended by the Board. If the Administrator determines to grant the exclusive license, the license will be granted upon the negotiation of the appropriate terms and conditions by the Office of General Counsel.

§ 1245.209 Royalties and fees.

(a) Normally, a nonexclusive license for the practical application of an invention granted to a U S. citizen or company will not require the payment of royalties; however, NASA may require other consideration.

(b) An exclusive license for an invention may require the payment of royalties, fees or other consideration when the licensing circumstances and the basic considerations in § 1245 202, considered together, indicate that it is in the public interest to do so.

§ 1245.210 Reports.

A license shall require the licensee to submit periodic reports of his efforts to work the invention The reports shall contain information within his knowledge, or which he may acquire under normal business practice, pertaining to the commercial use that is being made of the invention and such other information which the Administrator may determine pertinent to the licensing program and which is specified in the license.

§ 1245.211 Revocation of licenses.

(a) Any license granted pursuant to § 1245 203 may be revoked, either in part or in its entirety, by the Administrator if in his opinion the licensee at any time shall fail to use adequate efforts to bring to or achieve practical application of the invention in accordance with the terms of the license, or if the licensee at any time shall default in making any report required by the license, or shall make any false report, or shall commit any breach of any covenant or agreement therein contained, and shall fail to remedy any such default, false report, or breach within 30 days after written notice, or if the patent is deemed unenforceable either by the Attorney General or a final decision of a U S court.

(b) Any license granted pursuant to § 1245 204(a) may be revoked, either in part or in its entirety, by the Administrator if in his opinion such revocation is necessary to achieve the earliest practical application of the invention pursuant to an application for exclusive license submitted in accordance with § 1245 207, or the licensee at any time shall breach any covenant or agreement contained in the license, and shall fail to remedy any such breach within 30 days after written notice thereof.

(c) Before revoking any license granted pursuant to this Subpart 2 for any cause, there will be furnished to the licensee a written notice of intention to revoke the license, and the licensee will be allowed 30 days after such notice in which to appeal and request a hearing before the Inventions and Contributions Board on the question of revocation. After a hearing, the Inventions and Contributions Board shall transmit to the Administrator the record of proceedings, its findings of fact, and its recommendation whether the license should be revoked either in part or in its entirety. The Administrator shall review the recommendation of the Board and determine whether to revoke the license in part or in its entirety Revocation of a license shall include revocation of all sublicenses which have been granted.

§ 1245.212 Appeals.

Any person desiring to file an appeal pursuant to § 1245 211(c) shall address the appeal to Chairman, Inventions and Contributions Board Any person filing an appeal shall be afforded an opportunity to be heard before the Inventions and Contributions Board, and to offer evidence in support of his appeal The procedures to be followed in any such matter shall be determined by the Administrator The Board shall make findings of fact and recommendations with respect to disposition of the appeal The decision on the appeal shall be made by the Administrator, and such decision shall be final and conclusive, except on questions of law, unless determined by a court of competent jurisdiction to have been fraudulent, or capricious, or arbitrary, or so grossly erroneous as necessarily to imply bad faith, or not supported by substantial evidence.

§ 1245.213 Litigation.

An exclusive licensee shall be granted the right to sue at his own expense any party who infringes the rights set forth in his license and covered by the licensed patent The licensee may join the Government, upon consent of the Attorney General, as a party complainant in such suit, but without expense to the Government and the licensee shall pay costs and any final judgment or decree that may be rendered against the Govern-

ment in such suit The Government shall also have an absolute right to intervene in any such suit at its own expense The licensee shall be obligated to promptly furnish to the Government, upon request, copies of all pleadings and other papers filed in any such suit and of evidence adduced in proceedings relating to the licensed patent including, but not limited to, negotiations for settlement and agreements settling claims by a licensee based on the licensed patent, and all other books, documents, papers, and records pertaining to such suit If, as a result of any such litigation the patent shall be declared invalid, the licensee shall have the right to surrender his license and be relieved from any further obligation thereunder.

§ 1245.214 Address of communications.

(a) Communications to the Assistant General Counsel for Patent Matters in accordance with §§ 1245 206 and 1245 207 and requests for information concerning licenses for NASA inventions should be addressed to the Assistant General Counsel for Patent Matters, Code GP, National Aeronautics and Space Administration, Washington, D C 20546.

(b) Communications to the Inventions and Contributions Board in accordance with §§ 1245.208, 1245.211, and 1245 212 should be addressed to Chairman, Inventions and Contributions Board, National Aeronautics and Space Administration, Washington, D C 20546

Effective date. The regulations set forth in this subpart 2 are effective April 1, 1972

JAMES C FLETCHER,
Administrator.

FOREIGN PATENT LICENSING REGULATIONS

Selected NASA inventions are also available for licensing in countries other than the United States in accordance with the NASA Foreign Patent Licensing Regulation (14 C F R 1245 4), a copy of which is available from any NASA Patent Counsel For abstracts of NASA-owned inventions available for licensing in countries other than the United States, see NASA SP-7038, "Significant NASA Inventions Available for Licensing in Countries Other Than the United States" A copy of this NASA publication is available from NASA Headquarters, Code GP-4, Washington, D C, 20546

Subject Categories

(1969 – 1973)

01 Aerodynamics
Includes aerodynamics of bodies, combinations, internal flow in ducts and turbomachinery, wings, rotors, and control surfaces For applications see 02 Aircraft and 32 Space Vehicles For related information see also 12 Fluid Mechanics, and 33 Thermodynamics and Combustion

02 Aircraft
Includes fixed-wing airplanes, helicopters, gliders, balloons, ornithopters, etc , and specific types of complete aircraft (e g , ground effect machines, STOL, and VTOL), flight tests, operating problems (e g , sonic boom), safety and safety devices, economics, and stability and control For basic research see 01 Aerodynamics For related information see also 31 Space Vehicles, and 32 Structural Mechanics

03 Auxiliary Systems
Includes fuel cells, energy conversion cells, and solar cells, auxiliary gas turbines, hydraulic, pneumatic and electrical systems, actuators, and inverters For related information see also 09 Electronic Equipment, 22 Nuclear Engineering, and 28 Propulsion Systems

04 Biosciences
Includes aerospace medicine, exobiology, radiation effects on biological systems, physiological and psychological factors For related information see also 05 Biotechnology

05 Biotechnology
Includes life support systems, human engineering, protective clothing and equipment, crew training and evaluation, and piloting For related information see also 04 Biosciences

06 Chemistry
Includes chemical analysis and identification (e g , spectroscopy) For applications see 17 Materials, Metallic, 18 Materials, Nonmetallic, and 27 Propellants

07 Communications
Includes communications equipment and techniques, noise, radio and communications blackout, modulation telemetry, tracking radar and optical observation, and wave propagation For basic research see 23 Physics, General, and 21 Navigation

08 Computers
Includes computer operation and programming, and data processing For applications, see specific categories For related information see also 19 Mathematics

09 Electronic Equipment
Includes electronic test equipment and maintainability, component parts, e g , electron tubes, tunnel diodes, transistors, integrated circuitry, microminiaturization For basic research see 10 Electronics For related information see also 07 Communications and 21 Navigation

10 Electronics
Includes circuit theory, and feedback and control theory For applications see 09 Electronic Equipment For related information see specific Physics categories

11 Facilities, Research and Support
Includes airports, lunar and planetary bases including associated vehicles, ground support systems, related logistics, simulators, test facilities (e g , rocket engine test stands, shock tubes, and wind tunnels), test ranges, and tracking stations

12 Fluid Mechanics
Includes boundary-layer flow, compressible flow, gas dynamics, hydrodynamics, and turbulence For related information see also 01 Aerodynamics, and 33 Thermodynamics and Combustion

13 Geophysics
Includes aeronomy, upper and lower atmosphere studies, oceanography, cartography, and geodesy For related information see also 20 Meteorology, 29 Space Radiation, and 30 Space Sciences

14 Instrumentation and Photography
Includes design, installation, and testing of instrumentation systems, gyroscopes, measuring instruments and gages, recorders, transducers, aerial photography, and telescopes and cameras

15 Machine Elements and Processes
Includes bearings, seals, pumps, and other mechanical equipment, lubrication, friction, and wear, manufacturing processes and quality control, reliability, drafting, and materials fabrication, handling, and inspection

16 Masers
Includes applications of masers and lasers For basic research see 26 Physics, Solid-State

17 Materials, Metallic
Includes cermets, corrosion, physical and mechanical properties of materials, metallurgy, and applications as structural materials For basic research see 06 Chemistry For related information see also 18 Materials, Nonmetallic, and 32 Structural Mechanics

18 Materials, Nonmetallic
Includes corrosion, physical and mechanical properties of materials (e g , plastics), and elastomers hydraulic fluids, etc For basic research see 06 Chemistry For related information see also 17 Materials, Metallic, 27 Propellants, and 32 Structural Mechanics

19 Mathematics
Includes calculation methods and theory, and numerical analysis For applications see specific categories For related information see also 08 Computers

20 Meteorology
Includes climatology, weather forecasting, and visibility studies For related information see also 13 Geophysics, and 30 Space Sciences

21 Navigation
Includes guidance, autopilots, star and planet tracking, inertial platforms, and air traffic control For related information see also 07 Communications

22 Nuclear Engineering
Includes nuclear reactors and nuclear heat sources used for propulsion and auxiliary power For basic research see 24 Physics, Atomic, Molecular, and Nuclear For related information see also 03 Auxiliary Systems, and 28 Propulsion Systems

23 Physics, General
Includes acoustics, cryogenics, mechanics, and optics For astrophysics see 30 Space Sciences For geophysics and related information see also 13 Geophysics, 20 Meteorology, and 29 Space Radiation

24 Physics, Atomic, Molecular, and Nuclear
Includes atomic, molecular and nuclear physics For applications see 22 Nuclear Engineering For related information see also 29 Space Radiation

25 Physics, Plasma
Includes magnetohydrodynamics For applications see 28 Propulsion Systems

26 Physics, Solid-State
Includes semiconductor theory, and superconductivity For applications see 16 Masers For related information see also 10 Electronics

27 Propellants
Includes fuels, igniters, and oxidizers For basic research see 06 Chemistry, and 33 Thermodynamics and Combustion For related information see also 28 Propulsion Systems

28 Propulsion Systems
Includes air breathing, electric, liquid, solid, and magnetohydrodynamic propulsion For nuclear propulsion see 22 Nuclear Engineering For basic research see 23 Physics, General, and 33 Thermodynamics and Combustion For applications see 31 Space Vehicles For related information see also 27 Propellants

29 Space Radiation
Includes cosmic radiation, solar flares, solar radiation, and Van Allen radiation belts For related information see also 13 Geophysics, and 24 Physics, Atomic, Molecular, and Nuclear

30 Space Sciences
Includes astronomy and astrophysics, cosmology, lunar and planetary flight and exploration, and theoretical analysis of orbits and trajectories For related information see also 11 Facilities, Research and Support, and 31 Space Vehicles

31 Space Vehicles
Includes launch vehicles, manned space capsules, clustered and multistage rockets, satellites, sounding rockets and probes, and operating problems For basic research see 30 Space Sciences For related information see also 28 Propulsion Systems, and 32 Structural Mechanics

32 Structural Mechanics
Includes structural element design and weight analysis, fatigue, thermal stress, impact phenomena, vibration, flutter, inflatable structures, and structural tests For related information see also 17 Materials, Metallic, and 18 Materials, Nonmetallic

33 Thermodynamics and Combustion
Includes ablation, cooling, heating, heat transfer, thermal balance, and other thermal effects, and combustion theory For related information see also 12 Fluid Mechanics, and 27 Propellants

34 General
Includes information of a broad nature related to industrial applications and technology, and to basic research, defense aspects, information retrieval, management, law and related legal matters, and legislative hearings and documents

TABLE OF CONTENTS

Section 1 • Abstracts

Subject Categories (1974 -)

AERONAUTICS

Includes aeronautics (general), aerodynamics, air transportation and safety, aircraft communications and navigation, aircraft design, testing and performance, aircraft instrumentation, aircraft propulsion and power, aircraft stability and control, and research and support facilities (air)

For related information see also *Astronautics*

01 AERONAUTICS (GENERAL)

02 AERODYNAMICS

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces, and internal flow in ducts and turbomachinery

For related information see also *34 Fluid Mechanics and Heat Transfer*

03 AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations, and aircraft accidents

For related information see also *16 Space Transportation* and *85 Urban Technology and Transportation*

04 AIRCRAFT COMMUNICATIONS AND NAVIGATION

Includes digital and voice communication with aircraft, air navigation systems (satellite and ground based), and air traffic control

For related information see also *17 Spacecraft Communications, Command and Tracking* and *32 Communications*

05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

Includes aircraft simulation technology

For related information see also *18 Spacecraft Design, Testing and Performance* and *39 Structural Mechanics*

06 AIRCRAFT INSTRUMENTATION

Includes cockpit and cabin display devices, and flight instruments

For related information see also *19 Spacecraft Instrumentation* and *35 Instrumentation and Photography*

07 AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e g , gas turbine engines and compressors, and on-board auxiliary power plants for aircraft

For related information see also *20 Spacecraft Propulsion and Power, 28 Propellants and Fuels,* and *44 Energy Production and Conversion*

08 AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities, piloting, flight controls, and autopilots

09 RESEARCH AND SUPPORT FACILITIES (AIR)

Includes airports, hangars and runways, aircraft repair and overhaul facilities, wind tunnels, shock tube facilities, and engine test blocks

For related information see also *14 Ground Support Systems and Facilities (Space)*

ASTRONAUTICS

Includes astronautics (general), astrodynamics, ground support systems and facilities (space), launch vehicles and space vehicles, space transportation, spacecraft communications, command and tracking, spacecraft design, testing and performance, spacecraft instrumentation, and spacecraft propulsion and power

For related information see also *Aeronautics*

12 ASTRONAUTICS (GENERAL)

For extraterrestrial exploration see *91 Lunar and Planetary Exploration*

13 ASTRODYNAMICS

Includes powered and free-flight trajectories, and orbit and launching dynamics

14 GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE)

Includes launch complexes, research and production facilities, ground support equipment, e g , mobile transporters, and simulators

For related information see also *09 Research and Support Facilities (Air)*

15 LAUNCH VEHICLES AND SPACE VEHICLES

Includes boosters, manned orbital laboratories, reusable vehicles, and space stations

16 SPACE TRANSPORTATION

Includes passenger and cargo space transportation, e g , shuttle operations, and rescue techniques

For related information see also *03 Air Transportation and Safety* and *85 Urban Technology and Transportation*

17 SPACECRAFT COMMUNICATIONS, COMMAND AND TRACKING

Includes telemetry, space communications networks, astronavigation, and radio blackout

For related information see also *04 Aircraft Communications and Navigation* and *32 Communications*

18 SPACECRAFT DESIGN, TESTING AND PERFORMANCE

Includes spacecraft thermal and environmental control, and attitude control

For life support systems see *54 Man/System Technology and Life Support* For related information see also *05 Aircraft Design, Testing and Performance* and *39 Structural Mechanics*

19 SPACECRAFT INSTRUMENTATION
For related information see also *06 Aircraft Instrumentation* and *35 Instrumentation and Photography*

20 SPACECRAFT PROPULSION AND POWER
Includes main propulsion systems and components, e g , rocket engines, and spacecraft auxiliary power sources
For related information see also *07 Aircraft Propulsion and Power, 28 Propellants and Fuels,* and *44 Energy Production and Conversion*

CHEMISTRY AND MATERIALS

Includes chemistry and materials (general), composite materials, inorganic and physical chemistry, metallic materials, nonmetallic materials, and propellants and fuels

23 CHEMISTRY AND MATERIALS (GENERAL)
Includes biochemistry and organic chemistry

24 COMPOSITE MATERIALS
Includes laminates

25 INORGANIC AND PHYSICAL CHEMISTRY
Includes chemical analysis, e g , chromatography, combustion theory, electrochemistry, and photochemistry
For related information see also *77 Thermodynamics and Statistical Physics*

26 METALLIC MATERIALS
Includes physical, chemical, and mechanical properties of metals, e g , corrosion, and metallurgy

27 NONMETALLIC MATERIALS
Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials

28 PROPELLANTS AND FUELS
Includes rocket propellants, igniters, and oxidizers, storage and handling, and aircraft fuels
For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power,* and *44 Energy Production and Conversion*

ENGINEERING

Includes engineering (general), communications, electronics and electrical engineering, fluid mechanics and heat transfer, instrumentation and photography, lasers and masers, mechanical engineering, quality assurance and reliability, and structural mechanics
For related information see also *Physics*

31 ENGINEERING (GENERAL)
Includes vacuum technology, control engineering, display engineering, and cryogenics

32 COMMUNICATIONS
Includes land and global communications, communications theory, and optical communications
For related information see also *04 Aircraft Communications and Navigation* and *17 Spacecraft Communications, Command and Tracking*

33 ELECTRONICS AND ELECTRICAL ENGINEERING
Includes test equipment and maintainability, components, e g , tunnel diodes and transistors, microminiaturization, and integrated circuitry
For related information see also *60 Computer Operations and Hardware* and *76 Solid-State Physics*

34 FLUID MECHANICS AND HEAT TRANSFER
Includes boundary layers, hydrodynamics, fluidics, mass transfer, and ablation cooling
For related information see also *02 Aerodynamics* and *77 Thermodynamics and Statistical Physics*

35 INSTRUMENTATION AND PHOTOGRAPHY
Includes remote sensors, measuring instruments and gages, detectors, cameras and photographic supplies, and holography
For aerial photography see *43 Earth Resources*
For related information see also *06 Aircraft Instrumentation* and *19 Spacecraft Instrumentation*

36 LASERS AND MASERS
Includes parametric amplifiers

37 MECHANICAL ENGINEERING
Includes auxiliary systems (non-power), machine elements and processes, and mechanical equipment

38 QUALITY ASSURANCE AND RELIABILITY
Includes product sampling procedures and techniques, and quality control

39 STRUCTURAL MECHANICS
Includes structural element design and weight analysis, fatigue, and thermal stress
For applications see *05 Aircraft Design, Testing and Performance* and *18 Spacecraft Design, Testing and Performance*

GEOSCIENCES

Includes geosciences (general), earth resources, energy production and conversion, environment pollution, geophysics, meteorology and climatology, and oceanography
For related information see also *Space Sciences*

42 GEOSCIENCES (GENERAL)

43 EARTH RESOURCES
Includes remote sensing of earth resources by aircraft and spacecraft, photogrammetry, and aerial photography
For instrumentation see *35 Instrumentation and Photography*

44 ENERGY PRODUCTION AND CONVERSION
Includes specific energy conversion systems, e g , fuel cells and batteries, global sources of energy, fossil fuels, geophysical conversion, hydroelectric power, and wind power
For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power, 28 Propellants and Fuels,* and *85 Urban Technology and Transportation*

45 ENVIRONMENT POLLUTION
Includes air, noise, thermal and water pollution, environment monitoring, and contamination control

46 GEOPHYSICS
Includes aeronomy, upper and lower atmosphere studies, ionospheric and magnetospheric physics, and geomagnetism
For space radiation see *93 Space Radiation*

47 METEOROLOGY AND CLIMATOLOGY
Includes weather forecasting and modification

48 OCEANOGRAPHY
Includes biological, dynamic and physical oceanography, and marine resources

LIFE SCIENCES

Includes life sciences (general), aerospace medicine, behavioral sciences, man/system technology and life support, and planetary biology

51 LIFE SCIENCES (GENERAL)
Includes genetics

52 AEROSPACE MEDICINE
Includes physiological factors, biological effects of radiation, and weightlessness

53 BEHAVIORAL SCIENCES
Includes psychological factors, individual and group behavior, crew training and evaluation, and psychiatric research

54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT
Includes human engineering, biotechnology, and space suits and protective clothing

55 PLANETARY BIOLOGY
Includes exobiology, and extraterrestrial life

MATHEMATICAL AND COMPUTER SCIENCES

Includes mathematical and computer sciences (general), computer operations and hardware, computer programming and software, computer systems, cybernetics, numerical analysis, statistics and probability, systems analysis, and theoretical mathematics

59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

60 COMPUTER OPERATIONS AND HARDWARE
Includes computer graphics and data processing
For components see *33 Electronics and Electrical Engineering*

61 COMPUTER PROGRAMMING AND SOFTWARE
Includes computer programs, routines, and algorithms

62 COMPUTER SYSTEMS
Includes computer networks

63 CYBERNETICS
Includes feedback and control theory
For related information see also *54 Man/System Technology and Life Support*

64 NUMERICAL ANALYSIS
Includes iteration, difference equations, and numerical approximation

65 STATISTICS AND PROBABILITY
Includes data sampling and smoothing, Monte Carlo method, and stochastic processes

66 SYSTEMS ANALYSIS
Includes mathematical modeling, network analysis, and operations research

67 THEORETICAL MATHEMATICS
Includes topology and number theory

PHYSICS

Includes physics (general), acoustics, atomic and molecular physics, nuclear and high-energy physics, optics, plasma physics, solid-state physics, and thermodynamics and statistical physics
For related information see also *Engineering*

70 PHYSICS (GENERAL)
For geophysics see *46 Geophysics* For astrophysics see *90 Astrophysics* For solar physics see *92 Solar Physics*

71 ACOUSTICS
Includes sound generation, transmission, and attenuation
For noise pollution see *45 Environment Pollution*

72 ATOMIC AND MOLECULAR PHYSICS
Includes atomic structure and molecular spectra

73 NUCLEAR AND HIGH-ENERGY PHYSICS
Includes elementary and nuclear particles, and reactor theory
For space radiation see *93 Space Radiation*

74 OPTICS
Includes light phenomena

75 PLASMA PHYSICS
Includes magnetohydrodynamics and plasma fusion
For ionospheric plasmas see *46 Geophysics* For space plasmas see *90 Astrophysics*

76 SOLID-STATE PHYSICS
Includes superconductivity
For related information see also *33 Electronics and Electrical Engineering* and *36 Lasers and Masers*

77 THERMODYNAMICS AND STATISTICAL PHYSICS
Includes quantum mechanics, and Bose and Fermi statistics
For related information see also *25 Inorganic and Physical Chemistry* and *34 Fluid Mechanics and Heat Transfer*

SOCIAL SCIENCES

Includes social sciences (general), administration and management, documentation and information science, economics and cost analysis, law and political science, and urban technology and transportation

80 SOCIAL SCIENCES (GENERAL)
Includes educational matters

81 ADMINISTRATION AND MANAGEMENT
Includes management planning and research

82 DOCUMENTATION AND INFORMATION SCIENCE
Includes information storage and retrieval technology, micrography, and library science
For computer documentation see *61 Computer Programming and Software*

83 ECONOMICS AND COST ANALYSIS
Includes cost effectiveness studies

84 LAW AND POLITICAL SCIENCE
Includes space law, international law, international cooperation, and patent policy

85 URBAN TECHNOLOGY AND TRANSPORTATION
Includes applications of space technology to urban problems, technology transfer, technology assessment, and surface and mass transportation
For related information see *03 Air Transportation and Safety, 16 Space Transportation,* and *44 Energy Production and Conversion*

SPACE SCIENCES

Includes space sciences (general), astronomy, astrophysics, lunar and planetary exploration, solar physics, and space radiation
For related information see also *Geosciences*

88 SPACE SCIENCES (GENERAL)

89 ASTRONOMY
Includes radio and gamma-ray astronomy, celestial mechanics, and astrometry

90 ASTROPHYSICS
Includes cosmology, and interstellar and interplanetary gases and dust

91 LUNAR AND PLANETARY EXPLORATION
Includes planetology, and manned and unmanned flights
For spacecraft design see *18 Spacecraft Design, Testing and Performance* For space stations see *15 Launch Vehicles and Space Vehicles*

92 SOLAR PHYSICS
Includes solar activity, solar flares, solar radiation and sunspots

93 SPACE RADIATION
Includes cosmic radiation, and inner and outer earth's radiation belts
For biological effects of radiation see *52 Aerospace Medicine* For theory see *73 Nuclear and High-Energy Physics.*

GENERAL

99 GENERAL

Section 2 • Indexes

SUBJECT INDEX I-1
INVENTOR INDEX I-229
SOURCE INDEX I-321
NUMBER INDEX I-375
ACCESSION NUMBER INDEX I-463

Typical Subject Index Listing



The subject heading is the key to the subject content of the document A brief description of the document e g title title plus a title extension or Notation of Content (NOC) is included for each subject entry to indicate the subject heading context these descriptions are arranged under each subject heading in ascending accession number order The NASA Case Number serves as the prime access number to the patent documents The Subject Category Number indicates the category in Section 1 (Abstracts) in which the patent citation and abstract are located The NASA accession number denotes the number by which the citation is identified within the subject category

A

ABLATION
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
ABLATIVE MATERIALS
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Design, development, and characteristics of ablation structures
[NASA-CASE-XMS-01816] c33 N71-15623
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
Carrier liquid system containing bodies of ablative material
[NASA-CASE-LEW-10359-2] c33 N73-25952
Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
ABORT APPARATUS
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
ABRASION RESISTANCE
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
ABSORBENTS
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material
[NASA-CASE-MFS-18100] c15 N72-11390
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
ABSORBERS (MATERIALS)
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
ABSORPTION CROSS SECTIONS
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
ABSORPTIVITY
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551

AC GENERATORS
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443

ACCELERATION
Single grid accelerator system for electron bombardment type ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699

ACCELERATION (PHYSICS)
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XMF-00424] c11 N70-38196
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787

ACCELERATION PROTECTION
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819

ACCELERATION STRESSES (PHYSIOLOGY)
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881

ACCELERATION TOLERANCE
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185

ACCELERATORS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417

ACCELEROMETERS
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XMF-01099] c14 N71-15969
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347

ACCEPTOR MATERIALS
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409

ACCUMULATORS
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399

ACETALS
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243

ACETYLENE
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500

ACOUSTIC ATTENUATION
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432

ACOUSTIC DUCTS
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418

ACOUSTIC IMPEDANCE
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733

ACOUSTIC MEASUREMENTS
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441

ACOUSTIC PROPAGATION
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335

ACOUSTIC PROPERTIES
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
Acoustical transducer calibrating system including differential pressure activating device
[NASA-CASE-FRC-10060-1] c14 N73-27379

ACOUSTICAL HOLOGRAPHY
Hybrid holographic non-destructuve test system --- optical and acoustical methods capable of detecting flaws in materials
[NASA-CASE-MFS-23114-1] c35 N76-24529

ACOUSTICS
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886

ACOUSTO-OPTICS
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411

ACRYLATES
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Durable antistatic coating for polymethylmethacrylate

[NASA-CASE-NPO-13867-1] c27 N77-22257
ACRYLIC RESINS
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
ACTIVATION ENERGY
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
ACTUATOR DISKS
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323
ACTUATORS
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Rotary actuator for use in environments with no rolling and sliding friction
[NASA-CASE-NPO-10244] c15 N72-26371
Gas-operated actuator with cyclic motion of expansion chamber
[NASA-CASE-NPO-11340] c15 N72-33477
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Miniature hydraulic actuator --- for control surfaces on airfoils
[NASA-CASE-LAR-11522-1] c34 N74-34881
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
ADAPTERS
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
ADAPTIVE CONTROL
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
ADAPTIVE FILTERS
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XMF-01892] c10 N71-22986
ADDING CIRCUITS
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
ADDITIVES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Tantalum modified ferritic iron base alloys --- for use in high temperature environments
[NASA-CASE-LEW-12095-1] c26 N76-17233
ADENOSINE TRIPHOSPHATE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
ADHESION
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
ADHESION TESTS
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
ADHESIVE BONDING
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Thermal insulation attaching means
[NASA-CASE-MSC-12619-1] c39 N75-21671
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Surface finishing --- of metal airfoils by adhesive bonding
[NASA-CASE-MSC-12631-2] c05 N77-31131

Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles
[NASA-CASE-MSC-12619-2] c16 N77-31237

ADHESIVES
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192

ADJUSTING
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392

AERIAL RUDDERS
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147

AERODYNAMIC BRAKES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

AERODYNAMIC CHARACTERISTICS
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154

AERODYNAMIC COEFFICIENTS
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452

AERODYNAMIC CONFIGURATIONS
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135

AERODYNAMIC HEATING
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947

AERODYNAMIC LOADS
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856

AERODYNAMIC NOISE
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273

AERODYNAMIC STABILITY
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029

AERONAUTICAL ENGINEERING
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816

AEROSOLS
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609

AEROSPACE ENGINEERING
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214

AEROSPACE ENVIRONMENTS
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810

Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070

AEROSPACE MEDICINE
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743

AEROSPACE VEHICLES
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547

AEROSPACEPLANES
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907

AFTERBODIES
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493

AFTERBURNING
Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374

AGING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236

AGRICULTURE
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701

AILERONS
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809

AIR
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710

AIR CONDITIONING EQUIPMENT
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902

AIR COOLING
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264

AIR FILTERS
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457

AIR FLOW
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418

AIR INTAKES
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736

AIR LOCKS
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095
Airlock for waste transferal from pressurized enclosure aboard space vehicle to waste receiver at negative pressure
[NASA-CASE-MFS-20922] c31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900

AIR POLLUTION
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497

AIR PURIFICATION
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721

AIR SAMPLING
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
AIR TRAFFIC CONTROL
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
AIRBORNE EQUIPMENT
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
AIRBORNE/SPACEBORNE COMPUTERS
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
AIRCRAFT
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
AIRCRAFT ACCIDENTS
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
AIRCRAFT ANTENNAS
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
AIRCRAFT APPROACH SPACING
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
AIRCRAFT COMPARTMENTS
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
AIRCRAFT CONFIGURATIONS
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
AIRCRAFT CONTROL
Development and characteristics of control system for flexible wings
[NASA-CASE-XLA-06958] c02 N71-11038
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176
AIRCRAFT DESIGN
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
Supersonic transport --- aircraft design
[NASA-CASE-LAR-11932-1] c05 N76-31219
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
AIRCRAFT DETECTION
Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
AIRCRAFT ENGINES
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
AIRCRAFT EQUIPMENT
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
AIRCRAFT GUIDANCE
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420
AIRCRAFT HAZARDS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
AIRCRAFT HYDRAULIC SYSTEMS
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
AIRCRAFT INSTRUMENTS
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157

Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Aircraft horizon and vertical indicator
[NASA-CASE-ERC-10392] c21 N73-14692
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140

AIRCRAFT LANDING
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280

AIRCRAFT LAUNCHING DEVICES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

AIRCRAFT MANEUVERS
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381

AIRCRAFT MODELS
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014

AIRCRAFT NOISE
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232

AIRCRAFT PERFORMANCE
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257

AIRCRAFT PILOTS
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597

AIRCRAFT SAFETY
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421

AIRCRAFT STABILITY
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004

AIRCRAFT STRUCTURES
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001

AIRCRAFT WAKES
Vortex attenuation method --- for multi-engine aircraft
[NASA-CASE-LAR-12034-1] c02 N77-22045

AIRFOIL FENCES
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419

AIRFOILS
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Miniature hydraulic actuator --- for control surfaces on airfoils
[NASA-CASE-LAR-11522-1] c34 N74-34881
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N76-28535
Surface finishing --- of metal airfoils by adhesive bonding
[NASA-CASE-MSC-12631-2] c05 N77-31131

AIRFRAMES
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005

AIRSPEED
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858

ALCOHOLS
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440

ALDEHYDES
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740

ALIGNMENT
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379
Design of precision vertical alignment system using laser with gravitationally sensitive

cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457

ALKALI METALS
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Method for producing alkali metal dispersions of high purity
[NASA-CASE-XNP-08876] c17 N73-28573
Process for preparing higher oxides of the alkali and alkaline earth metals --- using radio frequency discharge sustained in oxygen
[NASA-CASE-ARC-10992-1] c25 N77-17178

ALKALINE BATTERIES
Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNP-01464] c03 N71-10728
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674

ALKALINE EARTH OXIDES
Process for preparing higher oxides of the alkali and alkaline earth metals --- using radio frequency discharge sustained in oxygen
[NASA-CASE-ARC-10992-1] c25 N77-17178

ALKYL COMPOUNDS
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluorcalkylene dicl
[NASA-CASE-MFS-10507] c06 N73-30101

ALLOYS
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEW-11388-1] c15 N73-32358
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127

ALPHANUMERIC CHARACTERS
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517

ALTERNATING CURRENT
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Power factor control system for ac induction motors
[NASA-CASE-MFS-23280-1] c33 N76-28471

ALTITUDE
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268

ALTITUDE CONTROL
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925

ALUMINUM
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610

ALUMINUM ALLOYS
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XMF-02786] c17 N71-20743

Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
ALUMINUM COATINGS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
ALUMINUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
ALUMINUM SILICATES
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
AMINES
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
AMINO ACIDS
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
AMMONIA
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
AMMONIUM PERCHLORATES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
AMPLIFICATION
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
AMPLIFIER DESIGN
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407
AMPLIFIERS
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-XGS-02812] c09 N71-19466
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
AMPLITUDE DISTRIBUTION ANALYSIS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
AMPLITUDE MODULATION
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
AMPLITUDES
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24844
ANALOG CIRCUITS
Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XMF-01097] c10 N71-16058
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
ANALOG COMPUTERS
Analog spatial maneuver computer with three

output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
ANALOG DATA
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Analog signal to discrete time converter
[NASA-CASE-ERC-10048] c09 N72-25251
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N76-33469
ANALOG SIMULATION
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
ANALOG TO DIGITAL CONVERTERS
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00408] c08 N70-40125
Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Wide range analog to digital converter with variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163
Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
ANALYZERS
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
ANEMOMETERS
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XNP-05224] c14 N71-23726
Maxometers for measuring peak wind speeds during severe environmental conditions
[NASA-CASE-MFS-20916] c14 N73-25460
ANGIOGRAPHY
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
ANGLE OF ATTACK
Angle detector
[NASA-CASE-ARC-11036-1] c35 N77-11364
ANGLES (GEOMETRY)
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XNP-04415] c14 N71-24693
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
ANGULAR ACCELERATION
Strain gage accelerometer for angular acceleration measurement
[NASA-CASE-XMS-05936] c14 N70-41682
ANGULAR CORRELATION
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
ANGULAR MOMENTUM
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
ANGULAR RESOLUTION
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XNP-00447] c14 N70-33179
ANGULAR VELOCITY
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
ANHYDRIDES
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
ANILINE
Synthesis of high purity dianilinosilanes
[NASA-CASE-XNP-06409] c06 N71-23230
ANIMALS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Tread drum for animals
[NASA-CASE-ARC-10917-1] c37 N76-20485
ANISOTROPIC MEDIA
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
ANNEALING
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
ANNULAR NOZZLES
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
ANNULAR PLATES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
ANODES
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699

Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
ANODIC COATINGS
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
ANTENNA ARRAYS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340
ANTENNA COMPONENTS
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
ANTENNA DESIGN
Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c33 N76-32457
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
ANTENNA FEEDS
Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] *c32 N76-15329
Reflex feed system for dual frequency antenna
[NASA-CASE-NPO-14022-1] c32 N77-24338
ANTENNA RADIATION PATTERNS
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
Dielectric loaded aperture antenna with directive radiation pattern from waveguide
[NASA-CASE-LAR-11084-1] c09 N73-12216
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
ANTENNAS
Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127

ANTIFRICTION BEARINGS
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189
Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383

ANTIGRAVITY
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789

ANTIINFECTIVES AND ANTIBACTERIALS
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797

ANTIREFLECTION COATINGS
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580

ANVILS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446

APERTURES
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408

APOLLO PROJECT
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012

APOLLO SPACECRAFT
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450

APPLICATIONS OF MATHEMATICS
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

APPROACH INDICATORS
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031

AQUEOUS SOLUTIONS
Fuel system for thermal nuclear reactor which uses inorganic ion exchanger
[NASA-CASE-LEW-11645-2] c22 N73-28660
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245

ARC DISCHARGES
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385

ARC HEATING
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071

ARC JET ENGINES
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760

ARC LAMPS
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386

ARC WELDING
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

ARCHITECTURE
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921

ARM (ANATOMY)
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751

ARMATURES
Design and development of electric motof with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476

AROMATIC COMPOUNDS
Aromatic polyimide preparation --- with low softening temperatures
[NASA-CASE-LAR-11372-1] c27 N74-19772
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
A method of preparing aromatic polyimides having uniquely low softening temperatures
[NASA-CASE-LAR-11828-1] c23 N75-29181
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315

ARTERIES
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566

ARTIFICIAL CLOUDS
Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space
[NASA-CASE-LAR-10670-1] c06 N73-30097
ARTIFICIAL GRAVITY
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
ARTIFICIAL SATELLITES
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
ASBESTOS
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204
ASPECT RATIO
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
ASSEMBLIES
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
ASSEMBLING
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
ASTRONAUT LOCOMOTION
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
ASTRONAUT MANEUVERING EQUIPMENT
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
ASTRONAUT PERFORMANCE
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
ASTRONAUT TRAINING
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
ASTRONAUTS
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
ASTRONAVIGATION
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
ASTRONOMICAL PHOTOGRAPHY
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419
ASTRONOMICAL TELESCOPES
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Star image motion compensator using telescope for maintaining fixed images
[NASA-CASE-LAR-10523-1] c14 N72-22444
System for the measurement of ultra-low stray light levels --- light shields and baffles
[NASA-CASE-MFS-23513-1] c74 N77-14842
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
ATMOSPHERIC COMPOSITION
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
ATMOSPHERIC ENTRY
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
ATMOSPHERIC ENTRY SIMULATION
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
ATMOSPHERIC PHYSICS
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
ATMOSPHERIC RADIATION
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
ATMOSPHERIC SCATTERING
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028

ATMOSPHERIC TURBULENCE
Passive optical wind and turbulence remote detection system
[NASA-CASE-XMF-14032] c20 N71-16340
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
ATOMIZERS
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
ATS
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
ATTACHMENT
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
ATTENUATORS
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
ATTITUDE (INCLINATION)
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N76-14433
ATTITUDE CONTROL
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMF-00185] c21 N70-34539
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XMF-01598] c21 N71-15583
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
ATTITUDE GYROS
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
ATTITUDE INDICATORS
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Aircraft horizon and vertical indicator
[NASA-CASE-ERC-10392] c21 N73-14692
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
ATTITUDE STABILITY
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
AUDIO EQUIPMENT
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
AUDIO FREQUENCIES
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
AUDITORY PERCEPTION
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
AUDITORY SIGNALS
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Audio equipment for removing impulse noise from audio signals

[NASA-CASE-NPO-11631] c10 N73-12244
AUDITORY STIMULI
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
AUSTENITIC STAINLESS STEELS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Reduced chromium stainless steel alloys
[NASA-CASE-LEW-12543-1] c26 N77-21217
AUTOCORRELATION
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
AUTOMATIC CONTROL
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XNP-03287] c15 N71-15607
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Welding torch with automatic speed controller using speed sensing wheel and closed servo system
[NASA-CASE-XNP-01730] c15 N71-23050
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNP-05195] c10 N71-24861
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
AUTOMATIC CONTROL VALVES
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NEO-11177] c15 N72-17453
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
AUTOMATIC FREQUENCY CONTROL
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
AUTOMATIC GAIN CONTROL
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
AUTOMATIC TEST EQUIPMENT
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Visual examination apparatus
[NASA-CASE-HE-ARC-10329-2] c52 N76-30793
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
AUTOMATION
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
AUTOMOBILE FUELS
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
AUTORADIOGRAPHY
Method of post-process intensification of images on photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N76-26449
AUXILIARY POWER SOURCES
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332

AXES (REFERENCE LINES)
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951

AXES OF ROTATION
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255

AXIAL COMPRESSION LOADS
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411

AXIAL FLOW TURBINES
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895

AXIAL LOADS
Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XMF-01371] c15 N70-41829
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511

AXIAL STRESS
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511

AZIMUTH
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056

AZINES
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244

AZO COMPOUNDS
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177

B

BACKGROUND NOISE
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

BACKGROUND RADIATION
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411

BACKSCATTERING
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091

BACKUPS
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935

BACTERIA
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733

BACTERIOLOGY
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677

BAFFLES
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
System for the measurement of ultra-low stray light levels --- light shields and baffles
[NASA-CASE-MFS-23513-1] c74 N77-14842

BAGS
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192

BALANCE
Thermoprotective device for balances
[NASA-CASE-XAC-00648] c14 N70-40400
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945

BALANCING
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264

BALL BEARINGS
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136

Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403

BALLAST (MASS)
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006

BALLASTS (IMPEDANCES)
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318

BALLISTICS
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310

BALLOON SOUNDING
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039

BALLOONS
Development and characteristics of hot air balloon deceleration and recovery system
[NASA-CASE-XLA-06824-2] c02 N71-11037
Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008

BALLS
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073

BANDPASS FILTERS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307

BANDWIDTH
Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299

BARIUM
Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space
[NASA-CASE-LAR-10670-1] c06 N73-30097

BARIUM COMPOUNDS
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889

BARIUM FLUORIDES
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

BARIUM ION CLOUDS
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360

BARIUM TITANATES
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198

BARRIER LAYERS
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448

BARRIERS
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145

BASES (CHEMICAL)
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047

BATTERY CHARGERS
Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
Method and apparatus for reconditioning nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N77-12511

BAYARD-ALPERT IONIZATION GAGES
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482

BEADS
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988

BEAM LEADS
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951

BEAM SPLITTERS
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516

BEAM SWITCHING
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11920-1] c33 N76-27472

BEAM WAVEGUIDES
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125

BEAMS (RADIATION)
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Method and system for transmitting and distributing optical frequency radiation

[NASA-CASE-HQN-10541-3] c23 N72-23695
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
BEARING (DIRECTION)
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
BEARINGS
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Measuring device for bearing preload using spring washers
[NASA-CASE-MFS-20434] c11 N72-25288
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574
Bearing material
[NASA-CASE-LEW-11930-2] c24 N76-26282
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
BEDS (PROCESS ENGINEERING)
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
BEER LAW
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
BEES
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
BELLOWS
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
BELTS
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
BENDING
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
BENDING DIAGRAMS
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
BENDING FATIGUE
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
BENDING MOMENTS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353
BENDING VIBRATION
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
BENZENE
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
BERYLLIUM ALLOYS
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
BERYLLIUM OXIDES
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
BIMETALS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature
[NASA-CASE-NPO-11283] c09 N72-25260
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
BINARY CODES
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N76-13781
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Multiple rate digital command detection system --- with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
BINARY DATA
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693

Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system [NASA-CASE-NPO-10851] c07 N71-24613
Differential phase shift keyed communication system [NASA-CASE-MSC-14065-1] c32 N74-26654
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems [NASA-CASE-GSC-11743-1] c32 N75-24981

BINARY DIGITS
Logarithmic converter for compressing 19-digit binary input number to 8-digit output [NASA-CASE-XLA-00471] c08 N70-34778
Circuit diagram and operation of full binary adder [NASA-CASE-XGS-00689] c08 N70-34787
Binary number sorter for arranging numbers in order of magnitude [NASA-CASE-NPO-10112] c08 N71-12502
Binary sequence detector with few memory elements and minimized logic circuit complexity [NASA-CASE-XNP-05415] c08 N71-12505
Cathode ray tube system for displaying ones and zeros in binary wave train [NASA-CASE-XGS-04987] c08 N71-20571
Characteristics of comparator circuits for comparison of binary numbers in information processing system [NASA-CASE-XNP-04819] c08 N71-23295
Digital converter for scaling binary number to binary coded decimal number of higher multiple [NASA-CASE-KSC-10595] c08 N73-12176
Family of m-ary linear feedback shift register with binary logic [NASA-CASE-NPO-11868] c10 N73-20254
Binary concatenated coding system [NASA-CASE-MSC-14082-1] c60 N76-23850

BINARY FLUIDS
Flow measuring apparatus [NASA-CASE-LEW-12078-1] c35 N75-30503

BINARY TO DECIMAL CONVERTERS
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades [NASA-CASE-XNP-00432] c08 N70-35423
Design and operation of high speed binary to decimal conversion system [NASA-CASE-XGS-01230] c08 N71-19544
Binary to decimal decoder logic circuit design with feedback control and display device [NASA-CASE-XKS-06167] c08 N71-24890
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems [NASA-CASE-KSC-10326] c08 N72-21197
Binary to binary coded decimal converter [NASA-CASE-GSC-12044-1] c60 N76-13781

BINDERS (MATERIALS)
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability [NASA-CASE-XMS-00259] c18 N70-36400
Brazing alloy binder [NASA-CASE-XMF-05868] c26 N75-27125

BINOCULARS
Binocular device for displaying numerical information in field of view [NASA-CASE-LAR-11782-1] c74 N77-20882

BIOACOUSTICS
Hearing aid malfunction detection system [NASA-CASE-MSC-14916-1] c33 N77-13335

BIOASSAY
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons [NASA-CASE-XGS-01231] c14 N70-41676
Bioassay of flavin coenzymes [NASA-CASE-GSC-10565-1] c06 N72-25149
Enzymatic luminescent bioassay method for determining bacterial levels in urine [NASA-CASE-GSC-11092-2] c04 N73-27052
Amino acid analysis [NASA-CASE-NPO-12130-1] c25 N75-14844
Servo-controlled intravital microscope system [NASA-CASE-NPO-13214-1] c35 N75-25123
Method of detecting and counting bacteria [NASA-CASE-GSC-11917-2] c51 N76-29891
Automated clinical system for chromosome analysis [NASA-CASE-NPO-13913-1] c52 N77-19750
Determination of antimicrobial susceptibilities of infected urines without isolation [NASA-CASE-GSC-12046-1] c52 N77-26797

BIOELECTRIC POTENTIAL
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs [NASA-CASE-XMS-02872] c05 N69-21925
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode [NASA-CASE-MSC-90153-2] c05 N72-25120
Process for control of cell division [NASA-CASE-LAR-10773-3] c51 N77-25769

BIOELECTRICITY
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid [NASA-CASE-XMS-04213-1] c09 N71-26002

BIOENGINEERING
Bio-isolated dc operational amplifier --- for bioelectric measurements [NASA-CASE-ARC-10596-1] c33 N74-21851
Actuator device for artificial leg [NASA-CASE-MFS-23225-1] c52 N77-14735
Percutaneous connector device [NASA-CASE-KSC-10849-1] c52 N77-14738

BIOINSTRUMENTATION
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits [NASA-CASE-XAC-00435] c09 N70-35440
Electrode attached to helmets for detecting low level signals from skin of living creatures [NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of pressed disc electrode for biological measurements [NASA-CASE-XMS-04212-1] c05 N71-12346
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness [NASA-CASE-MSC-13282-1] c05 N71-24729
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid [NASA-CASE-XMS-04213-1] c09 N71-26002
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves [NASA-CASE-ARC-10597-1] c52 N74-20726
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles [NASA-CASE-NPO-13423-1] c33 N75-31329
A condition sensor system and method [NASA-CASE-MSC-14805-1] c35 N76-26448
A logic-controlled occlusive cuff system [NASA-CASE-MSC-14836-1] c52 N76-27839
Catheter tip force transducer for cardiovascular research [NASA-CASE-NPO-13643-1] c52 N76-29896
Biomedical ultrasonoscope [NASA-CASE-ARC-10994-1] c52 N76-33835
Thermistor holder for skin temperature measurements [NASA-CASE-ARC-10855-1] c52 N77-10780
EKG and ultrasonoscope display [NASA-CASE-ARC-10994-2] c52 N77-15619
Induction powered biological radiosonde --- for measuring intracranial pressure [NASA-CASE-ARC-11120-1] c52 N77-23743
Magnetic electrical connectors for biomedical percutaneous implants [NASA-CASE-KSC-11030-1] c52 N77-25772
Corneal seal device [NASA-CASE-LEW-12258-1] c52 N77-28716
Snap-in compressible biomedical electrode [NASA-CASE-MSC-14623-1] c52 N77-28717

BIOLUMINESCENCE
Detection instrument for light emitted from ATP biochemical reaction [NASA-CASE-XGS-05534] c23 N71-16355
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions

[NASA-CASE-XGS-05532] c06 N71-17705
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
BIOMEDICAL DATA
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
BIOMETRICS
Characteristics of pressed disc electrode for biological measurements
[NASA-CASE-XMS-04212-1] c05 N71-12346
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
BIOTELEMETRY
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
BIREFRINGENCE
Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
BIREFRINGENT FILTERS
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
BISMUTH COMPOUNDS
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
BISTABLE CIRCUITS
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
BIT SYNCHRONIZATION
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132
BITERNARY CODE
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
BITS
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
BLACK BODY RADIATION
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
BLADE TIPS
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264
BLADES (CUTTERS)
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
BLAST LOADS
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
BLOOD
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
BLOOD FLOW
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
BLOOD PRESSURE
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
BLUFF BODIES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
BLUNT BODIES
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
BODIES OF REVOLUTION
Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
BODY FLUIDS
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
BODY KINEMATICS
Space suit with improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
BODY MEASUREMENT (BIOLOGY)
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
BODY TEMPERATURE
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
BODY VOLUME (BIOLOGY)
Whole body measurement systems --- for weightlessness simulation

[NASA-CASE-MSC-13972-1] c52 N74-10975
BODY-WING CONFIGURATIONS
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135
BOILERS
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
BOLOMETERS
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
BOLTS
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
BONDING
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N76-19234
BONES
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
BOOMS (EQUIPMENT)
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
BOOSTER RECOVERY
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
BOOSTER ROCKET ENGINES
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
BOOTS (FOOTWEAR)
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
BORING MACHINES
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
BORON
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
BORON CARBIDES
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
BORON FLUORIDES
Boron trifluoride coatings for thermoplastic materials
[NASA-CASE-ARC-11057-1] c27 N77-26308
BOUNDARY LAYER CONTROL
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
BOUNDARY LAYER SEPARATION
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
BOUNDARY LAYERS
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
BOXES (CONTAINERS)
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
BRAKES (FOR ARRESTING MOTION)
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Motion restraining device --- for dissipating at a controlled rate the force of a moving body
[NASA-CASE-NPO-13619-1] c37 N75-22748
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
BRAKING
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XMF-01096] c10 N71-16030
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XMF-05224] c14 N71-23726
BRAZING
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical

and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455

BREATHING APPARATUS
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N77-21847

BRICKS
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921

BRIGHTNESS
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479

BRIGHTNESS DISCRIMINATION
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072

BRITTLENESS
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069

BROADBAND
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013

BROADBAND AMPLIFIERS
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415

BROADCASTING
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194

BROMINE
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641

BRUSHES
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818

BUCKLING
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323

BUFFER STORAGE
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Digital to analog converter with parallel input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206

BUILDINGS
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454

BULKHEADS
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948

BUOYANCY
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063

BURNING RATE
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913

BURNOUT
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381

BUTT JOINTS
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376

BUTTERFLY VALVES
Flexible inflatable seal for butterfly valves
[NASA-CASE-XLE-00101] c15 N70-33376

BYPASSES
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053

C

CABLE FORCE RECORDERS
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599

CABLES
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540

CABLES (ROPES)
High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
Force separation rigid tethering device using cables
[NASA-CASE-XLA-02332] c32 N71-17609

Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
Flexible cable that can be made rigid
[NASA-CASE-MSC-13512-1] c15 N72-22485
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844

CADMIUM SULFIDES
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088

CALCIUM
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271

CALCIUM FLUORIDES
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

CALCIUM OXIDES
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252

CALCIUM PHOSPHATES
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072

CALCULATORS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552

CALIBRATING
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343

CALORIMETERS
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859

CAMERA SHUTTERS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861

CAMERAS
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XNP-03844-1] c14 N71-26474
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408

CANS
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400

CANARD CONFIGURATIONS
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629

CANCER
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796

CANOPIES
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230

CANS
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501

CANTILEVER BEAMS
Pneumatic cantilever beams and platform for space erectable structure

[NASA-CASE-XLA-01731] c32 N71-21045
CANTILEVER MEMBERS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
CAPACITANCE
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-KKS-03495] c14 N69-39785
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885-1] c14 N71-23790
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c32 N74-12843
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
CAPACITANCE SWITCHES
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
CAPACITORS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Mechanical capacitor
[NASA-CASE-GSC-12030-1] c44 N76-30652
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385
CAPILLARY FLOW
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
CAPILLARY TUBES
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
CARBAZOLES
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
CARBOHYDRATES
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
CARBON ARCS
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XMS-03700] c15 N69-24266
CARBON COMPOUNDS
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
CARBON DIOXIDE
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
CARBON DIOXIDE LASERS
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
CARBON DIOXIDE REMOVAL
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
CARBON MONOXIDE
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380
CARBONATES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
CARBOXYL GROUP
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929

CARBOXYLIC ACIDS
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
CARCINOGENS
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
CARDIAC VENTRICLES
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
CARDIOGRAPHY
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
CARDIOLOGY
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
CARDIOTACHOMETERS
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
CARDIOVASCULAR SYSTEM
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
CARRIER FREQUENCIES
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMF-01160] c07 N71-11298
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
CARRIER WAVES
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
CARRIERS
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
CARTESIAN COORDINATES
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
CARTRIDGES
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
CASCADE CONTROL
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
CASCADE FLOW
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
CASES (CONTAINERS)
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
CASSEGRAIN ANTENNAS
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
CASTING
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
CASTINGS
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570
CATALYSIS
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
CATALYSTS
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
CATALYTIC ACTIVITY
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
CATHETERIZATION
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597

Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
CATHODE RAY TUBES
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250
CATHODES
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
CATIONS
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
CAVITATION FLOW
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
CAVITIES
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
CAVITY RESONATORS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
CELESTIAL BODIES
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
CELESTIAL NAVIGATION
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
CELL ANODES
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
CELL DIVISION
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
CELLS
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
CELLS (BIOLOGY)
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
CEMENTS
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
CENTRIFUGES
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
CERAMIC BONDING
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
CERAMIC COATINGS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XMF-01030] c18 N70-41583
Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-MFS-14253] c33 N71-24858
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
CERAMIC NUCLEAR FUELS
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
CERAMICS
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998

Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XMF-05999] c15 N71-29032
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Insulation foil and method of making
[NASA-CASE-LEW-11484-2] c24 N75-14839
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles
[NASA-CASE-MSC-12619-2] c16 N77-31237

CERMETS
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217

CESIUM
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383

CESIUM DIODES
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421

CESIUM ENGINES
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XMF-00923] c28 N70-36802
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197

CESIUM VAPOR
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595

CHANNEL FLOW
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569

CHANNELS (DATA TRANSMISSION)
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Helical recorder for multiple channel recording
[NASA-CASE-GSC-10614-1] c09 N72-11224
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195

CHARACTER RECOGNITION
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353

CHARGE DISTRIBUTION
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314

CHARGE EXCHANGE
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148

CHARGE TRANSFER
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515

CHARGE TRANSFER DEVICES
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418

CHARGED PARTICLES
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429

CHARGING
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020

CHARRING
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586

CHECKOUT
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601

CHELATES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090

CHEMICAL ANALYSIS
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
Development and characteristics of injection system for use with gas chromatograph
[NASA-CASE-ARC-10344-1] c14 N72-21433
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334

CHEMICAL AUXILIARY POWER UNITS
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044

CHEMICAL COMPOSITION
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
CHEMICAL COMPOUNDS
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
CHEMICAL ELEMENTS
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123
CHEMICAL ENGINEERING
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252
CHEMICAL MACHINING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
CHEMICAL PROPERTIES
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XMF-02584] c06 N71-20905
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Thiophenyl ether disilcxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
CHEMICAL REACTIONS
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XMF-08651] c06 N71-11236
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c06 N71-11237
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XMF-08674] c06 N71-28807
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
CHEMICAL TESTS
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
CHIMNEYS
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419
CHLORINATION
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
CHLOROPRENE RESINS
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
CHOKES
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
CHOKES (RESTRICTIONS)
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
CHOLESTEROL
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
CHROMATOGRAPHY
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947

CHROMIUM ALLOYS
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Reduced chromium stainless steel alloys
[NASA-CASE-LEW-12543-1] c26 N77-21217
CHROMOSOMES
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
CINEMATOGRAPHY
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
CIRCUIT BOARDS
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
CIRCUIT BREAKERS
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
CIRCUIT DIAGRAMS
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
CIRCUIT PROTECTION
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338

CIRCUITS
Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XMF-01129] c09 N70-38712
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-ERC-10036] c09 N72-22200
Development of thermal to electric power conversion system using solid state switches of electrical currents tc load for Seebeck effect ccmpensation
[NASA-CASE-NPO-11388] c03 N72-23048
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Electrodeless lamp circuit driven by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
CIRCULAR CONES
Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298
CIRCULAR CYLINDERS
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
CIRCULAR POLARIZATION
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
CIRCULAR TUBES
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
CIRCULATORS (PHASE SHIFT CIRCUITS)
Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
CLAMPING CIRCUITS
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
CLAMPS
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
CLAYS
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
CLEAN ROOMS
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
CLEANERS
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material
[NASA-CASE-MFS-18100] c15 N72-11390
CLEANING
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
CLEAR AIR TURBULENCE
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
CLIMBING FLIGHT
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
CLINICAL MEDICINE
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
CLOCKS
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326

Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
CLOSED CIRCUIT TELEVISION
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
CLOSED CYCLES
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
CLOSED ECOLOGICAL SYSTEMS
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
CLOSURES
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
CLOUD CHAMBERS
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
CLOUDS (METEOROLOGY)
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
CMOS
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403
COATING
Solder coating process for printed copper circuit protection
[NASA-CASE-XNP-01599] c09 N71-20705
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
COATINGS
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Selective coating for solar panels --- energy policy
[NASA-CASE-LEW-12159-1] c44 N76-15603
COAXIAL CABLES
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
COAXIAL PLASMA ACCELERATORS
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
COBALT ALLOYS
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
COCKPIT SIMULATORS
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
CODERS
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
CODING
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
COEFFICIENT OF FRICTION
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
COENZYMES
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149
COHERENT ELECTROMAGNETIC RADIATION
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
COHERENT LIGHT
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
COHERENT RADIATION
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light

collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
COINCIDENCE CIRCUITS
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
COLD CATHODES
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
COLD GAS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
COLD WORKING
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
COLLAPSE
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
COLLECTION
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
COLLIMATION
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
COLLIMATORS
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
Multiplate focusing collimator --- for scanning small near radiation sources
[NASA-CASE-MFS-20932-1] c35 N75-19616
COLLISION AVOIDANCE
Cooperative Doppler radar system for avoiding midair collisions
[NASA-CASE-LAR-10403] c21 N71-11766
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
COLLOIDAL GENERATORS
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
COLLOIDAL PROPELLANTS
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
COLOR
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
COLOR PHOTOGRAPHY
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XNP-01779] c12 N71-20815
COLOR TELEVISION
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N76-10148
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
COLOR VISION
Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015
COLUMNS (PROCESS ENGINEERING)
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
COLUMNS (SUPPORTS)
Lightweight structural columns --- for truss structures
[NASA-CASE-LAR-12095-1] c39 N77-27432
COMBINATORIAL ANALYSIS
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
COMBUSTION
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
COMBUSTION CHAMBERS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Coaxial injector for mixing liquid propellants within combustion chambers
[NASA-CASE-NPO-11095] c15 N72-25455
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665

Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N75-19579
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Fuel combustor
[NASA-CASE-LEW-12137-1] c20 N76-20215
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260

COMBUSTION CONTROL
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819

COMBUSTION EFFICIENCY
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199

COMBUSTION PHYSICS
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784

COMBUSTION PRODUCTS
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457

COMBUSTION STABILITY
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507

COMMAND AND CONTROL
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289

COMMAND MODULES
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450

COMMERCIAL AIRCRAFT
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027

COMMUNICATING
Communication between computers using two identical communications links
[NASA-CASE-NPO-11161] c08 N72-25207

COMMUNICATION
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146

COMMUNICATION CABLES
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553

COMMUNICATION EQUIPMENT
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654

COMMUNICATION SATELLITES
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XIA-00210] c30 N70-40309
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373

COMMUTATION
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915

COMMUTATORS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199

COMPARATOR CIRCUITS
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Development of pulsed differential comparator circuit
[NASA-CASE-XLE-03804] c10 N71-19471
Window comparator
[NASA-CASE-FRC-10090-1] c33 N77-11296

COMPARATORS
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996
Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295

COMPENSATORS
Star image motion compensator using telescope for maintaining fixed images
[NASA-CASE-LAR-10523-1] c14 N72-22444

COMPONENTS
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403

COMPOSITE MATERIALS
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XNP-01030] c18 N70-41583
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Preparation and characteristics of lightweight refractory insulation
[NASA-CASE-XNP-05279] c18 N71-16124
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket

propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22894
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Bearing material
[NASA-CASE-LEW-11930-2] c24 N76-26282
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249

COMPOSITE PROPELLANTS
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365

COMPOSITE STRUCTURES
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Composite lamination method --- of resin impregnated fiber tape
[NASA-CASE-LAR-12019-1] c24 N77-22179
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242

COMPOSITION (PROPERTY)
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409

COMPRESSED AIR
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409

COMPRESSED GAS
Gas compression analysis --- for oxygen supply equipment
[NASA-CASE-MSC-14757-1] c37 N76-13496

COMPRESSIBLE FLUIDS
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XNS-06250] c14 N71-15600

COMPRESSING
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124

COMPRESSION LOADS
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379

COMPRESSION TESTS
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528

COMPRESSOR BLADES
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515

COMPRESSORS
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Gas compression analysis --- for oxygen supply equipment
[NASA-CASE-MSC-14757-1] c37 N76-13496
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951

COMPUTATION
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

COMPUTER COMPONENTS
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897

COMPUTER DESIGN
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751

COMPUTER GRAPHICS
System for digitizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164

COMPUTER PROGRAMMING
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c60 N76-18800

COMPUTER PROGRAMS
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206

COMPUTER STORAGE DEVICES
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504

Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320

COMPUTER SYSTEMS DESIGN
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721

COMPUTER TECHNIQUES
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131

COMPUTERIZED DESIGN
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179

COMPUTERIZED SIMULATION
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507

COMPUTERS
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Communication between computers using two identical communications links
[NASA-CASE-NPO-11161] c08 N72-25207

CONCAVITY
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003

CONCENTRATORS
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
A non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N77-28583
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583

CONDENSATES
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139

CONDENSERS (LIQUIFIERS)
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139

CONDUCTING FLUIDS
Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686

CONDUCTIVE HEAT TRANSFER
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502

CONDUCTORS
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XNP-07587] c15 N71-18701
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032

CONES
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475

CONFINEMENT
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265

CONICAL BODIES
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

CONICAL SHELLS
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722

CONNECTORS
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083

CONSCIOUSNESS
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729

CONSTANTS
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417

CONSTRAINTS
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512

Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063

CONSTRUCTION MATERIALS
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921

CONTACT POTENTIALS
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408

CONTACT RESISTANCE
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249

CONTAINERLESS MELTS
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919

CONTAINERS
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397

CONTAMINANTS
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089

CONTAMINATION
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413

CONTINUOUS RADIATION
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236

CONTINUOUS WAVE LASERS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468

CONTINUOUS WAVE RADAR
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364

CONTOURS
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701

CONTROL
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175

CONTROL BOARDS
Ionization control system design for monitoring separately located ion gage pressures,on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090

CONTROL DATA (COMPUTERS)
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721

CONTROL EQUIPMENT
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c37 N74-21056
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Control for nuclear thermionic power source --- power supply circuits, energy policy
[NASA-CASE-NPO-13114-2] c44 N76-15573
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c44 N77-15493
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721

CONTROL ROCKETS
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504

CONTROL RODS
Nuclear reactor control rod assembly with

improved driving mechanism
[NASA-CASE-XLE-00298] c22 N70-34501
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
CONTROL STABILITY
Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023
CONTROL SURFACES
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176
CONTROL UNITS (COMPUTERS)
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
CONTROL VALVES
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10867
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N76-26511
Pressure modulating valve
[NASA-CASE-MSC-14905-1] c37 N77-28487
CONTROLLED ATMOSPHERES
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
CONTROLLERS
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
CONVECTIVE FLOW
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
CONVECTIVE HEAT TRANSFER
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
CONVERGENCE
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439
CONVERGENT NOZZLES
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
CONVERGENT-DIVERGENT NOZZLES
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XMF-01544] c28 N70-34162
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
CONVERTERS
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
COOLANTS
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
COOLING
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
COOLING SYSTEMS
Automatic thermal switch for improving efficiency of cooling gases below 40 K
[NASA-CASE-XNP-03796] c23 N71-15467
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
Heat exchanger --- rocket combustion chambers and cooling systems

[NASA-CASE-LEW-12252-1] c34 N75-19579
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c37 N76-20486
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106

COORDINATES
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056

COPOLYMERS
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XNP-02584] c06 N71-20905
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500

COPPER
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610

COPPER ALLOYS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201

COPPER COMPOUNDS
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127

COPPER FLUORIDES
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093

CORDAGE
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098

CORE STORAGE
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-EEC-10307] c08 N72-21198

CORES
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392

CORRECTION
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978

CORRELATION DETECTION
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243

CORRELATORS
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Digital demodulator-correlator --- for rangefinding
[NASA-CASE-NPO-13982-1] c32 N77-24341

CORROSION PREVENTION
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203

CORROSION RESISTANCE
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466

COSINE SERIES
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253

COSMIC DUST
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431

COST EFFECTIVENESS
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584

COST REDUCTION
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519

COUCHES
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679

Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
COULOMETERS
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
COUNTERS
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
COUNTING CIRCUITS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XMF-00421] c09 N70-34502
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
COUPLED MODES
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
COUPLING
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
COUPLING CIRCUITS
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Rotating joint signal coupler
[NASA-CASE-LAR-11264-1] c33 N75-27261
COUPLINGS
Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
COVERINGS
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502
CRACKING (FRACTURING)
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530
CRASH LANDING
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
CREEP RUPTURE STRENGTH
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
CRITICAL EXPERIMENTS
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
CROSS CORRELATION
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
CROSSED FIELDS
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
CROSSLINKING
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421

CRUCIBLES
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
CRUDE OIL
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
CRYOGENIC EQUIPMENT
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
CRYOGENIC FLUID STORAGE
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871
Carbon dioxide purge system to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogens
[NASA-CASE-XLE-04222] c23 N71-22881
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMF-05046] c33 N71-28892
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
CRYOGENIC FLUIDS
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Automatic thermal switch for improving efficiency of cooling gases below 40 K
[NASA-CASE-XNP-03796] c23 N71-15467
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
CRYOGENIC GYROSCOPES
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323
CRYOGENIC MAGNETS
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
CRYOGENIC ROCKET PROPELLANTS
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
CRYOGENIC STORAGE
Light weight plastic foam thermal insulation for cryogenic storage
[NASA-CASE-XLE-02647] c18 N71-23658
Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816
CRYOGENICS
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XMF-02786] c17 N71-20743
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
CRYOLITE
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
CRYOSTATS
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XMF-10968] c14 N71-24234
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
CRYSTAL FILTERS
Infrared tunable dye laser with nonlinear

wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111
CRYSTAL GROWTH
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
CRYSTAL LATTICES
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
CRYSTAL OSCILLATORS
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
CRYSTAL RECTIFIERS
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
CRYSTAL STRUCTURE
Soft X-ray laser using crystal channels as distributed feedback cavities --- zeolites
[NASA-CASE-NPO-13532-1] c36 N75-15973
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
CRYSTALLIZATION
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
CRYSTALS
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20388] c09 N71-24904
CULTURE TECHNIQUES
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
CURING
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
CURRENT CONVERTERS (AC TO DC)
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
CURRENT DENSITY
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
CURRENT DISTRIBUTION
Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359
CURRENT REGULATORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402
CURVATURE
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XNP-01083] c15 N71-22723
Two degree inverted flexure from single block of material
[NASA-CASE-ARC-10345-1] c15 N73-12488
CURVE FITTING
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
CURVED PANELS
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XNP-09422] c07 N71-19436
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
CUSHIONS
An improved vehicular impact absorption system

[NASA-CASE-NPO-14014-1] c37 N77-31501
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787
CUTTERS
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-MSS-04178] c15 N71-22798
Portable cutting machine for piping weld preparation
[NASA-CASE-MFS-07953] c15 N71-26134
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
CUTTING
Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
CYCLES
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
CYCLIC ACCELERATORS
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
CYCLIC HYDROCARBONS
Para-benzoquincne dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
CYCLIC LOADS
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
CYCLOTRON RADIATION
Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10518-2] c24 N72-28714
CYLINDRICAL ANTENNAS
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
CYLINDRICAL BODIES
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529

D

DAMPING
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228
DATA ACQUISITION
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
DATA COLLECTION PLATFORMS
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
DATA COMPRESSION
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Data reduction and transmission system for IV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
DATA CONVERTERS
Logarithmic converter for compressing 19-digit binary input number to 8-digit output
[NASA-CASE-XLA-00471] c08 N70-34778
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Analog signal to discrete time converter
[NASA-CASE-ERC-10048] c09 N72-25251
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
DATA LINKS
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
DATA MANAGEMENT
Selective data segment monitoring system ---

using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
DATA PROCESSING
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
DATA PROCESSING EQUIPMENT
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Data processor with plural register stages for selectively interconnecting with each other to effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
DATA RECORDERS
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
DATA RECORDING
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
DATA REDUCTION
System for storing histogram data in optimum number of elements
[NASA-CASE-XNP-09785] c08 N69-21928
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Data compression using decreasing slope threshold test and digital techniques
[NASA-CASE-NPO-11630] c08 N72-33172
DATA RETRIEVAL
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
DATA SAMPLING
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
DATA SMOOTHING
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
DATA STORAGE
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042

Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888

DATA SYSTEMS
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598

DATA TRANSMISSION
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Telemetry and transmission system with programmed sampling and multiplexing
[NASA-CASE-GSC-11388-1] c07 N73-24187
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308

DEBRIS
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c37 N76-20487

DECAY RATES
Solar sensor with coarse and fine sensing elements for matching pre-irradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269

DECELERATION
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMP-00641] c31 N70-36410
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812
Development and characteristics of hot air balloon deceleration and recovery system
[NASA-CASE-XLA-06824-2] c02 N71-11037
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMP-06515] c14 N71-23227

DECIMALS
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176

DECISION MAKING
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598

DECODERS
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Three-phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386

DECODING
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239

DECONTAMINATION
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001

DEEP SPACE NETWORK
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229

DEFECTS
Hybrid holographic non-destructuve test system --- optical and acoustical methods capable of detecting flaws in materials
[NASA-CASE-MFS-23114-1] c35 N76-24529

DEFLECTION
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N77-30613

DEFLECTORS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364

DEFOCUSING
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal

[NASA-CASE-GSC-10062] c14 N71-15605
DEFORMATION
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
DEGREES OF FREEDOM
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-MSC-02977] c11 N71-10746
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
DEHUMIDIFICATION
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
DEHYDRATED FOOD
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096
DELAY CIRCUITS
Development of pulsed differential comparator circuit
[NASA-CASE-XLE-03804] c10 N71-19471
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
DELAY LINES
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
DELTA MODULATION
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13655-1] c35 N74-17885
DELTA WINGS
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
DEMAGNETIZATION
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
DEMODULATION
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
DEMODULATORS
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMF-01160] c07 N71-11298
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
Digital demodulator-correlator --- for rangefinding
[NASA-CASE-NPO-13982-1] c32 N77-24341
DENSITOMETERS
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
DENSITY DISTRIBUTION
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
DENSITY MEASUREMENT
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
DENTISTRY
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
DEPLOYMENT
Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
DEPOSITION
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
DESALINIZATION
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
DESCENT
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
DESIGN ANALYSIS
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
DETECTION
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240
System for detecting impact position of cosmic dust on detector surface

[NASA-CASE-GSC-11291-1] c25 N72-33696
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733

DETECTORS
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Hydrogen fire flink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403

DETERGENTS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834

DETONATION
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425

DETONATION WAVES
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983

DEUTERIUM
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860

DIAGNOSIS
Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c31 N74-10476

DIAGRAMS
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235

DIAMINES
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980

DIAMONDS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457

DIAPHRAGMS (MECHANICS)
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641

DIATOMIC GASES
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426

DICHROISM
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435

DIELECTRIC PROPERTIES
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199

DIELECTRICS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762

Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483

DIES
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817

DIESEL ENGINES
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398

DIETS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270

DIFFERENTIAL AMPLIFIERS
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772

DIFFERENTIAL INTERFEROMETRY
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05044] c14 N71-17587

DIFFERENTIAL PRESSURE
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363

DIFFERENTIATORS
Window comparator
[NASA-CASE-FRC-10090-1] c33 N77-11296

DIFFRACTION
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868

DIFFRACTION PATTERNS
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215

DIFFRACTOMETERS
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491

DIFFUSERS
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589

DIFFUSION
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436

DIFFUSION PUMPS
Oil trap for preventing diffusion pump backstreaming into evacuated system
[NASA-CASE-GSC-10518-1] c15 N72-22489
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771

DIFFUSION WELDING
Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487
Reinforced FEP Teflon composite material diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492
Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEW-11388-1] c15 N73-32358
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403

DIGITAL COMMAND SYSTEMS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XMF-06892] c09 N71-24805
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034

DIGITAL COMPUTERS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
Binary number sorter for arranging numbers in order of magnitude
[NASA-CASE-NPO-10112] c08 N71-12502
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-2] c60 N76-18803
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751

DIGITAL DATA
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values

[NASA-CASE-NPO-11016] c08 N72-31226
Development and characteristics for automatically displaying digits in any desired order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
DIGITAL FILTERS
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
DIGITAL SPACECRAFT TELEVISION
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
DIGITAL SYSTEMS
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Data compression using decreasing slope threshold test and digital techniques
[NASA-CASE-NPO-11630] c08 N72-33172
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c37 N74-21056
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
Digital demodulator-correlator --- for rangefinding
[NASA-CASE-NPO-13982-1] c32 N77-24341
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
DIGITAL TECHNIQUES
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Digital syrchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Development and characteristics for automatically displaying digits in any desired order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
DIGITAL TO ANALOG CONVERTERS
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Digital to analog converter with parallel input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
DIGITAL TRANSDUCERS
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Angle detector
[NASA-CASE-ARC-11036-1] c35 N77-11364
DIISOCYANATES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
DIMENSIONS
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909
DIODES
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Gunn effect microwave diodes with RF shielding
[NASA-CASE-EBC-10119] c26 N72-21701
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236

Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385

DIPOLE ANTENNAS
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235

DIRECT CURRENT
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMF-08217] c03 N71-23239
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-NFS-20385] c09 N71-24904
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-NFS-14610] c09 N71-28886
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357
Direct current transformer
[NASA-CASE-NFS-23659-1] c33 N77-20341
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386

DIRECT POWER GENERATORS
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMF-08217] c03 N71-23239
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595

DIRECTIONAL ANTENNAS
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295

DIRECTIONAL CONTROL
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XMF-01544] c28 N70-34162
Omnidirectional wheel
[NASA-CASE-NFS-21309-1] c37 N74-18125

DIRECTIONAL STABILITY
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-NFS-21311-1] c20 N76-21275

DISCONNECT DEVICES
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489

Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N77-15397

DISCONTINUITY
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360

DISCRIMINATORS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XMF-00701] c09 N70-40272
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041

DISPENSERS
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766

DISPERSING
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911

DISPERSIONS
Method for producing alkali metal dispersions of high purity
[NASA-CASE-XNP-08876] c17 N73-28573
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389

DISPLACEMENT
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126

DISPLACEMENT MEASUREMENT
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338

DISPLAY DEVICES
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519
System for digitizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
Development and characteristics for automatically displaying digits in any desired order using optical techniques
[NASA-CASE-XKS-00348] c09 N73-14215
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Field sequential stereo television
[NASA-CASE-MSC-12616-1] c32 N74-32601
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N76-10148
Projection system for display of parallax and perspective

[NASA-CASE-MFS-23194-1] c74 N76-13909
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
EKG and ultrasonoscope display
[NASA-CASE-ARC-10994-2] c52 N77-15619
Crosswind landing gear position indicator
[NASA-CASE-LAR-11941-1] c06 N77-20098
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882

DISSIPATION
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626

DISSOCIATION
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607

DISSOLVING
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458

DISTANCE MEASURING EQUIPMENT
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175

DISTILLATION EQUIPMENT
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129

DISTRIBUTED AMPLIFIERS
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415

DISTRIBUTORS
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332

DIVERGENT NOZZLES
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490

DIVIDERS
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836

DOCUMENT STORAGE
Describing device for flagging punched business cards
[NASA-CASE-XLA-02705] c08 N71-15908

DOORS
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c 5 N71-12345

DOPPLER EFFECT
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310

DOPPLER RADAR
Cooperative Doppler radar system for avoiding midair collisions
[NASA-CASE-LAR-10403] c21 N71-11766

DOSIMETERS
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430

DRAG CHUTES
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

DRAG MEASUREMENT
Device for measuring drag forces in flight tests
[NASA-CASE-XLA-00113] c14 N70-33386
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092

DRAG REDUCTION
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825

DRIFT (INSTRUMENTATION)
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175

DRILL BITS
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186

DRILLS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478

DRIVES
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126

DROPS (LIQUIDS)
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478

DRUGS
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086

DRY CELLS
Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817

DRYING
Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

DRYING APPARATUS
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080

DUCTS
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460

DUST COLLECTORS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819

DYE LASERS
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111

Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517

DYES
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

DYNAMIC CHARACTERISTICS
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397

DYNAMIC CONTROL
Motion restraining device --- for dissipating at a controlled rate the force of a moving body
[NASA-CASE-NPO-13619-1] c37 N75-22748

DYNAMIC LOADS
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411

DYNAMIC MODULUS OF ELASTICITY
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993

DYNAMIC RESPONSE
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134

DYNAMIC STRUCTURAL ANALYSIS
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440

DYNAMIC TESTS
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604

DYNAMOMETERS
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429

E*

EAR
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185

EARTH (PLANET)
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408

EARTH ATMOSPHERE
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991

EARTH ORBITS
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884

ECHOES
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621

ECONOMIC ANALYSIS
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631

EFFICIENCY
Recovering efficiency of solar cells damaged by *environmental radiation through thermal annealing*
[NASA-CASE-XGS-04047-2] c03 N72-11062
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863

EFFLUENTS
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423

EJECTION
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502

EJECTION SEATS
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718

EJECTORS
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718
Latching mechanism with pivoting catch and self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897

ELASTIC BODIES
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865

ELASTIC DEFORMATION
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971

ELASTIC MEDIA
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156

ELASTIC PROPERTIES
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Meter for use in detecting tension in straps having predetermined elastic characteristics

[NASA-CASE-MFS-22189-1] c35 N75-19615
ELASTIC SHEETS
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
ELASTOMERS
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
A machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
ELECTRETS
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
ELECTRIC ARCS
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
ELECTRIC BATTERIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
ELECTRIC BRIDGES
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
ELECTRIC CELLS
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
ELECTRIC CHARGE
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
ELECTRIC CHOPPERS
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
ELECTRIC COILS
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
ELECTRIC CONDUCTORS
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25047
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N76-33069
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
ELECTRIC CONNECTORS
Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
Electrical feedthrough connection for printed circuit boards

[NASA-CASE-XMF-01483] c14 N69-27431
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XMF-04238] c09 N69-39734
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XMF-00324] c09 N70-34596
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772

ELECTRIC CONTACTS
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385

ELECTRIC CONTROL
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23516
Power factor control system for ac induction motors
[NASA-CASE-MFS-23280-1] c33 N76-28471

ELECTRIC CORONA
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483

ELECTRIC CURRENT
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Load current sensor for series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320

ELECTRIC DISCHARGES
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859

Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771

ELECTRIC ENERGY STORAGE
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606

ELECTRIC EQUIPMENT
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140

ELECTRIC EQUIPMENT TESTS
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XMF-06519] c09 N71-12519
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842

ELECTRIC FIELD STRENGTH
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843

ELECTRIC FIELDS
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343

ELECTRIC FILTERS
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171

ELECTRIC FUSES
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XMS-03381] c09 N71-22796

ELECTRIC GENERATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
[NASA-CASE-XLE-00818] c22 N70-34248

Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Device for converting electromagnetic wave energy into electric power
[NASA-CASE-GSC-11394-1] c09 N73-32109
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387

ELECTRIC IGNITION

Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779

ELECTRIC MOTORS

Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XMF-01129] c09 N70-38712
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XMF-01096] c10 N71-16030
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XMF-05195] c10 N71-24861
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
A rotary electric device
[NASA-CASE-GSC-12138-1] c33 N77-20344
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386

ELECTRIC NETWORKS

Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XMF-01097] c10 N71-16058
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583

ELECTRIC POTENTIAL

Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Continuously variable, voltage-controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204

ELECTRIC POWER

Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Variable water load for dissipating large amounts of electrical power during high

voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
ELECTRIC POWER PLANTS
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N77-21666
ELECTRIC POWER SUPPLIES
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935
ELECTRIC POWER TRANSMISSION
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
ELECTRIC PROPULSION
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
ELECTRIC PULSES
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XNP-00906] c09 N70-41655
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XNP-08804] c09 N71-24717
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
ELECTRIC RELAYS
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Alarm system design for monitoring one or more relay circuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
ELECTRIC ROCKET ENGINES
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822
ELECTRIC SWITCHES
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
System for checking status of several double-throw switches by readout indications
[NASA-CASE-XLA-08799] c10 N71-27272
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
ELECTRIC TERMINALS
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XNP-04238] c09 N69-39734
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XNP-00324] c09 N70-34596
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XNP-02107] c15 N71-10809
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
ELECTRIC WELDING
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XNP-02330] c15 N71-23798
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
ELECTRIC WIRE
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586

Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Lead attachment for high temperature operation of electronic devices
[NASA-CASE-ERC-10224] c09 N72-25261
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c33 N74-27683

ELECTRICAL ENGINEERING
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XNP-00421] c09 N70-34502
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021

ELECTRICAL FAULTS
Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394

ELECTRICAL IMPEDANCE
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c33 N75-19518
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335

ELECTRICAL INSULATION
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357

ELECTRICAL MEASUREMENT
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525

ELECTRICAL PROPERTIES
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434

ELECTRICAL RESISTANCE
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388

ELECTRICAL RESISTIVITY
- Describing method for vapor deposition of gallium arsenide films tc manganese substrates to provide semiconductor devices with low resistance substrates [NASA-CASE-XNP-01328] c26 N71-18064
- Simulating operation of thermopile vacuum gage tube at high and low pressures [NASA-CASE-XLA-02758] c14 N71-18481
- Electrically conductive fluorocarbon polymers [NASA-CASE-XLE-06774-2] c06 N72-25150
- Lightweight electrically powered flexible thermal laminate --- made of metal fibers [NASA-CASE-MSC-12662-1] c24 N75-16635
- Electrical conductivity cell and methcd for fabricating the same [NASA-CASE-ARC-10810-1] c33 N76-19339

ELECTRICITY
- Thermionic ccnverter for converting heat energy directly into electrical energy [NASA-CASE-XLE-01903] c22 N71-23599

ELECTRO-OPTICS
- Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects [NASA-CASE-NPO-11106] c14 N70-34697
- Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections [NASA-CASE-XMF-00908] c14 N70-40238
- Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials [NASA-CASE-XNP-08883] c23 N71-16101
- Design and development cf light sensing device for controlling orientation of object relative to sun or other light source [NASA-CASE-NPO-11201] c14 N72-27409
- Electro-optical stabilization of calibrated light source [NASA-CASE-MSC-12293-1] c14 N72-27411
- Optical ccnversion method [NASA-CASE-MSC-12618-1] c74 N76-18917

ELECTROACOUSTIC TRANSDUCERS
- Transducer for monitoring oxygen flow in respirator [NASA-CASE-PRC-10012] c14 N72-17329
- Material suspension within an acoustically excited resonant chamber --- at near weightless conditions [NASA-CASE-NPO-13263-1] c12 N75-24774

ELECTROACOUSTIC WAVES
- Phonocardiogram simulatcr producing electrical voltage waves to contrcl amplitude and duration between simulated sounds [NASA-CASE-XMS-10804] c05 N71-24606

ELECTROCARDIOGRAPHY
- Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds [NASA-CASE-XMS-10804] c05 N71-24606
- Development of instantaneous reading tachometer for measuring electrocardiogram signal rate [NASA-CASE-MFS-20418] c14 N73-24473
- Insulated electrocardiographic electrodes --- without paste electrolyte [NASA-CASE-MSC-14339-1] c05 N75-24716
- EKG and ultrasonoscope display [NASA-CASE-ARC-10994-2] c52 N77-15619

ELECTROCHEMICAL CELLS
- Apparatus for measuring polymer membrane expansion in electrochemical cells [NASA-CASE-XGS-03865] c14 N69-21363
- Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen [NASA-CASE-XGS-01419] c03 N70-41864
- Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft [NASA-CASE-XGS-00886] c03 N71-11053
- Epoxy resin sealing device for electrochemical cells in high vacuum environments [NASA-CASE-XGS-02630] c03 N71-22974
- Sealed electrochemical cell with flexible casing for varying electrolyte level in cell [NASA-CASE-XGS-01513] c03 N71-23336
- Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state [NASA-CASE-XGS-01674] c03 N71-29129
- Flexible, frangible electrochemical cell and package for operation in low temperature environment [NASA-CASE-XGS-10010] c03 N72-15986
- Porous electrode for use in electrochemical cells [NASA-CASE-GSC-11368-1] c09 N73-32108
- Battery testing device --- for testing cells of multiple-cell battery [NASA-CASE-MFS-20761-1] c44 N74-27519
- Electrical conductivity cell and method for fabricating the same [NASA-CASE-ARC-10810-1] c33 N76-19339
- Device for the detection of phenol and related compounds --- in an electrochemical cell [NASA-CASE-LEW-12513-1] c25 N77-18238

ELECTROCHEMICAL OXIDATION
- Device for the detection of phenol and related compounds --- in an electrochemical cell [NASA-CASE-LEW-12513-1] c25 N77-18238

ELECTROCHEMISTRY
- Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs [NASA-CASE-XMS-02872] c05 N69-21925

ELECTRODE FILM BARRIERS
- Formulated plastic separators for soluble electrode cells --- rubber-ion trasport sheeting [NASA-CASE-LEW-12358-1] c44 N77-18560

ELECTRODEPOSITION
- Binding layer of semiconductor particles by electrodeposition [NASA-CASE-XNP-01959] c26 N71-23043
- Electrodeposition method for producing crystalline material from dense gaseous medium [NASA-CASE-NPO-10440] c15 N72-21466
- Electrophoretic sample insertion --- device for uniformly distributing samples in flow path [NASA-CASE-MFS-21395-1] c25 N74-26948
- Multitarget sequential sputtering apparatus [NASA-CASE-NPO-13345-1] c37 N75-19684
- Device for the detection of phenol and related compounds --- in an electrochemical cell [NASA-CASE-LEW-12513-1] c25 N77-18238

ELECTRODES
- Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator [NASA-CASE-XLE-03778] c09 N69-21542
- Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs [NASA-CASE-XMS-02872] c05 N69-21925
- Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes [NASA-CASE-XGS-04554] c15 N69-39786
- Ionization vacuum gage [NASA-CASE-XNP-00646] c14 N70-35666
- Accel and focus electrode design for ion engine with improved efficiency [NASA-CASE-XNP-02839] c28 N70-41922
- Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity [NASA-CASE-XGS-03505] c03 N71-10608
- Apertured electrode focusing system for ion sources with nonuniform plasma density [NASA-CASE-XNP-03332] c09 N71-10618
- Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity [NASA-CASE-XFR-10856] c05 N71-11189
- Electrode attached to helmets for detecting low level signals from skin of living creatures [NASA-CASE-ARC-10043-1] c05 N71-11193
- Characteristics of pressed disc electrode for biological measurements [NASA-CASE-XMS-04212-1] c05 N71-12346
- Electrode connection for n-on-p silicon solar cell [NASA-CASE-XLE-04787] c03 N71-20492
- Arc electrode of graphite with tantalum ball tip [NASA-CASE-XLE-04788] c09 N71-22987

Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-ERC-10029] c09 N71-24618
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid
[NASA-CASE-XMS-04213-1] c09 N71-26002
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-ERC-10029-2] c05 N72-25121
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717

ELECTROFORMING
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919

ELECTROHYDRAULIC FORMING
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XNF-00375] c15 N70-34249

ELECTROHYDRODYNAMICS
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332

ELECTROKINETICS
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226

ELECTROLYSIS
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLF-01645] c03 N71-20904

ELECTROLYTES
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103

ELECTROLYTIC CELLS
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470

ELECTROMAGNETIC ABSORPTION
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411

ELECTROMAGNETIC FIELDS
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240
Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018

ELECTROMAGNETIC HAMMERS
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XNF-05114] c15 N71-17650
Portable magnetomotive hammer for metal working
[NASA-CASE-XNF-03793] c15 N71-24833

ELECTROMAGNETIC INTERFERENCE
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308

ELECTROMAGNETIC MEASUREMENT
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343

ELECTROMAGNETIC NOISE
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366

ELECTROMAGNETIC PUMPS
Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084

ELECTROMAGNETIC RADIATION
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-MMS-00893] c07 N70-40063
Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
ELECTROMAGNETIC SHIELDING
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
ELECTROMAGNETIC WAVE FILTERS
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
ELECTROMAGNETIC WAVE TRANSMISSION
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
ELECTROMAGNETISM
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
ELECTROMAGNETS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574
ELECTROMECHANICAL DEVICES
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27534
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
A rotary electric device
[NASA-CASE-GSC-12138-1] c33 N77-20344
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
ELECTROMETERS
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
ELECTROMOTIVE FORCES
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
ELECTRON BEAM WELDING
Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14932
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486
ELECTRON BEAMS
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c33 N74-21850
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250
ELECTRON BOMBARDMENT
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Single grid accelerator system for electron bombardment type ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
ELECTRON DISTRIBUTION
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
ELECTRON EMISSION
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
ELECTRON FLUX DENSITY
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982

ELECTRON IRRADIATION
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
ELECTRON MICROSCOPES
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
ELECTRON PHOTON CASCADES
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
ELECTRON PLASMA
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
ELECTRON SOURCES
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
ELECTRON TRANSFER
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
ELECTRON TRANSITIONS
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
ELECTRON TUBES
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
ELECTRON TUNNELING
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
ELECTRONIC CONTROL
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XMF-01129] c09 N70-38712
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
ELECTRONIC EQUIPMENT
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-XGS-02812] c09 N71-19466
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Lead attachment for high temperature operation of electronic devices
[NASA-CASE-ERC-10224] c09 N72-25261
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Development and characteristics for automatically displaying digits in any desired order using optical techniques
[NASA-CASE-XMS-00348] c09 N73-14215
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
ELECTRONIC EQUIPMENT TESTS
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
ELECTRONIC FILTERS
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
ELECTRONIC MODULES
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717

Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365

ELECTRONIC PACKAGING
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918

ELECTRONIC RECORDING SYSTEMS
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339

ELECTRONIC TRANSDUCERS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392

ELECTROPHORESIS
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157

ELECTROPHOTOMETERS
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993

ELECTROPHYSIOLOGY
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618

ELECTROPLATING
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Shielded flat conductor cable fabricated by *electroless and electrolytic plating*
[NASA-CASE-MFS-13687] c09 N71-28691
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569

ELECTROSTATIC CHARGE
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535

ELECTROSTATIC ENGINES
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661

ELECTROSTATIC GENERATORS
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331

ELECTROSTATIC PRECIPITATORS
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
Zero gravity separator
[NASA-CASE-LAR-10344-1] c35 N76-33470

ELECTROSTATIC PROBES
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014

ELECTROSTATIC PROPULSION
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
[NASA-CASE-XLE-00818] c22 N70-34248
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213

ELECTROSTATIC SHIELDING
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338

ELECTROSTATICS
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257

ELECTROTHERMAL ENGINES
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175

ELEVATION
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-IKS-07814] c15 N71-27067

ELEVATORS (LIFTS)
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
ELEVONS
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
ELLIPSES
Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
ELONGATION
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
ELUTION
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
EMERGENCIES
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
EMERGENCY BREATHING TECHNIQUES
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
EMERGENCY LIFE SUSTAINING SYSTEMS
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
EMISSION SPECTRA
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
EMITTANCE
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
EMITTERS
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
EMULSIONS
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
ENAMELS
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
ENCAPSULATING
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Flexible, repairable, pottable composition for encapsulating electric connectors
[NASA-CASE-XGS-05180] c18 N71-25881
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
ENCLOSURES
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
ENDOSCOPES
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
ENDOTHERMIC REACTIONS
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
ENEMY PERSONNEL
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
ENERGY ABSORPTION
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
High energy absorption docking system design for docking large spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
ENERGY CONSERVATION
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
ENERGY CONVERSION
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Device for converting electromagnetic wave energy into electric power
[NASA-CASE-GSC-11394-1] c09 N73-32109
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
ENERGY CONVERSION EFFICIENCY
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
ENERGY DISSIPATION
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Motion restraining device --- for dissipating at a controlled rate the force of a moving body
[NASA-CASE-NPO-13619-1] c37 N75-22748
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001

ENERGY DISTRIBUTION
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
ENERGY POLICY
Control for nuclear thermionic power source --- power supply circuits, energy policy
[NASA-CASE-NPO-12114-2] c44 N76-15573
Selective coating for solar panels --- energy policy
[NASA-CASE-LEW-12159-1] c44 N76-15603
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
A non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N77-28583
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
ENERGY SOURCES
Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
ENERGY STORAGE
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
An improved rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N76-13500
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
Mechanical capacitor
[NASA-CASE-GSC-12030-1] c44 N76-30652
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
ENERGY TECHNOLOGY
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
ENERGY TRANSFER
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
ENGINE ANALYZERS
Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461
ENGINE CONTROL
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
ENGINE COOLANTS
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XNP-00148] c28 N70-38710
ENGINE DESIGN
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Fuel combustor
[NASA-CASE-LEW-12137-1] c20 N76-20215
ENGINE FAILURE
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
ENGINE INLETS
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
ENGINE MONITORING INSTRUMENTS
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461
ENGINE NOISE
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-1] c07 N77-15036
ENGINE TESTS
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
ENGINEERING DRAWINGS
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
ENTHALPY
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
ENVIRONMENT SIMULATION
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
ENVIRONMENT SIMULATORS
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
ENVIRONMENTAL CONTROL
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203

Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XIA-07728] c33 N71-22890
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750

ENVIRONMENTAL ENGINEERING
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792

ENVIRONMENTAL TESTS
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421

ENVIRONMENTS
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195

ENZYME ACTIVITY
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052

ENZYMES
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086

EPICYCLOIDS
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459

EPOXY COMPOUNDS
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148

EPOXY RESINS
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103

EQUIPMENT
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126

EQUIPMENT SPECIFICATIONS
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434

EQUIPOTENTIALS
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421

ERGOMETERS
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices

[NASA-CASE-MFS-21010-1] c05 N73-30078
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932
EROSION
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
ERROR ANALYSIS
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
ERROR CORRECTING DEVICES
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
ERROR DETECTION CODES
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
ERROR SIGNALS
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
ERRORS
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163
ESCAPE CAPSULES
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
ESCAPE SYSTEMS
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
ESTERS
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
ETCHING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dichromate for adhesive bonding
[NASA-CASE-XNP-02303] c17 N71-23828
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
ETHERS
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XNP-02584] c06 N71-20905
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
ETHYLENE OXIDE
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
EUTECTIC ALLOYS
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
EVACUATING (VACUUM)
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XNP-03290] c15 N71-23256
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
EVAPORATION
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
EVAPORATIVE COOLING
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
EVAPORATORS
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XNP-06065] c15 N71-20395
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
EXAMINATION
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
EXHAUST GASES
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XNP-01813] c28 N70-41582
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364

EXHAUST NOZZLES
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Jet aircraft exhaust nozzle for noise reduction
[NASA-CASE-LAR-10951-1] c28 N73-19819
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202

EXOTHERMIC REACTIONS
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372

EXPANDABLE STRUCTURES
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865

EXPANSION
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363

EXPERIMENTAL DESIGN
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161

EXPLOSIONS
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484

EXPLOSIVE DEVICES
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958

EXPLOSIVE FORMING
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249

EXPLOSIVE WELDING
Method for eliminating noise and debris of explosive welding techniques by using complete enclosure
[NASA-CASE-LAR-10941-2] c15 N73-32371
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326

EXPLOSIVES
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258

EXPONENTIAL FUNCTIONS
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176

EXPOSURE
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322

EXPULSION BLADDERS
Expulsion bladder equipped storage tank structure
[NASA-CASE-XNP-00612] c11 N70-38182
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140

EXTENSIONS
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Automatically lockable axially extensible strut --- for helicopters
[NASA-CASE-LAR-11900-1] c05 N77-18134

EXTENSOMETERS
Transducer frame for use with extensometer to continuously monitor specimen sample
[NASA-CASE-XLA-10322] c15 N72-17452
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449

EXTRACTION
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062

EXTRAVEHICULAR ACTIVITY
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XMF-05344] c31 N71-16345
Releasable, pin-type fastener, easily operated during EVA
[NASA-CASE-ARC-10140-1] c15 N71-17653
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Open loop life support subsystem using breathing bag as reservoir for EVA
[NASA-CASE-MSC-12411-1] c05 N72-20096
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012

EXTREMELY LOW RADIO FREQUENCIES
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XMS-09340] c07 N71-24614

EXTRUDING
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125

EYE (ANATOMY)
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XMF-03934] c09 N71-22985
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716

EYE DISEASES
Flow compensating pressure regulator --- for ophthalmic applications
[NASA-CASE-LEW-12718-1] c35 N77-20408

EYE EXAMINATIONS
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Visual examination apparatus
[NASA-CASE-HE-ARC-10329-2] c52 N76-30793

EYEPIECES
Wide angle eyepiece with long eye-relief distance
[NASA-CASE-XMS-06056-1] c23 N71-24857

F

FABRICATION
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933

FABRICS
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449

FABRY-PEROT INTERFEROMETERS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491

FACSIMILE COMMUNICATION
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613

FACTORIAL DESIGN
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195

FAIL-SAFE SYSTEMS
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903

FAILURE MODES
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090

FAIRINGS
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853

FALLING SPHERES
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587

FAR INFRARED RADIATION
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389

FAR ULTRAVIOLET RADIATION
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641

FASTENERS
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Releasable, pin-type fastener, easily operated during EVA
[NASA-CASE-ARC-10140-1] c15 N71-17653
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975

FATIGUE (MATERIALS)
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530

FATIGUE LIFE
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Fatigue life of hybrid antifriction bearings at ultrahigh speeds

[NASA-CASE-LEW-11152-1] c15 N73-32359
A machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
FATIGUE TESTING MACHINES
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XMF-10968] c14 N71-24234
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
A machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
FATIGUE TESTS
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
FATS
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
FECES
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192
FEED SYSTEMS
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
FEEDBACK
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
FEEDBACK AMPLIFIERS
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
FEEDBACK CIRCUITS
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
FEEDBACK CONTROL
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c32 N75-30385
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c37 N76-20486
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
FEEDBACK FREQUENCY MODULATION
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
FEEDERS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
FELTS
Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles
[NASA-CASE-MSC-12619-2] c16 N77-31237
FEMALES
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
FERRITES
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
FERROMAGNETISM
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
FIBER OPTICS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles

and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N77-15826
FIBERS
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470
FIELD EFFECT TRANSISTORS
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N76-26394
FIELD EMISSION
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
FILAMENT WINDING
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
FILAMENTS
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
FILLERS
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
FILM COOLING
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
FILMS
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
FILTERS
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
FINS
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
FIRE PREVENTION
Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
FIREPROOFING
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
FIRES
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173
FIRING (IGNITING)
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
FISSIONABLE MATERIALS
Nuclear gaseous reactor for heating working fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572
FITTINGS
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
FIXED WINGS
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
FIXTURES
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
FLAME PROBES
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
FLAME RETARDANTS
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
FLAME SPRAYING
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion

[NASA-CASE-XLA-00302] c15 N71-16077
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301

FLAMES
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403

FLAMMABILITY
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913

FLANGES
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562

FLAPS (CONTROL SURFACES)
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Reversed ccwl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736

FLARED BODIES
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389

FLAT CONDUCTORS
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225

FLAT PLATES
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413

FLEXIBILITY
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198

FLEXIBLE BODIES
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686

FLEXIBLE WINGS
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Development and characteristics of control system for flexible wings
[NASA-CASE-XLA-06958] c02 N71-11038

FLEXING
Two degree inverted flexure from single block of material
[NASA-CASE-ARC-10345-1] c15 N73-12488

FLIGHT
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692

FLIGHT ALTITUDE
Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420

FLIGHT CONTROL
Aircraft indicator for pilot control of takeoff roll, climbout path and vertical flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
G-load measuring and indicator apparatus --- for aircraft

[NASA-CASE-ARC-10806] c06 N74-27872
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014

FLIGHT CREWS
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XIA-00118] c05 N70-33285

FLIGHT INSTRUMENTS
Crosswind landing gear position indicator
[NASA-CASE-LAR-11941-1] c06 N77-20098

FLIGHT RECORDERS
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XIA-01832] c14 N71-21006

FLIGHT SAFETY
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641

FLIGHT SIMULATION
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XMS-04631] c10 N71-23663

FLIGHT SIMULATORS
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-NFS-20509] c11 N72-17183
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N76-10148
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787

FLIGHT TESTS
Device for measuring drag forces in flight tests
[NASA-CASE-XLA-00113] c14 N70-33386

FLIGHT VEHICLES
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023

FLIP-FLOPS
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XCS-03058] c10 N71-19547

FLOATING
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845

FLOATS
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820

FLOTATION
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748

FLOW DIRECTION INDICATORS
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864

FLOW DISTRIBUTION
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10867
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XNP-01779] c12 N71-20815
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190

FLOW MEASUREMENT
Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-NFS-20485] c14 N72-11365
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454

FLOW REGULATORS
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-NFS-14259] c15 N71-19213
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Flow compensating pressure regulator --- for ophthalmic applications
[NASA-CASE-LEW-12718-1] c35 N77-20408
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487

FLOW STABILITY
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow

[NASA-CASE-XMF-06926] c28 N71-22983
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
FLOW VELOCITY
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-PRC-10022] c12 N71-26546
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
FLOW VISUALIZATION
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
FLOWMETERS
Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-PRC-10022] c12 N71-26546
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N76-28535
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
FLUID AMPLIFIERS
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
FLUID FILMS
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
FLUID FILTERS
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
FLUID FLOW
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10867
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Pressure regulating system with high pressure fluid source, adapted to maintain constant downstream pressure
[NASA-CASE-XNP-00450] c15 N70-38603
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609

Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N76-26511
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N77-15397
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399

FLUID INJECTION

Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771

FLUID JETS

Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856

FLUID LOGIC

Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579

FLUID MECHANICS

Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429

FLUID POWER

Fluid power transmission and gas bearing system
[NASA-CASE-XMS-01445] c12 N71-16031
Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-ERC-10097] c15 N71-28465

FLUID ROTOR GYROSCOPES

Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824

FLUID SWITCHING ELEMENTS

Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155

FLUIDIC CIRCUITS

Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503

FLUIDICS

Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050

FLUIDS

Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385

FLUORESCENCE

Spectrophotofluorometer with 3-dimensional

display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons [NASA-CASE-XGS-01231] c14 N70-41676
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights [NASA-CASE-XMS-05932] c09 N71-26787
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials [NASA-CASE-ARC-10633-1] c25 N74-26947
Fluorescence detector for monitoring atmospheric pollutants [NASA-CASE-NPO-13231-1] c45 N75-27585

FLUORIDES
Self lubricating fluoride-metal composite materials for outer space applications [NASA-CASE-XLE-08511] c18 N71-23710
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures [NASA-CASE-LEW-10327] c17 N71-33408
Perfluoro polyether acyl fluorides [NASA-CASE-NPO-10765] c06 N72-20121

FLUORINATION
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate [NASA-CASE-NPO-10767-2] c06 N72-27151
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature [NASA-CASE-MFS-21040-1] c06 N73-30098

FLUORINE
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain [NASA-CASE-NPO-10862] c06 N72-22107

FLUORO COMPOUNDS
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate [NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts [NASA-CASE-NPO-10447] c06 N70-11252
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol [NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhalohexapropyl alcohols [NASA-CASE-MFS-11492] c06 N73-30102
Chemical and elastic properties of fluorinated polyurethanes [NASA-CASE-NPO-10767-1] c06 N73-33076
Utilization of oxygen difluoride for syntheses of fluoropolymers [NASA-CASE-NPO-12061-1] c27 N76-16228

FLUOROCARBONS
Electrically conductive fluorocarbon polymers [NASA-CASE-XLE-06774-2] c06 N72-25150

FLUTTER
Antiflutter check valve for use with high pressure fluid flow [NASA-CASE-XNP-01152] c15 N70-41811
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques [NASA-CASE-LAR-10682-1] c02 N73-26004

FLUX (RATE)
Solid state device for mapping flux and power in nuclear reactor cores [NASA-CASE-XLE-00301] c14 N70-36808
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor [NASA-CASE-GSC-10441-1] c14 N71-27325

FLUX DENSITY
Particle beam power density detection and measurement apparatus [NASA-CASE-XLE-00243] c14 N70-38602

FLUXES
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper [NASA-CASE-XNP-03459-2] c18 N71-15688
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings [NASA-CASE-XNP-03459] c15 N71-21078

FLYWHEELS
An improved rotatable mass for a flywheel [NASA-CASE-MFS-23051-1] c37 N76-13500
Safety flywheel [NASA-CASE-HQN-10888-1] c37 N77-22484

FOAMS
Plastic foam generator for space vehicle instrument payload package flotation in water landing [NASA-CASE-XLA-00838] c03 N70-36778
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice [NASA-CASE-XLE-00177] c28 N70-40367
Development of foam insulation for filament wound cryogenic storage tank [NASA-CASE-XLE-03803] c15 N71-23816
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials [NASA-CASE-NPO-10596] c06 N71-25929
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors [NASA-CASE-LAR-10373-1] c18 N71-26155
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel [NASA-CASE-XLA-04126] c28 N71-26779
Foam insulation thickness measuring and injection device for spacecraft applications [NASA-CASE-MFS-20261] c14 N71-27005
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties [NASA-CASE-XNP-09902] c15 N72-11387
Polyimide foam for the thermal insulation and fire protection [NASA-CASE-ARC-10464-1] c27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same [NASA-CASE-ARC-10304-2] c27 N74-27037
Ceramic fiber insulating material and methods of producing same --- product development of foams for thermal insulation [NASA-CASE-MSC-14795-1] c27 N76-15314

FOCUSING
X ray collimating structure for focusing radiation directly onto detector [NASA-CASE-XHQ-04106] c14 N70-40240
Apertured electrode focusing system for ion sources with nonuniform plasma density [NASA-CASE-XNP-03332] c09 N71-10618
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor [NASA-CASE-GSC-10700] c23 N71-30027
Absolute focus locking device for microscopes to maintain set focus for extended time period [NASA-CASE-LAR-10184] c14 N72-22445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube [NASA-CASE-LEW-11617-1] c33 N74-10195
Automatic focus control for facsimile cameras [NASA-CASE-LAR-11213-1] c35 N75-15014
Multiplate focusing collimator --- for scanning small near radiation sources [NASA-CASE-MFS-20932-1] c35 N75-19616
Magnifying image intensifier [NASA-CASE-GSC-12010-1] c33 N76-23482

FOG
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields [NASA-CASE-MSC-13530-2] c23 N75-14834

FOILS (MATERIALS)
Foil seal between parts moving relative to each other [NASA-CASE-XLE-05130] c15 N69-21362
Method of making an insulation foil [NASA-CASE-LEW-11484-1] c24 N75-33181

FOLDING
Characteristics of device for folding thin flexible sheets into compact configuration

[NASA-CASE-XLA-00137] c15 N70-33180
FOLDING STRUCTURES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
FOOD
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
FORCE
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
FORCE DISTRIBUTION
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411
Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-MFS-20317] c15 N73-13463
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
FORMAT
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
FORMATES
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
FORMING TECHNIQUES
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
FORMULATIONS
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
FORWARD SCATTERING
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
FOUNDATIONS
Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
FOURIER TRANSFORMATION
Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
FRACTIONATION
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
FRACTURE MECHANICS
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
FRACTURE STRENGTH
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
FRAMES
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
FRAMING CAMERAS
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
FREE FLIGHT TEST APPARATUS
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
FREEZE DRYING
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096

FREEZING
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
FREON
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c44 N75-32581
FREQUENCIES
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
FREQUENCY ANALYZERS
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
FREQUENCY CONTROL
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
FREQUENCY CONVERTERS
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
FREQUENCY DISTRIBUTION
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
FREQUENCY DIVIDERS
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
FREQUENCY DIVISION MULTIPLEXING
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
FREQUENCY MEASUREMENT
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
FREQUENCY MODULATION
Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMF-01160] c07 N71-11298
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
FREQUENCY MULTIPLIERS
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
FREQUENCY RANGES
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
FREQUENCY RESPONSE
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c32 N74-12843
FREQUENCY SCANNING
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
FREQUENCY SHIFT
Doppler frequency shift correction device for multiplex communication with Applications

Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828

FREQUENCY SHIFT KEYING
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405

FREQUENCY STABILITY
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331

FREQUENCY STANDARDS
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373

FREQUENCY SYNCHRONIZATION
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373

FREQUENCY SYNTHESIZERS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314

FRICTION FACTOR
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984

FRICTION MEASUREMENT
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489

FRICTION REDUCTION
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249

FRICTIONLESS ENVIRONMENTS
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XNP-01887] c15 N71-10617
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223

FROST
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XNP-00341] c15 N70-33323

FUEL CELLS
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581

FUEL COMBUSTION
Fuel combustor
[NASA-CASE-LEW-12137-1] c20 N76-20215

FUEL CONTROL
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XNP-00185] c21 N70-34539
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426

FUEL FLOW
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772

FUEL FLOW REGULATORS
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106

FUEL GAGES
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134

FUEL INJECTION
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XNP-00968] c28 N71-15660
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEW-11071-1] c27 N73-27695
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198

FUEL OILS
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106

FUEL PUMPS
Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058

FUEL SYSTEMS
Internal labyrinth and shield structure to

improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502

FUEL TANK PRESSURIZATION
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929

FUEL TANKS
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186

FUEL VALVES
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N76-26511

FUEL-AIR RATIO
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535

FUNCTION GENERATORS
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230

FURLABLE ANTENNAS
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c33 N76-32457

FURNACES
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070

FUSION (MELTING)
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088

FUSION WELDING
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128

G

GADOLINIUM
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292

GALLIUM
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790

GALLIUM ARSENIDES
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192

GALLIUM COMPOUNDS
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054

GALVANIC SKIN RESPONSE
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293

GAMMA RAYS
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471

GANTRY CRANES
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021

GAPS
Electromagnetic transducer recording head having a laminated core section and tapered gap

[NASA-CASE-NPO-10711-1] c35 N77-21392
GARMENTS
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
GAS ANALYSIS
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
Development and characteristics of injection system for use with gas chromatograph
[NASA-CASE-ARC-10344-1] c14 N72-21433
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Gas compression analysis --- for oxygen supply equipment
[NASA-CASE-MSC-14757-1] c37 N76-13496
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
GAS BAGS
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
GAS BEARINGS
Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XNP-00515] c15 N70-34664
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Air bearings for spacecraft gyros
[NASA-CASE-XNP-00339] c15 N70-39896
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XNP-01887] c15 N71-10617
Fluid power transmission and gas bearing system
[NASA-CASE-XNS-01445] c12 N71-16031
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XNP-07808] c15 N71-23812
Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-ERC-10097] c15 N71-28465
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-NFS-20423] c15 N72-11388
Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-WLP-10002] c15 N72-17451
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
GAS CHROMATOGRAPHY
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
Development and characteristics of injection system for use with gas chromatograph
[NASA-CASE-ARC-10344-1] c14 N72-21433
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
GAS COOLED REACTORS
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
GAS COOLING
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
GAS DENSITY
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
GAS DETECTORS
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XNP-03873] c06 N69-39733
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-NFS-11537] c14 N71-20442
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896

Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393

GAS DISCHARGE TUBES
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469

GAS DISCHARGES
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598

GAS EVOLUTION
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185

GAS EXPANSION
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Gas-operated actuator with cyclic motion of expansion chamber
[NASA-CASE-NPO-11340] c15 N72-33477

GAS FLOW
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Transducer for monitoring oxygen flow in respirator
[NASA-CASE-FRC-10012] c14 N72-17329
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503

GAS GENERATORS
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636

GAS GUNS
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628

GAS HEATING
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126

GAS INJECTION
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLR-03494] c27 N71-21819
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334

GAS IONIZATION
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418

GAS LASERS
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418

GAS LUBRICANTS
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLR-00353] c18 N70-39897
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496

GAS MASERS
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578

Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436

GAS MIXTURES
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11222] c06 N72-25146
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636

GAS PIPES
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608

GAS PRESSURE
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316

GAS SPECTROSCOPY
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388

GAS STREAMS
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668

GAS TEMPERATURE
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074

GAS TURBINE ENGINES
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N77-21666
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501

GAS TURBINES
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c37 N76-20487
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426

GAS VALVES
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Gas valve operated by thermally expanding and contracting device
[NASA-CASE-XLE-00815] c15 N70-35407
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051

GAS WELDING
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

GAS-LIQUID INTERACTIONS
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282

GASDYNAMIC LASERS
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ABC-10370-1] c36 N75-31426

GASEOUS DIFFUSION
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759

GASEOUS FISSION REACTORS
Nuclear gaseous reactor for heating working fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759

GASEOUS ROCKET PROPELLANTS
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983

GASES
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
High speed scanner for measuring mass of preselected gases at high sampling rate
[NASA-CASE-LAR-10766-1] c14 N72-21432
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484

GASKETS
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126

GATES (CIRCUITS)
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-2] c60 N76-18803
GATES (OPENINGS)
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
GAW-1 AIRFOIL
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
GEARS
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459
GELLED ROCKET PROPELLANTS
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
GELS
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
GENERATORS
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
GERMANIUM
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
GIMBALS
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XMF-01544] c28 N70-34162
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
GLANDS (SEALS)
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
GLASS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Apparatus for applying thin glass slides to solar cells
[NASA-CASE-NPO-10575] c03 N72-25019
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
GLASS COATINGS
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
GLASS ELECTRODES
Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
GLASS FIBERS
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
GLAUCOMA
Intra-ocular pressure normalization apparatus
[NASA-CASE-LEW-12955-1] c52 N77-30736
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N77-30737
GLIDE PATHS
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
GLOBES
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
GLOVES
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
GLOW DISCHARGES
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270

Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771
GLUCOSE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-NGS-05533] c04 N69-27487
GOLD COATINGS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
GONDOLAS
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
GRANULAR MATERIALS
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
GRAPHITE
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-NGS-00963] c15 N69-39735
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
GRATINGS (SPECTRA)
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-NGS-01036] c14 N70-40003
GRAVIMETERS
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
GRAVITATION
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
GRAVITATIONAL CONSTANT
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XMF-00424] c11 N70-38196
GRAVITATIONAL EFFECTS
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
GRAVITATIONAL FIELDS
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
GRAVITY GRADIENT SATELLITES
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
GRAVITY GRADIOMETERS
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XMF-00424] c11 N70-38196
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
GRIDS
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
GRINDING (MATERIAL REMOVAL)
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
GRINDING MACHINES
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
GROOVES
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
GROUND EFFECT MACHINES
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
GROUND HANDLING
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
GROUND STATIONS
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
GROUND SUPPORT EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
GROUND-AIR-GROUND COMMUNICATIONS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-NGS-04480] c16 N69-27491
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
GROUP VELOCITY
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
GUIDANCE (MOTION)
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935

Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
GUIDANCE SENSORS
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
GUN LAUNCHERS
Self-obturating gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247
GUN PROPELLANTS
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
GUNN EFFECT
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
GUNS
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
GYRATORS
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
Gyrator circuit using MOS field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30428
GYROSCOPES
Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XMF-00515] c15 N70-34664
Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
GYROSTABILIZERS
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c35 N74-28097
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158

H

HAFNIUM
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
HALIDES
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
HALL EFFECT
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
HALL GENERATORS
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
HALOGENS
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
HAMMERS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
HAND (ANATOMY)
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723
HANDLING EQUIPMENT
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339
HARDENING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
HARMONIC GENERATORS
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
HARNESSES
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
HATCHES
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
HEART
EKG and ultrasonoscope display
[NASA-CASE-ARC-10994-2] c52 N77-15619
HEART FUNCTION
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
HEART RATE
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate

[NASA-CASE-MFS-20418] c14 N73-24473
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
HEAT
Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
HEAT EXCHANGERS
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N75-19579
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
HEAT FLUX
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
HEAT MEASUREMENT
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c35 N74-27860
HEAT PIPES
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XMF-05843] c03 N71-11055
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
HEAT PUMPS
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N77-15343
Magnetic heat pumping
[NASA-CASE-LEW-12508-2] c34 N77-32435
HEAT RADIATORS
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
HEAT RESISTANT ALLOYS
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c27 N76-15311
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
HEAT SHIELDING
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242

Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Preparation and characteristics of lightweight refractory insulation
[NASA-CASE-XMF-05279] c18 N71-16124
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles
[NASA-CASE-MSC-12619-2] c16 N77-31237

HEAT SINKS
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502

HEAT SOURCES
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Thermally cascaded thermoelectric generator with radicisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876

HEAT STORAGE
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667

HEAT TRANSFER
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Thermal flux transfer system for maintaining thrust chamber of operative reaction motor at given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606
Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463

HEAT TRANSMISSION
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876

HEAT TREATMENT
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714

HEATERS
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935

HEATING
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128

HEATING EQUIPMENT
Using heat control unit to preheat circulating fluid

[NASA-CASE-XMF-04237] c33 N71-16278
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918

HELICAL ANTENNAS
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117

HELICOPTER DESIGN
Automatically lockable axially extensible strut --- for helicopters
[NASA-CASE-LAR-11900-1] c05 N77-18134

HELICOPTER WAKES
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018

HELICOPTERS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N77-28111

HELIUM
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XMF-06888] c15 N71-24044
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468

HELIUM IONS
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418

HELIUM-NEON LASERS
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536

HELMETS
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333

HEMISPHERICAL SHELLS
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604

HERMETIC SEALS
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Sealing apparatus for joining two pieces of frangible materials
[NASA-CASE-XLA-01494] c15 N71-24164
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Pressure seals suitable for use in environmental test chambers
[NASA-CASE-NPO-10796] c15 N71-27068
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450

HEXOKINASE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487

HIGH ACCELERATION
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819

HIGH ALTITUDE
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473

HIGH ALTITUDE ENVIRONMENTS
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779

HIGH ASPECT RATIO
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858

HIGH CURRENT
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448

HIGH FREQUENCIES
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414

HIGH PASS FILTERS
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-25573

HIGH POLYMERS
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486

HIGH PRESSURE
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811

High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XMF-06888] c15 N71-24044
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404

HIGH RESOLUTION
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490

HIGH SPEED
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404

HIGH SPEED CAMERAS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273

HIGH STRENGTH
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539

HIGH STRENGTH ALLOYS
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XMF-02786] c17 N71-20743
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
High strength nickel based alloys
[NASA-CASE-LEW-10874-1] c17 N72-22535
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415

HIGH STRENGTH STEELS
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254

HIGH TEMPERATURE
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581

HIGH TEMPERATURE AIR
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144

HIGH TEMPERATURE ENVIRONMENTS
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Tantalum modified ferritic iron base alloys --- for use in high temperature environments
[NASA-CASE-LEW-12095-1] c26 N76-17233
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365

HIGH TEMPERATURE FLUIDS
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918

HIGH TEMPERATURE GASES
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477

HIGH TEMPERATURE LUBRICANTS
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710

HIGH TEMPERATURE PLASMAS
Apparatus for producing highly conductive, high temperature electron plasma with homogenous

temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
HIGH TEMPERATURE PROPELLANTS
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
HIGH TEMPERATURE RESEARCH
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
HIGH TEMPERATURE TESTS
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
HIGH VACUUM
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
HIGH VACUUM ORBITAL SIMULATOR
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
HIGH VOLTAGES
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
HIGHWAYS
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888
HISTOGRAMS
System for storing histogram data in optimum number of elements
[NASA-CASE-XNP-09785] c08 N69-21928
HOLDERS
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XMS-03700] c15 N69-24266
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MFS-20760] c14 N72-33377
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
HOLE DISTRIBUTION (MECHANICS)
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
HOLE MOBILITY
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XMS-04614] c15 N69-21460
HOLLOW CATHODES
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
HOLOGRAPHY
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
HOMING DEVICES
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
HONEYCOMB CORES
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
HONEYCOMB STRUCTURES
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means

[NASA-CASE-XMF-01402] c18 N71-21651
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMF-05046] c33 N71-28892
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173

HOPPERS
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496

HORIZON SCANNERS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Multi-lobar scan horizon sensor
[NASA-CASE-XGS-00809] c21 N70-35427
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475

HORIZONTAL SPACECRAFT LANDING
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986

HORIZONTAL TAIL SURFACES
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043

HORN ANTENNAS
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Reflex feed system for dual frequency antenna
[NASA-CASE-NPO-14022-1] c32 N77-24338
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339

HOT CATHODES
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889

HOT PRESSING
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729

HOT WORKING
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803

HOT-WIRE ANEMOMETERS
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454

HOT-WIRE FLOWMETERS
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802

HOUSINGS
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500

HOVERING
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

HUGONIOT EQUATION OF STATE
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810

HULLS (STRUCTURES)
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305

HUMAN BEINGS
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067

HUMAN BODY
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737

HUMAN FACTORS ENGINEERING
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341

Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

HUMAN PERFORMANCE
Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015

HUMAN REACTIONS
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114

HUMAN WASTES
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804

HUMIDITY
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390

HYBRID COMPUTERS
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920

HYBRID PROPELLANTS
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392

HYDRAULIC CONTROL
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479

HYDRAULIC EQUIPMENT
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466
Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEW-11071-1] c27 N73-27695
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735

HYDRAULIC FLUIDS
Miniature hydraulic actuator --- for control surfaces on airfoils
[NASA-CASE-LAR-11522-1] c34 N74-34881
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484

HYDRAZINE NITROFORM
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764

HYDRAZINES
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203

HYDROCARBON FUELS
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704

HYDROCARBONS
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Pyrolysis system and process --- recovering energy from solid wastes containing hydrocarbons
[NASA-CASE-MSC-12669-1] c44 N76-16621
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497

HYDROCHLORIC ACID
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742

HYDROFOILS
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305

HYDROFORMING
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLF-05641-1] c15 N71-26346
HYDROGEN
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
HYDROGEN EMBRITTLEMENT
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203
HYDROGEN FUELS
Atomic hydrogen storage method and apparatus --- in strong magnetic fields
[NASA-CASE-LEW-12081-1] c28 N76-22399
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
HYDROGEN OXYGEN ENGINES
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
HYDROGEN OXYGEN FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLF-04526] c03 N71-11052
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
HYDROGEN PEROXIDE
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
HYDROGENATION
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
HYDROSTATICS
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
HYDROXIDES
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
HYGROMETERS
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470
HYGROSCOPICITY
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
HYPERFINE STRUCTURE
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
HYPERGOLIC ROCKET PROPELLANTS
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
HYPERSONIC AIRCRAFT
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
HYPERSONIC FLOW
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475
HYPERSONIC SPEED
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
HYPERSONIC VEHICLES
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
HYPERVELOCITY GUNS
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
HYPERVELOCITY IMPACT
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
HYPERVELOCITY PROJECTILES
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324

HYPERVELOCITY WIND TUNNELS
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475
HYSTERESIS
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504

I

IGNITERS
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
IGNITION
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
IGNITION LIMITS
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
IGNITION SYSTEMS
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Igniter capsule for chemical ignition of liquid rocket propellants
[NASA-CASE-XLE-00323] c28 N70-38505
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
IGNITION TEMPERATURE
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
ILLUMINATING
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c44 N77-15493
ILLUMINATORS
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XNP-03844-1] c14 N71-26474
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
IMAGE CONTRAST
Video signal enhancement of signal component representing brightness of scene element in low contrast
[NASA-CASE-NPO-10343] c07 N71-27341
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
IMAGE CONVERTERS
Real time liquid crystal image converter
[NASA-CASE-LAR-11206-1] c74 N74-30118
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
IMAGE CORRELATORS
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
IMAGE DISSECTOR TUBES
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
IMAGE ENHANCEMENT
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
Method of post-process intensification of images on photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N76-26449
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621
IMAGE FILTERS
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
IMAGE INTENSIFIERS
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
IMAGE TUBES
Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c33 N74-21850
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
IMAGERY
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
IMAGES
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XNP-03844-1] c14 N71-26474
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
IMAGING TECHNIQUES
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Ritchey-Chretien telescope responsive to images located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Field sequential stereo television
[NASA-CASE-MSC-12616-1] c32 N74-32601
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
IMIDES
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238

Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
IMINES
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
IMMOBILIZATION
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
IMPACT
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
IMPACT ACCELERATION
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
IMPACT DAMAGE
Measuring micrometeroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240
IMPACT LOADS
Piezoelectric transducer for detecting and measuring micrometeorids
[NASA-CASE-XAC-01101] c14 N70-41957
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
IMPACT RESISTANCE
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
IMPACT STRENGTH
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625
IMPACT TESTING MACHINES
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
IMPACT TOLERANCES
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
IMPEDANCE MATCHING
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
IMPEDANCE MEASUREMENTS
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
IMPLANTATION
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
IMPLOSIONS
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578
IMPROVEMENT
Improved solar heating system
[NASA-CASE-LAR-12009-1] c44 N76-32649
IMPULSE GENERATORS
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
IMPURITIES
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
INCIDENT RADIATION
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
INCLINATION
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
INCOHERENT SCATTERING
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
INDICATING INSTRUMENTS
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173
INDIUM ALLOYS
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
INDUCTANCE
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
INDUCTION HEATING
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
INDUCTION MOTORS
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Power factor control system for ac induction motors
[NASA-CASE-MFS-23280-1] c33 N76-28471
INDUCTORS
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XNP-01667] c15 N71-17647
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
INDUSTRIAL PLANTS
Simplified technique and device for producing

industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
INDUSTRIAL WASTES
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
INERTIA
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
INERTIAL GUIDANCE
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
INERTIAL PLATFORMS
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
INERTIAL REFERENCE SYSTEMS
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
[NASA-CASE-XAC-03107] c23 N71-16098
INFECTIOUS DISEASES
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
INFLATABLE SPACECRAFT
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
INFLATABLE STRUCTURES
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
INFORMATION RETRIEVAL
Multiple pattern holographic information storage and readout system
[NASA-CASE-EEC-10151] c16 N71-29131
INFRARED DETECTORS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XMF-03934] c09 N71-22985
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
INFRARED INSTRUMENTS
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
INFRARED LASERS
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
INFRARED RADIATION
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
INFRARED SCANNERS
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475
INFRARED SPECTRA
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
INFRARED SPECTROMETERS
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
INFRARED SPECTROSCOPY
Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
Method and apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c33 N77-28395
INFRASONIC FREQUENCIES
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
INITIATORS (EXPLOSIVES)
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599

Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
INJECTION
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
INJECTORS
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
Coaxial injector for mixing liquid propellants within combustion chambers
[NASA-CASE-NPO-11095] c15 N72-25455
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
INLET FLOW
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
INLET PRESSURE
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
INOCULATION
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
INORGANIC COATINGS
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674
Boron trifluoride coatings for thermoplastic materials
[NASA-CASE-ARC-11057-1] c27 N77-26308
INORGANIC COMPOUNDS
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Process for preparing higher oxides of the alkali and alkaline earth metals --- using radio frequency discharge sustained in oxygen
[NASA-CASE-ARC-10992-1] c25 N77-17178
INORGANIC PEROXIDES
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252
INPUT
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
INPUT/OUTPUT ROUTINES
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
INSERTION LOSS
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
INSTALLING
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
INSTRUMENT ERRORS
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
INSTRUMENT FLIGHT RULES
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
INSTRUMENT ORIENTATION
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
INSTRUMENT PACKAGES
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
INSTRUMENTS
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch

[NASA-CASE-XMF-01974] c14 N71-22752
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842

INSULATED STRUCTURES
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935

INSULATION
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426

INSULATORS
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
High temperature resistant cermet and ceramic compositions --- for use in thermionic converters or diodes
[NASA-CASE-NPO-13690-1] c27 N76-13294

INTAKE SYSTEMS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456

INTEGRATED CIRCUITS
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XMF-08804] c09 N71-24717
Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-10957
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30428

INTEGRATORS
Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596

INTERFEROMETERS
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Incremental motion drive system applied to interferometer components
[NASA-CASE-XNP-08897] c15 N71-17694
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Method and apparatus for providing a servodrive signal in a high speed stepping interferometer
[NASA-CASE-NPO-13569-1] c35 N75-21600
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Method and apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c33 N77-28395

INTERMEDIATE FREQUENCY AMPLIFIERS
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321

INTERMETALLICS
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437

INTERNAL COMBUSTION ENGINES
Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XNP-06926] c28 N71-22983
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497

Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461
INTERPLANETARY SPACE
Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
INTERPLANETARY SPACECRAFT
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
INTERPLANETARY TRAJECTORIES
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
INTRACRANIAL PRESSURE
Induction powered biological radiosonde --- for measuring intracranial pressure
[NASA-CASE-ARC-11120-1] c52 N77-23743
INTRAOCULAR PRESSURE
Intra-ocular pressure normalization apparatus
[NASA-CASE-LEW-12955-1] c52 N77-30736
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N77-30737
INTRAVEHICULAR ACTIVITY
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
INTRUSION
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
INVENTIONS
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N76-23985
INVERTED CONVERTERS (DC TO AC)
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
INVERTERS
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
IODINE
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
IODINE ISOTOPES
Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10518-2] c24 N72-28714
Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10518-1] c24 N72-33681
Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c31 N74-10476
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
ION ACCELERATORS
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
ION BEAMS
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
ION CHARGE
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325
ION CONCENTRATION
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
ION CURRENTS
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
ION CYCLOTRON RADIATION
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
ION DENSITY (CONCENTRATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
ION ENGINES
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-XNP-02839] c28 N70-41922
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850

Development of system for delivering vaporized mercury to electron bombardment ion engine [NASA-CASE-NPO-10737] c28 N72-11709
Characteristics of ion rocket engine with combination keeper electrode and electron baffle [NASA-CASE-NPO-11880] c28 N73-24783
Single grid accelerator system for electron bombardment type ion thrustor [NASA-CASE-XLE-10453-2] c28 N73-27699
Method of making dished ion thruster grids [NASA-CASE-LEW-11694-1] c20 N75-18310
Method of constructing dished ion thruster grids to provide hole array spacing compensation [NASA-CASE-LEW-11876-1] c20 N76-21276

ION EXCHANGE MEMBRANE ELECTROLYTES
Inorganic ion exchange membrane electrolytes for fuel cell use [NASA-CASE-XNP-04264] c03 N69-21337
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells [NASA-CASE-XMS-02063] c03 N71-29044
Formulated plastic separators for soluble electrode cells --- rubber-ion trasport sheeting [NASA-CASE-LEW-12358-1] c44 N77-18560
Dual membrane, hollow fiber fuel cell [NASA-CASE-NPO-13732-1] c44 N77-19581

ION EXCHANGING
Fuel system for thermal nuclear reactor which uses inorganic ion exchanger [NASA-CASE-LEW-11645-2] c22 N73-28660

ION EXTRACTION
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field [NASA-CASE-LEW-12465-1] c72 N76-27967

ION IMPLANTATION
A complementary DMOS-VMOS integrated circuit structure [NASA-CASE-GSC-12190-1] c33 N77-29403

ION PROBES
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids [NASA-CASE-ERC-10014] c14 N71-28863

ION PROPULSION
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor [NASA-CASE-XMF-00923] c28 N70-36802
Electrostatic ion engines using high velocity electrons to ionize propellant [NASA-CASE-XLE-00376] c28 N70-37245
Metal ion rocket engine design [NASA-CASE-XLE-00342] c28 N70-37980
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines [NASA-CASE-XLE-00455] c28 N70-38197
Accel and focus electrode design for ion engine with improved efficiency [NASA-CASE-XNP-02839] c28 N70-41922
Electric rocket engine with electron bombardment ionization chamber [NASA-CASE-XNP-04124] c28 N71-21822
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces [NASA-CASE-LEW-10689-1] c28 N71-26173
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system [NASA-CASE-LEW-10106-1] c28 N71-26642
Development of system for delivering vaporized mercury to electron bombardment ion engine [NASA-CASE-NPO-10737] c28 N72-11709
Radial magnetic field for ion thruster [NASA-CASE-LEW-10770-1] c28 N72-22770
Automatic shunting of ion thrustor magnetic field when thrustor is not operating [NASA-CASE-LEW-10835-1] c28 N72-22771
Method of making dished ion thruster grids [NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids [NASA-CASE-LEW-11694-2] c37 N76-14461
Anode for ion thruster [NASA-CASE-LEW-12048-1] c20 N77-20162

ION PUMPS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump [NASA-CASE-NPO-13663-1] c35 N77-14406

ION SOURCES
Apertured electrode focusing system for ion sources with nonuniform plasma density [NASA-CASE-XNP-03332] c09 N71-10618
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates [NASA-CASE-XNP-04338] c17 N71-23046
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system [NASA-CASE-LEW-10106-1] c28 N71-26642
Low mass ionizing device for use in electric thrust spacecraft engines [NASA-CASE-XNP-01954] c28 N71-28850
Development and characteristics of apparatus for ionization analysis [NASA-CASE-ARC-10017-1] c14 N72-29464
Sputtering holes with ion beamlets [NASA-CASE-LEW-11646-1] c20 N74-31269
Multitarget sequential sputtering apparatus [NASA-CASE-NPO-13345-1] c37 N75-19684

ION TRAPS (INSTRUMENTATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films [NASA-CASE-NPO-13443-1] c76 N76-20994

IONIZATION CHAMBERS
Automatic baseline stabilization for ionization detector used in gas chromatograph [NASA-CASE-XNP-03128] c10 N70-41991
Electric rocket engine with electron bombardment ionization chamber [NASA-CASE-XNP-04124] c28 N71-21822
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases [NASA-CASE-ERC-10044-1] c14 N71-27090
Development and characteristics of apparatus for ionization analysis [NASA-CASE-ARC-10017-1] c14 N72-29464

IONIZATION GAGES
Ionization vacuum gage [NASA-CASE-XNP-00646] c14 N70-35666
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers [NASA-CASE-XLE-00787] c14 N71-21090
Development and characteristics of apparatus for ionization analysis [NASA-CASE-ARC-10017-1] c14 N72-29464
Ionization gage for measuring ultrahigh vacuum levels [NASA-CASE-XLA-05087] c14 N73-30391

IONIZATION POTENTIALS
Electrodes having array of small surfaces for field ionization [NASA-CASE-ERC-10013] c09 N71-26678

IONIZED GASES
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases [NASA-CASE-XLE-00690] c25 N69-39884
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases [NASA-CASE-XNP-09802] c33 N71-15641
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field [NASA-CASE-LEW-12465-1] c72 N76-27967

IONIZERS
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control [NASA-CASE-MSC-10960-1] c05 N71-24718
Method of making dished ion thruster grids [NASA-CASE-LEW-11694-1] c20 N75-18310

IONIZING RADIATION
High voltage cable for use in high intensity ionizing radiation fields

[NASA-CASE-XNP-00738] c09 N70-38201
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126
IONOSPHERE
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
IONS
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
IRISES (MECHANICAL APERTURES)
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
IRON ALLOYS
Tantalum modified ferritic iron base alloys --- for use in high temperature environments
[NASA-CASE-LEW-12095-1] c26 N76-17233
IRRADIATION
Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
IRRIGATION
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
ISOLATORS
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
ISOPROPYL ALCOHOL
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
ISOTHERMAL LAYERS
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
ISOTHERMAL PROCESSES
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
ISOTOPE SEPARATION
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477

J

JET AIRCRAFT
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
JET AIRCRAFT NOISE
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Jet aircraft exhaust nozzle for noise reduction
[NASA-CASE-LAR-10951-1] c28 N73-19819
Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-1] c07 N77-15036
JET AMPLIFIERS
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
JET BLAST EFFECTS
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
JET CONTROL
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
JET ENGINES
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
JET EXHAUST
Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260
JET FLAPS
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
JET FLOW
Two-phase flow system with discrete, impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
JET MIXING FLOW
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
JET NOZZLES
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
JET THRUST
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
JETTISON SYSTEMS
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XNP-03169] c31 N71-15675
System for deploying and ejecting releasable clamshell fairing sections from spinning

sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
JIGS
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
JOINTS (ANATOMY)
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
JOINTS (JUNCTIONS)
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XNP-01452] c15 N70-41371
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XNP-05114-2] c15 N71-26148
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
JOSEPHSON JUNCTIONS
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
JOULE-THOMSON EFFECT
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
JOURNAL BEARINGS
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-MFS-20423] c15 N72-11388
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
JUNCTION DIODES
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
JUNCTION TRANSISTORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372

K

KIDNEY DISEASES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
KINETIC ENERGY
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
KINETIC FRICTION
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
KINETICS
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477

L

LABORATORY EQUIPMENT
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
LAMINAR FLOW
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
LAMINATES
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604

Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Lightweight electrically powered flexible thermal laminate --- made of metal fibers
[NASA-CASE-MSC-12662-1] c24 N75-16635
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
Composite lamination method --- of resin impregnated fiber tape
[NASA-CASE-LAR-12019-1] c24 N77-22179
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188

LANDING AIDS
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619

LANDING GEAR
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XMF-01174] c02 N70-41589
Crosswind landing gear position indicator
[NASA-CASE-LAR-11941-1] c06 N77-20098

LANDING MODULES
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354

LANDING SIMULATION
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786

LANTHANUM COMPOUNDS
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595

LASER APPLICATIONS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c72 N76-27967
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502

LASER CAVITIES
Soft X-ray laser using crystal channels as distributed feedback cavities --- zeolites
[NASA-CASE-NPO-13532-1] c36 N75-15973

LASER DOPPLER VELOCIMETERS
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501

LASER HEATING
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524

LASER MATERIALS
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655

LASER MODE LOCKING
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499

LASER MODES
Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427

LASER OUTPUTS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009

Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255

LASER PLASMAS
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416

LASER RANGER/TRACKER
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125

LASERS
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Self-generating optical frequency waveguide
[NASA-CASE-HQN-10541-1] c07 N71-26291
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Laser technique for breaking ice in ship path
[NASA-CASE-LAR-10815-1] c16 N72-22520
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

LATCHES
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Latching mechanism with pivoting catch and self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897
Latch for fastening spacecraft docking rings
[NASA-CASE-MSC-15474-1] c15 N71-26162
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499

LATERAL CONTROL
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176

LATHES
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489

LAUNCH ESCAPE SYSTEMS
Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718

LAUNCH VEHICLE CONFIGURATIONS
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

LAUNCH VEHICLES
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779

LAUNCHING PADS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292

LEAD (METAL)
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

LEAD TELLURIDES
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037

LEADING EDGES
Leading edge design for hypersonic reentry

vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170

LEAKAGE
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XMF-02392] c32 N71-24285
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612

LEG (ANATOMY)
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749

LENS DESIGN
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497

LENSES
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478

LENTICULAR BODIES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924

LEVEL (HORIZONTAL)
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802

LEVEL (QUANTITY)
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188

LEVELING
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498

LIFE (DURABILITY)
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064

LIFE DETECTORS
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705

LIFE RAFTS
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845

LIFE SUPPORT SYSTEMS
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Open loop life support subsystem using breathing bag as reservoir for EVA
[NASA-CASE-MSC-12411-1] c05 N72-20096
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743

LIFT DEVICES
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Direct lift control system having flaps with slots adjacent to their leading edge and

particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176

LIFT DRAG RATIO
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315

LIFTING BODIES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264

LIFTING REENTRY VEHICLES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087

LIGHT (VISIBLE RADIATION)
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484

LIGHT AIRCRAFT
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110

LIGHT BEAMS
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131

LIGHT GAS GUNS
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578

LIGHT MODULATION
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053

LIGHT SCATTERING
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369

LIGHT SCATTERING METERS
System for the measurement of ultra-low stray light levels --- light shields and baffles
[NASA-CASE-MFS-23513-1] c74 N77-14842

LIGHT SOURCES
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Electro-optical stabilization of calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941

LIGHT TRANSMISSION
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Solar cell panel with light transmitting cover plate
[NASA-CASE-NPO-10747] c03 N72-22042
Method and system for transmitting and distributing optical frequency radiation
[NASA-CASE-HQN-10541-3] c23 N72-23695
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950

LIGHTING EQUIPMENT
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227

LIGHTNING
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas [NASA-CASE-KSC-10698] c07 N73-20175
System for locating lightning strokes by coordination of directional antenna signals [NASA-CASE-KSC-10729-1] c09 N73-32110
Monitoring and recording lightning strokes in predetermined area [NASA-CASE-KSC-10728-1] c14 N73-32319
Lightning current measuring systems [NASA-CASE-KSC-10807-1] c33 N75-26246
Remote lightning monitor system [NASA-CASE-KSC-11031-1] c33 N77-21319
Lightning current waveform measuring system [NASA-CASE-KSC-11018-1] c33 N77-21320

LIMITER CIRCUITS
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content [NASA-CASE-XLA-01219] c10 N71-23084
Circuits for amplitude limiting of random noise inputs [NASA-CASE-NPO-10169] c10 N71-24844
Velocity limiting safety system for motor driven research vehicle [NASA-CASE-XLA-07473] c15 N71-24895
Low level signal limiter [NASA-CASE-XLE-04791] c32 N74-22096
Inrush current limiter [NASA-CASE-GSC-11789-1] c33 N77-14333

LINEAR ACCELERATORS
Linear accelerator frequency control system [NASA-CASE-XGS-05441] c10 N71-22962

LINEAR RECEIVERS
Antenna array at focal plane of reflector with coupling network for beam switching [NASA-CASE-GSC-10220-1] c07 N71-27233

LINEAR SYSTEMS
Linear three-tap feedback shift register [NASA-CASE-NPO-10351] c08 N71-12503
Family of m-ary linear feedback shift register with binary logic [NASA-CASE-NPO-11868] c10 N73-20254

LINEARITY
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement [NASA-CASE-XLA-02809] c15 N71-22982
Mechanical actuator wherein linear motion changes to rotational motion [NASA-CASE-XGS-04548] c15 N71-24045

LINKAGES
Development of collapsible nozzle extension for rocket engines [NASA-CASE-MFS-11497] c28 N71-16224
Design and construction of mechanical probe for determining if object is properly secured [NASA-CASE-MFS-20760] c14 N72-33377

LIQUEFACTION
Ophthalmic liquifaction pump [NASA-CASE-LEW-12051-1] c52 N75-33640
Improved tissue macerating instrument --- ophthalmic liquifaction pump [NASA-CASE-LEW-12668-1] c52 N76-23837

LIQUID BEARINGS
Fatigue life of hybrid antifriction bearings at ultrahigh speeds [NASA-CASE-LEW-11152-1] c15 N73-32359

LIQUID COOLING
Water cooled contactors for holding rotating carbon arc anode [NASA-CASE-XMS-03700] c15 N69-24266
External device for liquid spray cooling of gas turbine blades [NASA-CASE-XLE-00037] c28 N70-33372
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss [NASA-CASE-XNP-01951] c09 N70-41929
Laminar flow of liquid coolants in rocket engines [NASA-CASE-NPO-10122] c12 N71-17631
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops [NASA-CASE-XMS-09571] c05 N71-19439
Electric power system with circulatory liquid coolant cooling system [NASA-CASE-MFS-14114-2] c09 N71-24807
Electric power system with thermionic diodes and circulatory liquid metal coolant lines [NASA-CASE-MFS-14114] c33 N71-27862
Apparatus for liquid spray cooling of turbine blades [NASA-CASE-XLE-00027] c33 N71-29152
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit [NASA-CASE-MSC-13917-1] c05 N72-15098
Automatic temperature control for liquid cooled space suit [NASA-CASE-ARC-10599-1] c05 N73-26071
Heat exchanger system and method [NASA-CASE-LAR-10799-2] c34 N76-17317
Closed loop spray cooling apparatus --- for particle accelerator targets [NASA-CASE-LEW-11981-1] c37 N76-20486
Liquid cooled brassiere and method of diagnosing malignant tumors therewith [NASA-CASE-ARC-11007-1] c52 N77-14736

LIQUID CRYSTALS
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses [NASA-CASE-ERC-10292] c14 N72-25410
Input signal measurement using liquid crystalline elements [NASA-CASE-ERC-10275] c26 N72-25680
Real time liquid crystal image converter [NASA-CASE-LAR-11206-1] c74 N74-30118

LIQUID FILLED SHELLS
Liquid rocket systems for propulsion and control of spacecraft [NASA-CASE-XNP-00610] c28 N70-36910
Design and development of fluid sample collector [NASA-CASE-XMS-06767-1] c14 N71-20435
Manufacture of fluid containers from fused coated polyester sheets having resealable septum [NASA-CASE-NPO-10123] c15 N71-24835
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation [NASA-CASE-HQN-10780] c14 N71-30265

LIQUID FLOW
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks [NASA-CASE-XLE-02624] c12 N69-39988
Liquid junction for glass electrode or pH meters [NASA-CASE-NPO-10682] c15 N70-34699
Actuator using compressed gas as driving force to control valve handling large liquid flows [NASA-CASE-XHQ-01208] c15 N70-35409
Two component valve assembly for cryogenic liquid transfer regulation [NASA-CASE-XLE-00397] c15 N70-36492
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features [NASA-CASE-XNP-02822] c14 N70-41994
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids [NASA-CASE-XLE-02998] c14 N70-42074
Carrier liquid system containing bodies of ablative material [NASA-CASE-LEW-10359-2] c33 N73-25952
Zero gravity liquid transfer device, using spiral shaped screen [NASA-CASE-KSC-10626] c14 N73-27378
System for measuring Reynolds in a turbulently flowing fluid --- signal processing [NASA-CASE-ARC-10755-2] c34 N76-27517

LIQUID HELIUM
Heat operated cryogenic electrical generator [NASA-CASE-NPO-13303-1] c20 N75-24837
Helium refrigerator [NASA-CASE-NPO-13435-1] c31 N76-14284
Cryostat system for temperatures on the order of 2 deg K or less [NASA-CASE-NPO-13459-1] c31 N77-10229
Multistation refrigeration system [NASA-CASE-NPO-13839-1] c31 N77-15219

LIQUID HYDROGEN
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft [NASA-CASE-XNP-05046] c33 N71-28892
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing

radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126
LIQUID INJECTION
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XMF-00968] c28 N71-15660
LIQUID LASERS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
LIQUID LEVELS
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
LIQUID METALS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPC-10831] c33 N72-20915
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
LIQUID NITROGEN
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
LIQUID OXYGEN
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
LIQUID PHASES
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
LIQUID PROPELLANT ROCKET ENGINES
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMF-00185] c21 N70-34539
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Rocket propellant injector with porous faceplate for rocket engine combustion chamber
[NASA-CASE-LEW-11071-1] c27 N73-27695
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
LIQUID ROCKET PROPELLANTS
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Igniter capsule for chemical ignition of liquid rocket propellants
[NASA-CASE-XLE-00323] c28 N70-38505
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
LIQUID SLOSHING
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
LIQUID-GAS MIXTURES
Liquid-gas separator adapted for use in zero gravity environment - drawings

[NASA-CASE-XMS-01624] c15 N70-40062
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023

LIQUID-VAPOR INTERFACES
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134

LIQUIDS
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667

LITHIUM COMPOUNDS
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029

LOAD DISTRIBUTION (FORCES)
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c14 N75-24794
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465

LOAD TESTING MACHINES
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400

LOAD TESTS
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816

LOADING OPERATIONS
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617

LOADS (FORCES)
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-NLP-10002] c15 N72-17451
Measuring device for bearing preload using spring washers
[NASA-CASE-MFS-20434] c11 N72-25288
Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-MFS-20317] c15 N73-13463
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499

LOCATES SYSTEM
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250

LOCKING
Releasable coupling device designed to receive and retain matching ends of electrical connectors

[NASA-CASE-XMS-07846-1] c09 N69-21927
LOCKS (FASTENERS)
Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XMF-01371] c15 N70-41829
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
LOCOMOTION
Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
LOGARITHMIC RECEIVERS
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
LOGARITHMS
Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173
LOGIC CIRCUITS
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XNP-00421] c09 N70-34502
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
Logic AND gate for fluid circuits
[NASA-CASE-XIA-07391] c12 N71-17579
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-14957
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
LOGICAL ELEMENTS
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
LONGITUDINAL CONTROL
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
LOOP ANTENNAS
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
LOOPS
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
LOW ASPECT RATIO
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
LOW COST
Improved low cost substrates for polycrystalline solar cells --- for solar energy conversion
[NASA-CASE-GSC-12022-2] c44 N76-26695
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
LOW DENSITY MATERIALS
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
LOW FREQUENCIES
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XNP-00479] c14 N70-34794
LOW GRAVITY MANUFACTURING
Method for manufacturing mirrors in zero gravity

environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
LOW MOLECULAR WEIGHTS
Process for preparing high molecular weight polyarylcxysilanes from lower molecular weight forms
[NASA-CASE-XMF-08674] c06 N71-28807
LOW NOISE
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
LOW PRESSURE
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
LOW SPEED
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
LOW TEMPERATURE ENVIRONMENTS
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
LOW TEMPERATURE TESTS
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XMF-10968] c14 N71-24234
LOW THRUST
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219
LOW VACUUM
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
LOW VOLTAGE
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
LUBRICANTS
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
LUBRICATING OILS
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
LUBRICATION
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c37 N75-13265
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
LUBRICATION SYSTEMS
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
LUMINAIRES
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250
Electrodeless lamp circuit driven by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
LUMINOSITY
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
LUMINOUS INTENSITY
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
LUNAR BASES
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
LUNAR COMMUNICATION
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
LUNAR COMPOSITION
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
LUNAR EXPLORATION
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
LUNAR GRAVITATION
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
LUNAR GRAVITY SIMULATOR
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786

LUNAR LANDING
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
LUNAR LOGISTICS
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
LUNAR ROCKS
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
LUNAR SOIL
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
LUNAR SURFACE VEHICLES
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091
LUNGS
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329

M

MACHINE TOOLS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c37 N75-13266
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478
MACHINERY
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
MACHINING
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
MAGNESIUM
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
MAGNESIUM ALLOYS
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
MAGNESIUM OXIDES
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
MAGNET COILS
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
MAGNETIC CHARGE DENSITY
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
MAGNETIC CIRCUITS
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
MAGNETIC COILS
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514
MAGNETIC CONTROL
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
MAGNETIC CORES
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694

Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928

MAGNETIC DIPOLES
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725

MAGNETIC DISKS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819

MAGNETIC FIELD CONFIGURATIONS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406

MAGNETIC FIELD INVERSIONS
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482

MAGNETIC FIELDS
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Atomic hydrogen storage method and apparatus --- in strong magnetic fields
[NASA-CASE-LEW-12081-1] c28 N76-22399
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N77-15343
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315

MAGNETIC FLUX
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574

MAGNETIC FORMING
Portable magnetomotive hammer for metal working
[NASA-CASE-XNP-03793] c15 N71-24833
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XNP-05114-3] c15 N71-24865

MAGNETIC INDUCTION
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300

MAGNETIC LENSES
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325

MAGNETIC MATERIALS
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124

MAGNETIC MEASUREMENT
Cryogenic flux-gated magnetometer using superconductors

[NASA-CASE-XAC-02407] c14 N69-27423
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
MAGNETIC POLES
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
MAGNETIC PUMPING
Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904
Magnetic heat pumping
[NASA-CASE-LEW-12508-2] c34 N77-32435
MAGNETIC RECORDING
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
MAGNETIC SIGNALS
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
MAGNETIC STORAGE
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
MAGNETIC SUSPENSION
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c19 N76-18227
MAGNETIC SWITCHING
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
MAGNETIC TAPE TRANSPORTS
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
MAGNETIC TAPES
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
MAGNETIC TRANSDUCERS
A miniature implantable ultrasonic echosonometer
[NASA-CASE-AEC-11035-1] c52 N77-15621
MAGNETIZATION
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
MAGNETO-OPTICS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
MAGNETOHYDRODYNAMIC FLOW
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760
MAGNETOHYDRODYNAMIC GENERATORS
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
MAGNETOMETERS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Magnetometer --- with an automatic scanning transducer
[NASA-CASE-LAR-11617-2] c35 N77-17430
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
MAGNETRONS
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
MAGNETS
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
MAGNIFICATION
Camera adapter design for image magnification

including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Passive type, magnifying scratch gage, force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
MAGNITUDE
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
MAINTENANCE
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
MALFUNCTIONS
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XIA-00100] c14 N70-36807
MANDRELS
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
MANIFOLDS
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
MANIPULATORS
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723
MANNED ORBITAL LABORATORIES
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
MANNED ORBITAL RESEARCH LABORATORIES
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
MANNED SPACE FLIGHT
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XIA-8914] c15 N73-12492
MANNED SPACECRAFT
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
MANOMETERS
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
MANUAL CONTROL
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
MANUFACTURING
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-REC-10072] c09 N70-11148
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049

Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
MAPPING
Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
MAPS
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
MASERS
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219
MASKING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
MASS
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
MASS BALANCE
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XNP-04134] c14 N71-23755
MASS DISTRIBUTION
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339

MASS FLOW
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
MASS SPECTROMETERS
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
High speed scanner for measuring mass of preselected gases at high sampling rate
[NASA-CASE-LAR-10766-1] c14 N72-21432
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32425
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
MASS SPECTROSCOPY
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
MATERIAL ABSORPTION
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483
MATERIALS HANDLING
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540

MATERIALS RECOVERY
Pyrolysis system and process --- recovering energy from solid wastes containing hydrocarbons
[NASA-CASE-MSC-12669-1] c44 N76-16621
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
MATERIALS SCIENCE
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
MATERIALS TESTS
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
MATHEMATICAL LOGIC
Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
MATRICES (CIRCUITS)
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
MATTS (SYSTEMS)
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179
MCLEOD GAGES
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
MEASURING INSTRUMENTS
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XMS-03495] c14 N69-39785
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Parallel motion suspension device for measuring instruments
[NASA-CASE-XNP-01567] c15 N70-41310
Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMF-04415] c14 N71-24693
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream

[NASA-CASE-NPO-10985] c14 N73-20478
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Thin film analyzer utilizing holographic technigues
[NASA-CASE-MFS-20823-1] c16 N73-30476
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455

MECHANICAL DEVICES
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Design and development of satellite despin device
[NASA-CASE-XMF-08523] c31 N71-20396
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MFS-20760] c14 N72-33377
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157

Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

MECHANICAL DRIVES
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Incremental motion drive system applied to interferometer components
[NASA-CASE-XNP-08897] c15 N71-17694
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
Rotary actuator for use in environments with no rolling and sliding friction
[NASA-CASE-NPO-10244] c15 N72-26371
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c37 N75-13266
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482

MECHANICAL ENGINEERING
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404

MECHANICAL MEASUREMENT
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430

MECHANICAL PROPERTIES
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535

MECHANICS (PHYSICS)
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

MECHANIZATION
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441

MEDICAL ELECTRONICS
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531

MEDICAL EQUIPMENT
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717

MEMBRANE STRUCTURES
Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for

spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
MEMBRANES
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
MEMORY
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032
MERCURY (METAL)
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
MERCURY VAPOR
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
METABOLIC WASTES
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
METABOLISM
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
METAL BONDING
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
METAL COATINGS
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Selective nickel deposition on irradiation sensitive compounds
[NASA-CASE-LEW-10965-1] c15 N72-25452
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
METAL CUTTING
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186
METAL FIBERS
Lightweight electrically powered flexible thermal laminate --- made of metal fibers
[NASA-CASE-MSC-12662-1] c24 N75-16635
METAL FILMS
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313

METAL FINISHING
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225
METAL FOILS
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Insulation foil and method of making
[NASA-CASE-LEW-11484-2] c24 N75-14839
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
METAL FUELS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
METAL HALIDES
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
METAL HYDRIDES
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
METAL IONS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
METAL JOINTS
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
METAL MATRIX COMPOSITES
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
METAL OXIDE SEMICONDUCTORS
Gyrator circuit using MOS field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
METAL OXIDES
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-EHC-10108] c06 N72-21094
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
METAL PARTICLES
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
METAL PLATES
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
METAL POWDER
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
METAL SHEETS
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376
METAL SHELLS
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580

METAL SPINNING
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-MFS-01083] c15 N71-22723
METAL STRIPS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ABC-10516-1] c70 N74-21300
METAL SURFACES
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Nickel plating onto etched aluminum castings
[NASA-CASE-MFS-04148] c17 N71-24830
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-MFS-09469] c24 N71-25555
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-MFS-01263-2] c15 N71-26312
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
Surface finishing --- of metal airfoils by adhesive bonding
[NASA-CASE-MSC-12631-2] c05 N77-31131
METAL VAPORS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
METAL WORKING
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XMF-05114-3] c15 N71-24865
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
METAL-METAL BONDING
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
METALLOGRAPHY
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
METALLOSILOXANE POLYMERS
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
METALLURGY
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
METALS
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XMF-05297] c15 N71-23811
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Metal plating process employing spraying of metallic powder/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
METEORITE COLLISIONS
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130
METEORITES
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
METEORITIC DAMAGE
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
METEOROID HAZARDS
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
METEOROID PROTECTION
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XMF-02507] c31 N71-17679
Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
METEOROIDS
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419

Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
METEOROLOGICAL BALLOONS
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
METHANE
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLE-00353] c18 N70-39897
MICHELSON INTERFEROMETERS
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N76-14433
MICROBALANCES
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
MICROBIOLOGY
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
MICROELECTRONICS
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XMF-05999] c15 N71-29032
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
MICROFILMS
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
MICROMETEORITES
Method of and device for determining the characteristics and flux distribution of micrometecrites --- scanning puncture holes in sheet material with photcelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
MICROMETEOROIDS
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
Measuring micrometeroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
MICROMINIATURIZATION
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
MICROORGANISMS
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
MICROPARTICLES
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
MICROPHONES
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c32 N74-12843
MICROPROCESSORS
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343
MICROSCOPES
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
MICROSTRIP TRANSMISSION LINES
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
MICROSTRUCTURE
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix

[NASA-CASE-XLE-03940-2] c17 N72-28536
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
MICROTHRUST
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
MICROWAVE AMPLIFIERS
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
MICROWAVE ANTENNAS
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
MICROWAVE CIRCUITS
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
MICROWAVE COUPLING
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
MICROWAVE EQUIPMENT
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
MICROWAVE FILTERS
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195
MICROWAVE FREQUENCIES
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
MICROWAVE OSCILLATORS
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
MICROWAVE RADIOMETERS
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
MICROWAVE REFLECTOMETERS
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
MICROWAVE RESONANCE
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
MICROWAVE SENSORS
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
MICROWAVE SWITCHING
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
MICROWAVE TUBES
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
MICROWAVES
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
MIDAIR COLLISIONS
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
MILLIMETER WAVES
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
MILLING (MACHINING)
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
MILLING MACHINES
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799

Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
MINERAL METABOLISM
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
MINIATURE ELECTRONIC EQUIPMENT
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XNP-06092] c07 N71-24612
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
MINIATURIZATION
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
MIRRORS
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409
Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N76-14433
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Method and means for testing a glancing-incidence mirror system --- for X-ray telescopes
[NASA-CASE-MFS-22409-2] c74 N76-26988
Three-mirror telescope
[NASA-CASE-MFS-23675-1] c74 N77-28937
MISSILE CONTROL
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
MISSILE LAUNCHERS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XNP-03198] c30 N70-40353
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
MITOSIS
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
MIXING CIRCUITS
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
MOBILITY
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
MODE TRANSFORMERS
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N77-20341
MODEMS
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
MODULATION
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
MODULATORS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-ERC-10072-1] c33 N74-14939
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
MODULES
Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184
MOISTURE
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
MOISTURE CONTENT
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
MOISTURE METERS
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
MOLDING MATERIALS
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
MOLDS
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836

Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570

MOLECULAR BEAMS
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269

MOLECULAR GASES
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127

MOLECULAR OSCILLATORS
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468

MOLECULAR PUMPS
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294

MOLECULAR ROTATION
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426

MOLECULAR SPECTROSCOPY
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137

MOLTEN SALT ELECTROLYTES
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643

MOLYBDENUM CARBIDES
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077

MOLYBDENUM COMPOUNDS
Method for producing refractory molybdenum disilicides
[NASA-CASE-XMS-00370] c17 N71-20941

MOMENTS OF INERTIA
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992

MOMENTUM
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990

MONITORS
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
Monitoring and recording lightning strokes in predetermined area
[NASA-CASE-KSC-10728-1] c14 N73-32319
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394

MONOCHROMATIC RADIATION
Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516

MONOCHROMATORS
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109

MONOPOLE ANTENNAS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720

MONOPROPELLANTS
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219

MONOPULSE ANTENNAS
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472

MONOPULSE RADAR
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Monopulse tracking system with antenna array of three radiators for deriving azimuth and elevation indications
[NASA-CASE-XGS-01155] c10 N71-21483

MONOSTABLE MULTIVIBRATORS
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860

MOSSBAUER EFFECT
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XNP-05882] c35 N75-27329

MOTION
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994

MOTION PERCEPTION
A condition sensor system and method
[NASA-CASE-MSC-14805-1] c35 N76-26448
MOTION PICTURES
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
MOTION SIMULATORS
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
MOTION STABILITY
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
MOTORS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XNP-06892] c09 N71-24805
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
MOUNTING
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
MOVING TARGET INDICATORS
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
MULTICHANNEL COMMUNICATION
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
MULTIENGINE VEHICLES
Vortex attenuation method --- for multi-engine aircraft
[NASA-CASE-LAR-12034-1] c02 N77-22045
MULTILAYER INSULATION
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XNP-03968] c14 N71-27186
Insulation foil and method of making
[NASA-CASE-LEW-11484-2] c24 N75-14839
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
MULTIPATH TRANSMISSION
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
MULTIPLE BEAM INTERVAL SCANNERS
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
MULTIPLE DOCKING ADAPTERS
Probe and drogue assembly for mechanical linking of two space vehicles
[NASA-CASE-XMS-03613] c31 N71-16346
MULTIPLE OUTPUT PROGRAMS
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
MULTIPLEXING
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Telemetry and transmission system with programmed sampling and multiplexing
[NASA-CASE-GSC-11388-1] c07 N73-24187
Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
MULTIPLIERS
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
MULTISPECTRAL BAND SCANNERS
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583
MULTISPECTRAL PHOTOGRAPHY
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583
MULTISTAGE ROCKET VEHICLES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XNP-00389] c31 N70-34176
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645

Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488

MULTIVIBRATORS
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Improved semiconductor multivibrator circuit which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468

MUSCLES
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329

MUSCULAR FUNCTION
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338

MUSCULOSKELETAL SYSTEM
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738

MYOCARDIUM
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895

N

NACELLES
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493

NAVIGATION AIDS
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114

NAVIGATION INSTRUMENTS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552

NAVIGATION SATELLITES
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948

NEAR INFRARED RADIATION
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389

NEGATIVE FEEDBACK
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335

NEODYMIUM LASERS
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499

NETWORK SYNTHESIS
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596

NEUROGLIA
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738

NEUTRALIZERS
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429

NEUTRON EMISSION
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860

NICKEL
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Selective nickel deposition on irradiation sensitive compounds
[NASA-CASE-LEW-10965-1] c15 N72-25452
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171

NICKEL ALLOYS
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
High strength nickel based alloys
[NASA-CASE-LEW-10874-1] c17 N72-22535
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280

NICKEL CADMIUM BATTERIES
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859
Method and apparatus for reconditioning nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N77-12511

NICKEL COATINGS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414

NICKEL COMPOUNDS
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127

NICKEL PLATE
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830

NIOBIUM
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808

NITRIC OXIDE
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260

NITRIDES
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054

NITRILES
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
NITROAMINES
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
NITROGEN
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
NITROGEN OXIDES
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
NITROGEN TETROXIDE
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
NITROGUANIDINE
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
NOISE GENERATORS
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
NOISE METERS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441
NOISE REDUCTION
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
Jet aircraft exhaust nozzle for noise reduction
[NASA-CASE-LAR-10951-1] c28 N73-19819
Development of aircraft configuration for reduction of jet aircraft noise by exhausting engine gases over upper surface of wing
[NASA-CASE-LAR-11087-1] c02 N73-26008
Method for eliminating noise and debris of explosive welding techniques by using complete enclosure
[NASA-CASE-LAR-10941-2] c15 N73-32371
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Cascade plug n zzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-1] c07 N77-15036
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
NOISE TEMPERATURE
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
NOISE THRESHOLD
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
NONDESTRUCTIVE TESTS
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Hybrid holographic non-destructuve test system --- optical and acoustical methods capable of detecting flaws in materials
[NASA-CASE-MFS-23114-1] c35 N76-24529
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452
NONEQUILIBRIUM PLASMAS
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
NONFLAMMABLE MATERIALS
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an

halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
NONLINEAR FEEDBACK
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
NONLINEAR SYSTEMS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
NOSE CONES
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
NOSE WHEELS
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
NOTCH TESTS
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
NOTCHES
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
NOZZLE DESIGN
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XNP-00968] c28 N71-15660
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
NOZZLE FLOW
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-IGS-01143] c31 N71-15647
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
NOZZLE GEOMETRY
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
NOZZLE INSERTS
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
NUCLEAR ELECTRIC POWER GENERATION
Nuclear electric generator for accelerating charged propellant particles in electrostatic propulsion system
[NASA-CASE-XLE-00818] c22 N70-34248
NUCLEAR EXPLOSION EFFECT
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
NUCLEAR FUEL ELEMENTS
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528
NUCLEAR MAGNETIC RESONANCE
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
NUCLEAR POWER PLANTS
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
NUCLEAR PUMPING
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
NUCLEAR REACTOR CONTROL
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
NUCLEAR REACTORS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
NUCLEAR ROCKET ENGINES
Nuclear gaseous reactor for heating working fluid to high temperatures
[NASA-CASE-XLE-00321] c22 N70-34572
NUCLEATE BOILING
Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277
NULL ZONES
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
NUMBER THEORY
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
NUMERICAL CONTROL
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
NUMERICAL INTEGRATION
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
NUTATION
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XNP-00442] c31 N71-10747
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
NUTS (FASTENERS)
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922

Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457

O

O RING SEALS
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
OBLIQUE WINGS
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
OCEAN SURFACE
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-1] c54 N76-15792
OCEAN THERMAL ENERGY CONVERSION
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N77-21666
OHMMETERS
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
OIL RECOVERY
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
OILS
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
OMNIDIRECTIONAL ANTENNAS
Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
ONBOARD EQUIPMENT
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
OPERATIONAL AMPLIFIERS
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
OPHTHALMOLOGY
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Improved tissue macerating instrument --- ophthalmic liquifaction pump
[NASA-CASE-LEW-12668-1] c52 N76-23837
Flow compensating pressure regulator --- for ophthalmic applications
[NASA-CASE-LEW-12718-1] c35 N77-20408
OPTICAL COMMUNICATION
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N77-15826
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
OPTICAL COUPLING
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
OPTICAL DATA PROCESSING
Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
OPTICAL EMISSION SPECTROSCOPY
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
OPTICAL EQUIPMENT
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Development of process for constructing protective covers for solar cells

[NASA-CASE-GSC-11514-1] c03 N72-24037
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Visual examination apparatus
[NASA-CASE-RE-ARC-10329-2] c52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Three-mirror telescope
[NASA-CASE-MFS-23675-1] c74 N77-28937
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308

OPTICAL FILTERS
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N76-18917
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893

OPTICAL HETERODYNING
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

OPTICAL MEASUREMENT
Passive optical wind and turbulence remote detection system
[NASA-CASE-XNP-14032] c20 N71-16340
Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Hybrid holographic non-destructuve test system --- optical and acoustical methods capable of detecting flaws in materials
[NASA-CASE-MFS-23114-1] c35 N76-24529

OPTICAL MEASURING INSTRUMENTS
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497

OPTICAL PATHS
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095

OPTICAL PROPERTIES
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060

OPTICAL PUMPING
Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655

OPTICAL PYROMETERS
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254

OPTICAL RADAR
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

OPTICAL RANGE FINDERS
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409

OPTICAL REFLECTION
Hybrid holcgraphic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292

Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Schlieren system employing antiparallel reflector in the forward direction
[NASA-CASE-ARC-10971-1] c09 N76-26224
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933

OPTICAL RESONANCE
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653

OPTICAL SCANNERS
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298
Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects
[NASA-CASE-NPO-11106] c14 N70-34697
Multi-lobar scan horizon sensor
[NASA-CASE-XGS-00809] c21 N70-35427
Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N76-23985

OPTICAL TRACKING
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627

OPTICAL TRANSFER FUNCTION
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935

OPTIMIZATION
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407

ORBITAL MECHANICS
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884

ORBITAL SPACE STATIONS
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XMF-05344] c31 N71-16345
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214

ORGANIC CHEMISTRY
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844

ORGANIC COMPOUNDS
Synthesis of high purity dianilinosilanes
[NASA-CASE-XNP-06409] c06 N71-23250
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245

ORGANIC LIQUIDS
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674

ORGANIC SILICON COMPOUNDS
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256

ORGANOMETALLIC COMPOUNDS
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808

ORGANOMETALLIC POLYMERS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22911-1] c37 N74-21058

ORGANS
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621

ORIFICE FLOW
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924

ORIFICES
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736

ORTHOGONAL MULTIPLEXING THEORY
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917

ORTHOGONALITY
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790

ORTHOPEDICS
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

ORTHOTROPIC CYLINDERS
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659

OSCILLATION DAMPERS
Design and operation of viscous pendulum damper

[NASA-CASE-XIA-02079] c12 N71-16894
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-05480] c11 N71-33612

OSCILLATIONS
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228

OSCILLATORS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XMF-04367] c09 N71-23545
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919

OSCILLOSCOPES
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517

OUTER PLANETS EXPLORERS
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613

OUTGASSING
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100

OUTPUT
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373

OVENS
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871

OVERVOLTAGE
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359

OXIDATION
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704

OXIDATION RESISTANCE
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
High temperature resistant cermet and ceramic compositions --- for use in thermionic converters or diodes
[NASA-CASE-NPO-13690-1] c27 N76-13294
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217

OXIDE FILMS
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611

OXIDES
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029

OXIDIZERS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843

OXIMETRY
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185

OXYGEN
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Method for detecting oxygen in gas by thermoluminescence
[NASA-CASE-LAR-10668-1] c06 N73-16106
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283

OXYGEN CONSUMPTION
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202

OXYGEN FLUORIDES
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228

OXYGEN METABOLISM
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c52 N74-20728
OXYGEN PLASMA
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256
OXYGEN REGULATORS
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
OXYGEN SUPPLY EQUIPMENT
Gas compression analysis --- for oxygen supply equipment
[NASA-CASE-MSC-14757-1] c37 N76-13496
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900

P

P-N JUNCTIONS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Method for making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
P-TYPE SEMICONDUCTORS
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
PACKAGES
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
PACKAGING
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
PACKING DENSITY
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
PACKINGS (SEALS)
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
PAD
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
PAINTS
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
PALLADIUM COMPOUNDS
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
PANELS
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
PAPERS
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
PARABOLIC ANTENNAS
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
PARABOLIC REFLECTORS
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
PARABOLOID MIRRORS
Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
PARACHUTE DESCENT
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804

Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898

PARACHUTE FABRICS
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

PARACHUTES
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014

PARAGLIDERS
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804

PARALLAX
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909

PARALLEL PLATES
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584

PARALLEL PROCESSING (COMPUTERS)
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781

PARAMETRIC AMPLIFIERS
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660

PARAWINGS
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630

PARKING
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480

PARTIAL PRESSURE
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741

PARTICLE ACCELERATION
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213

PARTICLE ACCELERATOR TARGETS
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Deuterium gas through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c37 N76-20486
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434

PARTICLE BEAMS
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310

PARTICLE COLLISIONS
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990

PARTICLE DENSITY (CONCENTRATION)
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41532

PARTICLE EMISSION
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328

PARTICLE ENERGY
Particle detector for indicating incidence and energy of minute space particles
[NASA-CASE-XLA-00135] c14 N70-33322
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509

PARTICLE MASS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431

PARTICLE MOTION
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393

PARTICLE PRODUCTION
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379

PARTICLE SIZE DISTRIBUTION
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Particle size spectrometer and refractometer
[NASA-CASE-NPO-13614-1] c35 N75-19628
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434

PARTICLE TRAJECTORIES
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433

PARTICLES
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535

PARTICULATE SAMPLING
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c25 N74-26948
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401

PASSAGEWAYS
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936

PASSIVE SATELLITES
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678

Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052
PATENT APPLICATIONS
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332
PATENTS
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
PATIENTS
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
PATTERN RECOGNITION
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
PAYLOADS
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle paylcads
[NASA-CASE-XLA-01339] c31 N71-15692
Payload soft landing syster using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMF-06515] c14 N71-23227
PCM TELEMETRY
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems
[NASA-CASE-KSC-10326] c08 N72-21197
PELLETS
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
PELTIER EFFECTS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
PENETRANTS
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
PENETRATION
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
PENETROMETERS
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
PERCEPTION
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
PERFLUORO COMPOUNDS
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
Silphenylenesiloxane polymer with in-chain perfluorcalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Process for preparing disilanols with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
PERFORATED PLATES
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
PERFORATED SHELLS
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089
PERFORMANCE
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
PERFORMANCE PREDICTION
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
PERFORMANCE TESTS
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
PERIODIC VARIATIONS
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
PERMEABILITY
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
PERMITTIVITY
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
PEROXIDES
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
PERSPIRATION
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
PERTURBATION
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597

PERTURBATION THEORY
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
PHASE COHERENCE
Apparatus for estimating amplitude and sign of phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
PHASE CONTROL
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
PHASE DEMODULATORS
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
PHASE DETECTORS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
PHASE DEVIATION
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
PHASE LOCK DEMODULATORS
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
PHASE LOCKED SYSTEMS
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XNF-08665] c10 N71-19467
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
PHASE MODULATION
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XMF-01892] c10 N71-22986
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11703-1] c32 N75-24981
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272
PHASE SHIFT
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
PHASE SHIFT CIRCUITS
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172

Continuously variable, voltage-controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N77-17360

PHASE SHIFT KEYING
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331

PHASE SWITCHING INTERFEROMETERS
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625

PHASE TRANSFORMATIONS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635

PHASE VELOCITY
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432

PHASED ARRAYS
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340

PHASED LOCKED SYSTEMS
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334

PHENOLIC RESINS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260

PHENOLS
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c25 N77-18238

PHONOCARDIOGRAPHY
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XMS-10804] c05 N71-24606
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234

PHOSPHATES
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047

PHOSPHINES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425

PHOSPHONITRILES
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363

PHOTOCATHODES
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409

PHOTOCHEMICAL REACTIONS
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c72 N76-27967
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255

PHOTOCONDUCTIVE CELLS
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751

PHOTOCONDUCTIVITY
Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-ERC-10108] c06 N72-21094

PHOTOCONDUCTORS
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480

PHOTOELECTRIC CELLS
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130

PHOTOELECTRIC EFFECT
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599

PHOTOELECTRIC MATERIALS
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090

PHOTOELECTRONS
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450

PHOTOGRAPHIC EQUIPMENT
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308

PHOTOGRAPHIC FILM
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N77-24456

PHOTOGRAPHIC MEASUREMENT
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645

Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530
PHOTOGRAPHIC PROCESSING
Method of post-process intensification of images on photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N76-26449
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
PHOTOGRAPHIC PROCESSING EQUIPMENT
Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
PHOTOGRAPHIC RECORDING
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
PHOTOIONIZATION
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
PHOTOLYSIS
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
PHOTOMAPPING
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
PHOTOMETERS
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369
PHOTOMICROGRAPHY
Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
PHOTOMULTIPLIER TUBES
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
Circuit design for determining amount of photomultiplier tube light detection utilizing variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682
PHOTON BEAMS
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
PHOTONS
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
PHOTOSENSITIVITY
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
PHOTOTRANSISTORS
Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
PHOTOTROPISM
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
PHOTOVISCOELASTICITY
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
PHOTOVOLTAIC CELLS
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593

PHOTOVOLTAIC EFFECT
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
PHYSICAL EXERCISE
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Tread drum for animals
[NASA-CASE-ARC-10917-1] c37 N76-20485
PHYSICAL PROPERTIES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
PHYSIOLOGICAL EFFECTS
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
PHYSIOLOGICAL TESTS
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
PHYSIOLOGY
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
PIERCING
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
PIEZOELECTRIC CRYSTALS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
PIEZOELECTRIC TRANSDUCERS
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
PIEZOELECTRICITY
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
PIEZORESISTIVE TRANSDUCERS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
PIGMENTS
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
PILOT ERROR
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
PILOT TRAINING
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
PILOTS (PERSONNEL)
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
PINS
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
PINTLES
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
PIPE FLOW
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
PIPELINES
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
PIPES (TUBES)
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
Sealed separable connection for thin wall metal tube
[NASA-CASE-NPO-10064] c15 N71-17693
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMF-01083] c15 N71-22723
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMF-04415] c14 N71-24693
Method and apparatus for portable high precision magnetomotive bulging, constricting, and

joining of large diameter metal tubes
[NASA-CASE-XMF-05114-3] c15 N71-24865
Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455

PISTON ENGINES
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590

PISTONS
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646

PITCH (INCLINATION)
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059

PIVOTS
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878

PLANAR STRUCTURES
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899

PLANE WAVES
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

PLANETARY ATMOSPHERES
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-ILA-01791] c14 N71-22991

PLANETARY GRAVITATION
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-ILA-00493] c11 N70-34786
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394

PLANETARY LANDING
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-ILA-00898] c02 N70-36804
Payload soft landing system using stowable gas bag
[NASA-CASE-ILA-09881] c31 N71-16085

PLANETARY ORBITS
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-ILA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-ILA-00678] c31 N70-34296

PLANETARY RADIATION
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-ILA-00793] c21 N71-22880

PLANETARY SURFACES
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118

PLANTS (BOTANY)
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503

PLASMA ACCELERATION
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-ILE-00519] c28 N70-41576
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688

PLASMA ACCELERATORS
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-ILA-00675] c25 N70-33267
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-ILA-01354] c25 N70-36946
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-ILA-00327] c25 N71-29184
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931

PLASMA CONTROL
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625

PLASMA CYLINDERS
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519

PLASMA DENSITY
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156

PLASMA DIAGNOSTICS
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-ILE-00690] c25 N69-39884
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma

[NASA-CASE-XAC-05695] c25 N71-16073
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
PLASMA DYNAMICS
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625
PLASMA ENGINES
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
PLASMA GENERATORS
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
PLASMA GUNS
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
PLASMA JETS
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001
PLASMA LAYERS
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
PLASMA POTENTIALS
Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
PLASMA PROBES
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
PLASMA PROPULSION
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
PLASMA RADIATION
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753
PLASMA SHEATHS
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
PLASMA SPRAYING
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
PLASMA TEMPERATURE
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
PLASMAS (PHYSICS)
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073
PLASTIC COATINGS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
Surface finishing --- of metal airfoils by adhesive bonding
[NASA-CASE-MSC-12631-2] c05 N77-31131
PLASTIC DEFORMATION
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
PLASTIC TAPES
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
PLASTICS
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Formulated plastic separators for soluble electrode cells --- rubber-ion trasport sheeting
[NASA-CASE-LEW-12358-1] c44 N77-18560
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256

Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
PLATES (STRUCTURAL MEMBERS)
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
PLATING
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
PLATINUM
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
PLAYBACKS
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
PLENUM CHAMBERS
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
PLETHYSMOGRAPHY
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
PLOTTERS
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
PLOTTING
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
PLUG NOZZLES
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
PLUGS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
PNEUMATIC CONTROL
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XEQ-01208] c15 N70-35409
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
PNEUMATIC EQUIPMENT
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XNP-06515] c14 N71-23227
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
POINT SOURCES
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
POINTING CONTROL SYSTEMS
Development of reflector system for application to line-of-sight pointing and tracking telescopes
[NASA-CASE-NPO-10468] c23 N71-33229
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c19 N76-18227
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
POLAR ORBITS
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
POLARIMETERS
Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101
Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
POLARITY
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XNP-08217] c03 N71-23239
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
POLARIZATION (WAVES)
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
POLARIZED ELECTROMAGNETIC RADIATION
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
POLARIZED LIGHT
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
POLARIZERS
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
POLISHING
Conforming polisher for aspheric surfaces of revolution with inflatable tube

[NASA-CASE-XGS-02884] c15 N71-22705
POLLUTION CONTROL
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
POLLUTION MONITORING
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
POLYAMIDE RESINS
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262
POLYBUTADIENE
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
POLYCARBONATES
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
POLYCRYSTALS
Improved low cost substrates for polycrystalline solar cells --- for solar energy conversion
[NASA-CASE-GSC-12022-2] c44 N76-26695
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
POLYESTERS
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
POLYETHER RESINS
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene dicl
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhaloiscpropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
POLYIMIDE RESINS
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
POLYIMIDES
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Aromatic polyimide preparation --- with low softening temperatures
[NASA-CASE-LAR-11372-1] c27 N74-19772
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
A method of preparing aromatic polyimides having uniquely low softening temperatures
[NASA-CASE-LAR-11828-1] c23 N75-29181
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192
POLYISOBUTYLENE
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
POLYMER CHEMISTRY
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
POLYMERIC FILMS
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
POLYMERIZATION
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
Silphenylenesiloxane polymer with in-chain perfluorcalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152
Preparation of fluorohydroxy ethers by reacting fluorcalkylene oxides with alkali salt of

polyfluorcalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorirated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Utilization of oxygen difluoride for syntheses of fluorocyclymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244

POLYMERS
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c06 N71-11237
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308

POLYSACCHARIDES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236

POLYTETRAFLUOROETHYLENE
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470

POLYURETHANE FOAM
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421

POLYURETHANE RESINS
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076

PORCELAIN
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160

POROSITY
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371

POROUS MATERIALS
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692

POROUS PLATES
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197

PORTABLE EQUIPMENT
Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14932
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
Portable cutting machine for piping weld preparation
[NASA-CASE-XMS-07953] c15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XNP-05114-2] c15 N71-26148
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer

[NASA-CASE-NPO-10467] c23 N71-26654
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690

PORTABLE LIFE SUPPORT SYSTEMS
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N77-21847

PORTS (OPENINGS)
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256

POSITION (LOCATION)
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-KKS-07814] c15 N71-27067
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404

POSITION INDICATORS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250

POSITIONING
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813

POSITIONING DEVICES (MACHINERY)
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400

POSITIVE FEEDBACK
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015

POTABLE WATER
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853

POTASSIUM SILICATES
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014

POTENTIOMETERS (INSTRUMENTS)
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Angle detector
[NASA-CASE-ARC-11036-1] c35 N77-11364

POTTING COMPOUNDS
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Flexible, repairable, pottable composition for encapsulating electric connectors

[NASA-CASE-XGS-05180] c18 N71-25881
Thermally conductive polymer for potting electrical components
[NASA-CASE-GSC-11304-1] c06 N72-21105
POWDER METALLURGY
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
Superalloys from preallcyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superallcy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c27 N76-15311
POWER
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
POWER AMPLIFIERS
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
POWER EFFICIENCY
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
POWER GAIN
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
POWER LIMITERS
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
POWER LINES
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XMF-00324] c09 N70-34596
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c33 N75-19524
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394
POWER SERIES
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
POWER SPECTRA
Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
POWER SUPPLIES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16342
POWER SUPPLY CIRCUITS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XNP-05843] c03 N71-11055
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30426

Control for nuclear thermionic power source --- power supply circuits, energy policy
[NASA-CASE-NPO-13114-2] c44 N76-15573
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402

PRECESSION
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295

PRECIPITATION (CHEMISTRY)
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502

PRECISION
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148

PREFLIGHT OPERATIONS
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545

PRELAUNCH TESTS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566

PREPOLYMERS
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929

PRESSURE
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430

PRESSURE CHAMBERS
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c52 N74-10975
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399

PRESSURE DISTRIBUTION
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787

PRESSURE DROP
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931

PRESSURE EFFECTS
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686

PRESSURE GAGES
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324

PRESSURE GRADIENTS
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994

PRESSURE MEASUREMENTS
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461

PRESSURE REDUCTION
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316

PRESSURE REGULATORS
Pressure regulating system with high pressure fluid source, adapted to maintain constant downstream pressure
[NASA-CASE-XNP-00450] c15 N70-38603
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Flow compensating pressure regulator --- for ophthalmic applications
[NASA-CASE-LEW-12718-1] c35 N77-20408
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487

PRESSURE SENSORS
Fabrication of pressure-telemetry transducers

[NASA-CASE-XNP-09752] c14 N69-21541
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405
Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388

PRESSURE SUITS
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742

PRESSURE SWITCHES
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370

PRESSURE VESSELS
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563

PRESSURE WELDING
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055

PRESTRESSING
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068

PRETREATMENT
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471

PRINTED CIRCUITS
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585

PRINTING
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
PRINTOUTS
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
PRISMS
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
PROBES
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
PRODUCT DEVELOPMENT
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Ceramic fiber insulating material and methods of producing same --- product development of foams for thermal insulation
[NASA-CASE-MSC-14795-1] c27 N76-15314
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403
PRODUCTION ENGINEERING
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
PROJECTILES
Self-obturating gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
PROJECTION
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909
PROJECTIVE GEOMETRY
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909
PROJECTORS
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
PROPAGATION MODES
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
PROPELLANT BINDERS
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
PROPELLANT CASTING
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
PROPELLANT COMBUSTION
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
PROPELLANT DECOMPOSITION
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
PROPELLANT GRAINS
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
PROPELLANT TANKS
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
PROPELLANT TRANSFER
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635

Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLP-04603] c33 N71-21507
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937

PROPELLER BLADES
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856

PROPORTIONAL CONTROL
Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954

PROPULSION SYSTEM CONFIGURATIONS
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929

PROSTHETIC DEVICES
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723

PROTECTION
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310

PROTECTIVE CLOTHING
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
One piece human garment for use as contamination proof garment
[NASA-CASE-MSC-12206-1] c05 N71-17599
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-KSC-10164] c07 N71-33108

PROTECTIVE COATINGS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
Extreme temperature thermal control coating
[NASA-CASE-LAR-11756-1] c24 N76-26284
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
Intumescent coating containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N77-11119

High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200

PROTECTORS
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-MMS-06782] c32 N71-15974
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085

PROTEINS
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086

PROTON FLUX DENSITY
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410

PSEUDONOISE
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582

PULLEYS
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-MMS-04545] c15 N71-22878
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-MNP-05634] c15 N71-24834

PULMONARY CIRCULATION
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-MMS-01115] c05 N70-39922

PULMONARY FUNCTIONS
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-MMS-01615] c05 N70-41329

PULSE AMPLITUDE
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-MMS-04061-1] c09 N69-39885
Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309

PULSE AMPLITUDE MODULATION
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545

PULSE CODE MODULATION
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c35 N74-17885
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239

PULSE COMMUNICATION
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239

PULSE DURATION
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711

PULSE DURATION MODULATION
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNP-05195] c10 N71-24861
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and

magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
Load current sensor for series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
PULSE FREQUENCY MODULATION
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
Nonuninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
PULSE GENERATORS
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
PULSE RATE
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
PULSED LASERS
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-EEC-10178] c16 N71-24832
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
PULSED RADIATION
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
PULSES
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
PUMP SEALS
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
PUMPS
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904
PUNCHED CARDS
Describing device for flagging punched business cards
[NASA-CASE-XLA-02705] c08 N71-15908
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
PUNCHES
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
PURGING
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
PURIFICATION
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XNP-06888] c15 N71-24044
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
PURITY
Synthesis of high purity dianilinosilanes
[NASA-CASE-XNP-06409] c06 N71-23230
PUSH-PULL AMPLIFIERS
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
PYROGEN
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
PYROLYSIS
Pyrolysis system and process --- recovering energy from solid wastes containing hydrocarbons
[NASA-CASE-MSC-12669-1] c44 N76-16621
PYROLYTIC GRAPHITE
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
PYROLYTIC MATERIALS
Design, development, and characteristics of ablation structures
[NASA-CASE-XMS-01816] c33 N71-15623
PYROMETERS
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
PYROTECHNICS
Energy source with tantalum capacitors in parallel and miniature silver oxide button cells for initiating pyrotechnic devices on

spacecraft and rocket vehicles
[NASA-CASE-LAR-10367-1] c03 N70-26817
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-MFC-11330] c33 N73-26958

Q

Q SWITCHED LASERS
Optically detonated explosive device
[NASA-CASE-MFC-11743-1] c28 N74-27425
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Q VALUES
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
QUADRATIC PROGRAMMING
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272
QUADRATURES
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
QUALITATIVE ANALYSIS
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
QUANTITATIVE ANALYSIS
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-MFC-10691] c14 N71-26199
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
QUANTUM THEORY
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-MFC-12134-1] c33 N76-31409
QUARTZ
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
QUARTZ LAMPS
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066

R

RACKS (FRAMES)
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
RADAR ANTENNAS
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-MFC-13568-1] c32 N76-21365
RADAR ATTENUATION
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
RADAR DATA
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-MFC-13587-1] c32 N77-32342
RADAR ECHOES
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-MFC-13587-1] c32 N77-32342
RADAR EQUIPMENT
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-MFC-11001] c07 N72-21118
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
RADAR IMAGERY
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267
RADAR RANGE
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
RADAR RECEIVERS
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
RADAR RECEPTION
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
RADAR REFLECTORS
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267
RADAR TRACKING
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Monopulse tracking system with antenna array of three radiators for deriving azimuth and elevation indications
[NASA-CASE-XGS-01155] c10 N71-21483
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
RADAR TRANSMITTERS
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-MFC-11426] c07 N73-26119
RADIAL FLOW
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-MFC-10828] c33 N72-17948
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
RADIANCE
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
RADIANT COOLING
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
RADIANT FLUX DENSITY
High intensity radiant energy pulse source for calibrating heat transfer gages with

thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152

RADIANT HEATING
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-MFS-14253] c33 N71-24858

RADIATION
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ARC-10174] c14 N72-25409
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-2] c60 N76-18803
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731

RADIATION ABSORPTION
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363

RADIATION COUNTERS
Particle detector for indicating incidence and energy of minute space particles
[NASA-CASE-XLA-00135] c14 N70-33322
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949

RADIATION DAMAGE
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682

RADIATION DETECTORS
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Circuit design for determining amount of *photomultiplier tube light detection utilizing* variable current source and dark current signals of opposite polarity
[NASA-CASE-XMS-03478] c14 N71-21040
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Radiation source tracker comprised of sectored matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c35 N75-23910
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551

RADIATION DISTRIBUTION
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675

RADIATION DOSAGE
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430

RADIATION EFFECTS
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892

RADIATION HARDENING
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329

RADIATION MEASUREMENT
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447

RADIATION MEASURING INSTRUMENTS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect

[NASA-CASE-MFS-21441-1] c14 N73-30392
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
RADIATION MEDICINE
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
RADIATION PROTECTION
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682
RADIATION SHIELDING
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thruster
[NASA-CASE-LEW-10210-1] c28 N71-26781
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
RADIATION SOURCES
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22985
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Radiation source tracker comprised of sectored matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
RADIATION SPECTRA
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
RADIATION THERAPY
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
RADIATION TOLERANCE
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
RADIATIVE HEAT TRANSFER
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-1564
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
RADIATORS
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
RADIO ANTENNAS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XMS-09348] c09 N71-13521
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XMS-09340] c07 N71-24614
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
RADIO ASTRONOMY
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
RADIO COMMUNICATION
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
RADIO CONTROL
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
RADIO EQUIPMENT
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
RADIO FREQUENCIES
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XNP-09422] c07 N71-19436
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XNP-08665] c10 N71-19467
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
RADIO FREQUENCY DISCHARGE
Process for preparing higher oxides of the alkali and alkaline earth metals --- using radio frequency discharge sustained in oxygen
[NASA-CASE-ARC-10992-1] c25 N77-17178
RADIO FREQUENCY INTERFERENCE
Radio frequency noise generator having microwave

slow-wave structure in gas discharge plasma
[NASA-CASE-LEW-11019] c09 N71-23598
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
RADIO FREQUENCY SHIELDING
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
RADIO RECEIVERS
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
RADIO RELAY SYSTEMS
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
RADIO SIGNALS
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
RADIO SOURCES (ASTRONOMY)
Conical scan tracking system employing a large antenna --- for tracking spacecraft or radio sources
[NASA-CASE-NPO-14009-1] c32 N77-28357
RADIO STARS
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
RADIO TELEMETRY
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
RADIO TRANSMITTERS
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
RADIO WAVES
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
RADIOACTIVE ISOTOPES
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
RADIOBIOLOGY
Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10516-1] c24 N72-33681
RADIOGRAPHY
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
RADIOLYSIS
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
RADIOMETERS
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
RADIOSONDES
Induction powered biological radiosonde --- for measuring intracranial pressure
[NASA-CASE-ARC-11120-1] c52 N77-23743
RAIN
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
RAMJET ENGINES
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
RAMPS (STRUCTURES)
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
RANDOM LOADS
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
RANDOM NOISE
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24844
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
RANGE (EXTREMES)
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
RANGE FINDERS
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Digital demodulator-correlator --- for rangefinding
[NASA-CASE-NPO-13982-1] c32 N77-24341
RANGEFINDING
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015

RARE EARTH COMPOUNDS
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
RARE GASES
Inert gas metallic vapor laser
[NASA-CASE-NPC-13449-1] c36 N75-32441
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
RAREFIED GAS DYNAMICS
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
RAREFIED GASES
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
RATES (PER TIME)
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
RC CIRCUITS
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XMF-00906] c09 N70-41655
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
REACTION CONTROL
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
REACTION WHEELS
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
REACTIVITY
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
REACTOR CORES
Simulated fuel assembly-type flow measurement apparatus for coolant flow in reactor core
[NASA-CASE-XLE-00724] c14 N70-34669
Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00304] c14 N70-36808
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228
REACTOR DESIGN
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
REACTOR MATERIALS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
REACTOR TECHNOLOGY
Nuclear reactor control rod assembly with improved driving mechanism
[NASA-CASE-XLE-00298] c22 N70-34501
READOUT
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
System for checking status of several double-throw switches by readout indications
[NASA-CASE-XLA-08799] c10 N71-27272
REAL TIME OPERATION
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Real time liquid crystal image converter
[NASA-CASE-LAR-11206-1] c74 N74-30118
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
RECEIVERS
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
RECONSTRUCTION
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
RECORDING HEADS
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
RECORDING INSTRUMENTS
Weighing and recording device for obtaining precise automatic record of small changes in force
[NASA-CASE-XLA-02605] c14 N71-10773
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Helical recorder for multiple channel recording
[NASA-CASE-GSC-10614-1] c09 N72-11224
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
RECOVERABILITY
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135

RECOVERABLE LAUNCH VEHICLES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
RECOVERABLE SPACECRAFT
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
RECOVERY PARACHUTES
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
RECTANGULAR PANELS
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
RECTIFIERS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
REDUCED GRAVITY
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
REDUCTION (CHEMISTRY)
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
REDUNDANT COMPONENTS
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
REELS
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
REENTRY COMMUNICATION
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
REENTRY SHIELDING
Transpiration cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
REENTRY TRAJECTORIES
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
REENTRY VEHICLES
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
REFERENCE SYSTEMS
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
REFINING
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
REFLECTANCE
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
REFLECTED WAVES
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
REFLECTING TELESCOPES
Three-mirror telescope
[NASA-CASE-MFS-23675-1] c74 N77-28937
REFLECTION
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas

[NASA-CASE-ARC-10631-1] c74 N76-20958
REFLECTOMETERS
Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
REFLECTORS
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPC-11661] c07 N73-14130
Schlieren system employing antiparallel reflector in the forward direction
[NASA-CASE-ARC-10971-1] c09 N76-26224
REFRACTOMETERS
Particle size spectrometer and refractometer
[NASA-CASE-NPC-13614-1] c35 N75-19628
REFRACTORY MATERIALS
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Method for producing refractory molybdenum disilicides
[NASA-CASE-XMS-00370] c17 N71-20941
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
REFRACTORY METALS
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570
REFRIGERATING
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
REFRIGERATING MACHINERY
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
REFRIGERATORS
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
REGENERATION (ENGINEERING)
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030
REGENERATIVE COOLING
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
REGENERATIVE FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
REGENERATORS
Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
REGISTERS (COMPUTERS)
Data processor with plural register stages for selectively interconnecting with each other to effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c60 N76-18800
REINFORCED PLASTICS
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125

Composite lamination method --- of resin impregnated fiber tape
[NASA-CASE-LAR-12019-1] c24 N77-22179

REINFORCEMENT (STRUCTURES)
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929

REINFORCING FIBERS
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22894
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103

RELAXATION OSCILLATORS
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882

RELAY SATELLITES
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621

RELEASING
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XMS-01985] c15 N71-10782
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039

RELIABILITY ANALYSIS
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495

RELIABILITY ENGINEERING
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XNP-04566] c14 N71-17658
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064

RELIEF VALVES
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466

REMOTE CONTROL
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460

REMOTE HANDLING
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721

REMOTE SENSORS
Passive optical wind and turbulence remote detection system
[NASA-CASE-XMF-14032] c20 N71-16340
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver

[NASA-CASE-MFS-21470-1] c44 N74-19870
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563

REMOTELY PILOTED VEHICLES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

REMOVAL
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062

RENDEZVOUS SPACECRAFT
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079

REPEATERS
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773

REPLACING
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182

RESCUE OPERATIONS
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-MMS-04170] c05 N71-22748
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-1] c54 N76-15792
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267

RESEARCH AND DEVELOPMENT
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330

RESEARCH VEHICLES
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895

RESIDUAL STRESS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120

RESILIENCE
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161

RESIN BONDING
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Composite lamination method --- of resin impregnated fiber tape
[NASA-CASE-LAR-12019-1] c24 N77-22179

RESINS
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532

RESISTANCE
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c37 N75-13265

RESISTANCE HEATING
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175

RESISTORS
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473

RESOLUTION
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206

RESOLVERS
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705

RESONANCE
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388

RESONANT FREQUENCIES
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236

RESONATORS
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195

RESPIRATION
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202

RESPIRATORS
Transducer for monitoring oxygen flow in respirator
[NASA-CASE-ERC-10012] c14 N72-17329

RESPIRATORY RATE
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-ERC-10022] c12 N71-26546
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings

[NASA-CASE-MFS-21415-1] c52 N74-20728
RESPIROMETERS
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c52 N74-20728
RESPONSES
System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
RESTARTABLE ROCKET ENGINES
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
RESUSCITATION
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
RETARDING
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
RETICLES
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c89 N74-30886
RETRACTABLE EQUIPMENT
Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
RETROFIRING
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812
RETROREFLECTION
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
RETROROCKET ENGINES
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
REUSABLE SPACECRAFT
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
REUSE
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
REVERSED FLOW
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
REYNOLDS NUMBER
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MFS-20509] c11 N72-17183
REYNOLDS STRESS
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517
RHENIUM
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
RIBBONS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
RIBOFLAVIN
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149
RIBS (SUPPORTS)
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929
RICE
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096
RIGID ROTORS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
RIGID STRUCTURES
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
RIGID WINGS
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
RING CURRENTS
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
RING STRUCTURES
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339

RING WINGS
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
RIPPLES
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
RIVETS
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
*ROCKET ENGINE CASES
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
ROCKET ENGINE DESIGN
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275
ROCKET ENGINES
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219
ROCKET EXHAUST
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
ROCKET FIRING
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
ROCKET FLIGHT
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691
ROCKET LAUNCHING
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XMS-03338] c15 N71-24043
ROCKET NOZZLES
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XNP-01544] c28 N70-34162
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321

Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
Thin walled nozzle with insulative ncnablative coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810

ROCKET OXIDIZERS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209

ROCKET PROPELLANTS
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346

ROCKET TEST FACILITIES
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094

ROCKET THRUST
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382

ROCKET VEHICLES
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691

ROCKET-BORNE INSTRUMENTS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070

ROCKETS
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173

ROCKS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069

RODS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891

ROLL
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379

ROLLER BEARINGS
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309

ROLLERS
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499

ROLLING CONTACT LOADS
Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189

ROLLING MOMENTS
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856

ROOM TEMPERATURE
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895

ROTARY STABILITY
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458

ROTARY WING AIRCRAFT
Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004

ROTARY WINGS
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
Automatically lockable axially extensible strut --- for helicopters
[NASA-CASE-LAR-11900-1] c05 N77-18134
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130

ROTATING BODIES
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-IGS-02401] c14 N69-27485
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Rotating joint signal coupler
[NASA-CASE-LAR-11264-1] c33 N75-27261
An improved rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N76-13500
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112

ROTATING DISKS
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362

Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-06266] c14 N69-27432

ROTATING ELECTRICAL MACHINES
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364

ROTATING ENVIRONMENTS
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776

ROTATING GENERATORS
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813

ROTATING MIRRORS
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304

ROTATING SHAFTS
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XMF-05224] c14 N71-23726
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
A rotary electric device
[NASA-CASE-GSC-12138-1] c33 N77-20344
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436

ROTATION
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462

ROTOR AERODYNAMICS
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130

ROTOR BLADES
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452

ROTOR BLADES (TURBOMACHINERY)
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148

ROTOR LIFT
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N77-28111

ROTOR SPEED
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904

ROTORS
Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472

RUBBER
Rubber composition for expulsion bladders and diaphragms for use with hydrazine
[NASA-CASE-NPO-11433] c18 N71-31140
Formulated plastic separators for soluble electrode cells --- rubber-ion trasport sheeting
[NASA-CASE-LEW-12358-1] c44 N77-18560

RUBBER COATINGS
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562

RUBY
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N76-19234

RUBY LASERS
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440

RUNWAY ALIGNMENT
Magnetic method for detection of aircraft position relative to runway

[NASA-CASE-ARC-10179-1] c21 N72-22619
RUNWAY LIGHTS
Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
RUPTURING
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960

S

SAFETY
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
SAFETY DEVICES
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-MSC-00784] c05 N71-12335
Positive locking check valve for stopping reversed flow
[NASA-CASE-MFS-09310] c15 N71-22706
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
SAHA EQUATIONS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
SALT BATHS
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
SAMARIUM
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
SAMPLERS
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
SAMPLES
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157
SAMPLING
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563
SANDWICH STRUCTURES
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
SAPPHIRE
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N76-19234
SATELLITE ANTENNAS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
SATELLITE ATTITUDE CONTROL
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Design and development of satellite despin device
[NASA-CASE-XNP-08523] c31 N71-20396
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
SATELLITE CONTROL
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
SATELLITE DESIGN
Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
SATELLITE INSTRUMENTS
Satellite stabilization reaction wheel scanner

[NASA-CASE-XGS-02629] c14 N71-21082
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
SATELLITE NETWORKS
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
SATELLITE ORBITS
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
SATELLITE ORIENTATION
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
SATELLITE PERTURBATION
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
SATELLITE ROTATION
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
SATELLITE TELEVISION
Adaptive signal-generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
SATELLITE TRACKING
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
SATELLITE TRANSMISSION
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
SATELLITE-BORNE PHOTOGRAPHY
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861
SATURATION
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
SAWTOOTH WAVEFORMS
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
SCANNERS
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
High speed scanner for measuring mass of preselected gases at high sampling rate
[NASA-CASE-LAR-10766-1] c14 N72-21432
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Magnetometer --- with an automatic scanning transducer
[NASA-CASE-LAR-11617-2] c35 N77-17430
SCANNING
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
SCHLIEREN PHOTOGRAPHY
Schlieren system employing antiparallel reflector in the forward direction
[NASA-CASE-ARC-10971-1] c09 N76-26224
SCHOOLS
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
SCHOTTKY DIODES
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
Improved backwall cell
[NASA-CASE-LEW-12236-1] c44 N77-17565
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
SCOOPS
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
SCREWS
Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
SCRUBBERS
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
SEA ICE
Laser technique for breaking ice in ship path
[NASA-CASE-LAR-10815-1] c16 N72-22520
SEALERS
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Self lubricating fluoride-metal composite materials for outer space applications

[NASA-CASE-XLE-08511] c18 N71-23710
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
SEALING
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Electrode sealing and insulation for fuel cells containing caustic liquic electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XNP-03290] c15 N71-23256
Segmented sealing surface in valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
SEALS (STOPPERS)
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Flexible inflatable seal for butterfly valves
[NASA-CASE-XLE-00101] c15 N70-33376
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N76-20488
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Gas path seal --- for use with turbine engines
[NASA-CASE-LEW-12131-1] c37 N77-24498
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404
SEAMS (JOINTS)
Sealing apparatus for joining two pieces of frangible materials
[NASA-CASE-XLA-01494] c15 N71-24164
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
SEAT BELTS
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
SEATS
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787
SECTORS
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
SEDIMENTARY ROCKS
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
SEGMENTS
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
SEISMIC WAVES
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XNP-00479] c14 N70-34794
SELECTORS
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLP-01533] c11 N71-10777
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
SELF ALIGNMENT
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XNP-00908] c14 N70-40238
SELF ERECTING DEVICES
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
SELF LUBRICATING MATERIALS
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
SELF LUBRICATION
Bearing material
[NASA-CASE-LEW-11930-2] c24 N76-26282
SELF MANEUVERING UNITS
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
SELF PROPAGATION
Self-generating optical frequency waveguide
[NASA-CASE-HQN-10541-1] c07 N71-26291
SELF SEALING
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
SEMICONDUCTOR DEVICES
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-FRC-10072] c09 N70-11148
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-FRC-10138] c26 N71-14354
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721

Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-06476-1] c26 N72-17820
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589

SEMICONDUCTOR JUNCTIONS
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532

SEMICONDUCTORS (MATERIALS)
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Improved semiconductor multivibrator circuit which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XNP-01016] c26 N71-17818
Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N76-26394

SENSITIVITY
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N74-11256

SENSORS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757

SENSORY PERCEPTION
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013

SEPARATED FLOW
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N76-28535

SEPARATORS
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Umbilical separator for rockets
[NASA-CASE-XNE-00425] c11 N70-38202
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNF-04042] c15 N71-23023
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674
Gels as battery separators for soluable electrode cells

[NASA-CASE-LEW-12364-1] c44 N77-22606
SEQUENCING
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
MCD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
SEQUENTIAL ANALYSIS
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144
SEQUENTIAL COMPUTERS
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
SEQUENTIAL CONTROL
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459
SERUMS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
SERVICE LIFE
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
SERVOAMPLIFIERS
Pneumatic servoamplifier for controlling flow regulator
[NASA-CASE-MSC-12121-1] c15 N71-27147
SERVOCONTROL
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
SERVOMECHANISMS
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Closed loop servosystem for variable speed tape recorders ontcard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Method and apparatus for providing a servodrive signal in a high speed stepping interferometer
[NASA-CASE-NPO-13569-1] c35 N75-21600
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Method and apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c33 N77-28395
SERVOMOTORS
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XMF-05195] c10 N71-24861
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
SHAFTS (MACHINE ELEMENTS)
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c37 N76-20487
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N76-20488
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
SHALES
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429

SHAPED CHARGES
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
SHAPERS
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721
SHARKS
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
SHEAR CREEP
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
SHEAR FLOW
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
SHEAR PROPERTIES
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
SHEAR STRESS
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
SHELLS (STRUCTURAL FORMS)
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
SHIELDING
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01655] c15 N71-28937
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
System for the measurement of ultra-low stray light levels --- light shields and baffles
[NASA-CASE-MFS-23513-1] c74 N77-14842
SHIFT REGISTERS
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
MCD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
SHOCK ABSORBERS
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
SHOCK LOADS
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
SHOCK MEASURING INSTRUMENTS
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
SHOCK RESISTANCE
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
SHOCK TUBES
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
SHOCK WAVE INTERACTION
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave

interference
[NASA-CASE-XLA-02865] c28 N71-15563
SHOCK WAVE LUMINESCENCE
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
SHOCK WAVE PROFILES
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
SHOCK WAVES
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
SHOES
Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380
SHORT CIRCUITS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
SHOT PEENING
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
SHROUDS
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
SHUTTERS
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300
SIDEBANDS
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
SIDELOBE REDUCTION
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
SIGNAL ANALYSIS
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
SIGNAL ANALYZERS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
SIGNAL DETECTION
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
SIGNAL DETECTORS
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
SIGNAL DISTORTION
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
SIGNAL ENCODING
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
SIGNAL GENERATORS
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374

Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404

SIGNAL MEASUREMENT

Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N77-17360

SIGNAL MIXING

Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334

SIGNAL PROCESSING

Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XIA-03076] c07 N71-11266
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172
Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c33 N75-19518
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N76-13781
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800

Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731

SIGNAL RECEPTION
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Input signal measurement using liquid crystalline elements
[NASA-CASE-ERC-10275] c26 N72-25680
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391

SIGNAL REFLECTION
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267

SIGNAL STABILIZATION
Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982

SIGNAL TO NOISE RATIOS
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788

SIGNAL TRANSMISSION
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XNP-01160] c07 N71-11298
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XNP-01892] c10 N71-22986
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Rotating joint signal coupler
[NASA-CASE-LAR-11264-1] c33 N75-27261
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350

SILANES
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XNP-04133] c06 N71-20717
Synthesis of high purity dianilinosilanes
[NASA-CASE-XNP-06409] c06 N71-23230
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XNP-08674] c06 N71-28807

SILICA GEL
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606

SILICATES
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979

SILICIDES
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components

[NASA-CASE-LEW-11179-1] c27 N76-16229
SILICON
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
SILICON CARBIDES
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
SILICON COMPOUNDS
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Process for preparing disilanols with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
SILICON CONTROLLED RECTIFIERS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
SILICON DIOXIDE
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
SILICON FILMS
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
SILICON JUNCTIONS
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
SILICON NITRIDES
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
SILICON OXIDES
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
SILICON POLYMERS
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256
SILICON RADIATION DETECTORS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
SILICON TRANSISTORS
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
SILICONE RESINS
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
SILICONIZING
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
SILOXANES
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XMF-02584] c06 N71-20905
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
SILVER
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
SILVER ALLOYS
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
SILVER CHLORIDES
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
SILVER COMPOUNDS
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
SILVER ZINC BATTERIES
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
SIMULATORS
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XRS-10804] c05 N71-24606
Sign wave generation simulator for variable amplitude, frequency, damping, and phase

pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
SINE SERIES
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
SINE WAVES
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
SINGLE CRYSTALS
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
SINTERING
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
SIZE (DIMENSIONS)
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
SIZE DETERMINATION
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
SIZE SEPARATION
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
SIZING (SHAPING)
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
SIZING SCREENS
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
Screen particle separator for soil samples
[NASA-CASE-XNP-09770-2] c15 N72-22483
SKEWNESS
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
SKID LANDINGS
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
SKIN (ANATOMY)
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
SKIN (STRUCTURAL MEMBER)
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
SKIN TEMPERATURE (BIOLOGY)
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
SKIN TEMPERATURE (NON-BIOLOGICAL)
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
SKIRTS
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
SKY
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
SLEEP
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
SLEEVES
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
SLENDER BODIES
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
SLIDING CONTACT
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XMF-04238] c09 N69-39734
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
SLIDING FRICTION
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309
SLIP CASTING
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
SLITS
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
SLOPES
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
SLOT ANTENNAS
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
SLOTS
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft

[NASA-CASE-LAR-10249-1] c02 N71-26110
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
SLURRY PROPELLANTS
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
SMOKE
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28252
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
SODIUM CHLORIDES
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
SOFT LANDING
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
SOFT LANDING SPACECRAFT
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
SOIL MECHANICS
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
SOIL SCIENCE
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
SOILS
Screen particle separator for soil samples
[NASA-CASE-XNP-09770-2] c15 N72-22483
Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
SOLAR ACTIVITY
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
SOLAR ARRAYS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c44 N74-14784
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
SOLAR CELLS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panel with light transmitting cover plate
[NASA-CASE-NPO-10747] c03 N72-22042

Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
Apparatus for applying thin glass slides to solar cells
[NASA-CASE-NPO-10575] c03 N72-25019
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c44 N74-14784
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
Improved low cost substrates for polycrystalline solar cells --- for solar energy conversion
[NASA-CASE-GSC-12022-2] c44 N76-26695
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Solar cell surface treatment
[NASA-CASE-LEW-11330-2] c44 N76-33624
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
Improved backwall cell
[NASA-CASE-LEW-12236-1] c44 N77-17565
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N77-30613

SOLAR COLLECTORS

Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Selective coating for solar panels --- energy policy
[NASA-CASE-LEW-12159-1] c44 N76-15603
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
Solar cell collector and method for producing same --- indium alloy coatings
[NASA-CASE-LEW-12552-1] c44 N77-17564
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
A non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N77-28583
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583

SOLAR ENERGY

Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c44 N75-32581
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583

SOLAR ENERGY ABSORBERS

Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611

SOLAR ENERGY CONVERSION

Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Improved low cost substrates for polycrystalline solar cells --- for solar energy conversion
[NASA-CASE-GSC-12022-2] c44 N76-26695
Improved backwall cell
[NASA-CASE-LEW-12236-1] c44 N77-17565
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N77-30613

SOLAR FURNACES

Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622

SOLAR GENERATORS

Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064

SOLAR GRAVITATION

Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394

SOLAR HEATING
Improved solar heating system
[NASA-CASE-LAR-12009-1] c44 N76-32649
SOLAR OBSERVATORIES
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
SOLAR PONDS (HEAT STORAGE)
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584
SOLAR POSITION
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
SOLAR RADIATION
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c35 N75-23910
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
SOLAR RADIO EMISSION
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
SOLAR REFLECTORS
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
SOLAR SAILS
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
SOLAR SENSORS
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
SOLAR SIMULATORS
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
SOLDERED JOINTS
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
SOLDERING
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
SOLDERS
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
SOLENOID VALVES
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
SOLENOIDS
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
SOLID LUBRICANTS
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189
SOLID PROPELLANT IGNITION
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Method for igniting solid propellant rocket motors by injecting hypergolic fluids

[NASA-CASE-XLE-01988] c27 N71-15634
SOLID PROPELLANT ROCKET ENGINES
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Solid propellant rocket engine with venting system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
Thin walled nozzle with insulative nonablative coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
SOLID PROPELLANTS
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XMF-00923] c28 N70-36802
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-05763] c14 N71-20461
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
SOLID ROCKET BINDERS
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
SOLID ROCKET PROPELLANTS
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
SOLID STATE
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
SOLID STATE DEVICES
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Solid state device for mapping flux and power in nuclear reactor cores
[NASA-CASE-XLE-00301] c14 N70-36808
Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XMF-06092] c07 N71-24612
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
SOLID SURFACES
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
SOLUBILITY
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
SOLUTES
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c35 N74-27860
SONIC BOOMS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
SORBATES
Apparatus for measuring a sorbate dispersed in a

fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389
SORET COEFFICIENT
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
SOUND GENERATORS
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
SOUND PRESSURE
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441
SOUND TRANSDUCERS
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
SOUND WAVES
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
SOUNDING ROCKETS
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
SPACE CAPSULES
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
SPACE COMMUNICATION
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Redundant RF system for space applications
[NASA-CASE-NPO-13955-1] c32 N77-28358
SPACE ENVIRONMENT SIMULATION
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
SPACE ERECTABLE STRUCTURES
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
SPACE EXPLORATION
Self-propelled vehicle with wheel, track laying, and walking capability for exploratory expolaration
[NASA-CASE-NPO-11366] c11 N73-26238
SPACE FLIGHT
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449

SPACE MAINTENANCE
System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095
SPACE MANUFACTURING
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
SPACE MISSIONS
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
SPACE NAVIGATION
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
SPACE ORIENTATION
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
SPACE RENDEZVOUS
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket ergine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
SPACE SHUTTLE ORBITERS
Thermal insulation attaching means
[NASA-CASE-MSC-12619-1] c39 N75-21671
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
SPACE SHUTTLES
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
SPACE SIMULATORS
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
SPACE STATIONS
Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
SPACE SUITS
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
One piece human garment for use as contamination proof garment
[NASA-CASE-MSC-12206-1] c05 N71-17599
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Space suit with improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Intra- and extravehicular life support space suits for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
SPACE VEHICLE CHECKOUT PROGRAM
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
SPACEBORNE PHOTOGRAPHY
Camera arrangement for -- for satellite scanning of

earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
SPACECRAFT
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
SPACECRAFT ANTENNAS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
SPACECRAFT CABIN ATMOSPHERES
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
SPACECRAFT COMMUNICATION
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
SPACECRAFT COMPONENTS
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XNP-05941] c31 N71-23912
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
SPACECRAFT CONFIGURATIONS
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Stage separation system for spinning vehicles and paylcads
[NASA-CASE-XLA-02132] c31 N71-10582
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
SPACECRAFT CONSTRUCTION MATERIALS
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
SPACECRAFT CONTROL
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
Attitude orientation control of spin stabilized final stage space vehicles, using horizon

scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
[NASA-CASE-XAC-03107] c23 N71-16098
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399

SPACECRAFT DESIGN

Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XNP-05941] c31 N71-23912
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429

SPACECRAFT DOCKING

Probe and drogue assembly for mechanical linking of two space vehicles
[NASA-CASE-XMS-03613] c31 N71-16346
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XNP-05941] c31 N71-23912
Latch for fastening spacecraft docking rings
[NASA-CASE-MSC-15474-1] c15 N71-26162
High energy absorption docking system design for docking large spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483

SPACECRAFT ELECTRONIC EQUIPMENT

Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XNP-01667] c15 N71-17647
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984

SPACECRAFT ENVIRONMENTS

Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Zero gravity separator
[NASA-CASE-LAR-10344-1] c35 N76-33470

SPACECRAFT GUIDANCE

Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243

SPACECRAFT INSTRUMENTS

Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996

Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062

SPACECRAFT LANDING
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812

SPACECRAFT LAUNCHING
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958

SPACECRAFT MODELS
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086

SPACECRAFT MODULES
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Multi-mission space vehicle module stage design
[NASA-CASE-XNP-01543] c31 N71-17730
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829

SPACECRAFT POSITION INDICATORS
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640

SPACECRAFT POWER SUPPLIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XNP-00517] c03 N70-34157
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c44 N76-16612
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675

SPACECRAFT PROPULSION
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160

SPACECRAFT RECOVERY
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XNP-00641] c31 N70-36410
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630

SPACECRAFT REENTRY
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006

SPACECRAFT SHIELDING
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XNP-07770-2] c18 N71-26772
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423

SPACECRAFT STABILITY
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158

SPACECRAFT STRUCTURES
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XNP-00437] c07 N70-40202
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XNP-00908] c14 N70-40238
Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin

mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
Development of composite structures for spacecraft to serve as anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Auger attachment method for insulation --- of spacecraft
[NASA-CASE-MSC-12615-1] c37 N76-19437
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
SPACECRAFT TELEVISION
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
SPACECRAFT TRACKING
Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
Conical scan tracking system employing a large antenna --- for tracking spacecraft or radio sources
[NASA-CASE-NPO-14009-1] c32 N77-28357
SPACECREWS
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
SPALLATION
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
SPARK GAPS
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c05 N69-39897
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
SPARK IGNITION
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
SPARK PLUGS
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
SPATIAL DISTRIBUTION
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
SPATIAL FILTERING
Photographic film restoration system using Fourier transformation lenses and spatial filter
[NASA-CASE-MSC-12448-1] c14 N72-20394
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
SPECTRAL REFLECTANCE
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
SPECTROMETERS
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
SPECTROPHOTOMETERS
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
Particle size spectrometer and refractometer
[NASA-CASE-NPO-13614-1] c35 N75-19628
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363
SPECTROSCOPIC ANALYSIS
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
SPECTRUM ANALYSIS
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
SPECULAR REFLECTION
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
SPEECH RECOGNITION
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
SPEED CONTROL
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XMF-06892] c09 N71-24805
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758
SPEED REGULATORS
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
SPHERES
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
SPHERICAL SHELLS
Hollow spherical electrode for shielding

dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
SPHERICAL TANKS
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
SPHERICAL WAVES
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439
SPHYGMOGRAPHY
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
SPIKE NOZZLES
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
SPIN DYNAMICS
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
SPIN REDUCTION
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
SPIN STABILIZATION
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c35 N74-28097
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147
SPIRAL WRAPPING
Adjustable spiral wire winding device
[NASA-CASE-XMS-02383] c15 N71-15918
SPIRALS (CONCENTRATORS)
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
SPIROMETERS
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
SPLASHING
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
SPLINES
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
SPLINTS
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
SPORES
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
SPOT WELDS
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Electric resistance spot welding and brazing for producing metal bonds with superior mechanical and structural characteristics
[NASA-CASE-LAR-11072-1] c15 N73-20535
SPRAYED COATINGS
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
SPRAYERS
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c37 N76-20486
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
SPRAYING
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
SPREADING
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
SPRINGS (ELASTIC)
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
SPUTTERING
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487

Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308

SQUARE WAVES
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596

SQUARES (MATHEMATICS)
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

SQUIBS
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922

STABILITY TESTS
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146

STABILIZATION
Electro-optical stabilization of calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386

STABILIZED PLATFORMS
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498

STABILIZERS
Design and development of satellite despin device
[NASA-CASE-XNP-08523] c31 N71-20396

STABILIZERS (AGENTS)
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699

STABILIZERS (FLUID DYNAMICS)
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XNP-00641] c31 N70-36410
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460

STABLE OSCILLATIONS
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986

STACKS
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378

STAGE SEPARATION
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XMS-04631] c10 N71-23663
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488

STAGNATION PRESSURE
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878

STAGNATION TEMPERATURE
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156

STAINING
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677

STAINLESS STEELS
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611

STAR TRACKERS
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c89 N74-30886

STARK EFFECT
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
STARTERS
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c33 N75-19524
STATIC FRICTION
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
STATIC INVERTERS
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
STATIC LOADS
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
STATIC PRESSURE
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
STATIONKEEPING
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
STATISTICAL CORRELATION
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
STATOR BLADES
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062
STATORS
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
STEADY STATE
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
STEAM TURBINES
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
STEELS
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
STEERABLE ANTENNAS
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
STEERING
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
STELLAR LUMINOSITY
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14,N71-23797
STELLAR SPECTRA
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
STEREOPHOTOGRAPHY
Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380
Field sequential stereo television
[NASA-CASE-MSC-12616-1] c32 N74-32601
STEREOSCOPIC VISION
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
STERILIZATION
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
STERILIZATION EFFECTS
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
STIMULATED EMISSION
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
STIRLING CYCLE
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
STIRRING
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
STORAGE
Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
STORAGE BATTERIES
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-EQN-10862-1] c44 N76-29699
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Formulated plastic separators for soluble electrode cells --- rubber-ion trasport sheeting
[NASA-CASE-LEW-12358-1] c44 N77-18560
STORAGE STABILITY
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Atomic hydrogen storage method and apparatus --- in strong magnetic fields
[NASA-CASE-LEW-12081-1] c28 N76-22399
STORAGE TANKS
Expulsion bladder equipped storage tank structure
[NASA-CASE-XNP-00612] c11 N70-38182
Development of apparatus and method for testing leakage of large tanks

[NASA-CASE-XMF-02392] c32 N71-24285
STRAIN GAGE ACCELEROMETERS
Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
Strain gage accelerometer for angular acceleration measurement
[NASA-CASE-XMS-05936] c14 N70-41682
STRAIN GAGE BALANCES
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
STRAIN GAGES
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-06274] c10 N71-13537
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Method for making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236
STRAIN RATE
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
STRAPDOWN INERTIAL GUIDANCE
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
STRAPS
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
STRESS ANALYSIS
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
STRESS CONCENTRATION
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357
STRESS CORROSION
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
STRESS MEASUREMENT
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
STRESS RELIEVING
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
STRESSES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
STRETCHERS
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
STRETCHING
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
STRINGS
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
STRIP
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585
STRUCTURAL ANALYSIS
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
STRUCTURAL DESIGN
Structural design of high pressure regulator valve
[NASA-CASE-XNF-00710] c15 N71-10778
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366

Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
STRUCTURAL ENGINEERING
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
STRUCTURAL FAILURE
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
STRUCTURAL MEMBERS
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Fabrication of light weight panel structure using pairs of elongate hollow ribs of semicircular configuration
[NASA-CASE-LAR-11052-1] c32 N73-13929
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
STRUCTURAL STABILITY
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
STRUCTURAL VIBRATION
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XMF-00479] c14 N70-34794
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
STRUCTURES
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
STRUTS
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Automatically lockable axially extensible strut --- for helicopters
[NASA-CASE-LAR-11900-1] c05 N77-18134
STUDS (STRUCTURAL MEMBERS)
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
STYRENES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
SUBLIMATION
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
SUBMINIATURIZATION
Micromicrcampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
SUBREFLECTORS
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
SUBSONIC SPEED
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
SUBSONIC WIND TUNNELS
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
SUBSTRATES
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403
SUBSTRUCTURES
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
SULFATES
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
SULFONES
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
SULFUR COMPOUNDS
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
SULFUR DIOXIDES
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
SUM RULES
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
SUNGLASSES
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
SUNLIGHT
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c44 N77-15493
SUPERCONDUCTING MAGNETS
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890

Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390

SUPERCONDUCTIVITY
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332

SUPERCONDUCTORS
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XNP-01099] c14 N71-15969
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571

SUPERFLUIDITY
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575

SUPERHEATING
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667

SUPERHIGH FREQUENCIES
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
Redundant RF system for space applications
[NASA-CASE-NPO-13955-1] c32 N77-28358

SUPERSONIC AIRCRAFT
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217

SUPERSONIC COMBUSTION
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502

SUPERSONIC DRAG
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939

SUPERSONIC FLIGHT
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088

SUPERSONIC FLOW
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878

SUPERSONIC INLETS
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431

SUPERSONIC NOZZLES
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816

SUPERSONIC SPEEDS
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429

SUPERSONIC TRANSPORTS
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Supersonic transport --- aircraft design
[NASA-CASE-LAR-11932-1] c05 N76-31219

SUPPORT INTERFERENCE
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403

SUPPORT SYSTEMS
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XNP-03248] c11 N71-10604
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486

SUPPORTS
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XNP-07567] c15 N71-18701
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XNP-07808] c15 N71-23812

Tracking mcunt for laser telescope employed in tracking large rockets and space vehicles to give infcrmatien regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Gas bearing for model support with capacity for measuring angular displacement cf model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Adjustable rigid mount for trihedral mirror formed cf alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Base support fcr expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
Fixture for supporting articles during vibration tests ccmprising integral annular unit
[NASA-CASE-MFS-20523] c14 N72-27412
Design and development cf test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Collapsible support for antenna reflector applied tc installatien cf spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Method of making porous conductive supports for electrodes,--- by electroforming and stacking nickel fcils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Locking mechanism for crthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

SUPPRESSORS
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

SURFACE ACOUSTIC WAVE DEVICES
Distributed feedback acoustic surface wave oscillatcr
[NASA-CASE-NPO-13673-1] c71 N77-26919

SURFACE DEFECTS
Surface defect detection by reflected microwave radiatien pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879

SURFACE DIFFUSION
Metallic film diffusion into metal or ceramic surfaces for boundary lubricatien in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772

SURFACE FINISHING
Development cf procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
Solar cell surface treatment
[NASA-CASE-LEW-11330-2] c44 N76-33624
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing --- of metal airfoils by adhesive bonding
[NASA-CASE-MSC-12631-2] c05 N77-31131

SURFACE IONIZATION
Electrodes having array of small surfaces for field icrization
[NASA-CASE-ERC-10013] c09 N71-26678
Development cf methcd and apparatus for detecting surface icns cn silicon diodes and transistcrs
[NASA-CASE-ERC-10325] c15 N72-25457

SURFACE LAYERS
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769

SURFACE PROPERTIES
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
Ablation article and surface for analyzing flcw transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249

SURFACE REACTIONS
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446

SURFACE ROUGHNESS
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XNP-00462] c14 N70-34298
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325

SURFACE ROUGHNESS EFFECTS
Aerodynamically stable meteorological ballocn using surface roughness effect
[NASA-CASE-XNP-04163] c02 N71-23007

SURFACE VEHICLES
Optimal control system for automatic speed regulatien of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Self-propelled vehicle with wheel, track laying, and walking capability for exploratory expolaration
[NASA-CASE-NPO-11366] c11 N73-26238
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501

SURFACE WAVES
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980

SURFACES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XNP-00389] c31 N70-34176
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129

SURGERY
Intra-ocular pressure normalization apparatus
[NASA-CASE-LEW-12955-1] c52 N77-30736
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N77-30737

SURGES
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984

Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
SURGICAL INSTRUMENTS
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Improved tissue macerating instrument --- ophthalmic liquifaction pump
[NASA-CASE-LEW-12668-1] c52 N76-23837
SURVIVAL EQUIPMENT
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
SUSPENDING (HANGING)
Parallel motion suspension device for measuring instruments
[NASA-CASE-XNP-01567] c15 N70-41310
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
SUSPENDING (MIXING)
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369
SWEAT COOLING
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
SWEEP CIRCUITS
Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
SWEEP EFFECT
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
SWELLING
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
SWEPT WINGS
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
SWIRLING
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
SWITCHES
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
SWITCHING CIRCUITS
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-EEC-10072] c09 N70-11148
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XMF-03934] c09 N71-22985
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531

Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Switching type voltage regulator with relatively simple circuit arrangement
[NASA-CASE-LEW-11005-1] c09 N72-21243
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Window comparator
[NASA-CASE-FRC-10090-1] c33 N77-11296
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407

SWITCHING THEORY
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134

SWIVELS
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812

SYNCHRONISM
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577

SYNCHRONIZED OSCILLATORS
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247

SYNCHRONIZERS
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245

SYNCHRONOUS MOTORS
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c33 N75-19524

SYNCHRONOUS SATELLITES
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Camera arrangement --- for satellite scanning of earth or sky

[NASA-CASE-GSC-12032-2] c35 N76-19408
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
SYNTHESIS
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XNP-08651] c06 N71-11236
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
SYNTHESIZERS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
SYNTHETIC FIBERS
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-20835
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Composite lamination method --- of resin impregnated fiber tape
[NASA-CASE-LAR-12019-1] c24 N77-22179
SYNTHETIC RESINS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
SYSTEM FAILURES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
SYSTEMS ANALYSIS
Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
SYSTEMS ENGINEERING
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Method and apparatus for measuring potentials in plasmas
[NASA-CASE-XLE-00821] c25 N71-15650
Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
Alarm system design for monitoring one or more relay circuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Silicon radiation detecting probe design for in vivo biomedical use

[NASA-CASE-XMS-01177] c05 N71-19440
Design and operation of high speed binary to decimal conversion system
[NASA-CASE-XGS-01230] c08 N71-19544
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XNP-06065] c15 N71-20395
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Magnetically opened diaphragm design with camera, shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XNP-01083] c15 N71-22723
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01650] c31 N71-24750
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841

Broadband modified turnstile antenna for use in space tracking and communications
[NASA-CASE-MSC-12209] c09 N71-24842
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Design and development of active control system for air cushion vehicle to reduce or eliminate effects of excessive vertical vibratory acceleration
[NASA-CASE-LAR-10531-1] c02 N73-13023
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Improved solar heating system
[NASA-CASE-LAR-12009-1] c44 N76-32649
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502

T

TACHOMETERS
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
TAKEOFF
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
TANGENTS
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
TANK GEOMETRY
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
TANKS (CONTAINERS)
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XMF-02392] c32 N71-24285
Design and development of device to prevent clogging in hoppers containing particulate materials
[NASA-CASE-LAR-10961-1] c15 N73-12496
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
TANTALUM
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Tantalum modified ferritic iron base alloys --- for use in high temperature environments
[NASA-CASE-LEW-12095-1] c26 N76-17233
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
TANTALUM ALLOYS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
TANTALUM CARBIDES
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
TANTALUM OXIDES
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
TAPE RECORDERS
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Development of low friction magnetic recording tape

[NASA-CASE-XGS-00373] c23 N71-15978
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426

TAPERED COLUMNS
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659

TARGET ACQUISITION
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160

TARGET RECOGNITION
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

TARGET SIMULATORS
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179

TECHNOLOGY TRANSFER
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062

TECHNOLOGY UTILIZATION
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19510-1] c37 N77-19459
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339

TEFLON (TRADEMARK)
Reinforced FEP Teflon composite material diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

TELECOMMUNICATION
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248

TELEMETRY
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Telemetry and transmission system with programmed sampling and multiplexing

[NASA-CASE-GSC-11388-1] c07 N73-24187
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
TELEOPERATORS
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
TELEPHONY
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
TELESCOPES
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Development of reflector system for application to line-of-sight pointing and tracking telescopes
[NASA-CASE-NPO-10468] c23 N71-33229
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Ritchey-Chretien telescope responsive to images located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
TELETYPEWRITER SYSTEMS
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
TELEVISION CAMERAS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XMF-06092] c07 N71-24612
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N76-18917
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530
TELEVISION EQUIPMENT
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
TELEVISION RECEIVERS
Improvement in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
TELEVISION SYSTEMS
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
TELEVISION TRANSMISSION
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
TEMPER (METALLURGY)
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
TEMPERATURE
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
TEMPERATURE COMPENSATION
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Matched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
TEMPERATURE CONTROL
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Modifying existing solar cells for temperature control

[NASA-CASE-NPO-10109] c03 N71-11049
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Using heat control unit to preheat circulating fluid
[NASA-CASE-XNF-04237] c33 N71-16278
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-05775] c09 N71-20445
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Magnetic heat pumping
[NASA-CASE-LEW-12508-2] c34 N77-32435

TEMPERATURE DISTRIBUTION

Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871

TEMPERATURE EFFECTS

Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-MFS-14259] c15 N71-19213
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058

TEMPERATURE GRADIENTS

Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019

TEMPERATURE MEASUREMENT

Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894

TEMPERATURE MEASURING INSTRUMENTS

Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XNP-01097] c10 N71-16058
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472

Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454

TEMPERATURE PROBES
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327

TEMPERATURE SENSORS
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122

TEMPLATES
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485

TENSILE STRENGTH
Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c14 N75-24794

TENSILE STRESS
Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379

TENSILE TEST
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834

TENSILE TESTS
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450

TENSION
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615

TERMINAL GUIDANCE
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420

TERRAIN
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XMF-01174] c02 N70-41589

TEST CHAMBERS
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Pressure seals suitable for use in environmental test chambers
[NASA-CASE-NPO-10796] c15 N71-27068
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511

TEST EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XMF-08804] c09 N71-24717
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325

Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPC-11373] c13 N72-25323
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c44 N74-27519
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270

Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Method and means for testing a glancing-incidence mirror system --- for X-ray telescopes
[NASA-CASE-MFS-22409-2] c74 N76-26988
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426

TEST FACILITIES
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
TEST STANDS
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094
TETHERING
Force separation rigid tethering device using cables
[NASA-CASE-XLA-02332] c32 N71-17609
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
TETHERLINES
Flexible cable that can be made rigid
[NASA-CASE-MSC-13512-1] c15 N72-22485
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
TETRAPHENYLS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
TEXTILES
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
THERMAL ABSORPTION
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XNP-04208] c33 N71-29051
THERMAL CONDUCTIVITY
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Thermally conductive polymer for potting electrical components
[NASA-CASE-GSC-11304-1] c06 N72-21105
Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
THERMAL CONDUCTORS
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
THERMAL CONTROL COATINGS
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XNP-07770-2] c18 N71-26772
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
Lightweight electrically powered flexible thermal laminate --- made of metal fibers
[NASA-CASE-MSC-12662-1] c24 N75-16635
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
THERMAL DEGRADATION
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XNP-03968] c14 N71-27186
THERMAL ENERGY
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234

Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors [NASA-CASE-LAR-10373-1] c18 N71-26155
Gaseous core diffusion nuclear reactor for thermal energy generation [NASA-CASE-LEW-10250-1] c22 N71-28759
Electrostatically controlled heat transfer system for conducting thermal energy [NASA-CASE-NPO-11942-1] c33 N73-32818
Solid medium thermal engine [NASA-CASE-ARC-10461-1] c44 N74-33379
Panel for selectively absorbing solar thermal energy and the method of producing said panel [NASA-CASE-MFS-22562-1] c44 N76-14595
Thermal energy storage system --- operating on superheating of liquids [NASA-CASE-MFS-23167-1] c44 N76-31667
A thermal energy transformer [NASA-CASE-NPO-14058-1] c44 N77-30616
Low to high temperature energy conversion system [NASA-CASE-NPO-13510-1] c44 N77-32581

THERMAL EXPANSION
Gas valve operated by thermally expanding and contracting device [NASA-CASE-XLE-00815] c15 N70-35407
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates [NASA-CASE-XNP-08907] c23 N71-29123
Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature [NASA-CASE-NPO-11283] c09 N72-25260
Glass-to-metal seals comprising relatively high expansion metals [NASA-CASE-LEW-10698-1] c37 N74-21063

THERMAL FATIGUE
Automatic controlled thermal fatigue testing apparatus [NASA-CASE-XLA-02059] c33 N71-24276

THERMAL INSULATION
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure [NASA-CASE-XNP-08882] c15 N69-39935
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer [NASA-CASE-XMF-00341] c15 N70-33323
Unfired-ceramic, highly reflective composite insulation for large launch vehicles [NASA-CASE-XMF-01030] c18 N70-41583
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin [NASA-CASE-XLA-01967] c31 N70-42015
Preparation and characteristics of lightweight refractory insulation [NASA-CASE-XMF-05279] c18 N71-16124
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles [NASA-CASE-XLA-00892] c33 N71-17897
Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogens [NASA-CASE-XLE-04222] c23 N71-22881
Light weight plastic foam thermal insulation for cryogenic storage [NASA-CASE-XLE-02647] c18 N71-23658
Development of foam insulation for filament wound cryogenic storage tank [NASA-CASE-XLE-03803] c15 N71-23816
Multilayer insulation panels for cryogenic liquid containers [NASA-CASE-MFS-14023] c33 N71-25351
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover [NASA-CASE-MFS-20355] c33 N71-25353
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits [NASA-CASE-MSC-12109] c18 N71-26285
Foam insulation thickness measuring and injection device for spacecraft applications [NASA-CASE-MFS-20261] c14 N71-27005
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft [NASA-CASE-XMF-05046] c33 N71-28892
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials [NASA-CASE-ARC-10304-1] c18 N73-26572
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer [NASA-CASE-GSC-11018-1] c31 N73-30829
Heater-mixer for stored fluids [NASA-CASE-ARC-10442-1] c35 N74-15093
Intumescent composition, foamed product prepared therewith and process for making same [NASA-CASE-ARC-10304-2] c27 N74-27037
High current electrical lead --- for thermionic converters [NASA-CASE-LEW-10950-1] c33 N74-27683
Structural heat pipe --- for spacecraft wall thermal insulation system [NASA-CASE-GSC-11619-1] c34 N75-12222
Insulation foil and method of making [NASA-CASE-LEW-11484-2] c24 N75-14839
Thermal insulation attaching means [NASA-CASE-MSC-12619-1] c39 N75-21671
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts [NASA-CASE-MSC-14182-1] c27 N76-14264
Ceramic fiber insulating material and methods of producing same --- product development of foams for thermal insulation [NASA-CASE-MSC-14795-1] c27 N76-15314
Auger attachment method for insulation --- of spacecraft [NASA-CASE-MSC-12615-1] c37 N76-19437
Flexible pile thermal barrier seal [NASA-CASE-MSC-19568-1] c37 N76-23585
Extreme temperature thermal control coating [NASA-CASE-LAR-11756-1] c24 N76-26284
Intumescent-ablator coatings using endothermic fillers [NASA-CASE-ARC-11043-1] c34 N77-14372
Thermal insulation protection means [NASA-CASE-MSC-12737-1] c34 N77-22423
Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles [NASA-CASE-MSC-12619-2] c16 N77-31237

THERMAL PLASMAS
Apparatus for producing monochromatic light from continuous plasma source [NASA-CASE-XNP-04167-2] c25 N72-24753

THERMAL PROTECTION
Thermoprotective device for balances [NASA-CASE-XAC-00648] c14 N70-40400
Design, development, and characteristics of ablation structures [NASA-CASE-XMS-01816] c33 N71-15623
Development of spacecraft radiator cover [NASA-CASE-MSC-12049] c31 N71-16080
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication [NASA-CASE-XGS-02435] c18 N71-22998
Unfired ceramic insulation for protection from radiant heating environments [NASA-CASE-MFS-14253] c33 N71-24858
Development of solid state polymer coating for obtaining thermal balance in spacecraft components [NASA-CASE-XLA-01745] c33 N71-28903
Anodizing method for providing metal surfaces with temperature reducing coatings against flames [NASA-CASE-XLE-00035] c33 N71-29151
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft [NASA-CASE-MSC-12143-1] c33 N72-17947
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices [NASA-CASE-ARC-10180-1] c27 N74-12814
Thermal insulation attaching means [NASA-CASE-MSC-12619-1] c39 N75-21671
Reaction cured glass and glass coatings [NASA-CASE-ARC-11051-1] c27 N77-10201

Intumescent coating containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N77-11119
THERMAL RADIATION
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
THERMAL REACTORS
Fuel system for thermal nuclear reactor which uses inorganic ion exchanger
[NASA-CASE-LEW-11645-2] c22 N73-28660
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
THERMAL RESISTANCE
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
THERMAL SHOCK
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
THERMAL SIMULATION
Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
THERMAL STABILITY
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
THERMAL STRESSES
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
THERMIONIC CATHODES
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421
THERMIONIC CONVERTERS
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c33 N74-27683
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
High temperature resistant cermet and ceramic compositions --- for use in thermionic converters or diodes
[NASA-CASE-NPO-13690-1] c27 N76-13294
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595
THERMIONIC DIODES
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XNP-05843] c03 N71-11055
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228
High temperature resistant cermet and ceramic compositions --- for use in thermionic converters or diodes
[NASA-CASE-NPO-13690-1] c27 N76-13294
THERMIONIC EMITTERS
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
THERMIONIC POWER GENERATION
Control for nuclear thermionic power source --- power supply circuits, energy policy
[NASA-CASE-NPO-13114-2] c44 N76-15573
THERMISTORS
Matched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
THERMOCHROMATIC MATERIALS
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122

THERMOCOUPLE PYROMETERS
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
THERMOCOUPLES
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
THERMODYNAMIC PROPERTIES
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
THERMOELECTRIC GENERATORS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
THERMOELECTRIC MATERIALS
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037
THERMOELECTRIC POWER GENERATION
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c44 N76-16612
THERMOELECTRICITY
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
THERMOLUMINESCENCE
Method for detecting oxygen in gas by thermoluminescence
[NASA-CASE-LAR-10668-1] c06 N73-16106
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609
THERMOMAGNETIC EFFECTS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
THERMOMETERS
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
THERMOPHYSICAL PROPERTIES
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
THERMOPILES
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
THERMOPLASTIC RESINS
Boron trifluoride coatings for thermoplastic materials
[NASA-CASE-ARC-11057-1] c27 N77-26308
THERMOREGULATION
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
THERMOSETTING RESINS
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124

Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
THERMOSTATS
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00465] c33 N70-36847
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
THICK FILMS
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
THICKNESS
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
THIN FILMS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-05750] c14 N69-39937
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XMF-01667] c15 N71-17647
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-IGS-02812] c09 N71-19466
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMF-06065] c15 N71-20395
Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Single crystal film semiconductor devices
[NASA-CASE-EEC-10222] c09 N72-22199
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FEC-10019] c15 N73-12487
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
THIN PLATES
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435
THIN WALLED SHELLS
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
THIN WALLS
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Sealed separable connection for thin wall metal tube
[NASA-CASE-NPO-10064] c15 N71-17693
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
THORIUM FLUORIDES
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
THORIUM OXIDES
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
THREADS
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
THREE DIMENSIONAL MOTION
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
THRESHOLD GATES
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
THRESHOLD LOGIC
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
THRUST AUGMENTATION
Exhaust nozzle with afterburning for generating thrust

[NASA-CASE-XLA-00154] c28 N70-33374
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147

THRUST BEARINGS
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588

THRUST CHAMBERS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Thermal flux transfer system for maintaining thrust chamber of operative reaction motor at given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606

THRUST CONTROL
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
Heated porous plug microthruster for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077

THRUST LOADS
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382

THRUST MEASUREMENT
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094

THRUST VECTOR CONTROL
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
System for improving directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275

THRUST-WEIGHT RATIO
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353

THYROID GLAND
Apparatus for producing high purity I-123 --- for thyroid measurement
[NASA-CASE-LEW-10518-3] c31 N74-10476

TILES
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264

TILT WING AIRCRAFT
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135

TIME CONSTANT
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964

TIME DISCRIMINATION
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819

TIME DIVISION MULTIPLEXING
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624

TIME FUNCTIONS
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659

TIME LAG
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Apparatus for estimating amplitude and sign of phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
TIME MEASURING INSTRUMENTS
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
TIME OF FLIGHT SPECTROMETERS
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
TIME SERIES ANALYSIS
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
TIME SHARING
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
TIME SIGNALS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Time synchronization system for synchronizing clocks at remote locations with master clock using noise reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
TIMING DEVICES
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
TIRES
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091
TISSUES (BIOLOGY)
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Improved tissue macerating instrument --- ophthalmic liquifaction pump
[NASA-CASE-LEW-12668-1] c52 N76-23837
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
TITANATES
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
TITANIUM
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
TITANIUM ALLOYS
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
TITANIUM OXIDES
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
TOLERANCES (MECHANICS)
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951
TOOLS
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
TOOTH DISEASES
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
TORCHES
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XMF-03287] c15 N71-15607
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
TOROIDS
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
TORQUE
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
TORQUE MOTORS
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758
TORQUEMETERS
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
TORSO
Restraint torso for increased mobility and reduced physiological effects while wearing

pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
TOUCH
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013
TOWERS
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
TOXICITY AND SAFETY HAZARD
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123
TOXICOLOGY
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875
TRACE CONTAMINANTS
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771
TRACE ELEMENTS
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
TRACKING (POSITION)
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c32 N75-30385
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
TRACKING FILTERS
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
TRACKING RADAR
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
TRACKING STATIONS
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
TRAFFIC CONTROL
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888
TRAILING-EDGE FLAPS
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N76-42016
TRAINING SIMULATORS
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
TRAJECTORY ANALYSIS
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
TRAJECTORY CONTROL
Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
TRANSDUCERS
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Transducer frame for use with extensometer to continuously monitor specimen sample
[NASA-CASE-XLA-10322] c15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Passive type, magnifying scratch gage, force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
Acoustical transducer calibrating system including differential pressure activating device
[NASA-CASE-FRC-10060-1] c14 N73-27379
Demodulator for carrier transducers
[NASA-CASE-HQC-10107-1] c33 N74-17930
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732

Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Magnetometer --- with an automatic scanning transducer
[NASA-CASE-LAR-11617-2] c35 N77-17430
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410

TRANSFORMERS
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402

TRANSIENT HEATING
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409

TRANSIENT LOADS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874

TRANSISTOR AMPLIFIERS
Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407

TRANSISTOR CIRCUITS
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XNP-00906] c09 N70-41655
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403

TRANSISTORS
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-14957

TRANSITION FLOW
Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796

TRANSITION TEMPERATURE
A method of preparing aromatic polyimides having uniquely low softening temperatures
[NASA-CASE-LAR-11828-1] c23 N75-29181

TRANSLATIONAL MOTION
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462

TRANSMISSION EFFICIENCY
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334

TRANSMISSION LINES
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429

Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927

TRANSMITTANCE
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538

TRANSMITTER RECEIVERS
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Redundant RF system for space applications
[NASA-CASE-NPO-13955-1] c32 N77-28358

TRANSMITTERS
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486

TRANSONIC SPEED
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497

TRANSONIC WIND TUNNELS
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MFS-20509] c11 N72-17183

TRANSPARENCE
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932

TRANSPIRATION
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191

TRANSPONDERS
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350

TRANSPORTATION
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383

TRAPS
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652

TRAVELING WAVE AMPLIFIERS
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251

TRAVELING WAVE MASERS
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514

TRAVELING WAVE TUBES
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N77-17360

TRAVELING WAVES
Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521

TRAYS
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-14157

TREADMILLS
Tread drum for animals
[NASA-CASE-ARC-10917-1] c37 N76-20485

TRIGGER CIRCUITS
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XNF-00411] c11 N70-36913
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859

TRIGONOMETRY
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XNF-00684] c21 N71-21688

TRIMERS
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244

TRIODES
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898

TRITIUM
Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNF-01464] c03 N71-10728

TRUCKS
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477

TRUSSES
Low mass truss structure with elongated

thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Lightweight structural columns --- for truss structures
[NASA-CASE-LAR-12095-1] c39 N77-27432
TUBE ANODES
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
TUBE CATHODES
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
TUBE HEAT EXCHANGERS
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
TUBES
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
TUMBLING MOTION
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
TUMORS
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
TUNGSTEN
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
TUNGSTEN ALLOYS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
TUNING
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
TUNNEL DIODES
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
TUNNELS
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
TURBINE BLADES
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
TURBINE ENGINES
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631
Gas path seal --- for use with turbine engines
[NASA-CASE-LEW-12131-1] c37 N77-24498
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
TURBINE PUMPS
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
TURBINE WHEELS
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
TURBINES
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
TURBOCOMPRESSORS
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
TURBOFAN ENGINES
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
TURBOFANS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
TURBOJET ENGINES
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260
TURBOMACHINE BLADES
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
TURBOMACHINERY
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
TURBOSHAFTS
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative

speeds
[NASA-CASE-XLE-00503] c14 N70-34818
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631
TURBULENCE METERS
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
TURBULENT FLOW
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
TURBULENT WAKES
Vortex attenuation method --- for multi-engine aircraft
[NASA-CASE-LAR-12034-1] c02 N77-22045
TURNSTILE ANTENNAS
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
Broadband modified turnstile antenna for use in space tracking and communications
[NASA-CASE-MSC-12209] c09 N71-24842
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
TURRET
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
TWO BODY PROBLEM
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
TWO DIMENSIONAL BODIES
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
TWO PHASE FLOW
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155
Two-phase flow system with discrete, impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
TYPEWRITERS
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457

U

U BENDS
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
ULLAGE
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
ULTRAHIGH FREQUENCIES
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
ULTRAHIGH VACUUM
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
ULTRASONIC AGITATION
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
ULTRASONIC RADIATION
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
EKG and ultrasonoscope display
[NASA-CASE-ARC-10994-2] c52 N77-15619
ULTRASONIC TESTS
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621
ULTRASONIC WAVE TRANSDUCERS
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432
ULTRASONIC WELDING
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
ULTRASONICS
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
ULTRAVIOLET FILTERS
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
ULTRAVIOLET RADIATION
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410

Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
ULTRAVIOLET REFLECTION
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
ULTRAVIOLET SPECTRA
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
ULTRAVIOLET SPECTROMETERS
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
UMBILICAL CONNECTORS
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XNP-05344] c31 N71-16345
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
UMBILICAL TOWERS
Emergency escape cabin system for launch towers
[NASA-CASE-KKS-02342] c05 N71-11199
UNDERWATER ENGINEERING
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
UNDERWATER TESTS
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
UNIFORM FLOW
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
UNLOADING
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
UNMANNED SPACECRAFT
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
UPPER ATMOSPHERE
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
URANIUM 235
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
UREAS
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
URINALYSIS
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
URINATION
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
URINE
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
UTERUS
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796

V

V GROOVES
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
VACANCIES (CRYSTAL DEFECTS)
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
VACUUM
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XNS-04614] c15 N69-21460
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
VACUUM APPARATUS
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XNP-03290] c15 N71-23256
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Oil trap for preventing diffusion pump backstreaming into evacuated system
[NASA-CASE-GSC-10518-1] c15 N72-22489
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
VACUUM CHAMBERS
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14932
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XNP-07888] c11 N71-18773

Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
Packless valve for use with evacuation chamber with adapter for attachment to vacuum line and vacuum pump
[NASA-CASE-LAR-10061-1] c15 N72-31483
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267

VACUUM DEPOSITION
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XMF-01667] c15 N71-17647
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMF-06065] c15 N71-20395
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245

VACUUM FURNACES
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900

VACUUM GAGES
Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ionization gage for measuring ultrahigh vacuum levels
[NASA-CASE-XLA-05087] c14 N73-30391
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092

VACUUM MELTING
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215

VACUUM SYSTEMS
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612

VACUUM TUBES
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365

VALVE
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625

VALVES
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Segmented sealing surface in valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
Packless valve for use with evacuation chamber with adapter for attachment to vacuum line and vacuum pump
[NASA-CASE-LAR-10061-1] c15 N72-31483
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136

VANES
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

VAPOR DEPOSITION
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192

VAPOR PHASES
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor

[NASA-CASE-XNP-01960] c09 N71-23027
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262

VAPOR PRESSURE
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023

VAPOR TRAPS
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483

VAPORIZERS
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104

VAPORIZING
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025

VARACTOR DIODE CIRCUITS
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429

VARACTOR DIODES
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XNP-04958-1] c10 N71-26414
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660

VARIABLE CYCLE ENGINES
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118

VARIABLE GEOMETRY STRUCTURES
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246

VARIABLE PITCH PROPELLERS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025

VARIABLE SWEEP WINGS
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005

VARIABLE THRUST
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XNP-00923] c28 N70-36802
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367

VARIATIONS
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744

VECTOR ANALYSIS
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439

VECTORCARDIOGRAPHY
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189

VEGETATION GROWTH
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671

VEHICLE WHEELS
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477

VELOCITY
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895

VELOCITY MEASUREMENT
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XNP-01099] c14 N71-15969
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XNP-05844] c14 N71-17587
Describing laser Doppler velocimeter for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N76-33469
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436

VELOCITY MODULATION
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer

[NASA-CASE-XGS-03532] c14 N71-17627
VENTILATORS
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
VENTING
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
Solid propellant rocket engine with venting system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
VENUS (PLANET)
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
VERTICAL FLIGHT
Aircraft indicator for pilot control of takeoff roll, climbout path and vertical flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
VERTICAL LANDING
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XNP-01174] c02 N70-41589
VERTICAL TAKEOFF AIRCRAFT
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
VERY HIGH FREQUENCIES
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
VESTS
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
VIBRATION
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
VIBRATION DAMPING
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
VIBRATION EFFECTS
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPC-11213] c15 N73-20514
Development of optical system for detecting defective components in rotating machinery with emphasis on bearing assemblies
[NASA-CASE-KSC-10752-1] c15 N73-27407
VIBRATION ISOLATORS
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Thermal insulation attaching means --- adhesive bonding of felt vibration isolators under ceramic tiles
[NASA-CASE-MSC-12619-2] c16 N77-31237
VIBRATION MEASUREMENT
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XNP-05882] c35 N75-27329
VIBRATION METERS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XNP-02433] c14 N71-10616
VIBRATION MODE
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
VIBRATION SIMULATORS
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
VIBRATION TESTS
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
Fixture for supporting articles during vibration tests comprising integral annular unit
[NASA-CASE-MFS-20523] c14 N72-27412
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
VIBRATIONAL SPECTRA
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
VIDEO COMMUNICATION
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
VIDEO DATA
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081

Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
VIDEO EQUIPMENT
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
Video signal enhancement of signal component representing brightness of scene element in low contrast
[NASA-CASE-NPO-10343] c07 N71-27341
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
VIDICONS
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
VINYL POLYMERS
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
VINYLIDENE
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500
VIRUSES
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
VISCOELASTICITY
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
VISCOMETERS
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
VISCOSITY
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
VISCOUS DAMPING
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
VISIBILITY
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
VISORS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834
VISUAL ACUITY
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
VISUAL CONTROL
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
VISUAL FIELDS
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-BE-ARC-10329-2] c52 N76-30793
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
VISUAL PERCEPTION
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
VISUAL STIMULI
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114
VOICE COMMUNICATION
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-KSC-10164] c07 N71-33108
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
VOICE DATA PROCESSING
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
VOLATILITY
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
VOLT-AMPERE CHARACTERISTICS
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394
VOLTAGE AMPLIFIERS
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Wide range analog to digital converter with variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
VOLTAGE CONVERTERS (DC TO DC)
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428

Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365

VOLTAGE GENERATORS
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252

VOLTAGE REGULATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Switching type voltage regulator with relatively simple circuit arrangement
[NASA-CASE-LEW-11005-1] c09 N72-21243
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385

VOLTMETERS
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521

VOLUMETRIC ANALYSIS
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424

VOMITING
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333

VORTEX BREAKDOWN
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001

VORTEX GENERATORS
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XNP-04709] c15 N71-15609
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419
Vortex attenuation method --- for multi-engine aircraft
[NASA-CASE-LAR-12034-1] c02 N77-22045
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423

VORTICES
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176

VULCANIZING
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124

W

WAFERS
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029

WALL TEMPERATURE
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222

WALLS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411

WARNING SYSTEMS
Alarm system design for monitoring one or more relay circuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Silent alarm system for mutiple room facility or school

[NASA-CASE-NPO-11307-1] c10 N73-30205
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
WASTE DISPOSAL
Fecal waste disposal container
[NASA-CASE-MSS-06761] c05 N69-23192
Airlock for waste transferal from pressurized enclosure aboard space vehicle to waste receiver at negative pressure
[NASA-CASE-MFS-20922] c31 N72-20840
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
WASTE ENERGY UTILIZATION
Pyrolysis system and process --- recovering energy from solid wastes containing hydrocarbons
[NASA-CASE-MSC-12669-1] c44 N76-16621
WASTE WATER
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
WATER
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10238] c06 N72-17094
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563
WATER FLOW
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
WATER INJECTION
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
WATER LANDING
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
WATER MANAGEMENT
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
WATER POLLUTION
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
WATER RECLAMATION
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
WATER TEMPERATURE
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
WATER TREATMENT
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
Air removal device --- for purification of water under zero gravity conditions
[NASA-CASE-XLA-8914-2] c34 N76-23522
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
WATER VAPOR
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
WATERPROOFING
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
WAVE AMPLIFICATION
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
WAVE FRONT RECONSTRUCTION
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
WAVE GENERATION
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
WAVE REFLECTION
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
WAVE SCATTERING
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
WAVEFORMS
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995

Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Peak polarity selector for monitoring waveforms
[NASA-CASE-ERC-10010] c10 N71-24862
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309

WAVEGUIDE ANTENNAS
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Dielectric loaded aperture antenna with directive radiation pattern from waveguide
[NASA-CASE-LAR-11084-1] c09 N73-12216

WAVEGUIDE FILTERS
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606

WAVEGUIDE WINDOWS
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808

WAVEGUIDES
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428

WAVELENGTHS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517

WEAR
High temperature resistant cermet and ceramic compositions --- for use in thermionic converters or diodes
[NASA-CASE-NPO-13690-1] c27 N76-13294

WEATHERPROOFING
Weatherproof helix antenna
[NASA-CASE-KSC-08485] c07 N71-19493

WEBS (SHEETS)
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495

WEBS (SUPPORTS)
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213

WEDGES
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202

WEIGHT (MASS)
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146

WEIGHT INDICATORS
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945

WEIGHT MEASUREMENT
Weighing and recording device for obtaining precise automatic record of small changes in force
[NASA-CASE-XLA-02605] c14 N71-10773
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945

WEIGHTLESSNESS
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XNP-06515] c14 N71-23227
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738

Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XNP-09902] c15 N72-11387
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Zero gravity liquid transfer device, using spiral shaped screen
[NASA-CASE-KSC-10626] c14 N73-27378
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Air removal device --- for purification of water under zero gravity conditions
[NASA-CASE-XIA-8914-2] c34 N76-23522
Zero gravity separator
[NASA-CASE-LAR-10344-1] c35 N76-33470
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-10653-1] c35 N77-19385
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919

WEIGHTLESSNESS SIMULATION
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c52 N74-10975

WELD STRENGTH
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

WELD TESTS
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464

WELDED JOINTS
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568

WELDED STRUCTURES
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265

WELDING
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397

WELDING MACHINES
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XMF-03287] c15 N71-15607
Welding torch with automatic speed controller using speed sensing wheel and closed servo system
[NASA-CASE-XMF-01730] c15 N71-23050
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497

WET CELLS
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407

WETTING
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471

WHEATSTONE BRIDGES
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XIA-02810] c14 N71-25901
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430

WHISKER COMPOSITES
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490

WHISKERS (SINGLE CRYSTALS)
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XNP-03903] c15 N69-21922

WICKS
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515

WIDE ANGLE LENSES
Wide angle eyepiece with long eye-relief distance
[NASA-CASE-XMS-06056-1] c23 N71-24857

WIDEBAND COMMUNICATION
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

WINCHES
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599

WIND EFFECTS
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626

WIND MEASUREMENT
Passive optical wind and turbulence remote detection system
[NASA-CASE-XMF-14032] c20 N71-16340
Haxometers for measuring peak wind speeds during severe environmental conditions
[NASA-CASE-MFS-20916] c14 N73-25460
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753

WIND PROFILES
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
WIND TUNNEL APPARATUS
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
WIND TUNNEL DRIVES
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XNP-00411] c11 N70-36913
WIND TUNNEL MODELS
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
WIND TUNNEL NOZZLES
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
WIND TUNNEL TESTS
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
WIND TUNNELS
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
WIND VELOCITY MEASUREMENT
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
WINDING
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
WINDOWS (APERTURES)
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Polymer coatings for moisture protection of optical windows in infrared spectroscopy
[NASA-CASE-ARC-10749-1] c23 N73-32542
WINDSHIELDS
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
WING FLAPS
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
WING PROFILES
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
WING TIP VORTICES
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
WING TIPS
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
WINGS
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135
WIRE
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
WIRE BRIDGE CIRCUITS
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
WIRE CLOTH
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XNP-00341] c15 N70-33323
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
WIRE WINDING
Adjustable spiral wire winding device
[NASA-CASE-XMS-02383] c15 N71-15918
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
WIRELESS COMMUNICATIONS
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
WIRING
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325
WORDS (LANGUAGE)
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit

data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
WRENCHES
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
System for enlancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
WRIST
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554

X

X RAY APPARATUS
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
X RAY DENSITY MEASUREMENT
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N77-24456
X RAY DIFFRACTION
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
X RAY INSPECTION
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
X RAY IRRADIATION
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-MMS-02930] c11 N71-23042
X RAY LASERS
Soft X-ray laser using crystal channels as distributed feedback cavities --- zeolites
[NASA-CASE-NPO-13532-1] c36 N75-15973
X RAY TELESCOPES
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XNQ-04106] c14 N70-40240
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Method and means for testing a glancing-incidence mirror system --- for X-ray telescopes
[NASA-CASE-MFS-22409-2] c74 N76-26988
X RAYS
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNE-06031] c15 N71-15606
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
X-Y PLOTTERS
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Magnetometer --- with an automatic scanning transducer
[NASA-CASE-LAR-11617-2] c35 N77-17430
X-15 AIRCRAFT
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
XENON ISOTOPES
Apparatus for producing high purity I-123 from Xe-123 by bombarding tellurium target with cyclotron beam
[NASA-CASE-LEW-10516-2] c24 N72-28714
XENON LAMPS
Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-FRC-10283] c16 N72-25485

Y

YAG LASERS
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
YARNS
Flexible pile thermal barrier seal
[NASA-CASE-MSC-19568-1] c37 N76-23585
YAW
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
YO-YO DEVICES
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016

Z

ZEOLITES
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
Soft X-ray laser using crystal channels as distributed feedback cavities --- zeolites
[NASA-CASE-NPO-13532-1] c36 N75-15973
ZINC
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
ZINC COMPOUNDS
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
Brazing alloy
[NASA-CASE-XNE-03878] c26 N75-27127
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
ZINC OXIDES
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XNP-07770-2] c18 N71-26772
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
ZIRCONIUM
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
ZIRCONIUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992

Page intentionally left blank

Typical Inventor Index Listing



Listings in this index are arranged alphabetically by inventor The title of the document provides the user with a brief description of the subject matter The NASA Case Number is the prime access point to patent documents The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located The NASA accession number denotes the number by which the citation is identified within the subject category The titles are arranged under each inventor in ascending accession number order

A

ABEL, I. M.
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
ABERNATHY, W. J.
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968
ABHYANKAR, K. D.
Interferometer-polarimeter
[NASA-CASE-NPO-11235] c14 N73-12446
ABSHIRE, J. M.
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
ACORD, J. D.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c03 N71-12260
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
ACUNA, M. H.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
ADACHI, M. M.
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
ADAMS, C. M., JR.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
ADAMS, G. D.
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c15 N71-17647
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c15 N71-20395
ADAMSON, M. J.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
AIRTH, R. L., JR.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
AISENBERG, S.
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310
AJIOKA, J. S.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
AKAWIE, R. I.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
ALBRECHT, W. F.
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
ALBRIGHT, C. F.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
ALBUS, J. S.
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c14 N70-34158
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c32 N75-30385
ALDRICH, B. B.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070
ALESNA, R. B.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
ALEXANDER, F., JR.
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
ALFORD, W. J., JR.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
ALGER, D. L.
Deuterium pass through target
[NASA-CASE-LEW-11866-1] c72 N76-15860
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c37 N76-20486
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
ALLEN, G. V.
Electric welding torch Patent
[NASA-CASE-XMP-02330] c15 N71-23798
ALLEN, H., JR.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLP-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLP-01988] c27 N71-15634
ALLEN, J. G., JR.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
ALLEN, J. H., SR.
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
ALLEN, L. D.
Method of improving heat transfer characteristics in a nucleate boiling process Patent

[NASA-CASE-XMS-04268] c33 N71-16277
ALLEN, L. H.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-MFO-11087] c23 N71-29125
ALLEN, R. W.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
ALLEN, W. K.
Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
ALLEN, W. W.
Analog-to-digital converter analyzing system
[NASA-CASE-MFO-10560] c08 N72-22166
ALLEY, V. L., JR.
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
ALLGEIER, B. E., JR.
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c15 N71-17648
ALPER, M. E.
Automated multi-level vehicle parking system
[NASA-CASE-MFO-13058-1] c37 N77-22480
ALTSHULER, T. L.
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992
AMBRUSO, A.
Gas operated actuator
[NASA-CASE-MFO-11340] c15 N72-33477
AMER, G. A.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
AMON, H.
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
ANACKER, K.
Forming tool for ribbon or wire
[NASA-CASE-XLA-05566] c15 N72-12408
ANAGNOSTOU, E.
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
ANDERSON, D. L.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XNP-00663] c08 N71-18752
ANDERSON, F. A.
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758
ANDERSON, G. D.
Phase detector assembly Patent
[NASA-CASE-XNP-00701] c09 N70-40272
ANDERSON, G. E.
Flexible pile thermal barrier seal
[NASA-CASE-MSC-19568-1] c37 N76-23585
ANDERSON, J. E.
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
ANDERSON, K. F.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
ANDERSON, R. A.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
ANDERSON, R. E.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
ANDERSON, R. F.
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c26 N71-21824
ANDERSON, T. O.
Binary number sorter Patent
[NASA-CASE-NPC-10112] c08 N71-12502
Ranging system Patent
[NASA-CASE-NPO-10066] c09 N71-18598
Data compression processor Patent
[NASA-CASE-NPO-10068] c08 N71-19288
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c07 N71-24613
Decoder system Patent
[NASA-CASE-NPO-10118] c07 N71-24741
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c08 N72-25210
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c08 N72-33172
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
ANDERSON, W. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c15 N73-32359
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
ANDERSON, W. W.
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c19 N76-18227
ANDERSON, W. W., JR.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c15 N71-22982
ANDREWS, E. H., JR.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
ANDREWS, R. E.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
ANDREWS, T. W.
Adjustable support
[NASA-CASE-NPO-10721] c15 N72-27484
ANGELE, W.
Electrical connector for flat cables Patent
[NASA-CASE-XNP-00324] c09 N70-34596
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XNP-00480] c14 N70-39898
Support apparatus for dynamic testing Patent
[NASA-CASE-XNP-01772] c11 N70-41677
Method of making a molded connector Patent
[NASA-CASE-XNP-03498] c15 N71-15986

Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c35 N74-18323
APPEL, M. A.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
APPLEBERRY, W. T.
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
APPLER, R. L.
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04172] c19 N71-26674
APPLETON, H. W.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
ARCAND, G. M.
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c03 N71-10728
ARCELLA, F. G.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
ARENS, W. E.
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
ARGOUD, M. J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
ARIAS, A.
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c15 N70-41993
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c14 N71-22964
Production of metal powders
[NASA-CASE-XLE-06461] c17 N72-22530
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c15 N72-25448
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c17 N72-28535
ARMSTRONG, H. T.
Coupling for linear shaped charge Patent
[NASA-CASE-XIA-00189] c33 N70-36846
ARNDT, G. D.
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c07 N70-12616
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
ARNOLD, R. E., JR.
Electrical resistance spot welding and brazing techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535
ARRANCE, F. C.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337
ASHBROOK, B. I.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
ASHWORTH, B. E.
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787
ASKINS, B. S.
Method of post-process intensification of images on photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N76-26449
ASTHEIMER, R. W.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
ATKISSON, E. A.
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c14 N70-36618
AUBLE, C. H.
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
AUER, S. O.
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c14 N73-20477
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
AUKER, B. H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
AUSTIN, W. E.
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392
AVIZIENIS, A. A.
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c08 N71-24633
AYVAZIAN, B. A.
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c10 N71-26339

B

BABA, P. D.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
BABB, B. D.
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656
BABECKI, A. J.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
BACCHI, R.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c15 N70-35409
BACHLE, W. H.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021
BADIN, F. B.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
BAEHR, E. F.
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c28 N70-34860

Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c28 N70-36806
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c28 N70-41818
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c28 N71-15659
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Improved tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N76-23837
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c35 N77-20408
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Intra-ocular pressure normalization apparatus
[NASA-CASE-LEW-12955-1] c52 N77-30736

BAER, D. A.
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c03 N72-25020

BAGANOFF, D.
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c11 N71-15960

BAGBY, J. R.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407

BAHIMAN, H.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102

BAHM, E. J.
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613

BAILEY, C. L., JR.
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942

BAILEY, F. J., JR.
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807

BAILEY, G. A.
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c08 N71-12504

BAILEY, J. W.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573

BAILEY, M. C.
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244

BAILEY, R. L.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109

BAKER, B. R.
Radiation detector readout system Patent
[NASA-CASE-XMS-03478] c14 N71-21040

BAKER, C. D.
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c15 N71-17685
Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200
Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405

BAKER, E. H.
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815

BAKER, J. T.
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839

BAKER, M. E.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623

BAKER, R. L.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744

BAKER, V. D.
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741

BAKSTON, B.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132

BALDWIN, L. V.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576

BALES, T. T.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
Electrical resistance spot welding and brazing techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535

BALLARD, H. R.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073

BALLENTINE, F. M., JR.
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778

BALLOU, E. V.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252

BAMFORD, R. H.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c15 N71-17693

BANDINI, U.
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c10 N71-19417

BANKS, B. A.
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c15 N71-28582
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c28 N72-22771
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c35 N74-21018
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162

BANKSTON, B. F.
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257

BANTA, R. D.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c15 N72-23497

BARBER, J. B.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170

BARBERA, A. J.
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c03 N72-27053

BARGER, R. L.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946

BARISH, B.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057

BARKER, P.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234

BARNETT, J. H., JR.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006

BARNETT, M. A.
Furlable antenna

[NASA-CASE-NPO-13553-1] c33 N76-32457
BARNISKIS, W. A.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
BARONA, C. R.
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
Solar cell surface treatment
[NASA-CASE-LEW-11330-2] c44 N76-33624
BARRETT, C. A.
Reduced chromium stainless steel alloys
[NASA-CASE-LEW-12543-1] c26 N77-21217
BARRETT, T. W.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
BARRINGTON, A. E.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
BARRINGTON, A. E.
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c15 N71-24896
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c14 N71-28863
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c14 N71-28994
BARTERA, R. E.
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
BARTHLOME, D. E.
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c05 N71-11195
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339
BARZA, M. J.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
BASIULIS, A.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
BASS, A. M.
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c09 N71-12521
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
BASTIEN, G. J.
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c15 N71-15608
BATE, E. R., JR.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
BATES, H. E.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
BATHKER, D. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
BATSCH, P. F.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620
BATTE, W. G.
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c08 N71-18751
BATTERSON, S. A.
Runway light Patent
[NASA-CASE-XLA-00119] c11 N70-33329
BATTS, C. H.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
BAUCOM, R. M.
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452
BAUER, H. H.
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
BAUERSCHUB, J. P., JR.
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c32 N70-41367
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c15 N71-21529
BAUGHMAN, J. E.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
BAUMAN, A. J.
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c15 N71-21078
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c17 N71-28747
BAUMER, W. E.
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137
BAXTER, E. D.
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c33 N71-23085
BEALE, H. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
BEAM, B. H.
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477
BEAM, R. A.
Optical projector system Patent
[NASA-CASE-XNP-03853] c23 N71-21882
BEAM, R. M.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
BEASLEY, R. M.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
BEASLEY, W. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
BEATTY, R. W.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
BEAUREGARD, W. W.
Water separating system Patent
[NASA-CASE-XMS-13052] c14 N71-20427
BECK, A. F.
Small plasma probe Patent
[NASA-CASE-XLE-02578] c25 N71-20747
BECK, T. R.
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c17 N71-16393
BECKER, R. A.
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c14 N71-15599
BECKERLE, L. D.
Heat shield oven
[NASA-CASE-XMS-04318] c15 N69-27871
BECKMAN, P.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

BECKWITH, R. H.
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c14 N70-36907
BEEHS, J. H.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
BEEM, J. F.
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
BEHM, J. W.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
BELANGER, R. J.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048
BELASCO, N.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
BELEW, H. W., JR.
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262
BELEW, R. B.
Thermal compensating structural member
[NASA-CASE-MFS-20433] c15 N72-28496
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
BELL, A. T.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c25 N77-17178
BELL, C. H.
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N77-15826
BELL, D., III
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c12 N71-17569
BELL, V. L.
Aromatic polyimide preparation
[NASA-CASE-LAR-11372-1] c27 N74-19772
A method of preparing aromatic polyimides having uniquely low softening temperatures
[NASA-CASE-LAR-11828-1] c23 N75-29181
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192
BELL, V. L., JR.
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430
BENNETT, L. J.
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c33 N72-27959
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c15 N73-32371
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
BENEDICT, R. D.
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c10 N71-28739
BENGTSON, B. D.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060
BENNIGHT, J. D.
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148
BERDAHL, C. H.
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N77-24456
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
BERENAND, D. G.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
BERENAND, G. E.
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
BERG, O. E.
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c24 N71-16213
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c14 N72-20381
BERGLUND, R. A.
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c31 N70-34296
BERKOPEC, F. D.
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
BERMAN, P. A.
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
BERNARDIN, R. H.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
BERNATOWICZ, D. T.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
BERNSEN, B.
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c14 N71-27186
BERRIER, B. L.
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147
BERRY, E. H.
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c03 N71-23239
BESSETTE, R. J.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
BESWICK, A. G.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
BEUKIAN, C. S.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
BEYLIK, C. H.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
BHAT, B. N.
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187
BHIWANDKER, N. C.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
BIBBO, C.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376
BIENIEK, T.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363
BILBRO, J. W.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
BILDERBACK, R. B.
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c16 N71-22895
BILES, J. E., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
BILL, R. C.
Gas path seal
[NASA-CASE-LEW-12131-1] c37 N77-24498
BILLINGHAM, J.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
BILLINGS, C. E.
Emergency escape system Patent

[NASA-CASE-XKS-07814] c15 N71-27067
BILLINGSLEY, F. C.
Electro-optical scanning apparatus Patent application
[NASA-CASE-NPO-11106] c14 N70-34697
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
BILLMAN, K. W.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c09 N73-32111
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
BILOW, N.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
BINCKLEY, W. G.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
BIRCENOUGH, A. G.
Switching regulator
[NASA-CASE-LEW-11005-1] c09 N72-21243
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
BIRD, J. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
BISHOP, O. L.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462
BISHOP, R. E.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
BLACK, D. B.
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N77-30613
BLACK, I. A.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XCS-01052] c14 N71-15992
BLACK, J. H.
Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c33 N74-14939
Window comparator
[NASA-CASE-FRC-10090-1] c33 N77-11296
BLACK, S. H.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330
BLACK, W. W.
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c07 N71-28809
BLACKABY, J. R.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
BLACKSTOCK, T. A.
Ferry system
[NASA-CASE-LAR-10574-1] c11 N73-13257
BLAIR, G. R.
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184
BLAISE, H. T.
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
BLAKENSHIP, C. P.
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N76-17233
BLANCHARD, W. S., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c31 N71-23008
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
BLANCHE, J. P.
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XNP-01483] c14 N69-27431
BLAND, C.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
BLAND, W. H., JR.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
BLANKENSHIP, C. P.
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
BLAZE, C. J.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
BLOOMFIELD, H. S.
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
BLOSSER, H. B.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
BLUE, J. W.
Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-2] c24 N72-28714
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-3] c31 N74-10476
Method of producing I-123
[NASA-CASE-LEW-11390-2] c25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
BLUM, P.
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
BLUME, H. C.
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c09 N72-25258
BLUMRICH, J. F.
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XNP-03856] c31 N70-34159
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XNP-02853] c31 N70-36654
Double-acting shock absorber Patent
[NASA-CASE-XNP-01045] c15 N70-40354
Tank construction for space vehicles Patent
[NASA-CASE-XNP-01899] c31 N70-41948
Docking structure for spacecraft Patent
[NASA-CASE-XNP-05941] c31 N71-23912
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
BLUTINGER, B.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
BLYMILLER, E. B.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485
BOATRIGHT, W. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
BOCKWOLDT, W. B.
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579
BODDY, D. D.
Power supply circuit Patent
[NASA-CASE-XMS-00913] c10 N71-23543
BOEHM, J.
Gravity device Patent
[NASA-CASE-XNP-00424] c11 N70-38196
BOER, K. W.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
BOEX, B. W.
Filter regeneration systems

[NASA-CASE-MSC-14273-1] c34 N75-33342
BOGNER, R. S.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
BOGUSZ, F. J.
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036
BOIES, R. D.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421
BOISSEVAIN, A. G.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673
BOLT, C. A., JR.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462
BOND, W. W.
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c14 N71-23087
BONISCH, P.
Automatically lockable axially extensible strut
[NASA-CASE-LAR-11900-1] c05 N77-18134
BONN, J. L.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
BONNER, T. F., JR.
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
BONO, P.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c31 N70-41588
BOODLEY, L. E.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539
BOOTH, F. W.
Condenser - Separator
[NASA-CASE-XLA-08645] c15 N69-21465
Separator Patent
[NASA-CASE-XLA-00415] c15 N71-16079
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
Soldering device Patent
[NASA-CASE-XLA-08911] c15 N71-27214
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522
Zero gravity separator
[NASA-CASE-LAR-10344-1] c35 N76-33470
BOOTH, R. A.
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500
BORELLI, M. T.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
BOROSON, M. E.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
BOSCO, G. S., JR.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294
BOSHERS, W. A.
Battery testing device
[NASA-CASE-MFS-20761-1] c44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
BOSTON, E. E.
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
BOTTOMS, D. J.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
BOULDEN, D. L.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
BOURKE, D. G.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506
BOUSMAN, W. G.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
BOWER, K. F.
Buffered analog converter
[NASA-CASE-KSC-10397] c08 N72-25206
BOXWELL, D. A.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
BOYLE, J. C.
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c14 N71-23725
BOYLE, J. W., JR.
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c15 N71-15571
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
BOZAJIAN, J. M.
Thermal switch Patent
[NASA-CASE-XNP-00463] c33 N70-36847
BOZEK, J. M.
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
BRACKEN, P. A.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
BRADFIELD, S. P., III
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
BRADLEY, R. H.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c30 N73-12884
BRADY, J. C.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
BRANDHORST, H. W., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
Solar cell surface treatment
[NASA-CASE-LEW-11330-2] c44 N76-33624
Improved backwall cell
[NASA-CASE-LEW-12236-1] c44 N77-17565
Solar cell assembly
[NASA-CASE-LEW-11549-1] c44 N77-19571
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
BRANSTETTER, J. R.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625
BRANTLEY, J. W.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
BRANTLEY, L. W., JR.
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c44 N76-31667

BRASCHWITZ, J. M.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
BRAUN, W.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
BRAWNER, C. C.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
BRAWNER, E. L.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015

BREAULT, R. P.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
BRECKENRIDGE, R. A.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Magnetometer
[NASA-CASE-LAR-11617-2] c35 N77-17430
BREED, L. L.
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098
BREED, L. W.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
BREEZE, H. K.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c05 N71-11202
BREGMAN, B. J.
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c10 N73-26230
BREITWIESER, R.
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683
BRENCHA, A. G., JR.
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c09 N71-20851
BREY, H.
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
BRICKER, B. W.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000
BRIGHT, C. W.
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
BRINICH, P. F.
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175
BRINKS, E. J.
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c17 N71-24830
BRISKEN, A. F.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
BRISSENDEN, R. F.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609
BRITT, T. O.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
BRITZ, W. J.
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
BROCK, F. J.
Gauge calibration by diffusion
[NASA-CASE-NGS-07752] c14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c14 N73-30391
BROCKMAN, H. B.
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
BRODER, J. D.
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c44 N76-14600
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
BRODERICK, J. C.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
BRODERICK, R. F.
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XNP-04367] c09 N71-23545
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c07 N71-24625
BRODIE, S. B.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
BROKL, S. S.
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206
BROMAN, C. L.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
BROOKS, A. D.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
BROOKS, G. W.
Impact simulator Patent
[NASA-CASE-XLA-00493] c11 N70-34786
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
BROOKS, J. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
BROOKS, R. A.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
BROSH, A.
Flow separation detector
[NASA-CASE-ABC-11046-1] c35 N76-28535
BROUSSARD, R.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
BROWELL, E. V.
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517
BROWN, D.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
BROWN, D. W.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
BROWN, E. L.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
BROWN, G. A.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
BROWN, G. V.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c37 N74-27904
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N77-15343
Magnetic heat pumping
[NASA-CASE-LEW-12508-2] c34 N77-32435
BROWN, H. H.
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114
BROWN, J. W.
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
BROWN, K. B.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
BROWN, R. D.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
BROWN, R. L.
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XNP-01504] c28 N70-34162
BROWN, R. R.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
BROWN, W. E., III
Method and means for providing an absolute power measurement capability Patent

[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432
BROWNING, R. F.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376
BROYLES, B. F.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
BROYLES, B. B.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
BRUCE, M. M., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
BRUCE, R. A.
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c14 N71-28933
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522
BRUNSTEIN, S. A.
Dual frequency microwave reflex feed
[NASA-CASE-NEC-13091-1] c09 N73-12214
BRYAN, C. J.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
BRYAN, H. B.
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c11 N71-33612
BRYANT, E. L.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
BRYANT, W. B.
Digital controller for a baum folding machine
[NASA-CASE-LAR-10688-1] c37 N74-21056
BRYSON, B. P.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
BUCHANAN, R. I.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
BUCHELE, D. R.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
BUCHHOLD, T. A.
Superconductive accelerometer Patent
[NASA-CASE-XNP-01099] c14 N71-15969
BUCHHILLER, L. D.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
BUCKLEY, D. H.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046
BUHLER, G. V.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
BULLINGER, H. B.
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c06 N72-21094
BUNCE, R. C.
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c21 N70-41930
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113
BUNKER, R. R., JR.
Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246
BURCH, C. P.
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
BURCH, J. L.
Two speed drive system
[NASA-CASE-MFS-20645-1] c37 N74-23070
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
BURCHAM, T. W.
Controlled release device Patent
[NASA-CASE-XMS-03338] c15 N71-24043
BURCHER, E. E.
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497
BURDIN, C.
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
BURGETT, F. A.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
BURK, S. M., JR.
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
BURKE, J. E.
Optical spin compensator
[NASA-CASE-XGS-02401] c14 N69-27485
BURKHART, J. A.
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c25 N73-25760
BURKLEY, R. A.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
BURNETT, J. E.
Improved tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N76-23837
BURNHAM, D. C.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
BURNS, E. A.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
BURNS, F. P.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440
BURNS, R. H.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
BURNS, R. K.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
BURROUS, C. N.
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
BURROWS, D. I.
Insulating structure Patent
[NASA-CASE-XNP-00341] c15 N70-33323
BURTON, D. R.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147

BURTON, W. A.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Annular slit colloid thruster Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
BUSEMANN, A.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
BUSH, H. G.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Lightweight structural columns
[NASA-CASE-LAR-12095-1] c39 N77-27432
BUTLER, D. H.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
BUTMAN, S.
Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
BUTMAN, S. A.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
BUZZARD, R. J.
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
BYERS, D. C.
Electrostatic thruster with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
BYNUM, B. G.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
BYRD, A. W.
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05643] c03 N71-11055
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c09 N71-24807
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c33 N71-25353
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c33 N71-27862
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c44 N76-16612
BYRD, J. D.
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c06 N71-20717
BYRD, N. R.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
BYRNE, P.
BCD to decimal decoder Patent
[NASA-CASE-XNS-06167] c08 N71-24890
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c09 N72-21247
Digital servo controller
[NASA-CASE-KSC-10769-1] c33 N74-29556

C

CABLE, C. W.
Solar cell assembly test method
[NASA-CASE-NPO-10401] c03 N72-20033
CABLE, W. L.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
CACOSSA, R. A.
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747
CAHILL, H. E.
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c15 N71-22706
CALANDRO, J. B.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
CALLAHAN, D. E.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
CALVERT, H. F.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
CAMACHO, S. L.
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897
CAMBRA, J. M.
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
CAMERON, J. B.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
CAMP, D. W.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
CAMP, E. L.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
CAMPBELL, B. A.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
CAMPBELL, C. C., JR.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
CAMPBELL, D. R.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
CAMPBELL, F. D.
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
CAMPBELL, G. E.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
CAMPBELL, G. W.
Method and system for respiration analysis Patent
[NASA-CASE-XFB-08403] c05 N71-11202
CAMPBELL, J. G.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942
Tube sealing device Patent
[NASA-CASE-NPO-10431] c15 N71-29152
CAMPBELL, R. A.
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c15 N73-13466
CAMPBELL, R. P., JR.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
CAMPBELL, T. G.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
CAMPEN, C. F., JR.
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
CANCRO, C. A.
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c08 N71-19435
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236
CANICATTI, C. L.
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
CANNING, T. N.
Shock-layer radiation measurement

[NASA-CASE-XAC-02970] c14 N69-39896
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c35 N74-15126
CANTOR, C.
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c10 N71-20782
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
CANVEL, B.
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c07 N71-26102
CAPLETTE, B. K.
Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199
CAPPS, J. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
CARBB, B. P.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725
CARL, C.
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
CARL, G. B.
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137
CARLE, C. E.
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
CARLISLE, T. E.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278
CARLSON, A. W.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
CARLSON, H. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
CARLSON, W. C. A.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628
CARMIN, D. L., JR.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
CARMODY, R. J.
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c18 N71-21651
CARON, P. R.
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c09 N72-23173
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
CARPINI, T. D.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
CARR, W. P.
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
CARRAWAY, J. B.
Miniature multichannel telemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
CARROLL, W. F.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
CARSON, J. W.
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065
CARSON, P. R.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
CARSON, W. N., JR.
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608
CARTER, A. F.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661
CARTER, J. H.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
CARTER, W. K.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
CARUSO, A. J.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
CARUSO, V. P.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
CASE, H. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
CASEY, L. O.
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c09 N71-12526
CASHION, K. D.
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c14 N71-19568
Radiation detector readout system Patent
[NASA-CASE-XMS-03478] c14 N71-21040
CASON, H. L.
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394
CASTLE, K. D.
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
CASTLEMAN, K.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
CAUDILL, L. O.
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
CECCON, H. L.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
CEPOLLINA, F. J.
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c14 N71-24233
CERINI, D. J.
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
CHAMBERLAIN, P. B.
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
CHAMBERS, A. B.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
CHAMIS, C. C.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
CHAMPINE, R. A.
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
Crosswind landing gear position indicator
[NASA-CASE-LAR-11941-1] c06 N77-20098
CHANDLER, J. A.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c31 N71-16080
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
CHANDLER, W. A.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
CHAO, J. I. L.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

CHAPMAN, C. P.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
CHAPMAN, R. M.
Inflation system for balloon type satellites Patent
[NASA-CASE-MSC-03351] c31 N71-16081
CHAPPELLE, P. W.
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-MSC-05533] c04 N69-27487
Light detection instrument Patent
[NASA-CASE-MCS-05534] c23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-MSC-05532] c06 N71-17705
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
CHARLTON, E. W.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-MFS-04843] c03 N69-21469
CHARNOSKY, A. J.
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XNP-02107] c15 N71-10809
CHASE, W. D.
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N76-10148
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
CHATTERJEE, J. S.
Dielectric loaded aperture antenna
[NASA-CASE-LAR-11084-1] c09 N73-12216
CHEATHAM, D. C.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186
CHEN, C. J.
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
CHEN, W.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
CHEN, W. S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
CHENG, D. Y.
Reversed ccwl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
CHENG, S. I.
Pyrolysis system and process
[NASA-CASE-MSC-12669-1] c44 N76-16621
CHERDAK, A. S.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407
CHERNOFF, R. C.
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340
CHESTNUTT, D.
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
CHI, K.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
CHIAO, R. Y.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
CHILDRESS, J. D.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072
CHILDS, J. H.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
CHILENSKI, J. J.
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249
CHILTON, E. G.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
CHIOA, R. Y.
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
CHISEL, D. H.
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
CHONG, C. F.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-MSC-03058] c10 N71-19547
CHOW, E. Y.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
CHOWNING, D.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
CHREITZBERG, A. H.
Electric battery and method for operating same Patent
[NASA-CASE-MSC-01674] c03 N71-29129
CHRISTMAN, L. H.
Resuscitation apparatus Patent
[NASA-CASE-MFS-01115] c05 N70-39922
CHRISTOPHER, P. A.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
CHU, T. L.
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054
Improved low cost substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N76-26695
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
CHUBLEY, J. P.
Zero gravity apparatus Patent

[NASA-CASE-LRP-06515] c14 N71-23227
CIEPLUCH, C. C.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
CISSELL, R. R.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
CISZEK, T. F.
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
CLAPP, W. B.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316
CLARK, F. L.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
CLARK, H. K.
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
CLARK, J. B.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
CLARK, K. B.
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
CLARK, R. L.
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
CLARK, R. T.
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396
CLARKE, D. R.
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487
CLATTERBUCK, C. R.
Spacecraft battery seals
[NASA-CASE-IGS-03864] c15 N69-24320
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
CLAUSS, R. C.
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c09 N71-20445
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c09 N71-23097
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c16 N71-24831
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
CLAWSON, G. T.
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
CLAY, F. P., JR.
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
CLEMENS, G. W., JR.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
CLEMENS, P. W.
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
CLEMENT, W. G.
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
CLEMENTS, P. A.
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
CLEMMONS, D. I., JR.
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617
CLEVELAND, G. J.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
CLICKNER, R. E., JR.
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c03 N71-12258
CLIFF, R. A.
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c08 N71-19437
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c09 N71-23525
SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
CLIFF, W. C.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
CLINE, R. W.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
CLOTFELTER, W. N.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511
CLOUGH, L. G.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
COBIN, J. C.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
COCCA, P. J.
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
COE, H. H.
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
COE, P. L., JR.
Supersonic transport
[NASA-CASE-LAR-11932-1] c05 N76-31219
COFFINBERRY, G. A.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
COHEN, D.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
COHEN, E. A.
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
COHEN, H. P.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c08 N71-29138
COHEN, N. S.
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
COHEN, R. A.
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c09 N70-11148
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
COHN, R. H.
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-EQN-10862-1] c44 N76-29699
COHN, R. B.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-ERC-10060-1] c14 N73-27379
COKER, L. R.
Quick disconnect latch and handle combination Patent

[NASA-CASE-MFS-11132] c15 N71-17649
COLBURN, M. E.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
COLE, H. A., JR.
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c14 N72-22440
COLE, P. T.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c08 N71-21042
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
COLES, W. D.
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c26 N73-26752
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
COLLIER, L.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147
COLLIN, R. E.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20655] c15 N73-27405
COLLINS, D. D.
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
COLLINS, D. F., JR.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
COLLINS, E. R.
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
COLLINS, E. R., JR.
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c15 N72-20443
COLLINS, V. G.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
COLLINS, W. A.
Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
COLONY, J. A.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
CONANT, J. R.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c09 N71-19449
CONE, C. D., JR.
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c01 N71-13411
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
CONGER, C. C.
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c09 N72-27226
CONIGLIO, G. V.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
CONN, J. H.
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c14 N71-22992
CONNELL, R. W.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
CONNOLLY, D. J.
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N77-17360
CONNOLLY, J. P.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
CONNORS, J. P.
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c28 N70-33284
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c02 N70-37939
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c28 N70-39899
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
CONRAD, E. W.
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c28 N70-34294
Non-reusable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c15 N70-34861
CONRAD, W. R.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696
CONWAY, E. J.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
COOGAN, J. H.
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c30 N71-15990
COOK, T. A.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
COOK, W. R., JR.
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221
COOLIDGE, J. E.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255
COON, G. W.
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c14 N71-26135
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
COOPER, C. R.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
COOPER, D. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
COOPER, W. E.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
COPELAND, J. T., JR.
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c14 N72-18411
CORBIN, P. L.
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276
CORNILLE, H. J., JR.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016
CORNISH, S. D.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
CORSON, B. W., JR.
Nozzle Patent
[NASA-CASE-XLA-00154] c28 N70-33374
Cascade plug nozzle
[NASA-CASE-LAR-10951-1] c28 N73-19819
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c07 N76-18117
COBURN, B. R.
Apparatus for determining thermophysical properties of test specimens

[NASA-CASE-LAR-11883-1] c09 N77-27131
COSTAKOS, N. C.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
COSTEN, R. C.
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423
COSTES, N. C.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
COSTON, R. H.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725
COTE, C. E.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571
COUCH, R. H.
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
COULBERT, C. D.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942
COUVILLON, L. A., JR.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c09 N73-28084
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
COWAN, J. J.
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
COWELL, T. E.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647
COX, J. A.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163
CRABILL, N. L.
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582
CRAIG, R. A.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260
CRAWFORD, E.
Solar energy powered helictrope
[NASA-CASE-GSC-10945-1] c21 N72-31637
CRAWFORD, W. E.
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c09 N71-24892
CREASY, W. K.
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
CREE, D.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
CREE, E. F.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XNP-03903] c15 N69-21922
CREEDON, J. F.
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
CREEL, T. R., JR.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
CREPEAU, P. C.
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
CRESS, S. B.
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
CRESSEY, J. B.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571
CREWS, J. H., JR.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
CRIBB, H. E.
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c09 N71-13521
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c07 N71-19493
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c07 N71-24614
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c07 N71-26292
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c07 N71-33108
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c07 N73-26117
CROFT, H. H.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
CROFTS, D. E.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
CROOM, D. R.
Vortex attenuation method
[NASA-CASE-LAR-12034-1] c02 N77-22045
CROSWELL, W. F.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
Dielectric loaded aperture antenna
[NASA-CASE-LAR-11084-1] c09 N73-12216
CROUCH, H. W.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
CROUCH, R. K.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
CROW, R. B.
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
CRUM, G. W.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
CRUMPLER, J. F.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
CRUMPLER, W. B.
All-directional fastener Patent
[NASA-CASE-XLA-01807] c15 N71-10799
Multilegged support system Patent
[NASA-CASE-XLA-01326] c11 N71-21481
CRUTCHER, J. E.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
CUBBISON, R. W.
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
CUBLEY, H. D.
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c07 N71-27056
CUDDIHY, E. F.
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524

CUDMORE, P. B.
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134
CULLEN, V. B.
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
CULP, D. H.
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
CUNNINGHAM, B. B.
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
CUNNINGHAM, B. E.
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
CURRIE, J. B.
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c07 N71-11298
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c10 N71-24861
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Rateneter
[NASA-CASE-MFS-20418] c14 N73-24473
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
CURRIE, B. E., JR.
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c09 N70-34502
CURRY, J. P.
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c06 N71-20905
CURRY, R. C.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
CURRY, B. E.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
CURTIS, D. L.
Life support system
[NASA-CASE-MSC-12411-1] c05 N72-20096
CYGNAROWICZ, T. A.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
CZARCINSKI, E. A.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624

D

DARGIS, J. J.
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-19524
DAHM, W. E.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
DAILEDA, J. J.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
DAILEY, C. C.
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c09 N71-13486
Method and means for testing a glancing-incidence mirror system
[NASA-CASE-MFS-22409-2] c74 N76-26988
DALE, W. J.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
DALELIO, G. F.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a noncfunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740
DALY, W. H.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
DAMERON, C. B.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-ILA-08493] c10 N71-19421
DAMMIG, A. H., JR.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
DANCHENKO, V.
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c76 N74-20329
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c76 N75-25730
DANE, D. H.
Harness assembly Patent
[NASA-CASE-MFS-14671] c05 N71-12341
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c15 N71-17805
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c11 N71-19494
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c15 N72-21463
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c54 N75-12616
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
DANGLE, E. E.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
DANIELS, H. J.
Adaptive tracking notch filter system Patent
[NASA-CASE-XRP-01892] c10 N71-22986
DANSKIN, J. H.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c28 N71-14058
DARCEY, E. J.
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c07 N71-24621
DARE, J., JR.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
DARRON, W. E., JR.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
DASGUPTA, E.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
DAVID, E. E.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
DAVIDS, L. H.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
DAVIDSON, A. C.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
DAVIDSON, J. K.
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
DAVIDSON, J. S. W.
Centrifuge mounted motion simulator Patent

[NASA-CASE-XFC-00399] c11 N70-34815
DAVIES, W. D. T.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
DAVIS, A. J.
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XNP-02433] c14 N71-10616
DAVIS, B. K.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XNP-02039] c15 N71-15871
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Solar energy power system
[NASA-CASE-MFS-21628-1] c44 N75-32581
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
DAVIS, D. P.
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450
DAVIS, E. J.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
DAVIS, E. S.
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c14 N71-15604
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c14 N71-23797
Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157
DAVIS, J. G., JR.
Tube fabricating process
[NASA-CASE-LAR-10203-1] c15 N72-16330
DAVIS, J. P.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c09 N72-27228
DAVIS, J. W.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262
DAVIS, L. P.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
DAVIS, N. S.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
DAVIS, W. T.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
DAVISON, E. H.
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c14 N71-10797
DAVISON, E. W.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
DAWN, F. S.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
Lightweight electrically powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c24 N75-16635
DAY, J. L.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925
Pressed disc type sensing electrodes with ion-screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
DAYAN, V. H.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
DEBNAM, W. J.
Magnetometer
[NASA-CASE-LAR-11617-2] c35 N77-17430
DEBNAM, W. J., JR.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
DEBOO, G. J.
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c10 N72-16172
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
DECARLO, F. S.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
DECKER, A. J.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
DEDOLPH, R. D.
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c51 N75-25503
DEERKOSKI, L. P.
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
DEFURIA, R. R.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
DEGEER, H. D.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
DEGRASSE, R. W.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
DEIS, B. C.
Traveling sealer for contoured table Patent
[NASA-CASE-XIA-01494] c15 N71-24164
DEL CASALE, L. A.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
DEL CURTO, B.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
DEL DUCA, A.
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c09 N71-19480
DELANO, C. B.
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421
DELAPLAINE, R. W.
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498
DELATEUR, L. A.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
DELGREGO, D. J.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
DELUCA, J. J.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N76-19234
DELVIGS, P.
Preparation of polyimides from mixtures of monomeric diamines and esters of

polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
DEMING, J. W.
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
DEMOGENES, C.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877
DEMOREST, K. E.
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c15 N71-24984
DENACI, D. E.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813
DEO, N.
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c21 N73-13644
DERING, W. G.
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898
DERR, L. J.
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c09 N71-26182
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818
DESCAMP, V. A.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
DESTREESE, J. G.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
DETWEILER, H. K.
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
DEVINE, E. J.
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c23 N71-16100
DEWHIRST, D. L.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
DEWITT, R. L.
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492
DEYOUNG, R. J.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
DI LOSA, V. J.
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
DIAMOND, D. D.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062
DIAMOND, R. B.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
DIBATTISTA, J. D.
Anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
DICKENS, L. E.
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
DICKERSON, G. E.
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N77-22179
DICKINSON, R. B.
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
DIETRICH, F. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
DILLON, R. P., JR.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
DIMPFF, J.
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c09 N70-39915
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c09 N71-18830
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c06 N72-31141
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c74 N76-20958
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388
DIX, H. G.
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
DIXON, G. V.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
DOBIES, E. F.
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c14 N73-14427
DOD, L. B.
Plural beam antenna

[NASA-CASE-GSC-11013-1] c09 N73-19234
DOLAND, G. D.
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
DOMBROWSKI, H. G.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918
DONALDSON, R. W., JR.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
DONNELLY, P. C.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
DONNINI, J. M.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c14 N72-25412
DONOHUE, J. M.
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
DONOVAN, B. P.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
DONOVAN, G.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
DONOVAN, R. P.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
DOONG, H.
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c08 N71-12501
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
DORNE, A.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
DOTSON, W. P., JR.
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c08 N73-32081
DOTTS, R. L.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
DOUGHERTY, N. S.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
DOUGHTY, R. A.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
DOUGLAS, J.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076
DOUGLAS, J. L.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407
DOW, N. B.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
DOW, R. P.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136
DOWLER, W. L.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
DOWNS, W. R.
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c31 N70-42075
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
DOYLE, J. C.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
DRESHFIELD, R. L.
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
DRESSER, M. S.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
DREXHAGE, M. G.
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c28 N72-17843
DRISCOLL, K. L.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
DRUMMOND, A. S.
Flexible back-up bar Patent
[NASA-CASE-XNP-00722] c15 N70-40204
DU PONT, P. S.
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c03 N71-26726
DUBEY, M.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
DUBOIS, R. D.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
DUBUSKER, W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
DUFFY, J. O.
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c10 N71-25917
DUHAETZ, R. A.
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
DUHAVANT, J. C.
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
DUHN, J. G.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
DUHN, J. M.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
DUHN, S. T.
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
DUHN, W. R.
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
DUHNAVANT, W. R.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XNP-06409] c06 N71-23230
Process for preparation of high-molecular-weight polyaryloxysilanes Patent
[NASA-CASE-XNP-08674] c06 N71-28807
DUNNING, J. W., JR.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983
DUPRAN, W. A.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
DURAN, E. M.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
DURNEY, G. P.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
DUSTIN, M. O.
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c10 N71-25899
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c35 N76-14431

E

EASLEY, W. C.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
EASTERLING, M. F.
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680

Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c10 N71-26326
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
EASTON, R. A.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
EATON, L. R.
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
EBERSOLE, T. J.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
EBIHARA, B. T.
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c33 N71-24145
EBY, R. J.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
ECKERT, E. R. G.
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c15 N70-33226
ECKLES, P. H.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
EDDINS, T. O.
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c31 N70-36845
Missile launch release system Patent
[NASA-CASE-XMF-03198] c30 N70-40353
EDLESON, S. R.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c15 N71-24897
EDMAN, C. W.
Electrical switching device Patent
[NASA-CASE-NEC-10037] c09 N71-19610
EDWARDS, G. G.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
EDWARDS, T. R.
Filtering device
[NASA-CASE-MFS-22729-1] c32 N76-21366
EGGERS, A. J., JR.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
EGLI, P. H.
Method of forming transparent films of ZnO
[NASA-CASE-FEC-10019] c15 N73-12487
EHRENFELD, D. A.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
EICHENBRENNER, F. F.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-19528
EICHENTHAL, J.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
EISENBERGER, I.
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
ELACHI, C.
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Distributed feedback accustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
ELDER, W. D.
Internal flare angle gauge Patent
[NASA-CASE-XNP-04415] c14 N71-24693
ELIA, A. D.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
ELIASON, J. T.
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
ELKINS, W.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
ELLEMAN, D. D.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24637
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
ELLERN, W. B.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934
ELLIOTT, D. G.
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
ELLIOTT, R. L.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098
ELLIS, D. R.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
ELLIS, S. G.
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c26 N71-29156
EMDE, W. D.
Etching of aluminum for bonding Patent
[NASA-CASE-XNP-02303] c17 N71-23828
EMERY, J. C.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
ENGEL, A.
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
ENGLAND, C.
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
ENGLAR, T. G.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
EBIE, R. B.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001

ENRIQUEZ, E.
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
ENSTROM, R. E.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-MFS-03700] c15 N69-24266
EPPS, C. H., JR.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
EPSTEIN, J.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-NGS-05718] c26 N71-16037
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
EPSTEIN, P.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
ERB, R. B.
Heat shield Patent
[NASA-CASE-MFS-00486] c33 N70-33344
ERICKSON, W. D.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
ERLICHMAN, L.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
ERPENBACH, R.
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c24 N71-25555
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
ERRETT, D. D.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
ESCHER, W. J. D.
Attitude and propellant flow control system and method Patent
[NASA-CASE-XNP-00185] c21 N70-34539
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c28 N71-10780
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XNP-00968] c28 N71-15660
ESGAR, J. B.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
ESKEW, H. H., JR.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
ESPY, P. N.
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c25 N72-32688
ESTES, E. G.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c31 N71-15643
ESTES, H. P.
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
ETSION, I.
A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496
EUBANKS, A. G.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-NGS-01725] c14 N69-39982
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-NGS-02435] c18 N71-22998
EULITZ, W. R.
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c12 N70-38997
EVANS, D. D.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
EVANS, D. G.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
EVANS, H. H.
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657
EVANS, P. D.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
EVANS, G. A.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
EVANS, H. E.
Mechanical capacitor
[NASA-CASE-GSC-12030-1] c44 N76-30652
EVANS, J.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Nutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513
EVANS, J. C., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-1] c44 N77-17564
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
EVANS, J. H., JR.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c32 N75-30385
EVANS, P. K.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
EVENSEN, D. A.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
EVYARD, J. C.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
EWEN, H. I.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
EXTON, R. J.
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530
EZEKIEL, F. D.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465

F

FABTH, P. A.
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c14 N71-23093
FAGET, M. A.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33303
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938

Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c31 N73-14854
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
PAGOT, B. J.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
PAKAN, J. C.
Superconducting alternator
[NASA-CASE-XLE-02824] c03 N69-39890
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c09 N71-23443
PALBEL, G.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
PALES, C. L., JR.
Magnetometer
[NASA-CASE-LAR-11617-2] c35 N77-17430
PALK, W. C.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
PANG, P.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
PANNIN, B. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
PARNSWORTH, D. L.
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
PARNSWORTH, F. D.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
PARRELL, R.
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c09 N72-25261
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
PARRIS, C. D.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
PARTHING, W. R.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
PASSBENDER, A. G.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
PAULENER, R. D.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735
PAY, R. J.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
PEAKES, P.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390
PEALEY, R. D.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
PEARBOROUGH, R. T.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
PEATHERSTON, A. B.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
PEDOR, J. V.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016
PEDORS, R. P.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
PEERENKAMP, L. G.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-2] c05 N77-31131
PEILER, C. B.
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
PEINBERG, P. B.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
PEINSTEIN, L.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
PELDSTEIN, C.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
PELL, D. M.
Flexible pile thermal barrier seal
[NASA-CASE-MSC-19568-1] c37 N76-23585
PELTNER, W. R.
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N76-26394
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
PENG, S. Y.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
PENTRESS, C. R.
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c31 N71-16346
PENWICK, J. B.
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
PERGUSON, B. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
PERRARA, L. J.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
PESSLER, T. E.
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c14 N69-23191
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
PIELDS, S. A.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
PIET, O. O.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
PIGGINS, D. A.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
PILIP, G. L.
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c09 N71-26133
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c15 N71-29032
PINDL, E.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
PINK, J. W.
Bus voltage compensation circuit for controlling direct current motor

[NASA-CASE-XMS-04215-1] c09 N69-39987
FINKE, R. C.
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c09 N69-21542
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c14 N71-21090
FINLEY, T. D.
Split range transducer
[NASA-CASE-XLR-11189] c10 N72-20222
FINLEY, W. R.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163
FINNIE, C. J.
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057
FISCHELL, D. E.
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
FISCHER, J. A.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918
FISCHER, J. R.
An interleaving device
[NASA-CASE-GSC-12111-2] c60 N77-31800
FISH, D. C.
Spin forming tubular elbows Patent
[NASA-CASE-XNP-01083] c15 N71-22723
FISH, R. H.
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
FISH, R. H.
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
FISHER, A.
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
FITCH, E. J.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
FITTING, R. C.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
FITTON, J. A., JR.
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
FITZER, G. E.
A machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
FITZGERALD, D. J.
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
FITZGERALD, J. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
FITZGERALD, J. W.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-RE-ARC-10329-2] c52 N76-30793
FITZGERALD, T. E.
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c10 N71-25900
FITZMAURICE, E. W.
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
FLAGGE, R.
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c32 N71-16428
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c09 N72-21248
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
FLAHERTY, R.
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031
FLAHN, D. L.
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771
FLANNERY, E. J.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XNP-04237] c33 N71-16278
FLATAU, C. R.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
FLATTAU, T.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
FLEETWOOD, C. M., JR.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
FLEISCHMAN, G. L.
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
FLETCHER, E. A.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
FLETCHER, I. L.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
FLETCHER, J. C.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
FLIPPIN, A.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
FLORES, A. L.
Field ionization electrodes Patent
[NASA-CASE-REC-10013] c09 N71-26678
FLOYD, E. L.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625

FOGAL, G. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
FOHLEN, G. M.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
FONTANA, A.
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c14 N71-23269
FOOTE, R. H.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
FORBES, S. G.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
FORD, A. G.
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N75-22748
FORD, P. E.
Coulometer and third electrode battery charging

circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
FORD, H. E.
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XIA-00414] c07 N70-38200
FORESAND, L.
Solar cell mounting Patent
[NASA-CASE-XMF-00826] c03 N71-20895
FORESTIERI, A. F.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
FORLIFER, W. E.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
FORSYTHE, A. K.
Umbilical separator for rockets Patent
[NASA-CASE-XMF-00425] c11 N70-38202
FORTINI, A.
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
FOSTER, J. V.
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c02 N71-29128
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c21 N72-22619
FOSTER, L. E.
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
FOWLER, J.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
FOWLER, J. T.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228
FOX, W. E.
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
FRANCISCO, A. C.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
FRANCISCUS, L. C.
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
FRANK, H. A.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
FRANKLIN, W. J.
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c15 N70-41371
FRASER, A. S.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
FRAZE, R. E.
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c23 N71-26654
FRAZER, R. E.
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
FRAZIER, H. J.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
FRECKE, J. C.
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c17 N70-33283
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c33 N71-29152
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
FREDRICKSON, C. A.
Energy absorption device Patent
[NASA-CASE-XMF-01848] c15 N71-28959
FREEMAN, H. S.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
FREGGENS, H. A.
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606
FRENCHE, J. C.
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
FRIDRICH, C. W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
FRIEBEL, G. O.
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
FRIEDELL, H. V.
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N77-15397
FRIEDEN, H. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
FRIEDERICHS, J. E.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440
FRIEDRICH, E. W.
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c31 N70-33242
FRISBIE, H. F.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
FRITZEN, H., JR.
Noncontaminating swabs
[NASA-CASE-HES-18100] c15 N72-11390
FROEHLING, S. C.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
FROST, J. D., JR.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c05 N71-24729
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
FRYER, T. B.
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c05 N71-12342
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c14 N73-32326
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N77-23743
FUCHS, J. C.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320

FUHRMEISTER, P. F.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
FUJICKA, R. S.
Folding structure fabricated of rigid panels
[NASA-CASE-XEQ-02146] c18 N75-27040
FULCHER, C. W. G.
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
FULCHER, R. W.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
FULLER, H. V.
Cable restraint
[NASA-CASE-LAR-10129-1] c15 N73-25512
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
FUNK, B. H., JR.
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c14 N72-21407
FURCINITI, C. A.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
FURMAN, E. R.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c37 N76-20486
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
FURNER, R. L.
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
FURUMOTO, M. W.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
FYLER, H. F.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
FYNAT, A. L.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Particle size spectrometer and refractometer
[NASA-CASE-NPO-13614-1] c35 N75-19628
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490

G

GABROVIC, L. J.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
GADDIS, D. H.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
GADDY, E. H.
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031
GADE, D. W.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
GAETANO, G.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
GAHN, R. F.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
GAISER, E. E.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
GALE, G. P.
Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199
GALLAGHER, R. E.
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
GALLO, A. J.
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
GARAVAGLIA, A. P.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
GARBA, J. A.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
GARD, L. H.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
GARDNER, D. E.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
GARDNER, J. H.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
GARDNER, H. S.
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
GARDOS, M. N.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
GARFEIN, A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
GARNIER, H. H.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
GARNER, H. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
GARRAHAN, R. B.
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c10 N71-23029
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c09 N71-27016
GARREN, J. F., JR.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
GARWOOD, D. C.
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c14 N70-35666

GASTON, D. H.
Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42033
GASTON, E. P., JR.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
GATES, D. W.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
GATES, J. D.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
GATES, L. E., JR.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088
GATEWOOD, J. E.
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
GATLIN, J. A.
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c08 N71-29033
GATTI, A.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
GAUSE, R. L.
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c35 N75-15932
GAVIRA, M. E.
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
GAVRILLIS, T. G.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
GDULA, W. G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
GEBBEN, V. D.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
GEDWILL, M. A.
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
GEE, S. W.
Terminal guidance system
[NASA-CASE-FRC-10049-1] c04 N74-13420
GEHRING, W. E.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
GEIDEMAN, W. A., JR.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
GEIER, D. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
GEIPEL, D. H.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265
GEISE, P. E., JR.
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
GELB, L. L.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
GELLES, H.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
GENTER, R. E.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001
GEORGE, T. E., JR.
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
GERDTS, J. C.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
GERINGER, H. J.
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c14 N71-23267
GERMANN, E. F., JR.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
GERTSMA, L. W.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
GETCHELL, D. E.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
GETTELMAN, C. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
GIACCONI, R.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
GIANDOMENICO, A.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
GIANNINI, G. M.
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-29426
GIBSON, F. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
GIFFIN, C. E.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
GILBERT, G. J.
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
GILBREATH, W. P.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
GILCHRIEST, C. E.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791
GILES, E. H. P.
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
GILKISON, C. A.
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962
GILL, W. L.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
GILLERMAN, J. B.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
GILLESPIE, W., JR.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309

Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c31 N71-15663
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c15 N71-23052
GILLETTE, R. E.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001
GILLEY, G. C.
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
GILLEY, P. J.
Material fatigue testing system
[NASA-CASE-MFS-20673] c14 N73-20476
GILLIGAN, J. E.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
GILLMORE, W. F.
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177
GILMAN, H. H.
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
GILREATH, H. C.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
GILWEE, W. J.
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
GIN, W.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
GIORGINI, E. A.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
GIOVANNETTI, A., JR.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
GIRALA, A. S.
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c05 N72-22093
GLASER, P. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
GLASSEY, E. A.
Line following servosystem Patent
[NASA-CASE-XAC-00001] c15 N71-28952
GLAWE, G. E.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327
GLEKAS, L. P.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
GLENN, C. G.
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
GLENN, D. C.
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c15 N71-17688
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c15 N71-26189
GLOBUS, R. H.
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c23 N71-16212
GLOMB, W. L.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
GLORIA, H. R.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
GOEHRING, R. S.
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672

GOLD, H. S.
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426
GOLDBERG, G. I.
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c14 N71-21082
GOLDBERG, J.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
GOLDEN, D. P., JR.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
GOLDMAN, G. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
GOLDSBERRY, B. E.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
GOLDSCHMIED, F. R.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578
GOLDSMITH, J. V.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042
GOLDSTEIN, A. W.
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c07 N74-28226
GOLDSTEIN, H. E.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
GOLDSTEIN, I.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
GOLDSTEIN, R. H.
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c07 N71-21476
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
GOODRICH, J. A.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
GOODWIN, F. E.
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
GOODWIN, R. A.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
GOODYER, M. J.
Stagnation pressure probe

[NASA-CASE-LAR-11139-1] c35 N74-32878
GOOKIN, B.
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
GORDON, B. L.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
GORDON, W. A.
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c09 N71-22987
GORELICK, D.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
GORSTEIN, M.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
GOSS, W. C.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
GOUDY, J. B.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817
GOULD, C. W.
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c15 N70-41960
GOULD, J. M.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XFF-00663] c08 N71-18752
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
GOULD, W. I., JR.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
GRAAE, J. W.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
GRABOWSKI, J. P.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
GRAFF, J.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
GRAFSTEIN, D.
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
GRAHAM, O. L.
Color television system
[NASA-CASE-MSC-12146-1] c07 N72-17109
GRAHAM, R. W.
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
GRAN, A. A.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
GRANA, D. C.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563
GRANATA, R. L.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
GRANT, D. J.
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c14 N71-22965
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c14 N71-22996
GRANT, G. B.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
GRANT, H. H.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
GRANTHAM, W. I.
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c25 N71-20563
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c07 N71-28980
GRAY, C. B.
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c23 N71-16365
GRAY, D. T.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
GRAY, J. L.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
GRAY, V. H.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
Ablative system
[NASA-CASE-LEW-10359] c33 N72-25911
Ablative system
[NASA-CASE-LEW-10359-2] c33 N73-25952
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c31 N73-32750
GRAYSON, J. B.
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c10 N71-10578
GREBE, V. J.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
GREBE, F. J.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
GREEN, A. T.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
GREEN, E. D.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
GREEN, K. A.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
GREEN, R. G.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c15 N71-26145
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
GREEN, R. E.
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c08 N71-24650
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
GREEN, W. L.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000
GREENBERG, J.
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
Heat activated cell Patent
[NASA-CASE-LEW-11359] c03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c03 N72-20034
GREENLEAF, J. E.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
GREENWOOD, T. L.
Seismic displacement transducer Patent
[NASA-CASE-XNP-00479] c14 N70-34794
Condition and condition duration indicator Patent
[NASA-CASE-XNP-01097] c10 N71-16058
GREGORY, J. W.
Rocket motor system Patent

[NASA-CASE-XLE-00323] c28 N70-38505
Combustion chamber Patent
[NASA-CASE-XLE-04657] c28 N71-23968
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c28 N73-13773
GREGORY, T. J.
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076
GRIEVE, S. M.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325
GRIFFIN, F. D.
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XMS-03495] c14 N69-39785
Optical monitor panel Patent
[NASA-CASE-XMS-03509] c14 N71-23175
GRIFFIN, R. M.
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
GRIFFIN, W. S.
Fluid jet amplifier
[NASA-CASE-XLE-03512] c12 N69-21466
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c12 N71-28741
GRIFFITH, G. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
GRINER, D. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
GRISAFFE, S. J.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
GRISWOLD, R. M., JR.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
GROBMAN, J.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
GROOM, N. J.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c09 N71-20447
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c19 N76-18227
GROSE, W. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
GROSS, C.
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c14 N71-25892
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
GROSS, W. J.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
GROTH, W. G.
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c14 N70-34298
GROVE, C.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320
GRUBBS, T. M.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Tension measurement device Patent
[NASA-CASE-XMS-04545] c15 N71-22878
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
GRUBER, C. L.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
GRUNBAUM, B. W.
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157
GRUNTHANER, F. J.
Soft X-ray laser using crystal channels as distributed feedback cavities
[NASA-CASE-NPO-13532-1] c36 N75-15973
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450
GUILLOTTE, R. J.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
GUISINGER, J. E.
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c09 N71-12540
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
GUIST, L. E.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
GUNGLE, R. L.
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967
GUNTER, W. D., JR.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
Schlieren system employing antiparallel reflector in the forward direction
[NASA-CASE-ARC-10971-1] c09 N76-26224
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
GURTLER, C. A.
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c14 N71-14996
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
GUSSOW, S. S.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
GUSTAFSON, G. L.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
GUTSHALL, R. L.
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
GUY, J. T., SR.
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819
GYORGAK, C. A.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817

H

HABBAL, N. A.
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c10 N71-26544
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
HABRA, J. E.
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04956-1] c10 N71-26414
HADEK, V.
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
HADLAND, W. O.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c15 N73-12488
HADLEY, N. C., JR.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
HADY, W. F.
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404
HAEHNER, C. L.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
HAEUSSERMANN, W.
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N76-33469
HAFLE, R. S.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
HAGIHARA, F. S.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c08 N71-12500
HAGOOD, G. J., JR.
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
HAINES, R. F.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-HF-ARC-10329-2] c52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
HALEY, C. T.
Clock setter
[NASA-CASE-LAR-11456-1] c35 N76-16392
HALEY, P. C.
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c14 N71-24809
HALL, D. F.
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086
HALL, E. D.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
HALL, E. H.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
HALL, J. B., JR.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
HALL, J. F., JR.
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c23 N71-30292
HALL, J. H.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
HALLAM, K. L.
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
HALLBERG, F. C.
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c10 N71-26531
HALLOCK, J. N.
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c16 N71-29131
HALPERN, W.
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478
HALPERT, G.
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
HAMLET, J. F.
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c35 N74-21017
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c33 N74-26732
HAMMACK, J. B.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
HAMMOND, A. D.
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
HANCHEY, K. K.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
HAND, F. J.
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
HANKINSON, T. W. E.
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c15 N69-27505
HANNA, M. F.
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c09 N71-26092
Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
HANSEN, G. H., JR.
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12512
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
HANSEN, I. G.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357
HANSEN, S.
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c15 N71-15967
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429
HANSON, H. P.
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c28 N71-29154
HANSON, P. W.
Lift balancing device
[NASA-CASE-LAR-10348-1] c11 N73-12264
HANSON, R. N.
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346
HARST, P. L.
Repetitively pulsed, wavelength selective laser

Patent
[NASA-CASE-EEC-10178] c16 N71-24832

HAQ, K. E.
A method for the deposition of beta-silicon carbide by isepitaxy
[NASA-CASE-EEC-10120] c26 N69-33482

HARADA, Y.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237

HARALSON, H. S.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130

HARAWAY, W. H., JR.
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c18 N71-26100
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575

HARD, T. M.
Optical systems having spatially invariant outputs
[NASA-CASE-EEC-10248] c14 N72-17323

HARDGROVE, W. F.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788

HARDY, J. C.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623

HARMAN, J. H., III
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c14 N71-17575

HARMS, V. W.
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-AEC-10134] c30 N72-17873

HAROULES, G. G.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-EEC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-EEC-10081] c14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-EEC-10276] c14 N73-26432

HARPER, C. A.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717

HARRAP, V.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205

HARRIGILL, W. T.
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385

HARRIS, D. H.
Recorder using selective noise filter
[NASA-CASE-EEC-10112] c07 N72-21119

HARRIS, H. P.
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455

HARRIS, H. V., JR.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243

HARRISON, D. H.
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041

HARRISON, E. S.
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421

HARRISON, F. L.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006

HARRISON, H. G., JR.
Pressure variable capacitor
[NASA-CASE-XNF-05752] c14 N69-21541

Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c07 N71-24840

HARSTAD, K. G.
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477

HARTENSTEIN, H. G.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964

HARTOP, R. H.
Reflex feed system for dual frequency antenna
[NASA-CASE-NPO-14022-1] c32 N77-24338

HARVEY, G. A.
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c14 N71-29041
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c14 N73-19419

HARVEY, W. D.
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989

HARWELL, R. J.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283

HASBACH, W. A.
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041

HASKELL, R. E.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583

HASSON, D. F.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924

HATAKEYAMA, L. F.
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853

HATCH, J. E.
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c03 N70-34134

HATCHER, H. H.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c21 N71-22880

HATFIELD, J. J.
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c08 N71-12507

HATHAWAY, H. E.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850

HAUGE, G.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885

HAURY, V. E.
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764

HAUSER, J. A.
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c14 N71-17588
High pressure helium purifier Patent
[NASA-CASE-XNP-06888] c15 N71-24044

HAVENS, D. E.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615

HAWKINS, C. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842

HAWLEY, J. J.
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189

HAWLEY, W. W.
Omnidirectional acceleration device Patent

[NASA-CASE-ECN-10780] c14 N71-30265
HAYDEN, R. E.
Magnetic counter Patent
[NASA-CASE-XNP-08836] c09 N71-12515
HAYNES, D. P.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563
HAYNES, J. L.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
HAYNIG, C. C.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
HAYNES, J. G.
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c03 N71-11058
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
HAYS, L. G.
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c14 N71-26199
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Flow control valve
[NASA-CASE-NPO-11951-1] c37 N74-21065
HEARN, C. P.
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c10 N71-27271
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
HEBERLIG, J. C.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
HECHT, R.
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c14 N73-30394
HECKELMAN, J. D.
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c10 N71-24798
HECKLER, C. R.
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896
Method for raking conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
HEDLUND, R. C.
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
HEER, E.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
HEFFERNAN, J. T.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-2] c05 N77-31131
HEFLINGER, L. C.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
HEIDMANN, H. F.
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c28 N70-38710
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
HEIDT, H. F.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
HEIBE, W. C.
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Molding apparatus
[NASA-CASE-LAR-10489-2] c31 N74-32920
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c31 N75-13111
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
HEIMBUCH, A. E.
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
HEIMERL, G. J.
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452
HEIN, L. A.
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
HEINDL, J. C.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048
HEINEMANN, K.
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
HEINEY, O. K.
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247
HEISMAN, R. E.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
HELBERT, W. B., JR.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
HELLBAUM, R. F.
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c12 N71-17579
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
HELLER, J. A.
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
HELLMANN, R. F.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
HENDERSON, H. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
HENDRICKS, H. D.
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c06 N73-16106
HENLEY, W. H.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
HENNIGAN, T. J.
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c14 N69-21363
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c03 N71-22974
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c03 N71-23336
HENRY, A. W.
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500

HENRY, B. Z., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
HENRY, V. F.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
HEPPNER, J. P.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
HERBELL, T. P.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
HERMAN, C. P.
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
HERRMANN, A. H.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
HEROLD, C. P.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c15 N71-10782
HERR, R. W.
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
HERRMANN, A. L.
Locking device with rolling detents Patent
[NASA-CASE-XNP-01371] c15 N70-41829
HERROM, B. G.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
HERSPERGER, W. H.
Variable direction force coupler
[NASA-CASE-MFS-20317] c15 N73-13463
HESS, R. V.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
HESS, R. W.
Contour surveying system Patent
[NASA-CASE-XLA-06646] c14 N71-17586
HESTER, H. B.
Current regulating voltage divider
[NASA-CASE-MFS-20935] c09 N71-34212
HETHCOAT, J. P.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
HEWES, D. E.
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c11 N71-10776
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
HEYMAN, J. S.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236
HEYSER, R. C.
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430
HEYSON, H. H.
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c11 N72-22246
HIGA, W. E.
Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c15 N71-23025
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
HIGBY, R. P.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
HIGH, R. W.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
HILBERT, E. E.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
HILBORN, E. H.
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519
HILDEBRANDT, A. F.
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
HILKER, W. R.
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
HILL, E. K.
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
HILL, O. E.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
HILL, P. H.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662
HILL, W. E.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
HILLBERG, E. T.
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c15 N71-20441
HILLBORN, E. H.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
HILLIS, D. A.
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
HILLMAN, C. E., JR.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
HILTON, G. E.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
HIMMELRIGHT, E. H.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
HIRAYAMA, C.
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
HIRSHFIELD, S. H.
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029
HITCHMAN, H. J.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
HOBART, H. F.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
HOBBS, A. J.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444

HOBLIN, L. E.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c07 N71-28979
HOCHMAIR, E. S.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428
HODDER, D. T.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
HODGES, D. H.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
HOFFLER, G. W.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
HOFFMAN, D. G.
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355
HOFFMAN, E. L.
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135
HOFFMAN, H. C.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
HOFFMAN, I. S.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
HOFFMAN, L. A.
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c10 N71-28859
HOFFMAN, R. A.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
HOFFMAN, T. E.
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
HOHL, F.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
HOKLO, K. H.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
HOLDEMAN, L. E.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
HOLDEN, G. R.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
HOLDEREER, O. C.
Electric arc driven wind tunnel Patent
[NASA-CASE-XNP-00411] c11 N70-36913
HOLDREN, R. T., III
Radar calibration sphere
[NASA-CASE-XLA-11154] c07 N72-21117
HOLES, J. K.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
HOLESKI, D. E.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
HOLKO, K. H.
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
Diffusion welding
[NASA-CASE-LEW-11388-2] c37 N74-21055
HOLLAHAN, J. E.
Protection of moisture sensitive optical components
[NASA-CASE-ARC-10749-1] c23 N73-32542
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
HOLLAND, V. B.
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c33 N75-19518
HOLLANDER, J.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Highly flucrinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
HOLLEMAN, E. C.
Three axis controller Patent
[NASA-CASE-XFR-00181] c21 N70-33279
HOLLENBAUGH, B. C.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
HOLLEY, L. D.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
HOLLIDAY, M. I.
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
HOLLIS, B. R., JR.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
HOLMAN, E. V.
Latching mechanism Patent
[NASA-CASE-XMS-03745] c15 N71-21076
HOLMES, B. K.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
HOLMES, H. K.
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c15 N71-24895
HOLMES, R. F.
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
HOLMES, S. J.
Ultraviolet filter
[NASA-CASE-XNP-02340] c23 N69-24332
HOLMES, T. H.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
HOLMES, W. T.
Lifting body Patent Application
[NASA-CASE-FRC-10063] c01 N71-12217
HOLMSTROM, F. E.
Shielded cathode mode bulk effect devices
[NASA-CASE-EEC-10119] c26 N72-21701
HOLT, H. H.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
HOLT, M. I.
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Electromagnetic transducer recording head having a laminated core section and tapered gap

[NASA-CASE-NFC-10711-1] c35 N77-21392
HOLTZE, E. P.
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
HOLWAY, E. P.
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c11 N71-23030
HOMKES, E. J.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
HONEY, E. W.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
HONEYCUTT, L., JR.
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
HONG, J. P.
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
HONNELL, M. A.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
HOOD, E. T.
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c14 N71-23037
HOOP, J. M.
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c38 N74-15395
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
HOOPER, C. D.
Extensometer Patent
[NASA-CASE-XMF-04680] c15 N71-19489
HOOVER, E. B.
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616
HOOVER, R. J.
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817
HOPKINS, P. M.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
HOPKINS, V.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
HOPPING, R. L.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
HORNE, W. B.
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c02 N70-36825
HORNER, J. L.
Photographic film restoration system
[NASA-CASE-MSC-12448-1] c14 N72-20394
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
HORTON, D. B.
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-39898
HORTON, J. C.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
HORTTOR, E. L.
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
HOSENTHIEN, E. E.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
HOTZ, G. E.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
HOUCK, W. H.
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c10 N71-27338
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
HOUSEMAN, J.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
HOWARD, E. A.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
HOWARD, F. S.
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c15 N73-12486
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c15 N73-26472
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c14 N73-27378
HOWARD, J. C.
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806] c06 N74-27872
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
HOWARD, P. W.
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
HOWARD, W. D.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993
HOWARD, W. H.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Tread drum for animals
[NASA-CASE-ARC-10917-1] c37 N76-20485
HOWARTH, J. T.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
HOWE, T. L.
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
HOWELL, J. E.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
HOWELL, W. E.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
HOWLAND, B. T.
High pressure air valve Patent
[NASA-CASE-MSC-11010] c15 N71-19485

HOYT, R. F.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
HRACH, P. J.
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
HROM, R. L.
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
HRUBY, R. J.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10230-1] c09 N73-32112
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
HRYNIEWICKI, E.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
HSU, G. C.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
HSU, L. C.
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244
HSU, Y.-Y.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983
HUBBARD, W. P.
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
HUBER, C. S.
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c05 N72-33096
HUBER, W. C.
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
Foldable construction block
[NASA-CASE-MSC-12233-1] c15 N72-25454
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N76-26511
HUDIS, M.
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
HUDOCK, R. J.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
HUDSON, O. K.
Gravimeter Patent
[NASA-CASE-XNP-05844] c14 N71-17587
HUDSPETH, T.
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469
HUELSMAN, L. P.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
HUFF, R. G.
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c14 N72-27410
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c14 N73-13417
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
HUFFAKER, R. M.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
HUGGINS, C. T.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
HUGHES, B. C.
Air bearing Patent
[NASA-CASE-XNP-00339] c15 N70-39896
HUGHES, D. B.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
HUGHES, P. M.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
HUMBERT, J. E.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
HUMENIK, F. M.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
HUMES, D. H.
Impact measuring technique
[NASA-CASE-LAR-10913] c14 N72-16282
HUMMER, R. F.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408
HUMPHREY, M.
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
HUNGERFORD, W. J.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
HUNKELER, R. E.
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998
HUNT, G. H.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
HUNT, J. G.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
HUNT, S. E., JR.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
HUNTER, R. E.
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
HUNTRESS, W. T.
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
HURD, W. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
HURD, W. J.
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
HURSTA, W. N.
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
HUSAIN-ABIDI, A. S.
Optical data processing using paraboloidal

mirror segments
[NASA-CASE-GSC-11296-1] c23 N73-30666
BUSCHKE, E. G., JR.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
BUSHANN, O. K.
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046
BUSSEY, H. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
BUTCHINSON, W. D.
Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084
BUTCHISON, J. J.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929
BUTTO, R. J.
Radiation sensitive solid state switch
[NASA-CASE-NPC-10817-1] c08 N73-30135
BYNUM, R. L.
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c07 N71-26181

I

I-LECHAO, J.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
IANNINI, A. A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
ICELAND, W. F.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
IDEN, R. B.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPC-10774] c06 N72-17095
IGENBERGS, E. B.
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
IGOE, W. B.
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c15 N71-27006
ILES, P. A.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-IGS-04531] c03 N69-24267
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037
ILLG, W.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
IMBOLDI, E.
Tracking receiver Patent
[NASA-CASE-IGS-08679] c10 N71-21473
IMIG, L. A.
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-19528
IMLAY, E. H.
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423
INGEBO, R. D.
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
INGHAM, J. D.
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
INGHAM, K. T.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
IRICK, S. C.
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
IRONS, A. S.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
IRWIN, A. S.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
IRWIN, K. S.
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c11 N71-10748
IRWIN, T. P.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
ISLEY, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
IVES, R. B.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
IWASAKI, M.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809

J

JACK, J. R.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175
JACKSON, C. E., JR.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
JACKSON, K. E.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
JACKSON, L. R.
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015
Structural panel
[NASA-CASE-LAR-11052-1] c32 N73-13929
JACKSON, M. R.
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
JACOB, D. S.
Pressure modulating valve
[NASA-CASE-MSC-14905-1] c37 N77-28487
JACOBS, I. M.
Data compression system
[NASA-CASE-XNP-09785] c08 N65-21928
JACOBS, R. B.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330
JACOBSON, D. S.
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469
JAGOW, R. B.
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
JAIN, A.
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
JAKSTYS, V. J.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013
JALINK, A., JR.
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c14 N71-25901
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c14 N73-20475
JALUFKA, N. W.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
JAMES, L. W.
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409

JANES, W. J.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
JANIESON, J. R., JR.
Optical rotational sensor
[NASA-CASE-KSC-10752-1] c15 N73-27407
JANISON, H. B.
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-MMS-02063] c03 N71-29044
JANOFF, W.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
JANKOWSKI, F.
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
JANNICHE, P. J., JR.
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
JAVAN, A.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614
JEANE, H. L.
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
JECH, R. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
JEDLICKA, J. E.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
JEFFERYS, E. E.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
JELALIAN, A. V.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
JELLISON, J. C.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
JENKINS, K. H.
Diode and protection fuse unit Patent
[NASA-CASE-MMS-03381] c09 N71-22796
JENKINS, L. H.
Indexed keyed connection Patent
[NASA-CASE-MMS-02532] c15 N70-41808
JENKINS, R. M.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
JENSEN, A. E.
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922
JENSEN, C. A.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
JENSEN, K. J.
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366
JENSEN, P. A.
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750
JENSEN, R. M.
Improved solar heating system
[NASA-CASE-LAR-12009-1] c44 N76-32649
JEPPESEN, G. L.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
JESSUP, A. D.
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c11 N72-25284
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
JETER, J. D.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
JEWELL, P. A.
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675
JEWELL, R. A.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
JEX, D. W.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
JHABVALA, M. D.
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403
JOBSON, D. J.
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
JOHANNSEN, K.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
JOHANSEN, D. L.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
JOHNS, C. E.
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
JOHNSEN, E. G.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c32 N75-30385
JOHNSON, A. L., JR.
Microelectronic module package Patent
[NASA-CASE-MMS-02182] c10 N71-28783
JOHNSON, C. B.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
JOHNSON, C. C.
Visual target for retrofire attitude control
[NASA-CASE-MMS-12158-1] c31 N69-27499
Orbital escape device Patent
[NASA-CASE-MMS-06162] c31 N71-28851
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c33 N72-17947
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
JOHNSON, C. C., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
JOHNSON, C. E.
Impact testing machine Patent
[NASA-CASE-XNP-04817] c14 N71-23225
JOHNSON, C. L.
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
JOHNSON, C. W.
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
JOHNSON, E. T.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750

JOHNSON, F. W.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
JOHNSON, H. G.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
JOHNSON, H. I.
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c02 N71-11039
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147
JOHNSON, J. C., JR.
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c15 N71-24045
JOHNSON, J. L., JR.
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
JOHNSON, K. G.
Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462
JOHNSON, L. E.
Extreme temperature thermal control coating
[NASA-CASE-LAR-11756-1] c24 N76-26284
JOHNSON, R. C.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
JOHNSON, R. F.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
JOHNSON, R. L.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046
JOHNSON, V. E., JR.
Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305
JOHNSTON, A. B.
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c23 N71-16101
Light direction sensor
[NASA-CASE-NPO-11201] c14 N72-27409
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
JOHNSTON, J. D.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
JOHNSTON, J. E.
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c33 N75-18477
JOHNSTON, R. L.
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-C2930] c11 N71-23042
JOHNSTON, R. S.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c18 N71-26285
JOHNSTON, W. V.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
JOLLEY, J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
JONES, J. C.
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
JONES, J. P.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
JONES, J. H.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
JONES, J. L.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c23 N72-27728
JONES, R. A.
Flow field simulation Patent
[NASA-CASE-LAR-11138] c12 N71-20436
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c25 N74-18551
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
JONES, R. E.
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
JONES, R. H.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
JONES, R. J.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
JONES, R. L.
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c05 N71-11190
JONES, R. T.
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c02 N73-26005
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
JONES, W. C.
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
JONES, W. P.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049
JORDAN, A. W.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
JORDON, W. J.
Inspection gage for boss Patent
[NASA-CASE-XNP-04966] c14 N71-17658
JOSIAS, C. S.
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c09 N71-13530
JOSLYN, A. W.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
JOYNER, U. T.
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c02 N70-34160
JUDD, B. W.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147
JUDD, J. H.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c31 N71-22968

Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
JUDY, P. F.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
JUERGENSEN, K.
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c10 N71-16030
JUHASZ, A. J.
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
JURSCAGA, G. M.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
JUVINALL, G. L.
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c06 N71-28808

K

KALPAYAN, S. M.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
KALKBRENNER, R. W.
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
KALLINS, C.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
KAMI, S.
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
KAMINSKAS, R. A.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
KAMMERMEYER, K.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
KAMPINSKY, A.
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c07 N70-41678
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c31 N71-23009
KANE, T. R.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
KAPUSTKA, R. E.
Method and apparatus for reconditioning nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N77-12511
KARIGAN, G. M.
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
KARIOTIS, A. M.
Compression test assembly
[NASA-CASE-LAR-10440-1] c14 N73-32323
KARSH, I.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
KASPAREK, W. E.
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c15 N71-17692
Fine adjustment mount
[NASA-CASE-MFS-20249] c15 N72-11386
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
KAST, H. B.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
KASTAN, M.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c28 N71-15563
KATOW, H. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
KATVALA, V. E.
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
KATZ, L.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c24 N72-11595
KATZ, M. H.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
KATZBERG, S. J.
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497
KATZER, E. D.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
KATZIN, L.
Breakaway connector
[NASA-CASE-NPO-11140] c15 N72-17455
KAUFMAN, H. R.
Ion thruster cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Ion rocket Patent
[NASA-CASE-XLE-00376] c28 N70-37245
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
KAUFMAN, J. W.
Maximeters (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
KAUFMAN, W. B.
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683
KAUFMANN, J. J.
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
KAZAROFF, J. M.
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
KAZNOFF, A. I.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729
KAZOKAS, G. P.
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
KEAFER, L. S., JR.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
KEARNS, W. J.
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c33 N71-16357
KEATHLEY, W. E.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450
KEATING, J. M.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
KEEFER, J. M.
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c05 N71-24606
KEENE, W. H.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493

KEHLET, A. B.
Parachute glider Patent
[NASA-CASE-XLA-00898] c02 N70-36804
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
KELBAUGH, B. H.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
KELLER, H. B.
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
KELLER, G. C.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
KELLER, O. P.
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
KELLEY, J. B.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
KELLS, H. C.
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c14 N71-24232
KELLY, D. L.
Multistage aerospace craft
[NASA-CASE-XNP-02263] c05 N74-10907
KELLY, W. L., IV
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
KELSEY, E. L.
Transient-compensated SCR inverter
[NASA-CASE-XLA-06507] c09 N69-39984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
KEMP, K. L.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
KEMP, R. F.
Method and apparatus for measuring potentials in plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
KEMP, R. H.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
KENDALL, J. M., SR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
Black body cavity radiometer Patent
[NASA-CASE-NEC-10810] c14 N71-27323
KENDRICK, W. P.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
KENNEDY, B. W.
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c09 N70-20737
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c15 N71-26185
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
KENNEWAY, R. J., III
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
KENNEY, B. L.
Geneva mechanism
[NASA-CASE-NFC-13281-1] c37 N75-13266
KENT, W. D.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
KENYON, G. C.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
KEPLER, C. B.
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c28 N71-29153
KERLEY, J. J., JR.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
KERN, C. V.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
KERN, J. D.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210
KERNODLE, B. H.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c33 N74-14935
KERR, J. H.
Traffic survey system
[NASA-CASE-MFS-22631-1] c66 N76-19888
KERSEY, E. D., JR.
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c15 N71-28740
KERSLAKE, W. R.
Ion thruster cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c09 N71-23190
KERSTEN, L.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
KERWIN, W. J.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAB-03786] c09 N69-21313
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
Active RC networks
[NASA-CASE-ARC-10020] c10 N72-17172
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
KESSEL, J. E.
Plural recorder system
[NASA-CASE-XMS-06949] c09 N69-21467
KESSINGER, R. L.
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335
KEY, C. F.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
KEYNTON, R. J.
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c31 N71-17691
KHANNA, S. M.
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N77-20341
KIBBE, R. K.
Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974
KICHAK, R. A.
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
KIEFER, P. J., JR.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
KIKIN, G. M.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
KILLALEA, W. P.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813

KIM, C.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
KIM, H. H.
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090
KIMBALL, R. P.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
KINARD, W. H.
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
KINDELL, D. K.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
KING, C. B.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c15 N71-21404
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
KING, H. J.
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
KING, H. H.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
KING, R. B.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
KING, R. F.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
KING, R. W.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834
KING, W. L.
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
KINKEL, J. F.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255
KINNARD, K. F.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
KINO, G. S.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-EQN-10069] c33 N75-27251
KINSEL, R. C.
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334
KINZLER, J. A.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-2] c05 N77-31131
KIRBY, C. A.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
KIRCHMAN, R. J.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
KIRSTEN, C. C.
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
KIS, G.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
KISSEL, R. R.
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
KISSELL, R. R.
Rateometer
[NASA-CASE-MFS-20418] c14 N73-24473
KISZKO, W.
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c15 N71-22721
KITTS, W. T.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
KLECHKE, E. W.
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
KLEIN, E. L.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c14 N71-26788
KLEIN, H. G.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
KLEINBERG, L. L.
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c09 N71-19466
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c09 N71-23015
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221
Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
KLEINHOCK, L.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171
KLIMA, S. J.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
KLINE, A. J.
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
KLINE, A. J., JR.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XNP-08665] c10 N71-19467
KLINGMAN, E. E., III
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
KLISCH, J. A.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375
KLOC, I.
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367
KNAUER, W.
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
KNECHTEL, E. D.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c14 N71-23790
KNOELL, A. C.
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
KNOOS, S. P.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
KOBAYASHI, H. S.
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810

Receiving and tracking phase modulated signals [NASA-CASE-MSC-16170-1] c32 N77-12248
Bit error rate measurement above and below bit rate tracking threshold [NASA-CASE-MSC-12743-1] c32 N77-19290

KOCH, E. F.
Expulsion bladder-equipped storage tank structure Patent [NASA-CASE-XNP-00612] c11 N70-38182
Combined pressure regulator and shutoff valve [NASA-CASE-NPO-13201-1] c37 N75-15050

KOCH, K. F.
CRT blanking and brightness control circuit [NASA-CASE-KSC-10647-1] c10 N72-31273

KOCZELA, L. J.
Adaptive voting computer system [NASA-CASE-MSC-13932-1] c62 N74-14920

KODIS, R. D.
Clear air turbulence detector [NASA-CASE-ERC-10081] c14 N72-28437

KOJIMA, G. K.
A miniature implantable ultrasonic echosonometer [NASA-CASE-ARC-11035-1] c52 N77-15621

KOLBLY, R. B.
High power microwave power divider Patent [NASA-CASE-NPO-11031] c07 N71-33606
System for controlling the operation of a variable signal device [NASA-CASE-NPO-11064] c07 N72-11150

KOLBY, R. E.
Direct reading inductance meter [NASA-CASE-NPO-13792-1] c35 N77-32455

KOLOBOFF, G. J.
Amplitude steered array [NASA-CASE-GSC-11446-1] c33 N74-20860

KOLSTER, H. H.
Radiator deployment actuator Patent [NASA-CASE-MSC-11817-1] c15 N71-26611

KONIGSBERG, E.
Accelerometer telemetry system [NASA-CASE-ARC-10849-1] c17 N76-29347

KOPELSON, S.
Rate augmented digital to analog converter Patent [NASA-CASE-XLA-07828] c08 N71-27057

KOPETSKI, F. J.
Ring counter [NASA-CASE-XGS-03095] c09 N69-27463

KOPIA, L. P.
Transmitting and reflecting diffuser [NASA-CASE-LAR-10385-3] c23 N73-32538
Transmitting and reflecting diffuser [NASA-CASE-LAR-10385-2] c70 N74-13436

KORABOWSKI, J. J.
Pressure garment joint Patent [NASA-CASE-XMS-09636] c05 N71-12344
Method of forming a root cord restrained convolute section [NASA-CASE-MSC-12398] c05 N72-20098

KORDES, E. E.
High intensity heat and light unit Patent [NASA-CASE-XLA-00141] c09 N70-33312

KORSCH, D.
Three-mirror telescope [NASA-CASE-MFS-23675-1] c74 N77-28937

KORVIN, W.
Self-erecting reflector Patent [NASA-CASE-XGS-09190] c31 N71-16102
Tracking antenna system Patent [NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent [NASA-CASE-GSC-10220-1] c07 N71-27233

KOSCHEDER, L. A.
Bi-polar phase detector and corrector for split phase PCM data signals Patent [NASA-CASE-XGS-01590] c07 N71-12392

KOSHAHL, E. G.
Linear magnetic brake with two windings Patent [NASA-CASE-XLE-05079] c15 N71-17652
Electrostatic collector for charged particles [NASA-CASE-LEW-11192-1] c09 N73-13208
Electron beam controller [NASA-CASE-LEW-11617-1] c33 N74-10195

KOSMO, J. J.
Extravehicular tunnel suit system Patent [NASA-CASE-MSC-12243-1] c05 N71-24728

KOURTIDES, D. A.
Low density bismaleimide-carbon microballoon composites [NASA-CASE-ARC-11040-1] c24 N77-19173

KOVELL, S. P.
Method for etching copper Patent [NASA-CASE-XGS-06306] c17 N71-16044

KOYAMATSHI, H. S.
Unbalanced quadriphase demodulator [NASA-CASE-MSC-14840-1] c32 N77-24331

KOZIOL, J. S., JR.
Aircraft control system [NASA-CASE-ERC-10439] c02 N73-19004

KRAMER, F.
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent [NASA-CASE-XNP-01813] c28 N70-41582

KRAMER, J. S.
Apparatus for determining thermophysical properties of test specimens [NASA-CASE-LAR-11883-1] c09 N77-27131

KRAMER, H.
Electronic amplifier with power supply switching Patent [NASA-CASE-XMS-00945] c09 N71-10798
Power supply Patent [NASA-CASE-XMS-02159] c10 N71-22961

KRAUSE, F. R.
Passive optical wind and turbulence detection system Patent [NASA-CASE-XNP-14032] c20 N71-16340

KRAUSE, I. A.
Satellite interlace synchronization system [NASA-CASE-GSC-10390-1] c07 N72-11149

KRAUSE, L. H.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent [NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe [NASA-CASE-LEW-10281-1] c14 N72-17327

KRAUSE, M. C.
Focused laser Doppler velocimeter [NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system [NASA-CASE-MFS-23362-1] c47 N77-10753

KRAUSE, S. J.
Method and device for determining battery state of charge Patent [NASA-CASE-NPO-10194] c03 N71-20407

KRAUSHAAR, W. L.
Coaxial anode wire for gas radiation counters [NASA-CASE-GSC-11492-1] c35 N74-26949

KREISMAN, W. S.
Inflation system for balloon type satellites Patent [NASA-CASE-XGS-03351] c31 N71-16081

KRIEVE, W. F.
High-voltage cable Patent [NASA-CASE-XNP-00738] c09 N70-38201

KROPP, C. J.
Determination of spot weld quality Patent [NASA-CASE-XNP-02588] c15 N71-18613

KRSEK, A., JR.
Optical torquemeter Patent [NASA-CASE-XLE-00503] c14 N70-34818

KRUPNICK, A. C.
Method for detecting hydrogen gas [NASA-CASE-XNP-03873] c06 N69-39733
Inorganic thermal control coatings [NASA-CASE-MFS-20011] c18 N72-22566
Nonflammable coating compositions [NASA-CASE-MFS-20486-2] c27 N74-17283
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-MFS-23518-1] c44 N77-31610
Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-MFS-23518-2] c44 N77-31611

KUBACKI, R. M.
Boron trifluoride coatings for thermoplastic materials [NASA-CASE-ARC-11057-1] c27 N77-26308

KUBICA, A. J.
Decomposition unit Patent [NASA-CASE-XMS-00583] c28 N70-38504

KUBICZ, A. P.
Signal path series step biased multidevice high efficiency amplifier Patent [NASA-CASE-GSC-10668-1] c07 N71-28430

Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
KUBIK, C. P.
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c33 N71-28852
KUBIK, J. S.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XNP-06522] c15 N71-19486
KUBOKAWA, C. C.
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653
KUEBLER, H. E.
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XNP-00442] c31 N71-10747
KUENZLY, J. D.
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219
KUGATH, D. A.
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
KUHN, R. E.
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
KUHN, R. F., JR.
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c15 N71-28951
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
KUHNS, P. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
KUPPERIAN, J. E., JR.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
KURAL, M. B.
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
KURIGER, W. L.
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
KURPLE, W.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
KURTZ, R. L.
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c14 N72-17324
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Hybrid holographic non-destructuve test system
[NASA-CASE-MFS-23114-1] c35 N76-24529
KURVIN, C. W.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
KURYLO, M. J., III
Ultraviolet atomic emission detector
[NASA-CASE-NON-10756-1] c14 N72-25428
KURZHALS, P. R.
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c21 N71-14132
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708
KUSHIDA, R. O.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700

L

LA RUSSA, P. J.
Array phasing device Patent
[NASA-CASE-EEC-10046] c10 N71-18722
LA VIGNA, T. A.
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c10 N71-26085
LACKNER, H. G.
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c27 N71-16223
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146
LAIACONA, P. P.
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c15 N72-22492
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
LAINE, D. D.
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
LAMAR, J. E.
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176
LAMB, E. H.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631
LAMBERT, H. H.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
LAMPTON, M. L.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
LANDAUER, P. P.
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c07 N71-11281
LANDEL, R. F.
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573
LANDES, H. S.
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
LANE, J. W.
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
LANEY, C. C., JR.
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
LANFORD, W. E.
Folding apparatus Patent
[NASA-CASE-XLA-00137] c15 N70-33180
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c31 N70-37981
LANG, E.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
LANGE, O. E.
Continuous detonation reaction engine Patent
[NASA-CASE-XNP-06926] c28 N71-22983
LANGE, R. A.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
LANGHUIR, H. V.
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c14 N73-32325

LANSING, J. C., JR.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
LANTZ, E.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
LANZO, C. D.
Simulated fuel assembly Patent
[NASA-CASE-XLE-00724] c14 N70-34669
LARK, B. F.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
LARNER, J. W.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
LARSON, L. L.
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c15 N72-25455
LARSON, T. P.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
LATHAM, E. A.
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
LATTO, W. T., JR.
Small rocket engine Patent
[NASA-CASE-XLE-00685] c28 N70-41992
LAUB, J. H.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620
LAUDENSLAGER, J. B.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418
LAUDERDALE, W. B.
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
LAUE, E. G.
Irradiance measuring device
[NASA-CASE-NPO-11493] c14 N73-12447
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
LAUE, H. H.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
LAUE, J. H.
Multi-mission module Patent
[NASA-CASE-XNP-01543] c31 N71-17730
LAUGHLIN, C. B., JR.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
LAUHAN, E. A.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
LAURENCE, J. C.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
LAURIE, R. O.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
LAVENSTEIN, B. I.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
LAVIGNE, R. C.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
LAWHITE, E.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N75-28489
LAWRENCE, E. D.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
LAWRENCE, T. E.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
LAWSON, A. G.
Electrical resistance spot welding and brazing techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535
LAWSON, B. D.
Assembly for recovering a capsule Patent
[NASA-CASE-XNP-00641] c31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XNP-03169] c31 N71-15675
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
LAWSON, D. D.
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470
LAYLAND, J. W.
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
LE BEL, P. J.
Ablation sensor Patent
[NASA-CASE-XLA-01794] c33 N71-21586
LE DOUX, P. H.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
LE VAY, K. H.
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c15 N71-21311
LEATHERWOOD, J. D.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
Active air cushion control system minimizing vertical cushion response
[NASA-CASE-LAR-10531-1] c02 N73-13023
LEAVY, W. A.
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713
LEE, C. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XNP-00684] c21 N71-21688
LEE, D. A.
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c15 N71-16078
LEE, D. H.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
LEE, J. S.
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
LEE, M. C.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
LEE, R. D.
Telemetry actuated switch
[NASA-CASE-ARC-10105] c09 N72-17153
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c10 N72-28240
Intruder detection system
[NASA-CASE-ARC-10097-2] c07 N73-25160
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c52 N74-20726
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c33 N74-21851
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760

Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
EKG and ultrasonoscope display
[NASA-CASE-ARC-10994-2] c52 N77-15619
LEE, S. H.
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
LEE, S. Y.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
LEE, W. S.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-2] c05 N77-31131
LEEB, W. R.
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
LEEPER, W. A.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
LEES, W. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
LEFFEL, W. O.
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035
LEFTWICH, B. F.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
LEGER, L.
Thermal insulation attaching means
[NASA-CASE-MSC-12619-1] c39 N75-21671
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c16 N77-31237
LEGER, L. J.
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
LEIBECKI, H. F.
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c06 N72-25150
LEIBOWITZ, L. P.
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
LEISER, D. B.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
LEISS, A.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
LEMOS, F. R.
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c35 N77-20400
LENSCH, P. H.
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c09 N71-24842
LENNERT, S. D.
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
LENNON, C. L.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
LENT, W. E.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088
LEON, H. A.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
LEONARD, E. T.
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
LEPP, D. E.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
LERMA, G.
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
LERNER, T.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
LESH, J. R.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
LESKO, J. G., JR.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
LESNIEWSKI, E. J.
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N75-13187
LESSLEY, E. L.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294
LESSMANN, G. G.
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
LEVIN, H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
LEVIN, K. L.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
LEVINE, H. W.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
LEVINE, S. E.
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
LEVINSON, H.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
LEVY, G. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
LEWICKI, G. W.
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
LEWIS, B. F.
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450
LEWIS, B. W.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
LEWIS, D. J.
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
LEWIS, G. W.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method

[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
LEWIS, J. R.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
LEWIS, R.
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
LEWIS, T. L.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379
LEWYN, L. L.
Analog-to-digital converter
[NASA-CASE-XNP-00477] c08 N73-28045
LIBBEY, C. E.
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863
LIBBY, J. N.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673
LIBBY, W. F.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
LIBEROTTI, J.
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
LIEBERMAN, S.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
LIEBERT, C. H.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
LIGHT, D. J.
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c14 N72-27412
LIGHTSEY, G. E.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
LILLEY, A. E.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
LIN, L. Y.
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c07 N71-24622
LIN, B. Y.
Ceramic filter insulating material and methods of producing same
[NASA-CASE-MSC-14795-1] c27 N76-15314
LINDBERG, J. G.
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c33 N71-24876
LINDBERG, R. A.
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
LINDENFELT, H. R.
An airlock
[NASA-CASE-MFS-20922] c31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
LINDSEY, J. F., III
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720
LINDSEY, R. S., JR.
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
LINDSEY, W. C.
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
LINDSEY, W. F.
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c14 N72-20380
LINEBACK, L. D.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584
LINEBARIER, H.
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
LINFORD, R. M. F.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
LING, S. C.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c09 N70-40123
LINGLE, J. T.
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c10 N71-19418
Static inverter Patent
[NASA-CASE-XGS-05289] c09 N71-19470
LIPANOVICH, M. I.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
LIPKE, D. W.
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-39978
LIPOMA, P. C.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
LIPPITT, M. W., JR.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329
LISAGOR, W. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
LISLE, R. V.
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
LIST, W. F.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660
LISTER, J. L.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
LITANT, I.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910
LITCHFORD, G. B.
Altitude measuring system
[NASA-CASE-ERC-10412-1] c09 N73-12211
LITTLE, R. E.
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
LITTLEJOHN, D. P.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
LIU, C. C.
Device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N77-18238
LIU, F. F.
Respiratory analysis system and method

[NASA-CASE-MSC-13436-1] c05 N73-32015
LLOYD, W. B.
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537
LOCH, F. J.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696
LOCKARD, H. L.
Leak detector Patent
[NASA-CASE-LAR-10323-1] c12 N71-17573
LOCKHAM, C. S.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
LOCKWOOD, V. E.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
LOFTIN, L. K., JR.
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287
LOGAN, W. B.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
LOH, G. H.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
LOHR, J. J.
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486
LOKERSON, D. C.
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c10 N71-25882
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
LONBERG, J. O.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
LONG, E. R., JR.
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609
LONG, H. R.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
LONG, R. A.
High temperature compositions Patent
[NASA-CASE-XMS-00370] c17 N71-20941
LONG, W. C.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Rotating joint signal coupler
[NASA-CASE-LAR-11264-1] c33 N75-27261
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452
LONGYEAR, W. D.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265
LOOK, G. P.
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778
LOONIS, J. A.
Device to prevent clogging in a hopper
[NASA-CASE-LAR-10961-1] c15 N73-12496
LOOP, R. W.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
LOOSE, J. D.
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
LOPEZ, A. R.
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c09 N71-16089
LORD, H. C., III
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
LORELL, K. R.
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c14 N71-15622
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
LOTHSCHUETZ, F. I.
Stretcher Patent
[NASA-CASE-XMF-06589] c05 N71-23159
LOUGHEAD, A. G.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752
LOUNSBERRY, E. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
LOVALL, D. D.
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
LOVELL, J. S.
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N77-21847
LOVELL, R. R.
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
LOVELOCK, J. E.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
LOVINGER, D. R.
Voice operated controller Patent
[NASA-CASE-XLA-04063] c31 N71-33160
LOW, C. A., JR.
Electrostatic propulsion system with a direct nuclear electrogenerator Patent
[NASA-CASE-XLE-00818] c22 N70-34248
LOWE, E. G.
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c15 N71-23049
LOWEN, I. B.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
LOWERY, J. R.
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
LOWRY, J. G.
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178
LOY, C. A.
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948
LOYD, C.
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c09 N71-24805
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
LUBOWITZ, H. R.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
LUCAS, C. H.
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
LUCERO, D. P.
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c06 N65-39733
LUCHT, R. A.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
LUCY, M. H.
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
LUDWIG, A. C.
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c07 N71-10676
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c07 N74-32169
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214

Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
LUDWIG, L. P.
Foil seal
[NASA-CASE-XLE-05130] c15 N69-21362
Foil seal Patent
[NASA-CASE-XLE-05130-2] c15 N71-19570
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Spiral groove seal
[NASA-CASE-LEW-10326-3] c37 N74-10474
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c37 N76-20487
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N76-20488
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Gas path seal
[NASA-CASE-LEW-12131-1] c37 N77-24498
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404
LUBBERS, S. S.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
LUBBERING, G. W.
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
LUH, H.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
LUNCE, B. S.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
LUND, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
LUNDQUIST, J. B.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
LUSHBAUGH, W. A.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
LUTES, G. F., JR.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229
LUTZ, E. B.
Operational integrator Patent
[NASA-CASE-NPO-10230] c09 N71-12520
LYLAND, J. W.
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
LYNCH, E. J.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
LYNCH, T. L.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
LYON, W. E.
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c14 N72-21409

M

MACCONNELL, J. W.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
MACCONOCHIE, I. O.
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c14 N71-15620
MACDAVID, K. S.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
MACFADDEN, J. A.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
MACGLASHAN, W. F., JR.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c15 N71-10778
Filler valve Patent
[NASA-CASE-XNP-01747] c15 N71-23024
MACKAY, C. A.
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c15 N71-17649
MACLEOD, N. H.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
MACOMBER, J. W.
Nuclear reactor control rod assembly with improved driving mechanism Patent
[NASA-CASE-XLE-00298] c22 N70-34501
MACVEIGH, G. E.
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172
MADDOX, J. W.
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451
MADEY, J. R.
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c31 N71-21064
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
A rotary electric device
[NASA-CASE-GSC-12138-1] c33 N77-20344

MADISON, I. B.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647
MADSEN, B.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
MAHAN, J. C.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
MAIDEN, D. L.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
MAILLOUX, R. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
MAJOR, C. J.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742

MALLING, L. B.
Digital television camera control system Patent [NASA-CASE-XNP-01472] c14 N70-41807
Reduced bandwidth video communication system utilizing sampling techniques Patent [NASA-CASE-XNP-02791] c07 N71-23026
MALMBERG, J. E.
Waveform simulator Patent [NASA-CASE-NPO-10251] c10 N71-27365
MALONE, L. B.
Emergency lunar communications system [NASA-CASE-MFS-21042] c07 N72-25171
MANATT, S. L.
Audio frequency marker system [NASA-CASE-NPO-11147] c14 N72-27408
MANCINELLI, B. R.
Telemetry processor [NASA-CASE-GSC-11388-1] c07 N73-24187
MANDEL, C. H.
Azimuth laying system Patent [NASA-CASE-XMF-01669] c21 N71-23289
MANDELKORN, J.
Method of making a silicon semiconductor device Patent [NASA-CASE-XLE-02792] c26 N71-10607
Method of making electrical contact on silicon solar cell and resultant product Patent [NASA-CASE-XLE-04787] c03 N71-20492
Gd or Sm doped silicon semiconductor composition Patent [NASA-CASE-XLE-10715] c26 N71-23292
Silicon solar cell with cover glass bonded to cell by metal pattern Patent [NASA-CASE-XLE-08569] c03 N71-23449
Semiconductor material and method of making same Patent [NASA-CASE-XLE-02798] c26 N71-23654
Method of attaching a cover glass to a silicon solar cell Patent [NASA-CASE-XLE-08569-2] c03 N71-24681
MANDELL, A.
A condition sensor system and method [NASA-CASE-MSC-14805-1] c35 N76-26448
MANGION, C.
System for preconditioning a combustible vapor [NASA-CASE-NPO-12072] c28 N72-22772
MANGOLD, D. W.
Medical subject monitoring systems [NASA-CASE-MSC-14180-1] c52 N76-14757
MANN, W. A.
Compact artificial hand [NASA-CASE-NPO-13906-1] c54 N77-32723
MANNING, C. R., JR.
Controlled glass bead peening Patent [NASA-CASE-XIA-07390] c15 N71-18616
Thermal shock resistant hafnia ceramic material [NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material [NASA-CASE-LAR-11902-1] c27 N76-23436
MANOLI, R.
Aircraft-mounted crash-activated transmitter device [NASA-CASE-MFS-16609-3] c03 N76-32140
MANSOUR, M. N.
Servo-controlled intravital microscope system [NASA-CASE-NPO-13214-1] c35 N75-25123
MANTLER, R. L.
Rocket propellant injector Patent [NASA-CASE-XLE-00103] c28 N70-33241
MANUS, E. A.
Active microwave irises and windows [NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris [NASA-CASE-LAR-10511-1] c09 N72-29172
Logarithmic circuit with wide dynamic range [NASA-CASE-GSC-12145-1] c33 N77-19319
Very narrow band width receiver [NASA-CASE-GSC-12142-1] c32 N77-20299
MAPLE, W. E.
Analytical test apparatus and method for determining oxide content of alkali metal Patent [NASA-CASE-XLE-01997] c06 N71-23527
MAPLES, E. E.
Light intensity modulator controller Patent [NASA-CASE-XMS-04300] c09 N71-19479
MARAIA, R. J.
Thermal insulation protection means [NASA-CASE-MSC-12737-1] c34 N77-22423
MARAK, R. J.
Life raft stabilizer [NASA-CASE-MSC-12393-1] c02 N73-26006
MARCUS, B. D.
Flat-plate heat pipe [NASA-CASE-GSC-11998-1] c34 N77-32413
MARCUS, H. L.
Laser extensometer [NASA-CASE-MFS-19259-1] c36 N77-10516
MAREK, C. J.
Fuel combustor [NASA-CASE-LEW-12137-1] c20 N76-20215
MARGOSIAN, P. H.
Electrostatic thrustor with improved insulators Patent [NASA-CASE-XLE-01902] c28 N71-10574
Single grid accelerator for an ion thrustor [NASA-CASE-XLE-10453-2] c28 N73-27699
MARGRAF, H. J.
High pressure four-way valve Patent [NASA-CASE-XNP-00214] c15 N70-36908
MARKLEY, R. A.
Self-adjusting multisegment, deployable, natural circulation radiator Patent [NASA-CASE-XHQ-03673] c33 N71-29046
MARLOW, H. O.
Method of making a cermet Patent [NASA-CASE-LEW-10219-1] c18 N71-28729
MARLOW, R. E.
System for enhancing tool-exchange capabilities of a portable wrench [NASA-CASE-MFS-22283-1] c37 N75-33395
Remotely operable articulated manipulator [NASA-CASE-MFS-22707-1] c37 N76-15457
MAROPIS, N.
Methods and apparatus employing vibratory energy for wrenching Patent [NASA-CASE-MFS-20586] c15 N71-17686
MARRKLE, R. A.
Process for preparation of dianilinosilanes Patent [NASA-CASE-XNP-06409] c06 N71-23230
MARRONI, M. A., JR.
Pressure garment joint Patent [NASA-CASE-XMS-09636] c05 N71-12344
Omnidirectional joint Patent [NASA-CASE-XMS-09635] c05 N71-24623
Foreshortened convolute section for a pressurized suit Patent [NASA-CASE-XMS-09637-1] c05 N71-24730
Method of forming a root cord restrained convolute section [NASA-CASE-MSC-12398] c05 N72-20098
Restraint torso for a pressurized suit [NASA-CASE-MSC-12397-1] c05 N72-25119
MARSH, H. E., JR.
Trifunctional alcohol [NASA-CASE-NPO-10714] c06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent [NASA-CASE-NPO-10596] c06 N71-25929
Aldehyde-containing urea-absorbing polysaccharides [NASA-CASE-NPO-13620-1] c27 N77-30236
Oil and fat absorbing polymers [NASA-CASE-NPO-11609-2] c27 N77-31308
MARSHALL, J. H.
Baseline stabilization system for ionization detector Patent [NASA-CASE-XNP-03128] c10 N70-41991
MARSHALL, T. H., JR.
Nuclear mass flowmeter [NASA-CASE-MFS-20485] c14 N72-11365
MARSIK, S. J.
Selective nickel deposition [NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals [NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides [NASA-CASE-LEW-11860-1] c37 N76-18458
MARTEL, H. J.
Amplitude steered array [NASA-CASE-GSC-11446-1] c33 N74-20860
MARTIN, J. W.
Dynamic Doppler simulator Patent [NASA-CASE-XMS-05454-1] c07 N71-12391
MARTIN, M. C.
Segmented back-up bar Patent [NASA-CASE-XNP-00640] c15 N70-39924
Portable alignment tool Patent [NASA-CASE-XNP-01452] c15 N70-41371

MARTIN, R. B.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
MARTIN, S. C.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
MARTIN, W. L.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
MARTINAGE, L. B.
Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961
MARTINECK, H. G.
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c09 N70-34596
Printed cable connector Patent
[NASA-CASE-XMF-00369] c09 N70-36494
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c15 N71-15986
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225
MARTUCCI, V. J.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841
MARTZ, E. L.
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c15 N70-34664
MARZEK, R. A.
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
MASCY, A. C.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
MASEK, T. D.
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c28 N71-21822
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c28 N72-11709
MASERJIAN, J.
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c14 N69-39937
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c09 N71-27232
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
MASLOWSKI, E. A.
Insulation foil and method of making
[NASA-CASE-LEW-11484-2] c24 N75-14839
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
MASON, J. W.
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343
MASON, R. J.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
MASON, R. M.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
MASSUCCO, A. A.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
MATEER, G. G.
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N76-28535
MATHUR, F. P.
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c15 N73-12495
MATSUHIRO, D. S.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
MATSUMOTO, Y.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
MATTAUCH, R. J.
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N75-12445
MATTHEWS, P. B., JR.
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
MAULDIN, D. G.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
MAUS, L. C.
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407
MAXWELL, H. S.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
MAXWELL, H. W.
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
MAXWELL, R. F., JR.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
MAXWELL, W. A.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076
MAY, C. E.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
MAY, C. J.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817
MAYALL, S. D.
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467
MAYNARD, O. E.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
MAYNE, R. C.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
MAYO, E. E.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631
MAYO, J. W.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c15 N69-27490
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221
MAYO, R. F.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540

MAZARIS, G. A.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
MAZEE, L.
Analog-to-digital conversion system Patent
[NASA-CASE-ARC-00404] c08 N70-40125
MAZIQUE, J.
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
MCAFEE, D. F.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573
MCALEXANDER, E. T.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
MCBRAYER, E. O.
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c05 N71-23096
MCBRYAR
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044
MCBRYAR, H.
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c24 N76-14204
MCCAIG, J. C.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
MCCALLUM, J.
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108
MCCAMPBELL, W. H.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c15 N71-20393
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
MCCANDLESS, L. C.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
MCCANN, D. H.
Phototransistor
[NASA-CASE-MFS-20407] c09 N73-19235
MCCANN, E. J.
Device for handling heavy loads
[NASA-CASE-XMF-04969] c11 N69-27466
MCCARTY, J. L.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
MCCAUL, P. F.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
MCCHESNEY, J. F., JR.
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
MCCHESNEY, J. H.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
MCCLEBAHAN, J. O.
High speed shutter
[NASA-CASE-ARC-10516-1] c70 N74-21300
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c33 N74-27682
MCCLUNEY, W. R.
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369
MCCONAUGHEY, B. T.
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
MCCONNELL, J. C.
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c17 N71-25903
MCCORBACK, W.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874
MCCORMICK, C. T., JR.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
MCCRAW, D. L.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
MCCREA, F. E.
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
MCCREARY, E. B.
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c15 N70-41310
MCCREIGHT, L. R.
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
MCCUSKER, T. J.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c03 N70-41580
MCDANIELS, D. L.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
MCDARIS, R. A.
Emergency escape system Patent
[NASA-CASE-XMS-07814] c15 N71-27067
MCDAVID, L. S.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
MCDERMOND, D. K.
Synchronous counter Patent
[NASA-CASE-XGS-02440] c08 N71-19432
MCDEVITT, P. B.
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
MCDONALD, G. B.
Nuclear fuel elements
[NASA-CASE-XLE-00209] c22 N73-32528
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c44 N76-15603
MCDONALD, R. T.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
MCDOUGAL, A. R.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
MCERLEAN, E. A.
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
MCFADIN, L. W.
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
MCGANNON, W. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N77-30737
MCGEHEE, J. R.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c31 N71-16085
MCGOUGH, J. T.
Emergency escape system Patent
[NASA-CASE-XMS-07814] c15 N71-27067

MCHAFFIE, D. J.
Extensible cable support Patent
[NASA-CASE-XMF-07587] c15 N71-18701
MCHATTON, A. D.
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
MCHATTON, A. F.
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
MCHENRY, T. F.
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c14 N72-21408
MCKEE, C. W.
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
MCKENNA, J. F., JR.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
MCKENNA, R. T.
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c33 N76-18353
MCKENZIE, E. L.
Diatomic infrared gasdynamic laser
[NASA-CASE-ARC-10370-1] c36 N75-31426
MCKECHN, D.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
MCKEVITT, F. X.
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c28 N71-24321
MCKINNEY, B. I.
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c09 N71-22999
MCKINNON, E. A.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
MCLAIN, J. B.
Air bearing Patent
[NASA-CASE-XMF-01887] c15 N71-10617
MCLAUCHLAN, J. H.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06557] c14 N71-21088
Light position locating system Patent
[NASA-CASE-XNP-01059] c23 N71-21821
MCLEAN, F. B.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
MCLYMAN, C. W. T.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
MCLYMAN, W. T.
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
MCMASTER, L. B.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
MCNEAR, B. P.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
MCNUTT, W. C.
Dual latching solenoid valve Patent
[NASA-CASE-MFS-05890] c09 N71-23191
MCRONALD, A. D.
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
MCSTAY, J. J.
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394
MCWILLIAMS, I. G.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
MEAD, D. C.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
MEADOR, T. G., JR.
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c34 N74-23066
MEALY, G. E.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
High voltage divider system Patent
[NASA-CASE-XLE-02008] c09 N71-21583
MEDCALF, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
MEINTEL, A. J., JR.
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268
MEISENHOLDER, G. W.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c21 N70-41856
MEISSINGER, H. F.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c91 N74-13130
MEISSNER, C. W., JR.
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
MELAMED, L.
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c14 N72-25410
MELFI, L. T., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
MELLARS, B.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
MELUGIN, J. F.
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
MELVILLE, E. D. S.
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
MENEFEE, E. O.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Proportional controller Patent
[NASA-CASE-XAC-03392] c03 N70-41954
MENGES, H. J.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
MENICHELLI, V. J.
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
MENTZER, C. A.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
MENZIES, R. T.
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
MERLEN, H. H.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNF-06957] c14 N71-21088
MERRICK, V. K.
Stabilization of gravity oriented satellites Patent

[NASA-CASE-IAC-01591] c31 N71-17729
MERRILL, J. T., IV
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
MESSINEO, S. V.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
MESSNER, A.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
MESTELLO, L.
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-1] c07 N77-15036
METSZAROS, G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-IGS-04047-2] c03 N72-11062
METCALFE, A. G.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040
METZGER, A. E.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
METZLER, A. J.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625
MEYER, A. J., JR.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c02 N70-38009
Ablation structures Patent
[NASA-CASE-XMS-01816] c33 N71-15623
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
MEYER, J. A.
Altitude sensing device
[NASA-CASE-XMS-01994-1] c14 N72-17326
MEYER, J. F.
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c09 N70-38998
MEYER, K. A.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
MICHAEL, J. E.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
MICHAEL, J. L.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
MICHEL, R. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
MICKELSEN, W. R.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
Electrostatic propulsion system with a direct nuclear electrogenerator Patent
[NASA-CASE-XLE-00818] c22 N70-34248
MIDDLETON, J. E.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
MIDDLETON, R. L.
Cryogenic thermal insulation Patent
[NASA-CASE-XNP-05046] c33 N71-28892
MIDDLETON, W. D.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
MIERTSCHIN, J. L.
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
MIKSZAN, D. P.
Frequency shift keying apparatus Patent
[NASA-CASE-IGS-01537] c07 N71-23405
MIKULAS, M. M., JR.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
MILDICE, J. W.
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
MILES, P. A.
Clear air turbulence detector
[NASA-CASE-NFS-21244-1] c36 N75-15028
MILKULLA, V.
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
MILLER, A. J.
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N76-13781
MILLER, C. E.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330
MILLER, C. G.
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
MILLER, D. P.
Controllers Patent
[NASA-CASE-XMS-07487] c15 N71-23255
MILLER, H. B.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436
MILLER, J. A., JR.
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c27 N73-22710
MILLER, J. C.
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c18 N71-27397
MILLER, J. E.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
MILLER, J. G.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
MILLER, J. L.
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c15 N71-33518

MILLER, P. C.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
MILLIGAN, G. C.
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c08 N71-28925
MILLIKEN, D. E.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c14 N71-28935
MILLIKEN, J. F.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752
MILLS, C. E.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
MILLS, M. K.
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233
MILLS, S. M.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
MILLY, J. J.
Satellite despin device Patent
[NASA-CASE-XMF-08523] c31 N71-20396
MINKIN, H. L.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
MINOTT, P. O.
Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
MINTER, E. J.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
MINTON, F. B.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
MINTON, U. O.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
MITCHELL, D. K.
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452
MITCHELL, F. E.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
MITCHELL, G. A.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
MITCHELL, H. H.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c14 N71-10779
MITCHELL, V. E.
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c05 N71-22896
MITCHUM, L. L., JR.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202
MIXSCH, J. S.
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c31 N71-24315
MOACANIN, J.
Teflon membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
MOECKEL, W. E.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
MOEDE, L. W.
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226
MOEN, W. K.
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16918
MOFFITT, F. L.
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c14 N71-26474
MOGAVERO, L. N.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c32 N75-30385
MOHDT, J. F.
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
MONFORD, L. G., JR.
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c14 N71-27058
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c35 N74-17885
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
MONTEITH, J. B.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
MONTEITH, L. K.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
MONTGOMERY, L. C.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c14 N71-20461
MONTGOMERY, L. D.
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
MOODY, D. L., JR.
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
MOORE, C. D.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365
MOORE, H. D.
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673
MOORE, R. C.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
MOORE, R. L.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
MOORE, T. J.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c15 N73-33383
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
MOORE, W. A.
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
MORANDO, J. A.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028
MORDECAI, T. T.
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815

MORECROFT, J. H.
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c15 N71-17694
MORELLI, P. A.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-05763] c14 N71-20461
MORGAN, O. S., III
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
MORGAN, I. T., JR.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
MORGAN, J. E.
A condition sensor system and method
[NASA-CASE-MSC-14805-1] c35 N76-26448
MORGAN, W. C.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
MORISSETTE, S.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
MORRELL, G.
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c28 N70-40367
MORRIS, D. E.
Silphenyleresiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20978] c06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
MORRIS, J. F.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595
MORRIS, J. H.
Difference circuit Patent
[NASA-CASE-XNP-08274] c10 N71-13537
MORRISON, H. D.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
MORSE, C. F.
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c33 N71-29053
MORTENSEN, L. O.
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411
MOSER, B. G.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
MOSER, J. C.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XNS-08012-2] c31 N71-15566
MOSIER, B.
Pressed disc type sensing electrodes with ion-screening means Patent
[NASA-CASE-XNS-04212-1] c05 N71-12346
Plated electrodes Patent
[NASA-CASE-XNS-04213-1] c09 N71-26002
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
MOSIER, J. E.
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c06 N71-23499
MOSSOLANI, D. L.
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498
MOUNTVALA, A. J.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XNP-05279] c18 N71-16124
MOYER, K. W.
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
MROZ, T. S.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
MUEHLER, P. P.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
MUELLER, R. L.
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585
MUELLER, W. A.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
MUGLER, S. W.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
MULHERN, J. E., JR.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119
MULLEN, D. L.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
MULLEN, L. O.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
MULLER, K.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
MULLER, R. H.
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
MULLIKEN, R. P.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
MUMOLA, P. B.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
MUNOZ, E. H.
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c10 N71-16042
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c08 N71-18594
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c08 N71-19763
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c60 N75-13539
MUNSON, R. E.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
MURACA, R. F.
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c06 N71-24607
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c06 N72-17094
MURCH, E. H.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363
MURPHY, A. J.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
MURPHY, D. W.
Frangible link
[NASA-CASE-MSC-11849-1] c15 N72-22488
MURPHY, F. L.
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c09 N69-39929
MURPHY, J. P.
All sky pointing attitude control system

[NASA-CASE-ARC-10716-1] c35 N77-20399
MURPHY, W. J.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
MURTY, M. V. R. K.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c14 N70-40003
MUSICK, E. O.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073
MUSSETT, E. W.
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c05 N71-20718
MYERS, D. A.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
MYERS, I. T.
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385
MYERS, W. N.
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c15 N71-24903
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402

N

NABSETH, R. L.
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
NAGANO, S.
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402
NAGLE, W. J.
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
NAIDITCH, S.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c15 N72-21466
NAINER, J.
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-1] c54 N76-15792
NAKADA, M. P.
Time of flight mass spectrometer with feedback means from the detector to the ion source and a specific counter Patent
[NASA-CASE-XNP-01056] c14 N71-23041
NAKAMURA, H. H.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124
NAKANISHI, S.
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c28 N70-35422
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c28 N71-26781
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
NAKICH, H. B.
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11661-1] c36 N74-20009
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
NANCE, H. H.
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
NAPLES, J. F.
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c15 N71-17803
NASON, G. H.
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720
NASUTI, A. J.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c15 N71-15606
NAUMANN, R. C.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
NAUMANN, R. J.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c35 N75-29380
NEAL, P. F.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
NEALY, J. E.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
NELSON, B.
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c09 N71-12518
NELSON, B. W.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673
NELSON, C. A.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547
NELSON, C. H.
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c07 N71-11284
NELSON, D. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
NELSON, E. P.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
NELSON, H. H.
Telemetry word forming unit
[NASA-CASE-XNP-09225] c09 N69-24333
NELSON, W. J.
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c15 N71-19569
NERHEIM, N. N.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
NEUHAN, F. D.
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
NEWBY, D. T.
Hole cutter
[NASA-CASE-MFS-22649-1] c37 N75-25186
NEWCOMB, A. L., JR.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c10 N71-23084
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c10 N71-23315
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
NEWCOMB, J. F.
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c15 N71-20740
NEWCOMB, W. L.
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c15 N70-41679
NEWCOMBE, C. A.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322

NEWMAN, D. F.
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c11 N73-20267
NEWMAN, J. B.
Catalyst bed removing tccl Patent
[NASA-CASE-XFR-00811] c15 N70-36901
NEWMAN, J. H.
New polymers cf perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
NICHOLS, G. B.
Apparatus for ccntrclling the velccity cf an electrcmechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c14 N71-17627
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c10 N71-23662
NICHOLS, J. J.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
NICHOLS, M. B.
Nacelle afterbcdy for jet engines Patent
[NASA-CASE-XLA-10450] c28 N71-21493
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
NICKLAS, J. C.
Attitude contrcl for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
NICKS, O. W.
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
NICOI, W. S.
Vapor depositicn apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
NIEDRA, J. M.
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c09 N72-22197
NIEDZWIECKI, E. W.
Swirl can primary ccmbustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
Ccntrolled separation ccmbustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
NIELSON, T. L.
Technique cf elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
NIER, A. O.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
NISSIM, E.
Suppressicn cf flutter
[NASA-CASE-LAR-10682-1] c02 N73-26004
NITTA, H.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
NIXON, D. L.
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
NOBLE, H. M.
Solenoid ccnstruction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
NOLA, F. J.
Positive dc to positive dc converter Patent
[NASA-CASE-XNP-14301] c09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XNP-08217] c03 N71-23239
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XNP-05195] c10 N71-24861
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c09 N71-24904
Redundant speed contrcl for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Power factcr ccntrol system for ac induction motors
[NASA-CASE-MFS-23280-1] c33 N76-28471
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
NORD, D. B.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
NORDEN, B. M.
Hybrid holcgraphic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
NORDEN, S. J.
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
NORGREN, C. T.
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c28 N70-33265
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
NORK, C. L.
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XNP-03934] c09 N71-22985
NORMAN, R. M.
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
NORTON, R. H.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
NORWOOD, J., JR.
Magnetically ccntrolled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184
NOSSEN, E. J.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
NOVOTNY, J. E.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
NUSBAUM, W. J.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201

O

OAKLEY, E. C.
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c14 N73-30388
OBERSCHMIDT, H.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
OBLER, E. D.
Air conditicning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
OBRIEN, D. E., III
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
OCONNER, B. J.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
OCONNOR, E. W.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
OCONNOR, J. W.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457

ODELL, H. G.
Dual latching solenoid valve Patent
[NASA-CASE-MFS-05890] c09 N71-23191
ODONNELL, P. B.
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c17 N71-33408
ODONNELL, T. J.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c28 N70-35381
OERTEL, G. K.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
OFFIK, W. G.
Emergency escape system Patent
[NASA-CASE-XKS-02342] c05 N71-11199
OGDEN, H. P.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
OGDEN, H. R.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
OGLE, J. S.
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c52 N74-10975
OHLSON, J. E.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N77-28357
OKANE, J. H.
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c05 N71-12335
OKEAN, H. C.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195
OKEEFE, W. J.
Head-up attitude display
[NASA-CASE-ERC-10392] c21 N73-14692
OKELLY, K. P.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
OLCOTT, J. W.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
OLDRIEVE, B. E.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N76-17233
OLIVER, G. D.
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
OLIVER, R. E.
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c07 N73-14130
OLIVER, R. L.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
OLLENDORF, S.
Structural heat pipe
[NASA-CASE-GSC-11619-1] c34 N75-12222
OLLING, E. H.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
OLSASKY, H. J.
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c16 N71-33410
OLSEN, W. A., JR.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c23 N71-17802
OLSON, W. T.
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c28 N70-34788
OLTMANS, D. A.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
ONEIL, R. L.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
ONEILL, R. W.
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c10 N71-28860
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
OREILLY, W. J.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
OREN, V. C.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457
ORILLION, A. G.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
ORLIK, P. W.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
ORLOFF, K. L.
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
ORNISTON, R. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
ORNER, J. W.
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c14 N71-26672
OROURKE, T. E., JR.
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c15 N71-23022
ORTH, N. W.
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
OSHER, J. V.
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
OSMUNDSON, J.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
OSTROFF, A. J.
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
OSTROFF, J.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
OSULLIVAN, W. J., JR.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Self supporting space-vehicle Patent
[NASA-CASE-XLA-00117] c31 N71-17680
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c33 N71-22792
Thermal control panel Patent
[NASA-CASE-XLA-07728] c33 N71-22890
OTHMAN, T. E.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
OTOSHI, T. Y.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
OTTO, G. H.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
OUTLAW, R. A.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
OWENS, L. J.
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c44 N77-15493
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N77-21666
Magnetic electrical connectors for biomedical percutaneous implants

[NASA-CASE-KSC-11030-1] c52 N77-25772
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749

P

PACAIA, T. J.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418
PACE, G. D., JR.
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
PACIOREK, K.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
PACKARD, R. D.
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532
PACKER, F. M.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
PADILLA, D.
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
PAIK, S. F.
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598
PAIK, W. W.
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
PAINTER, J. H.
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
PALANDATI, C. F., JR.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
PALMER, E. I.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
PALSINGH, S.
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
PAN, F. M.
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
PAOLINI, J. J.
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c15 N70-10867
PAPELL, S. S.
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c12 N70-40124
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c27 N71-15635
PARDOE, C. T.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
PARESCE, F.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
PARK, J. J.
Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579
PARKER, D. L.
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
PARKER, G. L.
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c07 N71-20814
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c09 N71-24596
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
PARKER, J. A.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
PARKER, L. C.
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c09 N71-18599
PARKER, O. J.
Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
Flared tube strainer
[NASA-CASE-XLA-05056] c15 N72-11389
PARKER, R. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
PARMLEY, R. T.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c31 N71-17679
PARRA, G. T.
Angle detector
[NASA-CASE-ARC-11036-1] c35 N77-11364
PARSONS, W. E.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XMS-08012-2] c31 N71-15566
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
PARTSCH, V. M.
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c28 N71-28849
PASCIUTTI, E. E.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
PASIERB, E. P.
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064
PASSMAN, H. M.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
PATE, W. E.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
PATON, W. J.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985

PATTEN, C. W.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
PATTERSON, J. C., JR.
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
PATTERSON, W. J.
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c06 N71-11240
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
PAULI, F. A.
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570
PAULKOVICH, J.
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c14 N71-19431
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
PAULI, S.
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995
PAVLICS, F.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
PAWLIK, E. V.
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
PEARSON, A. O.
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
PECHMAN, A.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
PECKHAM, V. A., JR.
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034
PEDERSON, C. W.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
PEELGREN, M. L.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
PEER, C. R.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539
PEGDEN, C. D.
Multiple in-line docking capability for rotating *space stations*
[NASA-CASE-MFS-20855-1] c15 N77-10112
PELLERIN, C. J., JR.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
PENQUE, M. J.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
PEOPLES, J. A.
Multiway vortex valve system Patent
[NASA-CASE-XNP-04709] c15 N71-15609
PERKINS, G. S.
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c15 N71-24695
Ball screw linear actuator
[NASA-CASE-NPO-11222] c15 N72-25456
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
PERKINS, H.
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275
PERKINS, P. J., JR.
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c23 N71-22881
Insulation system Patent
[NASA-CASE-XLE-02647] c18 N71-23658
PERLMAN, M.
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c08 N71-12505
Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165
Feedback shift register with states decomposed into *cycles of equal length*
[NASA-CASE-NPO-11082] c08 N72-22167
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c08 N73-12175
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
PERLMUTTER, M.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
PERRY, C. L.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
PERRY, G. D.
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c14 N71-23227
PERRY, W. E.
Field sequential stereo television
[NASA-CASE-MSC-12616-1] c32 N74-32601
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N76-18917
PESEK, C. T.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c10 N73-25243
PESMAN, G. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
PETERS, D. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
PETERS, H. E.
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
PETERS, L., JR.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
PETERS, P. M.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
PETERS, R. L.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273
PETERS, R. W.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136
PETERSEN, H. I.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
PETERSEN, R. W.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
PETERSON, E. W.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
PETERSON, H. C.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N74-25428
PETERSON, M. E., JR.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087

PETERSON, P. D.
Portable environmental control system Patent
[NASA-CASE-MFS-09632-1] c05 N71-11203
PETERSON, S. T.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
PETERSON, V. S.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c09 N72-22201
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
PETERSON, W. A.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049
PETERSON, W. D.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XNF-08665] c10 N71-19467
PETERSSEN, H. E.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
PETRASEK, D. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
PETRICK, E. H.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XNF-00923] c28 N70-36802
PETYNIA, W. W.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XCS-00260] c31 N70-37924
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
PEYTON, J.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
PEZDIRTZ, G. F.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c33 N71-28903
PFAFF, H.
Swivel support for gas bearings Patent
[NASA-CASE-XNF-07808] c15 N71-23812
PFIFFNER, H. J.
Bootstrap unloader Patent
[NASA-CASE-XNF-05768] c09 N71-12516
PFLEGER, R. O.
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
PHILIPP, W. H.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
PHILIPS, A. R.
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
PHILLIPS, B. I. S.
File card marker Patent
[NASA-CASE-XLA-02705] c08 N71-15908
PHILLIPS, E. C., JR.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
PHILLIPS, W. H.
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c31 N71-22969
PHILLIPS, W. M.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N76-13294
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
PHLIEGER, G. A., JR.
Separation simulator Patent
[NASA-CASE-KKS-04631] c10 N71-23663
Internal work light Patent
[NASA-CASE-KKS-05932] c09 N71-26787
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c15 N72-22486
Pressurized lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Character indicating display device
[NASA-CASE-KKS-00348] c09 N73-14215
PIASECKI, L. E.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
PICCIOLO, G. L.
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29691
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
PIERCE, R. H.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c27 N70-35534
PINCKNEY, K. R.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
PINCKNEY, S. E.
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
PINCUS, B. E.
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432
PINKEL, I. I.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39588
PINSON, G. T.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
PIPPEN, D. L.
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c09 N71-13518
PIRELLI, R. E.
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
PITTS, D. E.
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189

PITTS, F. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910
PITTS, W. C.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
PIVIROTTO, T. J.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
PIZZICK, D. E.
Connector
[NASA-CASE-LAR-11709-1] c37 N76-27567
PLAKAS, C. J.
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465
PLANCHON, J. A., JR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
PLANOWSKI, S. C.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
PLATT, P. K.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
PLAZEK, D. J.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c14 N71-10781
PLEASANTS, J. E.
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c32 N71-21045
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898
PLITT, K. P.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
PODGORSKI, T. J.
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
POESCHEL, R. L.
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
POGORZELSKI, P. S.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
POHL, H. O.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
POHL, J. G.
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
POHM, A. V.
Magnetometer
[NASA-CASE-LAR-11617-2] c35 N77-17430
POLHAMUS, E. C.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c02 N70-38011
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
POLHEMUS, J. T.
A condition sensor system and method
[NASA-CASE-MSC-14805-1] c35 N76-26448
POLLACK, I.
Etching of aluminum for bonding Patent
[NASA-CASE-XNP-02303] c17 N71-23828
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XNP-02221] c18 N71-27170
POLLACK, J. I.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
POLLARD, E. A.
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748
POLLOCK, G. E.
Gas chromatograph injection system
[NASA-CASE-ABC-10344-1] c14 N72-21433
Gas chromatograph injection system
[NASA-CASE-ABC-10344-2] c35 N75-26334
POLSTORFF, W. J.
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179
POOL, S. L.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
POPE, A. M.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
POPE, J. M.
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
POPE, W. L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
POPICK, H.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
POPMA, D. C.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
PORADEK, J. C.
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
PORTER, R. W.
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
PORTER, W. A.
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
PORTNOY, W. M.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
POSCHENRIEDER, W. P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
POSNER, E. C.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
POSTMA, E. W.
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
POTBAKE, W. B.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
POTTER, A. E., JR.
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c23 N73-13661
POTTER, L. R.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
POTTER, M. H.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
POTTER, P. D.
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c07 N71-15907
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
POUCHOT, W. D.
Self-adjusting multisegment, deployable, natural

circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046
POVINELLI, L. A.
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
POWELL, C. A., JR.
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
POWELL, J. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
POWELL, J. D.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
POWELL, W. B.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
POWELL, W. F., JR.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
POWER, J. L.
An ion exchange nuclear reactor
[NASA-CASE-LEW-11645-2] c22 N73-28660
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
POWERS, E. I.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
POZSCHY, E. E.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
PRESCOTT, W. A.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062
PRESLEY, L. L.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
PRESTON, G. E.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
PRESTON, G. W.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900
PRICE, A. G.
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
PRICE, E. W.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
PRICE, P.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
PRICE, S. B.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
PRIDE, J. D., JR.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
PRIEBE, G. W.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
PRIOLETTI, J. A.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
PRITCHARD, E. B.
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c19 N74-21015
PRITCHARD, E. O.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260
PROCH, G. E.
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14556-1] c32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
PROEHSEY, J. E.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322
PROFFIT, B. L.
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c10 N72-17173
PROGAR, D. J.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192
PROK, G. M.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-35382
PROKOPIUS, P. E.
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
PRUETT, B. J.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
PRYOR, D. E.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
PRYOR, P. P., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
PRZYBYSZEWSKI, J. S.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24565
PUCCINELLI, A. A.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
PUCILLO, G. L.
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c09 N72-12136
PULLING, E. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
PURCELL, T. E., JR.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
PUTNAM, D. F.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252

Q

QUATINETZ, M.
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
QUATTRONE, P. D.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
QUINN, R. B.
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521

R

RADNOFSKY, M. I.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-1] c54 N76-15792
RAGGIO, C. W., JR.
Steerable solid propellant rocket motor Patent

[NASA-CASE-XNP-00234] c28 N70-38645
RAINEY, R. W.
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c02 N71-27088
RAINWATER, L. L.
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c07 N71-27191
RAMEY, R. L.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XRS-04614] c15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
RAMEY, P. B.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c09 N71-24618
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c15 N72-20444
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c05 N72-25121
RANDALL, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
RANEY, J. P.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
RAPOSA, F. L.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228
RAPOZA, E. J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
RASMUSSEN, E. P.
Transparent switchboard
[NASA-CASE-MSC-13746-1] c10 N73-32143
RASQUIN, J. R.
Angular measurement system Patent
[NASA-CASE-XNP-00447] c14 N70-33179
Electro-optical alignment control system Patent
[NASA-CASE-XNP-00908] c14 N70-40238
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c11 N72-23215
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
RATAJCZAK, A. F.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
RATCLIFF, L. P.
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
RAVAS, R. J.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c10 N71-27126
RAVENHALL, R.
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
RAWSON, J.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
RAY, W. L.
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c25 N74-33378
RAYLE, W. D.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
READ, P. G.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351
READ, W. S.
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
READER, A. F.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
READER, P. D.
Ion thruster cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661
RECHTER, H. L.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124
REDDING, A. B.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XRC-03673] c33 N71-29046
REDMON, J. W.
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c15 N72-11388
REECE, O. Y.
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c14 N71-17659
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c14 N71-24234
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
REED, A. R.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
REED, J. H., JR.
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329
REED, L.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312
REED, W. H., III
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c11 N71-15926
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c12 N71-16894
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c14 N71-17626
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c15 N71-27146
REHAGE, J. R.
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c09 N70-41655
REIBER, J. H. C.
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
REID, H. J. E., JR.
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943
REID, H., JR.
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
REID, M. S.
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N77-28357
REID, R.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186
REID, W. J.
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c08 N71-18692
REINHARDT, G.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
REINHOLD, H. W.
Circuit breaker utilizing magnetic latching relays Patent

[NASA-CASE-MSC-11277] c09 N71-29008
BEINISCH, B. F.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
BEINITZ, K.
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-IGS-03230] c14 N71-23401
BENBAUM, A.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
Dicyanoacetylene polymers Patent
[NASA-CASE-INP-03250] c06 N71-23500
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c14 N73-14428
Preparation of alkali metal dispersions
[NASA-CASE-INP-08876] c17 N73-28573
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
BENPEL, B. C.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-IGS-04879] c14 N71-20428
BENPFER, P. S.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
BENNER, W.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
BENNIE, P. A.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
BEPAE, J.
Rubber composition for use with hydrazine Patent Application
[NASA-CASE-NPO-11433] c18 N71-31140
BEPAS, G. A.
Rocket propellant injection
[NASA-CASE-LEW-11071-1] c27 N73-27695
BEYNOLDS, J. E.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
BEYNOLDS, E. E.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
BEYNOLDS, W. E.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008
BHO, J. H.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
BHODES, D. B.
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N76-23985
BHODES, L. L.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
BHODES, M. D.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
BIAZ, M.
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364
BIBARICH, J. J.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
BICCITIELLO, S. B.
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421
Intumescent coating containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N77-11119
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
BICE, B. P.
Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
BICE, B. B.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
BICE, B. W.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
BICE, S. H.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
BICE, W. J.
Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461
BICH, E., JR.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
BICHARD, C. E.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877
BICHARD, E. E.
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c14 N70-41682
BICHARDS, E. E.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
BICHARDS, W. E.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
BICHARDSON, E. W.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
BICHLEY, E. A.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
BICHMOND, J. C.
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
BICHTER, C. G.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
BICHTER, H. L.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
BICHTER, I. A.
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
BIEBE, J. H.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582
BIEBLING, B. W.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432

Bipropellant injector
[NASA-CASE-XNP-05461] c28 N72-23809
RILEY, J. F.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
RILEY, T. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
RINART, G. A.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
RINDNER, W.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
RINEHART, D.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
RINGELMAN, J. F.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
RIPPY, H. H.
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
RITCHIE, D. G.
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483
RITCHIE, D. W.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
RITCHIE, V. S.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
RITTER, D. L.
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
RLOFF, K. L.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
ROACH, J. E.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
ROBBINS, H. J.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
ROBELEN, D. B.
Deploy/release system
[NASA-CASE-LAR-11575-1] c02 N76-16014
ROBERTS, D. E.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325
ROBERTS, D. L.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
ROBERTS, E. J.
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c15 N72-22484
ROBERTS, H. L.
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
ROBERTS, V. W.
Silent emergency alarm system for schools and the like
[NASA-CASE-NFC-11307-1] c10 N73-30205
ROBERTSON, A. J.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
ROBERTSON, J. B.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Real time liquid crystal image converter
[NASA-CASE-LAR-11206-1] c74 N74-30118
ROBERTSON, W. L.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073
ROBILLARD, G.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
ROBINS, A. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
ROBINSON, G. F.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
ROBINSON, H.
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578
ROBINSON, W. J., JR.
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
ROBSON, P. H.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
ROCHOW, S. E.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
RODNER, W. H.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895
ROEDER, E. E.
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
ROESKE, F. W.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
ROGALLO, F. M.
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038
ROGALLO, V. L.
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400
Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957
ROGERS, F. O.
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
ROGERS, J. E.
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465

Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
BOGOWSKI, E. S.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609
BOLF, E.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
BOLIK, G. P.
Solar cell panels with light transmitting plate
[NASA-CASE-NEC-10747] c03 N72-22042
BOLLER, R. F.
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
BOLLING, G. H.
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
BOLLING, J. B.
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
BOM, F. F.
Gaseous nuclear rocket Patent
[NASA-CASE-XLE-00321] c22 N70-34572
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c22 N71-28759
BOMAR, J. A.
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
BOMARCZYK, K. C.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
BOMBEL, H. A.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
BONVARY, R., JR.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906
BONEY, B. W.
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483
BOOK, C. W.
Redundant RF system for space applications
[NASA-CASE-NPO-13955-1] c32 N77-28358
BOOT, G. L.
Valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
BOSALES, L. A.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple crifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
BOSEE, H. A.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
BOSEE, L.
Focused image holography with extended sources Patent
[NASA-CASE-FRC-10019] c16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-FRC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-FRC-10020] c16 N71-26154
BOSENBAUM, B. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
BOSENBLUM, L.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
BOSENGREN, L. G.
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
BOSIN, A. D.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
BOSIN, S.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
BOSINSKI, W. K.
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
BOSITANO, S. A.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[NASA-CASE-HE-ARC-10329-2] c52 N76-30793
BOSSER, R. W.
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
BOSSI, B. B.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
BOSSON, V. J.
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073
BOTH, H.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
BOTHAN, A.
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c11 N70-35383
BOUDREAUX, W. H.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
BOUGHTON, H. A.
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
BOUSEY, W. J.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
BOUTH, D. E.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
BOUZER, L. E.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
BOWE, H. E.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
BOWLAND, C. W.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c15 N69-27502
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
BOWLEY, P. D.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
BOY, H. L.
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
BOY, O.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437

RUBBERT, K. F.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Quick release connector Patent
[NASA-CASE-XLA-01141] c15 N71-13789
RUBIN, B.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10238] c04 N72-33072
RUBIN, D. C.
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
RUDDOCK, K. A.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-IGS-04879] c14 N71-20428
RUHNKE, L. H.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c07 N73-20175
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c14 N73-32318
RUMBLE, C. V.
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c32 N74-12843
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
RUNNEL, J. A.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
RUMMLER, D. R.
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773
Low mass truss structure
[NASA-CASE-LAR-10546-1] c11 N72-25287
RUPP, J. H.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
RUPNIK, D. R.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
RUPP, C. C.
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
RUSSELL, C. H.
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c14 N71-28991
RUSSELL, G. H.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
RUSSELL, J. H., III
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
RUSSELL, L. D.
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c09 N72-17152
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477
RUSSELL, W. R.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
RUST, R.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
RYAN, C. R.
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272
RYASON, P. R.
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580

S

SABAROFF, S.
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
SABELMAN, E. E.
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c15 N73-24513
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c09 N73-30185
SABOL, A. P.
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c25 N71-15562
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c25 N71-21693
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
SACKS, B. H.
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c09 N73-15235
SADHUKHAN, P.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c25 N77-17178
SAFFREN, H. H.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
SAHINKAYA, Y.
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
SAINSBURY-CARTER, J. B.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
SAINTCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
SAKELLARIS, P. C.
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766
SALISBURY, J. K., JR.
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
SALMIRS, S.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
SALTER, W. H.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system

[NASA-CASE-MFS-22671-2] c35 N77-17426
SALTZMAN, E. J.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
SALVINSKI, R. J.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
SAMFIELD, E.
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
SAMONSKI, F. H., JR.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297
SAMSON, J. A. R.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
SAMSON, R.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
SAN MIGUEL, A.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
SANDBORN, V. A.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576
SANDER, R. C.
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
SANDERS, B. W.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
SANDROCK, G. D.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
SANDSTROM, D. R.
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
SANTARPIA, D.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
SAUER, L. S.
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c15 N71-22997
SAUER, R. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
SAUER, T. H.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
SAUERS, D. G.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Lightweight electrically powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c24 N75-16635
SAUNDERS, A. R.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
SAUNDERS, N. T.
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c28 N70-38197
SAUTER, R. J.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-3201
SAVINO, J. M.
Simulated fuel assembly Patent
[NASA-CASE-XLE-00724] c14 N70-34669
SAWKO, P. M.
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c06 N72-25147
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c18 N73-13562
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Intumescent coating containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N77-11119
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
SAWYER, C. D.
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c44 N76-15573
SAWYER, D. E.
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c08 N72-21198
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
SAWYER, J. T.
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
SCAPICCHIO, A. J.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
SCHACH, M.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
SCHACHT, W. P.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266
SCHACHTER, M. M.
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676
SCHAEFER, D. R.
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778
Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c08 N71-18693
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c10 N71-20852
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
SCHAEFER, G. J.
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
SCHAER, G. R.
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
SCHAFFER, G. L.
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c09 N71-28468
SCHAFFERT, J. C.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
SCHALLER, M. C.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
SCHAPPERT, G. T.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

SCHAUS, R. B.
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356
SCHEIBE, H.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
SCHEIBLEY, D. W.
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
SCHELL, J. T.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
SCHER, M. P.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
SCHER, S. H.
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
SCHIFFNER, G.
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c16 N73-32391
SCHILLER, J. G.
Device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N77-18238
SCHINDLER, R. A.
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c14 N71-17662
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Method and apparatus for providing a servodrive signal in a high speed stepping interferometer
[NASA-CASE-NPO-13569-1] c35 N75-21600
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N76-14433
Method and apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c33 N77-28395
SCHLESINGER, F. W.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
SCHLOSS, A. L.
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500
SCHMIDT, E. P.
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283
SCHMIDT, H. W.
Conical valve plug Patent
[NASA-CASE-XLE-00715] c15 N70-34859
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492
SCHMIDT, K. C.
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
SCHMIDT, L. F.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Light sensor
[NASA-CASE-NPO-11311] c14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
SCHMIDT, R.
Reactance control system Patent
[NASA-CASE-XMF-01595] c21 N71-15583
SCHMIDT, R. F.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c09 N71-24804
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11568-1] c32 N76-15329
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c32 N76-18295
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
SCHMIDT, W. G.
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090
SCHMITT, A. L.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
SCHMITZ, B. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931
SCHMITZ, F. H.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
SCHNEIDER, B. T.
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
SCHNEIDER, W. C.
Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c37 N76-19437
SCHNITZER, E.
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536
Manned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c15 N71-22713
SCHNOPPER, H. W.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
SCHOEN, A. H.
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
Expandable space frames
[NASA-CASE-ERC-10365-1] c31 N73-32749
SCHOLL, J. A.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c15 N72-24522
SCHORUM, S. W.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
SCHRADER, J. H.
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c21 N71-11766
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
SCHREDER, K. D.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
SCHROCK, C. G.
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
SCHUBERT, P. H.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
SCHUERER, P. H.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
SCHULLER, F. T.
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
SCHUMACHER, L. L.
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
SCHUSTER, D. H.
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c09 N70-35219

Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057
SCHUSTER, H. A.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
SCHUTT, J. B.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
SCHUTZENHOFER, L. A.
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
SCHWAB, W.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c37 N76-20486
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
SCHWAB, W. B.
Solid state power mapping instrument Patent
[NASA-CASE-XIE-00301] c14 N70-36808
SCHWARTZ, I. B.
Mixing exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
SCHWARZ, F. C.
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Load-insensitive electrical device
[NASA-CASE-XER-11046] c09 N72-22203
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c33 N74-22864
SCHWINGHAMER, R. J.
Angular measurement system Patent
[NASA-CASE-XMF-00447] c14 N70-33179
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c03 N70-34157
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c15 N70-34249
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c14 N70-40238
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148
SCHWUTTKE, G. H.
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
SCIACCA, T. P.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
SCOGGINS, J. B.
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c02 N71-23007
SCOTT, C. B.
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
SCOTT, C. H.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
SCOTT, R. F.
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32462
SCOTT, R. H.
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049
SCOTT, S. G.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313
SCOTT, W. L.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c05 N73-32013
SCOW, J.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
SCROOP, F. B.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
SCUDDER, L. B.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
SCULLY, P. T.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
SEA, R. G.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
SEATON, A. F.
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127
SEATON, S. L.
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c16 N71-24074
Laser calibrator Patent
[NASA-CASE-XLA-03410] c16 N71-25914
SEAY, B. P., JR.
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
SEBACHER, D. I.
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
SECKEL, E.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
SECRETAN, L.
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c09 N71-22988
SEEGMILLER, H. L. B.
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072
SEIDENBERG, B.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100
SEILER, E. B.
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c32 N71-24285
SEITZ, T. B.
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084

SEITZINGER, V. P.
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c18 N70-41583
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
SELCUK, M. K.
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
A non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N77-28583
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
SELLEN, J. M., JR.
Method and apparatus for measuring potentials in plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02036] c09 N71-16086
SERAFINI, T. T.
Preparation of polyimides from mixtures of isomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
SEVART, F. D.
Miniature hydraulic actuator
[NASA-CASE-LAR-11522-1] c34 N74-34881
SEWARD, H. H.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
SEYFFERT, H. P.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
SEYL, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c07 N71-12391
SHADY, D. L.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
SHAFFER, D. H.
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
SHAFER, J. I.
Solid propellant rocket motor nozzle
[NASA-CASE-NPC-11458] c28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPC-11975-1] c28 N74-33209
SHAFFER, C. V.
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
SHAI, C. M.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
SHALTENS, R. K.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
SHANKAR, N. R.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
SHANNON, R. L.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001
SHAPIRO, H.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489
SHARPE, M. H.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
SHATALSKY, R.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
SHATTUCK, R. D.
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c03 N71-23354
SHAW, C. S.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
SHEETS, R. E.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
SHEFSIEK, P. K.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
SHEIBLEY, D. W.
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c44 N77-18560
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
SHELTON, G. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
SHELTON, J. P., JR.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483
SHELTON, R. D.
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c14 N71-23699
SHEPARD, C. E.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
SHEPARD, L. F.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
SHEPARD, S. K.
Peak polarity selector Patent
[NASA-CASE-ERC-10010] c10 N71-24862
SHERBURNE, A. E.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
SHERFEY, J. M.
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c03 N71-23006
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
SHERMAN, A.
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
SHERWIN, E. J.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
SHETH, S. G.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408

Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
SHEWBAKE, G. A.
Life preserver Patent
[NASA-CASE-XMS-00664] c05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748
SHIBER, H.
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c18 N71-21068
SHIGEMOTO, F. H.
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c16 N71-24828
SHILLINGER, G. L., JR.
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
SHIM, I. H.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
SHIMA, H.
Multitarget sequential sputtering apparatus
[NASA-CASE-NFC-13345-1] c37 N75-19684
SHIMADA, K.
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c09 N71-28421
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NFC-11388] c03 N72-23048
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NFC-13497-1] c44 N76-14602
SHIMODA, K.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614
SHIRA, C. S.
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
SHORES, P. W.
Position determination systems
[NASA-CASE-MSC-12593-1] c17 N76-21250
SHORTRIDGE, S. R.
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c10 N70-42032
SHRIVER, C. B.
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
SHRIVER, C. L.
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
SHRIVER, R. L.
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XNP-06617] c09 N71-24843
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c14 N72-22439
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
SHUBE, R. R.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
SHULMAN, A. R.
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c23 N72-11568
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
SHUMATE, M. S.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NFO-11087] c23 N71-29125
Differential optoacoustic absorption detector
[NASA-CASE-NFO-13759-1] c35 N77-11363
SHURE, L. I.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
SHUTE, D. I.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
SIDMAN, K. R.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
SIDORAK, L. G.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
SIEBERT, C. J.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c15 N72-22485
SIEGEL, B.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
SIEGMAN, A. E.
Laser system with an antiresonant optical ring
[NASA-CASE-ECN-10844-1] c36 N75-19653
SIERADSKI, L. H.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
SIEWERT, R. D.
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
SIGALLA, A.
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
SIGFRED, J.
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
SIGNORELLI, R. A.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
SIKORA, P. F.
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c14 N70-35368
SIKORRA, D. J.
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c09 N71-13531
SILVER, R. H.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895

Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
SILVERMAN, J. B.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
SILVERTSON, W. B., JR.
Logical function generator
[NASA-CASE-XLA-05099] c09 N73-13209
SIMAS, V. B.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
SIMMONDS, M. B.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
SIMMONDS, P. G.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c15 N73-13467
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
SIMMONS, G. B.
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
SIMMONS, W. B.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808
SIMON, M. K.
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
SIMON, S. L.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
SIMPKINS, L. G.
Television multiplexing system
[NASA-CASE-KSC-10654-1] c07 N73-30115
SIMPSON, W. B.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c15 N71-26611
SIMPSON, W. G.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
SIMS, C. R.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
SINCLAIR, A. B.
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
SINGH, J. J.
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
SIROCKY, P. J.
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c15 N70-38020
SIVERTSON, W. E., JR.
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c07 N71-11266
Rate data encoder
[NASA-CASE-LAR-10128-1] c08 N73-20217
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c32 N77-21267
SIVITER, J. E., JR.
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
SIVLEY, J. B.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544
SIZEMORE, H. C.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
SLATER, R. J.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
SLATTERY, J. C.
Method and apparatus for measuring potentials in plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650
SLAYDEN, H. D.
Pulse amplitude and width detector Patent
[NASA-CASE-XNP-06519] c09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XNP-08804] c09 N71-24717
SLEEMAN, W. C., JR.
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038
SLEMP, W. S.
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
SLIFER, L. W., JR.
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c03 N71-23187
SLIKEY, H. E.
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c18 N70-36400
Method of making self lubricating fluoride-metal composite materials Patent
[NASA-CASE-XLE-08511-2] c18 N71-16105
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c18 N71-23710
Bearing material
[NASA-CASE-LEW-11930-1] c24 N76-22309
Bearing material
[NASA-CASE-LEW-11930-2] c24 N76-26282
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249
SLOWIKOWSKI, D. P.
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c09 N71-29139
SMALL, J. G.
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c14 N70-35394
SMITH, A. B.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
SMITH, C.
Counter and shift register Patent
[NASA-CASE-XNP-01753] c08 N71-22897
SMITH, D.
Brazing alloy Patent
[NASA-CASE-XNP-03063] c17 N71-23365
SMITH, D. L.
Hall effect transducer
[NASA-CASE-LAR-10620-1] c09 N72-25255
SMITH, E. W.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
SMITH, H. A.
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c14 N71-21007
SMITH, H. E.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
SMITH, H. J.
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265
SMITH, J. A.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
SMITH, J. P.
Energy management system for glider type vehicle

Patent
[NASA-CASE-XFB-00756] c02 N71-13421
SMITH, J. H., JR.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c09 N70-35440
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c04 N71-23185
SMITH, L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
SMITH, L. G.
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c03 N70-35408
SMITH, L. H., JR.
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
SMITH, L. S.
Polarity sensitive circuit Patent
[NASA-CASE-XNE-00952] c10 N71-23271
SMITH, M.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
SMITH, R. W.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
SMITH, T. E., III
Display research collision warning system
[NASA-CASE-ECN-10703] c21 N73-13643
SMITH, W. O.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
SMITH, W. R.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
SMITH, W. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931
SMOOT, G. F.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
SMYLIE, R. E.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297
SMYLY, H. H.
Differential pressure control
[NASA-CASE-MFS-14216] c14 N73-13418
SNEEDEN, R. J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c28 N71-20330
SNODDY, L. G.
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968
SNYDER, J. A.
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c15 N73-27406
SNYDER, L. H.
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c14 N71-22990
SNYDER, R. S.
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919
SODD, V. J.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
SOFFEN, G. A.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNE-09451] c06 N71-26754
SOHL, G.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c28 N71-23293
SOINI, H. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
SOKOLOWSKI, D. E.
Heat exchanger
[NASA-CASE-LEW-12252-1] c34 N75-19579
SOLOMON, G.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
SOLTIS, D. G.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
SOMOANO, R. B.
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
SONNENSCHEIN, C. M.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
SONNENSCHEIN, G.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
SORENSEN, C. E.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628
SORENSEN, H. E.
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
SOTER, E. J.
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
SOTHERLUND, A. W., JR.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874
SOURS, W. P.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477
SOWA, W. M.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
SPADY, A. A., JR.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
SPAIN, I. L.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
SPALVINS, T.
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c27 N74-13270
SPARKS, R. H.
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
SPEARMAN, M. L.
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c02 N71-11043
SPEISER, R. C.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
SPENCER, B., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
SPENCER, D. J.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNE-08832] c08 N71-12506
SPENCER, J. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910
SPENCER, P. B.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
SPENCER, R. L.
Thickness measuring and injection device Patent

[NASA-CASE-MFS-20261] c14 N71-27005
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
SPENCER, R. S.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
SPIER, R. A.
Portable milling tool Patent
[NASA-CASE-XNP-03511] c15 N71-22799
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Vee-notching device
[NASA-CASE-MFS-20730-1] c39 N74-13131
SPIES, R.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
SPIKER, I. K.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
SPITZER, L. A.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252
SPITZER, C. R.
Evaporant holder
[NASA-CASE-XLA-03105] c15 N69-27483
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
SPITZIG, W. A.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
SPRECACE, R. F.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
SPRINGER, L. E.
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
SPRINGETT, J. C.
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c08 N70-41961
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c10 N73-12244
SPRINGFIELD, C. L.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
SPROSS, F. R.
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c05 N71-17599
SQUILLARI, W.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
SQUYRES, H. P.
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
ST.JOHN, R. H.
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
STABLEY, S. D.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XMS-01985] c15 N71-10782
STAINBACK, J. D.
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
STALEY, H. W.
Pulse amplitude and width detector Patent
[NASA-CASE-XNP-06519] c09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XNP-08804] c09 N71-24717
STALEY, R. W.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
STALLCOP, J. R.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
STALOFF, C.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
STAMPS, J. C.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
STANGE, W. C.
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
STARK, K. W.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c07 N71-10609
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c28 N71-27094
STARK, H. W.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c27 N71-16392
STARKEY, D. J.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
STARNER, E. B.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
STCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192
STECURA, S.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
STEELE, E. R.
Satellite aided vehicle avoidance system Patent
[NASA-CASE-EEC-10090] c21 N71-24948
Improved satellite aided vehicle avoidance system
[NASA-CASE-EEC-10419] c21 N72-21631
Satellite aided vehicle avoidance system
[NASA-CASE-EEC-10419-1] c03 N75-30132
STEELE, R. K.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
STEENHAGEN, G.
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454
STEENKEN, J.
Relief valve
[NASA-CASE-XMS-05894-1] c15 N69-21924
STEFURAK, E. L.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
STEIN, E. J.
Continuous detonation reaction engine Patent
[NASA-CASE-XNP-06926] c28 N71-22983
STEIN, S.
Injector-valve device Patent
[NASA-CASE-XLE-00303] c15 N70-36535
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c28 N70-38199
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c28 N71-24736
STEINBERG, E.
Solid state power mapping instrument Patent
[NASA-CASE-XLE-00301] c14 N70-36808
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c11 N71-10777
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
STEINMETZ, C. P.
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754
STELBER, J. J.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
STELL, E. E.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
STELLA, A. J.
Electrical connector pin with wiping action
[NASA-CASE-XNP-04238] c09 N75-39738
STELZRIED, C. T.
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c07 N71-11267
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
Matched thermistors for microwave power meters Patent

[NASA-CASE-NPO-10348] c10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
STENGEL, R. F.
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c20 N71-16281
STENLUND, S. J.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
STEPHENS, D. G.
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
Active air cushion control system minimizing vertical cushion response
[NASA-CASE-LAR-10531-1] c02 N73-13023
STEPHENS, D. L.
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
STEPHENS, J. B.
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c14 N71-17701
Space simulator Patent
[NASA-CASE-NPO-10141] c11 N71-24964
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584
STEPHENS, J. B.
Reduced chromium stainless steel alloys
[NASA-CASE-LEW-12543-1] c26 N77-21217
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
STERN, M.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
STERRETT, J. E.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
STETSON, A. R.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040
STEUDL, R. H.
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
STEVENSON, L. P.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
STEWART, C. R.
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c09 N72-25257
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c10 N73-25240
STEWART, R. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
STEWART, W. L.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
STICKLE, J. W.
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c02 N71-26110
STIPPLER, J. J.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
STIGBERG, J. D.
Optical rotational sensor
[NASA-CASE-KSC-10752-1] c15 N73-27407
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
STINE, H. A.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
STIRN, R. J.
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
STOCKARD, H. E.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
STOCKER, P. J.
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516
STOKES, C. S.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
STOLLER, F. W.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
STONE, F. A.
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c10 N71-20448
STONE, L. R.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
STONE, S. R.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
STORY, A. W.
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Display system
[NASA-CASE-ERC-10350] c14 N73-20474
STRAIGHT, D. R.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c07 N74-15453
STRAND, L. D.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
STRANGE, R. G.
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07518] c23 N71-16099
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
STRASS, H. K.
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479
STREED, E. R.
Solar cell Patent
[NASA-CASE-ARC-10050] c03 N71-33409
STRINGHAM, R. S.
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262

STROH, T. H.
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
STRONG, I. J.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
STRONG, J. P., III
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-2] c60 N76-18803
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
STROUB, R. H.
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N77-28111
STROUHAL, G.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
STROUP, E. R.
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c03 N71-20491
STRULL, G.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
STRUZIK, E. A.
Ceramic fiber insulating material and methods of producing same
[NASA-CASE-MSC-14795-1] c27 N76-15314
STUART, J. L.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
STUART, J. W.
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c06 N73-13128
STUCKEY, J. M.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
STUDENICK, D. K.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
STUDER, P. A.
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c09 N71-10677
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c09 N71-25999
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c15 N72-33476
Magnetic bearing
[NASA-CASE-GSC-11079-1] c37 N75-18574
Mechanical capacitor
[NASA-CASE-GSC-12030-1] c44 N76-30652
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
STUMP, E. C., JR.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
STURGIS, B. C.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
STURM, R. G.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
STURMAN, J. C.
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c10 N71-19471
STYLES, C. H.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
SUDEY, J.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
SULLIVAN, D. E.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
SULLIVAN, E. H.
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
SULLIVAN, J. I.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
SULLIVAN, T. E.
Waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
SUNIDA, J. T.
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
SUMMERFIELD, D. G.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
SUMMERS, R. H.
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
SUTLIFF, J. D.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c02 N70-41630
SWAIN, R. L.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
SWANN, R. T.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
SWEAT, J. C.
Emergency escape system Patent
[NASA-CASE-XMS-07814] c15 N71-27067
SWEET, G. E.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436
SWINGLE, R. L.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
SWIRSKY, B. D.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
SWORDS, B. B.
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
SYDNOR, R. L.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
SYVERTSON, C. A.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087

T

TADDEO, P. V.
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c10 N71-28960
TALBOT, H. W.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
TALLEY, D. H.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
TARPLEY, J. L.
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489

TASHBAR, P. W.
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
TAUB, W. H.
Radial module space station Patent
[NASA-CASE-MSC-01906] c31 N70-41373
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
TAUSWORTHE, R. C.
Filter for third order phase locked loops
[NASA-CASE-NPC-11941-1] c10 N73-27171
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340
TAYLOR, C. J.
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c14 N71-17574
TAYLOR, L. L.
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
TAYLOR, L. V.
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c10 N71-27272
TAYLOR, R. A.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
TAYLOR, R. C.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
TAYLOR, R. E.
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c09 N69-21543
Polarization diversity noncpulse tracking receiver Patent
[NASA-CASE-XGS-03501] c09 N71-20864
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c09 N71-24595
TCHEBBEV, D. I.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
TE POEL, H. E.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
TEGNELIA, C. R.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
TEITELBAUM, S.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
TELFER, T. A.
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
TENER, W. H.
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
TENG, R. N.
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N73-32152
TENOSO, H. J.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
TEPPER, E. H.
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
TERP, L. S.
Gas compression analysis
[NASA-CASE-MSC-14757-1] c37 N76-13496
TERRAY, A.
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c37 N76-23570
TERSELIC, R. A.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
TESINSKY, J. S.
Flexible pile thermal barrier seal
[NASA-CASE-MSC-19568-1] c37 N76-23585
TETSUKA, G. H.
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c09 N71-10659
THALER, S.
Voltage regulator Patent
[NASA-CASE-XEC-10113] c09 N71-27053
Current dependent filter inductance
[NASA-CASE-XEC-10139] c09 N72-17154
THALLER, L. H.
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
THIBODAUX, J. G., JR.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c28 N71-26779
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
THIEL, A. H.
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c15 N71-22798
THIELE, C.
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675
THIELE, C. L.
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
THOLE, J. H.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c31 N71-16081
THOM, K.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184
Nonequilibrium radiation nuclear reactor
[NASA-CASE-BCN-10841-1] c73 N75-22108
THOMAS, D. F., JR.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662
THOMAS, H. H.
Electronic motor control system Patent
[NASA-CASE-XNP-01129] c09 N70-38712
THOMAS, H. E.
Optical communications system Patent
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communications system Patent
[NASA-CASE-XLA-01090] c16 N71-28963
THOMAS, H. L.
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
THOMAS, R. D.
Thermocouple tape
[NASA-CASE-LEW-11072-1] c14 N73-24472
Thermocouple tape
[NASA-CASE-LEW-11072-2] c35 N76-15434
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
THOMASON, H. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XNP-00684] c21 N71-21688
Azimuth laying system Patent
[NASA-CASE-XNP-01669] c21 N71-23289
THOMPSON, G. D., JR.
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
THOMPSON, J. B., JR.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
THOMPSON, R. B.
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c14 N73-26431
THOMSON, A. R.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
THOMSON, J. A. L.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753

THORNTON, G. E.
Hole cutter
[NASA-CASE-MFS-22649-1] c37 N75-25186
THORNWALL, J. C.
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c08 N71-18595
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c10 N71-18772
THORPE, B. S.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
THYS, P. C.
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
TIBBITTS, W. C.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
TICKNER, E. G.
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
TIEFERMANN, H. W.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
TILLER, W. G.
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c11 N72-25288
TIMM, J. D.
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137
TINOR, U.
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
TINLING, B. E.
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c31 N71-17729
TISCHLER, R. P.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
TITLE, A. M.
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
TITUS, L. E.
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
TOBIAS, R. A.
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
TOCK, R. W.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
TODD, H. H.
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c17 N71-24911
TOFT, A. R.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
TOLL, T. A.
Variable sweep wing aircraft Patent
[NASA-CASE-XLE-00221] c02 N70-33266
TOLSCH, R. A.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
TOM, H. Y.
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
TOMLINSON, L. E.
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c15 N71-19213
TONGIER, M., JR.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
TOOLE, P. C.
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c08 N72-21197
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c08 N73-12176
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
TOPITS, A., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
TORNEY, F. L., JR.
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
TOTH, L. E.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
TOWNES, C. H.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
TOWNSEND, M. E.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
TOY, M. S.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c06 N70-11252
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262
TRADER, A. G.
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147
TRAVIS, E. W.
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c31 N71-21064
TRELEASE, R. B.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c06 N71-22975
TRENT, E. C.
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c26 N72-17820
TRENT, E. L.
Location identification system
[NASA-CASE-REC-10324] c07 N72-25173
TRIMPI, R. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
TRIOLO, J. J.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
TRIPP, C. H.
Booster tank system Patent
[NASA-CASE-MSC-12390] c27 N71-29155
TRISCHLER, F. D.
Polyurethanes of fluorine containing

polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c06 N73-30103

TROST, B. P.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506

TROUT, O. F., JR.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897

TROWBRIDGE, D. L.
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358

TRUBERT, M. B.
Collapsible structure for an antenna reflector
[NASA-CASE-NPC-11751] c07 N73-24176

TRUSCH, E. B.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139

TRUSSELL, D. H.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312

TSCHUNKO, H. F. A.
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c23 N71-24868
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c15 N71-26635
Optical system support apparatus
[NASA-CASE-XER-07896-2] c23 N72-22673

TSUDA, G. I.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863

TSUTSUMI, M.
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c15 N71-10658

TUBBS, H. E.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c28 N71-22983

TUCKER, E. H.
Coupling device
[NASA-CASE-XMS-07846-1] c09 N69-21927
Space suit heat exchanger Patent
[NASA-CASE-XMS-05571] c05 N71-19439
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728

TUGGLE, R. M.
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213

TUMULTY, W. T., JR.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477

TUNG, Y.
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102

TURK, R. B.
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c17 N71-29137

TURNAGE, J. E.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410

TURNER, J. W.
Measurement system
[NASA-CASE-MFS-20658-1] c14 N73-30386

TURNER, R. C.
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c14 N71-23039

TURNER, R. E.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Maximeters (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460

TURNER, T. R.
Double hinged flap Patent
[NASA-CASE-XLA-01290] c02 N70-42016

TUTTLE, S. A.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794

TVEITAN, W.
Data compression system
[NASA-CASE-XNF-09785] c08 N69-21928

TYAGI, R. C.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043

TYCZ, M.
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913

TYLER, A. L.
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008

U

UBER, P. W.
Tape recorder Patent
[NASA-CASE-XGS-08259] c14 N71-23698

ULRICH, B. H.
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140

ULRICH, D. H.
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762

UNDERWOOD, J. H.
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616

UPDIKE, O. L.
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389

UPTON, D. T.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408

URBAN, E. W.
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N77-20341

URSERY, B. C.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224

V

VALENTIJN, H. P.
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c03 N71-20273
Deployable solar cell array
[NASA-CASE-NPO-10883] c31 N72-22874

VALINSKY, J. P.
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945

VALLOTTON, W. C.
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721

VANALSTINE, E. M.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c31 N71-25434

VANARMAN, D. E.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469

VANATTA, L. C.
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235

VANAUKEN, H.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126

VANDERBILT, B. M.
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803

VANGO, S. P.
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c15 N70-34699
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
VANO, A. B.
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c15 N71-22994
VANOENUM, D. G.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
VANSCHOIACK, H. H. E.
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
VANTUYLROSCH, W.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
VARGO, D. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
VARY, A.
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c03 N69-39898
High temperature heat source Patent
[NASA-CASE-XLE-00490] c33 N70-34545
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c33 N70-34812
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
Capillary radiator Patent
[NASA-CASE-XLE-03307] c33 N71-14035
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c22 N71-23599
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c09 N71-29035
VAUGHAN, G. B.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544
VAUGHAN, O. H.
Emergency lunar communications system
[NASA-CASE-MFS-21042] c07 N72-25171
VAUGHAN, R. L.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
VAUGHAN, R. W.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
VAUSE, C. B.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
VEIKIBS, O.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
VEILLETTE, L. J.
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c14 N71-17585
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c10 N71-26418
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c10 N71-27136
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
VELLEND, B.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
VERHILLION, C. B.
Facsimile video demodulation network
[NASA-CASE-GSC-10185-1] c07 N72-12081
VERHILLION, C. B.
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c15 N72-22491
VESSOT, R. F. C.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
VICK, A. B.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
VICK, H. A.
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c05 N71-29317
VICKERS, J. H. P.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906
VILLARREAL, S.
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
VINAL, A. W.
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c10 N71-29135
VINCENT, J. S.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
VINE, J.
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482
VIVIAN, H. C.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Demodulator filter Patent
[NASA-CASE-NPO-10198] c09 N71-24806
VODICKA, V. W.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210
VOGELEY, A. W.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268
VOLKOFF, J. J.
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c14 N70-34697
VOLPE, F. A.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
VONBRAGHAU, G. L.
Support apparatus for dynamic testing Patent
[NASA-CASE-XNP-01772] c11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XNP-03248] c11 N71-10604
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
VONTIESENHAUSEN, G. F.
Energy absorbing device Patent
[NASA-CASE-XNP-10040] c15 N71-22877
VORHABEN, K. H.
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
VOSKIAN, H. G.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
VRANAS, T.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523

VUKELICH, E. E.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993
VYKUKAL, H. C.
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-C0405] c05 N70-41819
Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c05 N71-28619
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
A walking foot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721

W

WADE, O. W.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
WAGES, C. G.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
WAGNER, A. P.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
WAGNER, C. A.
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
WAGNER, H. R.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202
WAKELYN, N. T.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
Thermal control coating Patent
[NASA-CASE-XLA-01995] c18 N71-23047
WALD, D.
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c14 N71-15598
WALKER, D. J.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
WALKER, H. M.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
WALKER, W. L.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
WALL, H. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
WALL, W. A., JR.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c15 N71-23050
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c15 N71-23815
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
WALLACE, H. D.
Apparatus for tensile testing Patent
[NASA-CASE-XRS-06250] c14 N71-15600
Valve seat with resilient support member Patent
[NASA-CASE-XRS-02582] c15 N71-21234
Weld preparation machine Patent
[NASA-CASE-XRS-07953] c15 N71-26134
WALLACE, G. R.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
WALLINGFORD, W. H.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
WALLIO, H. A.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
WALSH, J. R.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
WALSH, T. C.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
WALSH, T. J.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
WALSH, T. R.
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c14 N73-25463
WALTER, H. U.
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919
WALTERS, R. R.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
WALTON, T. S.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XRS-08012-2] c31 N71-15566
WANG, G. Y.
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
WANG, T. G.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
WARD, D. R.
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c31 N71-15637
WARD, J. C., JR.
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817
WARD, J. F.
Variable geometry rotor system
[NASA-CASE-LAR-10557] c02 N72-11018
WARD, J. O.
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
WARD, W. D.
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023
WARKENTINE, D. K.
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605
WARNECK, P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
WARREN, A. P.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675

Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
WATERS, W. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
Nickel base alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
WATSON, J. D.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
WATSON, J. E.
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c28 N70-39925
WATSON, W. D.
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c31 N71-15687
WATSON, V. E.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
WAYLAND, H. J.
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
WEAR, J. D.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
WEATHERS, G. D.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
WEAVER, L. B.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20655-1] c15 N77-10112
WEAVER, O.
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
WEBB, D. D.
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
WEBB, D. L.
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Electronic video editor
[NASA-CASE-KSC-10003] c10 N73-13235
WEBB, J. A., JR.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
WEBB, J. B.
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
WEBB, W. C.
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
WEBBER, B. W.
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
WEBER, G. E.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
WEBER, G. J.
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
WEBER, L.
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c24 N76-14203
WEBER, R. J.
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c15 N70-34247
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
WEBSTER, J. A.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
WEETON, J. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
WEIDENHAMER, J. B.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
WEIDMAN, D. J.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
WEINGART, J. M.
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c03 N73-20040
WEINSTEIN, L.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
WEINSTEIN, M.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
WEISS, P. F.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
WEISS, S.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
WEITZEL, D. F.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
WEITZEL, D. H.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
WELCH, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
WELLING, C. E.
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c18 N71-26155
WELLMAN, J. B.
Gas flow control device
[NASA-CASE-NPO-11479] c15 N73-13462
WELLS, A. F.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755

WELLS, B. B.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c15 N69-27502
WELLS, F. E.
Positive displacement flowmeter Patent
[NASA-CASE-XMP-02822] c14 N70-41994
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
WELLS, W. H.
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c23 N71-33229
WELLS, W. L.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
WENDT, A. J.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
WENZEL, G. E.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
WERNER, E. A.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
WESSELSKI, C. J.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450
WEST, E. L.
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c15 N71-29133
WEST, E. W., JR.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834
WESTBROOK, B. M.
Electrode construction Patent
[NASA-CASE-NPO-10043-1] c05 N71-11193
WESTER, G. W.
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
WESTON, K. C.
Heat shield Patent
[NASA-CASE-XMS-00486] c33 N70-33344
WESTPHAL, J. A.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
WETMORE, J. W.
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c14 N70-40157
WETZLER, D. G.
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
WEYLER, G. W., JR.
An improved rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N76-13500
WEZNER, F. S.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
WHEATLEY, D. G.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c15 N71-26243
WHEELER, R. K.
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-NPO-10073-1] c24 N74-19769
WHEELER, S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
WHEELER, S. B.
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c15 N71-24835
WHIPPEN, B. L.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
WHIPPLE, D. W.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485
WHIPPLE, E. C., JR.
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c21 N70-34297
WHISENANT, J. T.
Inspection gage for boss Patent
[NASA-CASE-XMP-04966] c14 N71-17658
WHITACRE, H. E.
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c15 N71-25975
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
WHITCOMB, R. T.
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c02 N76-22154
WHITE, A. E.
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
WHITE, E. C.
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c15 N71-29018
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
WHITE, F. A.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c14 N72-17328
WHITE, J. A.
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c14 N70-34820
WHITE, W. F.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
WHITEHEAD, C. W.
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
WHITFIELD, C. E.
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c15 N71-24047
WHITMORE, F. C.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
WHITT, W. D.
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070
WHITTEN, D. E.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c15 N73-30459
WHITTENBERGER, J. D.
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
WIBERG, R. E.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375
WIEBE, E. R.
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c23 N71-15467
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c23 N72-25619
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219
WIECH, R. E.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
WIKER, G. A.
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723

WILEY, P. L.
Temperature regulation circuit Patent
[NASA-CASE-XNF-02792] c14 N71-28958
WILEY, P. H.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
WILGUS, D. S.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
WILHELM, H. E.
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c72 N76-27967
WILHITE, W. F.
Micropacked column for a chromatographic system
[NASA-CASE-XNF-04816] c06 N69-39936
WILKEY, J. W., JR.
Velocity package Patent
[NASA-CASE-XLA-01339] c31 N71-15692
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
WILKINS, J. R.
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
WILL, H. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
WILL, R. W.
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708
WILLIAMS, B. A.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
WILLIAMS, D. D.
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-EQN-00936] c31 N71-29050
WILLIAMS, D. E.
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407
WILLIAMS, D. H.
Low temperature aluminum alloy Patent
[NASA-CASE-XNF-02786] c17 N71-20743
WILLIAMS, E. F.
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
WILLIAMS, J. G.
Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c32 N73-20740
WILLIAMS, J. E.
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
WILLIAMS, M. C.
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452
WILLIAMS, M. D.
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
WILLIAMS, S. B.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
WILLIAMS, T. E.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
WILLIAMS, W. F.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
WILLIS, A. E.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XNF-00663] c08 N71-18752
WILLNER, K.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
WILNER, B. M.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
WILSON, A. M.
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
WILSON, D. J.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
WILSON, I. J.
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
WILSON, J. C.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
WILSON, L. R.
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
WILSON, M. L.
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c17 N73-12547
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c17 N73-27446
WILSON, M. M., JR.
Space simulator Patent
[NASA-CASE-XNF-00459] c11 N70-38675
WILSON, R. E.
Automatic pump Patent
[NASA-CASE-XNF-04731] c15 N71-24042
WILSON, R. L.
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
WILSON, T. G.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-EQN-10792-1] c33 N74-11049
WILSON, W. A.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
WILSON, W. O.
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c14 N69-27503
WINBER, R. T.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040
WINBLADE, R. L.
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c02 N71-13421
WINGFIELD, G. A.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
WINITZ, M.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
WINKELSTEIN, R. A.
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c08 N71-24891
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194

WINKLER, C. B.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XNP-00663] c08 N71-18752
WINKLER, T.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910
WINN, L. B.
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c14 N71-21079
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c15 N72-21489
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
WIRTH, H. H.
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c60 N77-19760
WISE, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
WITTMANN, A. E.
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XNP-01599] c09 N71-20705
WITTROCK, E. P.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
WITZKE, W. R.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
WOBIG, O. A.
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
WOJTASINSKI, E. J.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320
WOLCZOK, J. E.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

WOLF, P. T.
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451
WOLFF, J. E.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
WOLLER, J. A.
Evacuation port seal Patent
[NASA-CASE-XNP-03290] c15 N71-23256
WOLOWICZ, C. H.
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135
WOLTHUIS, E. A.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
WONG, E. Y.
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
Television signal processing system Patent
[NASA-CASE-NPO-10140] c07 N71-24742
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341

WONG, W. J.
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
WOO, K. E.
High impact antenna Patent
[NASA-CASE-NPO-10231] c07 N71-26101
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
WOO, R. T.
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
WOOD, A. D.
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c33 N71-15641
WOOD, G. E.
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
WOOD, G. M., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
WOOD, G. P.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
WOOD, J. W.
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c09 N72-17156
WOOD, L. L.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
WOOD, P. C.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252
WOOD, R. A.
Low temperature aluminum alloy Patent
[NASA-CASE-XNP-02786] c17 N71-20743
WOOD, R. C.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c14 N73-27376
WOODBURY, R. C.
Noise limiter Patent
[NASA-CASE-NPO-10169] c10 N71-24844
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
WOODIE, P. E.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
WOODS, G. J.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
WOODS, G. M., JR.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421
WOODS, J. M.
Powerplexer
[NASA-CASE-MSC-12396-1] c03 N73-31988
WOOLAM, J. A.
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N76-22399
WOOLFSON, E. G.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c09 N71-23270
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c09 N71-28926
WOOLLAM, J. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
WORMON, D. E.
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c01 N71-23497
WORTMAN, J. J.
Semiconductor p-n junction stress and strain

sensor
[NASA-CASE-XLA-C4980] c09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-C4980-2] c14 N72-28438
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
WRIGHT, D. E.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
WRIGHT, D. E.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
WRIGHT, L. N.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234
WRIGHT, W. E.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
WRINKLE, W. W.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
WURNSCHER, H. P.
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c31 N70-34176
Serpentuator Patent
[NASA-CASE-XMF-05344] c31 N71-16345
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c15 N71-19214
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c15 N72-11387
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c09 N72-22195
WUERKER, R. F.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
WYBLE, C. W.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
WYDEVEN, T. J., JR.
Protection of moisture sensitive optical components
[NASA-CASE-ARC-10749-1] c23 N73-32542
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252
WYLIE, G. M.
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c03 N71-11051
WYMAN, C. L.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14842
WYNVEEN, R. A.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
WYSOCKI, J. J.
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-NGS-07801] c09 N71-12513

Y

YAGER, S. P.
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
YANG, L. C.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
YANG, P. H.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
YASUI, R. K.
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c03 N71-11056
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c03 N71-19545
Solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c03 N73-20040
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585
YEAGER, P. E.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c14 N71-18481
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
YEH, C.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
YIN, L. I.
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
YOSHINO, S. Y.
Bonding or repairing process
[NASA-CASE-MSC-12357] c15 N73-12489
YOST, V. H.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
YOUNG, A. L.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c12 N71-18615
YOUNG, D. E.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
YOUNG, H.
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c07 N71-19436
YOUNG, L. E.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
YOUNG, R. E.
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
YOUNG, W. J.
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c14 N71-22993
YOUNGBLUTH, O., JR.
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c09 N72-23172
YU, I. P.
Dual frequency circularly polarized microwave integrated antenna

[NASA-CASE-MSC-16100-1] c32 N77-15233

Z

ZABOWER, H. E.
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
ZAHLAVA, B. A.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c14 N73-30395
ZAREMBA, J. G.
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c15 N71-24694
ZARETSKY, E. V.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
ZAVALA, E. J.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
ZAVIANTSEFF, V.
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
ZEANAH, H. W.
Filtering device
[NASA-CASE-MFS-22729-1] c32 N76-21366
ZEBROWSKI, Z. P.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
ZEBUS, P. P.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
ZEIGER, R. J.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
ZELLNER, G. J.
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c33 N71-15568
ZENAN, J. E.
Lamp modulator
[NASA-CASE-KSC-10565] c09 N72-25250
ZERGER, E. S.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051
ZERLAUT, G. A.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
ZIEMKE, E. C.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051
ZIMMERMAN, E. G.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
ZIMMERMAN, E. F.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
ZIMMERMAN, R. L.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c28 N70-41922
ZIOLKOWSKI, A. J.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
ZLATKIS, A.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161
ZMUDA, L. J.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
ZMUIDZINAS, J. S.
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468
ZOHAR, S.
Counting digital filters
[NASA-CASE-NPO-11821-1] c08 N73-26175
ZOOK, H. A.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
ZORUNSKI, W. E.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
Noise suppressor
[NASA-CASE-LAR-11141-1] c07 N74-32418
ZOTTARELLI, L. J.
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c08 N71-18694
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c10 N71-23033
Current steering switch Patent
[NASA-CASE-XNP-08567] c09 N71-26000
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c10 N71-26434
ZRUBEK, W. E.
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c09 N69-39885
ZUCCARO, J. J.
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193
ZUCKERMAN, A. J.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441
ZURASKY, J. L.
Monitoring deposition of films
[NASA-CASE-MFS-20675] c26 N73-26751
ZWIENER, J. M.
Real time reflectometer
[NASA-CASE-MFS-23118-1] c35 N77-31465
ZYGIELBAUM, A. I.
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341

Typical Source Index Listing



Listings in this index are arranged alphabetically by source The title of the document provides the user with a brief description of the subject matter The NASA Case Number is the prime access point to patent documents The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located The NASA accession number denotes the number by which the citation is identified within the subject category The titles are arranged under each source in ascending accession number order

A

ACCESSORY PRODUCTS CO., WHITTIER, CALIF.
Rubber composition for use with hydrazine Patent Application
[NASA-CASE-NPO-11433] c18 N71-31140
AEROFLEX LABS., INC., PLAINVIEW, N. Y.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
AEROJET-GENERAL CORP., EL MONTE, CALIF.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c28 N71-24321
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c14 N71-27186
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
AEROJET-GENERAL CORP., GLENDALE, CALIF.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294
AEROJET-GENERAL CORP., SACRAMENTO, CALIF.
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c23 N71-16212
AERONAUTICAL RESEARCH ASSOCIATES OF PRINCETON, INC., N. J.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
AIRBORNE INSTRUMENTS LAB., DEER PARK, N. Y.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195
AIRTRONICS, INC., WASHINGTON, D.C.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
AMERICAN AIR FILTER CO., INC., ST. LOUIS, MO.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
AMERICAN OPTICAL CO., PITTSBURGH, PA.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
AMERICAN OPTICAL CO., SOUTHBRIDGE, MASS.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
AMERICAN SCIENCE AND ENGINEERING, INC., CAMBRIDGE, MASS.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
AMPEX CORP., REDWOOD CITY, CALIF.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
APPLIED MAGNETICS CORP., GOLETA, CALIF.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210
APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., LAUREL, MD.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., SILVER SPRING, MD.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
APPLIED SPACE PRODUCTS, INC., PALO ALTO, CALIF.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
ARMY AIR MOBILITY RESEARCH AND DEVELOPMENT LAB., MOFFETT FIELD, CALIF.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
ASTRO-SPACE LABS., INC., HUNTSVILLE, ALA.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752
ATLANTIC RESEARCH CORP., ALEXANDRIA, VA.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c28 N70-35381
AUBURN RESEARCH FOUNDATION, INC., ALA.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
AUBURN UNIV., ALA.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
AUTONETICS, ANAHEIM, CALIF.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
AVCO CORP., NEW YORK,
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334
AVCO CORP., WILMINGTON, MASS.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834

B

BALDWIN ELECTRONICS, INC., LITTLE ROCK, ARK.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31546
BALDWIN-LIMA-HAMILTON CORP., SAN FRANCISCO, CALIF.
Valve actuator Patent

SOURCE

[NASA-CASE-XHQ-01208] c15 N70-35409
BALL BROS. RESEARCH CORP., BOULDER, COLO.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
BARNES ENGINEERING CO., STAMFORD, CONN.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c14 N71-21088
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c14 N72-21408
BATTELLE MEMORIAL INST., COLUMBUS, OHIO.
Process for preparation of diaminosilanes Patent
[NASA-CASE-XMF-06409] c06 N71-23230
Process for preparation of high-molecular-weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c06 N71-28807
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NFO-10774] c06 N72-17095
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
BATTELLE MEMORIAL INST., RICHLAND, WASH.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
BATTELLE-NORTHWEST, RICHLAND, WASH.
Preparation of high purity copper fluoride
[NASA-CASE-IEW-10794-1] c06 N72-17093
BAUSCH AND LOMB, INC., ROCHESTER, N. Y.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c23 N71-30292
BAYLOR UNIV., HOUSTON, TEX.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c05 N71-24729
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
BECKMAN INSTRUMENTS, INC., ANAHEIM, CALIF.
Pressure modulating valve
[NASA-CASE-MSC-14905-1] c37 N77-28487
BECKMAN INSTRUMENTS, INC., FULLERTON, CALIF.
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c14 N71-17575
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c09 N71-19480
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c10 N71-28960
Gas operated actuator
[NASA-CASE-NFO-11340] c15 N72-33477
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
BECKMAN INSTRUMENTS, INC., SOUTH PASADENA, CALIF.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469
BECTON, DICKINSON AND CO., RUTHERFORD, N. J.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c14 N73-30395
BELL AEROSPACE CO., BUFFALO, N. Y.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
BELL AEROSYSTEMS CO., BUFFALO, N. Y.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NFC-10046] c28 N72-17843
Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
BELL AND HOWELL CO., CHICAGO, ILL.
Boron trifluoride coatings for thermoplastic materials
[NASA-CASE-ARC-11057-1] c27 N77-26308
BELLCOMM, INC., WASHINGTON, D. C.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
BENDIX CORP., ANN ARBOR, MICH.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008
BENDIX CORP., DAVENPORT, IOWA.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c15 N75-30459
BENDIX CORP., DETROIT, MICH.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
BENDIX CORP., HUNTSVILLE, ALA.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
BENDIX CORP., KENNEDY SPACE CENTER, FLA.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
BENDIX CORP., TETERBORO, N. J.
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483
BENDIX RESEARCH LABS., SOUTHFIELD, MICH.
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
BOEING CO., COCOA BEACH, FLA.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c15 N72-23497
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265
BOEING CO., HUNTSVILLE, ALA.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c14 N72-25412
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
BOEING CO., PASADENA, TEX.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
BOEING CO., SEATTLE, WASH.
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NFO-10271] c17 N71-16393
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Solar cell assembly test method
[NASA-CASE-NFO-10401] c03 N72-20033
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487
Extrusion can
[NASA-CASE-NFO-10812] c15 N73-13464
Radiation sensitive solid state switch
[NASA-CASE-NFO-10817-1] c08 N73-30135
Miniature hydraulic actuator
[NASA-CASE-LAR-11522-1] c34 N74-34881
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
BORG-WARNER CORP., CHICAGO, ILL.
Data transfer system Patent
[NASA-CASE-NFO-12107] c08 N71-27255
BROWN AND ROOT-NORTHROP, HOUSTON, TEX.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
BROWN ENGINEERING CO., INC., HUNTSVILLE, ALA.
Air bearing Patent
[NASA-CASE-XMF-01887] c15 N71-10617
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c14 N71-17658
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688

Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

C

CALIFORNIA COMPUTER PRODUCTS, INC., ANAHEIM.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
CALIFORNIA INST. OF TECH., PASADENA.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
CALIFORNIA UNIV., BERKELEY.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c25 N77-17178
CALIFORNIA UNIV., LOS ANGELES.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
CARBORUNDUM CO., NIAGARA FALLS, N. Y.
Ceramic filter insulating material and methods of producing same
[NASA-CASE-MSC-14795-1] c27 N76-15314
CATHOLIC UNIV. OF AMERICA, WASHINGTON, D. C.
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109
CHANCE VOUGHT CORP., DALLAS, TEX.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c33 N70-36846
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c15 N71-22723
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874
CHEMSOIL CORP., BAKERSFIELD, CALIF.
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
CHRYSLER CORP., DETROIT, MICH.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051
CHRYSLER CORP., HUNTSVILLE, ALA.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c15 N69-27502
COLLINS RADIO CO., CEDAR RAPIDS, IOWA.
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
COLLINS RADIO CO., DALLAS, TEX.
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c07 N71-28430
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
COLORADO STATE UNIV., FORT COLLINS.
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c72 N76-27967
COMPREHENSIVE DESIGNERS, INC., SHERMAN OAKS, CALIF.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
COMPUTER CONTROL CO., INC., FRAMINGHAM, MASS.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c15 N71-15606
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137
CONRAC CORP., PASADENA, CALIF.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
COOPER UNION, HOUSTON, TEX.
Pyrolysis system and process
[NASA-CASE-MSC-12669-1] c44 N76-16621
CORNELL UNIV., ITHACA, N. Y.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c09 N70-40123
CRANE CO., BURBANK, CALIF.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028
CURTISS-WRIGHT CORP., WOOD-RIDGE, N.J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c28 N71-20330
CUTLER-HAMMER, INC., MELVILLE, N.Y.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

D

DELAWARE UNIV., NEWARK.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
DENVER UNIV., COLO.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
DEPARTMENT OF TRANSPORTATION, CAMBRIDGE, MASS.
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
DORNE AND MARGOLIN, INC., BOHEMIA, N.Y.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
DOUGLAS AIRCRAFT CO., INC., SANTA MONICA, CALIF.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c31 N70-41588
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XMF-02654] c10 N70-42032
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c15 N71-22721
Energy absorption device Patent
[NASA-CASE-XNP-01848] c15 N71-28959
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N75-32152
DUKE UNIV., DURHAM, N. C.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049

E

EITEL-MCCULLOUGH, INC., SAN CARLOS, CALIF.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312
ELECTRAC, INC., ANAHEIM, CALIF.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
ELECTRIC STORAGE BATTERY CO., RALEIGH, N.C.
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c03 N71-29129
ELECTRO-OPTICAL SYSTEMS, INC., PASADENA, CALIF.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNF-09770] c15 N71-20440

Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c14 N71-22990
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c10 N71-23271
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c28 N71-23293
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483
ELECTRONIC IMAGE SYSTEMS CORP., CAMBRIDGE, MASS.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
ESB, INC., RALEIGH, N. C.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
ESB, INC., YARDLEY, PA.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
EWEN KNIGHT CORP., EAST NATICK, MASS.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-FRC-11020] c14 N71-26774

F

FAIRCHILD HILLER CORP., GERMANTOWN, MD.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
FARADAY LABS., INC., LA JOLLA, CALIF.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
FEDERAL-MOGUL CORP., LOS ALAMITOS, CALIF.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c06 N71-22975
FLORIDA UNIV., GAINESVILLE.
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
FMC CORP., NEW YORK.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
FOOTHILL COLLEGE, LOS ALTOS HILLS, CALIF.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
FORD MOTOR CO., DEARBORN, MICH.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265

G

GARRETT CORP., LOS ANGELES, CALIF.
Relief valve
[NASA-CASE-XMS-05894-1] c15 N69-21924
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c09 N71-23191
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Gas compression analysis
[NASA-CASE-MSC-14757-1] c37 N76-13496
GCA CORP., BEDFORD, MASS.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
GENERAL DYNAMICS/ASTRONAUTICS, SAN DIEGO, CALIF.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c15 N71-18613
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c17 N71-24830
GENERAL DYNAMICS/CONVAIR, SAN DIEGO, CALIF.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
GENERAL DYNAMICS CORP., SAN DIEGO, CALIF.
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
GENERAL ELECTRIC CO., CINCINNATI, OHIO.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
GENERAL ELECTRIC CO., PHILADELPHIA, PA.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XNC-03903] c15 N69-21922
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
GENERAL ELECTRIC CO., PLEASANTON, CALIF.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729
GENERAL ELECTRIC CO., SCHENECTADY, N. Y.
Superconductive accelerometer Patent
[NASA-CASE-XNP-01099] c14 N71-15969

Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
GENERAL ELECTRIC CO., UTICA, N. Y.
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
GENERAL MOTORS CORP., DETROIT, MICH.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c15 N71-26243
GENERAL MOTORS CORP., MILWAUKEE, WIS.
Adjustable tension wire guide Patent
[NASA-CASE-IMS-02383] c15 N71-15918
GENERAL MOTORS CORP., SANTA BARBARA, CALIF.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
GENERAL PRECISION, INC., LITTLE FALLS, N.J.
Reversible current control apparatus Patent
[NASA-CASE-ILA-09371] c10 N71-18724
GENERAL PRECISION, INC., SUNNYVALE, CALIF.
Broadband video process with very high input impedance
[NASA-CASE-NPO-10195] c09 N72-17156
GENERAL PRECISION SYSTEMS, INC., LITTLE FALLS, N.J.
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
GENERAL TECHNOLOGIES CORP., RESTON, VA.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
GEOPHYSICS CORP. OF AMERICA, BEDFORD, MASS.
Inflation system for balloon type satellites Patent
[NASA-CASE-IGS-03351] c31 N71-16081
GEOPHYSICS CORP. OF AMERICA, BOSTON, MASS.
Ionospheric battery Patent
[NASA-CASE-IGS-01593] c03 N70-35408
GEORGE WASHINGTON UNIV., WASHINGTON, D. C.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
GIANNINI SCIENTIFIC CORP., SANTA ANA, CALIF.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-29426
GLOBE-UNION, INC., MILWAUKEE, WIS.
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037
GOODYEAR AEROSPACE CORP., AKRON, OHIO.
Foldable solar concentrator Patent
[NASA-CASE-ILA-04622] c03 N70-41580
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c18 N71-26155
Compression test assembly
[NASA-CASE-LAR-10440-1] c14 N73-32323
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
GRACE (W. R.) AND CO., CLARKSVILLE, MD.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363
GRUMMAN AIRCRAFT ENGINEERING CORP., BETHPAGE, N. Y.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-IMS-10984-1] c10 N71-19417
GULF GENERAL ATOMIC, SAN DIEGO, CALIF.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365
GULTON INDUSTRIES, INC., ALBUQUERQUE, N.MEX.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163

H

HAMILTON STANDARD, HARTFORD, CONN.
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N77-21847
HAMILTON STANDARD, WINDSOR LOCKS, CONN.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-IMS-09652-1] c05 N71-26333
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
HAMILTON STANDARD DIV., UNITED AIRCRAFT CORP., WINDSOR LOCKS, CONN.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
HAYES INTERNATIONAL CORP., BIRMINGHAM, ALA.
Space craft soft landing system Patent
[NASA-CASE-IMP-02108] c31 N70-36845
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-IMP-08522] c15 N71-19486
HAYES INTERNATIONAL CORP., HUNTSVILLE, ALA.
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
HAZLETON LABS., FALLS CHURCH, VA.
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-IGS-05533] c04 N69-27487
Light detection instrument Patent
[NASA-CASE-IGS-05534] c23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-IGS-05532] c06 N71-17705
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465
HERCULES, INC., WILMINGTON, DEL.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
HOFFMAN ELECTRONICS CORP., EL MONTE, CALIF.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-IGS-04531] c03 N69-24267
HONEYWELL, INC., HOPKINS, MINN.
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c10 N71-19418
HONEYWELL, INC., MINNEAPOLIS, MINN.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-IMS-04215-1] c09 N69-39987
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c09 N71-13531
Static inverter Patent
[NASA-CASE-IGS-05289] c09 N71-19470
High impedance measuring apparatus Patent
[NASA-CASE-IMS-08589-1] c09 N71-20569
Clamping assembly for inertial components Patent
[NASA-CASE-IMS-02184] c15 N71-20813
Piezoelectric pump Patent
[NASA-CASE-IMP-05429] c26 N71-21824
Controllers Patent
[NASA-CASE-IMS-07487] c15 N71-23255
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-IMP-05297] c15 N71-23811
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366
Voice operated controller Patent
[NASA-CASE-ILA-04063] c31 N71-33160
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095

Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
HOUSTON UNIV., TEX.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161
HOWARD UNIV., WASHINGTON, D. C.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
HUGHES AIRCRAFT CO., CULVER CITY, CALIF.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c09 N71-12518
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
Fluid flow control valve Patent
[NASA-CASE-XLE-00703] c15 N71-15967
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c07 N71-28809
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c17 N71-29137
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
HUGHES AIRCRAFT CO., LOS ANGELES, CALIF.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
Thermal switch Patent
[NASA-CASE-XNP-00463] c33 N70-36847
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c28 N70-41922
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c09 N71-12516
Difference circuit Patent
[NASA-CASE-XNP-08274] c10 N71-13537
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c03 N71-26726
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c15 N73-27406
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
HUGHES RESEARCH LABS., MALIBU, CALIF.
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429

I

IIT RESEARCH INST., CHICAGO, ILL.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c15 N71-15871
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
IMAGE INFORMATION, INC., DANBURY, CONN.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
INCA ENGINEERING CORP., SAN GABRIEL, CALIF.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
INSTITUTE FOR RESEARCH, INC., HOUSTON, TEX.
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
INSTITUTE OF RESEARCH AND INSTRUMENTATION, HOUSTON, TEX.
Pressed disc type sensing electrodes with ion-

screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346
INTERNATIONAL BUSINESS MACHINES CORP., HOPEWELL JUNCTION, N. Y.
Production of crystals from molten solutions
[NASA-CASE-NFC-13969-2] c76 N77-30984
INTERNATIONAL BUSINESS MACHINES CORP., NEW YORK.
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c09 N69-39734
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c15 N71-10809
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c10 N71-29135
INTERNATIONAL HARVESTER CO., SAN DIEGO, CALIF.
Silicide coatings for refractory metals Patent
[NASA-CASE-XIE-10910] c18 N71-29040
INTERNATIONAL LATEX CORP., DOVER, DEL.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
ITT CORP., NUTLEY, N.J.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

J

JET PROPULSION LAB., CALIF. INST. OF TECH., PASADENA.
Pressure variable capacitor
[NASA-CASE-XNP-09752] c14 N69-21541
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Telemetry word forming unit
[NASA-CASE-XNP-09225] c09 N69-24333
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c09 N69-39929
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c06 N69-39936
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c14 N69-39937
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c14 N70-34697
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c15 N70-34699
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c09 N70-35219
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c14 N70-35394
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c14 N70-35666
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c14 N70-36907
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c11 N70-38182
High-voltage cable Patent
[NASA-CASE-XNP-00738] c09 N70-38201
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c11 N70-38202
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c28 N70-38645
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675
Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c09 N70-38998
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39951
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c15 N70-41310
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c14 N70-41807

Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c21 N70-41856
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c21 N70-41930
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c15 N70-41960
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c08 N70-41961
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c10 N70-41991
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c09 N71-10659
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c07 N71-10676
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c03 N71-10728
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c15 N71-10778
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c03 N71-11051
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c03 N71-11056
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c07 N71-11267
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c07 N71-11281
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c03 N71-12260
Binary number sorter Patent
[NASA-CASE-NPO-10112] c08 N71-12502
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c08 N71-12505
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506
Magnetic counter Patent
[NASA-CASE-XNP-08836] c09 N71-12515
Operational integrator Patent
[NASA-CASE-NPO-10230] c09 N71-12520
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c09 N71-12540
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c09 N71-13530
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c23 N71-15467
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c14 N71-15599
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c14 N71-15604
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c15 N71-15608
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c14 N71-15622
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c18 N71-15688
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c07 N71-15907
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c11 N71-15960
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c23 N71-16101
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c33 N71-16357
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c23 N71-16365
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c14 N71-17662
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c15 N71-17685
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c15 N71-17693
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c15 N71-17694
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c14 N71-17701
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
Ranging system Patent
[NASA-CASE-NPO-10066] c09 N71-18598
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c08 N71-18694
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
Data compression processor Patent
[NASA-CASE-NPO-10068] c08 N71-19288
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c03 N71-19545
Electrical switching device Patent
[NASA-CASE-NPO-10037] c09 N71-19610
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c03 N71-20273
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c03 N71-20407
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c09 N71-20445
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c10 N71-20448
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c14 N71-20461
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791

Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c07 N71-20814
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c09 N71-20851
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c15 N71-21078
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c15 N71-21311
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c07 N71-21476
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
Light position locating system Patent
[NASA-CASE-XNP-01059] c23 N71-21821
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c28 N71-21822
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Counter and shift register Patent
[NASA-CASE-XNP-01753] c08 N71-22897
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c15 N71-22997
Filler valve Patent
[NASA-CASE-XNP-01747] c15 N71-23024
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c15 N71-23025
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c07 N71-23026
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c11 N71-23030
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c10 N71-23033
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
Time of flight mass spectrometer with feedback means from the detector to the ion source and a specific counter Patent
[NASA-CASE-XNP-01056] c14 N71-23041
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c14 N71-23087
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c09 N71-23097
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
Impact testing machine Patent
[NASA-CASE-XNP-04817] c14 N71-23225
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c06 N71-23499
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c14 N71-23797
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c09 N71-24596
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c06 N71-24607
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c07 N71-24613
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c07 N71-24622
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c08 N71-24633
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c08 N71-24650
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c15 N71-24695
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
Decoder system Patent
[NASA-CASE-NPO-10118] c07 N71-24741
Television signal processing system Patent
[NASA-CASE-NPO-10140] c07 N71-24742
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
Demodulator filter Patent
[NASA-CASE-NPO-10198] c09 N71-24806
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c14 N71-24809
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c16 N71-24831
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c15 N71-24835
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c07 N71-24840
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841
Noise limiter Patent
[NASA-CASE-NPO-10169] c10 N71-24844
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c08 N71-24891
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c09 N71-24892
Space simulator Patent
[NASA-CASE-NPO-10141] c11 N71-24964
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c24 N71-25555
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c10 N71-25917
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929
Current steering switch Patent
[NASA-CASE-XNP-08567] c09 N71-26000
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c09 N71-26092
High impact antenna Patent
[NASA-CASE-NPO-10231] c07 N71-26101
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c07 N71-26102
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c09 N71-26182
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c14 N71-26199
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c10 N71-26326
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c10 N71-26434
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c10 N71-26544
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c23 N71-26654

Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10667] c09 N71-27232
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c14 N71-27323
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c09 N71-28421
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c17 N71-28747
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
Trialkyl-dialoctantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c06,N71-28808
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c08 N71-28925
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
Rubber composition for use with hydrazine Patent Application
[NASA-CASE-NPO-11433] c18 N71-31140
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c23 N71-33229
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c07 N71-33606
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613
Solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c07 N72-11150
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c28 N72-11709
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454
Breakaway connector
[NASA-CASE-NPO-11140] c15 N72-17455
Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177
Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199
Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223
Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c15 N72-20443
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199
Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246
Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405
Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
Deployable solar cell array
[NASA-CASE-NPO-10883] c31 N72-22874
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
Bipropellant injector
[NASA-CASE-XNP-09461] c28 N72-23809
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172

Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
MCD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c08 N72-25210
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Thermal meter
[NASA-CASE-NPO-11283] c09 N72-25260
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
Light sensor
[NASA-CASE-NPO-11311] c14 N72-25414
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c15 N72-25455
Ball screw linear actuator
[NASA-CASE-NPO-11222] c15 N72-25456
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c23 N72-25619
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c09 N72-27228
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
Light direction sensor
[NASA-CASE-NPO-11201] c14 N72-27409
Adjustable support
[NASA-CASE-NPO-10721] c15 N72-27484
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c07 N72-32169
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c08 N72-33172
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c08 N73-12175
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c10 N73-12244
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Irradiance measuring device
[NASA-CASE-NPO-11493] c14 N73-12447
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c15 N73-12495
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Rotary vane attenuator wherein rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
Gas flow control device
[NASA-CASE-NPO-11479] c15 N73-13462

Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c15 N73-13467
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c21 N73-13644
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c07 N73-14130
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c14 N73-14427
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c14 N73-14428
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c09 N73-15235
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c03 N73-20040
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c07 N73-22076
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c07 N73-24176
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c15 N73-24513
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
Counting digital filters
[NASA-CASE-NPO-11821-1] c08 N73-26175
Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
Filter for third order phase locked loops
[NASA-CASE-NPO-11981-1] c10 N73-27171
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28014
Analog-to-digital converter
[NASA-CASE-XNP-00477] c08 N73-28045
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c09 N73-28084
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486
Dual purpose optical instrument capable of simultaneously acting as spectrometer and

diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c09 N73-30185
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c14 N73-30388
Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c14 N73-32325
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Soft X-ray laser using crystal channels as distributed feedback cavities
[NASA-CASE-NPO-13532-1] c36 N75-15973
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-19524
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Particle size spectrometer and refractometer
[NASA-CASE-NPO-13614-1] c35 N75-19628
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method and apparatus for providing a servodrive signal in a high speed stepping interferometer
[NASA-CASE-NPO-13569-1] c35 N75-21600
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N75-22748
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430

Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N76-13294
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-12687-1] c35 N76-14433
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c44 N76-15573
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
A machine for use in scritcring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315

Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Reflex feed system for dual frequency antenna
[NASA-CASE-NPO-14022-1] c32 N77-24338
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N77-24456
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723

K

KELSEY-HAYES CO., ROMULOS, MICH.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XNP-00923] c28 N70-36802
KELTEC INDUSTRIES, INC., ALEXANDRIA, VA.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c07 N71-28979
KINELOGIC CORP., PASADENA, CALIF.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
KOLLSMAN INSTRUMENT CORP., ELMHURST, N. Y.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
KOLLSMAN INSTRUMENT CORP., SYOSSET, N. Y.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c08 N71-29138
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
KONIGSBERG INSTRUMENTS, INC., PASADENA, CALIF.
Accelerometer telemetry system

[NASA-CASE-ARC-10849-1] c17 N76-29347
KOBAD CORP., NEW YORK.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400

L

LIFE SYSTEMS, INC., CLEVELAND, OHIO.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
LING-TEMCO-VOUGHT, INC., DALLAS, TEX.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c15 N71-24897
LITTLE (ARTHUR D.), INC., CAMBRIDGE, MASS.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
LITTON INDUSTRIES, BEVERLY HILLS, CALIF.
Life support system
[NASA-CASE-MSC-12411-1] c05 N72-20096
LITTON INDUSTRIES, COLLEGE PARK, MD.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
LITTON INDUSTRIES, SAN CARLOS, CALIF.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
LITTON SYSTEMS, INC., MINNEAPOLIS, MINN.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c14 N73-27376
LOCKHEED AIRCRAFT CORP., BURBANK, CALIF.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c31 N71-17679
LOCKHEED-CALIFORNIA CO., BURBANK.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c28 N71-15563
Multistage aerospace craft
[NASA-CASE-XNP-02263] c05 N74-10907
LOCKHEED ELECTRONICS CO., HOUSTON, TEX.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c10 N71-28860
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
LOCKHEED MISSILES AND SPACE CO., SUNNYVALE, CALIF.
Device for handling heavy loads
[NASA-CASE-XNP-04969] c11 N69-27466
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c33 N71-15641
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c18 N71-27397
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c21 N72-31637
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c52 N74-10575
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
LOCKHEED PROPULSION CO., REDLANDS, CALIF.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c27 N70-35534
LTV AEROSPACE CORP., DALLAS, TEX.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455

M

MACON-RUST CO., LEXINGTON, KY.
Stretcher Patent
[NASA-CASE-XNF-06589] c05 N71-23159
MARLIN-ROCKWELL CORP., JAMESTOWN, N. Y.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
MARQUARDT CORP., VAN NUYS, CALIF.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c28 N71-14058
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNF-04389] c28 N71-20942
Tube sealing device Patent
[NASA-CASE-MFO-10431] c15 N71-29132
MARTIN MARIETTA AEROSPACE, DENVER, COLO.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
MARTIN MARIETTA CORP., BALTIMORE, MD.
Landing gear Patent
[NASA-CASE-XNF-01174] c02 N70-41589
Emergency escape system Patent
[NASA-CASE-XMS-02342] c05 N71-11199
Device to prevent clogging in a hopper
[NASA-CASE-LAR-10961-1] c15 N73-12496
MARTIN MARIETTA CORP., DENVER, COLO.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c15 N72-22485
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c10 N73-26230
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885

Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Method and apparatus for fluffing, separating, and clearing fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Extreme temperature thermal control coating
[NASA-CASE-LAR-11756-1] c24 N76-26284
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N77-15397

MARYLAND UNIV., COLLEGE PARK.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722

MASSACHUSETTS INST. OF TECH., CAMBRIDGE.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c15 N71-10658
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c09 N71-10798
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614
Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
Transparent switchboard
[NASA-CASE-MSC-13746-1] c10 N73-32143
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504

MCDONNELL AIRCRAFT CO., ST. LOUIS, MO.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
Power supply circuit Patent
[NASA-CASE-XMS-00913] c10 N71-23543
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376

MCDONNELL-DOUGLAS ASTRONAUTICS CO., HUNTINGTON BEACH, CALIF.
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374

MCDONNELL-DOUGLAS ASTRONAUTICS CO., SANTA MONICA, CALIF.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c06 N70-11252

MCDONNELL-DOUGLAS CORP., HUNTINGTON BEACH, CALIF.
Variable direction force coupler
[NASA-CASE-MFS-20317] c15 N73-13463
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794

MCDONNELL-DOUGLAS CORP., NEWPORT BEACH, CALIF.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337

MCDONNELL-DOUGLAS CORP., SANTA MONICA, CALIF.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c31 N71-15643
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c24 N76-14203
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228

MCDONNELL-DOUGLAS CORP., ST. LOUIS, MO.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105

MEDICAL SCIENCES RESEARCH FOUNDATION, SAN FRANCISCO, CALIF.
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270

MELLON INST., PITTSBURGH, PA.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-ILE-01481] c14 N71-10781

MELPAR, INC., FALLS CHURCH, VA.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XPR-03107] c09 N71-19449
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086

METCOM, INC., SALEM, MASS.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841

METHODIST HOSPITAL, HOUSTON, TEX.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717

MICROWAVE ELECTRONICS CORP., PALO ALTO, CALIF.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049

MICROWAVE RESEARCH CORP., NORTH ANDOVER, MASS.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365

MIDWEST RESEARCH INST., KANSAS CITY, MO.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Inorganic solid film lubricants Patent
[NASA-CASE-XNP-03988] c15 N71-21403
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098

MILLIKEN (D. B.) CO., ARCADIA, CALIF.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c14 N71-28935

MINNEAPOLIS-HONEYWELL REGULATOR CO., MINN.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c10 N71-28783

MODERN MACHINE AND TOOL CO., NEWPORT NEWS, VA.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
MONSANTO RESEARCH CORP., DAYTON, OHIO.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluorcalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
MOTOROLA, INC., PHOENIX, ARIZ.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-IMF-08665] c10 N71-19467
MOTOROLA, INC., SCOTTSDALE, ARIZ.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c08 N71-18692
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272

N

NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH COUNCIL, WASHINGTON, D. C.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Suppression of flutter
[NASA-CASE-LAR-10682-1] c02 N73-26004
Optical data processing using parabcloidal mirror segments
[NASA-CASE-GSC-11296-1] c23 N73-30666
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c16 N73-32391
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c35 N74-32878
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Automated analysis of oxidative metabclites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454

A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, WASHINGTON, D. C.
Optical spin compensator
[NASA-CASE-XGS-02401] c14 N69-27485
Waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c08 N72-21198
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c26 N72-21701
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
Head-up attitude display
[NASA-CASE-ERC-10392] c21 N73-14692
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
Display system
[NASA-CASE-ERC-10350] c14 N73-20474
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Nonequilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N75-22108
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c32 N75-30385
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
Safety flywheel
[NASA-CASE-HQN-10888-1] c37 N77-22484
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. AMES RESEARCH CENTER, MOFFETT FIELD, CALIF.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c14 N69-39896
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813

Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c14 N70-34820
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c09 N70-35440
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c09 N70-39915
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c08 N70-40125
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c05 N70-41819
Proportional controller Patent
[NASA-CASE-XAC-03392] c03 N70-41954
Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c05 N71-12342
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c09 N71-12521
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c14 N71-15598
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c30 N71-15990
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c10 N71-16042
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c09 N71-16089
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c31 N71-17729
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c08 N71-18594
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c08 N71-19763
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c14 N71-23037
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c04 N71-23185
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c14 N71-23790
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c14 N71-24232
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c16 N71-24828
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c14 N71-26135
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c09 N71-28468
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c05 N71-28619
Line following servosystem Patent
[NASA-CASE-XAC-00001] c15 N71-28952
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c02 N71-29128
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Solar cell Patent
[NASA-CASE-ARC-10050] c03 N71-33409
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c10 N72-16172
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c09 N72-17152
Telemetry actuated switch
[NASA-CASE-ARC-10105] c09 N72-17153
Active RC networks
[NASA-CASE-ARC-10020] c10 N72-17172
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c30 N72-17873

Gas chromatograph injection system
[NASA-CASE-ARC-10344-1] c14 N72-21433
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c14 N72-22440
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c21 N72-22619
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c06 N72-25147
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c23 N72-27728
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c10 N72-28240
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c06 N72-31141
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c15 N73-12488
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c18 N73-13562
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c14 N73-20477
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
Intruder detection system
[NASA-CASE-ARC-10097-2] c07 N73-25160
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c14 N73-25463
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c02 N73-26005
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c09 N73-32111
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c14 N73-32326
Protection of moisture sensitive optical components
[NASA-CASE-ARC-10749-1] c23 N73-32542
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2(B)] c33 N74-14941
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c35 N74-15126
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c52 N74-20726
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
High speed shutter
[NASA-CASE-ARC-10516-1] c70 N74-21300
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c33 N74-21851
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c33 N74-27682
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806] c06 N74-27872
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c60 N75-13539
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c33 N75-19518
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c51 N75-25503
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Diatomic infrared gasdynamic laser
[NASA-CASE-ARC-10370-1] c36 N75-31426
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N76-10148
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447

Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Tread drum for animals
[NASA-CASE-ARC-10917-1] c37 N76-20485
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c74 N76-20958
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Schlieren system employing antiparallel reflector in the forward direction
[NASA-CASE-ARC-10971-1] c09 N76-26224
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N76-26286
An artificial leg employing a mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c54 N76-26871
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
Polymeric foams from cross-linkable poly-N-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N76-28421
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N76-28535
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Visual examination apparatus
[NASA-CASE-HE-ARC-10329-2] c52 N76-30793
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N77-10201
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c35 N77-10498
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Intumescent coating containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N77-11119
Angle detector
[NASA-CASE-ARC-11036-1] c35 N77-11364
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N77-12157
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c34 N77-14372
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
A walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N77-14742
An improved cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N77-14743
EKG and ultrasonoscope display
[NASA-CASE-ARC-10994-2] c52 N77-15619
A miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N77-15621
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N77-15641
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c25 N77-17178
Preparation of dielectric coatings of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N77-17245
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N77-17701
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
A reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N77-18265
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N77-19173
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N77-19388
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c60 N77-19760
Oxygen post-treatment of plastic surfaces coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N77-20256
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c35 N77-20400
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N77-23743
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c54 N77-24771
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N77-25784
Boron trifluoride coatings for thermoplastic materials
[NASA-CASE-ARC-11057-1] c27 N77-26308
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N77-28111
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N77-29252

An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N77-31130
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c25 N77-31260
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. HUGH L. DRYDEN FLIGHT RESEARCH CENTER, EDWARDS, CALIF.

Window comparator
[NASA-CASE-FRC-10090-1] c33 N77-11296
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
An improved free wing for an aircraft
[NASA-CASE-FRC-10092-1] c05 N77-31135

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ELECTRONICS RESEARCH CENTER, CAMBRIDGE, MASS.

Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c26 N69-33482
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c15 N70-10867
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c09 N70-11148
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c16 N71-15567
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c16 N71-24832
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c23 N71-24868
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c15 N71-24896
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c21 N71-24948
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c10 N71-25900
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c16 N71-26154
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c15 N71-26635
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c14 N71-26672
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Voltage regulator Patent
[NASA-CASE-ERC-10113] c09 N71-27053
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c14 N71-28863
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c14 N71-28994
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c16 N71-29131
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c14 N72-17323
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747
Improved satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419] c21 N72-21631
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c09 N72-23173
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. FLIGHT RESEARCH CENTER, EDWARDS, CALIF.

Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c14 N69-27503
Three axis controller Patent
[NASA-CASE-XFR-00181] c21 N70-33279
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c15 N70-36901
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c11 N71-10748
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189
Lifting body Patent Application
[NASA-CASE-FRC-10063] c01 N71-12217
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c02 N71-13421
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c15 N71-22994
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c33 N71-23085
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c15 N71-26145
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Terminal guidance system
[NASA-CASE-FRC-10049-1] c04 N74-13420
Full wave modulator-demodulator amplifier apparatus

[NASA-CASE-FRC-10072-1] c33 N74-14939
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. GODDARD INST. FOR SPACE STUDIES, NEW YORK.
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
A rotary electric device
[NASA-CASE-GSC-12138-1] c33 N77-20344
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N77-21322
A system for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N77-22314
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Determination of antimicrobial susceptibilities of infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N77-26797
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c32 N77-27272
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c52 N77-27693
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
A complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N77-29403
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c35 N77-29471
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N77-30935
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
An interleaving device
[NASA-CASE-GSC-12111-2] c60 N77-31800
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.
Regulated dc to dc converter
[NASA-CASE-XGS-03029] c03 N69-21330
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03665] c14 N69-21363
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c09 N69-21543
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
Ring counter
[NASA-CASE-XGS-03095] c09 N69-27463
Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491
Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-39978
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c14 N70-34158
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c21 N70-34297
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743
Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c32 N70-41367
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c07 N70-41678
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c07 N71-10609
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c09 N71-10677
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c03 N71-11058
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
Bi-polar phase detector and corrector for split phase PCM data signals Patent

[NASA-CASE-XGS-01590] c07 N71-12392
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c23 N71-16099
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c23 N71-16100
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c24 N71-16213
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c14 N71-17585
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c14 N71-17627
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c08 N71-18595
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c08 N71-18693
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c10 N71-18772
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c14 N71-19431
Synchronous counter Patent
[NASA-CASE-XGS-02440] c08 N71-19432
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c08 N71-19435
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c08 N71-19437
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c09 N71-19466
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c03 N71-20491
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c10 N71-20782
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c10 N71-20852
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c09 N71-20864
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c08 N71-21042
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c31 N71-21064
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c14 N71-21082
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c15 N71-21529
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c14 N71-22965
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c03 N71-22974
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c09 N71-22988
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c14 N71-22992
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c14 N71-22996
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c03 N71-23006
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c31 N71-23009
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c09 N71-23015
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c10 N71-23029
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c03 N71-23187
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c03 N71-23336
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c09 N71-23525
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c10 N71-23662
Tape recorder Patent
[NASA-CASE-XGS-08259] c14 N71-23698
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c14 N71-23725
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c15 N71-24045

Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c15 N71-24047
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c14 N71-24233
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c09 N71-24595
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c07 N71-24621
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c09 N71-24804
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c10 N71-25882
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c09 N71-25999
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c10 N71-26085
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c10 N71-26418
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c10 N71-26531
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c19 N71-26674
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c09 N71-27016
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c28 N71-27094
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c10 N71-27136
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Segmented superconducting magnet for a broad band traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c08 N71-29033
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c23 N72-11568
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c07 N72-12081
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c14 N72-20381
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20942
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c15 N72-22491
Optical system support apparatus
[NASA-CASE-XER-07896-2] c23 N72-22673
SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c03 N72-25020
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Location identification system
[NASA-CASE-ERC-10324] c07 N72-25173
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c15 N72-33476
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c06 N73-13128
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N73-13187
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
Telemetry processor
[NASA-CASE-GSC-11388-1] c07 N73-24187
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241
Nutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513

Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
Formation of star tracking reticles
[NASA-CASE-GSC-11188-2] c74 N74-20008
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c76 N74-20329
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
Structural heat pipe
[NASA-CASE-GSC-11619-1] c34 N75-12222
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Magnetic bearing
[NASA-CASE-GSC-11079-1] c37 N75-18574
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c33 N75-19516
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Magnetic tape head function switching system
[NASA-CASE-GSC-11956-1] c35 N75-25134
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c76 N75-25730
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N76-13781
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c36 N76-15451
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
A 2 degree/90 degree laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c35 N76-17369
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c32 N76-18295
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c33 N76-18353
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-2] c60 N76-18803
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N76-19234
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N76-23671
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Improved low cost substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N76-26695
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891

Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Mechanical capacitor
[NASA-CASE-GSC-12030-1] c44 N76-30652
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N77-12247
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N77-15400
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
Detection of microbial infection in blood and antibiotic determinations
[NASA-CASE-GSC-12045-1] c52 N77-18733
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LYNDON B. JOHNSON SPACE CENTER, HOUSTON, TEX.

Coupling device
[NASA-CASE-XMS-07846-1] c09 N69-21927
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c09 N69-39885
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c07 N70-12616
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
Heat shield Patent
[NASA-CASE-XMS-00486] c33 N70-33344
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c18 N70-36400
Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c05 N70-39922
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c14 N70-41682
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c31 N70-42075
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c10 N71-10578
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c02 N71-11039
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c05 N71-11190
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c05 N71-12335
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c07 N71-12391
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c09 N71-12526
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c09 N71-13518
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
Ablation structures Patent
[NASA-CASE-XMS-01816] c33 N71-15623
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c31 N71-16080
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c33 N71-16277
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c12 N71-17569
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c05 N71-17599
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c15 N71-17648
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c15 N71-17803
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c05 N71-19439
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c14 N71-19568
High temperature compositions Patent
[NASA-CASE-XMS-00370] c17 N71-20941
Radiation detector readout system Patent
[NASA-CASE-XMS-03478] c14 N71-21040
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c15 N71-22798
Tension measurement device Patent
[NASA-CASE-XMS-04545] c15 N71-22878
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c16 N71-22895
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c05 N71-22896
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c14 N71-22993
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c11 N71-23042
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c05 N71-23096

Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c05 N71-23317
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c09 N71-23545
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c07 N71-24625
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c09 N71-24842
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c15 N71-25975
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c09 N71-26002
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c07 N71-26181
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c18 N71-26285
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c07 N71-27056
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c14 N71-27058
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147
Orbital escape device Patent
[NASA-CASE-XMS-06162] c31 N71-28851
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044
Color television system
[NASA-CASE-MSC-12146-1] c07 N72-17109
Current dependent filter inductance
[NASA-CASE-ERC-10139] c09 N72-17154
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c33 N72-17947
Photographic film restoration system
[NASA-CASE-MSC-12448-1] c14 N72-20394
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c14 N72-21409
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c05 N72-22093
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c09 N72-25257
Foldable construction block
[NASA-CASE-MSC-12233-1] c15 N72-25454
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Altitude measuring system
[NASA-CASE-ERC-10412-1] c09 N73-12211
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c30 N73-12884
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c23 N73-13661
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c31 N73-14854
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c10 N73-25240
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c14 N73-26431
Powerplexer
[NASA-CASE-MSC-12396-1] c03 N73-31988
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c08 N73-32081
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c35 N74-17885
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Field sequential stereo television
[NASA-CASE-MSC-12616-1] c32 N74-32601
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Fluid mass sensor
[NASA-CASE-MSC-14653-1] c35 N75-13218
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
Lightweight electrically powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c24 N75-16635
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19685
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Thermal insulation attaching means
[NASA-CASE-MSC-12619-1] c39 N75-21671
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N75-25594
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041

Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c31 N75-32262
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
Gas compression analysis
[NASA-CASE-MSC-14757-1] c37 N76-13496
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c24 N76-14204
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Ceramic fiber insulating material and methods of producing same
[NASA-CASE-MSC-14795-1] c27 N76-15314
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-1] c54 N76-15792
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
Pyrolysis system and process
[NASA-CASE-MSC-12669-1] c44 N76-16621
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N76-18917
Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c37 N76-19437
Position determination systems
[NASA-CASE-MSC-12593-1] c17 N76-21250
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
A process of forming catalytic surfaces for oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N76-23387
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Flexible pile thermal barrier seal
[NASA-CASE-MSC-15568-1] c37 N76-23585
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-2] c27 N76-24408
Flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N76-24409
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
A condition sensor system and method
[NASA-CASE-MSC-14805-1] c35 N76-26448
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N76-26511
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-1] c32 N77-12248
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N77-13335
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
Dual frequency circularly polarized microwave integrated antenna
[NASA-CASE-MSC-16100-1] c32 N77-15233
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N77-15397
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N77-19290
Phase array antenna control
[NASA-CASE-MSC-14939-1] c33 N77-19320
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N77-21847
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c34 N77-22423
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
Surface finishing
[NASA-CASE-MSC-12631-2] c05 N77-31131
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c16 N77-31237
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668

Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. JOHN F. KENNEDY SPACE CENTER, COCOA BEACH, FLA.

Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-KKS-03495] c14 N69-39785
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-KKS-01985] c15 N71-10782
Parasitic probe antenna Patent
[NASA-CASE-KKS-09348] c09 N71-13521
Electronic checkout system for space vehicles Patent
[NASA-CASE-KKS-08012-2] c31 N71-15566
Apparatus for tensile testing Patent
[NASA-CASE-KKS-06250] c14 N71-15600
Weatherproof helix antenna Patent
[NASA-CASE-KKS-08485] c07 N71-19493
Valve seat with resilient support member Patent
[NASA-CASE-KKS-02582] c15 N71-21234
Diode and protection fuse unit Patent
[NASA-CASE-KKS-03381] c09 N71-22796
Optical monitor panel Patent
[NASA-CASE-KKS-03509] c14 N71-23175
Separation simulator Patent
[NASA-CASE-KKS-04631] c10 N71-23663
Controlled release device Patent
[NASA-CASE-KKS-03338] c15 N71-24043
Phonocardiogram simulator Patent
[NASA-CASE-KKS-10804] c05 N71-24606
VEF/UHF parasitic probe antenna Patent
[NASA-CASE-KKS-09340] c07 N71-24614
BCD to decimal decoder Patent
[NASA-CASE-KKS-06167] c08 N71-24890
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Weld preparation machine Patent
[NASA-CASE-KKS-07953] c15 N71-26134
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-KKS-10543] c07 N71-26292
Internal work light Patent
[NASA-CASE-KKS-05932] c09 N71-26787
Emergency escape system Patent
[NASA-CASE-KKS-07814] c15 N71-27067
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c10 N71-27338
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c07 N71-33108
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c14 N72-18411
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c08 N72-21197
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c09 N72-21247
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c15 N72-22486
Buffered analog converter
[NASA-CASE-KSC-10397] c08 N72-25206
Lamp modulator
[NASA-CASE-KSC-10565] c09 N72-25250
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
Pressurized lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c08 N73-12176
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c15 N73-12486
Electronic video editor
[NASA-CASE-KSC-10003] c10 N73-13235

Character indicating display device
[NASA-CASE-KKS-00348] c09 N73-14215
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c07 N73-26117
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c15 N73-26472
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c14 N73-27378
Optical rotational sensor
[NASA-CASE-KSC-10752-1] c15 N73-27407
Television multiplexing system
[NASA-CASE-KSC-10654-1] c07 N73-30115
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c14 N73-32318
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
Digital servo controller
[NASA-CASE-KSC-10769-1] c33 N74-29556
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c44 N77-15493
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N77-15826
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c33 N77-20343
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N77-21319
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N77-21320
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N77-21321
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N77-21666
Flame-resistant liquid oxygen compatible neoprene rubber composition
[NASA-CASE-KSC-11020-1] c27 N77-23267
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Cable fault locator
[NASA-CASE-KSC-10899-1] c33 N77-28394
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LANGLEY RESEARCH CENTER, LANGLEY STATION, VA.

Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
Condenser - Separator
[NASA-CASE-XLA-08645] c15 N69-21465
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Evaporant holder
[NASA-CASE-XLA-03105] c15 N69-27483
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c15 N69-27490
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c15 N69-27505
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981

Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
Capacitor power pak Patent Application
[NASA-CASE-LAR-10367-1] c03 N70-26817
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819
Folding apparatus Patent
[NASA-CASE-XLA-00137] c15 N70-33180
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c31 N70-33242
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c02 N70-33266
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287
Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322
Runway light Patent
[NASA-CASE-XLA-00119] c11 N70-33329
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Nozzle Patent
[NASA-CASE-XLA-00154] c28 N70-33374
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c02 N70-34160
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c31 N70-34296
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Impact simulator Patent
[NASA-CASE-XLA-00493] c11 N70-34786
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778
Parachute glider Patent
[NASA-CASE-XLA-00898] c02 N70-36804
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c02 N70-36825
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c31 N70-37981
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c02 N70-38009
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c07 N70-38200
Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601
Manned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c14 N70-40157
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c15 N70-41679
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015
Double hinged flap Patent
[NASA-CASE-XLA-01290] c02 N70-42016
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775

Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c11 N71-10776
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c28 N71-10780
All-directional fastener Patent
[NASA-CASE-XLA-01807] c15 N71-10799
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c02 N71-11043
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c05 N71-11195
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c07 N71-11266
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c07 N71-11284
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c21 N71-11766
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c03 N71-12258
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351
Optical communications system Patent
[NASA-CASE-XLA-01090] c07 N71-12389
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c08 N71-12501
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c08 N71-12507
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c01 N71-13411
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Quick release connector Patent
[NASA-CASE-XLA-01141] c15 N71-13789
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c21 N71-14132
Pressurized cell micrometeroid detector Patent
[NASA-CASE-XLA-00936] c14 N71-14996
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c25 N71-15562
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c15 N71-15571
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c14 N71-15620
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c31 N71-15663
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c31 N71-15687
Velocity package Patent
[NASA-CASE-XLA-01339] c31 N71-15692
File card marker Patent
[NASA-CASE-XLA-02705] c08 N71-15908
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c11 N71-15926
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
Separator Patent
[NASA-CASE-XLA-00415] c15 N71-16079
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c31 N71-16085
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c20 N71-16281
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c32 N71-16428
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c12 N71-16894
Leak detector Patent
[NASA-CASE-LAR-10323-1] c12 N71-17573
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c12 N71-17579
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c14 N71-17626
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c31 N71-17680
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c31 N71-17691
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c14 N71-18481
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c09 N71-18599
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c08 N71-18751
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c15 N71-19569
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430
Flow field simulation Patent
[NASA-CASE-LAR-11138] c12 N71-20436
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c09 N71-20447
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c25 N71-20563
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c15 N71-20740
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c32 N71-21045
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c14 N71-21079
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179

Method and apparatus for bonding a plastics sleeve cnto a metallic body Patent
[NASA-CASE-XLA-01262] c15 N71-21404
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Multilegged support system Patent
[NASA-CASE-XLA-01326] c11 N71-21481
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c28 N71-21493
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
Ablation sensor Patent
[NASA-CASE-XLA-01794] c33 N71-21586
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c25 N71-21693
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c15 N71-22713
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c33 N71-22792
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c21 N71-22880
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
Thermal control panel Patent
[NASA-CASE-XLA-07728] c33 N71-22890
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c31 N71-22968
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c31 N71-22969
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c15 N71-22982
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c09 N71-22999
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c31 N71-23008
Thermal control coating Patent
[NASA-CASE-XLA-01995] c18 N71-23047
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c15 N71-23052
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c10 N71-23084
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c14 N71-23269
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c10 N71-23315
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c01 N71-23497
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c16 N71-24074
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c31 N71-24315
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c15 N71-24895
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c14 N71-25892
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c14 N71-25901
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c17 N71-25903
Laser calibrator Patent
[NASA-CASE-XLA-03410] c16 N71-25914
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c18 N71-26100
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c02 N71-26110
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c28 N71-26779
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c15 N71-27006
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c08 N71-27057
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c02 N71-27088
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c15 N71-27146
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
Soldering device Patent
[NASA-CASE-XLA-08911] c15 N71-27214
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c10 N71-27271
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c10 N71-27272
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c15 N71-28740
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c33 N71-28903
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c14 N71-28933
Optical communications system Patent
[NASA-CASE-XLA-01090] c16 N71-28963
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c07 N71-28980
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c14 N71-28991
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c15 N71-29018
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c14 N71-29041
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c09 N71-29139
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c15 N71-33518
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c11 N71-33612
Variable geometry rotor system
[NASA-CASE-LAR-10557] c02 N72-11018
Flared tube strainer
[NASA-CASE-XLA-05056] c15 N72-11389

Impact measuring technique
[NASA-CASE-LAR-10913] c14 N72-16282
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
Tube fabricating process
[NASA-CASE-LAR-10203-1] c15 N72-16330
Air bearing
[NASA-CASE-MLP-10002] c15 N72-17451
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c14 N72-20380
Radar calibration sphere
[NASA-CASE-XLA-11154] c07 N72-21117
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c09 N72-21248
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-10766-1] c14 N72-21432
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c15 N72-21489
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c11 N72-22246
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c15 N72-22484
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c09 N72-23172
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Hall effect transducer
[NASA-CASE-LAR-10620-1] c09 N72-25255
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c09 N72-25258
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c11 N72-25284
Low mass truss structure
[NASA-CASE-LAR-10546-1] c11 N72-25287
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485
Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c33 N72-27959
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
Dielectric loaded aperture antenna
[NASA-CASE-LAR-11084-1] c09 N73-12216
Lift balancing device
[NASA-CASE-LAR-10348-1] c11 N73-12264
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c17 N73-12547
Active air cushion control system minimizing vertical cushion response
[NASA-CASE-LAR-10531-1] c02 N73-13023
Logical function generator
[NASA-CASE-XLA-05099] c09 N73-13209
Ferry system
[NASA-CASE-LAR-10574-1] c11 N73-13257
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898
Structural panel
[NASA-CASE-LAR-11052-1] c32 N73-13929
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c06 N73-16106
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c14 N73-19419
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Cascade plug nozzle
[NASA-CASE-LAR-10951-1] c28 N73-19819
Rate data encoder
[NASA-CASE-LAR-10128-1] c08 N73-20217
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c14 N73-20475
Electrical resistance spot welding and brazing techniques for metal bonding
[NASA-CASE-LAR-11072-1] c15 N73-20535
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c32 N73-20740
Anti-meteoroid device
[NASA-CASE-LAR-10788-1] c31 N73-20880
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Cable restraint
[NASA-CASE-LAR-10129-1] c15 N73-25512
Quiet jet transport aircraft
[NASA-CASE-LAR-11087-1] c02 N73-26008
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c17 N73-27446
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c15 N73-32371
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c23 N73-32538
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
Adjustable frequency response microphone
[NASA-CASE-LAR-11170-1] c32 N74-12843
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177

Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c25 N74-18551
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-19528
Aromatic polyimide preparation
[NASA-CASE-LAR-11372-1] c27 N74-19772
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c19 N74-21015
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c37 N74-21056
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c34 N74-23066
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Real time liquid crystal image converter
[NASA-CASE-LAR-11206-1] c74 N74-30118
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Centrifugal lycphobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Noise suppressor
[NASA-CASE-LAR-11141-1] c07 N74-32418
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c35 N74-32878
Molding apparatus
[NASA-CASE-LAR-10489-2] c31 N74-32920
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c25 N74-33378
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Miniature hydraulic actuator
[NASA-CASE-LAR-11522-1] c34 N74-34881
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Determining particle density using known material Hugoniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c31 N75-13111
Servo valve
[NASA-CASE-LAR-11643-1] c37 N75-13268
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c33 N75-18477
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Rotating joint signal coupler
[NASA-CASE-LAR-11264-1] c33 N75-27261
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
A method of preparing aromatic polyimides having uniquely low softening temperatures
[NASA-CASE-LAR-11828-1] c23 N75-29181
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Varying density composite structure
[NASA-CASE-LAR-11181-1] c39 N75-31479
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Smokestack mounted airfoil
[NASA-CASE-LAR-11669-1] c34 N76-13419

Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
Deploy/release system
[NASA-CASE-LAR-11575-1] c02 N76-16014
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c07 N76-18117
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c19 N76-18227
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c02 N76-22154
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N76-22202
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N76-23985
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Extreme temperature thermal control coating
[NASA-CASE-LAR-11756-1] c24 N76-26284
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Connector
[NASA-CASE-LAR-11709-1] c37 N76-27567
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c35 N76-28530
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N76-29365
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
Supersonic transport
[NASA-CASE-LAR-11932-1] c05 N76-31219
Turbulence intensity indicator
[NASA-CASE-LAR-11833-1] c06 N76-31229
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
Improved solar heating system
[NASA-CASE-LAR-12009-1] c44 N76-32649
Zero gravity separator
[NASA-CASE-LAR-10344-1] c35 N76-33470
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c27 N77-10198
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c35 N77-10497
Two wavelength double pulse tunable dye laser
[NASA-CASE-LAR-12012-1] c36 N77-10517
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Auxiliary power system for activity cooled aircraft
[NASA-CASE-LAR-11626-1] c34 N77-12332
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Aircraft design concept
[NASA-CASE-LAR-11852-1] c05 N77-15027
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-1] c07 N77-15036
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N77-15103
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N77-15192
A CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c32 N77-15236
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
Magnetometer
[NASA-CASE-LAR-11617-2] c35 N77-17430
A method for aerosol analysis by thermoluminescence
[NASA-CASE-LAR-12046-1] c45 N77-17609
Automatically lockable axially extensible strut
[NASA-CASE-LAR-11900-1] c05 N77-18134
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
Crosswind landing gear position indicator
[NASA-CASE-LAR-11941-1] c06 N77-20098
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c32 N77-21267
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N77-21424
Vortex attenuation method
[NASA-CASE-LAR-12034-1] c02 N77-22045
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-1] c08 N77-22147
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N77-22179
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Nondestructive method for instrumenting helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N77-22452
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N77-24339
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N77-26242
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
Lightweight structural columns
[NASA-CASE-LAR-12095-1] c39 N77-27432
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118

Remote water monitoring system
[NASA-CASE-LAR-11973-1] c43 N77-28563
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N77-31176
A seat cushion to provide realistic acceleration cues for aircraft simulator pilots
[NASA-CASE-LAR-12149-1] c54 N77-31787

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LEWIS RESEARCH CENTER, CLEVELAND, OHIO.

Roll seal
[NASA-CASE-XLE-05130] c15 N69-21362
Fluid jet amplifier
[NASA-CASE-XLE-03512] c12 N69-21466
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c09 N69-21542
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c14 N69-23191
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Ion thrustor cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Superconducting alternator
[NASA-CASE-XLE-02824] c03 N69-39890
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c03 N69-39898
Slug flow magnetchydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c15 N70-33226
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c28 N70-33241
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c28 N70-33265
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c17 N70-33283
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c28 N70-33284
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c03 N70-34134
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c15 N70-34247
Electrostatic propulsion system with a direct nuclear electrogenerator Patent
[NASA-CASE-XLE-00818] c22 N70-34248
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c28 N70-34294
Nuclear reactor control rod assembly with improved driving mechanism Patent
[NASA-CASE-XLE-00298] c22 N70-34501
High temperature heat source Patent
[NASA-CASE-XLE-00490] c33 N70-34545
Gaseous nuclear rocket Patent
[NASA-CASE-XLE-00321] c22 N70-34572
Simulated fuel assembly Patent
[NASA-CASE-XLE-00724] c14 N70-34669
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c28 N70-34788
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c33 N70-34812
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
Conical valve plug Patent
[NASA-CASE-XLE-00715] c15 N70-34859
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c28 N70-34860
Non-reusable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c15 N70-34861
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c14 N70-35368
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c28 N70-35422
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492
Injector-valve device Patent
[NASA-CASE-XLE-00303] c15 N70-36535
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c14 N70-36618
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c28 N70-36806
Solid state power mapping instrument Patent
[NASA-CASE-XLE-00301] c14 N70-36808
Ion rocket Patent
[NASA-CASE-XLE-00376] c28 N70-37245
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c02 N70-37939
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c02 N70-38011
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c15 N70-38020
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c28 N70-38197
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c28 N70-38199
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c28 N70-38711
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c28 N70-39899
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c28 N70-39925
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c12 N70-40124
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201

Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c28 N70-40367
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c28 N70-41818
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
Small rocket engine Patent
[NASA-CASE-XLE-00685] c28 N70-41992
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c15 N70-41993
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c26 N71-10607
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c11 N71-10777
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c14 N71-10797
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
Capillary radiator Patent
[NASA-CASE-XLE-03307] c33 N71-14035
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c27 N71-15635
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c31 N71-15637
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c28 N71-15659
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
Method of making self lubricating fluoride-metal composite materials Patent
[NASA-CASE-XLE-08511-2] c18 N71-16105
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c15 N71-17652
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c15 N71-17688
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c23 N71-17802
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c10 N71-19471
Foil seal Patent
[NASA-CASE-XLE-05130-2] c15 N71-19570
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492
Small plasma probe Patent
[NASA-CASE-XLE-02578] c25 N71-20747
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c14 N71-21090
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
High voltage divider system Patent
[NASA-CASE-XLE-02008] c09 N71-21583
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c23 N71-22881
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c14 N71-22964
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c09 N71-22987
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c14 N71-23093
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c09 N71-23190
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c14 N71-23267
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c26 N71-23292
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c03 N71-23354
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c09 N71-23443
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c03 N71-23449
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c22 N71-23599

Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c26 N71-23654
Insulation system Patent
[NASA-CASE-XLE-02647] c18 N71-23658
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c18 N71-23710
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817
Combustion chamber Patent
[NASA-CASE-XLE-04857] c28 N71-23968
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c33 N71-24145
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c03 N71-24681
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c28 N71-24736
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c10 N71-24798
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c17 N71-24911
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c10 N71-25899
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c15 N71-26189
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c28 N71-26781
Heat activated cell Patent
[NASA-CASE-LEW-11359] c03 N71-28579
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c15 N71-28582
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c12 N71-28741
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c22 N71-28759
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c09 N71-29035
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c33 N71-29152
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c28 N71-29154
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c17 N71-33408
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c09 N72-12136
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327
Method of making emf cell
[NASA-CASE-LEW-11359-2] c03 N72-20034
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Switching regulator
[NASA-CASE-LEW-11005-1] c09 N72-21243
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c09 N72-22197
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c09 N72-22201
Load-insensitive electrical device
[NASA-CASE-XER-11046] c09 N72-22203
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
Production of metal powders
[NASA-CASE-XLE-06461] c17 N72-22530
Nickel tas alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c28 N72-22771
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c06 N72-25150
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c14 N72-25410
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c15 N72-25448
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Ablative system
[NASA-CASE-LEW-10359] c33 N72-25911
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c09 N72-27226
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c14 N72-27410
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c17 N72-28535
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-2] c24 N72-28714
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c09 N73-13208
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c14 N73-13417
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c28 N73-13773
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
Thermocouple tape
[NASA-CASE-LEW-11072-1] c14 N73-24472
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c25 N73-25760
Ablative system
[NASA-CASE-LEW-10359-2] c33 N73-25952
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c26 N73-26752
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
Rocket propellant injection
[NASA-CASE-LEW-11071-1] c27 N73-27695
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
Method and apparatus for measuring electromagnetic radiation

[NASA-CASE-LEW-11159-1] c14 N73-28488
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
An ion exchange nuclear reactor
[NASA-CASE-LEW-11645-2] c22 N73-28660
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c15 N73-30458
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c15 N73-32359
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
Nuclear fuel elements
[NASA-CASE-XLE-00209] c22 N73-32528
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c31 N73-32750
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c15 N73-33383
Electron beam controller
[NASA-CASE-LEW-11617-1] c33 N74-10195
Spiral groove seal
[NASA-CASE-LEW-10326-3] c37 N74-10474
Apparatus for producing high purity I-123
[NASA-CASE-LEW-10518-3] c31 N74-10476
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c37 N74-13199
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c27 N74-13270
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c07 N74-15453
Demodulator for carrier transducers
[NASA-CASE-NOC-10107-1] c33 N74-17930
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c35 N74-21018
Diffusion welding
[NASA-CASE-LEW-11388-2] c37 N74-21055
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c33 N74-22864
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c37 N74-27904
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c07 N74-28226
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-1] c27 N74-34579
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
Insulation foil and method of making
[NASA-CASE-LEW-11484-2] c24 N75-14839
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
Heat exchanger
[NASA-CASE-LEW-12252-1] c34 N75-19579
A heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N75-19580
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-29426
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c35 N76-14431
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c44 N76-14600
Solar cell surface treatment
[NASA-CASE-LEW-11330-1] c44 N76-14612
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Thermocouple tape
[NASA-CASE-LEW-11072-2] c35 N76-15434
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c44 N76-15603
Deuterium pass through target
[NASA-CASE-LEW-11866-1] c72 N76-15860
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N76-17233
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c26 N76-18262
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458

Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-1] c35 N76-19407
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-1] c44 N76-19552
Fuel combustor
[NASA-CASE-LEW-12137-1] c20 N76-20215
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c37 N76-20486
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c37 N76-20487
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N76-20488
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Splash groove fuel injector
[NASA-CASE-LEW-12417-1] c07 N76-22198
Bearing material
[NASA-CASE-LEW-11930-1] c24 N76-22309
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N76-22399
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c24 N76-23359
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c37 N76-23570
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N76-23713
Improved tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N76-23837
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Bearing material
[NASA-CASE-LEW-11930-2] c24 N76-26282
Method of producing I-123
[NASA-CASE-LEW-11390-2] c25 N76-27383
Extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c72 N76-27967
Liquid metal slip ring
[NASA-CASE-LEW-12277-1] c33 N76-28472
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c44 N76-28646
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
Inorganic-organic battery separator for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N76-31674
Solar cell surface treatment
[NASA-CASE-LEW-11330-2] c44 N76-33624
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N77-13426
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N77-15343
Encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N77-15490
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
Method of electrically pre-stressing insulation to provide directional increase in dc potential breakdown
[NASA-CASE-LEW-12273-1] c33 N77-17357
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N77-17360
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-1] c44 N77-17564
Improved backwall cell
[NASA-CASE-LEW-12236-1] c44 N77-17565
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N77-18160
Device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N77-18238
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c36 N77-18429
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c44 N77-18560
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Solar cell assembly
[NASA-CASE-LEW-11549-1] c44 N77-19571
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c35 N77-20408
Reduced chromium stainless steel alloys
[NASA-CASE-LEW-12543-1] c26 N77-21217
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N77-22615
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
A regulated high efficiency, lightweight capacitor-diode multiplier DC to DC converter
[NASA-CASE-LEW-12791-1] c33 N77-24385
A cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N77-24496
Gas path seal
[NASA-CASE-LEW-12131-1] c37 N77-24498
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N77-24589
Method for fabricating solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N77-24593
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N77-27404
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Intra-ocular pressure normalization apparatus
[NASA-CASE-LEW-12955-1] c52 N77-30736
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N77-30737
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Catalytic trimerization of aromatic nitriles and triayl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c23 N77-32244
Bearing material
[NASA-CASE-LEW-11930-3] c24 N77-32249
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N77-32434
Magnetic heat pumping
[NASA-CASE-LEW-12508-2] c34 N77-32435

Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
Indicated mean effective pressure instrument (IMEP)
[NASA-CASE-LEW-12661-1] c35 N77-32461
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
Cesium thermionic converters having lanthanum hexaboride electrodes
[NASA-CASE-LEW-12038-2] c44 N77-32595

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MANNED SPACECRAFT CENTER, CAPE CANAVERAL, FLA.

Electrode for biological recording
[NASA-CASE-MSC-02872] c05 N69-21925

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MANNED SPACECRAFT CENTER, LANGLEY STATION, VA.

Plural recorder system
[NASA-CASE-MSC-06949] c09 N69-21467

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, ALA.

Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c14 N69-27431
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c09 N70-20737
Angular measurement system Patent
[NASA-CASE-XMF-00447] c14 N70-33179
Insulating structure Patent
[NASA-CASE-XMF-00341] c15 N70-33323
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c03 N70-34157
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c31 N70-34159
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c28 N70-34162
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c31 N70-34176
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c15 N70-34249
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c14 N70-34298
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c09 N70-34502
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c21 N70-34539
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c09 N70-34596
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c15 N70-34664
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c14 N70-34794
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Printed cable connector Patent
[NASA-CASE-XMF-00369] c09 N70-36494
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c31 N70-36654
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c11 N70-36913
Gravity device Patent
[NASA-CASE-XMF-00424] c11 N70-38196
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c28 N70-38710
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c09 N70-38712
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c12 N70-38997
Air bearing Patent
[NASA-CASE-XMF-00339] c15 N70-39896
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-39898
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c15 N70-39924
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c15 N70-40204
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c14 N70-40238
Missile launch release system Patent
[NASA-CASE-XMF-03198] c30 N70-40353
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c15 N70-40354
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c15 N70-41371
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c28 N70-41582
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c18 N70-41583
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c09 N70-41655
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c15 N70-41829
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c14 N70-41994
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c11 N71-10604
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c14 N71-10616
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c31 N71-10747
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c03 N71-11055
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c06 N71-11240
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c07 N71-11298
Harness assembly Patent
[NASA-CASE-MFS-14671] c05 N71-12341
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c08 N71-12504
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c09 N71-12519
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c09 N71-13486
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Reactance control system Patent
[NASA-CASE-XMF-01598] c21 N71-15583
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c15 N71-15609
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c28 N71-15660
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c15 N71-15986
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c10 N71-16030
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c10 N71-16058
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c27 N71-16223
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c20 N71-16340
Serpentuator Patent
[NASA-CASE-XMF-05344] c31 N71-16345
Gravimeter Patent
[NASA-CASE-XMF-05844] c14 N71-17587
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c14 N71-17588

Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c15 N71-17647
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c15 N71-17649
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c14 N71-17659
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c15 N71-17692
Multi-mission module Patent
[NASA-CASE-XMF-01543] c31 N71-17730
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c15 N71-17805
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c08 N71-18752
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c15 N71-19214
Extensometer Patent
[NASA-CASE-XMF-04680] c15 N71-19489
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c11 N71-19494
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c15 N71-20393
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c15 N71-20395
Satellite despin device Patent
[NASA-CASE-XMF-08523] c31 N71-20396
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c09 N71-20705
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c06 N71-20717
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c06 N71-20905
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c18 N71-21651
Portable milling tool Patent
[NASA-CASE-XMF-03511] c15 N71-22799
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c15 N71-22877
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c28 N71-22983
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c02 N71-23007
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c15 N71-23049
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c15 N71-23050
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c09 N71-23188
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c14 N71-23227
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c03 N71-23239
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c15 N71-23256
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c21 N71-23289
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c14 N71-23699
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
Electric welding torch Patent
[NASA-CASE-XMF-02330] c15 N71-23798
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c15 N71-23812
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c15 N71-23815
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c31 N71-23912
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c15 N71-24044
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c14 N71-24234
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c32 N71-24285
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c09 N71-24717
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c09 N71-24805
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c09 N71-24807
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c09 N71-24843
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c10 N71-24861
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c15 N71-24903
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c09 N71-24904
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c15 N71-24984
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c33 N71-25353
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c09 N71-26133
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c15 N71-26185
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c14 N71-26474
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c14 N71-27005
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c33 N71-27862
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c15 N71-29032
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
Current regulating voltage divider
[NASA-CASE-MFS-20935] c09 N71-34212
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c14 N72-11365
Fine adjustment mount
[NASA-CASE-MFS-20249] c15 N72-11386
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c15 N72-11387
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c15 N72-11388
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Apparatus for obtaining isotropic irradiation of a specimen

[NASA-CASE-MFS-20095] c24 N72-11595
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c14 N72-17324
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XFR-08476-1] c26 N72-17820
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
An airlock
[NASA-CASE-MFS-20922] c31 N72-20840
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c06 N72-21094
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c14 N72-21407
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c15 N72-21463
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c09 N72-22195
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c14 N72-22439
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c15 N72-22492
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c18 N72-22566
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c11 N72-23215
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluorcalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Emergency lunar communications system
[NASA-CASE-MFS-21042] c07 N72-25171
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c09 N72-25261
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c11 N72-25288
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c14 N72-27412
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Thermal compensating structural member
[NASA-CASE-MFS-20433] c15 N72-28496
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c25 N72-32688
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
Differential pressure control
[NASA-CASE-MFS-14216] c14 N73-13418
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c15 N73-13466
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c11 N73-20267
Material fatigue testing system
[NASA-CASE-MFS-20673] c14 N73-20476
Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
Monitoring deposition of films
[NASA-CASE-MFS-20675] c26 N73-26751
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Measurement system
[NASA-CASE-MFS-20658-1] c14 N73-30386
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532
Polymerizable disilanols having in-chain perfluorcalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Vee-notching device
[NASA-CASE-MFS-20730-1] c39 N74-13131
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c38 N74-15395
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c35 N74-18323
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c35 N74-21017
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058

Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
Two speed drive system
[NASA-CASE-MFS-20645-1] c37 N74-23070
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c33 N74-26732
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
Battery testing device
[NASA-CASE-MFS-20761-1] c44 N74-27519
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c54 N75-12616
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c35 N75-15932
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Hole cutter
[NASA-CASE-MFS-22649-1] c37 N75-25186
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c35 N75-29380
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Solar energy power system
[NASA-CASE-MFS-21628-1] c44 N75-32581
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
An improved rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N76-13500
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c74 N76-13909
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c44 N76-16612
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N76-19405
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Traffic survey system
[NASA-CASE-MFS-22631-1] c66 N76-19888
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275

Filtering device
[NASA-CASE-MFS-22729-1] c32 N76-21366
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N76-24001
Hybrid holographic non-destructuve test system
[NASA-CASE-MFS-23114-1] c35 N76-24529
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N76-26394
Method of post-process intensification of images on photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N76-26449
Method and means for testing a glancing-incidence mirror system
[NASA-CASE-MFS-22409-2] c74 N76-26988
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
Power factor control system for ac induction motors
[NASA-CASE-MFS-23280-1] c33 N76-28471
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c37 N76-28554
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c76 N76-30084
Dual mode solid state power switch
[NASA-CASE-MFS-22880-1] c33 N76-31410
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c44 N76-31667
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N76-33469
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c13 N77-11079
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N77-11403
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c09 N77-12070
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Method and apparatus for reconditioning nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N77-12511
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N77-14882
Sprayable low density ablator
[NASA-CASE-MFS-23506-1] c24 N77-15105
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
Simulator for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c14 N77-18179
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N77-20341
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Apparatus for automatically spraying a coating material
[NASA-CASE-MFS-23506-2] c37 N77-20441
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N77-24497
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c33 N77-27308
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511
Three-mirror telescope
[NASA-CASE-MFS-23675-1] c74 N77-28937
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N77-30613
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c12 N77-31213
Dual mode solid state power switch
[NASA-CASE-MFS-22880-2] c33 N77-31407
Real time reflectometer
[NASA-CASE-MFS-23118-1] c35 N77-31465
Aluminum or copper substrate panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-1] c44 N77-31610
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
PASADENA OFFICE, CALIF.

Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c27 N73-22710
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Expandable space frames
[NASA-CASE-ERC-10365-1] c31 N73-32749
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090

Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Flow control valve
[NASA-CASE-NPO-11951-1] c37 N74-21065
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N74-30448
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Soft X-ray laser using crystal channels as distributed feedback cavities
[NASA-CASE-NPO-13532-1] c36 N75-15973
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-19524
Frequency scanning particle size spectrometer
[NASA-CASE-NPO-13606-1] c35 N75-19627
Particle size spectrometer and refractometer
[NASA-CASE-NPO-13614-1] c35 N75-19628
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method and apparatus for providing a servodrive signal in a high speed stepping interferometer
[NASA-CASE-NPO-13569-1] c35 N75-21600
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N75-22748
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N75-28519
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N76-13294
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c24 N76-14203
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N76-14433

Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c44 N76-15573
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
A machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N76-17427
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N76-18886
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Graphite reinforced bone cement
[NASA-CASE-NPO-13764-1] c24 N76-26281
Method and apparatus for automatic load sharing among paralleled converters
[NASA-CASE-NPO-13832-1] c33 N76-26393
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N76-26450
Portable, linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N76-26690
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N76-26692
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N76-31373
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N76-31514
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Thin conformal antenna array for microwave power conversion
[NASA-CASE-NPO-13886-1] c32 N77-11269
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c35 N77-11363
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c37 N77-11398
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Computer interface system
[NASA-CASE-NPO-13928-1] c60 N77-12721
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N77-15219

Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N77-17258
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c32 N77-17325
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N77-17358
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N77-17359
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N77-17949
Nuclear thermionic converter
[NASA-CASE-NPO-12121-1] c73 N77-18891
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c35 N77-19390
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N77-19418
A non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N77-19579
Dual membrane, hollow fiber fuel cell
[NASA-CASE-NPO-13732-1] c44 N77-19581
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N77-19750
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N77-20565
Low cost solar energy collection system
[NASA-CASE-NPO-13579-3] c44 N77-20566
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N77-22257
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Adjustable chamfering tool
[NASA-CASE-NPO-10857-1] c37 N77-22478
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Reflex feed system for dual frequency antenna
[NASA-CASE-NPO-14022-1] c32 N77-24338
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N77-24340
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N77-24341
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N77-24456
Stabilization of He2(a-3 Sigmau(+)) molecules in liquid helium by optical pumping for vacuum UV laser
[NASA-CASE-NPO-13993-1] c36 N77-24468
Double discharge metal vapor laser with metal halide as a lasant
[NASA-CASE-NPO-13448-2] c36 N77-24469
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N77-24590
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N77-24781
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N77-25346
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-1] c37 N77-25535
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N77-28357
Redundant RF system for space applications
[NASA-CASE-NPO-13955-1] c32 N77-28358
Method and apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c33 N77-28395
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N77-28470
A non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N77-28583
Solar pond
[NASA-CASE-NPO-13581-2] c44 N77-28584
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N77-28585
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
A thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N77-30616
Production of crystals from molten solutions
[NASA-CASE-NPO-13969-2] c76 N77-30984
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
An improved vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N77-31501
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Strong thin membrane structure
[NASA-CASE-NPO-14021-1] c27 N77-32313
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N77-32402
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N77-32723

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. WESTERN OPERATIONS OFFICE, SANTA MONICA, CALIF.
Automatic pump Patent
[NASA-CASE-XNP-04731] c15 N71-24042

NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, BOULDER, COLO.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c07 N73-20175

NATIONAL RESEARCH CORP., CAMBRIDGE, MASS.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c14 N73-30391

Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c14 N73-30394
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069

NORTH AMERICAN AVIATION, INC., CANOGA PARK, CALIF.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c10 N71-26339
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c10 N72-17173

NORTH AMERICAN AVIATION, INC., DOWNEY, CALIF.
Heat shield oven
[NASA-CASE-XMS-04318] c15 N69-27871
Extensible cable support Patent
[NASA-CASE-XMF-07587] c15 N71-18701
High pressure air valve Patent
[NASA-CASE-MSC-11010] c15 N71-19485
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c15 N71-20441
Optical projector system Patent
[NASA-CASE-XNP-03853] c23 N71-21882
Brazing alloy Patent
[NASA-CASE-XNP-03063] c17 N71-23365
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234

NORTH AMERICAN AVIATION, INC., EL SEGUNDO, CALIF.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c31 N71-16346
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c07 N71-19436
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
Latching mechanism Patent
[NASA-CASE-XMS-03745] c15 N71-21076
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c15 N71-22706
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c17 N71-23828
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c33 N71-24876
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c28 N71-28849
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c33 N71-28852
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c15 N71-28951
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c33 N71-29053

NORTH AMERICAN AVIATION, INC., LOS ANGELES, CALIF.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c05 N71-11202

NORTH AMERICAN AVIATION, INC., TORRANCE, CALIF.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c14 N71-10779

NORTH AMERICAN ROCKWELL CORP., CANOGA PARK, CALIF.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c15 N72-11390
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c10 N73-25243
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859

NORTH AMERICAN ROCKWELL CORP., DOWNEY, CALIF.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c31 N71-25434
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
Frangible link
[NASA-CASE-MSC-11849-1] c15 N72-22488
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411
Bonding or repairing process
[NASA-CASE-MSC-12357] c15 N73-12489
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16918
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

NORTH AMERICAN ROCKWELL CORP., EL SEGUNDO, CALIF.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325

NORTH AMERICAN ROCKWELL CORP., LOS ANGELES, CALIF.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c05 N73-32013

NORTH CAROLINA STATE UNIV., RALEIGH.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N76-23436

NORTHEASTERN UNIV., BOSTON, MASS.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390

NORTHROP CORP., HAWTHORNE, CALIF.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040

NORTHROP NORTRONICS, PALOS VERDES PENINSULA, CALIF.
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c05 N72-25121
Valve seat
[NASA-CASE-NPO-10606] c15 N72-25451

NORTHROP SPACE LABS., HAWTHORNE, CALIF.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934

NORTRONICS, PALOS VERDES PENINSULA, CALIF.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c09 N71-24618
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c15 N72-20444

NOTRE DAME UNIV., IND.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740

O

OAKLAND UNIV., ROCHESTER, MICH.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
An interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c43 N77-31583

OHIO STATE UNIV., COLUMBUS.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
OLD DOMINION UNIV., NORFOLK, VA.
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c35 N77-23441
OREGON UNIV., PORTLAND.
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c54 N75-32766
ORGANON DIAGNOSTICS, EL MONTE, CALIF.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N77-24755

P

PACKARD-BELL ELECTRONICS CORP., NEWBURY PARK, CALIF.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
PANAURA CORP., PENNSAUKEN, N. J.
Method of forming transparent films of ZnO
[NASA-CASE-FEC-10019] c15 N73-12487
PENINSULAR CHEMRESEARCH, INC., GAINESVILLE, FLA.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
PHILCO-FORD CORP., HOUSTON, TEX.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696
PHILCO-FORD CORP., NEWPORT BEACH, CALIF.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021
PHILCO-FORD CORP., PALO ALTO, CALIF.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
PITTSBURGH UNIV., PA.
Device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N77-18238
PRATT AND WHITNEY AIRCRAFT, EAST HARTFORD, CONN.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c15 N71-23022

Q

QUANTUM DYNAMICS, TARZANA, CALIF.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c05 N73-32015

R

RADIATION, INC., MELBOURNE, FLA.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
RADIATION INSTRUMENT DEVELOPMENT LAB., INC., MELROSE PARK, ILL.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
RADIATION SYSTEMS, INC., MCLEAN, VA.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483
RADIO CORP. OF AMERICA, LANCASTER, PA.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735
RADIO CORP. OF AMERICA, NEW YORK.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c09 N71-12513
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c14 N71-23039
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c10 N71-28739
RADIO CORP. OF AMERICA, PRINCETON, N. J.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c26 N71-29156
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
RAND CORP., SANTA MONICA, CALIF.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900
RAYMOND ENGINEERING LAB., INC., MIDDLETOWN, CONN.
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c10 N71-20448
RAYTHEON CO., SUDBURY, MASS.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-NFS-20386] c21 N71-19212
Clear air turbulence detector
[NASA-CASE-NFS-21244-1] c36 N75-15028
RCA SERVICE CO., INC., CAMDEN, N. J.
Apparatus for inspecting microfilm Patent
[NASA-CASE-NFS-20240] c14 N71-26788
RENSSELAER POLYTECHNIC INST., TROY, N. Y.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c14 N72-17328
RESEARCH TRIANGLE INST., DURHAM, N. C.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
ROCHESTER UNIV., N. Y.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c14 N70-40003
ROCKETDYNE, CANOGA PARK, CALIF.
Frequency to analog converter Patent

[NASA-CASE-XNP-07040] c08 N71-12500
Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c15 N71-19213
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c16 N71-33410
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N77-10516

ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CALIF.
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399

ROCKWELL INTERNATIONAL CORP., DOWNEY, CALIF.
Insulation for piping
[NASA-CASE-MSC-19523-1] c31 N76-16245
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Flexible pile thermal barrier seal
[NASA-CASE-MSC-19568-1] c37 N76-23585
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N76-29401
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N76-31529
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N77-19077
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N77-19459
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499

ROHR CORP., CHULA VISTA, CALIF.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c15 N72-24522

ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH (ENGLAND).
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147

RYAN AERONAUTICAL CO., SAN DIEGO, CALIF.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c02 N70-41630
Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42053

S

SANDERS ASSOCIATES, INC., NASHUA, N. H.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316

SANTA BARBARA RESEARCH CENTER, GOLETA, CALIF.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408

SANTA CLARA UNIV., CALIF.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345

SCHJELDAHL (G. T.) CO., NORTHFIELD, MINN.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

SCIENCE APPLICATIONS, INC., LA JOLLA, CALIF.
Process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N77-14262

SCOTT AVIATION CORP., LANCASTER, N. Y.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900

SERV-AIR, INC., BOUSTON, TEX.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c07 N77-13062

SIKORSKY AIRCRAFT, STRATFORD, CONN.
Automatically lockable axially extensible strut
[NASA-CASE-LAR-11900-1] c05 N77-18134

SINGER-GENERAL PRECISION, INC., BINGHAMTON, N. Y.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

SMITH ELECTRONICS, INC., CLEVELAND, OHIO.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c09 N70-40272

SMITHSONIAN ASTROPHYSICAL OBSERVATORY, CAMBRIDGE, MASS.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313

SOLID STATE RADIATIONS, INC., LOS ANGELES, CALIF.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440

SOUTHERN METHODIST UNIV., DALLAS, TEX.
Growth of gallium nitride crystals
[NASA-CASE-LAR-11302-1] c25 N75-13054
Improved low cost substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N76-26695

SPACE SCIENCES, INC., WALTHAM, MASS.
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310

SPACE TECHNOLOGY LABS., INC., REDONDO BEACH, CALIF.
Method and apparatus for measuring potentials in plasmas Patent
[NASA-CASE-XLE-00821] c25 N71-15650
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c15 N71-16078
Apparatus for measuring electric field strength on the surface of a model vehicle Patent

[NASA-CASE-XLE-02038] c09 N71-16086
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c18 N71-21068
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c10 N71-28859
SPACELABS, INC., VAN NUYS, CALIF.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c10 N71-24862
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
SPACO, INC., HUNTSVILLE, ALA.
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c09 N71-22985
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993
SPECTRA-PHYSICS, INC., MOUNTAIN VIEW, CALIF.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c14 N71-20428
SPECTROLAB, INC., SYLMAR, CALIF.
Ultraviolet filter
[NASA-CASE-XNP-02340] c23 N69-24332
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
SPERRY GYROSCOPE CO., GREAT NECK, N. Y.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330
SPERRY RAND CORP., BLUE BELL, PA.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547
SPERRY RAND CORP., HUNTSVILLE, ALA.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c07 N71-27191
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c15 N71-29133
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N76-33364
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
Three-mirror telescope
[NASA-CASE-MFS-23675-1] c74 N77-28937
SPERRY RAND CORP., PHOENIX, ARIZ.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XIA-04897] c15 N72-22482
STANFORD RESEARCH INST., MENLO PARK, CALIF.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c06 N72-17094
STANFORD UNIV., CALIF.
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
An improved controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c54 N77-30751
STANFORD UNIV., PALO ALTO, CALIF.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
STATE UNIV. OF IOWA, IOWA CITY.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
SYLVANIA ELECTRONIC SYSTEMS-CENTRAL, WILLIAMSVILLE, N. Y.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Altitude sensing device
[NASA-CASE-XMS-01994-1] c14 N72-17326

T

TAAG DESIGNS, INC., COLLEGE PARK, MD.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
TAFT BROADCASTING CORP., HOUSTON, TEX.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
TAMARACK SCIENTIFIC CO., INC., ORANGE, CALIF.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
TECHNICOLOR, INC., PARAMUS, N.J.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
TECHNIDYNE, INC., WEST CHESTER, PA.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
TECHNOLOGY, INC., HOUSTON, TEX.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
TECHNOLOGY, INC., SAN ANTONIO, TEX.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c05 N72-33096
TELEDYNE BROWN ENGINEERING, HUNTSVILLE, ALA.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
TEMPLE UNIV. RESEARCH INST., PHILADELPHIA, PA.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
TEXAS A&M UNIV., COLLEGE STATION.
An improved method and apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N76-32029
TEXAS INSTRUMENTS, INC., DALLAS.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
TEXAS TECHNOLOGICAL UNIV., LUBBOCK.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
THIOKOL CHEMICAL CORP., BRISTOL, PA.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
TRANS-SONICS, INC., LEXINGTON, MASS.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
TRIDENT ENGINEERING ASSOCIATES, INC., ANNAPOLIS, MD.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a

slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
TRW EQUIPMENT LABS., CLEVELAND, OHIO.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
TRW, INC., REDONDO BEACH, CALIF.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c91 N74-13130
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
TRW SYSTEMS, REDONDO BEACH, CALIF.
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c12 N71-18615
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-1] c20 N77-28219
TRW SYSTEMS GROUP, REDONDO BEACH, CALIF.
Ablative resin Patent
[NASA-CASE-XIR-05913] c33 N71-14032
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c15 N71-24694
Multiple varactor frequency doubler Patent
[NASA-CASE-XNP-04958-1] c10 N71-26414
Booster tank system Patent
[NASA-CASE-MSC-12390] c27 N71-29155
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c28 N72-22772
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226
Ultrasonically bonded valve assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
TYCO LABS., INC., WALTHAM, MASS.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037

U

ULTRASYSTEMS, INC., IRVINE, CALIF.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N76-28425
UNIFIED SCIENCE ASSOCIATES, INC., PASADENA, CALIF.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c15 N72-21466
UNION CARBIDE CORP., NEW YORK.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
UNITED AIRCRAFT CORP., EAST HARTFORD, CONN.
Supporting and protecting device Patent
[NASA-CASE-XNP-00580] c11 N70-35383
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c14 N71-21007
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c05 N71-24730
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c28 N71-29153
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c05 N72-25119
UNITED AIRCRAFT CORP., STRATFORD, CONN.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
UNITED AIRCRAFT CORP., WEST PALM BEACH, FLA.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c33 N74-14935
UNITED AIRCRAFT CORP., WINDSOR LOCKS, CONN.
Water separating system Patent
[NASA-CASE-XMS-13052] c14 N71-20427
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c05 N72-20098
UNITED TECHNOLOGY CENTER, SUNNYVALE, CALIF.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c27 N71-16392

V

VAPOR CORP., CHICAGO, ILL.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XNP-04237] c33 N71-16278
VARIAN ASSOCIATES, PALO ALTO, CALIF.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
VIRGINIA POLYTECHNIC INST. AND STATE UNIV., BLACKSBURG.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N77-19319
Very narrow band width receiver
[NASA-CASE-GSC-12142-1] c32 N77-20299
VIRGINIA UNIV., CHARLOTTESVILLE.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XMS-04614] c15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c34 N75-32389
VIVONEX CORP., MOUNTAIN VIEW, CALIF.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844

W

WEBER AIRCRAFT CORP., BURBANK, CALIF.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c05 N71-20718
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
WESTINGHOUSE ELECTRIC CORP., BALTIMORE, MD.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
WESTINGHOUSE ELECTRIC CORP., HUNTSVILLE, ALA.
Solid state television camera system Patent
[NASA-CASE-XNP-06092] c07 N71-24612
Phototransistor
[NASA-CASE-MFS-20407] c09 N73-19235
WESTINGHOUSE ELECTRIC CORP., LIMA, OHIO.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c10 N71-27126
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
Thermal conductive connection and method of making same Patent

[NASA-CASE-XMS-02087] c09 N70-41717
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLF-09475-1] c33 N71-15568
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c14 N71-17574
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c09 N71-23270
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c14 N71-23401
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c07 N71-23405
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c09 N71-28926
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c33 N76-23482
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515

WESTON INSTRUMENTS, INC., CCLLEGE PARK, MD.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001

WHIRLPOOL CORP., ST. JOSEPH, MICH.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435

WHITTAKER CORP., LOS ANGELES, CALIF.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Polyurethanes from fluorcalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c06 N73-30103

WHITTAKER CORP., SAN DIEGO, CALIF.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126

WISCONSIN UNIV., MADISON.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737

Y

YOUNGSTOWN STATE UNIV., OHIO.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614

Typical Number Index Listing



Listings in this index are arranged alphanumerically by patent number The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located The NASA accession number denotes the number by which the citation is identified within the subject category

JPL-CASE-13687 ..... c35 N76-14433
JPL-CASE-13756 ..... c35 N76-14434

NASA-CASE-ARC-10003-1 ..... c09 N71-25866
NASA-CASE-ARC-10009-1 ..... c15 N71-17822
NASA-CASE-ARC-10017-1 ..... c14 N72-29464
NASA-CASE-ARC-10020 ..... c10 N72-17172
NASA-CASE-ARC-10030 ..... c09 N71-12521
NASA-CASE-ARC-10042-2 ..... c10 N72-11256
NASA-CASE-ARC-10043-1 ..... c05 N71-11193
NASA-CASE-ARC-10050 ..... c03 N71-33409
NASA-CASE-ARC-10097-2 ..... c07 N73-25160
NASA-CASE-ARC-10098-1 ..... c06 N71-24739
NASA-CASE-ARC-10099-1 ..... c18 N71-15469
NASA-CASE-ARC-10100-1 ..... c05 N71-24738
NASA-CASE-ARC-10101-1 ..... c09 N71-33109
NASA-CASE-ARC-10105 ..... c09 N72-17153
NASA-CASE-ARC-10106-1 ..... c28 N72-22769
NASA-CASE-ARC-10131-1 ..... c15 N71-27754
NASA-CASE-ARC-10132-1 ..... c09 N71-24597
NASA-CASE-ARC-10134 ..... c30 N72-17873
NASA-CASE-ARC-10136-1 ..... c09 N72-22202
NASA-CASE-ARC-10137-1 ..... c09 N71-28468
NASA-CASE-ARC-10138-1 ..... c14 N72-24477
NASA-CASE-ARC-10140-1 ..... c15 N71-17653
NASA-CASE-ARC-10153 ..... c05 N71-28619
NASA-CASE-ARC-10154-1 ..... c14 N72-22440
NASA-CASE-ARC-10160-1 ..... c23 N72-27728
NASA-CASE-ARC-10176-1 ..... c15 N72-21464
NASA-CASE-ARC-10178-1 ..... c09 N72-17152
NASA-CASE-ARC-10179-1 ..... c21 N72-22619
NASA-CASE-ARC-10180-1 ..... c27 N74-12814
NASA-CASE-ARC-10192 ..... c09 N72-21245
NASA-CASE-ARC-10194-1 ..... c23 N73-20741
NASA-CASE-ARC-10196-1 ..... c18 N73-13562
NASA-CASE-ARC-10197-1 ..... c33 N74-17929
NASA-CASE-ARC-10263-1 ..... c14 N72-22438
NASA-CASE-ARC-10264-1 ..... c09 N73-20231
NASA-CASE-ARC-10265-1 ..... c10 N72-28240
NASA-CASE-ARC-10266-1 ..... c33 N75-29318
NASA-CASE-ARC-10269-1 ..... c10 N72-16172
NASA-CASE-ARC-10275-1 ..... c05 N72-22092
NASA-CASE-ARC-10278-1 ..... c14 N73-25463
NASA-CASE-ARC-10302-1 ..... c51 N74-15778
NASA-CASE-ARC-10304-1 ..... c18 N73-26572
NASA-CASE-ARC-10304-2 ..... c27 N74-27037
NASA-CASE-ARC-10308-1 ..... c06 N72-31141
NASA-CASE-ARC-10322-1 ..... c35 N76-18403
NASA-CASE-ARC-10325 ..... c06 N72-25147
NASA-CASE-ARC-10329-1 ..... c05 N73-26072
NASA-CASE-ARC-10329-2 ..... c52 N76-30793
NASA-CASE-ARC-10330-1 ..... c09 N73-32112
NASA-CASE-ARC-10344-1 ..... c14 N72-21433
NASA-CASE-ARC-10344-2 ..... c35 N75-26334
NASA-CASE-ARC-10345-1 ..... c15 N73-12488
NASA-CASE-ARC-10348-1 ..... c33 N75-19518
NASA-CASE-ARC-10362-1 ..... c14 N73-32326

NASA-CASE-ARC-10364-2 ..... c33 N75-25041
NASA-CASE-ARC-10364-2(B) c33 N74-14941
NASA-CASE-ARC-10364-3 ..... c33 N75-19520
NASA-CASE-ARC-10370-1 ..... c36 N75-31426
NASA-CASE-ARC-10441-1 ..... c35 N74-15126
NASA-CASE-ARC-10442-1 ..... c35 N74-15093
NASA-CASE-ARC-10443-1 ..... c14 N73-20477
NASA-CASE-ARC-10444-1 ..... c16 N73-33397
NASA-CASE-ARC-10445-1 ..... c31 N76-31365
NASA-CASE-ARC-10447-1 ..... c52 N74-22771
NASA-CASE-ARC-10448-2 ..... c74 N75-12732
NASA-CASE-ARC-10448-3 ..... c35 N77-14408
NASA-CASE-ARC-10456-1 ..... c05 N75-12930
NASA-CASE-ARC-10461-1 ..... c44 N74-33379
NASA-CASE-ARC-10462-1 ..... c37 N74-27901
NASA-CASE-ARC-10463-1 ..... c09 N73-32111
NASA-CASE-ARC-10464-1 ..... c27 N74-12812
NASA-CASE-ARC-10466-1 ..... c60 N75-13539
NASA-CASE-ARC-10467-1 ..... c09 N73-14214
NASA-CASE-ARC-10468-1 ..... c14 N73-33361
NASA-CASE-ARC-10469-1 ..... c25 N75-12086
NASA-CASE-ARC-10470-1 ..... c02 N73-26005
NASA-CASE-ARC-10470-3 ..... c05 N76-29217
NASA-CASE-ARC-10516-1 ..... c70 N74-21300
NASA-CASE-ARC-10519-2 ..... c05 N75-25915
NASA-CASE-ARC-10583-1 ..... c52 N76-29894
NASA-CASE-ARC-10592-1 ..... c27 N74-21156
NASA-CASE-ARC-10592-2 ..... c27 N76-32315
NASA-CASE-ARC-10593-1 ..... c33 N74-27682
NASA-CASE-ARC-10596-1 ..... c33 N74-21851
NASA-CASE-ARC-10597-1 ..... c52 N74-20726
NASA-CASE-ARC-10598-1 ..... c75 N74-30156
NASA-CASE-ARC-10599-1 ..... c05 N73-26071
NASA-CASE-ARC-10631-1 ..... c74 N76-20958
NASA-CASE-ARC-10633-1 ..... c25 N74-26947
NASA-CASE-ARC-10637-1 ..... c35 N75-16783
NASA-CASE-ARC-10639-1 ..... c35 N77-19388
NASA-CASE-ARC-10642-1 ..... c36 N76-14447
NASA-CASE-ARC-10643-1 ..... c25 N75-12087
NASA-CASE-ARC-10643-2 ..... c51 N75-13506
NASA-CASE-ARC-10710-1 ..... c09 N75-12969
NASA-CASE-ARC-10711-2 ..... c33 N76-21390
NASA-CASE-ARC-10712-1 ..... c07 N74-33218
NASA-CASE-ARC-10714-1 ..... c27 N76-15310
NASA-CASE-ARC-10716-1 ..... c35 N77-20399
NASA-CASE-ARC-10721-1 ..... c27 N76-22376
NASA-CASE-ARC-10722-1 ..... c51 N75-25503
NASA-CASE-ARC-10749-1 ..... c23 N73-32542
NASA-CASE-ARC-10753-1 ..... c54 N75-27760
NASA-CASE-ARC-10754-1 ..... c07 N75-24736
NASA-CASE-ARC-10755-2 ..... c34 N76-27517
NASA-CASE-ARC-10756-1 ..... c54 N77-32721
NASA-CASE-ARC-10760-1 ..... c25 N76-22323
NASA-CASE-ARC-10761-1 ..... c07 N77-18154
NASA-CASE-ARC-10802-1 ..... c35 N75-30502
NASA-CASE-ARC-10806 ..... c06 N74-27872
NASA-CASE-ARC-10806-1 ..... c35 N75-29381
NASA-CASE-ARC-10807-1 ..... c05 N77-17029
NASA-CASE-ARC-10808-1 ..... c09 N76-24280
NASA-CASE-ARC-10810-1 ..... c33 N76-19339
NASA-CASE-ARC-10812-1 ..... c07 N76-18131
NASA-CASE-ARC-10813-1 ..... c27 N76-16230
NASA-CASE-ARC-10814-2 ..... c25 N77-31260
NASA-CASE-ARC-10816-1 ..... c35 N76-24525
NASA-CASE-ARC-10820-1 ..... c54 N75-32766
NASA-CASE-ARC-10849-1 ..... c17 N76-29347
NASA-CASE-ARC-10855-1 ..... c52 N77-10780
NASA-CASE-ARC-10892-2 ..... c27 N77-17245
NASA-CASE-ARC-10896-1 ..... c34 N75-32389
NASA-CASE-ARC-10897-1 ..... c33 N77-31404
NASA-CASE-ARC-10898-1 ..... c35 N77-18417
NASA-CASE-ARC-10899-1 ..... c60 N77-19760
NASA-CASE-ARC-10900-1 ..... c35 N77-24454
NASA-CASE-ARC-10903-1 ..... c09 N76-10148
NASA-CASE-ARC-10905-1 ..... c37 N77-13418
NASA-CASE-ARC-10907-1 ..... c37 N75-32465
NASA-CASE-ARC-10911-1 ..... c35 N77-20400
NASA-CASE-ARC-10912-1 ..... c34 N77-19353
NASA-CASE-ARC-10913-1 ..... c24 N76-26286
NASA-CASE-ARC-10915-2 ..... c27 N77-20256

NASA-CASE-ARC-10915-3 ..... c24 N77-24200
NASA-CASE-ARC-10916-1 ..... c54 N76-26871
NASA-CASE-ARC-10917-1 ..... c37 N76-20485
NASA-CASE-ARC-10932-1 ..... c74 N76-22993
NASA-CASE-ARC-10970-1 ..... c36 N77-25501
NASA-CASE-ARC-10971-1 ..... c09 N76-26224
NASA-CASE-ARC-10974-1 ..... c34 N77-27345
NASA-CASE-ARC-10975-1 ..... c54 N77-24771
NASA-CASE-ARC-10976-1 ..... c74 N77-22950
NASA-CASE-ARC-10979-1 ..... c09 N77-19076
NASA-CASE-ARC-10980-1 ..... c27 N77-18265
NASA-CASE-ARC-10981-1 ..... c35 N77-10498
NASA-CASE-ARC-10984-1 ..... c32 N77-24328
NASA-CASE-ARC-10985-1 ..... c52 N77-17701
NASA-CASE-ARC-10990-1 ..... c04 N77-12031
NASA-CASE-ARC-10991-1 ..... c25 N77-12157
NASA-CASE-ARC-10992-1 ..... c25 N77-17178
NASA-CASE-ARC-10994-1 ..... c52 N76-33835
NASA-CASE-ARC-10994-2 ..... c52 N77-15619
NASA-CASE-ARC-11007-1 ..... c52 N77-14736
NASA-CASE-ARC-11008-1 ..... c27 N76-28421
NASA-CASE-ARC-11035-1 ..... c52 N77-15621
NASA-CASE-ARC-11036-1 ..... c35 N77-11364
NASA-CASE-ARC-11040-1 ..... c24 N77-19173
NASA-CASE-ARC-11042-1 ..... c24 N77-11119
NASA-CASE-ARC-11043-1 ..... c34 N77-14372
NASA-CASE-ARC-11045-1 ..... c05 N77-28111
NASA-CASE-ARC-11046-1 ..... c35 N76-28535
NASA-CASE-ARC-11051-1 ..... c27 N77-10201
NASA-CASE-ARC-11052-1 ..... c54 N77-30751
NASA-CASE-ARC-11053-1 ..... c25 N77-29252
NASA-CASE-ARC-11057-1 ..... c27 N77-26308
NASA-CASE-ARC-11058-1 ..... c54 N77-15641
NASA-CASE-ARC-11059-1 ..... c54 N77-14743
NASA-CASE-ARC-11100-1 ..... c54 N77-25784
NASA-CASE-ARC-11101-1 ..... c54 N77-14742
NASA-CASE-ARC-11106-1 ..... c05 N77-31130
NASA-CASE-ARC-11120-1 ..... c52 N77-23743

NASA-CASE-ERC-10001 ..... c23 N71-24868
NASA-CASE-ERC-10011 ..... c07 N71-29065
NASA-CASE-ERC-10013 ..... c09 N71-26678
NASA-CASE-ERC-10014 ..... c14 N71-28863
NASA-CASE-ERC-10015-2 ..... c10 N72-27246
NASA-CASE-ERC-10017 ..... c16 N71-15567
NASA-CASE-ERC-10019 ..... c16 N71-15551
NASA-CASE-ERC-10020 ..... c16 N71-26154
NASA-CASE-ERC-10022 ..... c15 N71-26635
NASA-CASE-ERC-10031 ..... c12 N71-18603
NASA-CASE-ERC-10032 ..... c10 N71-25900
NASA-CASE-ERC-10033 ..... c14 N71-26672
NASA-CASE-ERC-10034 ..... c15 N71-24896
NASA-CASE-ERC-10041 ..... c08 N71-29138
NASA-CASE-ERC-10044-1 ..... c14 N71-27090
NASA-CASE-ERC-10045 ..... c15 N71-24910
NASA-CASE-ERC-10046 ..... c10 N71-18722
NASA-CASE-ERC-10048 ..... c09 N72-25251
NASA-CASE-ERC-10065 ..... c09 N71-27364
NASA-CASE-ERC-10072 ..... c09 N70-11148
NASA-CASE-ERC-10073-1 ..... c24 N74-19769
NASA-CASE-ERC-10075 ..... c09 N71-24800
NASA-CASE-ERC-10075-2 ..... c09 N72-22196
NASA-CASE-ERC-10081 ..... c14 N72-28437
NASA-CASE-ERC-10087 ..... c14 N71-27334
NASA-CASE-ERC-10087-2 ..... c14 N72-31446
NASA-CASE-ERC-10088 ..... c26 N71-25490
NASA-CASE-ERC-10089 ..... c23 N72-17747
NASA-CASE-ERC-10090 ..... c21 N71-24948
NASA-CASE-ERC-10097 ..... c15 N71-28465
NASA-CASE-ERC-10098 ..... c09 N71-28618
NASA-CASE-ERC-10100 ..... c09 N71-33519
NASA-CASE-ERC-10108 ..... c06 N72-21094
NASA-CASE-ERC-10112 ..... c07 N72-21119
NASA-CASE-ERC-10113 ..... c09 N71-27053
NASA-CASE-ERC-10119 ..... c26 N72-21701
NASA-CASE-ERC-10120 ..... c26 N69-33482
NASA-CASE-ERC-10125 ..... c09 N71-24893
NASA-CASE-ERC-10138 ..... c26 N71-14354
NASA-CASE-ERC-10139 ..... c09 N72-17154
NASA-CASE-ERC-10150 ..... c14 N71-28992
NASA-CASE-ERC-10151 ..... c16 N71-29131
NASA-CASE-ERC-10174 ..... c14 N72-25409
NASA-CASE-ERC-10178 ..... c16 N71-24832
NASA-CASE-ERC-10179 ..... c07 N72-20141
NASA-CASE-ERC-10180-1 ..... c60 N74-20836
NASA-CASE-ERC-10187 ..... c16 N69-31343
NASA-CASE-ERC-10208 ..... c15 N70-10867
NASA-CASE-ERC-10214 ..... c09 N72-31235
NASA-CASE-ERC-10222 ..... c09 N72-22199

NASA-CASE-ERC-10224 ..... c09 N72-25261
NASA-CASE-ERC-10224-2 ..... c09 N73-27150
NASA-CASE-ERC-10226-1 ..... c14 N73-16483
NASA-CASE-ERC-10248 ..... c14 N72-17323
NASA-CASE-ERC-10267 ..... c09 N72-23173
NASA-CASE-ERC-10268 ..... c09 N72-25252
NASA-CASE-ERC-10275 ..... c26 N72-25680
NASA-CASE-ERC-10276 ..... c14 N73-26432
NASA-CASE-ERC-10283 ..... c16 N72-25485
NASA-CASE-ERC-10285 ..... c10 N73-16206
NASA-CASE-ERC-10292 ..... c14 N72-25410
NASA-CASE-ERC-10307 ..... c08 N72-21198
NASA-CASE-ERC-10324 ..... c07 N72-25173
NASA-CASE-ERC-10325 ..... c15 N72-25457
NASA-CASE-ERC-10338 ..... c04 N72-33072
NASA-CASE-ERC-10339-1 ..... c18 N73-30532
NASA-CASE-ERC-10350 ..... c14 N73-20474
NASA-CASE-ERC-10363 ..... c18 N72-25541
NASA-CASE-ERC-10364 ..... c18 N72-25540
NASA-CASE-ERC-10365-1 ..... c31 N73-32749
NASA-CASE-ERC-10392 ..... c21 N73-14692
NASA-CASE-ERC-10403-1 ..... c10 N73-26228
NASA-CASE-ERC-10412-1 ..... c09 N73-12211
NASA-CASE-ERC-10419 ..... c21 N72-21631
NASA-CASE-ERC-10419-1 ..... c03 N75-30132
NASA-CASE-ERC-10439 ..... c02 N73-19004
NASA-CASE-ERC-10552 ..... c09 N71-12539
NASA-CASE-ERC-11020 ..... c14 N71-26774

NASA-CASE-FRC-10005 ..... c15 N71-26145
NASA-CASE-FRC-10010 ..... c10 N71-24862
NASA-CASE-FRC-10012 ..... c14 N72-17329
NASA-CASE-FRC-10019 ..... c15 N73-12487
NASA-CASE-FRC-10022 ..... c12 N71-26546
NASA-CASE-FRC-10029 ..... c09 N71-24618
NASA-CASE-FRC-10029-2 ..... c05 N72-25121
NASA-CASE-FRC-10036 ..... c09 N72-22200
NASA-CASE-FRC-10038 ..... c15 N72-20444
NASA-CASE-FRC-10049-1 ..... c04 N74-13420
NASA-CASE-FRC-10051-1 ..... c35 N74-13129
NASA-CASE-FRC-10060-1 ..... c14 N73-27379
NASA-CASE-FRC-10063 ..... c01 N71-12217
NASA-CASE-FRC-10071-1 ..... c32 N74-20813
NASA-CASE-FRC-10072-1 ..... c33 N74-14939
NASA-CASE-FRC-10081-1 ..... c37 N77-14477
NASA-CASE-FRC-10090-1 ..... c33 N77-11296
NASA-CASE-FRC-10092-1 ..... c05 N77-31135

NASA-CASE-GSC-10007 ..... c18 N71-16046
NASA-CASE-GSC-10021-1 ..... c09 N71-24595
NASA-CASE-GSC-10022-1 ..... c10 N71-25882
NASA-CASE-GSC-10041-1 ..... c10 N71-19418
NASA-CASE-GSC-10062 ..... c14 N71-15605
NASA-CASE-GSC-10064-1 ..... c10 N72-22235
NASA-CASE-GSC-10065-1 ..... c10 N71-27136
NASA-CASE-GSC-10072 ..... c18 N71-14014
NASA-CASE-GSC-10082-1 ..... c10 N72-20221
NASA-CASE-GSC-10083-1 ..... c30 N71-16090
NASA-CASE-GSC-10087-1 ..... c02 N71-19287
NASA-CASE-GSC-10087-2 ..... c21 N71-13958
NASA-CASE-GSC-10087-3 ..... c07 N72-12080
NASA-CASE-GSC-10087-4 ..... c07 N73-20174
NASA-CASE-GSC-10097-1 ..... c08 N71-27210
NASA-CASE-GSC-10114-1 ..... c10 N71-27366
NASA-CASE-GSC-10118-1 ..... c07 N71-24621
NASA-CASE-GSC-10131-1 ..... c07 N71-24624
NASA-CASE-GSC-10185-1 ..... c07 N72-12081
NASA-CASE-GSC-10186 ..... c08 N71-33110
NASA-CASE-GSC-10188-1 ..... c23 N71-24725
NASA-CASE-GSC-10216-1 ..... c23 N71-26722
NASA-CASE-GSC-10218-1 ..... c15 N72-21465
NASA-CASE-GSC-10220-1 ..... c07 N71-27233
NASA-CASE-GSC-10221-1 ..... c09 N72-23171
NASA-CASE-GSC-10225-1 ..... c06 N73-27086
NASA-CASE-GSC-10299-1 ..... c09 N71-24804
NASA-CASE-GSC-10303 ..... c15 N72-22487
NASA-CASE-GSC-10306-1 ..... c15 N71-24694
NASA-CASE-GSC-10344-1 ..... c03 N72-27053
NASA-CASE-GSC-10361-1 ..... c18 N72-23581
NASA-CASE-GSC-10366-1 ..... c10 N71-18772
NASA-CASE-GSC-10373-1 ..... c07 N71-19773
NASA-CASE-GSC-10376-1 ..... c14 N71-27407
NASA-CASE-GSC-10390-1 ..... c07 N72-11149
NASA-CASE-GSC-10413 ..... c10 N71-26531
NASA-CASE-GSC-10441-1 ..... c14 N71-27325
NASA-CASE-GSC-10452 ..... c07 N71-12396
NASA-CASE-GSC-10487-1 ..... c03 N71-24719
NASA-CASE-GSC-10503-1 ..... c14 N72-20381
NASA-CASE-GSC-10514-1 ..... c14 N72-20379

NASA-CASE-GSC-10518-1 ..... c15 N72-22489
NASA-CASE-GSC-10553-1 ..... c07 N71-19854
NASA-CASE-GSC-10554-1 ..... c08 N71-29033
NASA-CASE-GSC-10555-1 ..... c21 N71-27324
NASA-CASE-GSC-10556-1 ..... c31 N71-26537
NASA-CASE-GSC-10557-1 ..... c31 N71-26537
NASA-CASE-GSC-10564 ..... c10 N71-29135
NASA-CASE-GSC-10565-1 ..... c06 N72-25149
NASA-CASE-GSC-10566-1 ..... c15 N72-18477
NASA-CASE-GSC-10590-1 ..... c31 N73-14853
NASA-CASE-GSC-10607-1 ..... c15 N72-20442
NASA-CASE-GSC-10614-1 ..... c09 N72-11224
NASA-CASE-GSC-10640-1 ..... c28 N72-18766
NASA-CASE-GSC-10656-1 ..... c09 N72-25249
NASA-CASE-GSC-10667-1 ..... c10 N71-33129
NASA-CASE-GSC-10668-1 ..... c07 N71-28430
NASA-CASE-GSC-10669-1 ..... c03 N72-20031
NASA-CASE-GSC-10695-1 ..... c09 N72-25259
NASA-CASE-GSC-10700 ..... c23 N71-30027
NASA-CASE-GSC-10709-1 ..... c28 N71-25213
NASA-CASE-GSC-10710-1 ..... c28 N71-27094
NASA-CASE-GSC-10735-1 ..... c10 N71-26085
NASA-CASE-GSC-10780-1 ..... c14 N72-16283
NASA-CASE-GSC-10786-1 ..... c10 N72-28241
NASA-CASE-GSC-10791-1 ..... c15 N73-14469
NASA-CASE-GSC-10814-1 ..... c03 N73-20039
NASA-CASE-GSC-10835-1 ..... c09 N72-33205
NASA-CASE-GSC-10878-1 ..... c10 N72-22236
NASA-CASE-GSC-10879-1 ..... c14 N72-25413
NASA-CASE-GSC-10880-1 ..... c08 N72-11172
NASA-CASE-GSC-10890-1 ..... c21 N73-30640
NASA-CASE-GSC-10891-1 ..... c10 N71-26626
NASA-CASE-GSC-10903-1 ..... c14 N73-12444
NASA-CASE-GSC-10913 ..... c15 N72-22491
NASA-CASE-GSC-10945-1 ..... c21 N72-31637
NASA-CASE-GSC-10949-1 ..... c07 N71-28965
NASA-CASE-GSC-10975-1 ..... c08 N73-13187
NASA-CASE-GSC-10984-1 ..... c37 N75-26371
NASA-CASE-GSC-10990-1 ..... c09 N73-26195
NASA-CASE-GSC-11013-1 ..... c09 N73-19234
NASA-CASE-GSC-11018-1 ..... c31 N73-30829
NASA-CASE-GSC-11046-1 ..... c07 N73-28013
NASA-CASE-GSC-11063-1 ..... c37 N77-27400
NASA-CASE-GSC-11074-1 ..... c14 N73-28489
NASA-CASE-GSC-11077-1 ..... c02 N73-13008
NASA-CASE-GSC-11079-1 ..... c37 N75-18574
NASA-CASE-GSC-11092-2 ..... c04 N73-27052
NASA-CASE-GSC-11095-1 ..... c14 N72-10375
NASA-CASE-GSC-11126-1 ..... c09 N72-25253
NASA-CASE-GSC-11127-1 ..... c09 N75-24758
NASA-CASE-GSC-11133-1 ..... c23 N72-11568
NASA-CASE-GSC-11139 ..... c09 N71-27016
NASA-CASE-GSC-11149-1 ..... c15 N73-30457
NASA-CASE-GSC-11163-1 ..... c15 N73-32360
NASA-CASE-GSC-11169-2 ..... c05 N73-32011
NASA-CASE-GSC-11182-1 ..... c15 N75-13007
NASA-CASE-GSC-11188-1 ..... c14 N73-32320
NASA-CASE-GSC-11188-2 ..... c21 N73-19630
NASA-CASE-GSC-11188-3 ..... c74 N74-20008
NASA-CASE-GSC-11205-1 ..... c15 N73-25513
NASA-CASE-GSC-11211-1 ..... c03 N72-25020
NASA-CASE-GSC-11214-1 ..... c06 N73-13128
NASA-CASE-GSC-11215-1 ..... c09 N73-28083
NASA-CASE-GSC-11222-1 ..... c16 N73-32391
NASA-CASE-GSC-11239-1 ..... c10 N73-25241
NASA-CASE-GSC-11262-1 ..... c36 N74-21091
NASA-CASE-GSC-11291-1 ..... c25 N72-33696
NASA-CASE-GSC-11296-1 ..... c23 N73-30666
NASA-CASE-GSC-11302-1 ..... c14 N73-13416
NASA-CASE-GSC-11304-1 ..... c06 N72-21105
NASA-CASE-GSC-11340-1 ..... c10 N72-33230
NASA-CASE-GSC-11353-1 ..... c74 N74-21304
NASA-CASE-GSC-11358-1 ..... c06 N73-26100
NASA-CASE-GSC-11367 ..... c10 N71-26374
NASA-CASE-GSC-11367-1 ..... c44 N74-19692
NASA-CASE-GSC-11368-1 ..... c09 N73-32108
NASA-CASE-GSC-11388-1 ..... c07 N73-24187
NASA-CASE-GSC-11394-1 ..... c09 N73-32109
NASA-CASE-GSC-11425-1 ..... c76 N74-20329
NASA-CASE-GSC-11425-2 ..... c76 N75-25730
NASA-CASE-GSC-11428-1 ..... c32 N74-20864
NASA-CASE-GSC-11434-1 ..... c34 N74-27859
NASA-CASE-GSC-11444-1 ..... c14 N73-28490
NASA-CASE-GSC-11445-1 ..... c31 N74-27902
NASA-CASE-GSC-11446-1 ..... c33 N74-20860
NASA-CASE-GSC-11479-1 ..... c35 N74-28097
NASA-CASE-GSC-11487-1 ..... c14 N73-30393
NASA-CASE-GSC-11492-1 ..... c35 N74-26949
NASA-CASE-GSC-11513-1 ..... c33 N74-20862
NASA-CASE-GSC-11514-1 ..... c03 N72-24037
NASA-CASE-GSC-11531-1 ..... c52 N74-27566
NASA-CASE-GSC-11533-1 ..... c14 N73-13435
NASA-CASE-GSC-11551-1 ..... c37 N76-18459
NASA-CASE-GSC-11553-1 ..... c35 N74-15851
NASA-CASE-GSC-11560-1 ..... c33 N74-20861
NASA-CASE-GSC-11569-1 ..... c89 N74-30886
NASA-CASE-GSC-11571-1 ..... c36 N77-25499
NASA-CASE-GSC-11577-1 ..... c37 N75-15992
NASA-CASE-GSC-11577-3 ..... c24 N76-19234
NASA-CASE-GSC-11582-1 ..... c33 N75-19517
NASA-CASE-GSC-11600-1 ..... c35 N74-21019
NASA-CASE-GSC-11602-1 ..... c33 N74-21850
NASA-CASE-GSC-11617-1 ..... c33 N74-32660
NASA-CASE-GSC-11619-1 ..... c34 N75-12222
NASA-CASE-GSC-11620-1 ..... c34 N74-23039
NASA-CASE-GSC-11623-1 ..... c33 N75-25040
NASA-CASE-GSC-11690-1 ..... c14 N73-28499
NASA-CASE-GSC-11743-1 ..... c32 N75-24981
NASA-CASE-GSC-11744-1 ..... c33 N75-26243
NASA-CASE-GSC-11746-1 ..... c36 N75-19654
NASA-CASE-GSC-11752-1 ..... c77 N75-20140
NASA-CASE-GSC-11760-1 ..... c33 N75-19516
NASA-CASE-GSC-11782-1 ..... c74 N76-30053
NASA-CASE-GSC-11783-1 ..... c33 N75-19516
NASA-CASE-GSC-11786-1 ..... c24 N76-24363
NASA-CASE-GSC-11789-1 ..... c33 N77-14333
NASA-CASE-GSC-11824-1 ..... c33 N77-26386
NASA-CASE-GSC-11829-1 ..... c35 N75-27331
NASA-CASE-GSC-11839-1 ..... c60 N77-14751
NASA-CASE-GSC-11839-2 ..... c60 N76-18803
NASA-CASE-GSC-11839-3 ..... c60 N77-32731
NASA-CASE-GSC-11844-1 ..... c33 N75-19522
NASA-CASE-GSC-11849-1 ..... c33 N76-16332
NASA-CASE-GSC-11862-1 ..... c32 N76-18295
NASA-CASE-GSC-11868-1 ..... c17 N76-22245
NASA-CASE-GSC-11877-1 ..... c74 N76-18913
NASA-CASE-GSC-11883-1 ..... c37 N77-19458
NASA-CASE-GSC-11883-2 ..... c37 N77-15400
NASA-CASE-GSC-11889-1 ..... c35 N76-16393
NASA-CASE-GSC-11892-1 ..... c35 N76-15433
NASA-CASE-GSC-11893-1 ..... c35 N76-31489
NASA-CASE-GSC-11895-1 ..... c35 N76-15436
NASA-CASE-GSC-11898-1 ..... c32 N77-30309
NASA-CASE-GSC-11902-1 ..... c38 N77-17495
NASA-CASE-GSC-11909 ..... c32 N74-20863
NASA-CASE-GSC-11917-2 ..... c51 N76-29891
NASA-CASE-GSC-11924-1 ..... c33 N76-27472
NASA-CASE-GSC-11925-1 ..... c33 N76-18353
NASA-CASE-GSC-11956-1 ..... c35 N75-25134
NASA-CASE-GSC-11960-1 ..... c37 N77-14479
NASA-CASE-GSC-11963-1 ..... c33 N77-10429
NASA-CASE-GSC-11968-1 ..... c32 N76-15329
NASA-CASE-GSC-11974-1 ..... c37 N77-19458
NASA-CASE-GSC-11975-1 ..... c37 N77-19458
NASA-CASE-GSC-11976-1 ..... c43 N76-23671
NASA-CASE-GSC-11978-1 ..... c37 N77-17464
NASA-CASE-GSC-11989-1 ..... c74 N77-28932
NASA-CASE-GSC-11998-1 ..... c34 N77-32413
NASA-CASE-GSC-12010-1 ..... c33 N76-23482
NASA-CASE-GSC-12017-1 ..... c32 N77-30308
NASA-CASE-GSC-12018-1 ..... c33 N77-14334
NASA-CASE-GSC-12022-1 ..... c44 N76-28635
NASA-CASE-GSC-12022-2 ..... c44 N76-26695
NASA-CASE-GSC-12023-1 ..... c44 N76-28635
NASA-CASE-GSC-12030-1 ..... c44 N76-30652
NASA-CASE-GSC-12032-2 ..... c35 N76-19408
NASA-CASE-GSC-12039-1 ..... c51 N77-22794
NASA-CASE-GSC-12044-1 ..... c60 N76-13781
NASA-CASE-GSC-12045-1 ..... c52 N77-18733
NASA-CASE-GSC-12046-1 ..... c52 N77-26797
NASA-CASE-GSC-12053-1 ..... c32 N77-28346
NASA-CASE-GSC-12058-1 ..... c74 N77-26942
NASA-CASE-GSC-12059-1 ..... c35 N77-27366
NASA-CASE-GSC-12075-1 ..... c32 N77-31350
NASA-CASE-GSC-12077-1 ..... c35 N77-24455
NASA-CASE-GSC-12081-2 ..... c52 N77-26796
NASA-CASE-GSC-12082-1 ..... c54 N76-22914
NASA-CASE-GSC-12082-2 ..... c52 N77-27694
NASA-CASE-GSC-12083-1 ..... c36 N76-15451
NASA-CASE-GSC-12088-1 ..... c35 N76-17369
NASA-CASE-GSC-12110-1 ..... c27 N77-32308
NASA-CASE-GSC-12111-2 ..... c60 N77-31800
NASA-CASE-GSC-12115-1 ..... c62 N76-31946
NASA-CASE-GSC-12137-1 ..... c32 N77-27272
NASA-CASE-GSC-12138-1 ..... c33 N77-20344
NASA-CASE-GSC-12142-1 ..... c32 N77-20299
NASA-CASE-GSC-12143-1 ..... c35 N77-32456
NASA-CASE-GSC-12145-1 ..... c33 N77-19319

NASA-CASE-GSC-12146-1 ..... c33 N77-21322
NASA-CASE-GSC-12147-1 ..... c35 N77-20410
NASA-CASE-GSC-12148-1 ..... c32 N77-22314
NASA-CASE-GSC-12150-1 ..... c32 N77-12247
NASA-CASE-GSC-12173-1 ..... c52 N77-27693
NASA-CASE-GSC-12190-1 ..... c33 N77-29403
NASA-CASE-GSC-12194-1 ..... c20 N77-28219
NASA-CASE-GSC-12225-1 ..... c74 N77-30935
NASA-CASE-GSC-12263-1 ..... c35 N77-29471

NASA-CASE-HQN-00936 ..... c31 N71-29050
NASA-CASE-HQN-00937 ..... c07 N71-28979
NASA-CASE-HQN-00938 ..... c33 N71-29053
NASA-CASE-HQN-10037-1 ..... c14 N73-27376
NASA-CASE-HQN-10069 ..... c33 N75-27251
NASA-CASE-HQN-10364 ..... c06 N71-27363
NASA-CASE-HQN-10439 ..... c21 N72-21624
NASA-CASE-HQN-10462 ..... c25 N75-29192
NASA-CASE-HQN-10541-1 ..... c07 N71-26291
NASA-CASE-HQN-10541-2 ..... c15 N71-27135
NASA-CASE-HQN-10541-3 ..... c23 N72-23695
NASA-CASE-HQN-10541-4 ..... c16 N71-27183
NASA-CASE-HQN-10542-1 ..... c74 N75-25706
NASA-CASE-HQN-10638-1 ..... c15 N73-30460
NASA-CASE-HQN-10654-1 ..... c16 N73-13489
NASA-CASE-HQN-10703 ..... c21 N73-13643
NASA-CASE-HQN-10740-1 ..... c72 N74-19310
NASA-CASE-HQN-10756-1 ..... c14 N72-25428
NASA-CASE-HQN-10780 ..... c14 N71-30265
NASA-CASE-HQN-10781 ..... c23 N71-30292
NASA-CASE-HQN-10790-1 ..... c36 N74-11313
NASA-CASE-HQN-10792-1 ..... c33 N74-11049
NASA-CASE-HQN-10832-1 ..... c71 N74-21014
NASA-CASE-HQN-10841-1 ..... c73 N75-22108
NASA-CASE-HQN-10844-1 ..... c36 N75-19653
NASA-CASE-HQN-10862-1 ..... c44 N76-29699
NASA-CASE-HQN-10876-1 ..... c33 N76-27473
NASA-CASE-HQN-10880-1 ..... c32 N75-30385
NASA-CASE-HQN-10888-1 ..... c37 N77-22484

NASA-CASE-KSC-10002 ..... c10 N71-25865
NASA-CASE-KSC-10003 ..... c10 N73-13235
NASA-CASE-KSC-10020 ..... c10 N71-27338
NASA-CASE-KSC-10031 ..... c15 N72-22486
NASA-CASE-KSC-10108 ..... c14 N73-25461
NASA-CASE-KSC-10126 ..... c11 N71-24985
NASA-CASE-KSC-10162 ..... c09 N72-11225
NASA-CASE-KSC-10164 ..... c07 N71-33108
NASA-CASE-KSC-10198 ..... c11 N71-28629
NASA-CASE-KSC-10242 ..... c15 N72-23497
NASA-CASE-KSC-10278 ..... c05 N72-16015
NASA-CASE-KSC-10294 ..... c14 N72-18411
NASA-CASE-KSC-10326 ..... c08 N72-21197
NASA-CASE-KSC-10392 ..... c07 N73-26117
NASA-CASE-KSC-10393 ..... c09 N72-21247
NASA-CASE-KSC-10397 ..... c08 N72-25206
NASA-CASE-KSC-10513 ..... c15 N72-25453
NASA-CASE-KSC-10521 ..... c07 N73-20176
NASA-CASE-KSC-10565 ..... c09 N72-25250
NASA-CASE-KSC-10595 ..... c08 N73-12176
NASA-CASE-KSC-10615 ..... c15 N73-12486
NASA-CASE-KSC-10626 ..... c14 N73-27378
NASA-CASE-KSC-10639 ..... c15 N73-26472
NASA-CASE-KSC-10644 ..... c09 N72-27227
NASA-CASE-KSC-10647-1 ..... c10 N72-31273
NASA-CASE-KSC-10654-1 ..... c07 N73-30115
NASA-CASE-KSC-10698 ..... c07 N73-20175
NASA-CASE-KSC-10723-1 ..... c37 N75-13265
NASA-CASE-KSC-10728-1 ..... c14 N73-32319
NASA-CASE-KSC-10729-1 ..... c09 N73-32110
NASA-CASE-KSC-10730-1 ..... c14 N73-32318
NASA-CASE-KSC-10731-1 ..... c33 N74-27862
NASA-CASE-KSC-10736-1 ..... c33 N75-19521
NASA-CASE-KSC-10750-1 ..... c35 N75-12270
NASA-CASE-KSC-10752-1 ..... c15 N73-27407
NASA-CASE-KSC-10769-1 ..... c33 N74-29556
NASA-CASE-KSC-10782-1 ..... c33 N75-30431
NASA-CASE-KSC-10807-1 ..... c33 N75-26246
NASA-CASE-KSC-10834-1 ..... c33 N76-14371
NASA-CASE-KSC-10849-1 ..... c52 N77-14738
NASA-CASE-KSC-10899-1 ..... c33 N77-28394
NASA-CASE-KSC-11004-1 ..... c54 N77-30749
NASA-CASE-KSC-11008-1 ..... c33 N77-21321
NASA-CASE-KSC-11010-1 ..... c44 N77-15493
NASA-CASE-KSC-11018-1 ..... c33 N77-21320
NASA-CASE-KSC-11020-1 ..... c27 N77-23267
NASA-CASE-KSC-11030-1 ..... c52 N77-25772
NASA-CASE-KSC-11031-1 ..... c33 N77-21319
NASA-CASE-KSC-11034-1 ..... c44 N77-21666
NASA-CASE-KSC-11035-1 ..... c33 N77-20343
NASA-CASE-KSC-11047-1 ..... c74 N77-15826

NASA-CASE-LAR-02743 ..... c14 N73-32324
NASA-CASE-LAR-10000 ..... c14 N73-30394
NASA-CASE-LAR-10007-1 ..... c05 N71-11195
NASA-CASE-LAR-10031 ..... c15 N72-22484
NASA-CASE-LAR-10056 ..... c05 N71-12351
NASA-CASE-LAR-10061-1 ..... c15 N72-31483
NASA-CASE-LAR-10073-1 ..... c37 N76-24575
NASA-CASE-LAR-10076-1 ..... c05 N73-20137
NASA-CASE-LAR-10083-1 ..... c15 N71-27006
NASA-CASE-LAR-10089-1 ..... c34 N74-23066
NASA-CASE-LAR-10098 ..... c32 N71-26681
NASA-CASE-LAR-10102-1 ..... c05 N72-23085
NASA-CASE-LAR-10105-1 ..... c34 N74-15652
NASA-CASE-LAR-10106-1 ..... c15 N71-27169
NASA-CASE-LAR-10121-1 ..... c15 N71-26721
NASA-CASE-LAR-10128-1 ..... c08 N73-20217
NASA-CASE-LAR-10129-1 ..... c15 N73-25512
NASA-CASE-LAR-10129-2 ..... c37 N74-20063
NASA-CASE-LAR-10137-1 ..... c09 N72-22204
NASA-CASE-LAR-10163-1 ..... c09 N72-25247
NASA-CASE-LAR-10168-1 ..... c33 N74-22865
NASA-CASE-LAR-10170-1 ..... c37 N74-11301
NASA-CASE-LAR-10173-1 ..... c27 N71-14090
NASA-CASE-LAR-10176-1 ..... c14 N72-20380
NASA-CASE-LAR-10180-1 ..... c06 N71-13461
NASA-CASE-LAR-10184 ..... c14 N72-22445
NASA-CASE-LAR-10193-1 ..... c15 N71-27146
NASA-CASE-LAR-10194-1 ..... c34 N74-30608
NASA-CASE-LAR-10195-1 ..... c15 N73-19458
NASA-CASE-LAR-10203-1 ..... c15 N72-16330
NASA-CASE-LAR-10204 ..... c14 N71-27215
NASA-CASE-LAR-10208-1 ..... c35 N76-18400
NASA-CASE-LAR-10218-1 ..... c09 N70-34559
NASA-CASE-LAR-10226-1 ..... c14 N73-19419
NASA-CASE-LAR-10241-1 ..... c54 N74-14845
NASA-CASE-LAR-10249-1 ..... c02 N71-26110
NASA-CASE-LAR-10253-1 ..... c09 N72-25258
NASA-CASE-LAR-10256-1 ..... c85 N74-34672
NASA-CASE-LAR-10270-1 ..... c32 N72-25877
NASA-CASE-LAR-10274-1 ..... c14 N71-17626
NASA-CASE-LAR-10276-1 ..... c09 N75-15662
NASA-CASE-LAR-10294-1 ..... c26 N72-28762
NASA-CASE-LAR-10295-1 ..... c35 N74-21062
NASA-CASE-LAR-10305 ..... c14 N71-26137
NASA-CASE-LAR-10310-1 ..... c10 N73-20253
NASA-CASE-LAR-10311-1 ..... c16 N73-16536
NASA-CASE-LAR-10317-1 ..... c32 N71-16103
NASA-CASE-LAR-10318-1 ..... c31 N74-18089
NASA-CASE-LAR-10319-1 ..... c14 N73-32322
NASA-CASE-LAR-10320-1 ..... c09 N72-23172
NASA-CASE-LAR-10323-1 ..... c12 N71-17573
NASA-CASE-LAR-10337-1 ..... c24 N75-30260
NASA-CASE-LAR-10344-1 ..... c35 N76-33470
NASA-CASE-LAR-10348-1 ..... c11 N73-12264
NASA-CASE-LAR-10365-1 ..... c05 N72-27102
NASA-CASE-LAR-10367-1 ..... c03 N70-26817
NASA-CASE-LAR-10372 ..... c09 N71-18599
NASA-CASE-LAR-10373-1 ..... c18 N71-26155
NASA-CASE-LAR-10385-2 ..... c70 N74-13436
NASA-CASE-LAR-10385-3 ..... c23 N73-32538
NASA-CASE-LAR-10403 ..... c21 N71-11766
NASA-CASE-LAR-10409-1 ..... c31 N74-21059
NASA-CASE-LAR-10416-1 ..... c24 N74-30001
NASA-CASE-LAR-10426-1 ..... c09 N74-19528
NASA-CASE-LAR-10439-1 ..... c33 N73-27796
NASA-CASE-LAR-10440-1 ..... c14 N73-32323
NASA-CASE-LAR-10450-1 ..... c37 N74-27905
NASA-CASE-LAR-10483-1 ..... c14 N73-32327
NASA-CASE-LAR-10489-1 ..... c31 N74-18124
NASA-CASE-LAR-10489-2 ..... c31 N74-32920
NASA-CASE-LAR-10496-1 ..... c14 N72-22437
NASA-CASE-LAR-10503-1 ..... c09 N72-21248
NASA-CASE-LAR-10507-1 ..... c11 N72-25284
NASA-CASE-LAR-10511-1 ..... c09 N72-29172
NASA-CASE-LAR-10513-1 ..... c07 N72-25170
NASA-CASE-LAR-10523-1 ..... c14 N72-22444
NASA-CASE-LAR-10531-1 ..... c02 N73-13023
NASA-CASE-LAR-10539-1 ..... c17 N73-12547
NASA-CASE-LAR-10541-1 ..... c15 N72-32487
NASA-CASE-LAR-10544-1 ..... c37 N74-13178
NASA-CASE-LAR-10545-1 ..... c09 N72-21244
NASA-CASE-LAR-10546-1 ..... c11 N72-25287
NASA-CASE-LAR-10547-1 ..... c31 N74-13177
NASA-CASE-LAR-10549-1 ..... c31 N73-13898
NASA-CASE-LAR-10550-1 ..... c09 N74-30597
NASA-CASE-LAR-10551-1 ..... c25 N74-12813

NASA-CASE-LAR-10557 ..... c02 N72-11018
NASA-CASE-LAR-10574-1 ..... c11 N73-13257
NASA-CASE-LAR-10578-1 ..... c12 N73-25262
NASA-CASE-LAR-10585-1 ..... c02 N76-22154
NASA-CASE-LAR-10586-1 ..... c19 N74-15089
NASA-CASE-LAR-10590-1 ..... c15 N70-26819
NASA-CASE-LAR-10595-1 ..... c35 N74-16135
NASA-CASE-LAR-10612-1 ..... c12 N73-28144
NASA-CASE-LAR-10620-1 ..... c09 N72-25255
NASA-CASE-LAR-10623-1 ..... c14 N73-30395
NASA-CASE-LAR-10626-1 ..... c19 N74-21015
NASA-CASE-LAR-10629-1 ..... c35 N75-33367
NASA-CASE-LAR-10634-1 ..... c37 N74-18123
NASA-CASE-LAR-10642-1 ..... c07 N74-31270
NASA-CASE-LAR-10668-1 ..... c06 N73-16106
NASA-CASE-LAR-10670-1 ..... c06 N73-30097
NASA-CASE-LAR-10670-2 ..... c15 N74-27360
NASA-CASE-LAR-10682-1 ..... c02 N73-26004
NASA-CASE-LAR-10686 ..... c14 N71-28935
NASA-CASE-LAR-10688-1 ..... c37 N74-21056
NASA-CASE-LAR-10706-2 ..... c05 N77-31132
NASA-CASE-LAR-10717-1 ..... c21 N73-30641
NASA-CASE-LAR-10726-1 ..... c14 N73-20475
NASA-CASE-LAR-10728-1 ..... c14 N73-12445
NASA-CASE-LAR-10730-1 ..... c33 N74-10223
NASA-CASE-LAR-10739-1 ..... c14 N73-16484
NASA-CASE-LAR-10753-1 ..... c08 N74-30421
NASA-CASE-LAR-10756-1 ..... c32 N73-26910
NASA-CASE-LAR-10765-1 ..... c32 N73-20740
NASA-CASE-LAR-10766-1 ..... c14 N72-21432
NASA-CASE-LAR-10773-3 ..... c51 N77-25769
NASA-CASE-LAR-10774 ..... c10 N71-13545
NASA-CASE-LAR-10776-1 ..... c02 N74-10034
NASA-CASE-LAR-10782-1 ..... c31 N74-14133
NASA-CASE-LAR-10782-2 ..... c31 N75-13111
NASA-CASE-LAR-10788-1 ..... c31 N73-20880
NASA-CASE-LAR-10799-2 ..... c34 N76-17317
NASA-CASE-LAR-10800-1 ..... c33 N72-27959
NASA-CASE-LAR-10805-2 ..... c34 N77-18382
NASA-CASE-LAR-10806-1 ..... c35 N74-32877
NASA-CASE-LAR-10812-1 ..... c09 N74-17955
NASA-CASE-LAR-10815-1 ..... c16 N72-22520
NASA-CASE-LAR-10836-1 ..... c26 N72-27784
NASA-CASE-LAR-10841-1 ..... c31 N74-27900
NASA-CASE-LAR-10855-1 ..... c14 N73-13415
NASA-CASE-LAR-10862-1 ..... c35 N74-15092
NASA-CASE-LAR-10868-1 ..... c33 N74-11050
NASA-CASE-LAR-10894-1 ..... c18 N73-14584
NASA-CASE-LAR-10900-1 ..... c37 N74-23064
NASA-CASE-LAR-10907-1 ..... c35 N76-29551
NASA-CASE-LAR-10910-1 ..... c35 N74-13132
NASA-CASE-LAR-10913 ..... c14 N72-16282
NASA-CASE-LAR-10941-1 ..... c37 N74-21057
NASA-CASE-LAR-10941-2 ..... c15 N73-32371
NASA-CASE-LAR-10951-1 ..... c28 N73-19819
NASA-CASE-LAR-10953-1 ..... c17 N73-27446
NASA-CASE-LAR-10961-1 ..... c15 N73-12496
NASA-CASE-LAR-10970-1 ..... c33 N76-14372
NASA-CASE-LAR-10994-1 ..... c24 N75-13032
NASA-CASE-LAR-11021-1 ..... c32 N76-14321
NASA-CASE-LAR-11027-1 ..... c35 N74-18088
NASA-CASE-LAR-11042-1 ..... c33 N75-27252
NASA-CASE-LAR-11051-1 ..... c15 N76-14158
NASA-CASE-LAR-11052-1 ..... c32 N73-13929
NASA-CASE-LAR-11053-1 ..... c25 N74-18551
NASA-CASE-LAR-11059-1 ..... c76 N75-12810
NASA-CASE-LAR-11069-1 ..... c35 N75-12272
NASA-CASE-LAR-11071-1 ..... c35 N75-19611
NASA-CASE-LAR-11072-1 ..... c15 N73-20535
NASA-CASE-LAR-11074-1 ..... c51 N75-13502
NASA-CASE-LAR-11084-1 ..... c09 N73-12216
NASA-CASE-LAR-11087-1 ..... c02 N73-26008
NASA-CASE-LAR-11110-1 ..... c34 N75-26282
NASA-CASE-LAR-11112-1 ..... c32 N76-15330
NASA-CASE-LAR-11138 ..... c12 N71-20436
NASA-CASE-LAR-11139-1 ..... c35 N74-32878
NASA-CASE-LAR-11141-1 ..... c07 N74-32418
NASA-CASE-LAR-11144-1 ..... c25 N75-26043
NASA-CASE-LAR-11155-1 ..... c35 N74-15091
NASA-CASE-LAR-11170-1 ..... c32 N74-12843
NASA-CASE-LAR-11173-1 ..... c35 N75-19614
NASA-CASE-LAR-11181-1 ..... c39 N75-31479
NASA-CASE-LAR-11201-1 ..... c35 N77-22452
NASA-CASE-LAR-11206-1 ..... c74 N74-30118
NASA-CASE-LAR-11207-1 ..... c35 N75-19613
NASA-CASE-LAR-11211-1 ..... c37 N75-12326
NASA-CASE-LAR-11213-1 ..... c35 N75-15014
NASA-CASE-LAR-11224-1 ..... c37 N76-18456
NASA-CASE-LAR-11237-1 ..... c35 N75-19612
NASA-CASE-LAR-11252-1 ..... c05 N75-25914
NASA-CASE-LAR-11263-1 ..... c35 N75-33369
NASA-CASE-LAR-11264-1 ..... c33 N75-27261
NASA-CASE-LAR-11302-1 ..... c25 N75-13054
NASA-CASE-LAR-11310-1 ..... c07 N77-28118
NASA-CASE-LAR-11326-1 ..... c35 N75-33368
NASA-CASE-LAR-11341-1 ..... c36 N75-19655
NASA-CASE-LAR-11352-1 ..... c33 N75-26245
NASA-CASE-LAR-11354-1 ..... c35 N75-27330
NASA-CASE-LAR-11361-1 ..... c44 N77-22607
NASA-CASE-LAR-11372-1 ..... c27 N74-19772
NASA-CASE-LAR-11387-1 ..... c04 N76-20114
NASA-CASE-LAR-11387-2 ..... c04 N77-19056
NASA-CASE-LAR-11389-1 ..... c33 N77-26387
NASA-CASE-LAR-11390-1 ..... c32 N77-21267
NASA-CASE-LAR-11397-1 ..... c27 N75-29263
NASA-CASE-LAR-11405-1 ..... c45 N76-31714
NASA-CASE-LAR-11428-1 ..... c35 N74-34857
NASA-CASE-LAR-11434-1 ..... c35 N76-22509
NASA-CASE-LAR-11435-1 ..... c35 N76-15432
NASA-CASE-LAR-11458-1 ..... c35 N76-16392
NASA-CASE-LAR-11465-1 ..... c37 N76-21554
NASA-CASE-LAR-11476-1 ..... c07 N76-27232
NASA-CASE-LAR-11490-1 ..... c35 N76-28530
NASA-CASE-LAR-11500-1 ..... c35 N76-24523
NASA-CASE-LAR-11522-1 ..... c34 N74-34881
NASA-CASE-LAR-11549-1 ..... c37 N77-11397
NASA-CASE-LAR-11552-1 ..... c35 N76-14429
NASA-CASE-LAR-11563-1 ..... c37 N77-23482
NASA-CASE-LAR-11570-1 ..... c34 N76-18364
NASA-CASE-LAR-11575-1 ..... c02 N76-16014
NASA-CASE-LAR-11607-1 ..... c32 N77-14292
NASA-CASE-LAR-11617-2 ..... c35 N77-17430
NASA-CASE-LAR-11626-1 ..... c34 N77-12332
NASA-CASE-LAR-11643-1 ..... c37 N75-13268
NASA-CASE-LAR-11645-1 ..... c02 N77-10001
NASA-CASE-LAR-11648-1 ..... c35 N77-14407
NASA-CASE-LAR-11649-1 ..... c51 N77-27677
NASA-CASE-LAR-11658-1 ..... c37 N77-14478
NASA-CASE-LAR-11667-1 ..... c52 N76-19785
NASA-CASE-LAR-11669-1 ..... c34 N76-13419
NASA-CASE-LAR-11674-1 ..... c07 N76-18117
NASA-CASE-LAR-11675-1 ..... c45 N76-17656
NASA-CASE-LAR-11709-1 ..... c37 N76-27567
NASA-CASE-LAR-11711-1 ..... c74 N76-23985
NASA-CASE-LAR-11726-1 ..... c37 N76-27568
NASA-CASE-LAR-11745-1 ..... c32 N77-24339
NASA-CASE-LAR-11756-1 ..... c24 N76-26284
NASA-CASE-LAR-11782-1 ..... c74 N77-20882
NASA-CASE-LAR-11825-1 ..... c35 N77-22449
NASA-CASE-LAR-11827-1 ..... c32 N77-10392
NASA-CASE-LAR-11828-1 ..... c23 N75-29181
NASA-CASE-LAR-11833-1 ..... c06 N76-31229
NASA-CASE-LAR-11852-1 ..... c05 N77-15027
NASA-CASE-LAR-11868-2 ..... c08 N77-31176
NASA-CASE-LAR-11869-1 ..... c35 N77-10497
NASA-CASE-LAR-11883-1 ..... c09 N77-27131
NASA-CASE-LAR-11889-1 ..... c19 N76-18227
NASA-CASE-LAR-11898-1 ..... c24 N77-15103
NASA-CASE-LAR-11898-2 ..... c24 N77-26242
NASA-CASE-LAR-11900-1 ..... c05 N77-18134
NASA-CASE-LAR-11902-1 ..... c27 N76-23436
NASA-CASE-LAR-11903-1 ..... c07 N77-15036
NASA-CASE-LAR-11919-1 ..... c07 N76-22202
NASA-CASE-LAR-11932-1 ..... c05 N76-31219
NASA-CASE-LAR-11941-1 ..... c06 N77-20098
NASA-CASE-LAR-11970-1 ..... c08 N77-22147
NASA-CASE-LAR-11973-1 ..... c43 N77-28563
NASA-CASE-LAR-11995-1 ..... c28 N77-10213
NASA-CASE-LAR-12009-1 ..... c44 N76-32649
NASA-CASE-LAR-12012-1 ..... c36 N77-10517
NASA-CASE-LAR-12016-1 ..... c32 N77-15236
NASA-CASE-LAR-12018-1 ..... c20 N76-29365
NASA-CASE-LAR-12019-1 ..... c24 N77-22179
NASA-CASE-LAR-12034-1 ..... c02 N77-22045
NASA-CASE-LAR-12045-1 ..... c34 N77-24423
NASA-CASE-LAR-12046-1 ..... c45 N77-17609
NASA-CASE-LAR-12095-1 ..... c39 N77-27432
NASA-CASE-LAR-12106-1 ..... c35 N77-23441
NASA-CASE-LAR-12147-1 ..... c27 N77-10198
NASA-CASE-LAR-12149-1 ..... c54 N77-31787
NASA-CASE-LAR-12181-1 ..... c27 N77-15192
NASA-CASE-LAR-12183-1 ..... c36 N77-21424

NASA-CASE-LEW-10106-1 ..... c28 N71-26642
NASA-CASE-LEW-10155-1 ..... c09 N71-29035
NASA-CASE-LEW-10199-1 ..... c27 N74-23125
NASA-CASE-LEW-10210-1 ..... c28 N71-26781
NASA-CASE-LEW-10219-1 ..... c18 N71-28729

NASA-CASE-LEW-10233 ..... c10 N71-27126
NASA-CASE-LEW-10250-1 ..... c22 N71-28759
NASA-CASE-LEW-10278-1 ..... c15 N71-28582
NASA-CASE-LEW-10281-1 ..... c14 N72-17327
NASA-CASE-LEW-10286-1 ..... c28 N71-28915
NASA-CASE-LEW-10326-3 ..... c37 N74-10474
NASA-CASE-LEW-10327 ..... c17 N71-33408
NASA-CASE-LEW-10330-1 ..... c09 N72-27226
NASA-CASE-LEW-10345-1 ..... c10 N71-25899
NASA-CASE-LEW-10359 ..... c33 N72-25911
NASA-CASE-LEW-10359-2 ..... c33 N73-25952
NASA-CASE-LEW-10364-1 ..... c09 N71-13522
NASA-CASE-LEW-10374-1 ..... c28 N73-13773
NASA-CASE-LEW-10387 ..... c09 N72-22201
NASA-CASE-LEW-10393-1 ..... c17 N71-15468
NASA-CASE-LEW-10424-2-2 ..... c18 N72-25539
NASA-CASE-LEW-10433-1 ..... c09 N72-22197
NASA-CASE-LEW-10436-1 ..... c17 N73-32415
NASA-CASE-LEW-10450-1 ..... c15 N72-25448
NASA-CASE-LEW-10489-1 ..... c15 N72-25447
NASA-CASE-LEW-10518-1 ..... c24 N72-33681
NASA-CASE-LEW-10518-2 ..... c24 N72-28714
NASA-CASE-LEW-10518-3 ..... c31 N74-10476
NASA-CASE-LEW-10533-1 ..... c15 N73-28515
NASA-CASE-LEW-10533-2 ..... c37 N74-11300
NASA-CASE-LEW-10689-1 ..... c28 N71-26173
NASA-CASE-LEW-10698-1 ..... c37 N74-21063
NASA-CASE-LEW-10770-1 ..... c28 N72-22770
NASA-CASE-LEW-10794-1 ..... c06 N72-17093
NASA-CASE-LEW-10805-1 ..... c15 N73-13465
NASA-CASE-LEW-10805-2 ..... c37 N74-13179
NASA-CASE-LEW-10805-3 ..... c26 N74-10521
NASA-CASE-LEW-10814-1 ..... c28 N70-35422
NASA-CASE-LEW-10835-1 ..... c28 N72-22771
NASA-CASE-LEW-10856-1 ..... c15 N72-22490
NASA-CASE-LEW-10874-1 ..... c17 N72-22535
NASA-CASE-LEW-10906-1 ..... c25 N74-30502
NASA-CASE-LEW-10920-1 ..... c17 N73-24569
NASA-CASE-LEW-10950-1 ..... c33 N74-27683
NASA-CASE-LEW-10965-1 ..... c15 N72-25452
NASA-CASE-LEW-10981-1 ..... c35 N74-21018
NASA-CASE-LEW-11005-1 ..... c09 N72-21243
NASA-CASE-LEW-11015 ..... c26 N73-32571
NASA-CASE-LEW-11026-1 ..... c15 N73-33383
NASA-CASE-LEW-11058-1 ..... c20 N74-13502
NASA-CASE-LEW-11065-2 ..... c44 N76-14600
NASA-CASE-LEW-11069-1 ..... c44 N74-14784
NASA-CASE-LEW-11071-1 ..... c27 N73-27695
NASA-CASE-LEW-11072-1 ..... c14 N73-24472
NASA-CASE-LEW-11072-2 ..... c35 N76-15434
NASA-CASE-LEW-11076-1 ..... c37 N74-21061
NASA-CASE-LEW-11076-2 ..... c37 N74-32921
NASA-CASE-LEW-11076-3 ..... c37 N75-30562
NASA-CASE-LEW-11076-4 ..... c37 N76-15461
NASA-CASE-LEW-11087-1 ..... c15 N73-30458
NASA-CASE-LEW-11087-2 ..... c37 N74-15128
NASA-CASE-LEW-11087-3 ..... c37 N74-21064
NASA-CASE-LEW-11101-1 ..... c31 N73-32750
NASA-CASE-LEW-11118-1 ..... c20 N74-32919
NASA-CASE-LEW-11118-2 ..... c20 N76-14191
NASA-CASE-LEW-11152-1 ..... c15 N73-32359
NASA-CASE-LEW-11158-1 ..... c37 N77-28486
NASA-CASE-LEW-11159-1 ..... c14 N73-28488
NASA-CASE-LEW-11162-1 ..... c33 N74-12913
NASA-CASE-LEW-11169-1 ..... c37 N76-23570
NASA-CASE-LEW-11179-1 ..... c27 N76-16229
NASA-CASE-LEW-11180-1 ..... c25 N73-25760
NASA-CASE-LEW-11187-1 ..... c28 N73-19793
NASA-CASE-LEW-11188-1 ..... c02 N74-20646
NASA-CASE-LEW-11192-1 ..... c09 N73-13208
NASA-CASE-LEW-11227-1 ..... c13 N75-30876
NASA-CASE-LEW-11262-1 ..... c27 N74-13270
NASA-CASE-LEW-11267-1 ..... c17 N73-32414
NASA-CASE-LEW-11274-1 ..... c37 N75-21631
NASA-CASE-LEW-11286-1 ..... c07 N74-27490
NASA-CASE-LEW-11325-1 ..... c06 N73-27980
NASA-CASE-LEW-11326-1 ..... c23 N73-30665
NASA-CASE-LEW-11330-1 ..... c44 N76-14612
NASA-CASE-LEW-11330-2 ..... c44 N76-33624
NASA-CASE-LEW-11358 ..... c03 N71-26084
NASA-CASE-LEW-11359 ..... c03 N71-28579
NASA-CASE-LEW-11359-2 ..... c03 N72-20034
NASA-CASE-LEW-11387-1 ..... c37 N74-18128
NASA-CASE-LEW-11388-1 ..... c15 N73-32358
NASA-CASE-LEW-11388-2 ..... c37 N74-21055
NASA-CASE-LEW-11390-2 ..... c25 N76-27383
NASA-CASE-LEW-11390-3 ..... c25 N76-29379
NASA-CASE-LEW-11402-1 ..... c07 N74-28226
NASA-CASE-LEW-11484-1 ..... c24 N75-33181
NASA-CASE-LEW-11484-2 ..... c24 N75-14839
NASA-CASE-LEW-11496-1 ..... c44 N77-14580
NASA-CASE-LEW-11531 ..... c15 N71-14932
NASA-CASE-LEW-11549-1 ..... c44 N77-19571
NASA-CASE-LEW-11569-1 ..... c07 N74-15453
NASA-CASE-LEW-11573-1 ..... c26 N77-28265
NASA-CASE-LEW-11581-1 ..... c54 N75-13531
NASA-CASE-LEW-11583-1 ..... c37 N74-13199
NASA-CASE-LEW-11593-1 ..... c20 N76-14190
NASA-CASE-LEW-11617-1 ..... c33 N74-10195
NASA-CASE-LEW-11632-2 ..... c35 N75-13214
NASA-CASE-LEW-11645-2 ..... c22 N73-28660
NASA-CASE-LEW-11646-1 ..... c20 N74-31269
NASA-CASE-LEW-11669-1 ..... c05 N73-27062
NASA-CASE-LEW-11672-1 ..... c37 N74-27904
NASA-CASE-LEW-11676-1 ..... c37 N76-22541
NASA-CASE-LEW-11694-1 ..... c20 N75-18310
NASA-CASE-LEW-11694-2 ..... c37 N76-14461
NASA-CASE-LEW-11696-1 ..... c37 N75-13261
NASA-CASE-LEW-11696-2 ..... c26 N75-19408
NASA-CASE-LEW-11726-1 ..... c26 N73-26752
NASA-CASE-LEW-11855-1 ..... c37 N76-20487
NASA-CASE-LEW-11860-1 ..... c37 N76-18458
NASA-CASE-LEW-11866-1 ..... c72 N76-15860
NASA-CASE-LEW-11873-1 ..... c37 N77-27404
NASA-CASE-LEW-11876-1 ..... c20 N76-21276
NASA-CASE-LEW-11877-1 ..... c44 N76-28646
NASA-CASE-LEW-11881-1 ..... c33 N77-17354
NASA-CASE-LEW-11915-1 ..... c35 N76-14431
NASA-CASE-LEW-11925-1 ..... c37 N75-31446
NASA-CASE-LEW-11930-1 ..... c24 N76-22309
NASA-CASE-LEW-11930-2 ..... c24 N76-26282
NASA-CASE-LEW-11930-3 ..... c24 N77-32249
NASA-CASE-LEW-11938-1 ..... c33 N76-15373
NASA-CASE-LEW-11949-1 ..... c37 N76-29588
NASA-CASE-LEW-11978-1 ..... c33 N77-26385
NASA-CASE-LEW-11981-1 ..... c37 N76-20486
NASA-CASE-LEW-11981-2 ..... c34 N77-32434
NASA-CASE-LEW-12013-1 ..... c33 N77-17360
NASA-CASE-LEW-12038-2 ..... c44 N77-32595
NASA-CASE-LEW-12039-1 ..... c44 N76-23713
NASA-CASE-LEW-12048-1 ..... c20 N77-20162
NASA-CASE-LEW-12050-1 ..... c35 N77-32454
NASA-CASE-LEW-12051-1 ..... c52 N75-33640
NASA-CASE-LEW-12053-1 ..... c27 N74-34579
NASA-CASE-LEW-12053-2 ..... c23 N77-32244
NASA-CASE-LEW-12078-1 ..... c35 N75-30503
NASA-CASE-LEW-12081-1 ..... c28 N76-22399
NASA-CASE-LEW-12082-1 ..... c20 N77-10148
NASA-CASE-LEW-12083-1 ..... c26 N76-18262
NASA-CASE-LEW-12094-1 ..... c76 N76-25049
NASA-CASE-LEW-12095-1 ..... c26 N76-17233
NASA-CASE-LEW-12118-1 ..... c24 N77-27188
NASA-CASE-LEW-12119-1 ..... c37 N76-20488
NASA-CASE-LEW-12131-1 ..... c37 N77-24498
NASA-CASE-LEW-12137-1 ..... c20 N76-20215
NASA-CASE-LEW-12159-1 ..... c44 N76-15603
NASA-CASE-LEW-12164-1 ..... c36 N77-32478
NASA-CASE-LEW-12174-1 ..... c35 N76-19407
NASA-CASE-LEW-12185-1 ..... c44 N77-15490
NASA-CASE-LEW-12217-1 ..... c36 N77-18429
NASA-CASE-LEW-12220-1 ..... c44 N77-14581
NASA-CASE-LEW-12232-1 ..... c07 N77-18160
NASA-CASE-LEW-12236-1 ..... c44 N77-17565
NASA-CASE-LEW-12245-1 ..... c26 N77-20201
NASA-CASE-LEW-12252-1 ..... c34 N75-19579
NASA-CASE-LEW-12258-1 ..... c52 N77-28716
NASA-CASE-LEW-12270-1 ..... c26 N77-32280
NASA-CASE-LEW-12273-1 ..... c33 N77-17357
NASA-CASE-LEW-12277-1 ..... c33 N76-28472
NASA-CASE-LEW-12312-1 ..... c07 N77-32148
NASA-CASE-LEW-12358-1 ..... c44 N77-18560
NASA-CASE-LEW-12363-1 ..... c44 N76-19552
NASA-CASE-LEW-12364-1 ..... c44 N77-22606
NASA-CASE-LEW-12417-1 ..... c07 N76-22198
NASA-CASE-LEW-12419-1 ..... c07 N77-14025
NASA-CASE-LEW-12441-1 ..... c34 N75-19580
NASA-CASE-LEW-12444-1 ..... c33 N77-28385
NASA-CASE-LEW-12465-1 ..... c72 N76-27967
NASA-CASE-LEW-12477-1 ..... c37 N77-32501
NASA-CASE-LEW-12508-1 ..... c34 N77-15343
NASA-CASE-LEW-12508-2 ..... c34 N77-32435
NASA-CASE-LEW-12513-1 ..... c25 N77-18238
NASA-CASE-LEW-12527-1 ..... c37 N77-32500
NASA-CASE-LEW-12541-1 ..... c44 N77-22615
NASA-CASE-LEW-12542-1 ..... c26 N77-24254
NASA-CASE-LEW-12543-1 ..... c26 N77-21217
NASA-CASE-LEW-12550-1 ..... c24 N77-19170
NASA-CASE-LEW-12552-1 ..... c44 N77-17564

NASA-CASE-LEW-12554-1 ..... c24 N76-23359
NASA-CASE-LEW-12569-1 ..... c37 N77-24496
NASA-CASE-LEW-12587-1 ..... c44 N77-31601
NASA-CASE-LEW-12608-1 ..... c07 N77-27116
NASA-CASE-LEW-12619-1 ..... c24 N77-19171
NASA-CASE-LEW-12649-1 ..... c44 N76-31674
NASA-CASE-LEW-12661-1 ..... c35 N77-32461
NASA-CASE-LEW-12668-1 ..... c52 N76-23837
NASA-CASE-LEW-12718-1 ..... c35 N77-20408
NASA-CASE-LEW-12723-1 ..... c52 N77-30737
NASA-CASE-LEW-12760-1 ..... c07 N77-17059
NASA-CASE-LEW-12775-1 ..... c44 N77-24589
NASA-CASE-LEW-12785-1 ..... c37 N77-13426
NASA-CASE-LEW-12791-1 ..... c33 N77-24385
NASA-CASE-LEW-12819-1 ..... c44 N77-24593
NASA-CASE-LEW-12830-1 ..... c07 N77-23106
NASA-CASE-LEW-12906-1 ..... c26 N77-32279
NASA-CASE-LEW-12955-1 ..... c52 N77-30736

NASA-CASE-MFS-06074 ..... c15 N71-20393
NASA-CASE-MFS-07369 ..... c15 N71-20443
NASA-CASE-MFS-10068 ..... c10 N71-25139
NASA-CASE-MFS-10340 ..... c15 N71-17628
NASA-CASE-MFS-10412 ..... c12 N71-17578
NASA-CASE-MFS-10506 ..... c06 N73-30100
NASA-CASE-MFS-10507 ..... c06 N73-30101
NASA-CASE-MFS-10509 ..... c06 N73-30103
NASA-CASE-MFS-10512 ..... c06 N73-30099
NASA-CASE-MFS-10555 ..... c11 N71-19494
NASA-CASE-MFS-11132 ..... c15 N71-17649
NASA-CASE-MFS-11133 ..... c31 N71-16222
NASA-CASE-MFS-11204 ..... c14 N71-29134
NASA-CASE-MFS-11279 ..... c16 N71-20400
NASA-CASE-MFS-11492 ..... c06 N73-30102
NASA-CASE-MFS-11497 ..... c28 N71-16224
NASA-CASE-MFS-11537 ..... c14 N71-20442
NASA-CASE-MFS-12750 ..... c27 N71-16223
NASA-CASE-MFS-12805 ..... c15 N71-17805
NASA-CASE-MFS-12806 ..... c14 N71-17588
NASA-CASE-MFS-12827 ..... c14 N71-17656
NASA-CASE-MFS-12915 ..... c11 N71-17600
NASA-CASE-MFS-13046 ..... c07 N71-19433
NASA-CASE-MFS-13130 ..... c10 N72-17173
NASA-CASE-MFS-13532 ..... c18 N72-17532
NASA-CASE-MFS-13686 ..... c15 N71-18132
NASA-CASE-MFS-13687 ..... c09 N71-28691
NASA-CASE-MFS-13687-2 ..... c09 N72-22198
NASA-CASE-MFS-13929 ..... c15 N71-27091
NASA-CASE-MFS-13994-1 ..... c06 N71-11240
NASA-CASE-MFS-13994-2 ..... c06 N72-25148
NASA-CASE-MFS-14017 ..... c14 N71-26627
NASA-CASE-MFS-14023 ..... c33 N71-25351
NASA-CASE-MFS-14114 ..... c33 N71-27862
NASA-CASE-MFS-14114-2 ..... c09 N71-24807
NASA-CASE-MFS-14216 ..... c14 N73-13418
NASA-CASE-MFS-14253 ..... c33 N71-24858
NASA-CASE-MFS-14259 ..... c15 N71-19213
NASA-CASE-MFS-14322 ..... c08 N71-18692
NASA-CASE-MFS-14405 ..... c15 N72-28495
NASA-CASE-MFS-14610 ..... c09 N71-28886
NASA-CASE-MFS-14671 ..... c05 N71-12341
NASA-CASE-MFS-14685 ..... c31 N71-15689
NASA-CASE-MFS-14710 ..... c09 N72-22195
NASA-CASE-MFS-14711 ..... c15 N71-26185
NASA-CASE-MFS-14741 ..... c09 N70-20737
NASA-CASE-MFS-14772 ..... c15 N71-17692
NASA-CASE-MFS-14971 ..... c15 N71-24984
NASA-CASE-MFS-15063 ..... c14 N72-25412
NASA-CASE-MFS-15162 ..... c14 N72-32452
NASA-CASE-MFS-15218-1 ..... c37 N77-19457
NASA-CASE-MFS-16570-1 ..... c05 N73-32013
NASA-CASE-MFS-16609-3 ..... c03 N76-32140
NASA-CASE-MFS-18100 ..... c15 N72-11390
NASA-CASE-MFS-18495 ..... c15 N72-11385
NASA-CASE-MFS-19193-1 ..... c37 N75-19686
NASA-CASE-MFS-19194-1 ..... c37 N76-14460
NASA-CASE-MFS-19220-1 ..... c20 N76-22296
NASA-CASE-MFS-19259-1 ..... c36 N77-10516
NASA-CASE-MFS-19287-1 ..... c34 N77-30399
NASA-CASE-MFS-20011 ..... c18 N72-22566
NASA-CASE-MFS-20044 ..... c14 N71-28993
NASA-CASE-MFS-20068 ..... c07 N71-27191
NASA-CASE-MFS-20074 ..... c16 N71-15565
NASA-CASE-MFS-20075 ..... c09 N71-26133
NASA-CASE-MFS-20095 ..... c24 N72-11595
NASA-CASE-MFS-20096 ..... c14 N71-30026
NASA-CASE-MFS-20125 ..... c16 N72-13437
NASA-CASE-MFS-20130 ..... c28 N71-27585
NASA-CASE-MFS-20180 ..... c16 N72-12440

NASA-CASE-MFS-20207-1 ..... c09 N73-32107
NASA-CASE-MFS-20240 ..... c14 N71-26788
NASA-CASE-MFS-20242 ..... c14 N73-19421
NASA-CASE-MFS-20243 ..... c23 N73-13662
NASA-CASE-MFS-20249 ..... c15 N72-11386
NASA-CASE-MFS-20261 ..... c14 N71-27005
NASA-CASE-MFS-20284-1 ..... c52 N74-12778
NASA-CASE-MFS-20299 ..... c15 N72-11392
NASA-CASE-MFS-20317 ..... c15 N73-13463
NASA-CASE-MFS-20325 ..... c28 N71-27095
NASA-CASE-MFS-20332 ..... c05 N72-20097
NASA-CASE-MFS-20332-2 ..... c05 N73-25125
NASA-CASE-MFS-20333 ..... c09 N71-13486
NASA-CASE-MFS-20335-1 ..... c35 N74-10415
NASA-CASE-MFS-20355 ..... c33 N71-25353
NASA-CASE-MFS-20385 ..... c09 N71-24904
NASA-CASE-MFS-20386 ..... c21 N71-19212
NASA-CASE-MFS-20395 ..... c15 N71-24903
NASA-CASE-MFS-20400 ..... c31 N71-18611
NASA-CASE-MFS-20407 ..... c09 N73-19235
NASA-CASE-MFS-20408 ..... c18 N73-12604
NASA-CASE-MFS-20410 ..... c15 N71-19214
NASA-CASE-MFS-20413 ..... c15 N72-21463
NASA-CASE-MFS-20418 ..... c14 N73-24473
NASA-CASE-MFS-20423 ..... c15 N72-11388
NASA-CASE-MFS-20433 ..... c15 N72-28496
NASA-CASE-MFS-20434 ..... c11 N72-25288
NASA-CASE-MFS-20453 ..... c15 N71-29133
NASA-CASE-MFS-20482 ..... c15 N72-22492
NASA-CASE-MFS-20485 ..... c14 N72-11365
NASA-CASE-MFS-20486-2 ..... c27 N74-17283
NASA-CASE-MFS-20506-1 ..... c35 N75-12273
NASA-CASE-MFS-20509 ..... c11 N72-17183
NASA-CASE-MFS-20523 ..... c14 N72-27414
NASA-CASE-MFS-20546-2 ..... c14 N73-30389
NASA-CASE-MFS-20586 ..... c15 N71-17686
NASA-CASE-MFS-20589 ..... c25 N72-32688
NASA-CASE-MFS-20596 ..... c14 N72-17324
NASA-CASE-MFS-20607-1 ..... c37 N76-19436
NASA-CASE-MFS-20619 ..... c28 N72-11708
NASA-CASE-MFS-20620 ..... c11 N72-27262
NASA-CASE-MFS-20642 ..... c14 N72-21407
NASA-CASE-MFS-20645-1 ..... c37 N74-23070
NASA-CASE-MFS-20658-1 ..... c14 N73-30386
NASA-CASE-MFS-20673 ..... c14 N73-20476
NASA-CASE-MFS-20675 ..... c26 N73-26751
NASA-CASE-MFS-20698 ..... c15 N72-20446
NASA-CASE-MFS-20698-2 ..... c15 N73-19457
NASA-CASE-MFS-20710 ..... c11 N72-23215
NASA-CASE-MFS-20730-1 ..... c39 N74-13131
NASA-CASE-MFS-20757 ..... c09 N72-28225
NASA-CASE-MFS-20760 ..... c14 N72-33377
NASA-CASE-MFS-20761-1 ..... c44 N74-27519
NASA-CASE-MFS-20767-1 ..... c38 N74-15130
NASA-CASE-MFS-20774 ..... c14 N73-19420
NASA-CASE-MFS-20775-1 ..... c31 N75-12161
NASA-CASE-MFS-20809 ..... c23 N73-13660
NASA-CASE-MFS-20823-1 ..... c16 N73-30476
NASA-CASE-MFS-20829 ..... c12 N72-21310
NASA-CASE-MFS-20830 ..... c15 N71-30028
NASA-CASE-MFS-20831 ..... c28 N71-29153
NASA-CASE-MFS-20855 ..... c15 N73-27405
NASA-CASE-MFS-20855-1 ..... c15 N77-10112
NASA-CASE-MFS-20861-1 ..... c18 N73-32437
NASA-CASE-MFS-20863 ..... c31 N73-26876
NASA-CASE-MFS-20890 ..... c14 N72-22439
NASA-CASE-MFS-20916 ..... c14 N73-25460
NASA-CASE-MFS-20922 ..... c31 N72-20840
NASA-CASE-MFS-20922-1 ..... c18 N74-22136
NASA-CASE-MFS-20932-1 ..... c35 N75-19616
NASA-CASE-MFS-20935 ..... c09 N71-34212
NASA-CASE-MFS-20944 ..... c15 N73-13466
NASA-CASE-MFS-20979 ..... c06 N72-25151
NASA-CASE-MFS-20979-2 ..... c06 N73-32030
NASA-CASE-MFS-20994-1 ..... c35 N75-12271
NASA-CASE-MFS-21010-1 ..... c05 N73-30078
NASA-CASE-MFS-21040-1 ..... c06 N73-30098
NASA-CASE-MFS-21042 ..... c07 N72-25171
NASA-CASE-MFS-21045-1 ..... c35 N75-15932
NASA-CASE-MFS-21046-1 ..... c14 N73-27377
NASA-CASE-MFS-21049-1 ..... c52 N74-27864
NASA-CASE-MFS-21077-1 ..... c24 N75-28135
NASA-CASE-MFS-21087-1 ..... c35 N74-17153
NASA-CASE-MFS-21108-1 ..... c34 N74-27861
NASA-CASE-MFS-21109-1 ..... c05 N73-27941
NASA-CASE-MFS-21115-1 ..... c54 N74-12779
NASA-CASE-MFS-21136-1 ..... c35 N74-18323
NASA-CASE-MFS-21163-1 ..... c54 N74-17853
NASA-CASE-MFS-21214-1 ..... c09 N73-30181

NASA-CASE-MFS-21233-1 ..... c38 N74-15395
NASA-CASE-MFS-21244-1 ..... c36 N75-15028
NASA-CASE-MFS-21309-1 ..... c37 N74-18125
NASA-CASE-MFS-21311-1 ..... c20 N76-21275
NASA-CASE-MFS-21362 ..... c11 N73-20267
NASA-CASE-MFS-21364-1 ..... c37 N74-18126
NASA-CASE-MFS-21372-1 ..... c74 N74-27866
NASA-CASE-MFS-21374-1 ..... c33 N74-12951
NASA-CASE-MFS-21394-1 ..... c34 N74-27744
NASA-CASE-MFS-21395-1 ..... c25 N74-26948
NASA-CASE-MFS-21415-1 ..... c52 N74-20728
NASA-CASE-MFS-21424-1 ..... c34 N74-27730
NASA-CASE-MFS-21433 ..... c09 N73-20232
NASA-CASE-MFS-21441-1 ..... c14 N73-30392
NASA-CASE-MFS-21455-1 ..... c35 N74-15146
NASA-CASE-MFS-21462-1 ..... c33 N74-14935
NASA-CASE-MFS-21465-1 ..... c10 N73-32145
NASA-CASE-MFS-21470-1 ..... c44 N74-19870
NASA-CASE-MFS-21481-1 ..... c37 N74-18127
NASA-CASE-MFS-21485-1 ..... c37 N74-25968
NASA-CASE-MFS-21488-1 ..... c14 N75-24794
NASA-CASE-MFS-21540-1 ..... c32 N74-19790
NASA-CASE-MFS-21556-1 ..... c35 N74-26945
NASA-CASE-MFS-21577-1 ..... c19 N74-29410
NASA-CASE-MFS-21611-1 ..... c54 N75-12616
NASA-CASE-MFS-21616-1 ..... c33 N75-30429
NASA-CASE-MFS-21628-1 ..... c44 N75-32581
NASA-CASE-MFS-21628-2 ..... c44 N76-23675
NASA-CASE-MFS-21629 ..... c14 N72-22442
NASA-CASE-MFS-21660-1 ..... c35 N74-21017
NASA-CASE-MFS-21671-1 ..... c33 N74-22885
NASA-CASE-MFS-21672-1 ..... c74 N76-19935
NASA-CASE-MFS-21675-1 ..... c25 N74-33378
NASA-CASE-MFS-21680-1 ..... c18 N74-27397
NASA-CASE-MFS-21681-1 ..... c18 N74-27397
NASA-CASE-MFS-21698-1 ..... c33 N74-26732
NASA-CASE-MFS-21704-1 ..... c35 N75-25124
NASA-CASE-MFS-21728-1 ..... c35 N74-27865
NASA-CASE-MFS-21761-1 ..... c35 N75-15931
NASA-CASE-MFS-21846-1 ..... c37 N74-26976
NASA-CASE-MFS-21919-1 ..... c10 N73-25243
NASA-CASE-MFS-21931-1 ..... c37 N75-26372
NASA-CASE-MFS-22002-1 ..... c44 N76-16612
NASA-CASE-MFS-22022-1 ..... c37 N76-15460
NASA-CASE-MFS-22039-1 ..... c09 N75-12968
NASA-CASE-MFS-22040-1 ..... c35 N74-26946
NASA-CASE-MFS-22060-1 ..... c35 N75-29380
NASA-CASE-MFS-22073-1 ..... c33 N75-13139
NASA-CASE-MFS-22088-1 ..... c33 N75-15874
NASA-CASE-MFS-22102-1 ..... c54 N74-20725
NASA-CASE-MFS-22129-1 ..... c33 N75-18477
NASA-CASE-MFS-22133-1 ..... c33 N74-26977
NASA-CASE-MFS-22145-1 ..... c75 N75-13625
NASA-CASE-MFS-22145-2 ..... c75 N76-17951
NASA-CASE-MFS-22189-1 ..... c35 N75-19615
NASA-CASE-MFS-22208-1 ..... c33 N75-26244
NASA-CASE-MFS-22234-1 ..... c32 N76-33364
NASA-CASE-MFS-22283-1 ..... c37 N75-33395
NASA-CASE-MFS-22287-1 ..... c75 N76-14931
NASA-CASE-MFS-22323-1 ..... c37 N76-14463
NASA-CASE-MFS-22324-1 ..... c27 N75-27160
NASA-CASE-MFS-22342-1 ..... c33 N75-30428
NASA-CASE-MFS-22343-1 ..... c33 N74-34638
NASA-CASE-MFS-22355-1 ..... c23 N76-15268
NASA-CASE-MFS-22356-1 ..... c23 N75-30256
NASA-CASE-MFS-22409-2 ..... c74 N76-26988
NASA-CASE-MFS-22411-1 ..... c37 N74-21058
NASA-CASE-MFS-22458-1 ..... c44 N77-10635
NASA-CASE-MFS-22517-1 ..... c35 N76-18402
NASA-CASE-MFS-22537-1 ..... c35 N75-27328
NASA-CASE-MFS-22560-1 ..... c33 N77-14335
NASA-CASE-MFS-22562-1 ..... c44 N76-14595
NASA-CASE-MFS-22631-1 ..... c66 N76-19888
NASA-CASE-MFS-22636-1 ..... c37 N76-22540
NASA-CASE-MFS-22649-1 ..... c37 N75-25186
NASA-CASE-MFS-22671-1 ..... c35 N75-21582
NASA-CASE-MFS-22671-2 ..... c35 N77-17426
NASA-CASE-MFS-22707-1 ..... c37 N76-15457
NASA-CASE-MFS-22729-1 ..... c32 N76-21366
NASA-CASE-MFS-22734-1 ..... c18 N75-19329
NASA-CASE-MFS-22743-1 ..... c44 N76-22657
NASA-CASE-MFS-22744-1 ..... c44 N76-24696
NASA-CASE-MFS-22749-1 ..... c44 N76-14601
NASA-CASE-MFS-22758-1 ..... c70 N75-26789
NASA-CASE-MFS-22787-1 ..... c15 N77-10113
NASA-CASE-MFS-22880-1 ..... c33 N76-31410
NASA-CASE-MFS-22880-2 ..... c33 N77-31407
NASA-CASE-MFS-22905-1 ..... c19 N76-22284
NASA-CASE-MFS-22906-1 ..... c75 N76-24001

NASA-CASE-MFS-22907-1 ..... c26 N76-18257
NASA-CASE-MFS-22926-1 ..... c24 N77-27187
NASA-CASE-MFS-22938-1 ..... c34 N76-18374
NASA-CASE-MFS-22991-1 ..... c34 N77-10463
NASA-CASE-MFS-23001-1 ..... c76 N77-32919
NASA-CASE-MFS-23008-1 ..... c35 N76-19405
NASA-CASE-MFS-23047-1 ..... c37 N76-18454
NASA-CASE-MFS-23051-1 ..... c37 N76-13500
NASA-CASE-MFS-23052-2 ..... c14 N77-18179
NASA-CASE-MFS-23059-1 ..... c44 N76-27664
NASA-CASE-MFS-23062-1 ..... c37 N77-12402
NASA-CASE-MFS-23074-1 ..... c54 N77-21844
NASA-CASE-MFS-23088-1 ..... c37 N77-23483
NASA-CASE-MFS-23099-1 ..... c09 N76-23273
NASA-CASE-MFS-23114-1 ..... c35 N76-24529
NASA-CASE-MFS-23118-1 ..... c35 N77-31465
NASA-CASE-MFS-23167-1 ..... c44 N76-31667
NASA-CASE-MFS-23175-1 ..... c35 N77-30436
NASA-CASE-MFS-23178-1 ..... c35 N77-10493
NASA-CASE-MFS-23181-1 ..... c33 N77-17351
NASA-CASE-MFS-23186-1 ..... c33 N76-23483
NASA-CASE-MFS-23194-1 ..... c74 N76-13909
NASA-CASE-MFS-23225-1 ..... c52 N77-14735
NASA-CASE-MFS-23267-1 ..... c35 N77-20401
NASA-CASE-MFS-23270-1 ..... c44 N77-12511
NASA-CASE-MFS-23274-1 ..... c76 N76-30084
NASA-CASE-MFS-23280-1 ..... c33 N76-28471
NASA-CASE-MFS-23281-1 ..... c35 N77-22450
NASA-CASE-MFS-23299-1 ..... c39 N77-28511
NASA-CASE-MFS-23303-1 ..... c32 N77-18307
NASA-CASE-MFS-23311-1 ..... c37 N76-28554
NASA-CASE-MFS-23312-1 ..... c33 N76-26394
NASA-CASE-MFS-23315-1 ..... c76 N76-32029
NASA-CASE-MFS-23345-1 ..... c27 N77-30237
NASA-CASE-MFS-23349-1 ..... c44 N77-30613
NASA-CASE-MFS-23362-1 ..... c47 N77-10753
NASA-CASE-MFS-23363-1 ..... c35 N76-33469
NASA-CASE-MFS-23405-1 ..... c26 N77-29260
NASA-CASE-MFS-23447-1 ..... c37 N77-11403
NASA-CASE-MFS-23460-1 ..... c09 N77-12070
NASA-CASE-MFS-23461-1 ..... c35 N76-26449
NASA-CASE-MFS-23506-1 ..... c24 N77-15105
NASA-CASE-MFS-23506-2 ..... c37 N77-20441
NASA-CASE-MFS-23513-1 ..... c74 N77-14842
NASA-CASE-MFS-23518-1 ..... c44 N77-31610
NASA-CASE-MFS-23518-2 ..... c44 N77-31611
NASA-CASE-MFS-23541-1 ..... c33 N77-27308
NASA-CASE-MFS-23551-1 ..... c04 N76-26175
NASA-CASE-MFS-23564-1 ..... c13 N77-11079
NASA-CASE-MFS-23579-1 ..... c12 N77-31213
NASA-CASE-MFS-23620-1 ..... c37 N77-24497
NASA-CASE-MFS-23659-1 ..... c33 N77-20341
NASA-CASE-MFS-23675-1 ..... c74 N77-28937

NASA-CASE-MSC-10959 ..... c15 N71-26243
NASA-CASE-MSC-10960-1 ..... c03 N71-24718
NASA-CASE-MSC-10966 ..... c14 N71-19568
NASA-CASE-MSC-11010 ..... c15 N71-19485
NASA-CASE-MSC-11072 ..... c54 N74-32546
NASA-CASE-MSC-11253 ..... c05 N71-12343
NASA-CASE-MSC-11277 ..... c09 N71-29008
NASA-CASE-MSC-11561-1 ..... c05 N73-32014
NASA-CASE-MSC-11817-1 ..... c15 N71-26611
NASA-CASE-MSC-11847-1 ..... c14 N72-11363
NASA-CASE-MSC-11849-1 ..... c15 N72-22488
NASA-CASE-MSC-12033-1 ..... c09 N71-13531
NASA-CASE-MSC-12049 ..... c31 N71-16080
NASA-CASE-MSC-12052-1 ..... c15 N71-24599
NASA-CASE-MSC-12084-1 ..... c12 N71-17569
NASA-CASE-MSC-12086-1 ..... c05 N71-12345
NASA-CASE-MSC-12101 ..... c09 N71-18720
NASA-CASE-MSC-12105-1 ..... c14 N72-21409
NASA-CASE-MSC-12109 ..... c18 N71-26285
NASA-CASE-MSC-12111-1 ..... c02 N71-11039
NASA-CASE-MSC-12116-1 ..... c15 N71-17648
NASA-CASE-MSC-12121-1 ..... c15 N71-27147
NASA-CASE-MSC-12135-1 ..... c09 N71-12526
NASA-CASE-MSC-12139-1 ..... c28 N71-14058
NASA-CASE-MSC-12143-1 ..... c33 N72-17947
NASA-CASE-MSC-12146-1 ..... c07 N72-17109
NASA-CASE-MSC-12165-1 ..... c07 N71-33696
NASA-CASE-MSC-12168-1 ..... c09 N71-18600
NASA-CASE-MSC-12178-1 ..... c09 N71-13518
NASA-CASE-MSC-12205-1 ..... c07 N71-27056
NASA-CASE-MSC-12206-1 ..... c05 N71-17599
NASA-CASE-MSC-12209 ..... c09 N71-24842
NASA-CASE-MSC-12223-1 ..... c07 N71-26181
NASA-CASE-MSC-12233-1 ..... c15 N72-25454
NASA-CASE-MSC-12233-2 ..... c32 N73-13921

NASA-CASE-MSC-12243-1 ..... c05 N71-24728
NASA-CASE-MSC-12259-1 ..... c07 N70-12616
NASA-CASE-MSC-12259-2 ..... c07 N72-33146
NASA-CASE-MSC-12279 ..... c15 N72-17450
NASA-CASE-MSC-12279-1 ..... c15 N70-35679
NASA-CASE-MSC-12280 ..... c27 N71-16348
NASA-CASE-MSC-12293-1 ..... c14 N72-27411
NASA-CASE-MSC-12297 ..... c14 N72-23457
NASA-CASE-MSC-12324-1 ..... c05 N72-22093
NASA-CASE-MSC-12327-1 ..... c35 N77-27368
NASA-CASE-MSC-12357 ..... c15 N73-12489
NASA-CASE-MSC-12363-1 ..... c14 N73-26431
NASA-CASE-MSC-12372-1 ..... c31 N72-25842
NASA-CASE-MSC-12389 ..... c33 N71-29052
NASA-CASE-MSC-12390 ..... c27 N71-29155
NASA-CASE-MSC-12391 ..... c30 N73-12884
NASA-CASE-MSC-12393-1 ..... c02 N73-26006
NASA-CASE-MSC-12394-1 ..... c08 N74-10942
NASA-CASE-MSC-12395 ..... c09 N72-25257
NASA-CASE-MSC-12396-1 ..... c03 N73-31988
NASA-CASE-MSC-12397-1 ..... c05 N72-25119
NASA-CASE-MSC-12398 ..... c05 N72-20098
NASA-CASE-MSC-12404-1 ..... c23 N73-13661
NASA-CASE-MSC-12408-1 ..... c46 N74-13011
NASA-CASE-MSC-12411-1 ..... c05 N72-20096
NASA-CASE-MSC-12423-1 ..... c91 N76-30131
NASA-CASE-MSC-12428-1 ..... c10 N73-25240
NASA-CASE-MSC-12433 ..... c31 N73-14854
NASA-CASE-MSC-12448-1 ..... c14 N72-20394
NASA-CASE-MSC-12458-1 ..... c08 N73-32081
NASA-CASE-MSC-12462-1 ..... c32 N74-20809
NASA-CASE-MSC-12494-1 ..... c32 N74-20810
NASA-CASE-MSC-12506-1 ..... c32 N77-12239
NASA-CASE-MSC-12531-1 ..... c35 N75-30504
NASA-CASE-MSC-12549-1 ..... c37 N74-27903
NASA-CASE-MSC-12559-1 ..... c18 N76-14186
NASA-CASE-MSC-12561-1 ..... c18 N76-17185
NASA-CASE-MSC-12564-1 ..... c54 N76-15792
NASA-CASE-MSC-12568-1 ..... c24 N76-14204
NASA-CASE-MSC-12593-1 ..... c17 N76-21250
NASA-CASE-MSC-12607-1 ..... c32 N75-21485
NASA-CASE-MSC-12609-1 ..... c05 N73-32012
NASA-CASE-MSC-12611-1 ..... c12 N76-15189
NASA-CASE-MSC-12615-1 ..... c37 N76-19437
NASA-CASE-MSC-12616-1 ..... c32 N74-32601
NASA-CASE-MSC-12617-1 ..... c35 N76-29552
NASA-CASE-MSC-12618-1 ..... c74 N76-18917
NASA-CASE-MSC-12619-1 ..... c39 N75-21671
NASA-CASE-MSC-12619-2 ..... c16 N77-31237
NASA-CASE-MSC-12631-1 ..... c24 N77-28225
NASA-CASE-MSC-12631-2 ..... c05 N77-31131
NASA-CASE-MSC-12640-1 ..... c74 N76-31998
NASA-CASE-MSC-12662-1 ..... c24 N75-16635
NASA-CASE-MSC-12669-1 ..... c44 N76-16621
NASA-CASE-MSC-12709-1 ..... c33 N77-24375
NASA-CASE-MSC-12731-1 ..... c37 N76-26511
NASA-CASE-MSC-12737-1 ..... c34 N77-22423
NASA-CASE-MSC-12743-1 ..... c32 N77-19290
NASA-CASE-MSC-12745-1 ..... c33 N77-13338
NASA-CASE-MSC-13047-1 ..... c31 N71-25434
NASA-CASE-MSC-13110-1 ..... c08 N72-22163
NASA-CASE-MSC-13112 ..... c03 N71-11057
NASA-CASE-MSC-13140 ..... c05 N72-11085
NASA-CASE-MSC-13201-1 ..... c07 N71-28429
NASA-CASE-MSC-13276-1 ..... c14 N71-27058
NASA-CASE-MSC-13281 ..... c31 N72-18859
NASA-CASE-MSC-13282-1 ..... c05 N71-24729
NASA-CASE-MSC-13332-1 ..... c14 N72-21408
NASA-CASE-MSC-13335-1 ..... c06 N72-31140
NASA-CASE-MSC-13397-1 ..... c21 N72-25595
NASA-CASE-MSC-13407-1 ..... c10 N72-20225
NASA-CASE-MSC-13436-1 ..... c05 N73-32015
NASA-CASE-MSC-13492-1 ..... c10 N71-28860
NASA-CASE-MSC-13512-1 ..... c15 N72-22485
NASA-CASE-MSC-13530-2 ..... c23 N75-14834
NASA-CASE-MSC-13540-1 ..... c05 N72-33096
NASA-CASE-MSC-13587-1 ..... c15 N73-30459
NASA-CASE-MSC-13601-2 ..... c54 N75-27759
NASA-CASE-MSC-13604-1 ..... c05 N73-13114
NASA-CASE-MSC-13609-1 ..... c05 N72-25122
NASA-CASE-MSC-13648 ..... c05 N72-27103
NASA-CASE-MSC-13746-1 ..... c10 N73-32143
NASA-CASE-MSC-13789-1 ..... c11 N73-32152
NASA-CASE-MSC-13802-2 ..... c35 N76-15431
NASA-CASE-MSC-13855-1 ..... c35 N74-17885
NASA-CASE-MSC-13907-1 ..... c10 N73-26230
NASA-CASE-MSC-13912-1 ..... c32 N74-30524
NASA-CASE-MSC-13917-1 ..... c05 N72-15098
NASA-CASE-MSC-13932-1 ..... c62 N74-14920
NASA-CASE-MSC-13972-1 ..... c52 N74-10975
NASA-CASE-MSC-13999-1 ..... c52 N74-26626
NASA-CASE-MSC-14053-1 ..... c60 N74-12888
NASA-CASE-MSC-14065-1 ..... c32 N74-26654
NASA-CASE-MSC-14066-1 ..... c33 N74-27705
NASA-CASE-MSC-14070-1 ..... c32 N74-32598
NASA-CASE-MSC-14081-1 ..... c35 N74-27860
NASA-CASE-MSC-14082-1 ..... c60 N76-23850
NASA-CASE-MSC-14096-1 ..... c74 N74-15095
NASA-CASE-MSC-14129-1 ..... c33 N75-18479
NASA-CASE-MSC-14130-1 ..... c33 N74-32711
NASA-CASE-MSC-14131-1 ..... c33 N75-19515
NASA-CASE-MSC-14143-1 ..... c77 N75-20139
NASA-CASE-MSC-14180-1 ..... c52 N76-14757
NASA-CASE-MSC-14182-1 ..... c27 N76-14264
NASA-CASE-MSC-14187-1 ..... c35 N74-32879
NASA-CASE-MSC-14219-1 ..... c32 N74-27612
NASA-CASE-MSC-14240-1 ..... c33 N75-14957
NASA-CASE-MSC-14245-1 ..... c18 N75-27041
NASA-CASE-MSC-14270-1 ..... c27 N76-22377
NASA-CASE-MSC-14270-2 ..... c27 N76-23426
NASA-CASE-MSC-14273-1 ..... c34 N75-33342
NASA-CASE-MSC-14276-1 ..... c52 N77-14737
NASA-CASE-MSC-14331-1 ..... c27 N76-24405
NASA-CASE-MSC-14331-2 ..... c27 N76-24408
NASA-CASE-MSC-14331-3 ..... c27 N76-24409
NASA-CASE-MSC-14339-1 ..... c05 N75-24716
NASA-CASE-MSC-14428-1 ..... c23 N77-17161
NASA-CASE-MSC-14435-1 ..... c37 N76-18455
NASA-CASE-MSC-14472-1 ..... c43 N77-10584
NASA-CASE-MSC-14557-1 ..... c32 N76-16249
NASA-CASE-MSC-14558-1 ..... c32 N75-21486
NASA-CASE-MSC-14623-1 ..... c52 N77-28717
NASA-CASE-MSC-14632-1 ..... c54 N75-25594
NASA-CASE-MSC-14640-1 ..... c54 N76-14804
NASA-CASE-MSC-14649-1 ..... c33 N76-16331
NASA-CASE-MSC-14653-1 ..... c35 N77-19385
NASA-CASE-MSC-14683-1 ..... c74 N77-18893
NASA-CASE-MSC-14733-1 ..... c54 N76-24900
NASA-CASE-MSC-14735-1 ..... c54 N76-24900
NASA-CASE-MSC-14757-1 ..... c37 N76-13496
NASA-CASE-MSC-14771-1 ..... c54 N77-32722
NASA-CASE-MSC-14773-1 ..... c31 N75-32262
NASA-CASE-MSC-14795-1 ..... c27 N76-15314
NASA-CASE-MSC-14805-1 ..... c35 N76-26448
NASA-CASE-MSC-14831-1 ..... c25 N76-23387
NASA-CASE-MSC-14836-1 ..... c52 N76-27839
NASA-CASE-MSC-14840-1 ..... c32 N77-24331
NASA-CASE-MSC-14903-1 ..... c27 N76-28425
NASA-CASE-MSC-14905-1 ..... c37 N77-28487
NASA-CASE-MSC-14916-1 ..... c33 N77-13335
NASA-CASE-MSC-14939-1 ..... c33 N77-19320
NASA-CASE-MSC-15158-1 ..... c14 N72-17325
NASA-CASE-MSC-15474-1 ..... c15 N71-26162
NASA-CASE-MSC-15567-1 ..... c33 N73-16918
NASA-CASE-MSC-15626-1 ..... c14 N72-25411
NASA-CASE-MSC-16000-1 ..... c07 N77-13062
NASA-CASE-MSC-16043-1 ..... c37 N77-15397
NASA-CASE-MSC-16074-1 ..... c27 N77-14262
NASA-CASE-MSC-16098-1 ..... c51 N77-24755
NASA-CASE-MSC-16100-1 ..... c32 N77-15233
NASA-CASE-MSC-16170-1 ..... c32 N77-12248
NASA-CASE-MSC-16182-1 ..... c54 N77-21847
NASA-CASE-MSC-16253-1 ..... c43 N77-31583
NASA-CASE-MSC-16299-1 ..... c45 N77-31668
NASA-CASE-MSC-17832-1 ..... c33 N74-14956
NASA-CASE-MSC-19095-1 ..... c37 N75-19683
NASA-CASE-MSC-19372-1 ..... c39 N76-31562
NASA-CASE-MSC-19442-1 ..... c74 N77-10899
NASA-CASE-MSC-19514-1 ..... c37 N77-19459
NASA-CASE-MSC-19523-1 ..... c31 N76-16245
NASA-CASE-MSC-19535-1 ..... c37 N77-32499
NASA-CASE-MSC-19536-1 ..... c37 N77-22482
NASA-CASE-MSC-19546-1 ..... c37 N77-25536
NASA-CASE-MSC-19568-1 ..... c37 N76-23585
NASA-CASE-MSC-19666-1 ..... c37 N76-31529
NASA-CASE-MSC-19693-1 ..... c26 N76-25401
NASA-CASE-MSC-19706-1 ..... c09 N77-19077
NASA-CASE-MSC-90153-2 ..... c05 N72-25120

NASA-CASE-NPO-10003 ..... c10 N71-26415
NASA-CASE-NPO-10034 ..... c15 N71-17685
NASA-CASE-NPO-10037 ..... c09 N71-19610
NASA-CASE-NPO-10046 ..... c28 N72-17843
NASA-CASE-NPO-10051 ..... c18 N71-24934
NASA-CASE-NPO-10064 ..... c15 N71-17693
NASA-CASE-NPO-10066 ..... c09 N71-18598
NASA-CASE-NPO-10068 ..... c08 N71-19288

NASA-CASE-NPO-10070 ..... c15 N71-27372
NASA-CASE-NPO-10096 ..... c07 N71-24583
NASA-CASE-NPO-10109 ..... c03 N71-11049
NASA-CASE-NPO-10112 ..... c08 N71-12502
NASA-CASE-NPO-10117 ..... c15 N71-15608
NASA-CASE-NPO-10118 ..... c07 N71-24741
NASA-CASE-NPO-10122 ..... c12 N71-17631
NASA-CASE-NPO-10123 ..... c15 N71-24835
NASA-CASE-NPO-10138 ..... c33 N71-16357
NASA-CASE-NPO-10140 ..... c07 N71-24742
NASA-CASE-NPO-10141 ..... c11 N71-24964
NASA-CASE-NPO-10143 ..... c10 N71-26326
NASA-CASE-NPO-10144 ..... c14 N71-17701
NASA-CASE-NPO-10150 ..... c08 N71-24650
NASA-CASE-NPO-10158 ..... c33 N71-16356
NASA-CASE-NPO-10166-1 ..... c07 N73-22076
NASA-CASE-NPO-10166-2 ..... c35 N76-16391
NASA-CASE-NPO-10169 ..... c10 N71-24844
NASA-CASE-NPO-10173 ..... c15 N71-24696
NASA-CASE-NPO-10174 ..... c14 N71-18465
NASA-CASE-NPO-10175 ..... c14 N71-18625
NASA-CASE-NPO-10185 ..... c10 N71-26339
NASA-CASE-NPO-10188 ..... c03 N71-20273
NASA-CASE-NPO-10189-1 ..... c33 N77-21314
NASA-CASE-NPO-10194 ..... c03 N71-20407
NASA-CASE-NPO-10198 ..... c09 N71-24806
NASA-CASE-NPO-10199 ..... c09 N72-17156
NASA-CASE-NPO-10201 ..... c08 N71-18694
NASA-CASE-NPO-10214 ..... c10 N71-26577
NASA-CASE-NPO-10230 ..... c09 N71-12520
NASA-CASE-NPO-10231 ..... c07 N71-26101
NASA-CASE-NPO-10234 ..... c06 N72-17094
NASA-CASE-NPO-10242 ..... c09 N71-24803
NASA-CASE-NPO-10244 ..... c15 N72-26371
NASA-CASE-NPO-10250 ..... c23 N71-16212
NASA-CASE-NPO-10251 ..... c10 N71-27365
NASA-CASE-NPO-10271 ..... c17 N71-16393
NASA-CASE-NPO-10298 ..... c12 N71-17661
NASA-CASE-NPO-10300 ..... c14 N71-17662
NASA-CASE-NPO-10301 ..... c07 N72-11148
NASA-CASE-NPO-10302 ..... c10 N71-26142
NASA-CASE-NPO-10303 ..... c07 N72-22127
NASA-CASE-NPO-10309 ..... c15 N69-23190
NASA-CASE-NPO-10311 ..... c31 N71-15643
NASA-CASE-NPO-10316-1 ..... c37 N77-22479
NASA-CASE-NPO-10320 ..... c14 N71-17655
NASA-CASE-NPO-10331 ..... c09 N71-26701
NASA-CASE-NPO-10337 ..... c14 N71-15604
NASA-CASE-NPO-10342 ..... c10 N71-33407
NASA-CASE-NPO-10343 ..... c07 N71-27341
NASA-CASE-NPO-10344 ..... c10 N71-26544
NASA-CASE-NPO-10348 ..... c10 N71-12554
NASA-CASE-NPO-10351 ..... c08 N71-12503
NASA-CASE-NPO-10373 ..... c03 N71-18698
NASA-CASE-NPO-10388 ..... c07 N71-24622
NASA-CASE-NPO-10401 ..... c03 N72-20033
NASA-CASE-NPO-10404 ..... c03 N71-12255
NASA-CASE-NPO-10412 ..... c09 N71-28421
NASA-CASE-NPO-10416 ..... c12 N71-27332
NASA-CASE-NPO-10417 ..... c16 N71-33410
NASA-CASE-NPO-10431 ..... c15 N71-29132
NASA-CASE-NPO-10440 ..... c15 N72-21466
NASA-CASE-NPO-10447 ..... c06 N70-11252
NASA-CASE-NPO-10467 ..... c23 N71-26654
NASA-CASE-NPO-10468 ..... c23 N71-33229
NASA-CASE-NPO-10539 ..... c07 N71-11285
NASA-CASE-NPO-10542 ..... c09 N72-27228
NASA-CASE-NPO-10548 ..... c16 N71-24831
NASA-CASE-NPO-10556 ..... c14 N71-27185
NASA-CASE-NPO-10560 ..... c08 N72-22166
NASA-CASE-NPO-10567 ..... c08 N71-24633
NASA-CASE-NPO-10575 ..... c03 N72-25019
NASA-CASE-NPO-10591 ..... c03 N72-22041
NASA-CASE-NPO-10595 ..... c10 N71-25917
NASA-CASE-NPO-10596 ..... c06 N71-25929
NASA-CASE-NPO-10606 ..... c15 N72-25451
NASA-CASE-NPO-10607 ..... c09 N71-27232
NASA-CASE-NPO-10617-1 ..... c35 N74-22095
NASA-CASE-NPO-10619-1 ..... c35 N77-21393
NASA-CASE-NPO-10625 ..... c09 N71-26182
NASA-CASE-NPO-10629 ..... c08 N72-18184
NASA-CASE-NPO-10633 ..... c03 N72-28025
NASA-CASE-NPO-10634 ..... c23 N72-25619
NASA-CASE-NPO-10636 ..... c08 N72-25210
NASA-CASE-NPO-10637 ..... c15 N72-12409
NASA-CASE-NPO-10646 ..... c15 N71-28467
NASA-CASE-NPO-10649 ..... c07 N71-24840
NASA-CASE-NPO-10671 ..... c15 N72-20443
NASA-CASE-NPO-10677 ..... c05 N72-11084
NASA-CASE-NPO-10679 ..... c15 N72-21462
NASA-CASE-NPO-10680 ..... c31 N73-14855
NASA-CASE-NPO-10682 ..... c15 N70-34699
NASA-CASE-NPO-10691 ..... c14 N71-26199
NASA-CASE-NPO-10694 ..... c09 N72-20200
NASA-CASE-NPO-10700 ..... c07 N71-33613
NASA-CASE-NPO-10701 ..... c06 N71-28620
NASA-CASE-NPO-10704 ..... c15 N72-20445
NASA-CASE-NPO-10711-1 ..... c35 N77-21392
NASA-CASE-NPO-10714 ..... c06 N69-31244
NASA-CASE-NPO-10716 ..... c09 N71-24892
NASA-CASE-NPO-10721 ..... c15 N72-27484
NASA-CASE-NPO-10722 ..... c09 N72-20199
NASA-CASE-NPO-10737 ..... c28 N72-11709
NASA-CASE-NPO-10743 ..... c08 N72-21199
NASA-CASE-NPO-10745 ..... c08 N72-22164
NASA-CASE-NPO-10747 ..... c03 N72-22042
NASA-CASE-NPO-10748 ..... c08 N72-20177
NASA-CASE-NPO-10753 ..... c03 N72-26031
NASA-CASE-NPO-10755 ..... c15 N71-27084
NASA-CASE-NPO-10758 ..... c14 N73-14427
NASA-CASE-NPO-10760 ..... c09 N72-25254
NASA-CASE-NPO-10764-1 ..... c14 N73-14428
NASA-CASE-NPO-10764-2 ..... c35 N75-25122
NASA-CASE-NPO-10765 ..... c06 N72-20121
NASA-CASE-NPO-10767-1 ..... c06 N73-33076
NASA-CASE-NPO-10767-2 ..... c06 N72-27151
NASA-CASE-NPO-10768 ..... c06 N71-27254
NASA-CASE-NPO-10768-2 ..... c06 N72-27144
NASA-CASE-NPO-10769 ..... c08 N72-11171
NASA-CASE-NPO-10774 ..... c06 N72-17095
NASA-CASE-NPO-10778 ..... c14 N72-11364
NASA-CASE-NPO-10781-1 ..... c33 N77-21314
NASA-CASE-NPO-10790-1 ..... c33 N77-21316
NASA-CASE-NPO-10796 ..... c15 N71-27068
NASA-CASE-NPO-10808 ..... c15 N71-27432
NASA-CASE-NPO-10810 ..... c14 N71-27323
NASA-CASE-NPO-10812 ..... c15 N73-13464
NASA-CASE-NPO-10817-1 ..... c08 N73-30135
NASA-CASE-NPO-10821 ..... c03 N71-19545
NASA-CASE-NPO-10828 ..... c33 N72-17948
NASA-CASE-NPO-10831 ..... c33 N72-20915
NASA-CASE-NPO-10832 ..... c14 N72-21405
NASA-CASE-NPO-10844 ..... c07 N72-20140
NASA-CASE-NPO-10851 ..... c07 N71-24613
NASA-CASE-NPO-10857-1 ..... c37 N77-22478
NASA-CASE-NPO-10862 ..... c06 N72-22107
NASA-CASE-NPO-10863 ..... c06 N70-11251
NASA-CASE-NPO-10863-2 ..... c06 N72-25152
NASA-CASE-NPO-10870-1 ..... c33 N77-22386
NASA-CASE-NPO-10883 ..... c31 N72-22874
NASA-CASE-NPO-10890 ..... c11 N73-12265
NASA-CASE-NPO-10893 ..... c27 N73-22710
NASA-CASE-NPO-10985 ..... c14 N73-20478
NASA-CASE-NPO-10998-1 ..... c06 N73-32029
NASA-CASE-NPO-10999-1 ..... c06 N73-32029
NASA-CASE-NPO-11001 ..... c07 N72-21118
NASA-CASE-NPO-11002 ..... c14 N72-22441
NASA-CASE-NPO-11012 ..... c15 N72-11391
NASA-CASE-NPO-11013 ..... c11 N72-22247
NASA-CASE-NPO-11016 ..... c08 N72-31226
NASA-CASE-NPO-11018 ..... c08 N72-21200
NASA-CASE-NPO-11021 ..... c03 N72-20032
NASA-CASE-NPO-11023 ..... c09 N72-17155
NASA-CASE-NPO-11031 ..... c07 N71-33606
NASA-CASE-NPO-11036 ..... c15 N72-24522
NASA-CASE-NPO-11059 ..... c15 N72-17454
NASA-CASE-NPO-11064 ..... c07 N72-11150
NASA-CASE-NPO-11078 ..... c09 N72-25262
NASA-CASE-NPO-11082 ..... c08 N72-22167
NASA-CASE-NPO-11087 ..... c23 N71-29125
NASA-CASE-NPO-11088 ..... c08 N71-29034
NASA-CASE-NPO-11091 ..... c18 N72-22567
NASA-CASE-NPO-11095 ..... c15 N72-25455
NASA-CASE-NPO-11103-1 ..... c35 N77-27367
NASA-CASE-NPO-11104 ..... c08 N72-22165
NASA-CASE-NPO-11106 ..... c14 N70-34697
NASA-CASE-NPO-11118 ..... c03 N72-25021
NASA-CASE-NPO-11120-1 ..... c34 N74-18552
NASA-CASE-NPO-11129 ..... c09 N72-33204
NASA-CASE-NPO-11130 ..... c08 N72-20176
NASA-CASE-NPO-11133 ..... c10 N72-20223
NASA-CASE-NPO-11134 ..... c09 N72-21246
NASA-CASE-NPO-11138 ..... c03 N70-34646
NASA-CASE-NPO-11140 ..... c15 N72-17455
NASA-CASE-NPO-11147 ..... c14 N72-27408
NASA-CASE-NPO-11156-2 ..... c33 N75-31331
NASA-CASE-NPO-11161 ..... c08 N72-25207
NASA-CASE-NPO-11177 ..... c15 N72-17453

NASA-CASE-NPO-11190 ..... c03 N71-34044
NASA-CASE-NPO-11191-1 ..... c33 N77-22386
NASA-CASE-NPO-11194 ..... c08 N72-25209
NASA-CASE-NPO-11201 ..... c14 N72-27409
NASA-CASE-NPO-11202 ..... c15 N72-25450
NASA-CASE-NPO-11203 ..... c10 N72-20224
NASA-CASE-NPO-11210 ..... c11 N72-20244
NASA-CASE-NPO-11213 ..... c15 N73-20514
NASA-CASE-NPO-11222 ..... c15 N72-25456
NASA-CASE-NPO-11239 ..... c14 N73-12446
NASA-CASE-NPO-11243 ..... c07 N72-20154
NASA-CASE-NPO-11253 ..... c09 N72-17157
NASA-CASE-NPC-11264 ..... c07 N72-25174
NASA-CASE-NPC-11282 ..... c10 N73-16205
NASA-CASE-NPO-11283 ..... c09 N72-25260
NASA-CASE-NPO-11291-1 ..... c14 N73-30388
NASA-CASE-NPO-11302-1 ..... c07 N73-13149
NASA-CASE-NPO-11302-2 ..... c32 N74-10132
NASA-CASE-NPO-11304 ..... c14 N73-26430
NASA-CASE-NPO-11307-1 ..... c10 N73-30205
NASA-CASE-NPO-11311 ..... c14 N72-25414
NASA-CASE-NPO-11317-2 ..... c36 N74-13205
NASA-CASE-NPC-11322 ..... c06 N72-25146
NASA-CASE-NPO-11330 ..... c33 N73-26958
NASA-CASE-NPO-11333 ..... c08 N72-22162
NASA-CASE-NPO-11338 ..... c08 N72-25208
NASA-CASE-NPO-11340 ..... c15 N72-33477
NASA-CASE-NPO-11342 ..... c09 N72-25248
NASA-CASE-NPO-11358 ..... c07 N72-25172
NASA-CASE-NPC-11361 ..... c07 N72-32169
NASA-CASE-NPC-11366 ..... c11 N73-26238
NASA-CASE-NPO-11369 ..... c15 N73-13467
NASA-CASE-NPO-11371 ..... c08 N73-12177
NASA-CASE-NPO-11373 ..... c13 N72-25323
NASA-CASE-NPO-11377 ..... c15 N73-27406
NASA-CASE-NPC-11387 ..... c14 N73-14429
NASA-CASE-NPC-11388 ..... c03 N72-23048
NASA-CASE-NPO-11403-1 ..... c33 N77-22386
NASA-CASE-NPO-11406 ..... c08 N73-12175
NASA-CASE-NPO-11417 ..... c15 N73-24513
NASA-CASE-NPO-11418-1 ..... c14 N73-13420
NASA-CASE-NPO-11426 ..... c07 N73-26119
NASA-CASE-NPO-11429-1 ..... c74 N77-21941
NASA-CASE-NPO-11432-2 ..... c35 N74-15090
NASA-CASE-NPO-11433 ..... c18 N71-31140
NASA-CASE-NPO-11437 ..... c16 N72-28521
NASA-CASE-NPO-11456 ..... c08 N73-26176
NASA-CASE-NPO-11458 ..... c28 N72-23810
NASA-CASE-NPC-11479 ..... c15 N73-13462
NASA-CASE-NPO-11481 ..... c21 N73-13644
NASA-CASE-NPC-11493 ..... c14 N73-12447
NASA-CASE-NPO-11497 ..... c08 N73-25206
NASA-CASE-NPO-11510-1 ..... c33 N77-21315
NASA-CASE-NPO-11515-1 ..... c33 N77-13315
NASA-CASE-NPO-11548 ..... c07 N73-26118
NASA-CASE-NPO-11556 ..... c12 N72-25292
NASA-CASE-NPO-11559 ..... c28 N73-24784
NASA-CASE-NPO-11569 ..... c10 N73-26229
NASA-CASE-NPO-11572 ..... c07 N73-16121
NASA-CASE-NPO-11593-1 ..... c07 N73-28012
NASA-CASE-NPO-11609-2 ..... c27 N77-31308
NASA-CASE-NPO-11623-1 ..... c71 N74-31148
NASA-CASE-NPO-11628-1 ..... c07 N73-30113
NASA-CASE-NPO-11630 ..... c08 N72-33172
NASA-CASE-NPC-11631 ..... c10 N73-12244
NASA-CASE-NPO-11659-1 ..... c35 N74-11283
NASA-CASE-NPO-11661 ..... c07 N73-14130
NASA-CASE-NPO-11682-1 ..... c35 N74-15127
NASA-CASE-NPC-11686 ..... c14 N73-25462
NASA-CASE-NPO-11703-1 ..... c10 N73-32144
NASA-CASE-NPO-11707 ..... c07 N73-25161
NASA-CASE-NPC-11738-1 ..... c09 N73-30185
NASA-CASE-NPO-11743-1 ..... c28 N74-27425
NASA-CASE-NPO-11749 ..... c14 N73-28486
NASA-CASE-NPC-11751 ..... c07 N73-24176
NASA-CASE-NPO-11758-1 ..... c31 N74-23065
NASA-CASE-NPO-11771 ..... c03 N73-20040
NASA-CASE-NPO-11775 ..... c26 N72-28761
NASA-CASE-NPO-11806-1 ..... c44 N74-19693
NASA-CASE-NPO-11820-1 ..... c32 N74-19788
NASA-CASE-NPC-11821-1 ..... c08 N73-26175
NASA-CASE-NPO-11850-1 ..... c32 N74-12912
NASA-CASE-NPO-11856-1 ..... c36 N74-15145
NASA-CASE-NPO-11861-1 ..... c36 N74-20009
NASA-CASE-NPC-11868 ..... c10 N73-20254
NASA-CASE-NPO-11880 ..... c28 N73-24783
NASA-CASE-NPO-11905-1 ..... c33 N74-12887
NASA-CASE-NPC-11919-1 ..... c35 N74-11284
NASA-CASE-NPC-11921-1 ..... c32 N74-30523

NASA-CASE-NPO-11932-1 ..... c35 N74-23040
NASA-CASE-NPO-11941-1 ..... c10 N73-27171
NASA-CASE-NPC-11942-1 ..... c33 N73-32818
NASA-CASE-NPO-11945-1 ..... c36 N76-18427
NASA-CASE-NPO-11948-1 ..... c33 N74-32712
NASA-CASE-NPO-11951-1 ..... c37 N74-21065
NASA-CASE-NPO-11961-1 ..... c44 N76-18643
NASA-CASE-NPO-11962-1 ..... c33 N74-10194
NASA-CASE-NPO-11966-1 ..... c33 N74-17928
NASA-CASE-NPO-11975-1 ..... c28 N74-33209
NASA-CASE-NPO-12000 ..... c27 N72-25699
NASA-CASE-NPO-12015 ..... c27 N73-16764
NASA-CASE-NPO-12061-1 ..... c27 N76-16228
NASA-CASE-NPO-12070-1 ..... c28 N73-32606
NASA-CASE-NPO-12072 ..... c28 N72-22772
NASA-CASE-NPO-12106 ..... c09 N73-15235
NASA-CASE-NPO-12107 ..... c08 N71-27255
NASA-CASE-NPO-12109 ..... c11 N72-22245
NASA-CASE-NPO-12119-1 ..... c52 N75-15270
NASA-CASE-NPO-12122-1 ..... c24 N76-14203
NASA-CASE-NPO-12127-1 ..... c91 N74-13130
NASA-CASE-NPO-12128-1 ..... c14 N73-32317
NASA-CASE-NPO-12130-1 ..... c25 N75-14844
NASA-CASE-NPO-12134-1 ..... c33 N76-31409
NASA-CASE-NPO-12142-1 ..... c38 N76-28563
NASA-CASE-NPO-13044-1 ..... c35 N74-15094
NASA-CASE-NPO-13050-1 ..... c36 N75-15029
NASA-CASE-NPO-13058-1 ..... c37 N77-22480
NASA-CASE-NPO-13059-1 ..... c37 N76-20480
NASA-CASE-NPO-13063-1 ..... c25 N76-18245
NASA-CASE-NPO-13065-1 ..... c52 N74-26625
NASA-CASE-NPO-13067-1 ..... c60 N76-18800
NASA-CASE-NPO-13081-1 ..... c33 N74-22814
NASA-CASE-NPO-13086-1 ..... c15 N73-12495
NASA-CASE-NPO-13087-2 ..... c44 N76-31666
NASA-CASE-NPO-13091-1 ..... c09 N73-12214
NASA-CASE-NPO-13096-1 ..... c37 N77-22480
NASA-CASE-NPO-13103-1 ..... c32 N74-20811
NASA-CASE-NPO-13105-1 ..... c37 N74-21060
NASA-CASE-NPO-13112-1 ..... c73 N74-26767
NASA-CASE-NPO-13114-2 ..... c44 N76-15573
NASA-CASE-NPO-13120-1 ..... c27 N76-15311
NASA-CASE-NPO-13121-1 ..... c73 N77-18891
NASA-CASE-NPO-13125-1 ..... c33 N75-19519
NASA-CASE-NPO-13127-1 ..... c35 N74-23040
NASA-CASE-NPO-13131-1 ..... c36 N75-19652
NASA-CASE-NPO-13138-1 ..... c33 N74-17927
NASA-CASE-NPO-13139-1 ..... c60 N76-21914
NASA-CASE-NPO-13140-1 ..... c32 N75-24982
NASA-CASE-NPO-13147-1 ..... c36 N77-25502
NASA-CASE-NPO-13157-1 ..... c37 N74-32918
NASA-CASE-NPO-13159-1 ..... c33 N74-17928
NASA-CASE-NPO-13160-1 ..... c35 N74-18090
NASA-CASE-NPO-13170-1 ..... c35 N76-14430
NASA-CASE-NPO-13171-1 ..... c32 N74-11000
NASA-CASE-NPO-13175-1 ..... c36 N75-31427
NASA-CASE-NPO-13201-1 ..... c37 N75-15050
NASA-CASE-NPO-13205-1 ..... c31 N74-32917
NASA-CASE-NPO-13214-1 ..... c35 N75-25123
NASA-CASE-NPO-13215-1 ..... c35 N75-25123
NASA-CASE-NPO-13217-1 ..... c32 N75-26194
NASA-CASE-NPO-13231-1 ..... c45 N75-27585
NASA-CASE-NPO-13237-1 ..... c44 N76-18641
NASA-CASE-NPO-13253-1 ..... c37 N75-18573
NASA-CASE-NPO-13263-1 ..... c12 N75-24774
NASA-CASE-NPO-13281-1 ..... c37 N75-13266
NASA-CASE-NPO-13292-1 ..... c32 N75-15854
NASA-CASE-NPO-13303-1 ..... c20 N75-24837
NASA-CASE-NPO-13308-1 ..... c36 N75-30524
NASA-CASE-NPO-13313-1 ..... c54 N75-27761
NASA-CASE-NPO-13321-1 ..... c32 N75-26195
NASA-CASE-NPO-13327-1 ..... c35 N75-23910
NASA-CASE-NPO-13342-1 ..... c37 N76-16446
NASA-CASE-NPO-13342-2 ..... c44 N76-29700
NASA-CASE-NPO-13345-1 ..... c37 N75-19684
NASA-CASE-NPO-13346-1 ..... c36 N76-29575
NASA-CASE-NPO-13348-1 ..... c33 N75-31332
NASA-CASE-NPO-13360-1 ..... c37 N75-25185
NASA-CASE-NPO-13374-1 ..... c33 N75-19524
NASA-CASE-NPO-13385-1 ..... c33 N76-18345
NASA-CASE-NPO-13386-1 ..... c54 N75-27758
NASA-CASE-NPO-13388-1 ..... c35 N76-16390
NASA-CASE-NPO-13391-1 ..... c34 N76-27515
NASA-CASE-NPO-13396-1 ..... c35 N76-18401
NASA-CASE-NPO-13402-1 ..... c37 N76-18457
NASA-CASE-NPO-13422-1 ..... c60 N76-14818
NASA-CASE-NPO-13423-1 ..... c33 N75-31329
NASA-CASE-NPO-13426-1 ..... c33 N75-31330
NASA-CASE-NPO-13428-1 ..... c60 N77-12721

NASA-CASE-NPO-13435-1 ..... c31 N76-14284
NASA-CASE-NPO-13436-1 ..... c37 N76-20480
NASA-CASE-NPO-13443-1 ..... c76 N76-20994
NASA-CASE-NPO-13447-1 ..... c60 N77-12721
NASA-CASE-NPO-13448-2 ..... c36 N77-24469
NASA-CASE-NPO-13449-1 ..... c36 N75-32441
NASA-CASE-NPO-13451-1 ..... c33 N76-14373
NASA-CASE-NPC-13459-1 ..... c31 N77-10229
NASA-CASE-NPC-13462-1 ..... c35 N76-24524
NASA-CASE-NPO-13464-1 ..... c44 N76-18642
NASA-CASE-NPO-13464-2 ..... c44 N76-29704
NASA-CASE-NPO-13465-1 ..... c32 N76-31372
NASA-CASE-NPO-13474-1 ..... c45 N76-21742
NASA-CASE-NPO-13479-1 ..... c35 N77-10492
NASA-CASE-NPO-13482-1 ..... c44 N74-30448
NASA-CASE-NPC-13490-1 ..... c36 N76-31512
NASA-CASE-NPC-13497-1 ..... c44 N76-14602
NASA-CASE-NPO-13504-1 ..... c33 N75-30430
NASA-CASE-NPO-13506-1 ..... c35 N76-15435
NASA-CASE-NPO-13510-1 ..... c44 N77-32581
NASA-CASE-NPO-13512-1 ..... c33 N77-10428
NASA-CASE-NPC-13519-1 ..... c33 N76-19338
NASA-CASE-NPO-13528-1 ..... c09 N77-10071
NASA-CASE-NPO-13531-1 ..... c36 N76-24553
NASA-CASE-NPO-13532-1 ..... c36 N75-15973
NASA-CASE-NPO-13535-1 ..... c37 N76-31524
NASA-CASE-NPO-13540-1 ..... c35 N77-14409
NASA-CASE-NPO-13543-1 ..... c32 N77-12240
NASA-CASE-NPO-13544-1 ..... c36 N76-18428
NASA-CASE-NPO-13545-1 ..... c32 N77-12240
NASA-CASE-NPC-13550-1 ..... c36 N77-26477
NASA-CASE-NPO-13553-1 ..... c33 N76-32457
NASA-CASE-NPO-13560-1 ..... c44 N77-10636
NASA-CASE-NPC-13561-1 ..... c44 N77-10636
NASA-CASE-NPO-13566-1 ..... c25 N77-32255
NASA-CASE-NPO-13567-1 ..... c44 N76-29701
NASA-CASE-NPO-13568-1 ..... c32 N76-21365
NASA-CASE-NPC-13569-1 ..... c35 N75-21600
NASA-CASE-NPO-13569-2 ..... c33 N77-28395
NASA-CASE-NPC-13579-1 ..... c44 N75-28519
NASA-CASE-NPO-13579-2 ..... c44 N77-20565
NASA-CASE-NPO-13579-3 ..... c44 N77-20566
NASA-CASE-NPC-13580-1 ..... c44 N75-28519
NASA-CASE-NPO-13581-2 ..... c44 N77-28584
NASA-CASE-NPO-13587-1 ..... c32 N77-32342
NASA-CASE-NPO-13604-1 ..... c35 N76-31490
NASA-CASE-NPO-13606-1 ..... c35 N75-19627
NASA-CASE-NPO-13613-1 ..... c37 N76-29590
NASA-CASE-NPO-13614-1 ..... c35 N75-19628
NASA-CASE-NPO-13619-1 ..... c37 N75-22748
NASA-CASE-NPO-13620-1 ..... c27 N77-30236
NASA-CASE-NPO-13641-1 ..... c32 N77-24340
NASA-CASE-NPO-13643-1 ..... c52 N76-29896
NASA-CASE-NPO-13644-1 ..... c52 N76-29895
NASA-CASE-NPO-13652-1 ..... c44 N77-28585
NASA-CASE-NPO-13663-1 ..... c35 N77-14406
NASA-CASE-NPO-13666-1 ..... c27 N77-13217
NASA-CASE-NPO-13671-1 ..... c37 N77-31497
NASA-CASE-NPO-13673-1 ..... c71 N77-26919
NASA-CASE-NPO-13675-1 ..... c44 N77-32580
NASA-CASE-NPO-13676-1 ..... c60 N77-24781
NASA-CASE-NPO-13683-1 ..... c35 N77-14411
NASA-CASE-NPO-13687-1 ..... c35 N76-14433
NASA-CASE-NPO-13690-1 ..... c27 N76-13294
NASA-CASE-NPO-13707-1 ..... c74 N77-28933
NASA-CASE-NPO-13722-1 ..... c74 N77-22951
NASA-CASE-NPO-13731-1 ..... c39 N76-17427
NASA-CASE-NPO-13732-1 ..... c44 N77-19581
NASA-CASE-NPO-13734-1 ..... c44 N76-26690
NASA-CASE-NPO-13736-1 ..... c44 N77-32583
NASA-CASE-NPO-13753-1 ..... c32 N77-20289
NASA-CASE-NPO-13756-1 ..... c35 N76-14434
NASA-CASE-NPO-13759-1 ..... c35 N77-11363
NASA-CASE-NPO-13763-1 ..... c37 N77-11398
NASA-CASE-NPO-13764-1 ..... c24 N76-26281
NASA-CASE-NPO-13772-1 ..... c35 N76-26450
NASA-CASE-NPO-13792-1 ..... c35 N77-32455
NASA-CASE-NPO-13798-1 ..... c37 N77-25535
NASA-CASE-NPO-13801-1 ..... c36 N76-31514
NASA-CASE-NPO-13802-1 ..... c71 N76-18886
NASA-CASE-NPO-13804-1 ..... c35 N77-19390
NASA-CASE-NPO-13808-1 ..... c35 N77-24456
NASA-CASE-NPO-13810-1 ..... c44 N77-32582
NASA-CASE-NPO-13812-1 ..... c33 N77-30365
NASA-CASE-NPO-13813-1 ..... c44 N77-19579
NASA-CASE-NPO-13817-1 ..... c44 N77-28583
NASA-CASE-NPO-13821-1 ..... c44 N76-26692
NASA-CASE-NPO-13823-1 ..... c37 N77-17466
NASA-CASE-NPO-13832-1 ..... c33 N76-26393
NASA-CASE-NPO-13836-1 ..... c32 N76-31373
NASA-CASE-NPO-13839-1 ..... c31 N77-15219
NASA-CASE-NPO-13847-2 ..... c85 N77-17949
NASA-CASE-NPO-13848-2 ..... c85 N77-17949
NASA-CASE-NPO-13858-1 ..... c28 N77-17258
NASA-CASE-NPO-13859-1 ..... c28 N77-17258
NASA-CASE-NPO-13862-1 ..... c32 N77-17325
NASA-CASE-NPO-13867-1 ..... c27 N77-22257
NASA-CASE-NPO-13872-1 ..... c33 N77-17359
NASA-CASE-NPO-13886-1 ..... c32 N77-11269
NASA-CASE-NPO-13906-1 ..... c54 N77-32723
NASA-CASE-NPO-13909-1 ..... c33 N77-17358
NASA-CASE-NPO-13913-1 ..... c52 N77-19750
NASA-CASE-NPO-13914-1 ..... c44 N77-19579
NASA-CASE-NPO-13921-1 ..... c44 N77-24590
NASA-CASE-NPO-13945-1 ..... c36 N77-19418
NASA-CASE-NPO-13948-1 ..... c35 N77-28470
NASA-CASE-NPO-13955-1 ..... c32 N77-28358
NASA-CASE-NPO-13956-1 ..... c32 N77-28358
NASA-CASE-NPO-13957-1 ..... c32 N77-28358
NASA-CASE-NPO-13969-2 ..... c76 N77-30984
NASA-CASE-NPO-13982-1 ..... c32 N77-24341
NASA-CASE-NPO-13993-1 ..... c36 N77-24468
NASA-CASE-NPO-14009-1 ..... c32 N77-28357
NASA-CASE-NPO-14014-1 ..... c37 N77-31501
NASA-CASE-NPO-14021-1 ..... c27 N77-32313
NASA-CASE-NPO-14022-1 ..... c32 N77-24338
NASA-CASE-NPO-14056-1 ..... c33 N77-32402
NASA-CASE-NPO-14058-1 ..... c44 N77-30616
NASA-CASE-NPO-14103-1 ..... c28 N77-25346

NASA-CASE-NUC-10107-1 ..... c33 N74-17930

NASA-CASE-RE-ARC-10329-2 ..... c52 N76-30793

NASA-CASE-WLP-10002 ..... c15 N72-17451

NASA-CASE-XAC-00001 ..... c15 N71-28952
NASA-CASE-XAC-00030 ..... c14 N70-34820
NASA-CASE-XAC-00042 ..... c14 N70-34816
NASA-CASE-XAC-00048 ..... c02 N71-29128
NASA-CASE-XAC-00060 ..... c09 N70-39915
NASA-CASE-XAC-00073 ..... c14 N70-34813
NASA-CASE-XAC-00074 ..... c15 N70-34817
NASA-CASE-XAC-00086 ..... c09 N70-33182
NASA-CASE-XAC-00139 ..... c02 N70-34856
NASA-CASE-XAC-00319 ..... c25 N70-41628
NASA-CASE-XAC-00399 ..... c11 N70-34815
NASA-CASE-XAC-00404 ..... c08 N70-40125
NASA-CASE-XAC-00405 ..... c05 N70-41819
NASA-CASE-XAC-00435 ..... c09 N70-35440
NASA-CASE-XAC-00472 ..... c15 N70-40180
NASA-CASE-XAC-00648 ..... c14 N70-40400
NASA-CASE-XAC-00731 ..... c11 N71-15960
NASA-CASE-XAC-00812 ..... c14 N71-15598
NASA-CASE-XAC-00942 ..... c10 N71-16042
NASA-CASE-XAC-01101 ..... c14 N70-41957
NASA-CASE-XAC-01158 ..... c15 N71-23051
NASA-CASE-XAC-01404 ..... c05 N70-41581
NASA-CASE-XAC-01591 ..... c31 N71-17729
NASA-CASE-XAC-01662 ..... c14 N71-23037
NASA-CASE-XAC-01677 ..... c09 N71-20816
NASA-CASE-XAC-02058 ..... c02 N71-16087
NASA-CASE-XAC-02405 ..... c09 N71-16089
NASA-CASE-XAC-02407 ..... c14 N69-27423
NASA-CASE-XAC-02807 ..... c09 N71-23021
NASA-CASE-XAC-02877 ..... c14 N70-41681
NASA-CASE-XAC-02970 ..... c14 N69-39896
NASA-CASE-XAC-02981 ..... c14 N71-21072
NASA-CASE-XAC-03107 ..... c23 N71-16098
NASA-CASE-XAC-03392 ..... c03 N70-41954
NASA-CASE-XAC-03740 ..... c14 N71-26135
NASA-CASE-XAC-03777 ..... c10 N71-15909
NASA-CASE-XAC-04030 ..... c10 N71-19472
NASA-CASE-XAC-04031 ..... c08 N71-18594
NASA-CASE-XAC-04458 ..... c14 N71-24232
NASA-CASE-XAC-04885 ..... c14 N71-23790
NASA-CASE-XAC-04886-1 ..... c14 N71-20439
NASA-CASE-XAC-05333 ..... c11 N71-22875
NASA-CASE-XAC-05422 ..... c04 N71-23185
NASA-CASE-XAC-05462-2 ..... c10 N72-17171
NASA-CASE-XAC-05506-1 ..... c24 N71-16095
NASA-CASE-XAC-05632 ..... c32 N71-23971
NASA-CASE-XAC-05695 ..... c25 N71-16073
NASA-CASE-XAC-05706 ..... c05 N71-12342
NASA-CASE-XAC-05902 ..... c11 N71-18578
NASA-CASE-XAC-06029-1 ..... c31 N71-24813
NASA-CASE-XAC-06302 ..... c08 N71-19763
NASA-CASE-XAC-06956 ..... c15 N71-21177

NASA-CASE-XAC-07043 ..... c05 N71-23161
NASA-CASE-XAC-08498 ..... c30 N71-15990
NASA-CASE-XAC-08972 ..... c02 N71-20570
NASA-CASE-XAC-08981 ..... c09 N69-39897
NASA-CASE-XAC-09489-1 ..... c15 N71-26673
NASA-CASE-XAC-10019 ..... c15 N71-23809
NASA-CASE-XAC-10607 ..... c10 N71-23669
NASA-CASE-XAC-10608-1 ..... c09 N71-12517
NASA-CASE-XAC-10768 ..... c09 N71-18830
NASA-CASE-XAC-10770-1 ..... c16 N71-24828
NASA-CASE-XAC-11225 ..... c14 N69-27486

NASA-CASE-XAR-01547 ..... c05 N69-21473
NASA-CASE-XAR-03786 ..... c09 N69-21313

NASA-CASE-XER-07894 ..... c09 N71-18721
NASA-CASE-XER-07895 ..... c26 N72-25679
NASA-CASE-XER-07896-2 ..... c23 N72-22673
NASA-CASE-XER-08476-1 ..... c26 N72-17820
NASA-CASE-XER-09213 ..... c07 N71-12390
NASA-CASE-XER-09519 ..... c14 N71-18483
NASA-CASE-XER-09521 ..... c09 N72-12136
NASA-CASE-XER-11019 ..... c09 N71-23598
NASA-CASE-XER-11046 ..... c09 N72-22203
NASA-CASE-XER-11046-2 ..... c33 N74-22864
NASA-CASE-XER-11203 ..... c14 N71-28994

NASA-CASE-XFR-00181 ..... c21 N70-33279
NASA-CASE-XFR-00756 ..... c02 N71-13421
NASA-CASE-XFR-00811 ..... c15 N70-36901
NASA-CASE-XFR-00929 ..... c31 N70-34966
NASA-CASE-XFR-02007 ..... c12 N71-24692
NASA-CASE-XFR-03107 ..... c09 N71-19449
NASA-CASE-XFR-03802 ..... c33 N71-23085
NASA-CASE-XFR-04104 ..... c03 N70-42073
NASA-CASE-XFR-04147 ..... c11 N71-10748
NASA-CASE-XFR-05302 ..... c15 N71-23254
NASA-CASE-XFR-05421 ..... c15 N71-22994
NASA-CASE-XFR-05637 ..... c09 N71-19480
NASA-CASE-XFR-07172 ..... c05 N71-27234
NASA-CASE-XFR-07658-1 ..... c05 N71-26293
NASA-CASE-XFR-08403 ..... c05 N71-11202
NASA-CASE-XFR-09479 ..... c14 N69-27503
NASA-CASE-XFR-10856 ..... c05 N71-11189

NASA-CASE-XGS-00131 ..... c09 N70-38995
NASA-CASE-XGS-00174 ..... c08 N70-34743
NASA-CASE-XGS-00260 ..... c31 N70-37924
NASA-CASE-XGS-00359 ..... c14 N70-34158
NASA-CASE-XGS-00373 ..... c23 N71-15978
NASA-CASE-XGS-00381 ..... c09 N70-34819
NASA-CASE-XGS-00458 ..... c09 N70-38604
NASA-CASE-XGS-00466 ..... c21 N70-34297
NASA-CASE-XGS-00473 ..... c03 N70-38713
NASA-CASE-XGS-00587 ..... c15 N70-35087
NASA-CASE-XGS-00619 ..... c30 N70-40016
NASA-CASE-XGS-00689 ..... c08 N70-34787
NASA-CASE-XGS-00740 ..... c07 N71-23098
NASA-CASE-XGS-00769 ..... c14 N70-41647
NASA-CASE-XGS-00783 ..... c30 N71-17788
NASA-CASE-XGS-00809 ..... c21 N70-35427
NASA-CASE-XGS-00823 ..... c10 N71-15910
NASA-CASE-XGS-00824 ..... c15 N71-16078
NASA-CASE-XGS-00886 ..... c03 N71-11053
NASA-CASE-XGS-00938 ..... c32 N70-41367
NASA-CASE-XGS-00963 ..... c15 N69-39735
NASA-CASE-XGS-01013 ..... c14 N71-23725
NASA-CASE-XGS-01021 ..... c08 N71-21042
NASA-CASE-XGS-01022 ..... c07 N71-16088
NASA-CASE-XGS-01023 ..... c14 N71-22992
NASA-CASE-XGS-01036 ..... c14 N70-40003
NASA-CASE-XGS-01052 ..... c14 N71-15992
NASA-CASE-XGS-01110 ..... c07 N69-24334
NASA-CASE-XGS-01118 ..... c10 N71-23662
NASA-CASE-XGS-01143 ..... c31 N71-15647
NASA-CASE-XGS-01155 ..... c10 N71-21483
NASA-CASE-XGS-01159 ..... c21 N71-10678
NASA-CASE-XGS-01222 ..... c10 N71-20841
NASA-CASE-XGS-01223 ..... c07 N71-10609
NASA-CASE-XGS-01230 ..... c08 N71-19544
NASA-CASE-XGS-01231 ..... c14 N70-41676
NASA-CASE-XGS-01331 ..... c14 N71-22996
NASA-CASE-XGS-01395 ..... c03 N69-21539
NASA-CASE-XGS-01418 ..... c09 N71-23573
NASA-CASE-XGS-01419 ..... c03 N70-41864
NASA-CASE-XGS-01451 ..... c09 N71-10677
NASA-CASE-XGS-01473 ..... c09 N71-10673
NASA-CASE-XGS-01475 ..... c03 N71-11058
NASA-CASE-XGS-01504 ..... c16 N70-41578

NASA-CASE-XGS-01513 ..... c03 N71-23336
NASA-CASE-XGS-01537 ..... c07 N71-23405
NASA-CASE-XGS-01587 ..... c14 N71-15962
NASA-CASE-XGS-01590 ..... c07 N71-12392
NASA-CASE-XGS-01593 ..... c03 N70-35408
NASA-CASE-XGS-01654 ..... c31 N71-24750
NASA-CASE-XGS-01674 ..... c03 N71-29129
NASA-CASE-XGS-01725 ..... c14 N69-39982
NASA-CASE-XGS-01784 ..... c10 N71-20782
NASA-CASE-XGS-01812 ..... c07 N71-23001
NASA-CASE-XGS-01881 ..... c09 N70-40123
NASA-CASE-XGS-01971 ..... c15 N71-15922
NASA-CASE-XGS-01983 ..... c10 N70-41964
NASA-CASE-XGS-02011 ..... c15 N71-20739
NASA-CASE-XGS-02171 ..... c09 N69-24324
NASA-CASE-XGS-02290 ..... c07 N71-28809
NASA-CASE-XGS-02317 ..... c09 N71-23525
NASA-CASE-XGS-02319 ..... c14 N71-22965
NASA-CASE-XGS-02401 ..... c14 N69-27485
NASA-CASE-XGS-02422 ..... c15 N71-21529
NASA-CASE-XGS-02435 ..... c18 N71-22998
NASA-CASE-XGS-02437 ..... c15 N69-21472
NASA-CASE-XGS-02439 ..... c14 N71-19431
NASA-CASE-XGS-02440 ..... c08 N71-19432
NASA-CASE-XGS-02441 ..... c15 N70-41629
NASA-CASE-XGS-02554 ..... c31 N71-21064
NASA-CASE-XGS-02607 ..... c31 N71-23009
NASA-CASE-XGS-02608 ..... c07 N70-41678
NASA-CASE-XGS-02610 ..... c14 N71-23174
NASA-CASE-XGS-02612 ..... c08 N71-19435
NASA-CASE-XGS-02629 ..... c14 N71-21082
NASA-CASE-XGS-02630 ..... c03 N71-22974
NASA-CASE-XGS-02631 ..... c03 N71-23006
NASA-CASE-XGS-02749 ..... c07 N69-39978
NASA-CASE-XGS-02751 ..... c09 N71-23015
NASA-CASE-XGS-02812 ..... c09 N71-19466
NASA-CASE-XGS-02816 ..... c07 N69-24323
NASA-CASE-XGS-02884 ..... c15 N71-22705
NASA-CASE-XGS-02889 ..... c07 N71-11282
NASA-CASE-XGS-03058 ..... c10 N71-19547
NASA-CASE-XGS-03095 ..... c09 N69-27463
NASA-CASE-XGS-03120 ..... c15 N71-24047
NASA-CASE-XGS-03230 ..... c14 N71-23401
NASA-CASE-XGS-03303 ..... c08 N71-18595
NASA-CASE-XGS-03304 ..... c09 N71-22988
NASA-CASE-XGS-03351 ..... c31 N71-16081
NASA-CASE-XGS-03390 ..... c03 N71-23187
NASA-CASE-XGS-03427 ..... c10 N71-23029
NASA-CASE-XGS-03429 ..... c03 N69-21330
NASA-CASE-XGS-03431 ..... c21 N71-15642
NASA-CASE-XGS-03501 ..... c09 N71-20864
NASA-CASE-XGS-03502 ..... c10 N71-20852
NASA-CASE-XGS-03505 ..... c03 N71-10608
NASA-CASE-XGS-03532 ..... c14 N71-17627
NASA-CASE-XGS-03556 ..... c27 N70-35534
NASA-CASE-XGS-03632 ..... c09 N71-23311
NASA-CASE-XGS-03644 ..... c16 N71-18614
NASA-CASE-XGS-03736 ..... c14 N72-22443
NASA-CASE-XGS-03864 ..... c15 N69-24320
NASA-CASE-XGS-03865 ..... c14 N69-21363
NASA-CASE-XGS-04047-2 ..... c03 N72-11062
NASA-CASE-XGS-04119 ..... c18 N69-39979
NASA-CASE-XGS-04173 ..... c19 N71-26674
NASA-CASE-XGS-04175 ..... c15 N71-18579
NASA-CASE-XGS-04224 ..... c10 N71-26418
NASA-CASE-XGS-04227 ..... c15 N71-21744
NASA-CASE-XGS-04393 ..... c21 N71-14159
NASA-CASE-XGS-04478 ..... c14 N71-24233
NASA-CASE-XGS-04480 ..... c16 N69-27491
NASA-CASE-XGS-04531 ..... c03 N69-24267
NASA-CASE-XGS-04548 ..... c15 N71-24045
NASA-CASE-XGS-04554 ..... c15 N69-39786
NASA-CASE-XGS-04765 ..... c08 N71-18693
NASA-CASE-XGS-04766 ..... c08 N71-18602
NASA-CASE-XGS-04767 ..... c08 N71-12494
NASA-CASE-XGS-04768 ..... c08 N71-19437
NASA-CASE-XGS-04799 ..... c18 N71-24183
NASA-CASE-XGS-04808 ..... c03 N69-25146
NASA-CASE-XGS-04879 ..... c14 N71-20428
NASA-CASE-XGS-04987 ..... c08 N71-20571
NASA-CASE-XGS-04993 ..... c14 N71-17574
NASA-CASE-XGS-04994 ..... c09 N69-21543
NASA-CASE-XGS-04999 ..... c09 N69-24317
NASA-CASE-XGS-05003 ..... c09 N69-24318
NASA-CASE-XGS-05180 ..... c18 N71-25881
NASA-CASE-XGS-05211 ..... c07 N69-39980
NASA-CASE-XGS-05289 ..... c09 N71-19470
NASA-CASE-XGS-05290 ..... c09 N71-25999
NASA-CASE-XGS-05291 ..... c23 N71-16341

NASA-CASE-XGS-05432 ..... c03 N71-19438
NASA-CASE-XGS-05434 ..... c03 N71-20491
NASA-CASE-XGS-05441 ..... c10 N71-22962
NASA-CASE-XGS-05532 ..... c06 N71-17705
NASA-CASE-XGS-05533 ..... c04 N69-27487
NASA-CASE-XGS-05534 ..... c23 N71-16355
NASA-CASE-XGS-05579 ..... c31 N71-15676
NASA-CASE-XGS-05582 ..... c07 N69-27460
NASA-CASE-XGS-05680 ..... c14 N71-17585
NASA-CASE-XGS-05715 ..... c23 N71-16100
NASA-CASE-XGS-05718 ..... c26 N71-16037
NASA-CASE-XGS-05918 ..... c07 N69-39974
NASA-CASE-XGS-06226 ..... c10 N71-25950
NASA-CASE-XGS-06306 ..... c17 N71-16044
NASA-CASE-XGS-06628 ..... c24 N71-16213
NASA-CASE-XGS-07514 ..... c23 N71-16099
NASA-CASE-XGS-07752 ..... c14 N73-30390
NASA-CASE-XGS-07801 ..... c09 N71-12513
NASA-CASE-XGS-07805 ..... c15 N72-33476
NASA-CASE-XGS-08259 ..... c14 N71-23698
NASA-CASE-XGS-08266 ..... c14 N69-27432
NASA-CASE-XGS-08269 ..... c23 N71-26206
NASA-CASE-XGS-08679 ..... c10 N71-21473
NASA-CASE-XGS-08718 ..... c15 N71-24600
NASA-CASE-XGS-08729 ..... c28 N71-14044
NASA-CASE-XGS-09190 ..... c31 N71-16102
NASA-CASE-XGS-10010 ..... c03 N72-15986
NASA-CASE-XGS-10518 ..... c16 N71-28554
NASA-CASE-XGS-11177 ..... c09 N71-27001

NASA-CASE-XHQ-01208 ..... c15 N70-35409
NASA-CASE-XHQ-01897 ..... c28 N70-35381
NASA-CASE-XHQ-02146 ..... c18 N75-27040
NASA-CASE-XHQ-03673 ..... c33 N71-29046
NASA-CASE-XHQ-03903 ..... c15 N69-21922
NASA-CASE-XHQ-04106 ..... c14 N70-40240

NASA-CASE-XKS-00348 ..... c09 N73-14215
NASA-CASE-XKS-01985 ..... c15 N71-10782
NASA-CASE-XKS-02342 ..... c05 N71-11199
NASA-CASE-XKS-02582 ..... c15 N71-21234
NASA-CASE-XKS-03338 ..... c15 N71-24043
NASA-CASE-XKS-03381 ..... c09 N71-22796
NASA-CASE-XKS-03495 ..... c14 N69-39785
NASA-CASE-XKS-03509 ..... c14 N71-23175
NASA-CASE-XKS-04614 ..... c15 N69-21460
NASA-CASE-XKS-04631 ..... c10 N71-23663
NASA-CASE-XKS-05932 ..... c09 N71-26787
NASA-CASE-XKS-06167 ..... c08 N71-24890
NASA-CASE-XKS-06250 ..... c14 N71-15600
NASA-CASE-XKS-07814 ..... c15 N71-27067
NASA-CASE-XKS-07953 ..... c15 N71-26134
NASA-CASE-XKS-08012-2 ..... c31 N71-15566
NASA-CASE-XKS-08485 ..... c07 N71-19493
NASA-CASE-XKS-09340 ..... c07 N71-24614
NASA-CASE-XKS-09348 ..... c09 N71-13521
NASA-CASE-XKS-10543 ..... c07 N71-26292
NASA-CASE-XKS-10804 ..... c05 N71-24606

NASA-CASE-XLA-1349 ..... c20 N77-17143
NASA-CASE-XLA-8914 ..... c15 N73-12492
NASA-CASE-XLA-8914-2 ..... c34 N76-23522
NASA-CASE-XLA-00013 ..... c15 N71-29136
NASA-CASE-XLA-00062 ..... c14 N70-33254
NASA-CASE-XLA-00087 ..... c02 N70-33332
NASA-CASE-XLA-00100 ..... c14 N70-36807
NASA-CASE-XLA-00105 ..... c28 N70-33331
NASA-CASE-XLA-00112 ..... c11 N70-33287
NASA-CASE-XLA-00113 ..... c14 N70-33386
NASA-CASE-XLA-00115 ..... c03 N70-33343
NASA-CASE-XLA-00117 ..... c31 N71-17680
NASA-CASE-XLA-00118 ..... c05 N70-33285
NASA-CASE-XLA-00119 ..... c11 N70-33329
NASA-CASE-XLA-00120 ..... c21 N70-33181
NASA-CASE-XLA-00128 ..... c15 N70-37925
NASA-CASE-XLA-00135 ..... c14 N70-33322
NASA-CASE-XLA-00137 ..... c15 N70-33180
NASA-CASE-XLA-00138 ..... c31 N70-37981
NASA-CASE-XLA-00141 ..... c09 N70-33312
NASA-CASE-XLA-00142 ..... c02 N70-33286
NASA-CASE-XLA-00147 ..... c25 N70-34661
NASA-CASE-XLA-00149 ..... c31 N70-37938
NASA-CASE-XLA-00154 ..... c28 N70-33374
NASA-CASE-XLA-00158 ..... c26 N70-36805
NASA-CASE-XLA-00165 ..... c31 N70-33242
NASA-CASE-XLA-00166 ..... c02 N70-34178
NASA-CASE-XLA-00183 ..... c14 N70-40239
NASA-CASE-XLA-00188 ..... c15 N71-22874
NASA-CASE-XLA-00189 ..... c33 N70-36846

NASA-CASE-XLA-00195 ..... c02 N70-38009
NASA-CASE-XLA-00203 ..... c14 N70-34161
NASA-CASE-XLA-00204 ..... c32 N70-36536
NASA-CASE-XLA-00210 ..... c30 N70-40309
NASA-CASE-XLA-00221 ..... c02 N70-33266
NASA-CASE-XLA-00229 ..... c12 N70-33305
NASA-CASE-XLA-00230 ..... c02 N70-33255
NASA-CASE-XLA-00241 ..... c31 N70-37986
NASA-CASE-XLA-00256 ..... c31 N71-15663
NASA-CASE-XLA-00258 ..... c31 N70-38676
NASA-CASE-XLA-00281 ..... c21 N70-36943
NASA-CASE-XLA-00284 ..... c15 N71-16075
NASA-CASE-XLA-00302 ..... c15 N71-16077
NASA-CASE-XLA-00304 ..... c27 N70-34783
NASA-CASE-XLA-00326 ..... c03 N70-34667
NASA-CASE-XLA-00327 ..... c25 N71-29184
NASA-CASE-XLA-00330 ..... c33 N70-34540
NASA-CASE-XLA-00349 ..... c33 N70-37979
NASA-CASE-XLA-00350 ..... c02 N70-38011
NASA-CASE-XLA-00377 ..... c33 N71-17610
NASA-CASE-XLA-00378 ..... c11 N71-15925
NASA-CASE-XLA-00414 ..... c07 N70-38200
NASA-CASE-XLA-00415 ..... c15 N71-16079
NASA-CASE-XLA-00471 ..... c08 N70-34778
NASA-CASE-XLA-00481 ..... c14 N70-36824
NASA-CASE-XLA-00482 ..... c15 N70-36409
NASA-CASE-XLA-00487 ..... c14 N70-40157
NASA-CASE-XLA-00492 ..... c14 N70-34799
NASA-CASE-XLA-00493 ..... c11 N70-34786
NASA-CASE-XLA-00495 ..... c14 N70-41332
NASA-CASE-XLA-00670 ..... c08 N71-12501
NASA-CASE-XLA-00675 ..... c25 N70-33267
NASA-CASE-XLA-00678 ..... c31 N70-34296
NASA-CASE-XLA-00679 ..... c15 N70-38601
NASA-CASE-XLA-00686 ..... c31 N70-34135
NASA-CASE-XLA-00711 ..... c03 N71-12258
NASA-CASE-XLA-00754 ..... c15 N70-34850
NASA-CASE-XLA-00755 ..... c01 N71-13410
NASA-CASE-XLA-00781 ..... c09 N71-22999
NASA-CASE-XLA-00791 ..... c03 N70-39930
NASA-CASE-XLA-00793 ..... c21 N71-22880
NASA-CASE-XLA-00805 ..... c31 N70-38010
NASA-CASE-XLA-00806 ..... c02 N70-34858
NASA-CASE-XLA-00838 ..... c03 N70-36778
NASA-CASE-XLA-00892 ..... c33 N71-17897
NASA-CASE-XLA-00898 ..... c02 N70-36804
NASA-CASE-XLA-00901 ..... c07 N71-10775
NASA-CASE-XLA-00934 ..... c14 N71-22765
NASA-CASE-XLA-00936 ..... c14 N71-14996
NASA-CASE-XLA-00937 ..... c31 N71-17691
NASA-CASE-XLA-00939 ..... c11 N71-15926
NASA-CASE-XLA-00941 ..... c14 N71-23240
NASA-CASE-XLA-01019 ..... c15 N70-40156
NASA-CASE-XLA-01027 ..... c31 N71-24035
NASA-CASE-XLA-01043 ..... c28 N71-10780
NASA-CASE-XLA-01090 ..... c07 N71-12389
NASA-CASE-XLA-01090 ..... c16 N71-28963
NASA-CASE-XLA-01091 ..... c15 N71-10672
NASA-CASE-XLA-01127 ..... c07 N70-41372
NASA-CASE-XLA-01131 ..... c14 N71-10774
NASA-CASE-XLA-01141 ..... c15 N71-13789
NASA-CASE-XLA-01163 ..... c21 N71-15582
NASA-CASE-XLA-01219 ..... c10 N71-23084
NASA-CASE-XLA-01220 ..... c02 N70-41863
NASA-CASE-XLA-01243 ..... c33 N71-22792
NASA-CASE-XLA-01262 ..... c15 N71-21404
NASA-CASE-XLA-01288 ..... c09 N69-21470
NASA-CASE-XLA-01290 ..... c02 N70-42016
NASA-CASE-XLA-01291 ..... c33 N70-36617
NASA-CASE-XLA-01326 ..... c11 N71-21481
NASA-CASE-XLA-01332 ..... c31 N71-15664
NASA-CASE-XLA-01339 ..... c31 N71-15692
NASA-CASE-XLA-01353 ..... c14 N70-41366
NASA-CASE-XLA-01354 ..... c25 N70-36946
NASA-CASE-XLA-01396 ..... c03 N71-12259
NASA-CASE-XLA-01400 ..... c07 N70-41331
NASA-CASE-XLA-01401 ..... c15 N71-21179
NASA-CASE-XLA-01441 ..... c15 N70-41679
NASA-CASE-XLA-01446 ..... c15 N71-21528
NASA-CASE-XLA-01486 ..... c01 N71-23497
NASA-CASE-XLA-01494 ..... c15 N71-24164
NASA-CASE-XLA-01530 ..... c14 N71-23092
NASA-CASE-XLA-01551 ..... c14 N71-22989
NASA-CASE-XLA-01552 ..... c07 N71-11284
NASA-CASE-XLA-01583 ..... c02 N70-36825
NASA-CASE-XLA-01584 ..... c14 N71-23269
NASA-CASE-XLA-01731 ..... c32 N71-21045
NASA-CASE-XLA-01745 ..... c33 N71-28903
NASA-CASE-XLA-01781 ..... c14 N69-39975

NASA-CASE-XLA-01782 ..... c14 N71-26136
NASA-CASE-XLA-01787 ..... c11 N71-16028
NASA-CASE-XLA-01791 ..... c14 N71-22991
NASA-CASE-XLA-01794 ..... c33 N71-21586
NASA-CASE-XLA-01804 ..... c02 N70-34160
NASA-CASE-XLA-01807 ..... c15 N71-10799
NASA-CASE-XLA-01808 ..... c15 N71-20740
NASA-CASE-XLA-01832 ..... c14 N71-21006
NASA-CASE-XLA-01907 ..... c14 N71-23268
NASA-CASE-XLA-01926 ..... c14 N71-15620
NASA-CASE-XLA-01952 ..... c08 N71-12507
NASA-CASE-XLA-01967 ..... c31 N70-42015
NASA-CASE-XLA-01987 ..... c23 N71-23976
NASA-CASE-XLA-01989 ..... c21 N70-34295
NASA-CASE-XLA-01995 ..... c18 N71-23047
NASA-CASE-XLA-02050 ..... c31 N71-22968
NASA-CASE-XLA-02057 ..... c26 N70-40015
NASA-CASE-XLA-02059 ..... c33 N71-24276
NASA-CASE-XLA-02079 ..... c12 N71-16894
NASA-CASE-XLA-02081 ..... c20 N71-16281
NASA-CASE-XLA-02131 ..... c32 N70-42003
NASA-CASE-XLA-02132 ..... c31 N71-10582
NASA-CASE-XLA-02332 ..... c32 N71-17609
NASA-CASE-XLA-02551 ..... c21 N71-21708
NASA-CASE-XLA-02605 ..... c14 N71-10773
NASA-CASE-XLA-02609 ..... c09 N72-25256
NASA-CASE-XLA-02619 ..... c10 N71-26334
NASA-CASE-XLA-02651 ..... c28 N70-41967
NASA-CASE-XLA-02704 ..... c11 N69-21540
NASA-CASE-XLA-02705 ..... c08 N71-15908
NASA-CASE-XLA-02758 ..... c14 N71-18481
NASA-CASE-XLA-02809 ..... c15 N71-22982
NASA-CASE-XLA-02810 ..... c14 N71-25901
NASA-CASE-XLA-02850 ..... c09 N71-20447
NASA-CASE-XLA-02854 ..... c15 N69-27490
NASA-CASE-XLA-02865 ..... c28 N71-15563
NASA-CASE-XLA-03076 ..... c07 N71-11266
NASA-CASE-XLA-03102 ..... c14 N71-21079
NASA-CASE-XLA-03103 ..... c25 N71-21693
NASA-CASE-XLA-03104 ..... c06 N71-11235
NASA-CASE-XLA-03105 ..... c15 N69-27483
NASA-CASE-XLA-03114 ..... c09 N71-22888
NASA-CASE-XLA-03127 ..... c11 N71-10776
NASA-CASE-XLA-03132 ..... c31 N71-22969
NASA-CASE-XLA-03135 ..... c32 N71-16428
NASA-CASE-XLA-03213 ..... c05 N71-11207
NASA-CASE-XLA-03271 ..... c11 N69-24321
NASA-CASE-XLA-03273 ..... c14 N71-18699
NASA-CASE-XLA-03356 ..... c10 N71-23315
NASA-CASE-XLA-03374 ..... c25 N71-15562
NASA-CASE-XLA-03375 ..... c16 N71-24074
NASA-CASE-XLA-03410 ..... c16 N71-25914
NASA-CASE-XLA-03492 ..... c15 N71-22713
NASA-CASE-XLA-03497 ..... c15 N71-23052
NASA-CASE-XLA-03538 ..... c15 N71-24897
NASA-CASE-XLA-03645 ..... c14 N71-20430
NASA-CASE-XLA-03659 ..... c02 N71-11041
NASA-CASE-XLA-03660 ..... c15 N71-21060
NASA-CASE-XLA-03661 ..... c15 N71-33518
NASA-CASE-XLA-03691 ..... c31 N71-15674
NASA-CASE-XLA-03724 ..... c14 N69-27461
NASA-CASE-XLA-03893 ..... c10 N71-27271
NASA-CASE-XLA-04063 ..... c31 N71-33160
NASA-CASE-XLA-04126 ..... c28 N71-26779
NASA-CASE-XLA-04143 ..... c15 N71-17687
NASA-CASE-XLA-04251 ..... c18 N71-26100
NASA-CASE-XLA-04295 ..... c16 N71-24170
NASA-CASE-XLA-04451 ..... c02 N71-12243
NASA-CASE-XLA-04555-1 ..... c14 N71-25892
NASA-CASE-XLA-04556 ..... c14 N69-27484
NASA-CASE-XLA-04605 ..... c32 N71-16106
NASA-CASE-XLA-04622 ..... c03 N70-41580
NASA-CASE-XLA-04804 ..... c31 N71-23008
NASA-CASE-XLA-04857 ..... c15 N72-22482
NASA-CASE-XLA-04901 ..... c31 N71-24315
NASA-CASE-XLA-04980 ..... c09 N69-27422
NASA-CASE-XLA-04980-2 ..... c14 N72-28438
NASA-CASE-XLA-05056 ..... c15 N72-11389
NASA-CASE-XLA-05087 ..... c14 N73-30391
NASA-CASE-XLA-05099 ..... c09 N73-13209
NASA-CASE-XLA-05100 ..... c15 N71-17696
NASA-CASE-XLA-05332 ..... c05 N71-11194
NASA-CASE-XLA-05369 ..... c31 N71-15687
NASA-CASE-XLA-05378 ..... c11 N71-21475
NASA-CASE-XLA-05464 ..... c21 N71-14132
NASA-CASE-XLA-05541 ..... c12 N71-26387
NASA-CASE-XLA-05749 ..... c15 N71-19569
NASA-CASE-XLA-05828 ..... c01 N71-13411
NASA-CASE-XLA-05906 ..... c31 N71-16221

NASA-CASE-XLA-05966 ..... c15 N72-12406
NASA-CASE-XLA-06095 ..... c01 N69-39981
NASA-CASE-XLA-06199 ..... c15 N71-24875
NASA-CASE-XLA-06232 ..... c25 N71-20563
NASA-CASE-XLA-06339 ..... c02 N71-13422
NASA-CASE-XLA-06683 ..... c14 N72-28436
NASA-CASE-XLA-06713 ..... c14 N71-28991
NASA-CASE-XLA-06824-2 ..... c02 N71-11037
NASA-CASE-XLA-06958 ..... c02 N71-11038
NASA-CASE-XLA-07390 ..... c15 N71-18616
NASA-CASE-XLA-07391 ..... c12 N71-17579
NASA-CASE-XLA-07424 ..... c14 N71-18482
NASA-CASE-XLA-07430 ..... c11 N72-22246
NASA-CASE-XLA-07473 ..... c15 N71-24895
NASA-CASE-XLA-07497 ..... c09 N71-12514
NASA-CASE-XLA-07728 ..... c33 N71-22890
NASA-CASE-XLA-07732 ..... c08 N71-18751
NASA-CASE-XLA-07788 ..... c09 N71-29139
NASA-CASE-XLA-07813 ..... c14 N72-17328
NASA-CASE-XLA-07828 ..... c08 N71-27057
NASA-CASE-XLA-07829 ..... c15 N72-16329
NASA-CASE-XLA-07911 ..... c15 N71-15571
NASA-CASE-XLA-08254 ..... c14 N71-26161
NASA-CASE-XLA-08491 ..... c05 N69-21380
NASA-CASE-XLA-08493 ..... c10 N71-19421
NASA-CASE-XLA-08507 ..... c09 N69-39984
NASA-CASE-XLA-08530 ..... c32 N71-25360
NASA-CASE-XLA-08645 ..... c15 N69-21465
NASA-CASE-XLA-08646 ..... c14 N71-17586
NASA-CASE-XLA-08799 ..... c10 N71-27272
NASA-CASE-XLA-08801-1 ..... c02 N71-11043
NASA-CASE-XLA-08802 ..... c06 N71-11238
NASA-CASE-XLA-08911 ..... c15 N71-27214
NASA-CASE-XLA-08913 ..... c14 N71-28933
NASA-CASE-XLA-08916 ..... c15 N71-29018
NASA-CASE-XLA-08966-1 ..... c17 N71-25903
NASA-CASE-XLA-08967 ..... c02 N71-27088
NASA-CASE-XLA-09122 ..... c15 N69-27505
NASA-CASE-XLA-09346 ..... c15 N71-28740
NASA-CASE-XLA-09371 ..... c10 N71-18724
NASA-CASE-XLA-09480 ..... c11 N71-33612
NASA-CASE-XLA-09843 ..... c15 N72-27485
NASA-CASE-XLA-09881 ..... c31 N71-16085
NASA-CASE-XLA-10322 ..... c15 N72-17452
NASA-CASE-XLA-10402 ..... c14 N71-29041
NASA-CASE-XLA-10450 ..... c28 N71-21493
NASA-CASE-XLA-10470 ..... c15 N72-21489
NASA-CASE-XLA-10772 ..... c07 N71-28980
NASA-CASE-XLA-11028-1 ..... c24 N74-27035
NASA-CASE-XLA-11154 ..... c07 N72-21117
NASA-CASE-XLA-11189 ..... c10 N72-20222

NASA-CASE-XLE-2529-2 ..... c36 N75-27364
NASA-CASE-XLE-2529-3 ..... c33 N74-20859
NASA-CASE-XLE-00005 ..... c28 N70-39899
NASA-CASE-XLE-00010 ..... c15 N70-33382
NASA-CASE-XLE-00011 ..... c14 N70-41946
NASA-CASE-XLE-00020 ..... c15 N70-33226
NASA-CASE-XLE-00023 ..... c15 N70-33330
NASA-CASE-XLE-00027 ..... c33 N71-29152
NASA-CASE-XLE-00035 ..... c33 N71-29151
NASA-CASE-XLE-00037 ..... c28 N70-33372
NASA-CASE-XLE-00046 ..... c15 N70-33311
NASA-CASE-XLE-00057 ..... c28 N70-38711
NASA-CASE-XLE-00078 ..... c28 N70-33284
NASA-CASE-XLE-00085 ..... c28 N70-39895
NASA-CASE-XLE-00092 ..... c15 N70-33264
NASA-CASE-XLE-00101 ..... c15 N70-33376
NASA-CASE-XLE-00103 ..... c28 N70-33241
NASA-CASE-XLE-00106 ..... c15 N71-16076
NASA-CASE-XLE-00111 ..... c28 N70-38199
NASA-CASE-XLE-00143 ..... c14 N70-36618
NASA-CASE-XLE-00144 ..... c28 N70-34860
NASA-CASE-XLE-00145 ..... c28 N70-36806
NASA-CASE-XLE-00150 ..... c28 N70-41818
NASA-CASE-XLE-00151 ..... c17 N70-33283
NASA-CASE-XLE-00155 ..... c28 N71-29154
NASA-CASE-XLE-00164 ..... c15 N70-36411
NASA-CASE-XLE-00168 ..... c11 N70-33278
NASA-CASE-XLE-00170 ..... c15 N70-36412
NASA-CASE-XLE-00177 ..... c28 N70-40367
NASA-CASE-XLE-00207 ..... c28 N70-33375
NASA-CASE-XLE-00208 ..... c28 N70-34294
NASA-CASE-XLE-00209 ..... c22 N73-32528
NASA-CASE-XLE-00212 ..... c03 N70-34134
NASA-CASE-XLE-00222 ..... c02 N70-37939
NASA-CASE-XLE-00228 ..... c17 N70-38490
NASA-CASE-XLE-00231 ..... c17 N70-38198
NASA-CASE-XLE-00243 ..... c14 N70-38602

NASA-CASE-XLE-00252 ..... c11 N70-34844
NASA-CASE-XLE-00266 ..... c14 N70-34156
NASA-CASE-XLE-00267 ..... c28 N70-33356
NASA-CASE-XLE-00283 ..... c17 N70-36616
NASA-CASE-XLE-00288 ..... c15 N70-34247
NASA-CASE-XLE-00298 ..... c22 N70-34501
NASA-CASE-XLE-00301 ..... c14 N70-36808
NASA-CASE-XLE-00303 ..... c15 N70-36535
NASA-CASE-XLE-00321 ..... c22 N70-34572
NASA-CASE-XLE-00323 ..... c28 N70-38505
NASA-CASE-XLE-00335 ..... c14 N70-35368
NASA-CASE-XLE-00342 ..... c28 N70-37980
NASA-CASE-XLE-00345 ..... c15 N70-38020
NASA-CASE-XLE-00353 ..... c18 N70-39897
NASA-CASE-XLE-00376 ..... c28 N70-37245
NASA-CASE-XLE-00387 ..... c33 N70-34812
NASA-CASE-XLE-00388 ..... c28 N70-34788
NASA-CASE-XLE-00397 ..... c15 N70-36492
NASA-CASE-XLE-00409 ..... c28 N71-15658
NASA-CASE-XLE-00454 ..... c23 N71-17802
NASA-CASE-XLE-00455 ..... c28 N70-38197
NASA-CASE-XLE-00490 ..... c33 N70-34545
NASA-CASE-XLE-00503 ..... c14 N70-34818
NASA-CASE-XLE-00519 ..... c28 N70-41576
NASA-CASE-XLE-00586 ..... c15 N71-15968
NASA-CASE-XLE-00620 ..... c32 N70-41579
NASA-CASE-XLE-00660 ..... c28 N70-39925
NASA-CASE-XLE-00685 ..... c28 N70-41992
NASA-CASE-XLE-00688 ..... c14 N70-41330
NASA-CASE-XLE-00690 ..... c25 N69-39884
NASA-CASE-XLE-00702 ..... c14 N70-40203
NASA-CASE-XLE-00703 ..... c15 N71-15967
NASA-CASE-XLE-00715 ..... c15 N70-34859
NASA-CASE-XLE-00720 ..... c14 N70-40201
NASA-CASE-XLE-00724 ..... c14 N70-34669
NASA-CASE-XLE-00726 ..... c17 N71-15644
NASA-CASE-XLE-00785 ..... c33 N71-16104
NASA-CASE-XLE-00787 ..... c14 N71-21090
NASA-CASE-XLE-00808 ..... c24 N71-10560
NASA-CASE-XLE-00810 ..... c15 N70-34861
NASA-CASE-XLE-00815 ..... c15 N70-35407
NASA-CASE-XLE-00817 ..... c28 N70-33265
NASA-CASE-XLE-00818 ..... c22 N70-34248
NASA-CASE-XLE-00820 ..... c14 N71-16014
NASA-CASE-XLE-00821 ..... c25 N71-15650
NASA-CASE-XLE-00953 ..... c15 N71-15966
NASA-CASE-XLE-01015 ..... c03 N69-39898
NASA-CASE-XLE-01092 ..... c15 N71-22797
NASA-CASE-XLE-01124 ..... c28 N71-14043
NASA-CASE-XLE-01182 ..... c27 N71-15635
NASA-CASE-XLE-01246 ..... c14 N71-10797
NASA-CASE-XLE-01300 ..... c15 N70-41993
NASA-CASE-XLE-01399 ..... c33 N71-15625
NASA-CASE-XLE-01449 ..... c15 N70-41646
NASA-CASE-XLE-01481 ..... c14 N71-10781
NASA-CASE-XLE-01512 ..... c12 N70-40124
NASA-CASE-XLE-01533 ..... c11 N71-10777
NASA-CASE-XLE-01604-2 ..... c15 N71-15610
NASA-CASE-XLE-01609 ..... c14 N71-10500
NASA-CASE-XLE-01640 ..... c31 N71-15637
NASA-CASE-XLE-01645 ..... c03 N71-20904
NASA-CASE-XLE-01716 ..... c09 N70-40234
NASA-CASE-XLE-01765 ..... c18 N71-10772
NASA-CASE-XLE-01783 ..... c28 N70-34175
NASA-CASE-XLE-01902 ..... c28 N71-10574
NASA-CASE-XLE-01903 ..... c22 N71-23599
NASA-CASE-XLE-01988 ..... c27 N71-15634
NASA-CASE-XLE-01997 ..... c06 N71-23527
NASA-CASE-XLE-02008 ..... c09 N71-21583
NASA-CASE-XLE-02024 ..... c14 N71-22964
NASA-CASE-XLE-02038 ..... c09 N71-16086
NASA-CASE-XLE-02066 ..... c28 N71-15661
NASA-CASE-XLE-02082 ..... c17 N71-16026
NASA-CASE-XLE-02083 ..... c03 N69-39983
NASA-CASE-XLE-02428 ..... c17 N70-33288
NASA-CASE-XLE-02531 ..... c05 N71-23080
NASA-CASE-XLE-02578 ..... c25 N71-20747
NASA-CASE-XLE-02624 ..... c12 N69-39988
NASA-CASE-XLE-02647 ..... c18 N71-23658
NASA-CASE-XLE-02792 ..... c26 N71-10607
NASA-CASE-XLE-02798 ..... c26 N71-23654
NASA-CASE-XLE-02823 ..... c09 N71-23443
NASA-CASE-XLE-02824 ..... c03 N69-39890
NASA-CASE-XLE-02902 ..... c25 N71-21694
NASA-CASE-XLE-02991 ..... c17 N71-16025
NASA-CASE-XLE-02998 ..... c14 N70-42074
NASA-CASE-XLE-02999 ..... c15 N71-16052
NASA-CASE-XLE-03061-1 ..... c10 N71-24798
NASA-CASE-XLE-03157 ..... c28 N71-24736
NASA-CASE-XLE-03280 ..... c14 N71-23093
NASA-CASE-XLE-03307 ..... c33 N71-14035
NASA-CASE-XLE-03432 ..... c33 N71-24145
NASA-CASE-XLE-03494 ..... c27 N71-21819
NASA-CASE-XLE-03512 ..... c12 N69-21466
NASA-CASE-XLE-03583 ..... c31 N71-17629
NASA-CASE-XLE-03629 ..... c17 N71-23248
NASA-CASE-XLE-03778 ..... c09 N69-21542
NASA-CASE-XLE-03803 ..... c15 N71-23816
NASA-CASE-XLE-03803-2 ..... c15 N71-17651
NASA-CASE-XLE-03804 ..... c10 N71-19471
NASA-CASE-XLE-03925 ..... c18 N71-22894
NASA-CASE-XLE-03940 ..... c18 N71-26153
NASA-CASE-XLE-03940-2 ..... c17 N72-28536
NASA-CASE-XLE-04026 ..... c14 N71-23267
NASA-CASE-XLE-04222 ..... c23 N71-22881
NASA-CASE-XLE-04250 ..... c09 N71-20446
NASA-CASE-XLE-04501 ..... c09 N71-23190
NASA-CASE-XLE-04503 ..... c14 N71-24864
NASA-CASE-XLE-04526 ..... c03 N71-11052
NASA-CASE-XLE-04535 ..... c03 N71-23354
NASA-CASE-XLE-04599 ..... c22 N72-20597
NASA-CASE-XLE-04603 ..... c33 N71-21507
NASA-CASE-XLE-04677 ..... c15 N71-10577
NASA-CASE-XLE-04767 ..... c03 N71-20492
NASA-CASE-XLE-04788 ..... c09 N71-22987
NASA-CASE-XLE-04791 ..... c32 N70-22096
NASA-CASE-XLE-04857 ..... c28 N71-23968
NASA-CASE-XLE-04946 ..... c17 N71-24911
NASA-CASE-XLE-05033 ..... c15 N71-23810
NASA-CASE-XLE-05079 ..... c15 N71-17652
NASA-CASE-XLE-05130 ..... c15 N69-21362
NASA-CASE-XLE-05130-2 ..... c15 N71-19570
NASA-CASE-XLE-05230 ..... c14 N72-27410
NASA-CASE-XLE-05230-2 ..... c14 N73-13417
NASA-CASE-XLE-05260 ..... c14 N71-20429
NASA-CASE-XLE-05641-1 ..... c15 N71-26346
NASA-CASE-XLE-05689 ..... c28 N71-15659
NASA-CASE-XLE-05913 ..... c33 N71-14032
NASA-CASE-XLE-06461 ..... c17 N72-22530
NASA-CASE-XLE-06461-2 ..... c17 N72-28535
NASA-CASE-XLE-06773 ..... c15 N71-23817
NASA-CASE-XLE-06774-2 ..... c06 N72-25150
NASA-CASE-XLE-06969 ..... c17 N71-24142
NASA-CASE-XLE-07087 ..... c06 N69-39889
NASA-CASE-XLE-08511 ..... c18 N71-23710
NASA-CASE-XLE-08511-2 ..... c18 N71-16105
NASA-CASE-XLE-08569 ..... c03 N71-23449
NASA-CASE-XLE-08569-2 ..... c03 N71-24681
NASA-CASE-XLE-08917 ..... c15 N71-15597
NASA-CASE-XLE-08917-2 ..... c15 N71-24836
NASA-CASE-XLE-09341 ..... c12 N71-28741
NASA-CASE-XLE-09475-1 ..... c33 N71-15568
NASA-CASE-XLE-09527 ..... c15 N71-17688
NASA-CASE-XLE-09527-2 ..... c15 N71-26189
NASA-CASE-XLE-10326-2 ..... c15 N72-29488
NASA-CASE-XLE-10326-4 ..... c37 N74-15125
NASA-CASE-XLE-10337 ..... c15 N71-24046
NASA-CASE-XLE-10453-2 ..... c28 N73-27699
NASA-CASE-XLE-10466 ..... c17 N69-25147
NASA-CASE-XLE-10529 ..... c14 N69-23191
NASA-CASE-XLE-10715 ..... c26 N71-23292
NASA-CASE-XLE-10717 ..... c37 N75-29426
NASA-CASE-XLE-10910 ..... c18 N71-29040
NASA-CASE-XLE-103477-1 ..... c28 N71-20330

NASA-CASE-XMF-00148 ..... c28 N70-38710
NASA-CASE-XMF-00185 ..... c21 N70-34539
NASA-CASE-XMF-00324 ..... c09 N70-34596
NASA-CASE-XMF-00339 ..... c15 N70-39896
NASA-CASE-XMF-00341 ..... c15 N70-33323
NASA-CASE-XMF-00369 ..... c09 N70-36494
NASA-CASE-XMF-00375 ..... c15 N70-34249
NASA-CASE-XMF-00389 ..... c31 N70-34176
NASA-CASE-XMF-00392 ..... c15 N70-34814
NASA-CASE-XMF-00411 ..... c11 N70-36913
NASA-CASE-XMF-00421 ..... c09 N70-34502
NASA-CASE-XMF-00424 ..... c11 N70-38196
NASA-CASE-XMF-00437 ..... c07 N70-40202
NASA-CASE-XMF-00442 ..... c31 N71-10747
NASA-CASE-XMF-00447 ..... c14 N70-33179
NASA-CASE-XMF-00456 ..... c14 N70-34705
NASA-CASE-XMF-00462 ..... c14 N70-34298
NASA-CASE-XMF-00479 ..... c14 N70-34794
NASA-CASE-XMF-00480 ..... c14 N70-39898
NASA-CASE-XMF-00515 ..... c15 N70-34664
NASA-CASE-XMF-00517 ..... c03 N70-34157
NASA-CASE-XMF-00580 ..... c11 N70-35383
NASA-CASE-XMF-00640 ..... c15 N70-39924

NASA-CASE-XMF-00641 ..... c31 N70-36410
NASA-CASE-XMF-00658 ..... c12 N70-38997
NASA-CASE-XMF-00663 ..... c08 N71-18752
NASA-CASE-XMF-00684 ..... c21 N71-21688
NASA-CASE-XMF-00701 ..... c09 N70-40272
NASA-CASE-XMF-00722 ..... c15 N70-40204
NASA-CASE-XMF-00906 ..... c09 N70-41655
NASA-CASE-XMF-00908 ..... c14 N70-40238
NASA-CASE-XMF-00923 ..... c28 N70-36802
NASA-CASE-XMF-00968 ..... c28 N71-15660
NASA-CASE-XMF-01016 ..... c26 N71-17818
NASA-CASE-XMF-01030 ..... c18 N70-41583
NASA-CASE-XMF-01045 ..... c15 N70-40354
NASA-CASE-XMF-01049 ..... c15 N71-23049
NASA-CASE-XMF-01083 ..... c15 N71-22723
NASA-CASE-XMF-01096 ..... c10 N71-16030
NASA-CASE-XMF-01097 ..... c10 N71-16058
NASA-CASE-XMF-01099 ..... c14 N71-15969
NASA-CASE-XMF-01129 ..... c09 N70-38712
NASA-CASE-XMF-01160 ..... c07 N71-11298
NASA-CASE-XMF-01174 ..... c02 N70-41589
NASA-CASE-XMF-01371 ..... c15 N70-41829
NASA-CASE-XMF-01402 ..... c18 N71-21651
NASA-CASE-XMF-01452 ..... c15 N70-41371
NASA-CASE-XMF-01483 ..... c14 N69-27431
NASA-CASE-XMF-01543 ..... c31 N71-17730
NASA-CASE-XMF-01544 ..... c28 N70-34162
NASA-CASE-XMF-01598 ..... c21 N71-15583
NASA-CASE-XMF-01599 ..... c09 N71-20705
NASA-CASE-XMF-01667 ..... c15 N71-17647
NASA-CASE-XMF-01669 ..... c21 N71-23289
NASA-CASE-XMF-01730 ..... c15 N71-23050
NASA-CASE-XMF-01772 ..... c11 N70-41677
NASA-CASE-XMF-01779 ..... c12 N71-20815
NASA-CASE-XMF-01813 ..... c28 N70-41582
NASA-CASE-XMF-01887 ..... c15 N71-10617
NASA-CASE-XMF-01892 ..... c10 N71-22986
NASA-CASE-XMF-01899 ..... c31 N70-41948
NASA-CASE-XMF-01973 ..... c31 N70-41588
NASA-CASE-XMF-01974 ..... c14 N71-22752
NASA-CASE-XMF-02039 ..... c15 N71-15871
NASA-CASE-XMF-02107 ..... c15 N71-10809
NASA-CASE-XMF-02108 ..... c31 N70-36845
NASA-CASE-XMF-02221 ..... c18 N71-27170
NASA-CASE-XMF-02263 ..... c05 N70-10907
NASA-CASE-XMF-02303 ..... c17 N71-23828
NASA-CASE-XMF-02307 ..... c14 N71-10779
NASA-CASE-XMF-02330 ..... c15 N71-23798
NASA-CASE-XMF-02392 ..... c32 N71-24285
NASA-CASE-XMF-02433 ..... c14 N71-10616
NASA-CASE-XMF-02584 ..... c06 N71-20905
NASA-CASE-XMF-02786 ..... c17 N71-20743
NASA-CASE-XMF-02822 ..... c14 N70-41994
NASA-CASE-XMF-02853 ..... c31 N70-36654
NASA-CASE-XMF-02964 ..... c14 N71-17659
NASA-CASE-XMF-02966 ..... c10 N71-24863
NASA-CASE-XMF-03074 ..... c06 N71-24740
NASA-CASE-XMF-03169 ..... c31 N71-15675
NASA-CASE-XMF-03198 ..... c30 N70-40353
NASA-CASE-XMF-03212 ..... c15 N71-22721
NASA-CASE-XMF-03248 ..... c11 N71-10604
NASA-CASE-XMF-03287 ..... c15 N71-15607
NASA-CASE-XMF-03290 ..... c15 N71-23256
NASA-CASE-XMF-03498 ..... c15 N71-15986
NASA-CASE-XMF-03511 ..... c15 N71-22799
NASA-CASE-XMF-03753 ..... c15 N71-24833
NASA-CASE-XMF-03844-1 ..... c14 N71-26474
NASA-CASE-XMF-03856 ..... c31 N70-34159
NASA-CASE-XMF-03873 ..... c06 N69-39733
NASA-CASE-XMF-03934 ..... c09 N71-22985
NASA-CASE-XMF-03968 ..... c14 N71-27186
NASA-CASE-XMF-03988 ..... c15 N71-21403
NASA-CASE-XMF-04042 ..... c15 N71-23023
NASA-CASE-XMF-04132 ..... c15 N69-27502
NASA-CASE-XMF-04133 ..... c06 N71-20717
NASA-CASE-XMF-04134 ..... c14 N71-23755
NASA-CASE-XMF-04163 ..... c02 N71-23007
NASA-CASE-XMF-04208 ..... c33 N71-29051
NASA-CASE-XMF-04237 ..... c33 N71-16278
NASA-CASE-XMF-04238 ..... c09 N69-39734
NASA-CASE-XMF-04367 ..... c09 N71-23545
NASA-CASE-XMF-04415 ..... c14 N71-24693
NASA-CASE-XMF-04680 ..... c15 N71-19489
NASA-CASE-XMF-04709 ..... c15 N71-15609
NASA-CASE-XMF-04958-1 ..... c10 N71-26414
NASA-CASE-XMF-04966 ..... c14 N71-17658
NASA-CASE-XMF-05046 ..... c33 N71-28892
NASA-CASE-XMF-05114 ..... c15 N71-17650
NASA-CASE-XMF-05114-2 ..... c15 N71-26148
NASA-CASE-XMF-05114-3 ..... c15 N71-24865
NASA-CASE-XMF-05195 ..... c10 N71-24861
NASA-CASE-XMF-05224 ..... c14 N71-23726
NASA-CASE-XMF-05279 ..... c18 N71-16124
NASA-CASE-XMF-05344 ..... c31 N71-16345
NASA-CASE-XMF-05835 ..... c08 N71-12504
NASA-CASE-XMF-05843 ..... c03 N71-11055
NASA-CASE-XMF-05844 ..... c14 N71-17587
NASA-CASE-XMF-05868 ..... c26 N75-27125
NASA-CASE-XMF-05882 ..... c35 N75-27329
NASA-CASE-XMF-05941 ..... c31 N71-23912
NASA-CASE-XMF-05999 ..... c15 N71-29032
NASA-CASE-XMF-06053 ..... c26 N75-27126
NASA-CASE-XMF-06065 ..... c15 N71-20395
NASA-CASE-XMF-06092 ..... c07 N71-24612
NASA-CASE-XMF-06409 ..... c06 N71-23230
NASA-CASE-XMF-06515 ..... c14 N71-23227
NASA-CASE-XMF-06519 ..... c09 N71-12519
NASA-CASE-XMF-06531 ..... c14 N71-17575
NASA-CASE-XMF-06589 ..... c05 N71-23159
NASA-CASE-XMF-06617 ..... c09 N71-24843
NASA-CASE-XMF-06888 ..... c15 N71-24044
NASA-CASE-XMF-06892 ..... c09 N71-24805
NASA-CASE-XMF-06926 ..... c28 N71-22983
NASA-CASE-XMF-07069 ..... c15 N71-23815
NASA-CASE-XMF-07488 ..... c11 N71-18773
NASA-CASE-XMF-07587 ..... c15 N71-18701
NASA-CASE-XMF-07770-2 ..... c18 N71-26772
NASA-CASE-XMF-07808 ..... c15 N71-23812
NASA-CASE-XMF-08217 ..... c03 N71-23239
NASA-CASE-XMF-08522 ..... c15 N71-19486
NASA-CASE-XMF-08523 ..... c31 N71-20396
NASA-CASE-XMF-08651 ..... c06 N71-11236
NASA-CASE-XMF-08652 ..... c06 N71-11243
NASA-CASE-XMF-08655 ..... c06 N71-11239
NASA-CASE-XMF-08656 ..... c06 N71-11242
NASA-CASE-XMF-08665 ..... c10 N71-19467
NASA-CASE-XMF-08674 ..... c06 N71-28807
NASA-CASE-XMF-08804 ..... c09 N71-24717
NASA-CASE-XMF-09422 ..... c07 N71-19436
NASA-CASE-XMF-09902 ..... c15 N72-11387
NASA-CASE-XMF-10040 ..... c15 N71-22877
NASA-CASE-XMF-10289 ..... c14 N71-23699
NASA-CASE-XMF-10753 ..... c06 N71-11237
NASA-CASE-XMF-10968 ..... c14 N71-24234
NASA-CASE-XMF-14032 ..... c20 N71-16340
NASA-CASE-XMF-14301 ..... c09 N71-23188

NASA-CASE-XMS-00259 ..... c18 N70-36400
NASA-CASE-XMS-00370 ..... c17 N71-20941
NASA-CASE-XMS-00486 ..... c33 N70-33344
NASA-CASE-XMS-00583 ..... c28 N70-38504
NASA-CASE-XMS-00784 ..... c05 N71-12335
NASA-CASE-XMS-00864 ..... c05 N70-36493
NASA-CASE-XMS-00893 ..... c07 N70-40063
NASA-CASE-XMS-00907 ..... c02 N70-41630
NASA-CASE-XMS-00913 ..... c10 N71-23543
NASA-CASE-XMS-00945 ..... c09 N71-10798
NASA-CASE-XMS-01108 ..... c15 N69-24322
NASA-CASE-XMS-01115 ..... c05 N70-39922
NASA-CASE-XMS-01177 ..... c05 N71-19440
NASA-CASE-XMS-01240 ..... c05 N70-35152
NASA-CASE-XMS-01315 ..... c09 N70-41675
NASA-CASE-XMS-01330 ..... c37 N75-27376
NASA-CASE-XMS-01445 ..... c12 N71-16031
NASA-CASE-XMS-01492 ..... c05 N70-41297
NASA-CASE-XMS-01546 ..... c14 N70-40233
NASA-CASE-XMS-01554 ..... c10 N71-10578
NASA-CASE-XMS-01615 ..... c05 N70-41329
NASA-CASE-XMS-01618 ..... c14 N71-20741
NASA-CASE-XMS-01620 ..... c23 N71-15673
NASA-CASE-XMS-01624 ..... c15 N70-40062
NASA-CASE-XMS-01625 ..... c15 N71-23022
NASA-CASE-XMS-01816 ..... c33 N71-15623
NASA-CASE-XMS-01905 ..... c12 N71-21089
NASA-CASE-XMS-01906 ..... c31 N70-41373
NASA-CASE-XMS-01991 ..... c09 N71-21449
NASA-CASE-XMS-01994-1 ..... c14 N72-17326
NASA-CASE-XMS-02009 ..... c33 N71-20834
NASA-CASE-XMS-02063 ..... c03 N71-29044
NASA-CASE-XMS-02087 ..... c09 N70-41717
NASA-CASE-XMS-02159 ..... c10 N71-22961
NASA-CASE-XMS-02182 ..... c10 N71-28783
NASA-CASE-XMS-02184 ..... c15 N71-20813
NASA-CASE-XMS-02383 ..... c15 N71-15918
NASA-CASE-XMS-02399 ..... c05 N71-22896
NASA-CASE-XMS-02532 ..... c15 N70-41808
NASA-CASE-XMS-02677 ..... c31 N70-42075
NASA-CASE-XMS-02740 ..... c33 N75-27249

NASA-CASE-XMS-02872 ..... c05 N69-21925
NASA-CASE-XMS-02930 ..... c11 N71-23042
NASA-CASE-XMS-02952 ..... c18 N71-20742
NASA-CASE-XMS-02977 ..... c11 N71-10746
NASA-CASE-XMS-03252 ..... c15 N71-10658
NASA-CASE-XMS-03371 ..... c05 N70-42000
NASA-CASE-XMS-03454 ..... c09 N71-20658
NASA-CASE-XMS-03478 ..... c14 N71-21040
NASA-CASE-XMS-03537 ..... c15 N69-21471
NASA-CASE-XMS-03542 ..... c09 N71-28926
NASA-CASE-XMS-03613 ..... c31 N71-16346
NASA-CASE-XMS-03700 ..... c15 N69-24266
NASA-CASE-XMS-03722 ..... c15 N71-21530
NASA-CASE-XMS-03745 ..... c15 N71-21076
NASA-CASE-XMS-03792 ..... c14 N70-41812
NASA-CASE-XMS-04061-1 ..... c09 N69-39885
NASA-CASE-XMS-04072 ..... c15 N70-42017
NASA-CASE-XMS-04142 ..... c31 N70-41631
NASA-CASE-XMS-04170 ..... c05 N71-22748
NASA-CASE-XMS-04178 ..... c15 N71-22798
NASA-CASE-XMS-04201 ..... c14 N71-22990
NASA-CASE-XMS-04212-1 ..... c05 N71-12346
NASA-CASE-XMS-04213-1 ..... c09 N71-26002
NASA-CASE-XMS-04215-1 ..... c09 N69-39987
NASA-CASE-XMS-04268 ..... c33 N71-16277
NASA-CASE-XMS-04269 ..... c16 N71-22895
NASA-CASE-XMS-04292 ..... c15 N71-22722
NASA-CASE-XMS-04300 ..... c09 N71-19479
NASA-CASE-XMS-04312 ..... c07 N71-22984
NASA-CASE-XMS-04318 ..... c15 N69-27871
NASA-CASE-XMS-04390 ..... c31 N70-41871
NASA-CASE-XMS-04533 ..... c15 N71-23086
NASA-CASE-XMS-04545 ..... c15 N71-22878
NASA-CASE-XMS-04625 ..... c05 N71-20718
NASA-CASE-XMS-04798 ..... c11 N71-21474
NASA-CASE-XMS-04826 ..... c28 N71-28849
NASA-CASE-XMS-04843 ..... c03 N69-21469
NASA-CASE-XMS-04890-1 ..... c15 N70-22192
NASA-CASE-XMS-04917 ..... c14 N69-24257
NASA-CASE-XMS-04919 ..... c09 N71-23270
NASA-CASE-XMS-04935 ..... c05 N71-11190
NASA-CASE-XMS-05303 ..... c07 N69-27462
NASA-CASE-XMS-05304 ..... c05 N71-12336
NASA-CASE-XMS-05307 ..... c09 N69-24330
NASA-CASE-XMS-05365 ..... c14 N71-22993
NASA-CASE-XMS-05454-1 ..... c07 N71-12391
NASA-CASE-XMS-05516 ..... c15 N71-17803
NASA-CASE-XMS-05562-1 ..... c09 N69-39986
NASA-CASE-XMS-05605-1 ..... c10 N71-19468
NASA-CASE-XMS-05731 ..... c35 N75-29382
NASA-CASE-XMS-05890 ..... c09 N71-23191
NASA-CASE-XMS-05894-1 ..... c15 N69-21924
NASA-CASE-XMS-05909-1 ..... c14 N69-27459
NASA-CASE-XMS-05936 ..... c14 N70-41682
NASA-CASE-XMS-06056-1 ..... c23 N71-24857
NASA-CASE-XMS-06061 ..... c05 N71-23317
NASA-CASE-XMS-06064 ..... c05 N71-23096
NASA-CASE-XMS-06162 ..... c31 N71-28851
NASA-CASE-XMS-06236 ..... c14 N71-21007
NASA-CASE-XMS-06329-1 ..... c15 N71-20481
NASA-CASE-XMS-06497 ..... c14 N71-26244
NASA-CASE-XMS-06740-1 ..... c07 N71-26579
NASA-CASE-XMS-06761 ..... c05 N69-23192
NASA-CASE-XMS-06767-1 ..... c14 N71-20435
NASA-CASE-XMS-06782 ..... c32 N71-15974
NASA-CASE-XMS-06876 ..... c15 N71-21536
NASA-CASE-XMS-06949 ..... c09 N69-21467
NASA-CASE-XMS-07168 ..... c07 N71-11300
NASA-CASE-XMS-07487 ..... c15 N71-23255
NASA-CASE-XMS-07846-1 ..... c09 N69-21927
NASA-CASE-XMS-08589-1 ..... c09 N71-20569
NASA-CASE-XMS-09310 ..... c15 N71-22706
NASA-CASE-XMS-09352 ..... c09 N71-23316
NASA-CASE-XMS-09571 ..... c05 N71-19439
NASA-CASE-XMS-09610 ..... c07 N71-24625
NASA-CASE-XMS-09632-1 ..... c05 N71-11203
NASA-CASE-XMS-09635 ..... c05 N71-24623
NASA-CASE-XMS-09636 ..... c05 N71-12344
NASA-CASE-XMS-09637-1 ..... c05 N71-24730
NASA-CASE-XMS-09652-1 ..... c05 N71-26333
NASA-CASE-XMS-09690 ..... c33 N72-25913
NASA-CASE-XMS-09691-1 ..... c18 N71-15545
NASA-CASE-XMS-10269 ..... c05 N71-24147
NASA-CASE-XMS-10660-1 ..... c15 N71-25975
NASA-CASE-XMS-10984-1 ..... c10 N71-19417
NASA-CASE-XMS-10993 ..... c15 N71-28936
NASA-CASE-XMS-12158-1 ..... c31 N69-27499
NASA-CASE-XMS-13052 ..... c14 N71-20427

NASA-CASE-XNP-00214 ..... c15 N70-36908
NASA-CASE-XNP-00217 ..... c28 N70-38181
NASA-CASE-XNP-00234 ..... c28 N70-38645
NASA-CASE-XNP-00249 ..... c28 N70-38249
NASA-CASE-XNP-00250 ..... c11 N71-28779
NASA-CASE-XNP-00294 ..... c21 N70-36938
NASA-CASE-XNP-00384 ..... c09 N71-13530
NASA-CASE-XNP-00416 ..... c15 N70-36947
NASA-CASE-XNP-00425 ..... c11 N70-38202
NASA-CASE-XNP-00431 ..... c09 N70-38998
NASA-CASE-XNP-00432 ..... c08 N70-35423
NASA-CASE-XNP-00438 ..... c21 N70-35089
NASA-CASE-XNP-00449 ..... c14 N70-35220
NASA-CASE-XNP-00450 ..... c15 N70-38603
NASA-CASE-XNP-00459 ..... c11 N70-38675
NASA-CASE-XNP-00463 ..... c33 N70-36847
NASA-CASE-XNP-00465 ..... c21 N70-35395
NASA-CASE-XNP-00476 ..... c15 N70-38620
NASA-CASE-XNP-00477 ..... c08 N73-28045
NASA-CASE-XNP-00540 ..... c09 N70-35382
NASA-CASE-XNP-00595 ..... c15 N70-34967
NASA-CASE-XNP-00597 ..... c18 N71-23088
NASA-CASE-XNP-00610 ..... c28 N70-36910
NASA-CASE-XNP-00611 ..... c09 N70-35219
NASA-CASE-XNP-00612 ..... c11 N70-38182
NASA-CASE-XNP-00614 ..... c14 N70-36907
NASA-CASE-XNP-00637 ..... c14 N70-40273
NASA-CASE-XNP-00644 ..... c03 N70-36803
NASA-CASE-XNP-00646 ..... c14 N70-35666
NASA-CASE-XNP-00650 ..... c27 N71-28929
NASA-CASE-XNP-00676 ..... c15 N70-38996
NASA-CASE-XNP-00683 ..... c09 N70-35425
NASA-CASE-XNP-00708 ..... c14 N70-35394
NASA-CASE-XNP-00710 ..... c15 N71-10778
NASA-CASE-XNP-00732 ..... c28 N70-41447
NASA-CASE-XNP-00733 ..... c06 N70-34946
NASA-CASE-XNP-00738 ..... c09 N70-38201
NASA-CASE-XNP-00745 ..... c10 N71-28960
NASA-CASE-XNP-00746 ..... c07 N71-21476
NASA-CASE-XNP-00748 ..... c07 N70-36911
NASA-CASE-XNP-00777 ..... c10 N71-19469
NASA-CASE-XNP-00816 ..... c28 N71-28928
NASA-CASE-XNP-00826 ..... c03 N71-20895
NASA-CASE-XNP-00840 ..... c15 N70-38225
NASA-CASE-XNP-00876 ..... c28 N70-41311
NASA-CASE-XNP-00911 ..... c08 N70-41961
NASA-CASE-XNP-00920 ..... c15 N71-15906
NASA-CASE-XNP-00952 ..... c10 N71-23271
NASA-CASE-XNP-01012 ..... c08 N71-28925
NASA-CASE-XNP-01020 ..... c03 N71-12260
NASA-CASE-XNP-01056 ..... c14 N71-23041
NASA-CASE-XNP-01057 ..... c07 N71-15907
NASA-CASE-XNP-01058 ..... c09 N71-12540
NASA-CASE-XNP-01059 ..... c23 N71-21821
NASA-CASE-XNP-01068 ..... c10 N71-28739
NASA-CASE-XNP-01104 ..... c28 N70-39931
NASA-CASE-XNP-01107 ..... c10 N71-28859
NASA-CASE-XNP-01152 ..... c15 N70-41811
NASA-CASE-XNP-01153 ..... c32 N71-17645
NASA-CASE-XNP-01185 ..... c26 N73-28710
NASA-CASE-XNP-01187 ..... c15 N73-28516
NASA-CASE-XNP-01188 ..... c15 N73-32361
NASA-CASE-XNP-01193 ..... c10 N71-16057
NASA-CASE-XNP-01263-2 ..... c15 N71-26312
NASA-CASE-XNP-01296 ..... c33 N75-27250
NASA-CASE-XNP-01306 ..... c07 N71-20814
NASA-CASE-XNP-01306-2 ..... c09 N71-24596
NASA-CASE-XNP-01307 ..... c21 N70-41856
NASA-CASE-XNP-01310 ..... c33 N71-28852
NASA-CASE-XNP-01311 ..... c26 N75-29236
NASA-CASE-XNP-01318 ..... c10 N71-23033
NASA-CASE-XNP-01328 ..... c26 N71-18064
NASA-CASE-XNP-01383 ..... c09 N71-10659
NASA-CASE-XNP-01390 ..... c28 N70-41275
NASA-CASE-XNP-01412 ..... c15 N70-42034
NASA-CASE-XNP-01464 ..... c03 N71-10728
NASA-CASE-XNP-01466 ..... c10 N71-26434
NASA-CASE-XNP-01472 ..... c14 N70-41807
NASA-CASE-XNP-01501 ..... c21 N70-41930
NASA-CASE-XNP-01567 ..... c15 N70-41310
NASA-CASE-XNP-01641 ..... c15 N71-22997
NASA-CASE-XNP-01659 ..... c14 N71-23039
NASA-CASE-XNP-01660 ..... c14 N71-23036
NASA-CASE-XNP-01735 ..... c07 N71-22750
NASA-CASE-XNP-01747 ..... c15 N71-23024
NASA-CASE-XNP-01749 ..... c27 N70-41897
NASA-CASE-XNP-01753 ..... c08 N71-22897
NASA-CASE-XNP-01848 ..... c15 N71-28959

NASA-CASE-XNP-01855 ..... c15 N71-28937
NASA-CASE-XNP-01951 ..... c09 N70-41929
NASA-CASE-XNP-01954 ..... c28 N71-28850
NASA-CASE-XNP-01959 ..... c26 N71-23043
NASA-CASE-XNP-01960 ..... c09 N71-23027
NASA-CASE-XNP-01961 ..... c26 N71-29156
NASA-CASE-XNP-01962 ..... c32 N70-41370
NASA-CASE-XNP-02029 ..... c14 N70-41955
NASA-CASE-XNP-02092 ..... c15 N70-42033
NASA-CASE-XNP-02139 ..... c18 N71-24184
NASA-CASE-XNP-02140 ..... c09 N71-23097
NASA-CASE-XNP-02251 ..... c12 N71-20896
NASA-CASE-XNP-02278 ..... c15 N71-28951
NASA-CASE-XNP-02340 ..... c23 N69-24332
NASA-CASE-XNP-02341 ..... c15 N71-21531
NASA-CASE-XNP-02389 ..... c07 N71-28900
NASA-CASE-XNP-02500 ..... c18 N71-27397
NASA-CASE-XNP-02507 ..... c31 N71-17679
NASA-CASE-XNP-02588 ..... c15 N71-18613
NASA-CASE-XNP-02597 ..... c24 N71-20518
NASA-CASE-XNP-02595 ..... c31 N71-21881
NASA-CASE-XNP-02654 ..... c10 N70-42032
NASA-CASE-XNP-02713 ..... c10 N69-39888
NASA-CASE-XNP-02723 ..... c07 N70-41680
NASA-CASE-XNP-02748 ..... c08 N71-22749
NASA-CASE-XNP-02778 ..... c08 N71-22710
NASA-CASE-XNP-02791 ..... c07 N71-23026
NASA-CASE-XNP-02792 ..... c14 N71-28958
NASA-CASE-XNP-02839 ..... c28 N70-41922
NASA-CASE-XNP-02862-1 ..... c15 N71-26294
NASA-CASE-XNP-02888 ..... c18 N71-21068
NASA-CASE-XNP-02923 ..... c28 N71-23081
NASA-CASE-XNP-02982 ..... c31 N70-41855
NASA-CASE-XNP-02983 ..... c14 N71-21091
NASA-CASE-XNP-03063 ..... c17 N71-23365
NASA-CASE-XNP-03128 ..... c10 N70-41991
NASA-CASE-XNP-03134 ..... c07 N71-10676
NASA-CASE-XNP-03250 ..... c06 N71-23500
NASA-CASE-XNP-03263 ..... c09 N71-18843
NASA-CASE-XNP-03282 ..... c28 N72-20758
NASA-CASE-XNP-03332 ..... c09 N71-10618
NASA-CASE-XNP-03378 ..... c03 N71-11051
NASA-CASE-XNP-03413 ..... c03 N71-26726
NASA-CASE-XNP-03459 ..... c15 N71-21078
NASA-CASE-XNP-03459-2 ..... c18 N71-15688
NASA-CASE-XNP-03578 ..... c11 N71-23030
NASA-CASE-XNP-03623 ..... c09 N73-28084
NASA-CASE-XNP-03637 ..... c15 N71-21311
NASA-CASE-XNP-03692 ..... c28 N71-24321
NASA-CASE-XNP-03744 ..... c10 N71-20448
NASA-CASE-XNP-03796 ..... c23 N71-15467
NASA-CASE-XNP-03835 ..... c06 N71-23499
NASA-CASE-XNP-03853 ..... c23 N71-21882
NASA-CASE-XNP-03878 ..... c26 N75-27127
NASA-CASE-XNP-03914 ..... c21 N71-10771
NASA-CASE-XNP-03916 ..... c09 N71-28810
NASA-CASE-XNP-03918 ..... c14 N71-23087
NASA-CASE-XNP-03930 ..... c14 N69-24331
NASA-CASE-XNP-03972 ..... c15 N71-23048
NASA-CASE-XNP-04023 ..... c06 N71-28808
NASA-CASE-XNP-04067 ..... c08 N71-22707
NASA-CASE-XNP-04111 ..... c14 N71-15622
NASA-CASE-XNP-04124 ..... c28 N71-21822
NASA-CASE-XNP-04148 ..... c17 N71-24830
NASA-CASE-XNP-04161 ..... c14 N71-15599
NASA-CASE-XNP-04162-1 ..... c08 N70-34675
NASA-CASE-XNP-04167-2 ..... c25 N72-24753
NASA-CASE-XNP-04167-3 ..... c36 N77-19416
NASA-CASE-XNP-04180 ..... c07 N69-39736
NASA-CASE-XNP-04183 ..... c09 N69-24329
NASA-CASE-XNP-04231 ..... c14 N73-32325
NASA-CASE-XNP-04262-2 ..... c17 N71-26773
NASA-CASE-XNP-04264 ..... c03 N69-21337
NASA-CASE-XNP-04338 ..... c17 N71-23046
NASA-CASE-XNP-04339 ..... c17 N71-29137
NASA-CASE-XNP-04389 ..... c28 N71-20942
NASA-CASE-XNP-04623 ..... c10 N71-26103
NASA-CASE-XNP-04731 ..... c15 N71-24042
NASA-CASE-XNP-04732 ..... c09 N71-20851
NASA-CASE-XNP-04758 ..... c03 N71-24605
NASA-CASE-XNP-04780 ..... c08 N71-19687
NASA-CASE-XNP-04816 ..... c06 N69-39936
NASA-CASE-XNP-04817 ..... c14 N71-23225
NASA-CASE-XNP-04819 ..... c08 N71-23295
NASA-CASE-XNP-04969 ..... c11 N69-27466
NASA-CASE-XNP-05082 ..... c15 N70-41960
NASA-CASE-XNP-05219 ..... c16 N71-15550
NASA-CASE-XNP-05231 ..... c14 N73-28491
NASA-CASE-XNP-05254 ..... c07 N71-20791

NASA-CASE-XNP-05297 ..... c15 N71-23811
NASA-CASE-XNP-05381 ..... c09 N71-20842
NASA-CASE-XNP-05382 ..... c10 N71-23544
NASA-CASE-XNP-05415 ..... c08 N71-12505
NASA-CASE-XNP-05429 ..... c26 N71-21824
NASA-CASE-XNP-05524 ..... c33 N71-24876
NASA-CASE-XNP-05530 ..... c14 N73-32321
NASA-CASE-XNP-05535 ..... c14 N71-23040
NASA-CASE-XNP-05612 ..... c09 N69-21468
NASA-CASE-XNP-05634 ..... c15 N71-24834
NASA-CASE-XNP-05821 ..... c03 N71-11056
NASA-CASE-XNP-05975 ..... c15 N69-23185
NASA-CASE-XNP-06028 ..... c09 N71-23189
NASA-CASE-XNP-06031 ..... c15 N71-15606
NASA-CASE-XNP-06032 ..... c09 N69-21926
NASA-CASE-XNP-06234 ..... c10 N71-27137
NASA-CASE-XNP-06503 ..... c23 N71-29049
NASA-CASE-XNP-06505 ..... c10 N71-24799
NASA-CASE-XNP-06506 ..... c03 N71-11050
NASA-CASE-XNP-06507 ..... c09 N71-23548
NASA-CASE-XNP-06508 ..... c18 N69-39895
NASA-CASE-XNP-06509 ..... c14 N71-23226
NASA-CASE-XNP-06510 ..... c14 N71-23797
NASA-CASE-XNP-06611 ..... c07 N71-26102
NASA-CASE-XNP-06914 ..... c15 N71-21489
NASA-CASE-XNP-06933 ..... c14 N73-32321
NASA-CASE-XNP-06936 ..... c15 N71-24695
NASA-CASE-XNP-06937 ..... c09 N71-19516
NASA-CASE-XNP-06942 ..... c28 N71-23293
NASA-CASE-XNP-06957 ..... c14 N71-21088
NASA-CASE-XNP-07040 ..... c08 N71-12500
NASA-CASE-XNP-07169 ..... c15 N73-32362
NASA-CASE-XNP-07477 ..... c09 N71-26092
NASA-CASE-XNP-07478 ..... c14 N69-21923
NASA-CASE-XNP-07481 ..... c25 N69-21929
NASA-CASE-XNP-07659 ..... c06 N71-22975
NASA-CASE-XNP-08124 ..... c15 N71-27184
NASA-CASE-XNP-08124-2 ..... c06 N73-13129
NASA-CASE-XNP-08274 ..... c10 N71-13537
NASA-CASE-XNP-08567 ..... c09 N71-26000
NASA-CASE-XNP-08680 ..... c14 N71-22995
NASA-CASE-XNP-08832 ..... c08 N71-12506
NASA-CASE-XNP-08836 ..... c09 N71-12515
NASA-CASE-XNP-08837 ..... c18 N71-16210
NASA-CASE-XNP-08840 ..... c23 N71-16365
NASA-CASE-XNP-08875 ..... c10 N71-23099
NASA-CASE-XNP-08876 ..... c17 N73-28573
NASA-CASE-XNP-08877 ..... c15 N71-23025
NASA-CASE-XNP-08880 ..... c09 N71-24808
NASA-CASE-XNP-08881 ..... c17 N71-28747
NASA-CASE-XNP-08882 ..... c15 N69-39935
NASA-CASE-XNP-08883 ..... c23 N71-16101
NASA-CASE-XNP-08897 ..... c15 N71-17694
NASA-CASE-XNP-08907 ..... c23 N71-29123
NASA-CASE-XNP-08961 ..... c14 N71-24809
NASA-CASE-XNP-09205 ..... c14 N71-17657
NASA-CASE-XNP-09225 ..... c09 N69-24333
NASA-CASE-XNP-09227 ..... c15 N69-24319
NASA-CASE-XNP-09228 ..... c09 N69-27500
NASA-CASE-XNP-09450 ..... c10 N71-18723
NASA-CASE-XNP-09451 ..... c06 N71-26754
NASA-CASE-XNP-09452 ..... c15 N69-27504
NASA-CASE-XNP-09453 ..... c08 N71-19420
NASA-CASE-XNP-09461 ..... c28 N72-23809
NASA-CASE-XNP-09462 ..... c14 N71-17584
NASA-CASE-XNP-09469 ..... c24 N71-25555
NASA-CASE-XNP-09572 ..... c14 N71-15621
NASA-CASE-XNP-09698 ..... c15 N71-18580
NASA-CASE-XNP-09699 ..... c06 N71-24607
NASA-CASE-XNP-09701 ..... c14 N71-26475
NASA-CASE-XNP-09702 ..... c15 N71-17654
NASA-CASE-XNP-09704 ..... c12 N71-18615
NASA-CASE-XNP-09744 ..... c27 N71-16392
NASA-CASE-XNP-09750 ..... c14 N69-39937
NASA-CASE-XNP-09752 ..... c14 N69-21541
NASA-CASE-XNP-09755 ..... c46 N74-23069
NASA-CASE-XNP-09759 ..... c08 N71-24891
NASA-CASE-XNP-09763 ..... c14 N71-20461
NASA-CASE-XNP-09768 ..... c09 N71-12516
NASA-CASE-XNP-09770 ..... c15 N71-20440
NASA-CASE-XNP-09770-2 ..... c15 N72-22483
NASA-CASE-XNP-09770-3 ..... c11 N71-27036
NASA-CASE-XNP-09771 ..... c09 N71-24841
NASA-CASE-XNP-09775 ..... c09 N71-20445
NASA-CASE-XNP-09776 ..... c09 N69-39929
NASA-CASE-XNP-09785 ..... c08 N69-21928
NASA-CASE-XNP-09802 ..... c33 N71-15641
NASA-CASE-XNP-09808 ..... c09 N71-12518
NASA-CASE-XNP-09830 ..... c07 N71-26102

NASA-CASE-XNP-09830 ..... c14 N71-26266
NASA-CASE-XNP-C9832 ..... c30 N71-23723
NASA-CASE-XNP-10007-1 ..... c46 N74-23068
NASA-CASE-XNP-10475 ..... c15 N71-24679
NASA-CASE-XNP-10830 ..... c07 N71-11281
NASA-CASE-XNP-10843 ..... c07 N71-11267
NASA-CASE-XNP-10854 ..... c10 N71-26331

US-PATENT-APPL-SN-1-881- c33 N77-22386
US-PATENT-APPL-SN-0914 ..... c28 N70-38711
US-PATENT-APPL-SN-2792 ..... c14 N70-33386
US-PATENT-APPL-SN-3151 ..... c05 N72-27102
US-PATENT-APPL-SN-3417 ..... c15 N72-22490
US-PATENT-APPL-SN-3418 ..... c15 N72-20446
US-PATENT-APPL-SN-3418 ..... c15 N73-19457
US-PATENT-APPL-SN-3654 ..... c35 N77-27367
US-PATENT-APPL-SN-3696 ..... c10 N72-20224
US-PATENT-APPL-SN-5114 ..... c06 N72-25150
US-PATENT-APPL-SN-6610 ..... c15 N72-22492
US-PATENT-APPL-SN-6615 ..... c03 N72-25019
US-PATENT-APPL-SN-6616 ..... c03 N72-22042
US-PATENT-APPL-SN-6617 ..... c15 N72-22488
US-PATENT-APPL-SN-7668 ..... c15 N71-26611
US-PATENT-APPL-SN-7669 ..... c31 N72-18859
US-PATENT-APPL-SN-7867 ..... c14 N72-17324
US-PATENT-APPL-SN-7868 ..... c10 N72-17173
US-PATENT-APPL-SN-8203 ..... c15 N70-33180
US-PATENT-APPL-SN-8204 ..... c31 N70-37981
US-PATENT-APPL-SN-8497 ..... c14 N72-11363
US-PATENT-APPL-SN-8498 ..... c05 N71-24729
US-PATENT-APPL-SN-8636 ..... c15 N72-25451
US-PATENT-APPL-SN-8650 ..... c03 N72-25021
US-PATENT-APPL-SN-9251 ..... c03 N70-34646
US-PATENT-APPL-SN-10161 ..... c33 N72-20915
US-PATENT-APPL-SN-10329 ..... c09 N72-25251
US-PATENT-APPL-SN-10812 ..... c28 N70-40367
US-PATENT-APPL-SN-10827 ..... c14 N72-28436
US-PATENT-APPL-SN-11220 ..... c14 N73-30389
US-PATENT-APPL-SN-11853 ..... c15 N71-28951
US-PATENT-APPL-SN-12661 ..... c14 N72-22437
US-PATENT-APPL-SN-13266 ..... c05 N72-23085
US-PATENT-APPL-SN-14488 ..... c09 N70-38995
US-PATENT-APPL-SN-15019 ..... c15 N72-17455
US-PATENT-APPL-SN-15020 ..... c14 N70-34697
US-PATENT-APPL-SN-15022 ..... c15 N72-21465
US-PATENT-APPL-SN-15023 ..... c15 N70-34699
US-PATENT-APPL-SN-15024 ..... c09 N72-21245
US-PATENT-APPL-SN-15025 ..... c03 N72-20033
US-PATENT-APPL-SN-15222 ..... c18 N72-25539
US-PATENT-APPL-SN-16808 ..... c14 N72-22445
US-PATENT-APPL-SN-17101 ..... c28 N72-18766
US-PATENT-APPL-SN-18427 ..... c09 N72-23172
US-PATENT-APPL-SN-18776 ..... c28 N70-33284
US-PATENT-APPL-SN-18780 ..... c12 N70-33305
US-PATENT-APPL-SN-18982 ..... c28 N72-11708
US-PATENT-APPL-SN-19572 ..... c35 N77-27368
US-PATENT-APPL-SN-19585 ..... c15 N72-25455
US-PATENT-APPL-SN-19971 ..... c09 N70-33312
US-PATENT-APPL-SN-20960 ..... c15 N72-17453
US-PATENT-APPL-SN-21263 ..... c01 N71-12217
US-PATENT-APPL-SN-21508 ..... c08 N72-20176
US-PATENT-APPL-SN-21644 ..... c05 N72-22092
US-PATENT-APPL-SN-21732 ..... c15 N70-26819
US-PATENT-APPL-SN-21906 ..... c09 N72-17157
US-PATENT-APPL-SN-22265 ..... c14 N72-21405
US-PATENT-APPL-SN-22320 ..... c14 N72-11365
US-PATENT-APPL-SN-23132 ..... c08 N72-22163
US-PATENT-APPL-SN-23532 ..... c07 N72-21117
US-PATENT-APPL-SN-24154 ..... c15 N70-35679
US-PATENT-APPL-SN-24154 ..... c15 N72-17450
US-PATENT-APPL-SN-24155 ..... c14 N73-26432
US-PATENT-APPL-SN-24224 ..... c09 N72-20200
US-PATENT-APPL-SN-25175 ..... c28 N70-39895
US-PATENT-APPL-SN-25487 ..... c08 N72-21197
US-PATENT-APPL-SN-25488 ..... c08 N72-25206
US-PATENT-APPL-SN-26375 ..... c02 N70-33286
US-PATENT-APPL-SN-26375 ..... c02 N70-34858
US-PATENT-APPL-SN-26573 ..... c31 N72-22874
US-PATENT-APPL-SN-27340 ..... c15 N72-20442
US-PATENT-APPL-SN-28175 ..... c21 N70-33279
US-PATENT-APPL-SN-28235 ..... c10 N72-17171
US-PATENT-APPL-SN-29917 ..... c15 N73-13465
US-PATENT-APPL-SN-29917 ..... c26 N74-10521
US-PATENT-APPL-SN-29917 ..... c37 N74-13179
US-PATENT-APPL-SN-29979 ..... c09 N75-15662

US-PATENT-APPL-SN-30498 ..... c37 N74-21063
US-PATENT-APPL-SN-31242 ..... c28 N70-33374
US-PATENT-APPL-SN-31702 ..... c16 N73-16536
US-PATENT-APPL-SN-31703 ..... c09 N72-21244
US-PATENT-APPL-SN-31885 ..... c10 N72-17172
US-PATENT-APPL-SN-32496 ..... c15 N70-37925
US-PATENT-APPL-SN-32664 ..... c11 N72-25287
US-PATENT-APPL-SN-32665 ..... c14 N72-22444
US-PATENT-APPL-SN-33159 ..... c10 N72-11256
US-PATENT-APPL-SN-33535 ..... c06 N72-17093
US-PATENT-APPL-SN-34989 ..... c36 N74-13205
US-PATENT-APPL-SN-36531 ..... c07 N72-25174
US-PATENT-APPL-SN-36534 ..... c21 N73-14692
US-PATENT-APPL-SN-36819 ..... c23 N72-22673
US-PATENT-APPL-SN-36926 ..... c28 N72-23810
US-PATENT-APPL-SN-37050 ..... c33 N74-26732
US-PATENT-APPL-SN-38262 ..... c28 N70-35422
US-PATENT-APPL-SN-38814 ..... c15 N72-11385
US-PATENT-APPL-SN-38816 ..... c70 N74-13436
US-PATENT-APPL-SN-39185 ..... c16 N72-25485
US-PATENT-APPL-SN-39342 ..... c09 N72-25252
US-PATENT-APPL-SN-39343 ..... c34 N74-18552
US-PATENT-APPL-SN-39344 ..... c14 N72-25409
US-PATENT-APPL-SN-39755 ..... c08 N72-21198
US-PATENT-APPL-SN-41345 ..... c09 N72-29172
US-PATENT-APPL-SN-41346 ..... c15 N72-24522
US-PATENT-APPL-SN-41347 ..... c09 N72-25256
US-PATENT-APPL-SN-41348 ..... c09 N72-23173
US-PATENT-APPL-SN-41404 ..... c03 N73-20039
US-PATENT-APPL-SN-41430 ..... c10 N72-20221
US-PATENT-APPL-SN-41431 ..... c37 N77-27400
US-PATENT-APPL-SN-41455 ..... c02 N70-33255
US-PATENT-APPL-SN-42022 ..... c15 N70-35409
US-PATENT-APPL-SN-43327 ..... c15 N72-26371
US-PATENT-APPL-SN-43883 ..... c18 N73-30532
US-PATENT-APPL-SN-43884 ..... c15 N72-25457
US-PATENT-APPL-SN-45053 ..... c33 N75-31330
US-PATENT-APPL-SN-45519 ..... c14 N72-25410
US-PATENT-APPL-SN-45549 ..... c27 N76-16228
US-PATENT-APPL-SN-47061 ..... c26 N72-25680
US-PATENT-APPL-SN-47062 ..... c15 N72-17451
US-PATENT-APPL-SN-47063 ..... c33 N72-25911
US-PATENT-APPL-SN-47063 ..... c33 N73-25952
US-PATENT-APPL-SN-47120 ..... c31 N70-33242
US-PATENT-APPL-SN-47121 ..... c09 N70-39915
US-PATENT-APPL-SN-47122 ..... c14 N70-34813
US-PATENT-APPL-SN-47123 ..... c15 N70-34817
US-PATENT-APPL-SN-47440 ..... c07 N73-20174
US-PATENT-APPL-SN-47441 ..... c09 N70-34559
US-PATENT-APPL-SN-47443 ..... c09 N72-17152
US-PATENT-APPL-SN-50206 ..... c07 N72-17109
US-PATENT-APPL-SN-50207 ..... c07 N72-20141
US-PATENT-APPL-SN-50208 ..... c14 N73-13418
US-PATENT-APPL-SN-50339 ..... c04 N72-33072
US-PATENT-APPL-SN-51317 ..... c14 N73-30389
US-PATENT-APPL-SN-51473 ..... c02 N70-33266
US-PATENT-APPL-SN-51477 ..... c14 N72-25412
US-PATENT-APPL-SN-53156 ..... c10 N71-28860
US-PATENT-APPL-SN-54270 ..... c07 N72-25173
US-PATENT-APPL-SN-54271 ..... c02 N73-19004
US-PATENT-APPL-SN-54540 ..... c15 N72-29488
US-PATENT-APPL-SN-54540 ..... c37 N74-15125
US-PATENT-APPL-SN-54552 ..... c27 N70-34783
US-PATENT-APPL-SN-54552 ..... c20 N77-17143
US-PATENT-APPL-SN-55333 ..... c10 N73-16206
US-PATENT-APPL-SN-55534 ..... c11 N72-25288
US-PATENT-APPL-SN-55535 ..... c14 N73-20474
US-PATENT-APPL-SN-55536 ..... c14 N72-29464
US-PATENT-APPL-SN-55537 ..... c18 N72-25540
US-PATENT-APPL-SN-55806 ..... c06 N72-31140
US-PATENT-APPL-SN-56791 ..... c10 N72-16172
US-PATENT-APPL-SN-57252 ..... c14 N72-25414
US-PATENT-APPL-SN-57253 ..... c18 N72-25541
US-PATENT-APPL-SN-57399 ..... c03 N72-20034
US-PATENT-APPL-SN-58147 ..... c28 N70-33356
US-PATENT-APPL-SN-59892 ..... c06 N73-30097
US-PATENT-APPL-SN-59892 ..... c15 N74-27360
US-PATENT-APPL-SN-59893 ..... c15 N72-25456
US-PATENT-APPL-SN-59894 ..... c23 N73-13662
US-PATENT-APPL-SN-59895 ..... c15 N72-20445
US-PATENT-APPL-SN-59956 ..... c14 N72-27411
US-PATENT-APPL-SN-59966 ..... c21 N72-25595
US-PATENT-APPL-SN-59968 ..... c15 N72-27484
US-PATENT-APPL-SN-59969 ..... c09 N72-25249
US-PATENT-APPL-SN-60276 ..... c22 N73-32528
US-PATENT-APPL-SN-60531 ..... c28 N70-37980
US-PATENT-APPL-SN-60536 ..... c02 N70-38009
US-PATENT-APPL-SN-60876 ..... c15 N72-27485
US-PATENT-APPL-SN-60881 ..... c32 N72-25877

US-PATENT-APPL-SN-60882 ..... C05 N73-32011
US-PATENT-APPL-SN-60883 ..... C10 N73-13235
US-PATENT-APPL-SN-60950 ..... C04 N73-27052
US-PATENT-APPL-SN-61329 ..... C31 N70-37986
US-PATENT-APPL-SN-61535 ..... C15 N72-25453
US-PATENT-APPL-SN-61854 ..... C12 N72-21310
US-PATENT-APPL-SN-61855 ..... C07 N72-33146
US-PATENT-APPL-SN-63144 ..... C16 N72-28521
US-PATENT-APPL-SN-63195 ..... C14 N72-27408
US-PATENT-APPL-SN-63383 ..... C08 N72-20177
US-PATENT-APPL-SN-63384 ..... C05 N72-22093
US-PATENT-APPL-SN-63532 ..... C08 N72-25209
US-PATENT-APPL-SN-63610 ..... C06 N72-25147
US-PATENT-APPL-SN-64224 ..... C17 N70-38490
US-PATENT-APPL-SN-64226 ..... C17 N70-38198
US-PATENT-APPL-SN-64391 ..... C31 N72-25842
US-PATENT-APPL-SN-64709 ..... C10 N72-28240
US-PATENT-APPL-SN-64723 ..... C07 N72-25170
US-PATENT-APPL-SN-65548 ..... C18 N70-39897
US-PATENT-APPL-SN-65840 ..... C10 N72-20225
US-PATENT-APPL-SN-66004 ..... C15 N72-25450
US-PATENT-APPL-SN-66206 ..... C11 N73-13257
US-PATENT-APPL-SN-67730 ..... C15 N73-13463
US-PATENT-APPL-SN-67815 ..... C28 N72-22771
US-PATENT-APPL-SN-68023 ..... C05 N72-33096
US-PATENT-APPL-SN-68024 ..... C17 N72-22535
US-PATENT-APPL-SN-69209 ..... C15 N72-21463
US-PATENT-APPL-SN-69488 ..... C23 N75-14834
US-PATENT-APPL-SN-70032 ..... C11 N73-12264
US-PATENT-APPL-SN-70967 ..... C07 N73-13149
US-PATENT-APPL-SN-70967 ..... C32 N74-10132
US-PATENT-APPL-SN-71047 ..... C09 N72-21247
US-PATENT-APPL-SN-71048 ..... C18 N73-12604
US-PATENT-APPL-SN-71366 ..... C17 N71-20941
US-PATENT-APPL-SN-72024 ..... C09 N73-12211
US-PATENT-APPL-SN-73283 ..... C15 N72-28495
US-PATENT-APPL-SN-73310 ..... C09 N72-25247
US-PATENT-APPL-SN-73367 ..... C14 N71-15969
US-PATENT-APPL-SN-73422 ..... C15 N72-25454
US-PATENT-APPL-SN-73834 ..... C15 N72-23497
US-PATENT-APPL-SN-73922 ..... C14 N73-25461
US-PATENT-APPL-SN-73932 ..... C15 N72-22485
US-PATENT-APPL-SN-74759 ..... C14 N73-20478
US-PATENT-APPL-SN-74861 ..... C27 N72-25699
US-PATENT-APPL-SN-74862 ..... C27 N73-16764
US-PATENT-APPL-SN-75431 ..... C21 N72-31637
US-PATENT-APPL-SN-76899 ..... C09 N72-22201
US-PATENT-APPL-SN-77169 ..... C14 N72-21408
US-PATENT-APPL-SN-77220 ..... C14 N72-27409
US-PATENT-APPL-SN-77221 ..... C08 N72-25210
US-PATENT-APPL-SN-77251 ..... C25 N70-41628
US-PATENT-APPL-SN-77252 ..... C02 N70-37939
US-PATENT-APPL-SN-77256 ..... C15 N70-33323
US-PATENT-APPL-SN-77786 ..... C14 N72-27412
US-PATENT-APPL-SN-78065 ..... C08 N72-22162
US-PATENT-APPL-SN-78703 ..... C15 N73-20514
US-PATENT-APPL-SN-78704 ..... C05 N72-25121
US-PATENT-APPL-SN-78717 ..... C05 N73-13114
US-PATENT-APPL-SN-78766 ..... C05 N74-10907
US-PATENT-APPL-SN-80029 ..... C14 N73-32320
US-PATENT-APPL-SN-80029 ..... C74 N74-20008
US-PATENT-APPL-SN-80368 ..... C09 N73-20231
US-PATENT-APPL-SN-80369 ..... C09 N72-22198
US-PATENT-APPL-SN-81095 ..... C13 N72-25323
US-PATENT-APPL-SN-81096 ..... C14 N73-14427
US-PATENT-APPL-SN-82279 ..... C03 N76-32140
US-PATENT-APPL-SN-82280 ..... C09 N72-25262
US-PATENT-APPL-SN-82647 ..... C28 N72-22772
US-PATENT-APPL-SN-82648 ..... C12 N72-25292
US-PATENT-APPL-SN-82649 ..... C08 N73-30135
US-PATENT-APPL-SN-82658 ..... C30 N70-40309
US-PATENT-APPL-SN-83816 ..... C44 N74-14784
US-PATENT-APPL-SN-84002 ..... C08 N73-20217
US-PATENT-APPL-SN-84212 ..... C27 N74-17283
US-PATENT-APPL-SN-84289 ..... C15 N73-14469
US-PATENT-APPL-SN-84290 ..... C05 N73-20137
US-PATENT-APPL-SN-84961 ..... C02 N70-34178
US-PATENT-APPL-SN-84962 ..... C21 N70-36943
US-PATENT-APPL-SN-85585 ..... C21 N70-35427
US-PATENT-APPL-SN-86018 ..... C23 N71-30292
US-PATENT-APPL-SN-86417 ..... C07 N72-25171
US-PATENT-APPL-SN-86548 ..... C09 N72-21243
US-PATENT-APPL-SN-87222 ..... C05 N72-27103
US-PATENT-APPL-SN-87550 ..... C06 N72-25146
US-PATENT-APPL-SN-87551 ..... C33 N73-16918
US-PATENT-APPL-SN-87597 ..... C33 N74-22864
US-PATENT-APPL-SN-88435 ..... C35 N74-15090
US-PATENT-APPL-SN-89209 ..... C09 N72-25248
US-PATENT-APPL-SN-89210 ..... C07 N73-26119
US-PATENT-APPL-SN-89211 ..... C14 N73-12446
US-PATENT-APPL-SN-89212 ..... C08 N72-25208
US-PATENT-APPL-SN-90595 ..... C03 N72-20031
US-PATENT-APPL-SN-91180 ..... C14 N70-40240
US-PATENT-APPL-SN-91642 ..... C14 N72-31446
US-PATENT-APPL-SN-93329 ..... C09 N73-26195
US-PATENT-APPL-SN-94049 ..... C14 N73-20476
US-PATENT-APPL-SN-94259 ..... C27 N70-35534
US-PATENT-APPL-SN-94347 ..... C05 N72-25122
US-PATENT-APPL-SN-94369 ..... C07 N71-28965
US-PATENT-APPL-SN-94374 ..... C14 N72-25411
US-PATENT-APPL-SN-94952 ..... C14 N70-39158
US-PATENT-APPL-SN-95183 ..... C08 N73-12175
US-PATENT-APPL-SN-95189 ..... C74 N77-21941
US-PATENT-APPL-SN-97112 ..... C21 N70-34539
US-PATENT-APPL-SN-97343 ..... C10 N72-27246
US-PATENT-APPL-SN-97829 ..... C06 N73-13129
US-PATENT-APPL-SN-98517 ..... C09 N72-25250
US-PATENT-APPL-SN-98640 ..... C09 N72-25253
US-PATENT-APPL-SN-98772 ..... C08 N73-12176
US-PATENT-APPL-SN-98773 ..... C15 N72-22486
US-PATENT-APPL-SN-98774 ..... C14 N73-19419
US-PATENT-APPL-SN-98798 ..... C09 N73-13209
US-PATENT-APPL-SN-99174 ..... C14 N72-33377
US-PATENT-APPL-SN-99175 ..... C09 N72-25258
US-PATENT-APPL-SN-99198 ..... C31 N73-32749
US-PATENT-APPL-SN-99201 ..... C15 N73-25512
US-PATENT-APPL-SN-99201 ..... C37 N74-20063
US-PATENT-APPL-SN-99524 ..... C06 N72-27144
US-PATENT-APPL-SN-99901 ..... C37 N74-10474
US-PATENT-APPL-SN-99903 ..... C11 N73-12265
US-PATENT-APPL-SN-100637 ..... C37 N75-18574
US-PATENT-APPL-SN-100639 ..... C14 N72-32452
US-PATENT-APPL-SN-100774 ..... C06 N72-25151
US-PATENT-APPL-SN-100774 ..... C06 N73-32030
US-PATENT-APPL-SN-100996 ..... C08 N73-13187
US-PATENT-APPL-SN-101029 ..... C31 N70-38676
US-PATENT-APPL-SN-101214 ..... C14 N73-26430
US-PATENT-APPL-SN-101354 ..... C10 N73-16205
US-PATENT-APPL-SN-102412 ..... C25 N72-33696
US-PATENT-APPL-SN-103077 ..... C25 N72-32688
US-PATENT-APPL-SN-103078 ..... C15 N73-12486
US-PATENT-APPL-SN-103091 ..... C37 N74-23070
US-PATENT-APPL-SN-103229 ..... C14 N72-22439
US-PATENT-APPL-SN-103551 ..... C31 N73-14854
US-PATENT-APPL-SN-104047 ..... C15 N72-31483
US-PATENT-APPL-SN-104048 ..... C31 N73-14855
US-PATENT-APPL-SN-104187 ..... C14 N70-36618
US-PATENT-APPL-SN-104188 ..... C09 N70-34819
US-PATENT-APPL-SN-104346 ..... C14 N73-28488
US-PATENT-APPL-SN-104884 ..... C15 N72-33476
US-PATENT-APPL-SN-104885 ..... C14 N73-24472
US-PATENT-APPL-SN-104885 ..... C35 N76-15434
US-PATENT-APPL-SN-105518 ..... C23 N71-15978
US-PATENT-APPL-SN-106106 ..... C91 N74-13130
US-PATENT-APPL-SN-106135 ..... C28 N70-34294
US-PATENT-APPL-SN-106424 ..... C17 N73-24569
US-PATENT-APPL-SN-106465 ..... C30 N73-12884
US-PATENT-APPL-SN-107298 ..... C32 N73-13921
US-PATENT-APPL-SN-107376 ..... C15 N73-25513
US-PATENT-APPL-SN-107379 ..... C10 N72-33230
US-PATENT-APPL-SN-107380 ..... C28 N73-13773
US-PATENT-APPL-SN-107659 ..... C23 N73-20741
US-PATENT-APPL-SN-107866 ..... C17 N70-36616
US-PATENT-APPL-SN-107870 ..... C15 N70-36411
US-PATENT-APPL-SN-108824 ..... C31 N73-13898
US-PATENT-APPL-SN-109789 ..... C09 N70-34596
US-PATENT-APPL-SN-110402 ..... C09 N72-27226
US-PATENT-APPL-SN-110591 ..... C15 N70-39896
US-PATENT-APPL-SN-111123 ..... C18 N71-31140
US-PATENT-APPL-SN-111998 ..... C21 N73-30640
US-PATENT-APPL-SN-112988 ..... C07 N72-32169
US-PATENT-APPL-SN-112998 ..... C14 N73-12445
US-PATENT-APPL-SN-112999 ..... C23 N72-25619
US-PATENT-APPL-SN-114772 ..... C04 N76-26175
US-PATENT-APPL-SN-114846 ..... C14 N73-12444
US-PATENT-APPL-SN-114847 ..... C15 N72-28496
US-PATENT-APPL-SN-114848 ..... C11 N72-23215
US-PATENT-APPL-SN-114849 ..... C09 N72-27227
US-PATENT-APPL-SN-114873 ..... C09 N73-28083
US-PATENT-APPL-SN-115082 ..... C18 N73-13562
US-PATENT-APPL-SN-115083 ..... C07 N73-25160
US-PATENT-APPL-SN-115134 ..... C06 N73-13128
US-PATENT-APPL-SN-115944 ..... C03 N71-34044
US-PATENT-APPL-SN-116777 ..... C09 N73-19235
US-PATENT-APPL-SN-116778 ..... C09 N72-33205
US-PATENT-APPL-SN-116786 ..... C07 N72-25172
US-PATENT-APPL-SN-116790 ..... C14 N73-30388
US-PATENT-APPL-SN-117575 ..... C08 N73-12177

US-PATENT-APPL-SN-118169 ..... c14 N70-35220
US-PATENT-APPL-SN-118200 ..... c15 N70-34247
US-PATENT-APPL-SN-118202 ..... c28 N70-38710
US-PATENT-APPL-SN-118203 ..... c14 N70-38602
US-PATENT-APPL-SN-118269 ..... c33 N73-26958
US-PATENT-APPL-SN-118270 ..... c09 N72-25260
US-PATENT-APPL-SN-119282 ..... c03 N72-23048
US-PATENT-APPL-SN-120241 ..... c15 N73-24513
US-PATENT-APPL-SN-120795 ..... c07 N70-40202
US-PATENT-APPL-SN-120797 ..... c14 N70-36824
US-PATENT-APPL-SN-120803 ..... c08 N70-34743
US-PATENT-APPL-SN-121328 ..... c23 N72-11568
US-PATENT-APPL-SN-123253 ..... c10 N73-12244
US-PATENT-APPL-SN-123597 ..... c21 N70-34297
US-PATENT-APPL-SN-124909 ..... c14 N73-16483
US-PATENT-APPL-SN-125234 ..... c07 N73-16121
US-PATENT-APPL-SN-125235 ..... c51 N77-25769
US-PATENT-APPL-SN-125236 ..... c14 N73-26431
US-PATENT-APPL-SN-125979 ..... c09 N72-25255
US-PATENT-APPL-SN-127234 ..... c08 N70-35423
US-PATENT-APPL-SN-127480 ..... *c37 N75-26371*
US-PATENT-APPL-SN-127481 ..... c24 N75-28135
US-PATENT-APPL-SN-127618 ..... c02 N73-13008
US-PATENT-APPL-SN-127647 ..... c15 N73-27405
US-PATENT-APPL-SN-127915 ..... c02 N73-26004
US-PATENT-APPL-SN-127984 ..... c33 N75-27250
US-PATENT-APPL-SN-128419 ..... c14 N73-20477
US-PATENT-APPL-SN-129071 ..... c09 N72-25254
US-PATENT-APPL-SN-129072 ..... c15 N73-13467
US-PATENT-APPL-SN-129073 ..... c15 N73-13464
US-PATENT-APPL-SN-129579 ..... c28 N70-35381
US-PATENT-APPL-SN-130353 ..... c31 N73-14853
US-PATENT-APPL-SN-134478 ..... c22 N70-34572
US-PATENT-APPL-SN-134479 ..... c14 N70-33179
US-PATENT-APPL-SN-134481 ..... c11 N70-34815
US-PATENT-APPL-SN-134567 ..... c14 N73-16484
US-PATENT-APPL-SN-134568 ..... c06 N72-31141
US-PATENT-APPL-SN-134571 ..... c21 N73-13644
US-PATENT-APPL-SN-134573 ..... c09 N72-25257
US-PATENT-APPL-SN-134658 ..... c15 N73-28515
US-PATENT-APPL-SN-134782 ..... c09 N70-36494
US-PATENT-APPL-SN-136006 ..... c09 N72-28225
US-PATENT-APPL-SN-136007 ..... c09 N71-34212
US-PATENT-APPL-SN-136008 ..... c27 N74-13270
US-PATENT-APPL-SN-136085 ..... c17 N73-12547
US-PATENT-APPL-SN-136086 ..... c15 N73-19457
US-PATENT-APPL-SN-136253 ..... c27 N74-12814
US-PATENT-APPL-SN-137391 ..... c36 N75-31426
US-PATENT-APPL-SN-137912 ..... c06 N72-21105
US-PATENT-APPL-SN-138227 ..... c26 N72-27784
US-PATENT-APPL-SN-138229 ..... c15 N72-32487
US-PATENT-APPL-SN-138230 ..... *c32 N73-20740*
US-PATENT-APPL-SN-138540 ..... c14 N70-36808
US-PATENT-APPL-SN-139006 ..... c09 N70-38604
US-PATENT-APPL-SN-139007 ..... c28 N70-37245
US-PATENT-APPL-SN-139012 ..... c03 N70-38713
US-PATENT-APPL-SN-139094 ..... c05 N73-32011
US-PATENT-APPL-SN-139250 ..... c04 N73-27052
US-PATENT-APPL-SN-139528 ..... c03 N72-25020
US-PATENT-APPL-SN-139596 ..... c33 N77-13315
US-PATENT-APPL-SN-140439 ..... c33 N75-19518
US-PATENT-APPL-SN-140443 ..... c09 N70-35219
US-PATENT-APPL-SN-140509 ..... c09 N70-35382
US-PATENT-APPL-SN-140946 ..... c18 N73-26572
US-PATENT-APPL-SN-140946 ..... c27 N74-27037
US-PATENT-APPL-SN-141220 ..... c33 N70-37979
US-PATENT-APPL-SN-142662 ..... c23 N73-13661
US-PATENT-APPL-SN-142719 ..... c14 N73-14429
US-PATENT-APPL-SN-143078 ..... c08 N72-33172
US-PATENT-APPL-SN-143508 ..... c33 N74-12913
US-PATENT-APPL-SN-144139 ..... c11 N73-26238
US-PATENT-APPL-SN-144803 ..... c11 N70-34844
US-PATENT-APPL-SN-144804 ..... c14 N70-39898
US-PATENT-APPL-SN-145007 ..... c18 N70-36400
US-PATENT-APPL-SN-145026 ..... c06 N72-25152
US-PATENT-APPL-SN-145027 ..... c06 N73-32029
US-PATENT-APPL-SN-146935 ..... c14 N73-20475
US-PATENT-APPL-SN-146939 ..... c73 N75-30876
US-PATENT-APPL-SN-146940 ..... c05 N73-32014
US-PATENT-APPL-SN-147099 ..... c14 N73-13417
US-PATENT-APPL-SN-147103 ..... c10 N73-20253
US-PATENT-APPL-SN-147922 ..... c28 N73-19793
US-PATENT-APPL-SN-147940 ..... *c14 N72-10375*
US-PATENT-APPL-SN-147996 ..... c28 N73-24784
US-PATENT-APPL-SN-147997 ..... c15 N72-33477
US-PATENT-APPL-SN-148001 ..... c14 N70-34298
US-PATENT-APPL-SN-148756 ..... c15 N73-13466
US-PATENT-APPL-SN-149283 ..... c35 N74-17153
US-PATENT-APPL-SN-150215 ..... c33 N73-25952
US-PATENT-APPL-SN-151112 ..... c15 N70-34814
US-PATENT-APPL-SN-151114 ..... c31 N70-34176
US-PATENT-APPL-SN-151411 ..... c07 N73-26118
US-PATENT-APPL-SN-151412 ..... c09 N73-32112
US-PATENT-APPL-SN-151413 ..... c14 N73-12447
US-PATENT-APPL-SN-151598 ..... c03 N70-34134
US-PATENT-APPL-SN-152328 ..... c02 N74-20646
US-PATENT-APPL-SN-152849 ..... c15 N73-30457
US-PATENT-APPL-SN-153266 ..... c02 N70-38011
US-PATENT-APPL-SN-153542 ..... c28 N73-32606
US-PATENT-APPL-SN-153543 ..... c08 N73-26176
US-PATENT-APPL-SN-153624 ..... c37 N75-27376
US-PATENT-APPL-SN-154094 ..... c33 N72-27959
US-PATENT-APPL-SN-154930 ..... c44 N76-14600
US-PATENT-APPL-SN-154933 ..... c14 N73-25463
US-PATENT-APPL-SN-154935 ..... c11 N72-27262
US-PATENT-APPL-SN-155565 ..... c08 N73-25206
US-PATENT-APPL-SN-155584 ..... c09 N70-40123
US-PATENT-APPL-SN-155595 ..... c26 N73-28710
US-PATENT-APPL-SN-155596 ..... c15 N73-32361
US-PATENT-APPL-SN-155598 ..... *c15 N73-28576*
US-PATENT-APPL-SN-156724 ..... c21 N73-13643
US-PATENT-APPL-SN-156725 ..... c14 N73-27377
US-PATENT-APPL-SN-156778 ..... c17 N72-28535
US-PATENT-APPL-SN-158914 ..... c11 N70-36913
US-PATENT-APPL-SN-158916 ..... c05 N70-41819
US-PATENT-APPL-SN-159804 ..... c11 N70-38196
US-PATENT-APPL-SN-159857 ..... c05 N73-26072
US-PATENT-APPL-SN-159857 ..... c52 N76-30793
US-PATENT-APPL-SN-159966 ..... c31 N73-26876
US-PATENT-APPL-SN-160859 ..... c32 N73-26910
US-PATENT-APPL-SN-160860 ..... c18 N73-32437
US-PATENT-APPL-SN-161028 ..... c14 N73-19420
US-PATENT-APPL-SN-162100 ..... c33 N74-14939
US-PATENT-APPL-SN-162101 ..... c14 N73-24473
US-PATENT-APPL-SN-162230 ..... c26 N72-28761
US-PATENT-APPL-SN-162380 ..... c36 N74-21091
US-PATENT-APPL-SN-163151 ..... c74 N75-25706
US-PATENT-APPL-SN-163152 ..... c17 N73-27446
US-PATENT-APPL-SN-164428 ..... c09 N70-35440
US-PATENT-APPL-SN-166487 ..... c11 N73-32152
US-PATENT-APPL-SN-166541 ..... c14 N73-13415
US-PATENT-APPL-SN-166969 ..... c15 N70-34249
US-PATENT-APPL-SN-166970 ..... c15 N70-36409
US-PATENT-APPL-SN-167719 ..... c16 N73-33397
US-PATENT-APPL-SN-168560 ..... c02 N70-38856
US-PATENT-APPL-SN-168650 ..... c14 N73-13416
US-PATENT-APPL-SN-169671 ..... c10 N73-30205
US-PATENT-APPL-SN-169962 ..... c34 N74-30608
US-PATENT-APPL-SN-169977 ..... c14 N70-34794
US-PATENT-APPL-SN-170440 ..... c15 N73-13462
US-PATENT-APPL-SN-170544 ..... *c36 N77-19416*
US-PATENT-APPL-SN-170680 ..... c34 N74-15652
US-PATENT-APPL-SN-170681 ..... c10 N73-25240
US-PATENT-APPL-SN-172459 ..... c06 N73-16106
US-PATENT-APPL-SN-172807 ..... c07 N73-28012
US-PATENT-APPL-SN-173081 ..... c28 N70-36806
US-PATENT-APPL-SN-173178 ..... c33 N77-21315
US-PATENT-APPL-SN-173185 ..... c23 N73-13660
US-PATENT-APPL-SN-173190 ..... c05 N73-32015
US-PATENT-APPL-SN-173981 ..... c14 N70-35666
US-PATENT-APPL-SN-174684 ..... c33 N75-31331
US-PATENT-APPL-SN-175267 ..... c14 N73-28486
US-PATENT-APPL-SN-175497 ..... c08 N73-28045
US-PATENT-APPL-SN-175852 ..... c25 N73-25760
US-PATENT-APPL-SN-175881 ..... c09 N73-15235
US-PATENT-APPL-SN-175981 ..... c16 N73-30476
US-PATENT-APPL-SN-175983 ..... c31 N73-32750
US-PATENT-APPL-SN-177684 ..... c28 N70-34860
US-PATENT-APPL-SN-177753 ..... c07 N72-20154
US-PATENT-APPL-SN-177985 ..... c35 N74-15831
US-PATENT-APPL-SN-178213 ..... c25 N70-33267
US-PATENT-APPL-SN-178215 ..... c25 N70-34661
US-PATENT-APPL-SN-178721 ..... c03 N70-35408
US-PATENT-APPL-SN-178771 ..... c23 N75-14834
US-PATENT-APPL-SN-180370 ..... c28 N70-33375
US-PATENT-APPL-SN-180374 ..... c28 N70-38181
US-PATENT-APPL-SN-180377 ..... c15 N70-36908
US-PATENT-APPL-SN-180379 ..... c21 N70-35395
US-PATENT-APPL-SN-180380 ..... c09 N70-38998
US-PATENT-APPL-SN-180381 ..... c21 N70-35089
US-PATENT-APPL-SN-180382 ..... c28 N70-38645
US-PATENT-APPL-SN-180384 ..... *c11 N70-38675*
US-PATENT-APPL-SN-180391 ..... c28 N70-38249
US-PATENT-APPL-SN-180392 ..... c09 N71-13530
US-PATENT-APPL-SN-180394 ..... c15 N70-38603
US-PATENT-APPL-SN-180395 ..... c15 N70-36947
US-PATENT-APPL-SN-180396 ..... c11 N70-38202
US-PATENT-APPL-SN-180473 ..... c28 N73-27699

US-PATENT-APPL-SN-180683 ..... c10 N73-25241
US-PATENT-APPL-SN-180962 ..... c14 N72-21433
US-PATENT-APPL-SN-180963 ..... c14 N73-27378
US-PATENT-APPL-SN-181023 ..... c15 N73-26472
US-PATENT-APPL-SN-181024 ..... c07 N73-26117
US-PATENT-APPL-SN-181828 ..... c02 N70-34858
US-PATENT-APPL-SN-181829 ..... c31 N70-38010
US-PATENT-APPL-SN-182033 ..... c33 N73-27796
US-PATENT-APPL-SN-182399 ..... c07 N73-28013
US-PATENT-APPL-SN-182692 ..... c15 N70-36535
US-PATENT-APPL-SN-182696 ..... c21 N70-36938
US-PATENT-APPL-SN-182698 ..... c15 N70-38620
US-PATENT-APPL-SN-182699 ..... c28 N70-38504
US-PATENT-APPL-SN-182977 ..... c39 N74-13131
US-PATENT-APPL-SN-182978 ..... c16 N73-13489
US-PATENT-APPL-SN-183240 ..... c06 N73-30098
US-PATENT-APPL-SN-183977 ..... c28 N70-38505
US-PATENT-APPL-SN-183978 ..... c15 N70-38020
US-PATENT-APPL-SN-184090 ..... c14 N73-32327
US-PATENT-APPL-SN-184649 ..... c07 N70-36911
US-PATENT-APPL-SN-184960 ..... c06 N73-27980
US-PATENT-APPL-SN-186700 ..... c32 N74-12912
US-PATENT-APPL-SN-187143 ..... c36 N74-13205
US-PATENT-APPL-SN-187262 ..... c15 N73-27406
US-PATENT-APPL-SN-187365 ..... c35 N74-15127
US-PATENT-APPL-SN-187446 ..... c31 N70-37924
US-PATENT-APPL-SN-188594 ..... c15 N70-34967
US-PATENT-APPL-SN-188836 ..... c14 N72-21432
US-PATENT-APPL-SN-188836 ..... c35 N74-34857
US-PATENT-APPL-SN-188927 ..... c08 N73-32081
US-PATENT-APPL-SN-188928 ..... c37 N74-13178
US-PATENT-APPL-SN-189290 ..... c14 N73-27379
US-PATENT-APPL-SN-189375 ..... c18 N73-14584
US-PATENT-APPL-SN-189438 ..... c35 N76-15431
US-PATENT-APPL-SN-189648 ..... c32 N70-36536
US-PATENT-APPL-SN-190316 ..... c17 N73-32414
US-PATENT-APPL-SN-191301 ..... c25 N74-12813
US-PATENT-APPL-SN-192016 ..... c03 N70-36778
US-PATENT-APPL-SN-192101 ..... c10 N73-20254
US-PATENT-APPL-SN-192141 ..... c07 N73-24176
US-PATENT-APPL-SN-192803 ..... c07 N73-22076
US-PATENT-APPL-SN-192803 ..... c35 N76-16391
US-PATENT-APPL-SN-192970 ..... c23 N73-30665
US-PATENT-APPL-SN-193456 ..... c10 N73-25243
US-PATENT-APPL-SN-193671 ..... c15 N73-12488
US-PATENT-APPL-SN-193672 ..... c54 N74-14845
US-PATENT-APPL-SN-193814 ..... c14 N73-30393
US-PATENT-APPL-SN-193947 ..... c14 N73-13420
US-PATENT-APPL-SN-193980 ..... c31 N74-13177
US-PATENT-APPL-SN-195061 ..... c05 N73-25125
US-PATENT-APPL-SN-195346 ..... c15 N70-36492
US-PATENT-APPL-SN-195347 ..... c31 N70-34135
US-PATENT-APPL-SN-196399 ..... c07 N73-25161
US-PATENT-APPL-SN-196858 ..... c38 N74-15130
US-PATENT-APPL-SN-196931 ..... c35 N74-17885
US-PATENT-APPL-SN-196970 ..... c15 N73-33383
US-PATENT-APPL-SN-197183 ..... c02 N76-22154
US-PATENT-APPL-SN-197548 ..... c09 N70-34502
US-PATENT-APPL-SN-197551 ..... c31 N70-34296
US-PATENT-APPL-SN-197553 ..... c08 N70-34778
US-PATENT-APPL-SN-197554 ..... c14 N70-35368
US-PATENT-APPL-SN-197689 ..... c31 N74-14133
US-PATENT-APPL-SN-197689 ..... c31 N75-13111
US-PATENT-APPL-SN-197870 ..... c14 N73-32322
US-PATENT-APPL-SN-198285 ..... c09 N73-13208
US-PATENT-APPL-SN-198289 ..... c14 N73-32326
US-PATENT-APPL-SN-198355 ..... c05 N72-15098
US-PATENT-APPL-SN-198362 ..... c14 N73-28489
US-PATENT-APPL-SN-198379 ..... c15 N73-32359
US-PATENT-APPL-SN-198472 ..... c27 N74-12812
US-PATENT-APPL-SN-198763 ..... c31 N74-18124
US-PATENT-APPL-SN-198763 ..... c31 N74-32920
US-PATENT-APPL-SN-198885 ..... c05 N73-27062
US-PATENT-APPL-SN-199199 ..... c25 N71-29184
US-PATENT-APPL-SN-199202 ..... c14 N70-40239
US-PATENT-APPL-SN-199957 ..... c10 N73-26229
US-PATENT-APPL-SN-200040 ..... c52 N74-10975
US-PATENT-APPL-SN-200085 ..... c26 N73-26751
US-PATENT-APPL-SN-200682 ..... c07 N73-14130
US-PATENT-APPL-SN-200717 ..... c09 N73-19234
US-PATENT-APPL-SN-200762 ..... c03 N73-20040
US-PATENT-APPL-SN-201700 ..... c33 N74-17930
US-PATENT-APPL-SN-201782 ..... c15 N73-19458
US-PATENT-APPL-SN-201904 ..... c15 N73-30458
US-PATENT-APPL-SN-201904 ..... c37 N74-15128
US-PATENT-APPL-SN-201904 ..... c37 N74-21064
US-PATENT-APPL-SN-202024 ..... c14 N70-34156
US-PATENT-APPL-SN-202029 ..... c11 N70-34786
US-PATENT-APPL-SN-202030 ..... c31 N71-10747
US-PATENT-APPL-SN-202750 ..... c19 N74-21015
US-PATENT-APPL-SN-202765 ..... c05 N73-27941
US-PATENT-APPL-SN-203271 ..... c51 N74-15778
US-PATENT-APPL-SN-203405 ..... c02 N73-26006
US-PATENT-APPL-SN-203409 ..... c28 N70-38197
US-PATENT-APPL-SN-203411 ..... c33 N70-34812
US-PATENT-APPL-SN-204015 ..... c09 N70-38201
US-PATENT-APPL-SN-205047 ..... c15 N73-32360
US-PATENT-APPL-SN-205470 ..... c08 N71-18752
US-PATENT-APPL-SN-205675 ..... c14 N73-30386
US-PATENT-APPL-SN-206266 ..... c76 N74-20329
US-PATENT-APPL-SN-206266 ..... c76 N75-25730
US-PATENT-APPL-SN-206279 ..... c02 N73-26005
US-PATENT-APPL-SN-206279 ..... c05 N76-29217
US-PATENT-APPL-SN-206698 ..... c15 N73-30459
US-PATENT-APPL-SN-207211 ..... c07 N73-30113
US-PATENT-APPL-SN-209478 ..... c07 N70-38200
US-PATENT-APPL-SN-209479 ..... c15 N70-34850
US-PATENT-APPL-SN-209535 ..... c28 N73-24783
US-PATENT-APPL-SN-209618 ..... c33 N75-19520
US-PATENT-APPL-SN-209618 ..... c33 N75-25041
US-PATENT-APPL-SN-209801 ..... c08 N70-40125
US-PATENT-APPL-SN-209802 ..... c09 N73-14215
US-PATENT-APPL-SN-211332 ..... c02 N74-10034
US-PATENT-APPL-SN-211411 ..... c11 N73-20267
US-PATENT-APPL-SN-211464 ..... c28 N70-36910
US-PATENT-APPL-SN-212010 ..... c14 N72-20394
US-PATENT-APPL-SN-212028 ..... c09 N73-14214
US-PATENT-APPL-SN-212165 ..... c14 N73-25460
US-PATENT-APPL-SN-212173 ..... c02 N71-13421
US-PATENT-APPL-SN-212174 ..... c15 N70-34859
US-PATENT-APPL-SN-212496 ..... c03 N70-36803
US-PATENT-APPL-SN-212497 ..... c11 N71-28779
US-PATENT-APPL-SN-212900 ..... c14 N73-25462
US-PATENT-APPL-SN-212921 ..... c07 N73-20176
US-PATENT-APPL-SN-212977 ..... c15 N73-30460
US-PATENT-APPL-SN-213004 ..... c14 N73-19421
US-PATENT-APPL-SN-213836 ..... c15 N70-38601
US-PATENT-APPL-SN-213949 ..... c07 N73-20175
US-PATENT-APPL-SN-214006 ..... c37 N74-18126
US-PATENT-APPL-SN-214084 ..... c37 N74-18123
US-PATENT-APPL-SN-214086 ..... c14 N73-30395
US-PATENT-APPL-SN-214089 ..... c35 N74-21018
US-PATENT-APPL-SN-216710 ..... c12 N70-38997
US-PATENT-APPL-SN-216711 ..... c03 N70-34157
US-PATENT-APPL-SN-216939 ..... c14 N70-40400
US-PATENT-APPL-SN-217213 ..... c37 N74-11301
US-PATENT-APPL-SN-218965 ..... c10 N73-32145
US-PATENT-APPL-SN-219435 ..... c24 N74-27035
US-PATENT-APPL-SN-219436 ..... c15 N72-21489
US-PATENT-APPL-SN-219590 ..... c06 N73-32030
US-PATENT-APPL-SN-219722 ..... c21 N72-21631
US-PATENT-APPL-SN-219722 ..... c03 N75-30132
US-PATENT-APPL-SN-219806 ..... c07 N74-28226
US-PATENT-APPL-SN-220251 ..... c37 N74-15125
US-PATENT-APPL-SN-220274 ..... c31 N72-20840
US-PATENT-APPL-SN-220274 ..... c18 N74-22136
US-PATENT-APPL-SN-220785 ..... c85 N74-34672
US-PATENT-APPL-SN-221093 ..... c17 N73-32415
US-PATENT-APPL-SN-221276 ..... c14 N70-41955
US-PATENT-APPL-SN-221637 ..... c26 N70-36805
US-PATENT-APPL-SN-221670 ..... c35 N77-14408
US-PATENT-APPL-SN-221685 ..... c35 N74-21062
US-PATENT-APPL-SN-221714 ..... c09 N73-32110
US-PATENT-APPL-SN-221833 ..... c09 N73-27150
US-PATENT-APPL-SN-221945 ..... c31 N70-36410
US-PATENT-APPL-SN-223003 ..... c33 N70-36846
US-PATENT-APPL-SN-223560 ..... c10 N73-32144
US-PATENT-APPL-SN-224489 ..... c31 N74-18089
US-PATENT-APPL-SN-226476 ..... c10 N73-32143
US-PATENT-APPL-SN-226477 ..... c74 N74-27866
US-PATENT-APPL-SN-226551 ..... c06 N73-26100
US-PATENT-APPL-SN-227682 ..... c14 N70-34161
US-PATENT-APPL-SN-227683 ..... c02 N70-36804
US-PATENT-APPL-SN-227692 ..... c14 N70-40003
US-PATENT-APPL-SN-227977 ..... c25 N76-18245
US-PATENT-APPL-SN-228150 ..... c05 N73-32013
US-PATENT-APPL-SN-228163 ..... c44 N74-19693
US-PATENT-APPL-SN-228189 ..... c35 N74-11283
US-PATENT-APPL-SN-228190 ..... c23 N73-30666
US-PATENT-APPL-SN-228229 ..... c27 N77-31308
US-PATENT-APPL-SN-228507 ..... c11 N70-38182
US-PATENT-APPL-SN-228569 ..... c14 N71-16014
US-PATENT-APPL-SN-228707 ..... c25 N71-15650
US-PATENT-APPL-SN-229128 ..... c14 N73-28490
US-PATENT-APPL-SN-229143 ..... c09 N72-21248
US-PATENT-APPL-SN-229143 ..... c33 N77-26387
US-PATENT-APPL-SN-229286 ..... c33 N71-29052
US-PATENT-APPL-SN-229354 ..... c62 N74-14920

US-PATENT-APPL-SN-229413 ..... c14 N73-32323
US-PATENT-APPL-SN-229916 ..... c46 N74-13011
US-PATENT-APPL-SN-231520 ..... c27 N71-29155
US-PATENT-APPL-SN-231604 ..... c28 N70-39925
US-PATENT-APPL-SN-231662 ..... c14 N73-30392
US-PATENT-APPL-SN-232021 ..... c04 N74-13420
US-PATENT-APPL-SN-232318 ..... c11 N71-15960
US-PATENT-APPL-SN-232914 ..... c15 N70-36412
US-PATENT-APPL-SN-233098 ..... c12 N73-25262
US-PATENT-APPL-SN-233173 ..... c12 N73-28144
US-PATENT-APPL-SN-233519 ..... c20 N74-13502
US-PATENT-APPL-SN-233587 ..... c16 N72-22520
US-PATENT-APPL-SN-233743 ..... c37 N74-13179
US-PATENT-APPL-SN-234568 ..... c28 N70-34788
US-PATENT-APPL-SN-235162 ..... c08 N71-12501
US-PATENT-APPL-SN-235266 ..... c26 N73-32571
US-PATENT-APPL-SN-235268 ..... c36 N74-15145
US-PATENT-APPL-SN-235269 ..... c09 N73-30181
US-PATENT-APPL-SN-235295 ..... c09 N73-30185
US-PATENT-APPL-SN-235338 ..... c71 N74-31148
US-PATENT-APPL-SN-235588 ..... c28 N71-28928
US-PATENT-APPL-SN-235957 ..... c14 N73-27376
US-PATENT-APPL-SN-235962 ..... c36 N74-11313
US-PATENT-APPL-SN-236052 ..... c14 N72-25428
US-PATENT-APPL-SN-236281 ..... c09 N73-20232
US-PATENT-APPL-SN-236285 ..... c08 N73-26175
US-PATENT-APPL-SN-236748 ..... c14 N70-40157
US-PATENT-APPL-SN-236749 ..... c15 N70-40180
US-PATENT-APPL-SN-236985 ..... c44 N74-19692
US-PATENT-APPL-SN-237029 ..... c09 N73-32108
US-PATENT-APPL-SN-237491 ..... c05 N75-12930
US-PATENT-APPL-SN-237694 ..... c35 N74-11284
US-PATENT-APPL-SN-238047 ..... c33 N74-12951
US-PATENT-APPL-SN-238263 ..... c35 N74-10415
US-PATENT-APPL-SN-238264 ..... c37 N74-21061
US-PATENT-APPL-SN-238264 ..... c37 N74-32921
US-PATENT-APPL-SN-238264 ..... c37 N76-15461
US-PATENT-APPL-SN-238421 ..... c28 N71-29153
US-PATENT-APPL-SN-238826 ..... c28 N77-10213
US-PATENT-APPL-SN-239573 ..... c33 N74-10223
US-PATENT-APPL-SN-239574 ..... c09 N73-32107
US-PATENT-APPL-SN-239575 ..... c09 N74-19528
US-PATENT-APPL-SN-239576 ..... c33 N74-14935
US-PATENT-APPL-SN-239577 ..... c35 N74-13132
US-PATENT-APPL-SN-239803 ..... c70 N74-13436
US-PATENT-APPL-SN-240760 ..... c15 N71-16075
US-PATENT-APPL-SN-241061 ..... c06 N72-27151
US-PATENT-APPL-SN-241061 ..... c06 N73-33076
US-PATENT-APPL-SN-241085 ..... c14 N70-40238
US-PATENT-APPL-SN-241614 ..... c10 N73-27171
US-PATENT-APPL-SN-241615 ..... c09 N73-32111
US-PATENT-APPL-SN-242027 ..... c52 N74-12778
US-PATENT-APPL-SN-242028 ..... c21 N73-30641
US-PATENT-APPL-SN-242662 ..... c74 N74-15095
US-PATENT-APPL-SN-243374 ..... c15 N77-10112
US-PATENT-APPL-SN-244158 ..... c32 N74-20863
US-PATENT-APPL-SN-244440 ..... c21 N73-19630
US-PATENT-APPL-SN-244440 ..... c14 N73-32320
US-PATENT-APPL-SN-244519 ..... c37 N74-18125
US-PATENT-APPL-SN-244523 ..... c31 N73-30829
US-PATENT-APPL-SN-244566 ..... c74 N74-20008
US-PATENT-APPL-SN-245063 ..... c33 N74-11049
US-PATENT-APPL-SN-245279 ..... c25 N74-30502
US-PATENT-APPL-SN-245941 ..... c33 N71-17897
US-PATENT-APPL-SN-246056 ..... c38 N74-15395
US-PATENT-APPL-SN-247055 ..... c37 N74-11300
US-PATENT-APPL-SN-247090 ..... c37 N74-18128
US-PATENT-APPL-SN-247136 ..... c14 N71-30265
US-PATENT-APPL-SN-247419 ..... c14 N70-36907
US-PATENT-APPL-SN-247423 ..... c01 N71-13410
US-PATENT-APPL-SN-247434 ..... c25 N76-27383
US-PATENT-APPL-SN-247434 ..... c25 N76-29379
US-PATENT-APPL-SN-247481 ..... c05 N73-26071
US-PATENT-APPL-SN-248469 ..... c14 N73-32318
US-PATENT-APPL-SN-248471 ..... c31 N74-27902
US-PATENT-APPL-SN-248761 ..... c15 N74-27360
US-PATENT-APPL-SN-248985 ..... c03 N71-29129
US-PATENT-APPL-SN-249537 ..... c14 N71-10797
US-PATENT-APPL-SN-249539 ..... c28 N71-15658
US-PATENT-APPL-SN-249540 ..... c15 N70-34861
US-PATENT-APPL-SN-249542 ..... c28 N70-41576
US-PATENT-APPL-SN-250451 ..... c08 N70-34787
US-PATENT-APPL-SN-250567 ..... c33 N71-24876
US-PATENT-APPL-SN-250766 ..... c07 N73-30115
US-PATENT-APPL-SN-250974 ..... c31 N71-15664
US-PATENT-APPL-SN-251449 ..... c07 N70-40063
US-PATENT-APPL-SN-251451 ..... c09 N70-35425
US-PATENT-APPL-SN-251609 ..... c05 N73-30078
US-PATENT-APPL-SN-251621 ..... c16 N73-32391
US-PATENT-APPL-SN-251752 ..... c24 N74-30001
US-PATENT-APPL-SN-252259 ..... c33 N70-34545
US-PATENT-APPL-SN-253006 ..... c22 N70-34248
US-PATENT-APPL-SN-253249 ..... c33 N74-11050
US-PATENT-APPL-SN-253405 ..... c10 N73-26228
US-PATENT-APPL-SN-253725 ..... c35 N74-13129
US-PATENT-APPL-SN-253774 ..... c25 N70-36946
US-PATENT-APPL-SN-254173 ..... c35 N75-13213
US-PATENT-APPL-SN-254177 ..... c10 N73-26230
US-PATENT-APPL-SN-254323 ..... c35 N76-15434
US-PATENT-APPL-SN-254847 ..... c15 N71-22874
US-PATENT-APPL-SN-255132 ..... c14 N71-15598
US-PATENT-APPL-SN-256317 ..... c52 N74-26626
US-PATENT-APPL-SN-256484 ..... c06 N70-34946
US-PATENT-APPL-SN-256493 ..... c20 N77-17143
US-PATENT-APPL-SN-257346 ..... c15 N70-36901
US-PATENT-APPL-SN-258152 ..... c35 N74-15090
US-PATENT-APPL-SN-258171 ..... c34 N74-27744
US-PATENT-APPL-SN-258331 ..... c03 N73-31988
US-PATENT-APPL-SN-258931 ..... c14 N70-40203
US-PATENT-APPL-SN-258932 ..... c05 N70-36493
US-PATENT-APPL-SN-259467 ..... c33 N70-36847
US-PATENT-APPL-SN-260087 ..... c21 N71-21688
US-PATENT-APPL-SN-260093 ..... c25 N74-26948
US-PATENT-APPL-SN-260241 ..... c74 N74-21304
US-PATENT-APPL-SN-261183 ..... c09 N70-30597
US-PATENT-APPL-SN-261912 ..... c14 N70-34818
US-PATENT-APPL-SN-261917 ..... c09 N70-40272
US-PATENT-APPL-SN-261918 ..... c28 N70-41447
US-PATENT-APPL-SN-262430 ..... c35 N74-18323
US-PATENT-APPL-SN-262596 ..... c14 N71-28958
US-PATENT-APPL-SN-262596 ..... c62 N76-31946
US-PATENT-APPL-SN-263230 ..... c33 N74-20860
US-PATENT-APPL-SN-263498 ..... c34 N74-27859
US-PATENT-APPL-SN-263815 ..... c09 N74-17955
US-PATENT-APPL-SN-264728 ..... c30 N70-40016
US-PATENT-APPL-SN-264729 ..... c33 N70-34540
US-PATENT-APPL-SN-264731 ..... c09 N70-41655
US-PATENT-APPL-SN-264735 ..... c28 N70-33265
US-PATENT-APPL-SN-264736 ..... c28 N70-36802
US-PATENT-APPL-SN-266107 ..... c11 N71-15925
US-PATENT-APPL-SN-266771 ..... c37 N74-18127
US-PATENT-APPL-SN-266820 ..... c07 N74-31270
US-PATENT-APPL-SN-266822 ..... c32 N74-10132
US-PATENT-APPL-SN-266832 ..... c33 N74-10195
US-PATENT-APPL-SN-266866 ..... c33 N73-32818
US-PATENT-APPL-SN-266899 ..... c60 N74-12888
US-PATENT-APPL-SN-266911 ..... c36 N74-20009
US-PATENT-APPL-SN-266912 ..... c32 N74-19788
US-PATENT-APPL-SN-266913 ..... c31 N74-23065
US-PATENT-APPL-SN-266925 ..... c54 N74-17853
US-PATENT-APPL-SN-266927 ..... c24 N72-28714
US-PATENT-APPL-SN-266928 ..... c26 N74-10521
US-PATENT-APPL-SN-266930 ..... c54 N74-12779
US-PATENT-APPL-SN-266940 ..... c32 N74-32598
US-PATENT-APPL-SN-266943 ..... c72 N74-19310
US-PATENT-APPL-SN-267572 ..... c73 N74-26767
US-PATENT-APPL-SN-267768 ..... c70 N74-21300
US-PATENT-APPL-SN-267862 ..... c33 N74-21851
US-PATENT-APPL-SN-269073 ..... c52 N74-26625
US-PATENT-APPL-SN-269212 ..... c07 N71-10775
US-PATENT-APPL-SN-269215 ..... c14 N70-41332
US-PATENT-APPL-SN-269222 ..... c15 N70-38225
US-PATENT-APPL-SN-269450 ..... c36 N76-18427
US-PATENT-APPL-SN-270118 ..... c33 N71-17610
US-PATENT-APPL-SN-271821 ..... c15 N71-10778
US-PATENT-APPL-SN-271822 ..... c15 N71-15967
US-PATENT-APPL-SN-271823 ..... c27 N71-28929
US-PATENT-APPL-SN-271824 ..... c07 N71-21476
US-PATENT-APPL-SN-271951 ..... c35 N74-15092
US-PATENT-APPL-SN-273222 ..... c33 N74-27683
US-PATENT-APPL-SN-273240 ..... c35 N74-16135
US-PATENT-APPL-SN-273515 ..... c35 N75-25122
US-PATENT-APPL-SN-273534 ..... c09 N70-38712
US-PATENT-APPL-SN-274065 ..... c16 N71-28963
US-PATENT-APPL-SN-274348 ..... c60 N76-18800
US-PATENT-APPL-SN-274360 ..... c32 N74-20809
US-PATENT-APPL-SN-275118 ..... c35 N74-18088
US-PATENT-APPL-SN-277402 ..... c22 N70-34501
US-PATENT-APPL-SN-277404 ..... c05 N70-39922
US-PATENT-APPL-SN-277436 ..... c37 N74-25968
US-PATENT-APPL-SN-277833 ..... c03 N70-41580
US-PATENT-APPL-SN-277904 ..... c28 N74-27425
US-PATENT-APPL-SN-277961 ..... c33 N70-36617
US-PATENT-APPL-SN-278790 ..... c15 N70-34664
US-PATENT-APPL-SN-279646 ..... c08 N71-21042
US-PATENT-APPL-SN-280029 ..... c35 N74-15126
US-PATENT-APPL-SN-280030 ..... c15 N73-20535
US-PATENT-APPL-SN-280031 ..... c26 N73-26752

US-PATENT-APPL-SN-280032 ..... c35 N74-15093
US-PATENT-APPL-SN-280305 ..... c34 N74-23039
US-PATENT-APPL-SN-280362 ..... c14 N71-28935
US-PATENT-APPL-SN-280390 ..... c37 N74-15128
US-PATENT-APPL-SN-280580 ..... c12 N71-21089
US-PATENT-APPL-SN-280776 ..... c14 N70-40273
US-PATENT-APPL-SN-280777 ..... c08 N70-41961
US-PATENT-APPL-SN-281069 ..... c14 N70-35394
US-PATENT-APPL-SN-281875 ..... c25 N74-18551
US-PATENT-APPL-SN-281876 ..... c52 N74-20726
US-PATENT-APPL-SN-281877 ..... c35 N74-15146
US-PATENT-APPL-SN-281908 ..... c25 N75-12086
US-PATENT-APPL-SN-282817 ..... c15 N70-40156
US-PATENT-APPL-SN-282818 ..... c14 N71-14996
US-PATENT-APPL-SN-283502 ..... c37 N74-21060
US-PATENT-APPL-SN-284245 ..... c33 N74-17928
US-PATENT-APPL-SN-284265 ..... c14 N70-34799
US-PATENT-APPL-SN-284266 ..... c15 N71-16077
US-PATENT-APPL-SN-284757 ..... c14 N70-34669
US-PATENT-APPL-SN-285705 ..... c37 N74-21056
US-PATENT-APPL-SN-286620 ..... c15 N71-30028
US-PATENT-APPL-SN-287149 ..... c35 N74-32878
US-PATENT-APPL-SN-287150 ..... c37 N74-21065
US-PATENT-APPL-SN-288847 ..... c33 N74-27862
US-PATENT-APPL-SN-288856 ..... c33 N74-20859
US-PATENT-APPL-SN-288857 ..... c14 N73-33361
US-PATENT-APPL-SN-289017 ..... c37 N74-27905
US-PATENT-APPL-SN-289018 ..... c08 N74-30421
US-PATENT-APPL-SN-289033 ..... c15 N73-32358
US-PATENT-APPL-SN-289033 ..... c37 N74-21055
US-PATENT-APPL-SN-289048 ..... c37 N74-21057
US-PATENT-APPL-SN-289049 ..... c19 N74-15089
US-PATENT-APPL-SN-289050 ..... c20 N74-32919
US-PATENT-APPL-SN-290021 ..... c37 N74-23064
US-PATENT-APPL-SN-290022 ..... c09 N73-12214
US-PATENT-APPL-SN-290030 ..... c33 N74-12887
US-PATENT-APPL-SN-290043 ..... c18 N75-27040
US-PATENT-APPL-SN-290867 ..... c28 N70-39931
US-PATENT-APPL-SN-290868 ..... c31 N70-34966
US-PATENT-APPL-SN-290870 ..... c15 N70-38996
US-PATENT-APPL-SN-290873 ..... c10 N71-16058
US-PATENT-APPL-SN-290915 ..... c32 N74-11000
US-PATENT-APPL-SN-291845 ..... c52 N74-27566
US-PATENT-APPL-SN-292382 ..... c27 N74-17283
US-PATENT-APPL-SN-292477 ..... c15 N73-12495
US-PATENT-APPL-SN-292596 ..... c10 N71-29135
US-PATENT-APPL-SN-292681 ..... c33 N74-10194
US-PATENT-APPL-SN-292682 ..... c14 N73-32319
US-PATENT-APPL-SN-292685 ..... c32 N74-20864
US-PATENT-APPL-SN-292686 ..... c20 N74-31269
US-PATENT-APPL-SN-292698 ..... c09 N73-32109
US-PATENT-APPL-SN-293725 ..... c89 N74-30886
US-PATENT-APPL-SN-293726 ..... c37 N74-21055
US-PATENT-APPL-SN-293727 ..... c33 N74-14956
US-PATENT-APPL-SN-293739 ..... c35 N74-28097
US-PATENT-APPL-SN-294727 ..... c73 N77-18891
US-PATENT-APPL-SN-295855 ..... c23 N71-17802
US-PATENT-APPL-SN-296622 ..... c44 N76-31666
US-PATENT-APPL-SN-296879 ..... c26 N71-18064
US-PATENT-APPL-SN-297127 ..... c33 N74-27705
US-PATENT-APPL-SN-297128 ..... c32 N74-26654
US-PATENT-APPL-SN-298156 ..... c37 N75-13261
US-PATENT-APPL-SN-298156 ..... c26 N75-19408
US-PATENT-APPL-SN-298157 ..... c33 N74-21850
US-PATENT-APPL-SN-298799 ..... c14 N71-15962
US-PATENT-APPL-SN-298800 ..... c14 N70-34705
US-PATENT-APPL-SN-299042 ..... c15 N71-15918
US-PATENT-APPL-SN-300113 ..... c33 N70-33344
US-PATENT-APPL-SN-300712 ..... c15 N70-35407
US-PATENT-APPL-SN-300957 ..... c33 N71-29053
US-PATENT-APPL-SN-301039 ..... c37 N74-27903
US-PATENT-APPL-SN-301417 ..... c71 N74-21014
US-PATENT-APPL-SN-301418 ..... c52 N76-29894
US-PATENT-APPL-SN-301419 ..... c34 N76-17317
US-PATENT-APPL-SN-301683 ..... c07 N71-15907
US-PATENT-APPL-SN-302681 ..... c37 N75-12326
US-PATENT-APPL-SN-302720 ..... c02 N73-13023
US-PATENT-APPL-SN-302749 ..... c14 N70-40201
US-PATENT-APPL-SN-304430 ..... c52 N74-27864
US-PATENT-APPL-SN-304698 ..... c32 N70-41579
US-PATENT-APPL-SN-304705 ..... c32 N74-20810
US-PATENT-APPL-SN-304749 ..... c11 N71-16028
US-PATENT-APPL-SN-305012 ..... c35 N74-15094
US-PATENT-APPL-SN-305013 ..... c14 N73-13435
US-PATENT-APPL-SN-305020 ..... c21 N70-34295
US-PATENT-APPL-SN-305638 ..... c34 N74-23066
US-PATENT-APPL-SN-305639 ..... c37 N74-27904
US-PATENT-APPL-SN-306652 ..... c33 N74-32712
US-PATENT-APPL-SN-306980 ..... c07 N73-24187

US-PATENT-APPL-SN-307269 ..... c24 N71-10560
US-PATENT-APPL-SN-307270 ..... c10 N71-16030
US-PATENT-APPL-SN-307271 ..... c09 N71-22999
US-PATENT-APPL-SN-307714 ..... c03 N76-32140
US-PATENT-APPL-SN-307727 ..... c32 N74-20813
US-PATENT-APPL-SN-307728 ..... c34 N74-27861
US-PATENT-APPL-SN-307729 ..... c31 N74-27900
US-PATENT-APPL-SN-308362 ..... c09 N73-12216
US-PATENT-APPL-SN-308363 ..... c15 N73-12496
US-PATENT-APPL-SN-308918 ..... c27 N71-15634
US-PATENT-APPL-SN-309354 ..... c11 N71-15926
US-PATENT-APPL-SN-310034 ..... c32 N74-30524
US-PATENT-APPL-SN-310193 ..... c33 N74-27682
US-PATENT-APPL-SN-310506 ..... c10 N71-16042
US-PATENT-APPL-SN-310507 ..... c07 N71-11298
US-PATENT-APPL-SN-310611 ..... c32 N73-13929
US-PATENT-APPL-SN-310615 ..... c37 N74-27901
US-PATENT-APPL-SN-310616 ..... c35 N74-21017
US-PATENT-APPL-SN-310624 ..... c33 N74-17929
US-PATENT-APPL-SN-311175 ..... c52 N74-22771
US-PATENT-APPL-SN-311234 ..... c35 N74-23040
US-PATENT-APPL-SN-311387 ..... c23 N71-30027
US-PATENT-APPL-SN-312269 ..... c28 N71-14043
US-PATENT-APPL-SN-312443 ..... c10 N71-21473
US-PATENT-APPL-SN-313132 ..... c28 N70-34175
US-PATENT-APPL-SN-313135 ..... c15 N70-35087
US-PATENT-APPL-SN-313136 ..... c09 N71-12540
US-PATENT-APPL-SN-313381 ..... c35 N74-15091
US-PATENT-APPL-SN-314074 ..... c15 N71-16079
US-PATENT-APPL-SN-314570 ..... c10 N71-28960
US-PATENT-APPL-SN-314572 ..... c14 N71-15992
US-PATENT-APPL-SN-314656 ..... c51 N77-25769
US-PATENT-APPL-SN-315048 ..... c34 N74-27730
US-PATENT-APPL-SN-315069 ..... c33 N74-20862
US-PATENT-APPL-SN-315070 ..... c60 N76-23850
US-PATENT-APPL-SN-315096 ..... c12 N70-40124
US-PATENT-APPL-SN-316477 ..... c18 N71-10772
US-PATENT-APPL-SN-316618 ..... c07 N74-15453
US-PATENT-APPL-SN-317310 ..... c36 N77-25502
US-PATENT-APPL-SN-317389 ..... c18 N70-41583
US-PATENT-APPL-SN-317391 ..... c15 N71-15968
US-PATENT-APPL-SN-317567 ..... c36 N75-15029
US-PATENT-APPL-SN-318151 ..... c75 N74-30156
US-PATENT-APPL-SN-318152 ..... c52 N74-20728
US-PATENT-APPL-SN-318357 ..... c35 N74-21019
US-PATENT-APPL-SN-318358 ..... c27 N74-27037
US-PATENT-APPL-SN-318443 ..... c03 N70-34667
US-PATENT-APPL-SN-318848 ..... c35 N77-14408
US-PATENT-APPL-SN-319150 ..... c33 N75-19519
US-PATENT-APPL-SN-319410 ..... c37 N74-20063
US-PATENT-APPL-SN-319892 ..... c07 N71-10609
US-PATENT-APPL-SN-319893 ..... c14 N70-41647
US-PATENT-APPL-SN-319894 ..... c03 N71-11053
US-PATENT-APPL-SN-319905 ..... c14 N71-10781
US-PATENT-APPL-SN-320233 ..... c33 N71-15625
US-PATENT-APPL-SN-320595 ..... c26 N70-40015
US-PATENT-APPL-SN-321179 ..... c27 N74-21156
US-PATENT-APPL-SN-321179 ..... c27 N76-32315
US-PATENT-APPL-SN-321180 ..... c05 N76-29217
US-PATENT-APPL-SN-321656 ..... c14 N70-41807
US-PATENT-APPL-SN-322545 ..... c14 N71-10774
US-PATENT-APPL-SN-322565 ..... c37 N75-27376
US-PATENT-APPL-SN-322997 ..... c37 N75-15992
US-PATENT-APPL-SN-322998 ..... c35 N74-32877
US-PATENT-APPL-SN-323182 ..... c03 N70-41864
US-PATENT-APPL-SN-324029 ..... c32 N74-27612
US-PATENT-APPL-SN-325784 ..... c24 N76-14204
US-PATENT-APPL-SN-326198 ..... c35 N75-12272
US-PATENT-APPL-SN-326298 ..... c14 N71-22765
US-PATENT-APPL-SN-326299 ..... c26 N71-17818
US-PATENT-APPL-SN-326326 ..... c35 N74-32879
US-PATENT-APPL-SN-326327 ..... c44 N74-27519
US-PATENT-APPL-SN-326364 ..... c51 N75-13502
US-PATENT-APPL-SN-327163 ..... c03 N71-20895
US-PATENT-APPL-SN-327565 ..... c02 N70-36825
US-PATENT-APPL-SN-327921 ..... c54 N75-13531
US-PATENT-APPL-SN-327969 ..... c35 N75-13213
US-PATENT-APPL-SN-328140 ..... c18 N71-21651
US-PATENT-APPL-SN-328792 ..... c35 N75-12273
US-PATENT-APPL-SN-329237 ..... c33 N74-34638
US-PATENT-APPL-SN-329243 ..... c28 N70-33209
US-PATENT-APPL-SN-329331 ..... c15 N71-15906
US-PATENT-APPL-SN-329595 ..... c05 N70-41329
US-PATENT-APPL-SN-329958 ..... c33 N74-22885
US-PATENT-APPL-SN-330209 ..... c15 N70-41646
US-PATENT-APPL-SN-330210 ..... c14 N71-21090
US-PATENT-APPL-SN-331323 ..... c07 N71-16088
US-PATENT-APPL-SN-331324 ..... c05 N70-35152
US-PATENT-APPL-SN-331759 ..... c28 N73-19819

US-PATENT-APPL-SN-331759 ..... c07 N76-18117
US-PATENT-APPL-SN-331760 ..... c35 N74-27860
US-PATENT-APPL-SN-332313 ..... c21 N71-10678
US-PATENT-APPL-SN-332339 ..... c07 N71-11284
US-PATENT-APPL-SN-333766 ..... c31 N71-15663
US-PATENT-APPL-SN-333770 ..... c21 N71-15583
US-PATENT-APPL-SN-333912 ..... c32 N74-19790
US-PATENT-APPL-SN-334349 ..... c35 N75-19611
US-PATENT-APPL-SN-334672 ..... c14 N70-41330
US-PATENT-APPL-SN-334678 ..... c11 N71-10777
US-PATENT-APPL-SN-335201 ..... c33 N74-17927
US-PATENT-APPL-SN-335441 ..... c14 N71-23268
US-PATENT-APPL-SN-336103 ..... c16 N71-15550
US-PATENT-APPL-SN-336319 ..... c44 N74-33379
US-PATENT-APPL-SN-336320 ..... c15 N71-15966
US-PATENT-APPL-SN-336607 ..... c10 N71-15910
US-PATENT-APPL-SN-336608 ..... c32 N71-17645
US-PATENT-APPL-SN-337487 ..... c33 N74-26977
US-PATENT-APPL-SN-337816 ..... c35 N75-15931
US-PATENT-APPL-SN-338484 ..... c32 N74-20811
US-PATENT-APPL-SN-339040 ..... c31 N70-41373
US-PATENT-APPL-SN-339806 ..... c07 N74-27490
US-PATENT-APPL-SN-339821 ..... c17 N70-33288
US-PATENT-APPL-SN-339825 ..... c28 N71-15660
US-PATENT-APPL-SN-340113 ..... c16 N70-41578
US-PATENT-APPI-SN-340791 ..... c35 N74-26945
US-PATENT-APPI-SN-340862 ..... c33 N77-26387
US-PATENT-APPL-SN-340863 ..... c25 N76-27383
US-PATENT-APPL-SN-340864 ..... c31 N74-21059
US-PATENT-APPL-SN-340865 ..... c31 N73-20880
US-PATENT-APPL-SN-340871 ..... c44 N74-19870
US-PATENT-APPL-SN-341467 ..... c15 N70-39924
US-PATENT-APPL-SN-341621 ..... c54 N74-20725
US-PATENT-APPL-SN-341662 ..... c08 N74-10942
US-PATENT-APPL-SN-342572 ..... c02 N71-16087
US-PATENT-APPL-SN-342574 ..... c03 N71-20904
US-PATENT-APPL-SN-343308 ..... c19 N74-29410
US-PATENT-APPL-SN-343425 ..... c11 N70-35383
US-PATENT-APPL-SN-343426 ..... c07 N71-20814
US-PATENT-APPL-SN-343607 ..... c18 N74-27397
US-PATENT-APPL-SN-343760 ..... c07 N71-28979
US-PATENT-APPL-SN-344410 ..... c07 N74-33218
US-PATENT-APPL-SN-344793 ..... c03 N71-11058
US-PATENT-APPL-SN-345372 ..... c33 N74-22814
US-PATENT-APPL-SN-346356 ..... c14 N70-41676
US-PATENT-APPL-SN-346361 ..... c37 N74-21064
US-PATENT-APPL-SN-346372 ..... c35 N75-12270
US-PATENT-APPL-SN-346483 ..... c37 N74-32921
US-PATENT-APPI-SN-346483 ..... c37 N76-15461
US-PATENT-APPL-SN-347101 ..... c09 N70-41675
US-PATENT-APPI-SN-347626 ..... c15 N70-40204
US-PATENT-APPI-SN-347952 ..... c37 N75-13265
US-PATENT-APPL-SN-347953 ..... c05 N75-24716
US-PATENT-APPI-SN-347960 ..... c03 N70-39930
US-PATENT-APPI-SN-348422 ..... c27 N76-15311
US-PATENT-APPL-SN-348600 ..... c28 N71-29154
US-PATENT-APPI-SN-348787 ..... c33 N75-19521
US-PATENT-APPI-SN-349778 ..... c09 N70-40234
US-PATENT-APPL-SN-349781 ..... c31 N71-15647
US-PATENT-APPI-SN-349782 ..... c09 N71-16086
US-PATENT-APPI-SN-350249 ..... c36 N75-15028
US-PATENT-APPL-SN-350250 ..... c27 N75-27160
US-PATENT-APPI-SN-350300 ..... c31 N74-32920
US-PATENT-APPI-SN-351259 ..... c15 N71-10672
US-PATENT-APPI-SN-351929 ..... c33 N75-14957
US-PATENT-APPI-SN-351950 ..... c33 N75-27249
US-PATENT-APPI-SN-352381 ..... c20 N75-18310
US-PATENT-APPI-SN-352381 ..... c37 N76-14461
US-PATENT-APPI-SN-352382 ..... c60 N75-13539
US-PATENT-APPI-SN-352383 ..... c35 N75-16783
US-PATENT-APPI-SN-352400 ..... c26 N71-10607
US-PATENT-APPI-SN-353162 ..... c33 N75-26243
US-PATENT-APPI-SN-353632 ..... c15 N71-13789
US-PATENT-APPI-SN-353634 ..... c15 N70-41829
US-PATENT-APPI-SN-353637 ..... c02 N70-34160
US-PATENT-APPL-SN-353644 ..... c07 N71-23098
US-PATENT-APPL-SN-353645 ..... c15 N71-15922
US-PATENT-APPL-SN-354060 ..... c74 N76-19935
US-PATENT-APPI-SN-354182 ..... c10 N71-20841
US-PATENT-APPI-SN-354406 ..... c52 N76-14757
US-PATENT-APPI-SN-354407 ..... c33 N74-22865
US-PATENT-APPL-SN-354408 ..... c35 N75-19614
US-PATENT-APPL-SN-354611 ..... c25 N74-26947
US-PATENT-APPL-SN-354612 ..... c35 N75-30504
US-PATENT-APPL-SN-355126 ..... c17 N71-15644
US-PATENT-APPI-SN-355129 ..... c14 N70-41957
US-PATENT-APPL-SN-355130 ..... c15 N70-40354
US-PATENT-APPI-SN-356488 ..... c08 N71-19544
US-PATENT-APPL-SN-356554 ..... c24 N75-33181
US-PATENT-APPI-SN-356664 ..... c31 N75-12161
US-PATENT-APPI-SN-356692 ..... c15 N70-41371
US-PATENT-APPI-SN-357126 ..... c35 N74-34857
US-PATENT-APPI-SN-357312 ..... c27 N76-16229
US-PATENT-APPI-SN-357334 ..... c03 N71-12258
US-PATENT-APPI-SN-357336 ..... c03 N71-12259
US-PATENT-APPI-SN-357337 ..... c15 N71-10782
US-PATENT-APPI-SN-357340 ..... c23 N71-15673
US-PATENT-APPI-SN-358127 ..... c05 N71-12335
US-PATENT-APPI-SN-359039 ..... c32 N74-30523
US-PATENT-APPI-SN-359156 ..... c14 N75-24794
US-PATENT-APPI-SN-359157 ..... c35 N74-18090
US-PATENT-APPI-SN-359532 ..... c15 N71-28959
US-PATENT-APPI-SN-359957 ..... c07 N74-32418
US-PATENT-APPI-SN-359958 ..... c37 N74-26976
US-PATENT-APPI-SN-360180 ..... c17 N71-16026
US-PATENT-APPI-SN-360182 ..... c31 N70-36654
US-PATENT-APPI-SN-360878 ..... c03 N71-11051
US-PATENT-APPI-SN-361666 ..... c33 N75-30428
US-PATENT-APPI-SN-361906 ..... c33 N74-20861
US-PATENT-APPI-SN-361907 ..... c35 N74-27865
US-PATENT-APPI-SN-362145 ..... c32 N75-26194
US-PATENT-APPI-SN-362146 ..... c33 N75-18479
US-PATENT-APPI-SN-362261 ..... c14 N73-32325
US-PATENT-APPI-SN-363348 ..... c05 N70-41581
US-PATENT-APPI-SN-363653 ..... c07 N70-41331
US-PATENT-APPI-SN-363654 ..... c07 N70-41372
US-PATENT-APPI-SN-363691 ..... c20 N76-14190
US-PATENT-APPI-SN-364867 ..... c09 N71-10673
US-PATENT-APPI-SN-365644 ..... c35 N74-26946
US-PATENT-APPI-SN-366226 ..... c10 N71-16057
US-PATENT-APPL-SN-367267 ..... c02 N73-26008
US-PATENT-APPI-SN-367268 ..... c05 N75-25914
US-PATENT-APPI-SN-367293 ..... c36 N75-19655
US-PATENT-APPI-SN-367294 ..... c76 N75-12810
US-PATENT-APPI-SN-367606 ..... c75 N75-13625
US-PATENT-APPI-SN-367606 ..... c75 N76-17951
US-PATENT-APPI-SN-368123 ..... c09 N71-10618
US-PATENT-APPI-SN-369334 ..... c21 N71-22880
US-PATENT-APPI-SN-369336 ..... c09 N71-10659
US-PATENT-APPI-SN-369337 ..... c15 N70-41811
US-PATENT-APPL-SN-369338 ..... c08 N71-28925
US-PATENT-APPI-SN-369640 ..... c32 N70-41370
US-PATENT-APPI-SN-370134 ..... c30 N70-40353
US-PATENT-APPI-SN-370135 ..... c11 N70-41677
US-PATENT-APPI-SN-370255 ..... c33 N75-18477
US-PATENT-APPI-SN-370271 ..... c32 N75-24981
US-PATENT-APPI-SN-370581 ..... c27 N73-27695
US-PATENT-APPI-SN-370582 ..... c18 N76-14186
US-PATENT-APPL-SN-370872 ..... c37 N74-32918
US-PATENT-APPI-SN-370989 ..... c23 N71-29049
US-PATENT-APPL-SN-370999 ..... c23 N73-32538
US-PATENT-APPI-SN-371322 ..... c44 N76-14600
US-PATENT-APPI-SN-371856 ..... c15 N70-42033
US-PATENT-APPI-SN-371857 ..... c07 N70-41680
US-PATENT-APPI-SN-372143 ..... c15 N73-27407
US-PATENT-APPI-SN-372148 ..... c35 N74-26949
US-PATENT-APPI-SN-372149 ..... c37 N75-15050
US-PATENT-APPI-SN-372438 ..... c30 N71-17788
US-PATENT-APPI-SN-372648 ..... c27 N71-16348
US-PATENT-APPI-SN-372727 ..... c31 N70-36845
US-PATENT-APPI-SN-372730 ..... c28 N71-28850
US-PATENT-APPL-SN-373587 ..... c33 N74-32711
US-PATENT-APPI-SN-373588 ..... c33 N75-19515
US-PATENT-APPI-SN-373591 ..... c31 N71-15692
US-PATENT-APPI-SN-374421 ..... c27 N76-24405
US-PATENT-APPI-SN-374422 ..... c32 N75-24982
US-PATENT-APPI-SN-374423 ..... c36 N75-31427
US-PATENT-APPI-SN-374424 ..... c74 N75-12732
US-PATENT-APPI-SN-374441 ..... c35 N75-19616
US-PATENT-APPI-SN-374583 ..... c33 N74-29556
US-PATENT-APPI-SN-375401 ..... c17 N71-16025
US-PATENT-APPI-SN-375405 ..... c31 N71-15675
US-PATENT-APPL-SN-375674 ..... c28 N70-41582
US-PATENT-APPI-SN-375680 ..... c10 N71-28739
US-PATENT-APPI-SN-375682 ..... c31 N70-41588
US-PATENT-APPL-SN-376258 ..... c22 N73-28660
US-PATENT-APPL-SN-377146 ..... c14 N71-23041
US-PATENT-APPI-SN-377777 ..... c32 N70-42003
US-PATENT-APPI-SN-377780 ..... c11 N71-10604
US-PATENT-APPI-SN-377784 ..... c28 N70-41311
US-PATENT-APPI-SN-378080 ..... c12 N71-24692
US-PATENT-APPL-SN-378126 ..... c44 N76-18643
US-PATENT-APPI-SN-378127 ..... c44 N76-18641
US-PATENT-APPL-SN-379019 ..... c09 N75-12969
US-PATENT-APPL-SN-379049 ..... c31 N75-13111
US-PATENT-APPI-SN-379072 ..... c15 N71-16078
US-PATENT-APPL-SN-379290 ..... c14 N73-28499
US-PATENT-APPI-SN-379417 ..... c02 N70-41863

US-PATENT-APPL-SN-379768 ..... c28 N71-10780
US-PATENT-APPL-SN-379771 ..... c33 N71-28852
US-PATENT-APPL-SN-380046 ..... c25 N76-29379
US-PATENT-APPL-SN-380630 ..... c37 N75-21631
US-PATENT-APPL-SN-380960 ..... c15 N70-41993
US-PATENT-APPL-SN-380965 ..... c10 N71-23033
US-PATENT-APPL-SN-381940 ..... c09 N71-20705
US-PATENT-APPL-SN-382261 ..... c35 N76-14430
US-PATENT-APPL-SN-382262 ..... c37 N74-21058
US-PATENT-APPL-SN-382976 ..... c15 N71-21179
US-PATENT-APPL-SN-384010 ..... c10 N71-28859
US-PATENT-APPL-SN-384773 ..... c15 N76-14158
US-PATENT-APPL-SN-384811 ..... c15 N71-10809
US-PATENT-APPL-SN-385013 ..... c35 N75-19613
US-PATENT-APPL-SN-385059 ..... c33 N77-21315
US-PATENT-APPL-SN-385520 ..... c14 N71-23037
US-PATENT-APPL-SN-385522 ..... c34 N75-33342
US-PATENT-APPL-SN-385526 ..... c12 N71-16031
US-PATENT-APPL-SN-385527 ..... c31 N71-17729
US-PATENT-APPL-SN-385530 ..... c09 N71-10798
US-PATENT-APPL-SN-386467 ..... c14 N70-40233
US-PATENT-APPL-SN-386789 ..... c35 N75-12271
US-PATENT-APPL-SN-386790 ..... c09 N75-12968
US-PATENT-APPL-SN-386793 ..... c35 N75-25124
US-PATENT-APPL-SN-386800 ..... c15 N71-21404
US-PATENT-APPL-SN-387094 ..... c37 N77-19457
US-PATENT-APPL-SN-387095 ..... c37 N75-33395
US-PATENT-APPL-SN-387266 ..... c35 N75-27328
US-PATENT-APPL-SN-387332 ..... c15 N70-33226
US-PATENT-APPL-SN-387342 ..... c37 N76-18457
US-PATENT-APPL-SN-388023 ..... c10 N70-41964
US-PATENT-APPL-SN-388024 ..... c32 N71-17609
US-PATENT-APPL-SN-388966 ..... c31 N70-41855
US-PATENT-APPL-SN-388967 ..... c10 N71-23271
US-PATENT-APPL-SN-389916 ..... c18 N75-27041
US-PATENT-APPL-SN-389929 ..... c33 N75-25040
US-PATENT-APPL-SN-390049 ..... c37 N76-16446
US-PATENT-APPL-SN-390049 ..... c44 N76-29700
US-PATENT-APPL-SN-390250 ..... c21 N70-41856
US-PATENT-APPL-SN-390251 ..... c07 N71-23026
US-PATENT-APPL-SN-390466 ..... c24 N75-13032
US-PATENT-APPL-SN-390468 ..... c36 N75-19652
US-PATENT-APPL-SN-391343 ..... c05 N69-21473
US-PATENT-APPL-SN-392823 ..... c25 N74-33378
US-PATENT-APPL-SN-392965 ..... c18 N71-22998
US-PATENT-APPL-SN-392969 ..... c09 N71-23573
US-PATENT-APPL-SN-392970 ..... c32 N70-41367
US-PATENT-APPL-SN-392973 ..... c07 N71-23001
US-PATENT-APPL-SN-392992 ..... c15 N71-23052
US-PATENT-APPL-SN-393451 ..... c02 N70-42016
US-PATENT-APPL-SN-393461 ..... c31 N71-17691
US-PATENT-APPL-SN-393464 ..... c23 N71-21821
US-PATENT-APPL-SN-393523 ..... c12 N75-24774
US-PATENT-APPL-SN-393524 ..... c60 N76-21914
US-PATENT-APPL-SN-393525 ..... c31 N74-32917
US-PATENT-APPL-SN-393526 ..... c77 N75-20139
US-PATENT-APPL-SN-393527 ..... c15 N75-13007
US-PATENT-APPL-SN-393528 ..... c36 N75-19654
US-PATENT-APPL-SN-394149 ..... c35 N75-25123
US-PATENT-APPL-SN-394206 ..... c76 N75-25730
US-PATENT-APPL-SN-394207 ..... c31 N74-10476
US-PATENT-APPL-SN-394638 ..... c28 N70-34162
US-PATENT-APPL-SN-394898 ..... c07 N77-28118
US-PATENT-APPL-SN-395348 ..... c15 N71-22713
US-PATENT-APPL-SN-395493 ..... c15 N73-32371
US-PATENT-APPL-SN-395495 ..... c54 N75-27759
US-PATENT-APPL-SN-395687 ..... c37 N75-18573
US-PATENT-APPL-SN-395868 ..... c33 N75-19516
US-PATENT-APPL-SN-396443 ..... c15 N71-15986
US-PATENT-APPL-SN-396444 ..... c10 N71-20782
US-PATENT-APPL-SN-397476 ..... c34 N75-12222
US-PATENT-APPL-SN-397477 ..... c33 N75-19517
US-PATENT-APPL-SN-397478 ..... c52 N75-33640
US-PATENT-APPL-SN-397665 ..... c10 N70-41991
US-PATENT-APPL-SN-398131 ..... c05 N70-41297
US-PATENT-APPL-SN-398132 ..... c15 N70-41808
US-PATENT-APPL-SN-398885 ..... c27 N76-15310
US-PATENT-APPL-SN-398886 ..... c07 N75-24736
US-PATENT-APPL-SN-398901 ..... c37 N75-25186
US-PATENT-APPL-SN-399419 ..... c21 N71-23289
US-PATENT-APPL-SN-400467 ..... c33 N75-30431
US-PATENT-APPL-SN-400613 ..... c15 N71-21528
US-PATENT-APPL-SN-400617 ..... c31 N71-17629
US-PATENT-APPL-SN-401466 ..... c09 N75-24758
US-PATENT-APPL-SN-401919 ..... c24 N76-24363
US-PATENT-APPL-SN-401920 ..... c37 N75-25185
US-PATENT-APPL-SN-401921 ..... c24 N76-14203
US-PATENT-APPL-SN-402365 ..... c31 N71-17730
US-PATENT-APPL-SN-402865 ..... c33 N74-32660
US-PATENT-APPL-SN-402866 ..... c23 N73-32542
US-PATENT-APPL-SN-402867 ..... c35 N75-33367
US-PATENT-APPL-SN-402868 ..... c35 N75-19612
US-PATENT-APPL-SN-402978 ..... c10 N71-23084
US-PATENT-APPL-SN-403154 ..... c37 N77-22480
US-PATENT-APPL-SN-403694 ..... c54 N75-12616
US-PATENT-APPL-SN-403695 ..... c35 N77-20399
US-PATENT-APPL-SN-403959 ..... c14 N70-41994
US-PATENT-APPL-SN-403960 ..... c14 N70-41366
US-PATENT-APPL-SN-404212 ..... c14 N73-32324
US-PATENT-APPL-SN-405341 ..... c37 N76-15460
US-PATENT-APPL-SN-405342 ..... c35 N75-19615
US-PATENT-APPL-SN-405346 ..... c37 N75-30562
US-PATENT-APPL-SN-405629 ..... c09 N71-10677
US-PATENT-APPL-SN-405630 ..... c14 N71-10616
US-PATENT-APPL-SN-405632 ..... c21 N71-15582
US-PATENT-APPL-SN-406097 ..... c14 N71-21088
US-PATENT-APPL-SN-406715 ..... c35 N75-15014
US-PATENT-APPL-SN-407323 ..... c32 N75-21485
US-PATENT-APPL-SN-407595 ..... c28 N70-41992
US-PATENT-APPL-SN-407599 ..... c14 N71-21091
US-PATENT-APPL-SN-407603 ..... c05 N71-11199
US-PATENT-APPL-SN-408435 ..... c15 N71-28937
US-PATENT-APPL-SN-408438 ..... c07 N71-22750
US-PATENT-APPL-SN-408442 ..... c10 N71-23662
US-PATENT-APPL-SN-409126 ..... c18 N71-21068
US-PATENT-APPL-SN-409990 ..... c35 N75-27330
US-PATENT-APPL-SN-409991 ..... c33 N75-13139
US-PATENT-APPL-SN-410325 ..... c18 N71-23088
US-PATENT-APPL-SN-410326 ..... c09 N71-21449
US-PATENT-APPL-SN-410330 ..... c26 N71-23043
US-PATENT-APPL-SN-410331 ..... c02 N70-41589
US-PATENT-APPL-SN-410332 ..... c14 N71-23039
US-PATENT-APPL-SN-411572 ..... c35 N75-15932
US-PATENT-APPL-SN-411944 ..... c15 N70-41629
US-PATENT-APPL-SN-411945 ..... c18 N71-23047
US-PATENT-APPL-SN-411949 ..... c27 N71-15635
US-PATENT-APPL-SN-412079 ..... c37 N75-13266
US-PATENT-APPL-SN-412080 ..... c36 N75-19653
US-PATENT-APPL-SN-412379 ..... c32 N77-10392
US-PATENT-APPL-SN-413661 ..... c15 N71-23024
US-PATENT-APPL-SN-413662 ..... c09 N70-41929
US-PATENT-APPL-SN-414042 ..... c37 N74-13199
US-PATENT-APPL-SN-414043 ..... c27 N76-32315
US-PATENT-APPL-SN-414482 ..... c10 N71-10578
US-PATENT-APPL-SN-415486 ..... c37 N75-19683
US-PATENT-APPL-SN-416135 ..... c32 N75-15854
US-PATENT-APPL-SN-416938 ..... c11 N71-10746
US-PATENT-APPL-SN-416940 ..... c21 N71-21708
US-PATENT-APPL-SN-416941 ..... c31 N70-34159
US-PATENT-APPL-SN-416943 ..... c14 N71-23269
US-PATENT-APPL-SN-416945 ..... c10 N71-23543
US-PATENT-APPL-SN-416946 ..... c28 N71-15563
US-PATENT-APPL-SN-417253 ..... c11 N71-23042
US-PATENT-APPL-SN-418010 ..... c32 N74-12843
US-PATENT-APPL-SN-418362 ..... c14 N71-20741
US-PATENT-APPL-SN-418931 ..... c05 N70-42000
US-PATENT-APPL-SN-418933 ..... c15 N71-23022
US-PATENT-APPL-SN-419319 ..... c34 N76-17317
US-PATENT-APPL-SN-419747 ..... c17 N76-21250
US-PATENT-APPL-SN-419748 ..... c27 N76-14264
US-PATENT-APPL-SN-419831 ..... c35 N75-21582
US-PATENT-APPL-SN-419831 ..... c35 N77-17426
US-PATENT-APPL-SN-420245 ..... c08 N71-22749
US-PATENT-APPL-SN-420250 ..... c15 N71-23051
US-PATENT-APPL-SN-420424 ..... c34 N75-26282
US-PATENT-APPL-SN-420466 ..... c14 N71-23092
US-PATENT-APPL-SN-420813 ..... c36 N75-32441
US-PATENT-APPL-SN-421702 ..... c44 N75-32581
US-PATENT-APPL-SN-421702 ..... c44 N76-23675
US-PATENT-APPL-SN-422092 ..... c14 N71-22989
US-PATENT-APPL-SN-422095 ..... c07 N71-10676
US-PATENT-APPL-SN-422096 ..... c03 N71-29044
US-PATENT-APPL-SN-422097 ..... c11 N71-21481
US-PATENT-APPL-SN-422098 ..... c15 N71-22797
US-PATENT-APPL-SN-422099 ..... c14 N71-22964
US-PATENT-APPL-SN-422100 ..... c14 N71-21040
US-PATENT-APPL-SN-422864 ..... c05 N69-21925
US-PATENT-APPL-SN-422865 ..... c31 N70-41631
US-PATENT-APPL-SN-422867 ..... c15 N70-40062
US-PATENT-APPL-SN-422868 ..... c15 N71-10617
US-PATENT-APPL-SN-422869 ..... c14 N71-10779
US-PATENT-APPL-SN-423412 ..... c08 N71-22897
US-PATENT-APPL-SN-424013 ..... c34 N76-27517
US-PATENT-APPL-SN-424038 ..... c24 N75-30260
US-PATENT-APPL-SN-424153 ..... c15 N71-21234
US-PATENT-APPL-SN-424156 ..... c02 N71-23007
US-PATENT-APPL-SN-424157 ..... c28 N70-41275
US-PATENT-APPL-SN-425096 ..... c05 N71-23080

US-PATENT-APPL-SN-425362 ..... c15 N71-10658
US-PATENT-APPL-SN-425363 ..... c09 N71-20658
US-PATENT-APPL-SN-425364 ..... c33 N71-15623
US-PATENT-APPL-SN-425365 ..... c32 N71-21045
US-PATENT-APPL-SN-425972 ..... c03 N71-23006
US-PATENT-APPL-SN-426155 ..... c33 N75-15874
US-PATENT-APPL-SN-426405 ..... c25 N75-26043
US-PATENT-APPL-SN-426455 ..... c28 N71-15661
US-PATENT-APPL-SN-426702 ..... c15 N70-42034
US-PATENT-APPL-SN-427395 ..... c54 N75-27760
US-PATENT-APPL-SN-427775 ..... c27 N76-22376
US-PATENT-APPL-SN-427990 ..... c06 N71-23527
US-PATENT-APPL-SN-428444 ..... c44 N76-18642
US-PATENT-APPL-SN-428444 ..... c44 N76-29704
US-PATENT-APPL-SN-428882 ..... c31 N70-41948
US-PATENT-APPL-SN-428887 ..... c33 N71-29051
US-PATENT-APPL-SN-428890 ..... c02 N70-41630
US-PATENT-APPL-SN-428992 ..... c34 N77-18382
US-PATENT-APPL-SN-428993 ..... c45 N75-27585
US-PATENT-APPL-SN-428994 ..... c32 N75-21486
US-PATENT-APPL-SN-428994 ..... c32 N76-16249
US-PATENT-APPL-SN-428995 ..... c51 N75-25503
US-PATENT-APPL-SN-429437 ..... c35 N75-23910
US-PATENT-APPL-SN-430192 ..... c18 N71-27170
US-PATENT-APPL-SN-430226 ..... c18 N71-23658
US-PATENT-APPL-SN-430496 ..... c26 N75-29236
US-PATENT-APPL-SN-430776 ..... c03 N70-41954
US-PATENT-APPL-SN-430777 ..... c18 N71-24184
US-PATENT-APPL-SN-430778 ..... c03 N71-10728
US-PATENT-APPL-SN-430780 ..... c03 N71-12260
US-PATENT-APPL-SN-431235 ..... c15 N71-16052
US-PATENT-APPL-SN-432025 ..... c15 N71-21531
US-PATENT-APPL-SN-432026 ..... c07 N71-23405
US-PATENT-APPL-SN-432027 ..... c21 N70-41930
US-PATENT-APPL-SN-432028 ..... c15 N71-22723
US-PATENT-APPL-SN-432030 ..... c12 N71-20896
US-PATENT-APPL-SN-432032 ..... c15 N69-24322
US-PATENT-APPL-SN-432433 ..... c15 N71-22705
US-PATENT-APPL-SN-433821 ..... c09 N71-16089
US-PATENT-APPL-SN-433968 ..... c33 N74-14941
US-PATENT-APPL-SN-433968 ..... c33 N75-25041
US-PATENT-APPL-SN-434143 ..... c15 N71-15871
US-PATENT-APPL-SN-434148 ..... c31 N71-24750
US-PATENT-APPL-SN-435387 ..... c10 N70-42032
US-PATENT-APPL-SN-435433 ..... c14 N71-30026
US-PATENT-APPL-SN-435756 ..... c12 N71-16894
US-PATENT-APPL-SN-436313 ..... c54 N77-32721
US-PATENT-APPL-SN-436315 ..... c26 N75-19408
US-PATENT-APPL-SN-436316 ..... c20 N76-14191
US-PATENT-APPL-SN-436317 ..... c37 N76-24575
US-PATENT-APPL-SN-437556 ..... c27 N76-16230
US-PATENT-APPL-SN-437611 ..... c09 N71-22796
US-PATENT-APPL-SN-438135 ..... c09 N71-23027
US-PATENT-APPL-SN-438147 ..... c15 N76-14931
US-PATENT-APPL-SN-438797 ..... c14 N71-10500
US-PATENT-APPL-SN-439489 ..... c09 N70-41717
US-PATENT-APPL-SN-439490 ..... c23 N69-24332
US-PATENT-APPL-SN-440033 ..... c27 N70-41897
US-PATENT-APPL-SN-440036 ..... c09 N71-23097
US-PATENT-APPL-SN-440039 ..... c09 N71-22888
US-PATENT-APPL-SN-440916 ..... c33 N75-27252
US-PATENT-APPL-SN-440917 ..... c37 N76-18459
US-PATENT-APPL-SN-441279 ..... c35 N75-29382
US-PATENT-APPL-SN-441936 ..... c14 N69-39975
US-PATENT-APPL-SN-442558 ..... c15 N71-10799
US-PATENT-APPL-SN-442835 ..... c26 N71-29156
US-PATENT-APPL-SN-444087 ..... c02 N71-11041
US-PATENT-APPL-SN-445178 ..... c37 N76-15461
US-PATENT-APPL-SN-445292 ..... c11 N71-23030
US-PATENT-APPL-SN-445807 ..... c14 N71-22996
US-PATENT-APPL-SN-446131 ..... c14 N71-22992
US-PATENT-APPL-SN-446560 ..... c12 N76-15189
US-PATENT-APPL-SN-446562 ..... c36 N76-14447
US-PATENT-APPL-SN-446564 ..... c35 N75-26334
US-PATENT-APPL-SN-446567 ..... c34 N76-27515
US-PATENT-APPL-SN-446568 ..... c37 N76-23570
US-PATENT-APPL-SN-446569 ..... c77 N75-20140
US-PATENT-APPL-SN-447124 ..... c35 N75-30503
US-PATENT-APPL-SN-447927 ..... c11 N71-10776
US-PATENT-APPL-SN-447928 ..... c15 N71-10577
US-PATENT-APPL-SN-447930 ..... c14 N69-39896
US-PATENT-APPL-SN-447933 ..... c03 N69-21337
US-PATENT-APPL-SN-448320 ..... c91 N76-30131
US-PATENT-APPL-SN-448321 ..... c27 N74-19772
US-PATENT-APPL-SN-448323 ..... c18 N76-17185
US-PATENT-APPL-SN-448325 ..... c33 N75-26244
US-PATENT-APPL-SN-448365 ..... c10 N71-26414
US-PATENT-APPL-SN-448898 ..... c15 N70-41310
US-PATENT-APPL-SN-449118 ..... c33 N75-19524
US-PATENT-APPL-SN-449153 ..... c54 N75-27761
US-PATENT-APPL-SN-449901 ..... c28 N70-41967
US-PATENT-APPL-SN-449902 ..... c14 N70-41681
US-PATENT-APPL-SN-450500 ..... c37 N76-18455
US-PATENT-APPL-SN-450502 ..... c37 N76-18456
US-PATENT-APPL-SN-450504 ..... c23 N77-17161
US-PATENT-APPL-SN-450505 ..... c37 N75-31446
US-PATENT-APPL-SN-451596 ..... c17 N71-29137
US-PATENT-APPL-SN-452761 ..... c33 N75-19522
US-PATENT-APPL-SN-452767 ..... c05 N75-25915
US-PATENT-APPL-SN-452768 ..... c52 N76-30793
US-PATENT-APPL-SN-452769 ..... c44 N76-16612
US-PATENT-APPL-SN-452770 ..... c33 N75-31332
US-PATENT-APPL-SN-452944 ..... c18 N71-24183
US-PATENT-APPL-SN-452945 ..... c18 N69-39979
US-PATENT-APPL-SN-453115 ..... c32 N76-14321
US-PATENT-APPL-SN-453225 ..... c15 N71-24833
US-PATENT-APPL-SN-453227 ..... c31 N71-10582
US-PATENT-APPL-SN-453229 ..... c17 N71-23828
US-PATENT-APPL-SN-453231 ..... c23 N71-15467
US-PATENT-APPL-SN-453232 ..... c15 N71-21311
US-PATENT-APPL-SN-453232 ..... c18 N75-19329
US-PATENT-APPL-SN-453241 ..... c33 N75-29318
US-PATENT-APPL-SN-455163 ..... c32 N75-26195
US-PATENT-APPL-SN-455165 ..... c36 N75-30524
US-PATENT-APPL-SN-455352 ..... c33 N71-20834
US-PATENT-APPL-SN-455477 ..... c08 N71-19687
US-PATENT-APPL-SN-456578 ..... c07 N70-41678
US-PATENT-APPL-SN-456581 ..... c09 N71-23021
US-PATENT-APPL-SN-456874 ..... c06 N71-23499
US-PATENT-APPL-SN-457295 ..... c20 N75-24837
US-PATENT-APPL-SN-457874 ..... c09 N71-23545
US-PATENT-APPL-SN-457875 ..... c31 N70-42015
US-PATENT-APPL-SN-457876 ..... c02 N71-12243
US-PATENT-APPL-SN-457879 ..... c15 N71-21078
US-PATENT-APPL-SN-458484 ..... c44 N76-14595
US-PATENT-APPL-SN-459138 ..... c14 N71-10773
US-PATENT-APPL-SN-459407 ..... c14 N73-30391
US-PATENT-APPL-SN-459736 ..... c33 N75-26245
US-PATENT-APPL-SN-460876 ..... c09 N69-21470
US-PATENT-APPL-SN-460877 ..... c33 N71-23085
US-PATENT-APPL-SN-461073 ..... c33 N75-26246
US-PATENT-APPL-SN-461477 ..... c37 N75-19686
US-PATENT-APPL-SN-461765 ..... c17 N71-23046
US-PATENT-APPL-SN-462341 ..... c44 N76-31666
US-PATENT-APPL-SN-462424 ..... c24 N77-19171
US-PATENT-APPL-SN-462705 ..... c37 N75-19684
US-PATENT-APPL-SN-462762 ..... c12 N69-21466
US-PATENT-APPL-SN-462763 ..... c14 N71-22991
US-PATENT-APPL-SN-462844 ..... c33 N75-19520
US-PATENT-APPL-SN-462903 ..... c37 N76-14461
US-PATENT-APPL-SN-463925 ..... c74 N76-30053
US-PATENT-APPL-SN-464720 ..... c32 N76-16249
US-PATENT-APPL-SN-464721 ..... c37 N75-26372
US-PATENT-APPL-SN-464722 ..... c35 N76-22509
US-PATENT-APPL-SN-464723 ..... c33 N75-30429
US-PATENT-APPL-SN-464878 ..... c10 N71-22986
US-PATENT-APPL-SN-464879 ..... c14 N71-21072
US-PATENT-APPL-SN-464880 ..... c33 N71-21586
US-PATENT-APPL-SN-464885 ..... c15 N71-22997
US-PATENT-APPL-SN-466390 ..... c28 N71-20330
US-PATENT-APPL-SN-466868 ..... c22 N71-23599
US-PATENT-APPL-SN-466873 ..... c17 N71-20743
US-PATENT-APPL-SN-466875 ..... c08 N71-22707
US-PATENT-APPL-SN-467820 ..... c28 N71-26779
US-PATENT-APPL-SN-468614 ..... c60 N77-14751
US-PATENT-APPL-SN-468614 ..... c60 N77-32731
US-PATENT-APPL-SN-468647 ..... c21 N71-10771
US-PATENT-APPL-SN-468655 ..... c15 N69-21471
US-PATENT-APPL-SN-469011 ..... c11 N69-21540
US-PATENT-APPL-SN-469012 ..... c25 N71-20747
US-PATENT-APPL-SN-469013 ..... c14 N69-27423
US-PATENT-APPL-SN-470428 ..... c33 N76-16332
US-PATENT-APPL-SN-470429 ..... c33 N75-31329
US-PATENT-APPL-SN-470902 ..... c06 N71-28808
US-PATENT-APPL-SN-471154 ..... c09 N73-28084
US-PATENT-APPL-SN-472066 ..... c31 N70-42075
US-PATENT-APPL-SN-472372 ..... c07 N71-20791
US-PATENT-APPL-SN-472747 ..... c31 N71-16081
US-PATENT-APPL-SN-472775 ..... c35 N75-33369
US-PATENT-APPL-SN-473535 ..... c31 N71-15637
US-PATENT-APPL-SN-473537 ..... c08 N71-15908
US-PATENT-APPL-SN-473973 ..... c02 N77-10001
US-PATENT-APPL-SN-474531 ..... c31 N71-23009
US-PATENT-APPL-SN-474744 ..... c35 N76-14431
US-PATENT-APPL-SN-474745 ..... c37 N76-14463
US-PATENT-APPL-SN-475299 ..... c31 N71-17679
US-PATENT-APPL-SN-475336 ..... c54 N75-27758
US-PATENT-APPL-SN-475337 ..... c51 N76-29891

US-PATENT-APPL-SN-475338 ..... c35 N76-15431
US-PATENT-APPL-SN-476759 ..... c03 N70-42073
US-PATENT-APPL-SN-476761 ..... c11 N71-10748
US-PATENT-APPL-SN-476763 ..... c09 N69-21313
US-PATENT-APPL-SN-477333 ..... c28 N70-41922
US-PATENT-APPL-SN-478491 ..... c14 N69-21363
US-PATENT-APPL-SN-478800 ..... c37 N76-19436
US-PATENT-APPL-SN-478802 ..... c06 N74-27872
US-PATENT-APPL-SN-478802 ..... c35 N75-29381
US-PATENT-APPL-SN-478803 ..... c31 N76-14284
US-PATENT-APPL-SN-479353 ..... c15 N71-23256
US-PATENT-APPL-SN-479357 ..... c36 N77-19416
US-PATENT-APPL-SN-480210 ..... c11 N71-21474
US-PATENT-APPL-SN-480211 ..... c14 N71-26135
US-PATENT-APPL-SN-482104 ..... c27 N76-22377
US-PATENT-APPL-SN-482105 ..... c27 N76-23426
US-PATENT-APPL-SN-482307 ..... c15 N71-21060
US-PATENT-APPL-SN-482311 ..... c05 N71-22748
US-PATENT-APPL-SN-482313 ..... c11 N69-24321
US-PATENT-APPL-SN-482670 ..... c14 N71-21007
US-PATENT-APPL-SN-482952 ..... c09 N71-28926
US-PATENT-APPL-SN-482953 ..... c74 N76-18913
US-PATENT-APPL-SN-482967 ..... c34 N76-18364
US-PATENT-APPL-SN-483301 ..... c36 N77-26477
US-PATENT-APPL-SN-483850 ..... c37 N76-14460
US-PATENT-APPL-SN-483851 ..... c35 N76-15435
US-PATENT-APPL-SN-483852 ..... c33 N75-30430
US-PATENT-APPL-SN-483857 ..... c44 N76-14601
US-PATENT-APPL-SN-483858 ..... c35 N76-18400
US-PATENT-APPL-SN-483885 ..... c04 N71-23185
US-PATENT-APPL-SN-483886 ..... c09 N71-22988
US-PATENT-APPL-SN-483891 ..... c14 N69-39982
US-PATENT-APPL-SN-484156 ..... c11 N71-21475
US-PATENT-APPL-SN-484208 ..... c35 N75-30502
US-PATENT-APPL-SN-484209 ..... c35 N76-18403
US-PATENT-APPL-SN-484485 ..... c01 N71-23497
US-PATENT-APPL-SN-484489 ..... c10 N71-15909
US-PATENT-APPL-SN-484490 ..... c24 N71-20518
US-PATENT-APPL-SN-484855 ..... c09 N71-19480
US-PATENT-APPL-SN-485058 ..... c06 N71-23500
US-PATENT-APPL-SN-485656 ..... c28 N71-10574
US-PATENT-APPL-SN-485957 ..... c25 N71-21694
US-PATENT-APPL-SN-485958 ..... c15 N71-24047
US-PATENT-APPL-SN-485960 ..... c15 N70-42017
US-PATENT-APPL-SN-486573 ..... c10 N71-19469
US-PATENT-APPL-SN-486884 ..... c15 N73-32362
US-PATENT-APPL-SN-487156 ..... c44 N77-10636
US-PATENT-APPL-SN-487341 ..... c14 N71-19431
US-PATENT-APPL-SN-487342 ..... c09 N71-21583
US-PATENT-APPL-SN-487343 ..... c03 N69-39890
US-PATENT-APPL-SN-487344 ..... c15 N69-21472
US-PATENT-APPL-SN-487352 ..... c14 N71-18699
US-PATENT-APPL-SN-487652 ..... c23 N76-15268
US-PATENT-APPL-SN-487929 ..... c33 N74-20859
US-PATENT-APPL-SN-487934 ..... c15 N71-21530
US-PATENT-APPL-SN-487939 ..... c14 N71-23040
US-PATENT-APPL-SN-487940 ..... c10 N71-26434
US-PATENT-APPL-SN-488381 ..... c14 N73-32321
US-PATENT-APPL-SN-488616 ..... c07 N76-18117
US-PATENT-APPL-SN-488745 ..... c26 N75-27127
US-PATENT-APPL-SN-489008 ..... c23 N75-30256
US-PATENT-APPL-SN-489009 ..... c33 N76-19339
US-PATENT-APPL-SN-489442 ..... c25 N69-39884
US-PATENT-APPL-SN-491054 ..... c14 N71-23174
US-PATENT-APPL-SN-491058 ..... c09 N71-23443
US-PATENT-APPL-SN-491059 ..... c09 N71-23015
US-PATENT-APPL-SN-491413 ..... c74 N74-30118
US-PATENT-APPL-SN-491416 ..... c35 N75-33368
US-PATENT-APPL-SN-491417 ..... c37 N76-19437
US-PATENT-APPL-SN-491418 ..... c31 N76-31365
US-PATENT-APPL-SN-491419 ..... c32 N76-15330
US-PATENT-APPL-SN-491845 ..... c28 N71-15659
US-PATENT-APPL-SN-492304 ..... c05 N71-22896
US-PATENT-APPL-SN-493359 ..... c20 N76-21275
US-PATENT-APPL-SN-493360 ..... c32 N74-32601
US-PATENT-APPL-SN-493363 ..... c33 N76-21390
US-PATENT-APPL-SN-493942 ..... c14 N71-17659
US-PATENT-APPL-SN-493943 ..... c15 N71-21529
US-PATENT-APPL-SN-494280 ..... c28 N71-23081
US-PATENT-APPL-SN-494282 ..... c15 N69-39735
US-PATENT-APPL-SN-494283 ..... c31 N71-24035
US-PATENT-APPL-SN-494287 ..... c03 N71-22974
US-PATENT-APPL-SN-494739 ..... c07 N71-26291
US-PATENT-APPL-SN-495021 ..... c44 N74-30448
US-PATENT-APPL-SN-495022 ..... c60 N77-12721
US-PATENT-APPL-SN-496205 ..... c14 N71-22965
US-PATENT-APPL-SN-496779 ..... c05 N76-29217
US-PATENT-APPL-SN-498167 ..... c03 N71-10608
US-PATENT-APPL-SN-498168 ..... c28 N71-21822

US-PATENT-APPL-SN-499122 ..... c15 N71-24164
US-PATENT-APPL-SN-500435 ..... c14 N71-21082
US-PATENT-APPL-SN-500446 ..... c10 N71-23029
US-PATENT-APPL-SN-500979 ..... c32 N76-18295
US-PATENT-APPL-SN-500980 ..... c72 N76-15860
US-PATENT-APPL-SN-500981 ..... c35 N77-10492
US-PATENT-APPL-SN-500982 ..... c75 N76-17951
US-PATENT-APPL-SN-501011 ..... c33 N76-18345
US-PATENT-APPL-SN-501012 ..... c33 N76-14373
US-PATENT-APPL-SN-502124 ..... c35 N76-16393
US-PATENT-APPL-SN-502135 ..... c35 N76-15433
US-PATENT-APPL-SN-502136 ..... c35 N75-27331
US-PATENT-APPL-SN-502137 ..... c37 N76-21554
US-PATENT-APPL-SN-502138 ..... c43 N77-10584
US-PATENT-APPL-SN-502693 ..... c15 N71-20739
US-PATENT-APPL-SN-502701 ..... c08 N71-23295
US-PATENT-APPL-SN-502709 ..... c31 N71-21881
US-PATENT-APPL-SN-502710 ..... c15 N71-23048
US-PATENT-APPL-SN-502729 ..... c31 N70-41871
US-PATENT-APPL-SN-502739 ..... c09 N71-23311
US-PATENT-APPL-SN-502740 ..... c14 N69-27485
US-PATENT-APPL-SN-502743 ..... c08 N71-19435
US-PATENT-APPL-SN-502746 ..... c03 N69-39898
US-PATENT-APPL-SN-502750 ..... c09 N71-19466
US-PATENT-APPL-SN-502753 ..... c07 N69-39978
US-PATENT-APPL-SN-502756 ..... c03 N71-23336
US-PATENT-APPL-SN-504225 ..... c35 N76-16392
US-PATENT-APPL-SN-504266 ..... c31 N71-21064
US-PATENT-APPL-SN-505320 ..... c16 N71-18614
US-PATENT-APPL-SN-505321 ..... c10 N71-22962
US-PATENT-APPL-SN-505765 ..... c15 N71-23816
US-PATENT-APPL-SN-505819 ..... c33 N76-16351
US-PATENT-APPL-SN-505881 ..... c09 N76-24280
US-PATENT-APPL-SN-506135 ..... c06 N71-20905
US-PATENT-APPL-SN-506137 ..... c15 N71-23049
US-PATENT-APPL-SN-506804 ..... c35 N76-18402
US-PATENT-APPL-SN-506908 ..... c09 N71-18843
US-PATENT-APPL-SN-507254 ..... c14 N71-22990
US-PATENT-APPL-SN-507257 ..... c09 N71-19449
US-PATENT-APPL-SN-508169 ..... c18 N71-27397
US-PATENT-APPL-SN-508170 ..... c08 N71-22710
US-PATENT-APPL-SN-508601 ..... c15 N71-22878
US-PATENT-APPL-SN-508784 ..... c76 N76-25049
US-PATENT-APPL-SN-508873 ..... c14 N71-23240
US-PATENT-APPL-SN-509460 ..... c01 N71-13411
US-PATENT-APPL-SN-510150 ..... c10 N71-26103
US-PATENT-APPL-SN-510155 ..... c06 N71-11235
US-PATENT-APPL-SN-510474 ..... c15 N71-23810
US-PATENT-APPL-SN-510475 ..... c14 N71-23087
US-PATENT-APPL-SN-510677 ..... c44 N77-19571
US-PATENT-APPL-SN-511299 ..... c15 N71-22798
US-PATENT-APPL-SN-511334 ..... c36 N77-32478
US-PATENT-APPL-SN-511346 ..... c15 N77-10113
US-PATENT-APPL-SN-511564 ..... c09 N69-39885
US-PATENT-APPL-SN-511567 ..... c05 N71-12336
US-PATENT-APPL-SN-511887 ..... c35 N76-15436
US-PATENT-APPL-SN-511894 ..... c03 N76-32140
US-PATENT-APPL-SN-512352 ..... c15 N70-33330
US-PATENT-APPL-SN-512509 ..... c26 N75-27125
US-PATENT-APPL-SN-512559 ..... c23 N71-22881
US-PATENT-APPL-SN-512561 ..... c16 N71-25914
US-PATENT-APPL-SN-512562 ..... c16 N71-24074
US-PATENT-APPL-SN-512825 ..... c32 N76-15329
US-PATENT-APPL-SN-513389 ..... c25 N75-12087
US-PATENT-APPL-SN-513576 ..... c35 N76-29552
US-PATENT-APPL-SN-513611 ..... c24 N76-22309
US-PATENT-APPL-SN-513612 ..... c05 N77-17029
US-PATENT-APPL-SN-513613 ..... c27 N74-34579
US-PATENT-APPL-SN-513689 ..... c34 N74-34881
US-PATENT-APPL-SN-513690 ..... c37 N76-20480
US-PATENT-APPL-SN-514407 ..... c18 N71-22894
US-PATENT-APPL-SN-514546 ..... c74 N76-20958
US-PATENT-APPL-SN-515484 ..... c14 N71-22993
US-PATENT-APPL-SN-516150 ..... c05 N71-19440
US-PATENT-APPL-SN-516151 ..... c15 N70-41679
US-PATENT-APPL-SN-516152 ..... c14 N71-23225
US-PATENT-APPL-SN-516153 ..... c10 N71-28783
US-PATENT-APPL-SN-516154 ..... c09 N69-24330
US-PATENT-APPL-SN-516155 ..... c09 N71-23270
US-PATENT-APPL-SN-516158 ..... c09 N71-19479
US-PATENT-APPL-SN-516159 ..... c14 N70-41812
US-PATENT-APPL-SN-516160 ..... c33 N71-16277
US-PATENT-APPL-SN-516162 ..... c07 N71-28900
US-PATENT-APPL-SN-516793 ..... c16 N71-22895
US-PATENT-APPL-SN-516794 ..... c14 N70-42074
US-PATENT-APPL-SN-517100 ..... c28 N70-33241
US-PATENT-APPL-SN-517156 ..... c14 N71-23093
US-PATENT-APPL-SN-517157 ..... c15 N71-22722
US-PATENT-APPL-SN-517158 ..... c14 N71-23401

US-PATENT-APPL-SN-517159 ..... c15 N71-20740
US-PATENT-APPL-SN-517858 ..... c14 N71-21006
US-PATENT-APPL-SN-517869 ..... c15 N71-23050
US-PATENT-APPL-SN-517955 ..... c39 N76-31562
US-PATENT-APPL-SN-518487 ..... c05 N71-11190
US-PATENT-APPL-SN-518544 ..... c44 N76-24696
US-PATENT-APPL-SN-518545 ..... c19 N76-22284
US-PATENT-APPL-SN-518546 ..... c26 N76-18257
US-PATENT-APPL-SN-518684 ..... c44 N76-22657
US-PATENT-APPL-SN-518685 ..... c35 N76-14429
US-PATENT-APPL-SN-519160 ..... c18 N71-20742
US-PATENT-APPL-SN-519161 ..... c05 N71-20718
US-PATENT-APPL-SN-519355 ..... c09 N69-24317
US-PATENT-APPL-SN-520838 ..... c08 N71-18595
US-PATENT-APPL-SN-520839 ..... c10 N71-19472
US-PATENT-APPL-SN-521006 ..... c34 N77-10463
US-PATENT-APPL-SN-521007 ..... c25 N75-13054
US-PATENT-APPL-SN-521601 ..... c60 N76-14818
US-PATENT-APPL-SN-521602 ..... c37 N76-18454
US-PATENT-APPL-SN-521603 ..... c35 N75-29380
US-PATENT-APPL-SN-521619 ..... c51 N75-13506
US-PATENT-APPL-SN-521620 ..... c09 N77-10071
US-PATENT-APPL-SN-521753 ..... c15 N70-41960
US-PATENT-APPL-SN-521754 ..... c07 N71-22984
US-PATENT-APPL-SN-521755 ..... c28 N71-28849
US-PATENT-APPL-SN-521816 ..... c35 N77-19385
US-PATENT-APPL-SN-521817 ..... c45 N76-21742
US-PATENT-APPL-SN-521994 ..... c17 N71-23365
US-PATENT-APPL-SN-521996 ..... c15 N69-27871
US-PATENT-APPL-SN-521998 ..... c07 N69-24323
US-PATENT-APPL-SN-521999 ..... c12 N71-20815
US-PATENT-APPL-SN-522551 ..... c76 N76-20994
US-PATENT-APPL-SN-522552 ..... c35 N76-16390
US-PATENT-APPL-SN-522556 ..... c35 N76-15432
US-PATENT-APPL-SN-522794 ..... c09 N71-23190
US-PATENT-APPL-SN-522795 ..... c20 N71-16281
US-PATENT-APPL-SN-522971 ..... c54 N76-24900
US-PATENT-APPL-SN-523511 ..... c28 N71-20942
US-PATENT-APPL-SN-524746 ..... c14 N73-28491
US-PATENT-APPL-SN-526438 ..... c25 N76-22323
US-PATENT-APPL-SN-526448 ..... c44 N76-14602
US-PATENT-APPL-SN-526449 ..... c54 N76-14804
US-PATENT-APPL-SN-526450 ..... c35 N77-14409
US-PATENT-APPL-SN-526631 ..... c10 N71-19471
US-PATENT-APPL-SN-526664 ..... c07 N69-24334
US-PATENT-APPL-SN-526665 ..... c14 N69-24331
US-PATENT-APPL-SN-527331 ..... c17 N73-28573
US-PATENT-APPL-SN-527727 ..... c02 N76-16014
US-PATENT-APPL-SN-527728 ..... c37 N76-18458
US-PATENT-APPL-SN-527790 ..... c33 N76-14372
US-PATENT-APPL-SN-528031 ..... c10 N69-39888
US-PATENT-APPL-SN-529593 ..... c27 N71-21819
US-PATENT-APPL-SN-529594 ..... c15 N69-27483
US-PATENT-APPL-SN-529594 ..... c33 N71-29152
US-PATENT-APPL-SN-529609 ..... c09 N69-39986
US-PATENT-APPL-SN-530958 ..... c09 N71-22985
US-PATENT-APPL-SN-531565 ..... c36 N76-24553
US-PATENT-APPL-SN-531568 ..... c24 N75-14839
US-PATENT-APPL-SN-531572 ..... c66 N76-19888
US-PATENT-APPL-SN-531575 ..... c32 N76-31372
US-PATENT-APPL-SN-531642 ..... c25 N71-21693
US-PATENT-APPL-SN-531647 ..... c04 N76-20114
US-PATENT-APPL-SN-531647 ..... c04 N77-19056
US-PATENT-APPL-SN-531649 ..... c37 N75-13268
US-PATENT-APPL-SN-532006 ..... c23 N71-24857
US-PATENT-APPL-SN-532784 ..... c27 N75-29263
US-PATENT-APPL-SN-533555 ..... c36 N76-18428
US-PATENT-APPL-SN-533556 ..... c36 N76-29575
US-PATENT-APPL-SN-533608 ..... c32 N76-21366
US-PATENT-APPL-SN-533650 ..... c35 N75-27329
US-PATENT-APPL-SN-533659 ..... c14 N73-30390
US-PATENT-APPL-SN-533734 ..... c33 N77-10428
US-PATENT-APPL-SN-534265 ..... c32 N76-21365
US-PATENT-APPL-SN-534266 ..... c35 N76-24523
US-PATENT-APPL-SN-534295 ..... c15 N71-21076
US-PATENT-APPL-SN-534564 ..... c10 N71-22961
US-PATENT-APPL-SN-534901 ..... c14 N70-36807
US-PATENT-APPL-SN-534966 ..... c15 N71-24042
US-PATENT-APPL-SN-534975 ..... c14 N71-24232
US-PATENT-APPL-SN-535304 ..... c09 N71-28810
US-PATENT-APPL-SN-535410 ..... c37 N76-15457
US-PATENT-APPL-SN-536210 ..... c17 N71-24830
US-PATENT-APPL-SN-536216 ..... c10 N71-23315
US-PATENT-APPL-SN-536217 ..... c10 N71-23544
US-PATENT-APPL-SN-536535 ..... c33 N76-14371
US-PATENT-APPL-SN-536761 ..... c33 N76-19338
US-PATENT-APPL-SN-536762 ..... c37 N76-22540
US-PATENT-APPL-SN-536765 ..... c33 N76-31409
US-PATENT-APPL-SN-536786 ..... c44 N77-32581
US-PATENT-APPL-SN-537024 ..... c44 N76-27664
US-PATENT-APPL-SN-537473 ..... c36 N75-15973
US-PATENT-APPL-SN-537480 ..... c45 N76-31714
US-PATENT-APPL-SN-537615 ..... c28 N71-22983
US-PATENT-APPL-SN-537617 ..... c09 N71-22987
US-PATENT-APPL-SN-537979 ..... c37 N77-11397
US-PATENT-APPL-SN-538047 ..... c37 N76-27568
US-PATENT-APPL-SN-538166 ..... c15 N71-21177
US-PATENT-APPL-SN-538168 ..... c23 N71-16098
US-PATENT-APPL-SN-538905 ..... c08 N71-18594
US-PATENT-APPL-SN-538907 ..... c33 N71-28903
US-PATENT-APPL-SN-538908 ..... c33 N71-22890
US-PATENT-APPL-SN-538911 ..... c33 N71-22792
US-PATENT-APPL-SN-538913 ..... c14 N71-17627
US-PATENT-APPL-SN-538982 ..... c33 N77-14333
US-PATENT-APPL-SN-538983 ..... c33 N76-18353
US-PATENT-APPL-SN-539237 ..... c33 N71-16278
US-PATENT-APPL-SN-539255 ..... c18 N71-26153
US-PATENT-APPL-SN-539255 ..... c17 N72-28536
US-PATENT-APPL-SN-540414 ..... c15 N71-22799
US-PATENT-APPL-SN-540779 ..... c24 N75-16635
US-PATENT-APPL-SN-541399 ..... c14 N71-20428
US-PATENT-APPL-SN-542157 ..... c20 N76-21276
US-PATENT-APPL-SN-542192 ..... c26 N75-27126
US-PATENT-APPL-SN-542713 ..... c23 N71-23976
US-PATENT-APPL-SN-542754 ..... c34 N76-18374
US-PATENT-APPL-SN-543206 ..... c05 N71-23159
US-PATENT-APPL-SN-543774 ..... c06 N69-39733
US-PATENT-APPL-SN-544611 ..... c33 N76-15373
US-PATENT-APPL-SN-544895 ..... c07 N71-28809
US-PATENT-APPL-SN-544899 ..... c09 N71-20569
US-PATENT-APPL-SN-545223 ..... c03 N71-11056
US-PATENT-APPL-SN-545224 ..... c15 N69-21362
US-PATENT-APPL-SN-545228 ..... c07 N69-39736
US-PATENT-APPL-SN-545229 ..... c03 N69-21469
US-PATENT-APPL-SN-545282 ..... c35 N76-24524
US-PATENT-APPL-SN-545283 ..... c32 N77-12239
US-PATENT-APPL-SN-545284 ..... c34 N76-27517
US-PATENT-APPL-SN-545535 ..... c03 N69-21539
US-PATENT-APPL-SN-545805 ..... c15 N71-21744
US-PATENT-APPL-SN-546142 ..... c09 N69-24329
US-PATENT-APPL-SN-546148 ..... c11 N71-22875
US-PATENT-APPL-SN-546149 ..... c16 N71-24170
US-PATENT-APPL-SN-547072 ..... c15 N71-24043
US-PATENT-APPL-SN-547677 ..... c10 N71-20448
US-PATENT-APPL-SN-548468 ..... c37 N76-27567
US-PATENT-APPL-SN-548559 ..... c44 N76-29700
US-PATENT-APPL-SN-548808 ..... c14 N71-23227
US-PATENT-APPL-SN-549418 ..... c36 N76-31512
US-PATENT-APPL-SN-549860 ..... c03 N71-19438
US-PATENT-APPL-SN-550088 ..... c07 N71-24612
US-PATENT-APPL-SN-551182 ..... c03 N71-23187
US-PATENT-APPL-SN-551184 ..... c37 N76-22541
US-PATENT-APPL-SN-551694 ..... c31 N71-18611
US-PATENT-APPL-SN-551815 ..... c02 N71-11038
US-PATENT-APPL-SN-551846 ..... c03 N71-20492
US-PATENT-APPL-SN-551933 ..... c33 N71-14032
US-PATENT-APPL-SN-551961 ..... c15 N70-33376
US-PATENT-APPL-SN-552344 ..... c09 N69-27463
US-PATENT-APPL-SN-552454 ..... c35 N76-24525
US-PATENT-APPL-SN-553209 ..... c35 N75-19628
US-PATENT-APPL-SN-553210 ..... c35 N75-19627
US-PATENT-APPL-SN-553687 ..... c44 N76-29704
US-PATENT-APPL-SN-553891 ..... c23 N71-16341
US-PATENT-APPL-SN-554277 ..... c07 N71-26579
US-PATENT-APPL-SN-554897 ..... c15 N71-22982
US-PATENT-APPL-SN-554899 ..... c15 N70-33382
US-PATENT-APPL-SN-554949 ..... c06 N71-20717
US-PATENT-APPL-SN-554950 ..... c17 N71-23248
US-PATENT-APPL-SN-555189 ..... c08 N71-27255
US-PATENT-APPL-SN-555336 ..... c33 N76-27473
US-PATENT-APPL-SN-555641 ..... c51 N76-29891
US-PATENT-APPL-SN-555750 ..... c39 N75-21671
US-PATENT-APPL-SN-556784 ..... c09 N71-20447
US-PATENT-APPL-SN-556830 ..... c15 N71-26294
US-PATENT-APPL-SN-557016 ..... c15 N71-23086
US-PATENT-APPL-SN-557430 ..... c52 N77-14737
US-PATENT-APPL-SN-557444 ..... c33 N76-31410
US-PATENT-APPL-SN-557448 ..... c45 N76-17656
US-PATENT-APPL-SN-557565 ..... c24 N77-27187
US-PATENT-APPL-SN-557584 ..... c09 N71-20851
US-PATENT-APPL-SN-557861 ..... c03 N71-24605
US-PATENT-APPL-SN-557868 ..... c14 N70-41682
US-PATENT-APPL-SN-557871 ..... c10 N71-21483
US-PATENT-APPL-SN-558600 ..... c74 N77-10899
US-PATENT-APPL-SN-559055 ..... c33 N71-29046
US-PATENT-APPL-SN-559349 ..... c33 N71-24145
US-PATENT-APPL-SN-559350 ..... c33 N71-28892

US-PATENT-APPL-SN-559351 ..... c14 N69-39785
US-PATENT-APPL-SN-559845 ..... c35 N76-29551
US-PATENT-APPL-SN-559846 ..... c34 N75-19580
US-PATENT-APPL-SN-559847 ..... c34 N75-19579
US-PATENT-APPL-SN-560891 ..... c73 N75-22108
US-PATENT-APPL-SN-560967 ..... c15 N69-21922
US-PATENT-APPL-SN-560968 ..... c10 N71-24863
US-PATENT-APPL-SN-560969 ..... c14 N71-15622
US-PATENT-APPL-SN-561020 ..... c44 N76-23675
US-PATENT-APPL-SN-561223 ..... c14 N71-20427
US-PATENT-APPL-SN-561764 ..... c32 N77-10392
US-PATENT-APPL-SN-561956 ..... c35 N77-17426
US-PATENT-APPL-SN-562443 ..... c09 N69-39734
US-PATENT-APPL-SN-562444 ..... c14 N71-22995
US-PATENT-APPL-SN-562445 ..... c14 N71-23797
US-PATENT-APPL-SN-562499 ..... c32 N77-31350
US-PATENT-APPL-SN-562933 ..... c10 N71-24799
US-PATENT-APPL-SN-562934 ..... c09 N69-21468
US-PATENT-APPL-SN-562992 ..... c23 N75-29181
US-PATENT-APPL-SN-563049 ..... c17 N76-29347
US-PATENT-APPL-SN-563050 ..... c37 N76-31524
US-PATENT-APPL-SN-563283 ..... c35 N76-18401
US-PATENT-APPL-SN-563644 ..... c15 N71-18613
US-PATENT-APPL-SN-563646 ..... c05 N71-23096
US-PATENT-APPL-SN-563648 ..... c15 N71-17803
US-PATENT-APPL-SN-563650 ..... c25 N69-21929
US-PATENT-APPL-SN-563651 ..... c28 N71-23293
US-PATENT-APPL-SN-564622 ..... c37 N77-31497
US-PATENT-APPL-SN-564919 ..... c09 N71-23316
US-PATENT-APPL-SN-565162 ..... c35 N75-21600
US-PATENT-APPL-SN-565289 ..... c38 N77-17495
US-PATENT-APPL-SN-565290 ..... c17 N76-22245
US-PATENT-APPL-SN-566392 ..... c14 N71-23175
US-PATENT-APPL-SN-566397 ..... c05 N71-23161
US-PATENT-APPL-SN-566493 ..... c44 N76-29701
US-PATENT-APPL-SN-566494 ..... c32 N77-30309
US-PATENT-APPL-SN-566495 ..... c33 N77-17351
US-PATENT-APPL-SN-566717 ..... c14 N71-24233
US-PATENT-APPL-SN-567686 ..... c15 N71-22994
US-PATENT-APPL-SN-567806 ..... c06 N71-22975
US-PATENT-APPL-SN-568067 ..... c31 N71-22968
US-PATENT-APPL-SN-568071 ..... c14 N69-27461
US-PATENT-APPL-SN-568160 ..... c10 N71-18724
US-PATENT-APPL-SN-568346 ..... c04 N69-27487
US-PATENT-APPL-SN-568352 ..... c09 N71-20842
US-PATENT-APPL-SN-568354 ..... c14 N71-22752
US-PATENT-APPL-SN-568355 ..... c32 N71-23971
US-PATENT-APPL-SN-568356 ..... c14 N71-15599
US-PATENT-APPL-SN-568362 ..... c03 N69-39983
US-PATENT-APPL-SN-568364 ..... c10 N71-26418
US-PATENT-APPL-SN-568541 ..... c24 N77-28225
US-PATENT-APPL-SN-568620 ..... c10 N71-26626
US-PATENT-APPL-SN-568987 ..... c10 N71-19547
US-PATENT-APPL-SN-569925 ..... c07 N77-17059
US-PATENT-APPL-SN-570093 ..... c06 N71-17705
US-PATENT-APPL-SN-570095 ..... c14 N71-23226
US-PATENT-APPL-SN-570097 ..... c15 N69-23185
US-PATENT-APPL-SN-570678 ..... c17 N71-25903
US-PATENT-APPL-SN-571458 ..... c44 N77-10635
US-PATENT-APPL-SN-571459 ..... c54 N75-25594
US-PATENT-APPL-SN-571816 ..... c39 N75-31479
US-PATENT-APPL-SN-571821 ..... c20 N76-22296
US-PATENT-APPL-SN-572990 ..... c37 N75-22748
US-PATENT-APPL-SN-572991 ..... c51 N77-22794
US-PATENT-APPL-SN-573432 ..... c14 N71-23790
US-PATENT-APPL-SN-574208 ..... c37 N76-29590
US-PATENT-APPL-SN-574218 ..... c52 N76-29895
US-PATENT-APPL-SN-574219 ..... c35 N76-31490
US-PATENT-APPL-SN-574280 ..... c15 N69-21460
US-PATENT-APPL-SN-574282 ..... c15 N69-23190
US-PATENT-APPL-SN-574282 ..... c15 N71-23025
US-PATENT-APPL-SN-574283 ..... c14 N69-24257
US-PATENT-APPL-SN-574284 ..... c08 N71-19763
US-PATENT-APPL-SN-574290 ..... c14 N71-20439
US-PATENT-APPL-SN-575291 ..... c33 N71-29151
US-PATENT-APPL-SN-575475 ..... c05 N69-23192
US-PATENT-APPL-SN-575530 ..... c06 N71-23230
US-PATENT-APPL-SN-576182 ..... c33 N71-24276
US-PATENT-APPL-SN-576183 ..... c09 N71-23525
US-PATENT-APPL-SN-576195 ..... c14 N71-21079
US-PATENT-APPL-SN-576488 ..... c44 N76-28635
US-PATENT-APPL-SN-576521 ..... c09 N71-20864
US-PATENT-APPL-SN-576767 ..... c35 N75-25134
US-PATENT-APPL-SN-576774 ..... c60 N77-19760
US-PATENT-APPL-SN-576792 ..... c14 N71-26136
US-PATENT-APPL-SN-576797 ..... c09 N69-24318
US-PATENT-APPL-SN-577114 ..... c15 N69-24320
US-PATENT-APPL-SN-577115 ..... c15 N71-17647
US-PATENT-APPL-SN-577545 ..... c08 N71-18693
US-PATENT-APPL-SN-577546 ..... c31 N71-23008
US-PATENT-APPL-SN-577548 ..... c09 N69-27422
US-PATENT-APPL-SN-577548 ..... c14 N72-28438
US-PATENT-APPL-SN-577549 ..... c15 N71-22721
US-PATENT-APPL-SN-577775 ..... c14 N71-17574
US-PATENT-APPL-SN-577778 ..... c03 N71-11050
US-PATENT-APPL-SN-578240 ..... c34 N77-18382
US-PATENT-APPL-SN-578241 ..... c52 N76-29896
US-PATENT-APPL-SN-578700 ..... c35 N76-19408
US-PATENT-APPL-SN-578916 ..... c14 N71-23036
US-PATENT-APPL-SN-578923 ..... c15 N71-21403
US-PATENT-APPL-SN-578925 ..... c23 N71-16355
US-PATENT-APPL-SN-578926 ..... c06 N69-39936
US-PATENT-APPL-SN-578928 ..... c26 N71-21824
US-PATENT-APPL-SN-578931 ..... c23 N71-21882
US-PATENT-APPL-SN-578932 ..... c08 N71-12505
US-PATENT-APPL-SN-579121 ..... c15 N71-29136
US-PATENT-APPL-SN-579375 ..... c07 N77-14025
US-PATENT-APPL-SN-579989 ..... c34 N77-32413
US-PATENT-APPL-SN-580365 ..... c15 N71-23255
US-PATENT-APPL-SN-581514 ..... c70 N75-26789
US-PATENT-APPL-SN-582171 ..... c32 N71-16428
US-PATENT-APPL-SN-582213 ..... c32 N74-22096
US-PATENT-APPL-SN-582318 ..... c33 N76-27472
US-PATENT-APPL-SN-582609 ..... c10 N71-19467
US-PATENT-APPL-SN-583485 ..... c33 N77-28385
US-PATENT-APPL-SN-583486 ..... c33 N77-26386
US-PATENT-APPL-SN-583487 ..... c52 N76-19785
US-PATENT-APPL-SN-584015 ..... c14 N71-26475
US-PATENT-APPL-SN-584066 ..... c10 N71-20852
US-PATENT-APPL-SN-584067 ..... c07 N71-12392
US-PATENT-APPL-SN-584070 ..... c09 N69-27500
US-PATENT-APPL-SN-584071 ..... c26 N71-16037
US-PATENT-APPL-SN-584072 ..... c15 N69-39786
US-PATENT-APPL-SN-584094 ..... c26 N77-20201
US-PATENT-APPL-SN-585420 ..... c35 N76-31489
US-PATENT-APPL-SN-585988 ..... c33 N75-29318
US-PATENT-APPL-SN-586324 ..... c05 N71-26293
US-PATENT-APPL-SN-586325 ..... c31 N71-24315
US-PATENT-APPL-SN-586329 ..... c05 N71-24623
US-PATENT-APPL-SN-586330 ..... c05 N71-12344
US-PATENT-APPL-SN-588635 ..... c21 N71-15642
US-PATENT-APPL-SN-588651 ..... c31 N71-24813
US-PATENT-APPL-SN-588671 ..... c03 N71-23354
US-PATENT-APPL-SN-589119 ..... c32 N77-32342
US-PATENT-APPL-SN-589173 ..... c32 N77-12240
US-PATENT-APPL-SN-589233 ..... c33 N77-14335
US-PATENT-APPL-SN-590141 ..... c03 N69-24267
US-PATENT-APPL-SN-590144 ..... c15 N71-15606
US-PATENT-APPL-SN-590145 ..... c07 N69-39980
US-PATENT-APPL-SN-590146 ..... c09 N69-21926
US-PATENT-APPL-SN-590147 ..... c15 N71-21489
US-PATENT-APPL-SN-590158 ..... c05 N71-24147
US-PATENT-APPL-SN-590159 ..... c09 N69-24324
US-PATENT-APPL-SN-590182 ..... c37 N76-29588
US-PATENT-APPL-SN-591000 ..... c15 N71-24044
US-PATENT-APPL-SN-591004 ..... c07 N71-11266
US-PATENT-APPL-SN-591007 ..... c16 N69-27491
US-PATENT-APPL-SN-591014 ..... c28 N71-24736
US-PATENT-APPL-SN-591568 ..... c74 N76-31998
US-PATENT-APPL-SN-591569 ..... c37 N77-12402
US-PATENT-APPL-SN-591930 ..... c03 N69-21330
US-PATENT-APPL-SN-592159 ..... c07 N76-27232
US-PATENT-APPL-SN-592680 ..... c15 N71-22877
US-PATENT-APPL-SN-592694 ..... c05 N71-12342
US-PATENT-APPL-SN-593142 ..... c37 N77-17464
US-PATENT-APPL-SN-593593 ..... c06 N71-11239
US-PATENT-APPL-SN-593594 ..... c06 N71-11236
US-PATENT-APPL-SN-593595 ..... c06 N71-24740
US-PATENT-APPL-SN-593604 ..... c11 N69-27466
US-PATENT-APPL-SN-593605 ..... c06 N71-11242
US-PATENT-APPL-SN-593606 ..... c06 N71-11243
US-PATENT-APPL-SN-593607 ..... c07 N71-26102
US-PATENT-APPL-SN-594584 ..... c14 N71-25892
US-PATENT-APPL-SN-594587 ..... c28 N71-21493
US-PATENT-APPL-SN-594633 ..... c15 N71-24046
US-PATENT-APPL-SN-594971 ..... c33 N75-27261
US-PATENT-APPL-SN-595197 ..... c33 N77-10429
US-PATENT-APPL-SN-595254 ..... c32 N75-30385
US-PATENT-APPL-SN-595745 ..... c37 N77-32501
US-PATENT-APPL-SN-595747 ..... c37 N77-32500
US-PATENT-APPL-SN-596338 ..... c09 N71-20816
US-PATENT-APPL-SN-596641 ..... c07 N77-23106
US-PATENT-APPL-SN-596733 ..... c15 N72-11389
US-PATENT-APPL-SN-596735 ..... c32 N71-24285
US-PATENT-APPL-SN-596787 ..... c37 N77-19458
US-PATENT-APPL-SN-596788 ..... c33 N76-21390
US-PATENT-APPL-SN-596905 ..... c24 N77-19170
US-PATENT-APPL-SN-598118 ..... c15 N69-27490

US-PATENT-APPL-SN-598119 ..... c08 N71-19437
US-PATENT-APPL-SN-598120 ..... c08 N71-18602
US-PATENT-APPL-SN-598504 ..... c37 N77-14477
US-PATENT-APPL-SN-598967 ..... c31 N77-10229
US-PATENT-APPL-SN-598968 ..... c33 N77-17354
US-PATENT-APPL-SN-598969 ..... c44 N75-28519
US-PATENT-APPL-SN-599284 ..... c35 N77-14411
US-PATENT-APPL-SN-599975 ..... c08 N69-21928
US-PATENT-APPL-SN-600266 ..... c14 N71-20430
US-PATENT-APPL-SN-600682 ..... c14 N71-20461
US-PATENT-APPL-SN-601228 ..... c15 N71-17652
US-PATENT-APPL-SN-601229 ..... c14 N71-26474
US-PATENT-APPL-SN-602617 ..... c37 N77-23483
US-PATENT-APPL-SN-602618 ..... c44 N76-31667
US-PATENT-APPL-SN-602828 ..... c09 N71-13531
US-PATENT-APPL-SN-603396 ..... c14 N69-23191
US-PATENT-APPL-SN-603397 ..... c26 N71-23292
US-PATENT-APPL-SN-604374 ..... c44 N76-29699
US-PATENT-APPL-SN-605090 ..... c15 N71-19485
US-PATENT-APPL-SN-605091 ..... c15 N71-26346
US-PATENT-APPL-SN-605092 ..... c05 N71-23317
US-PATENT-APPL-SN-605093 ..... c17 N71-24911
US-PATENT-APPL-SN-605094 ..... c09 N71-24808
US-PATENT-APPL-SN-605095 ..... c10 N71-19417
US-PATENT-APPL-SN-605096 ..... c15 N71-24834
US-PATENT-APPL-SN-605097 ..... c14 N69-21923
US-PATENT-APPL-SN-605098 ..... c09 N71-26092
US-PATENT-APPL-SN-605099 ..... c09 N71-23548
US-PATENT-APPL-SN-605100 ..... c15 N71-21536
US-PATENT-APPL-SN-605102 ..... c09 N69-39987
US-PATENT-APPL-SN-605518 ..... c15 N71-23023
US-PATENT-APPL-SN-605564 ..... c06 N73-30103
US-PATENT-APPL-SN-605994 ..... c06 N73-30101
US-PATENT-APPL-SN-606027 ..... c06 N73-30099
US-PATENT-APPL-SN-606036 ..... c06 N73-30100
US-PATENT-APPL-SN-606462 ..... c08 N71-24891
US-PATENT-APPL-SN-606463 ..... c14 N71-24864
US-PATENT-APPL-SN-606464 ..... c15 N71-18579
US-PATENT-APPL-SN-606891 ..... c44 N77-14581
US-PATENT-APPL-SN-607461 ..... c05 N71-12346
US-PATENT-APPL-SN-607484 ..... c09 N71-26002
US-PATENT-APPL-SN-607608 ..... c14 N69-27484
US-PATENT-APPL-SN-607969 ..... c09 N76-23273
US-PATENT-APPL-SN-608247 ..... c15 N71-20813
US-PATENT-APPL-SN-608482 ..... c74 N77-20882
US-PATENT-APPL-SN-608483 ..... c09 N77-19076
US-PATENT-APPL-SN-608944 ..... c15 N71-23798
US-PATENT-APPL-SN-610723 ..... c14 N71-23755
US-PATENT-APPL-SN-610724 ..... c31 N71-28851
US-PATENT-APPL-SN-610728 ..... c31 N71-22969
US-PATENT-APPL-SN-610801 ..... c76 N77-32919
US-PATENT-APPL-SN-610802 ..... c35 N77-20400
US-PATENT-APPL-SN-611414 ..... c46 N74-23068
US-PATENT-APPL-SN-611414 ..... c46 N74-23069
US-PATENT-APPL-SN-612265 ..... c14 N72-22442
US-PATENT-APPL-SN-612568 ..... c15 N71-28952
US-PATENT-APPL-SN-612740 ..... c25 N71-20563
US-PATENT-APPL-SN-612899 ..... c07 N77-18154
US-PATENT-APPL-SN-612964 ..... c20 N77-10148
US-PATENT-APPL-SN-612965 ..... c52 N77-14735
US-PATENT-APPL-SN-612966 ..... c31 N75-32262
US-PATENT-APPL-SN-612967 ..... c74 N77-18893
US-PATENT-APPL-SN-613004 ..... c71 N77-26919
US-PATENT-APPL-SN-613235 ..... c14 N73-30394
US-PATENT-APPL-SN-613734 ..... c52 N77-14738
US-PATENT-APPL-SN-613979 ..... c33 N71-14035
US-PATENT-APPL-SN-615030 ..... c34 N75-32389
US-PATENT-APPL-SN-616332 ..... c24 N77-27188
US-PATENT-APPL-SN-616333 ..... c33 N76-32457
US-PATENT-APPL-SN-616472 ..... c74 N77-22951
US-PATENT-APPL-SN-616528 ..... c24 N76-26282
US-PATENT-APPL-SN-617021 ..... c23 N71-16101
US-PATENT-APPL-SN-617022 ..... c07 N69-27462
US-PATENT-APPL-SN-617202 ..... c74 N77-28933
US-PATENT-APPL-SN-617612 ..... c52 N77-10780
US-PATENT-APPL-SN-617770 ..... c14 N71-23267
US-PATENT-APPL-SN-617774 ..... c18 N71-16124
US-PATENT-APPL-SN-617775 ..... c06 N71-28807
US-PATENT-APPL-SN-617776 ..... c18 N69-39895
US-PATENT-APPL-SN-617778 ..... c14 N71-26244
US-PATENT-APPL-SN-617779 ..... c09 N69-39929
US-PATENT-APPL-SN-617783 ..... c15 N69-24266
US-PATENT-APPL-SN-617895 ..... c32 N77-14292
US-PATENT-APPL-SN-618594 ..... c37 N77-13418
US-PATENT-APPL-SN-618969 ..... c05 N71-26333
US-PATENT-APPL-SN-619519 ..... c32 N71-16106
US-PATENT-APPL-SN-619520 ..... c05 N69-21380
US-PATENT-APPL-SN-619521 ..... c06 N69-39889
US-PATENT-APPL-SN-619903 ..... c15 N69-27505
US-PATENT-APPL-SN-619907 ..... c09 N69-21543
US-PATENT-APPL-SN-619908 ..... c08 N71-20571
US-PATENT-APPL-SN-619986 ..... c37 N75-32465
US-PATENT-APPL-SN-620675 ..... c54 N75-32766
US-PATENT-APPL-SN-621098 ..... c09 N71-20446
US-PATENT-APPL-SN-621714 ..... c15 N71-19569
US-PATENT-APPL-SN-621715 ..... c05 N71-11207
US-PATENT-APPL-SN-621742 ..... c28 N71-23968
US-PATENT-APPL-SN-623156 ..... c04 N77-19056
US-PATENT-APPL-SN-623187 ..... c34 N77-19353
US-PATENT-APPL-SN-623188 ..... c54 N77-21844
US-PATENT-APPL-SN-623238 ..... c51 N77-25769
US-PATENT-APPL-SN-623536 ..... c09 N76-10148
US-PATENT-APPL-SN-625732 ..... c35 N77-18417
US-PATENT-APPL-SN-625733 ..... c26 N77-28265
US-PATENT-APPL-SN-625734 ..... c37 N76-13496
US-PATENT-APPL-SN-625759 ..... c37 N77-14478
US-PATENT-APPL-SN-625781 ..... c33 N77-31404
US-PATENT-APPL-SN-626376 ..... c05 N71-11189
US-PATENT-APPL-SN-626942 ..... c51 N77-27677
US-PATENT-APPL-SN-627257 ..... c08 N71-12504
US-PATENT-APPL-SN-627599 ..... c18 N71-16046
US-PATENT-APPL-SN-628094 ..... c16 N71-20400
US-PATENT-APPL-SN-628246 ..... c15 N71-17687
US-PATENT-APPL-SN-628247 ..... c09 N69-21542
US-PATENT-APPL-SN-628248 ..... c14 N69-27832
US-PATENT-APPL-SN-629456 ..... c37 N77-14479
US-PATENT-APPL-SN-629457 ..... c35 N77-32454
US-PATENT-APPL-SN-629458 ..... c74 N76-13909
US-PATENT-APPL-SN-629759 ..... c15 N71-16076
US-PATENT-APPL-SN-630579 ..... c35 N77-24454
US-PATENT-APPL-SN-630582 ..... c34 N76-13419
US-PATENT-APPL-SN-630583 ..... c33 N77-24375
US-PATENT-APPL-SN-631341 ..... c60 N76-13781
US-PATENT-APPL-SN-631848 ..... c09 N71-12514
US-PATENT-APPL-SN-632104 ..... c09 N71-19470
US-PATENT-APPL-SN-632111 ..... c37 N76-13500
US-PATENT-APPL-SN-632112 ..... c35 N77-22449
US-PATENT-APPL-SN-632152 ..... c10 N71-24798
US-PATENT-APPL-SN-632154 ..... c09 N69-39984
US-PATENT-APPL-SN-632162 ..... c14 N69-39937
US-PATENT-APPL-SN-632163 ..... c30 N71-23723
US-PATENT-APPL-SN-632164 ..... c15 N69-24319
US-PATENT-APPL-SN-632165 ..... c14 N71-26266
US-PATENT-APPL-SN-633876 ..... c27 N76-13294
US-PATENT-APPL-SN-633877 ..... c27 N77-13217
US-PATENT-APPL-SN-634038 ..... c25 N71-16073
US-PATENT-APPL-SN-634040 ..... c15 N71-19489
US-PATENT-APPL-SN-634060 ..... c09 N69-39897
US-PATENT-APPL-SN-634205 ..... c35 N77-14406
US-PATENT-APPL-SN-634214 ..... c44 N76-15573
US-PATENT-APPL-SN-635325 ..... c14 N69-27431
US-PATENT-APPL-SN-635326 ..... c14 N71-18482
US-PATENT-APPL-SN-635327 ..... c12 N69-39988
US-PATENT-APPL-SN-635328 ..... c09 N69-21467
US-PATENT-APPL-SN-635519 ..... c35 N77-24455
US-PATENT-APPL-SN-635531 ..... c33 N77-14334
US-PATENT-APPL-SN-635970 ..... c15 N69-21465
US-PATENT-APPL-SN-635972 ..... c18 N71-23710
US-PATENT-APPL-SN-636193 ..... c74 N76-26988
US-PATENT-APPL-SN-636878 ..... c14 N71-20442
US-PATENT-APPL-SN-637247 ..... c35 N77-10493
US-PATENT-APPL-SN-637249 ..... c38 N76-28563
US-PATENT-APPL-SN-637268 ..... c47 N77-10753
US-PATENT-APPL-SN-637269 ..... c52 N77-28717
US-PATENT-APPL-SN-637882 ..... c15 N71-17650
US-PATENT-APPL-SN-638192 ..... c10 N71-26415
US-PATENT-APPL-SN-638194 ..... c33 N71-21507
US-PATENT-APPL-SN-638707 ..... c14 N69-27486
US-PATENT-APPL-SN-639589 ..... c28 N70-33372
US-PATENT-APPL-SN-640154 ..... c09 N71-18600
US-PATENT-APPL-SN-640447 ..... c15 N71-19486
US-PATENT-APPL-SN-640448 ..... c08 N71-19420
US-PATENT-APPL-SN-640449 ..... c09 N71-19516
US-PATENT-APPL-SN-640450 ..... c15 N71-17694
US-PATENT-APPL-SN-640452 ..... c09 N71-12513
US-PATENT-APPL-SN-640453 ..... c23 N71-16099
US-PATENT-APPL-SN-640454 ..... c06 N71-11238
US-PATENT-APPL-SN-640455 ..... c10 N71-23099
US-PATENT-APPL-SN-640456 ..... c03 N71-26726
US-PATENT-APPL-SN-640457 ..... c03 N71-11052
US-PATENT-APPL-SN-640458 ..... c15 N71-23811
US-PATENT-APPL-SN-640459 ..... c10 N71-18723
US-PATENT-APPL-SN-640460 ..... c14 N69-21541
US-PATENT-APPL-SN-640462 ..... c15 N71-20483
US-PATENT-APPL-SN-640781 ..... c03 N69-25146
US-PATENT-APPL-SN-640783 ..... c09 N71-26000
US-PATENT-APPL-SN-640784 ..... c15 N69-39935
US-PATENT-APPL-SN-640785 ..... c09 N69-24333

US-PATENT-APPL-SN-640786 ..... c15 N71-24695
US-PATENT-APPL-SN-640787 ..... c28 N71-24321
US-PATENT-APPL-SN-640788 ..... c15 N69-27502
US-PATENT-APPL-SN-640789 ..... c15 N69-27504
US-PATENT-APPL-SN-640806 ..... c27 N76-15314
US-PATENT-APPL-SN-641420 ..... c03 N71-23449
US-PATENT-APPL-SN-641431 ..... c30 N71-16090
US-PATENT-APPL-SN-641441 ..... c08 N71-18751
US-PATENT-APPL-SN-641784 ..... c37 N77-32499
US-PATENT-APPL-SN-641801 ..... c35 N76-14434
US-PATENT-APPL-SN-641802 ..... c34 N77-30399
US-PATENT-APPL-SN-641803 ..... c35 N76-14433
US-PATENT-APPL-SN-641862 ..... c54 N76-15792
US-PATENT-APPL-SN-642083 ..... c44 N76-14612
US-PATENT-APPL-SN-643041 ..... c44 N76-15603
US-PATENT-APPL-SN-643043 ..... c35 N77-19388
US-PATENT-APPL-SN-643332 ..... c15 N71-14932
US-PATENT-APPL-SN-643855 ..... c31 N76-16245
US-PATENT-APPL-SN-643897 ..... c36 N76-15451
US-PATENT-APPL-SN-644444 ..... c09 N71-18721
US-PATENT-APPL-SN-644446 ..... c14 N71-24693
US-PATENT-APPL-SN-644447 ..... c14 N71-24234
US-PATENT-APPL-SN-644448 ..... c17 N69-25147
US-PATENT-APPL-SN-644799 ..... c17 N71-15468
US-PATENT-APPL-SN-645500 ..... c74 N77-28932
US-PATENT-APPL-SN-645502 ..... c24 N76-19234
US-PATENT-APPL-SN-645503 ..... c44 N76-16621
US-PATENT-APPL-SN-645507 ..... c26 N77-32280
US-PATENT-APPL-SN-645508 ..... c44 N77-14580
US-PATENT-APPL-SN-645510 ..... c32 N77-30308
US-PATENT-APPL-SN-645563 ..... c31 N71-20396
US-PATENT-APPL-SN-645571 ..... c35 N77-14407
US-PATENT-APPL-SN-645573 ..... c24 N71-25555
US-PATENT-APPL-SN-645584 ..... c08 N71-12494
US-PATENT-APPL-SN-646124 ..... c15 N71-23817
US-PATENT-APPL-SN-646424 ..... c07 N69-27460
US-PATENT-APPL-SN-646704 ..... c36 N77-25499
US-PATENT-APPL-SN-646934 ..... c08 N71-18692
US-PATENT-APPL-SN-647298 ..... c31 N71-16102
US-PATENT-APPL-SN-648700 ..... c35 N76-17369
US-PATENT-APPL-SN-649C75 ..... c14 N71-15600
US-PATENT-APPL-SN-649076 ..... c08 N71-24890
US-PATENT-APPL-SN-649C78 ..... c07 N71-19493
US-PATENT-APPL-SN-649356 ..... c09 N71-23189
US-PATENT-APPL-SN-649357 ..... c08 N71-12500
US-PATENT-APPL-SN-649358 ..... c07 N71-11267
US-PATENT-APPL-SN-649359 ..... c15 N71-18701
US-PATENT-APPL-SN-649360 ..... c23 N71-16365
US-PATENT-APPL-SN-650166 ..... c09 N71-23191
US-PATENT-APPL-SN-651007 ..... c74 N76-18917
US-PATENT-APPL-SN-651009 ..... c26 N76-17233
US-PATENT-APPL-SN-651627 ..... c26 N72-25679
US-PATENT-APPL-SN-651972 ..... c27 N74-23125
US-PATENT-APPL-SN-652948 ..... c52 N77-14736
US-PATENT-APPL-SN-653277 ..... c31 N71-23912
US-PATENT-APPL-SN-653278 ..... c14 N69-27503
US-PATENT-APPL-SN-653316 ..... c25 N77-32255
US-PATENT-APPL-SN-653422 ..... c35 N77-20401
US-PATENT-APPL-SN-653681 ..... c39 N76-17427
US-PATENT-APPL-SN-654787 ..... c07 N77-32148
US-PATENT-APPL-SN-655149 ..... c07 N77-23106
US-PATENT-APPL-SN-655675 ..... c17 N71-24142
US-PATENT-APPL-SN-655677 ..... c08 N71-19432
US-PATENT-APPL-SN-655724 ..... c15 N71-22706
US-PATENT-APPL-SN-656952 ..... c09 N71-12519
US-PATENT-APPL-SN-656953 ..... c14 N71-17585
US-PATENT-APPL-SN-656993 ..... c09 N71-24843
US-PATENT-APPL-SN-656995 ..... c21 N71-14132
US-PATENT-APPL-SN-657742 ..... c18 N71-26100
US-PATENT-APPL-SN-657903 ..... c07 N76-18131
US-PATENT-APPL-SN-657907 ..... c27 N76-24408
US-PATENT-APPL-SN-657995 ..... c35 N77-22450
US-PATENT-APPL-SN-657996 ..... c60 N76-18803
US-PATENT-APPL-SN-657997 ..... c60 N77-32731
US-PATENT-APPL-SN-657998 ..... c27 N76-24409
US-PATENT-APPL-SN-658132 ..... c44 N77-32580
US-PATENT-APPL-SN-658133 ..... c71 N76-18886
US-PATENT-APPL-SN-658449 ..... c32 N77-20289
US-PATENT-APPL-SN-658450 ..... c37 N77-22482
US-PATENT-APPL-SN-658487 ..... c37 N77-17466
US-PATENT-APPL-SN-658955 ..... c14 N71-15605
US-PATENT-APPL-SN-658956 ..... c15 N71-15607
US-PATENT-APPL-SN-658957 ..... c14 N71-17584
US-PATENT-APPL-SN-658964 ..... c19 N71-26674
US-PATENT-APPL-SN-659882 ..... c26 N76-18262
US-PATENT-APPL-SN-660571 ..... c26 N71-23654
US-PATENT-APPL-SN-660572 ..... c15 N71-15571
US-PATENT-APPL-SN-660573 ..... c15 N71-28936
US-PATENT-APPL-SN-660841 ..... c14 N71-15621
US-PATENT-APPL-SN-660842 ..... c14 N71-23726
US-PATENT-APPL-SN-660843 ..... c08 N71-24650
US-PATENT-APPL-SN-661170 ..... c14 N71-24809
US-PATENT-APPL-SN-662175 ..... c09 N77-27131
US-PATENT-APPL-SN-662176 ..... c32 N77-21267
US-PATENT-APPL-SN-662181 ..... c34 N76-23522
US-PATENT-APPL-SN-662182 ..... c19 N76-18227
US-PATENT-APPL-SN-662763 ..... c15 N73-12489
US-PATENT-APPL-SN-662828 ..... c11 N71-18578
US-PATENT-APPL-SN-662829 ..... c15 N71-15597
US-PATENT-APPL-SN-663008 ..... c37 N77-28486
US-PATENT-APPL-SN-663180 ..... c10 N71-23663
US-PATENT-APPL-SN-665032 ..... c74 N77-22950
US-PATENT-APPL-SN-665033 ..... c20 N77-20162
US-PATENT-APPL-SN-665034 ..... c44 N76-19552
US-PATENT-APPL-SN-665209 ..... c14 N71-23725
US-PATENT-APPL-SN-665676 ..... c14 N71-19568
US-PATENT-APPL-SN-665679 ..... c15 N71-20395
US-PATENT-APPL-SN-665680 ..... c24 N71-16213
US-PATENT-APPL-SN-665681 ..... c15 N71-18616
US-PATENT-APPL-SN-665734 ..... c35 N76-19405
US-PATENT-APPL-SN-666551 ..... c14 N71-23698
US-PATENT-APPL-SN-666553 ..... c03 N71-11055
US-PATENT-APPL-SN-666554 ..... c33 N71-16104
US-PATENT-APPL-SN-666555 ..... c07 N71-24614
US-PATENT-APPL-SN-666992 ..... c27 N77-30236
US-PATENT-APPL-SN-667010 ..... c34 N77-27345
US-PATENT-APPL-SN-667625 ..... c31 N71-15674
US-PATENT-APPL-SN-667636 ..... c03 N71-20491
US-PATENT-APPL-SN-667637 ..... c28 N71-14044
US-PATENT-APPL-SN-667928 ..... c35 N77-30436
US-PATENT-APPL-SN-667929 ..... c35 N76-19407
US-PATENT-APPL-SN-667930 ..... c32 N77-28346
US-PATENT-APPL-SN-668116 ..... c35 N76-16391
US-PATENT-APPL-SN-668238 ..... c15 N71-15608
US-PATENT-APPL-SN-668241 ..... c15 N71-17685
US-PATENT-APPL-SN-668242 ..... c10 N71-27272
US-PATENT-APPL-SN-668247 ..... c09 N71-20445
US-PATENT-APPL-SN-668248 ..... c10 N71-26331
US-PATENT-APPL-SN-668249 ..... c03 N71-20407
US-PATENT-APPL-SN-668257 ..... c23 N71-16100
US-PATENT-APPL-SN-668302 ..... c07 N71-12390
US-PATENT-APPL-SN-668751 ..... c06 N71-11237
US-PATENT-APPL-SN-668755 ..... c15 N71-17693
US-PATENT-APPL-SN-668771 ..... c35 N77-17430
US-PATENT-APPL-SN-668968 ..... c09 N71-12515
US-PATENT-APPL-SN-668969 ..... c08 N71-19288
US-PATENT-APPL-SN-669336 ..... c15 N71-17651
US-PATENT-APPL-SN-669928 ..... c44 N77-22607
US-PATENT-APPL-SN-670814 ..... c03 N71-19545
US-PATENT-APPL-SN-670829 ..... c28 N72-23809
US-PATENT-APPL-SN-672210 ..... c20 N76-20215
US-PATENT-APPL-SN-672219 ..... c37 N76-20488
US-PATENT-APPL-SN-672220 ..... c37 N76-20486
US-PATENT-APPL-SN-672221 ..... c07 N76-22202
US-PATENT-APPL-SN-672222 ..... c37 N76-20487
US-PATENT-APPL-SN-672223 ..... c37 N76-20485
US-PATENT-APPL-SN-672382 ..... c15 N71-23815
US-PATENT-APPL-SN-672383 ..... c15 N71-24045
US-PATENT-APPL-SN-672384 ..... c15 N71-27067
US-PATENT-APPL-SN-672388 ..... c26 N72-17820
US-PATENT-APPL-SN-672695 ..... c27 N76-23436
US-PATENT-APPL-SN-672815 ..... c37 N77-23482
US-PATENT-APPL-SN-673226 ..... c08 N71-12502
US-PATENT-APPL-SN-673227 ..... c11 N71-24964
US-PATENT-APPL-SN-673228 ..... c07 N71-19433
US-PATENT-APPL-SN-673229 ..... c33 N71-15641
US-PATENT-APPL-SN-674194 ..... c24 N76-26281
US-PATENT-APPL-SN-674195 ..... c74 N76-23985
US-PATENT-APPL-SN-674340 ..... c07 N76-22198
US-PATENT-APPL-SN-674355 ..... c14 N71-20429
US-PATENT-APPL-SN-674356 ..... c14 N71-23699
US-PATENT-APPL-SN-674357 ..... c05 N71-12351
US-PATENT-APPL-SN-674700 ..... c27 N77-31308
US-PATENT-APPL-SN-675238 ..... c10 N71-26374
US-PATENT-APPL-SN-675328 ..... c35 N77-24456
US-PATENT-APPL-SN-676012 ..... c05 N71-11193
US-PATENT-APPL-SN-676351 ..... c35 N76-26450
US-PATENT-APPL-SN-676375 ..... c14 N71-18483
US-PATENT-APPL-SN-676386 ..... c08 N71-12507
US-PATENT-APPL-SN-676387 ..... c10 N71-25950
US-PATENT-APPL-SN-676391 ..... c21 N71-11766
US-PATENT-APPL-SN-676432 ..... c28 N76-23399
US-PATENT-APPL-SN-676433 ..... c52 N77-28716
US-PATENT-APPL-SN-676957 ..... c32 N77-18307
US-PATENT-APPL-SN-676958 ..... c54 N76-22914
US-PATENT-APPL-SN-677351 ..... c35 N77-32455
US-PATENT-APPL-SN-677352 ..... c43 N76-23671
US-PATENT-APPL-SN-677353 ..... c52 N76-23837

US-PATENT-APPL-SN-677475 ..... c32 N71-26681
US-PATENT-APPL-SN-677476 ..... c14 N71-17586
US-PATENT-APPL-SN-677505 ..... c09 N71-13521
US-PATENT-APPL-SN-677506 ..... c16 N71-15567
US-PATENT-APPL-SN-677508 ..... c16 N71-15551
US-PATENT-APPL-SN-678520 ..... c20 N76-29365
US-PATENT-APPL-SN-678700 ..... c05 N71-19439
US-PATENT-APPL-SN-679055 ..... c08 N71-24633
US-PATENT-APPL-SN-679862 ..... c20 N71-16340
US-PATENT-APPL-SN-679885 ..... c09 N71-12521
US-PATENT-APPL-SN-680015 ..... c52 N77-26797
US-PATENT-APPL-SN-680067 ..... c07 N77-27116
US-PATENT-APPL-SN-680938 ..... c74 N77-26942
US-PATENT-APPL-SN-680939 ..... c44 N76-26690
US-PATENT-APPL-SN-680957 ..... c35 N77-27366
US-PATENT-APPL-SN-680958 ..... c33 N76-23482
US-PATENT-APPL-SN-681000 ..... c37 N76-23585
US-PATENT-APPL-SN-681001 ..... c74 N76-22993
US-PATENT-APPL-SN-681017 ..... c44 N77-32583
US-PATENT-APPL-SN-681096 ..... c44 N77-32582
US-PATENT-APPL-SN-681687 ..... c03 N71-20273
US-PATENT-APPL-SN-681692 ..... c08 N71-12506
US-PATENT-APPL-SN-681693 ..... c09 N71-18598
US-PATENT-APPL-SN-681942 ..... c18 N71-15688
US-PATENT-APPL-SN-682416 ..... c34 N77-24423
US-PATENT-APPL-SN-682435 ..... c27 N77-32308
US-PATENT-APPL-SN-683507 ..... c15 N71-15609
US-PATENT-APPL-SN-683606 ..... c09 N71-24717
US-PATENT-APPL-SN-683612 ..... c01 N69-39981
US-PATENT-APPL-SN-683613 ..... c15 N71-15610
US-PATENT-APPL-SN-684083 ..... c09 N71-24596
US-PATENT-APPL-SN-684178 ..... c15 N71-23812
US-PATENT-APPL-SN-684209 ..... c10 N71-19418
US-PATENT-APPL-SN-684807 ..... c75 N76-24001
US-PATENT-APPL-SN-684809 ..... c33 N76-26393
US-PATENT-APPL-SN-684810 ..... c33 N76-23483
US-PATENT-APPL-SN-684894 ..... c17 N71-26773
US-PATENT-APPL-SN-685027 ..... c25 N76-23387
US-PATENT-APPL-SN-685463 ..... c15 N71-23254
US-PATENT-APPL-SN-685473 ..... c17 N71-16044
US-PATENT-APPL-SN-685497 ..... c07 N69-39974
US-PATENT-APPL-SN-685748 ..... c07 N71-11282
US-PATENT-APPL-SN-685750 ..... c27 N71-16392
US-PATENT-APPL-SN-685764 ..... c14 N69-27459
US-PATENT-APPL-SN-685766 ..... c15 N69-21924
US-PATENT-APPL-SN-685787 ..... c14 N71-18625
US-PATENT-APPL-SN-686209 ..... c15 N71-23809
US-PATENT-APPL-SN-686248 ..... c14 N71-26774
US-PATENT-APPL-SN-686296 ..... c18 N71-14014
US-PATENT-APPL-SN-686331 ..... c35 N76-24529
US-PATENT-APPL-SN-686344 ..... c15 N71-17688
US-PATENT-APPL-SN-686449 ..... c24 N76-23359
US-PATENT-APPL-SN-686796 ..... c15 N70-33311
US-PATENT-APPL-SN-686933 ..... c14 N71-17588
US-PATENT-APPL-SN-687251 ..... c52 N77-19750
US-PATENT-APPL-SN-687822 ..... c44 N76-23713
US-PATENT-APPL-SN-688742 ..... c15 N71-20441
US-PATENT-APPL-SN-688743 ..... c15 N71-20393
US-PATENT-APPL-SN-688805 ..... c14 N71-17701
US-PATENT-APPL-SN-688807 ..... c03 N71-23239
US-PATENT-APPL-SN-688852 ..... c44 N76-26692
US-PATENT-APPL-SN-688854 ..... c54 N77-32722
US-PATENT-APPL-SN-688856 ..... c35 N76-26448
US-PATENT-APPL-SN-688868 ..... c15 N71-17686
US-PATENT-APPL-SN-688879 ..... c24 N76-26284
US-PATENT-APPL-SN-689455 ..... c54 N74-32546
US-PATENT-APPL-SN-690163 ..... c14 N71-18465
US-PATENT-APPL-SN-690172 ..... c11 N72-22245
US-PATENT-APPL-SN-690815 ..... c32 N77-24328
US-PATENT-APPL-SN-690816 ..... c37 N76-26511
US-PATENT-APPL-SN-690997 ..... c16 N71-24828
US-PATENT-APPL-SN-690998 ..... c30 N71-15990
US-PATENT-APPL-SN-691046 ..... c36 N77-25501
US-PATENT-APPL-SN-691256 ..... c35 N77-31465
US-PATENT-APPL-SN-691647 ..... c52 N76-27839
US-PATENT-APPL-SN-691735 ..... c09 N71-12520
US-PATENT-APPL-SN-691736 ..... c18 N71-16210
US-PATENT-APPL-SN-691737 ..... c07 N71-24742
US-PATENT-APPL-SN-691738 ..... c08 N71-18694
US-PATENT-APPL-SN-691739 ..... c32 N71-15974
US-PATENT-APPL-SN-691909 ..... c05 N71-24606
US-PATENT-APPL-SN-691936 ..... c26 N77-32279
US-PATENT-APPL-SN-692284 ..... c27 N77-22257
US-PATENT-APPL-SN-692331 ..... c10 N71-26326
US-PATENT-APPL-SN-692332 ..... c07 N71-11281
US-PATENT-APPL-SN-692413 ..... c72 N76-27967
US-PATENT-APPL-SN-692414 ..... c32 N77-24331
US-PATENT-APPL-SN-692471 ..... c09 N71-12518
US-PATENT-APPL-SN-693074 ..... c44 N76-26695

US-PATENT-APPL-SN-693419 ..... c31 N71-16221
US-PATENT-APPL-SN-693420 ..... c31 N71-16080
US-PATENT-APPL-SN-694246 ..... c15 N71-26671
US-PATENT-APPL-SN-694247 ..... c09 N69-21927
US-PATENT-APPL-SN-694317 ..... c12 N71-20436
US-PATENT-APPL-SN-694340 ..... c11 N71-17605
US-PATENT-APPL-SN-694345 ..... c10 N71-23665
US-PATENT-APPL-SN-694402 ..... c09 N76-26224
US-PATENT-APPL-SN-694406 ..... c35 N76-26449
US-PATENT-APPL-SN-694407 ..... c27 N77-18265
US-PATENT-APPL-SN-694855 ..... c33 N77-30365
US-PATENT-APPL-SN-695973 ..... c05 N71-12343
US-PATENT-APPL-SN-696989 ..... c27 N77-30237
US-PATENT-APPL-SN-697075 ..... c15 N71-27184
US-PATENT-APPL-SN-697341 ..... c09 N71-23188
US-PATENT-APPL-SN-698592 ..... c15 N71-18580
US-PATENT-APPL-SN-698629 ..... c09 N71-12516
US-PATENT-APPL-SN-698630 ..... c09 N71-24841
US-PATENT-APPL-SN-698646 ..... c24 N76-26286
US-PATENT-APPL-SN-699002 ..... c32 N76-31373
US-PATENT-APPL-SN-699012 ..... c33 N76-26394
US-PATENT-APPL-SN-700040 ..... c18 N72-23581
US-PATENT-APPL-SN-700120 ..... c15 N71-20440
US-PATENT-APPL-SN-700142 ..... c21 N71-14159
US-PATENT-APPL-SN-700174 ..... c02 N71-20570
US-PATENT-APPL-SN-700541 ..... c10 N71-25139
US-PATENT-APPL-SN-700586 ..... c15 N71-19570
US-PATENT-APPL-SN-700673 ..... c39 N77-28511
US-PATENT-APPL-SN-700984 ..... c11 N71-19494
US-PATENT-APPL-SN-700985 ..... c15 N69-23190
US-PATENT-APPL-SN-700986 ..... c12 N71-26387
US-PATENT-APPL-SN-700987 ..... c09 N71-19610
US-PATENT-APPL-SN-701244 ..... c05 N72-20096
US-PATENT-APPL-SN-701448 ..... c54 N76-26871
US-PATENT-APPL-SN-701635 ..... c12 N71-17578
US-PATENT-APPL-SN-701654 ..... c03 N71-11049
US-PATENT-APPL-SN-701679 ..... c02 N71-19287
US-PATENT-APPL-SN-701679 ..... c07 N73-20174
US-PATENT-APPL-SN-701732 ..... c24 N71-16095
US-PATENT-APPL-SN-701733 ..... c10 N71-24844
US-PATENT-APPL-SN-701744 ..... c21 N71-13958
US-PATENT-APPL-SN-701767 ..... c07 N71-26101
US-PATENT-APPL-SN-702396 ..... c31 N71-16345
US-PATENT-APPL-SN-702911 ..... c15 N71-24875
US-PATENT-APPL-SN-702967 ..... c06 N71-24739
US-PATENT-APPL-SN-703107 ..... c37 N77-22479
US-PATENT-APPL-SN-704180 ..... c36 N77-19418
US-PATENT-APPL-SN-704224 ..... c18 N71-15469
US-PATENT-APPL-SN-704299 ..... c10 N71-26577
US-PATENT-APPL-SN-704420 ..... c05 N71-11202
US-PATENT-APPL-SN-704446 ..... c10 N71-33407
US-PATENT-APPL-SN-704465 ..... c07 N71-24741
US-PATENT-APPL-SN-704668 ..... c10 N71-12554
US-PATENT-APPL-SN-706013 ..... c33 N71-27862
US-PATENT-APPL-SN-706424 ..... c27 N76-28425
US-PATENT-APPL-SN-706425 ..... c33 N76-28471
US-PATENT-APPL-SN-706564 ..... c14 N71-17587
US-PATENT-APPL-SN-707124 ..... c44 N77-22606
US-PATENT-APPL-SN-707125 ..... c35 N76-28530
US-PATENT-APPL-SN-707440 ..... c06 N73-30102
US-PATENT-APPL-SN-707495 ..... c11 N71-18773
US-PATENT-APPL-SN-708658 ..... c33 N77-26385
US-PATENT-APPL-SN-708659 ..... c33 N76-28472
US-PATENT-APPL-SN-708660 ..... c44 N76-28646
US-PATENT-APPL-SN-708771 ..... c26 N76-29401
US-PATENT-APPL-SN-708795 ..... c37 N77-28487
US-PATENT-APPL-SN-708796 ..... c36 N76-31514
US-PATENT-APPL-SN-708800 ..... c37 N76-28554
US-PATENT-APPL-SN-708951 ..... c27 N76-28421
US-PATENT-APPL-SN-709398 ..... c06 N71-13461
US-PATENT-APPL-SN-709399 ..... c16 N71-26154
US-PATENT-APPL-SN-709622 ..... c33 N71-24858
US-PATENT-APPL-SN-709849 ..... c52 N77-25772
US-PATENT-APPL-SN-710032 ..... c54 N77-30749
US-PATENT-APPL-SN-710035 ..... c44 N76-30652
US-PATENT-APPL-SN-710533 ..... c02 N71-11043
US-PATENT-APPL-SN-710561 ..... c09 N71-12517
US-PATENT-APPL-SN-710562 ..... c31 N71-16085
US-PATENT-APPL-SN-710621 ..... c06 N73-27086
US-PATENT-APPL-SN-710945 ..... c33 N71-15568
US-PATENT-APPL-SN-710949 ..... c12 N71-17631
US-PATENT-APPL-SN-711898 ..... c18 N71-24934
US-PATENT-APPL-SN-711903 ..... c18 N71-26772
US-PATENT-APPL-SN-711921 ..... c18 N71-16105
US-PATENT-APPL-SN-711970 ..... c09 N71-18830
US-PATENT-APPL-SN-711971 ..... c09 N71-23598
US-PATENT-APPL-SN-711972 ..... c06 N71-24607
US-PATENT-APPL-SN-712065 ..... c08 N71-12503
US-PATENT-APPL-SN-712099 ..... c23 N71-24868

US-PATENT-APPL-SN-712419 ..... c35 N76-28535
US-PATENT-APPL-SN-712658 ..... c07 N71-19773
US-PATENT-APPL-SN-712981 ..... c31 N77-15219
US-PATENT-APPL-SN-713162 ..... c06 N71-26754
US-PATENT-APPL-SN-713188 ..... c08 N71-33110
US-PATENT-APPL-SN-713616 ..... c06 N71-27363
US-PATENT-APPL-SN-714158 ..... c76 N76-30084
US-PATENT-APPL-SN-714296 ..... c14 N71-15604
US-PATENT-APPL-SN-714595 ..... c15 N71-17822
US-PATENT-APPL-SN-715485 ..... c74 N77-15826
US-PATENT-APPL-SN-715975 ..... c06 N71-11240
US-PATENT-APPL-SN-716183 ..... c15 N71-18132
US-PATENT-APPL-SN-716734 ..... c15 N71-17628
US-PATENT-APPL-SN-716755 ..... c14 N71-20435
US-PATENT-APPL-SN-717052 ..... c14 N71-17626
US-PATENT-APPL-SN-717319 ..... c44 N77-31601
US-PATENT-APPL-SN-717320 ..... c44 N76-32649
US-PATENT-APPL-SN-717822 ..... c09 N71-25866
US-PATENT-APPL-SN-718095 ..... c28 N70-39899
US-PATENT-APPL-SN-718244 ..... c05 N76-31219
US-PATENT-APPL-SN-718266 ..... c35 N77-11363
US-PATENT-APPL-SN-718267 ..... c26 N77-29260
US-PATENT-APPL-SN-718268 ..... c37 N77-11398
US-PATENT-APPL-SN-718279 ..... c15 N71-26312
US-PATENT-APPL-SN-718689 ..... c14 N71-17655
US-PATENT-APPL-SN-718752 ..... c03 N71-18698
US-PATENT-APPL-SN-718769 ..... c14 N71-17662
US-PATENT-APPL-SN-719029 ..... c14 N71-27186
US-PATENT-APPL-SN-719173 ..... c28 N70-33331
US-PATENT-APPL-SN-719869 ..... c31 N71-15676
US-PATENT-APPL-SN-719870 ..... c07 N71-26292
US-PATENT-APPL-SN-720041 ..... c05 N71-27234
US-PATENT-APPL-SN-720125 ..... c09 N71-12539
US-PATENT-APPL-SN-720521 ..... c44 N76-31674
US-PATENT-APPL-SN-720546 ..... c18 N72-17532
US-PATENT-APPL-SN-721150 ..... c37 N76-31529
US-PATENT-APPL-SN-721667 ..... c18 N71-25881
US-PATENT-APPL-SN-723264 ..... c24 N77-15103
US-PATENT-APPL-SN-723465 ..... c15 N72-29488
US-PATENT-APPL-SN-723465 ..... c37 N74-15125
US-PATENT-APPL-SN-723476 ..... c05 N71-12341
US-PATENT-APPL-SN-723488 ..... c09 N71-28691
US-PATENT-APPL-SN-723804 ..... c09 N71-24806
US-PATENT-APPL-SN-723805 ..... c10 N71-26339
US-PATENT-APPL-SN-723827 ..... c10 N71-27137
US-PATENT-APPL-SN-724551 ..... c15 N71-17696
US-PATENT-APPL-SN-724874 ..... c76 N76-32029
US-PATENT-APPL-SN-725405 ..... c15 N71-26134
US-PATENT-APPL-SN-725432 ..... c07 N71-24622
US-PATENT-APPL-SN-725475 ..... c31 N71-15643
US-PATENT-APPL-SN-725719 ..... c15 N71-26243
US-PATENT-APPL-SN-725828 ..... c06 N76-31229
US-PATENT-APPL-SN-726898 ..... c12 N71-17579
US-PATENT-APPL-SN-726910 ..... c27 N77-10201
US-PATENT-APPL-SN-727480 ..... c14 N71-17658
US-PATENT-APPL-SN-727503 ..... c08 N77-22147
US-PATENT-APPL-SN-727725 ..... c44 N76-33624
US-PATENT-APPL-SN-728234 ..... c03 N71-12255
US-PATENT-APPL-SN-728369 ..... c52 N76-33835
US-PATENT-APPL-SN-729299 ..... c03 N72-15986
US-PATENT-APPL-SN-730045 ..... c32 N77-11269
US-PATENT-APPL-SN-730046 ..... c35 N76-33469
US-PATENT-APPL-SN-730162 ..... c09 N71-18599
US-PATENT-APPL-SN-730700 ..... c07 N71-24583
US-PATENT-APPL-SN-730701 ..... c12 N71-18615
US-PATENT-APPL-SN-730702 ..... c33 N71-16356
US-PATENT-APPL-SN-730703 ..... c10 N71-13537
US-PATENT-APPL-SN-730733 ..... c28 N71-16224
US-PATENT-APPL-SN-730734 ..... c15 N71-17654
US-PATENT-APPL-SN-730778 ..... c32 N76-33364
US-PATENT-APPL-SN-730779 ..... c35 N76-33470
US-PATENT-APPL-SN-730780 ..... c05 N77-31132
US-PATENT-APPL-SN-731388 ..... c15 N71-24835
US-PATENT-APPL-SN-732455 ..... c22 N71-28759
US-PATENT-APPL-SN-732630 ..... c36 N77-10516
US-PATENT-APPL-SN-732917 ..... c14 N71-17575
US-PATENT-APPL-SN-732921 ..... c10 N71-26544
US-PATENT-APPL-SN-732922 ..... c17 N71-28747
US-PATENT-APPL-SN-733039 ..... c07 N72-12081
US-PATENT-APPL-SN-733814 ..... c02 N77-22045
US-PATENT-APPL-SN-733825 ..... c27 N77-10198
US-PATENT-APPL-SN-734805 ..... c14 N70-34816
US-PATENT-APPL-SN-734901 ..... c27 N77-15192
US-PATENT-APPL-SN-734902 ..... c24 N77-11119
US-PATENT-APPL-SN-735911 ..... c14 N70-41946
US-PATENT-APPL-SN-736286 ..... c32 N77-12247
US-PATENT-APPL-SN-736848 ..... c23 N71-16212
US-PATENT-APPL-SN-736909 ..... c37 N77-11403
US-PATENT-APPL-SN-737974 ..... c33 N77-11296
US-PATENT-APPL-SN-737975 ..... c32 N77-12248
US-PATENT-APPL-SN-738119 ..... c18 N71-15545
US-PATENT-APPL-SN-738218 ..... c35 N77-10498
US-PATENT-APPL-SN-738219 ..... c36 N77-10517
US-PATENT-APPL-SN-738314 ..... c12 N71-17573
US-PATENT-APPL-SN-738315 ..... c14 N71-27334
US-PATENT-APPL-SN-738315 ..... c14 N72-31446
US-PATENT-APPL-SN-739072 ..... c33 N75-27251
US-PATENT-APPL-SN-739391 ..... c09 N72-17156
US-PATENT-APPL-SN-739908 ..... c13 N77-11079
US-PATENT-APPL-SN-739909 ..... c37 N77-13426
US-PATENT-APPL-SN-739914 ..... c33 N77-13335
US-PATENT-APPL-SN-739915 ..... c07 N77-13062
US-PATENT-APPL-SN-739927 ..... c32 N71-16103
US-PATENT-APPL-SN-740153 ..... c28 N77-17258
US-PATENT-APPL-SN-740155 ..... c35 N77-10497
US-PATENT-APPL-SN-740156 ..... c35 N77-23441
US-PATENT-APPL-SN-740457 ..... c35 N77-11364
US-PATENT-APPL-SN-741461 ..... c12 N71-18603
US-PATENT-APPL-SN-741824 ..... c07 N71-12389
US-PATENT-APPL-SN-742034 ..... c33 N77-17359
US-PATENT-APPL-SN-742035 ..... c05 N77-15027
US-PATENT-APPL-SN-742816 ..... c14 N71-17656
US-PATENT-APPL-SN-743249 ..... c35 N77-32456
US-PATENT-APPL-SN-743429 ..... c07 N71-11285
US-PATENT-APPL-SN-743525 ..... c07 N71-28430
US-PATENT-APPL-SN-744477 ..... c33 N77-17358
US-PATENT-APPL-SN-744522 ..... c33 N77-21314
US-PATENT-APPL-SN-744542 ..... c34 N77-12332
US-PATENT-APPL-SN-744573 ..... c44 N77-12511
US-PATENT-APPL-SN-744574 ..... c25 N77-12157
US-PATENT-APPL-SN-744576 ..... c44 N77-32595
US-PATENT-APPL-SN-744577 ..... c32 N77-17325
US-PATENT-APPL-SN-744910 ..... c15 N71-17649
US-PATENT-APPL-SN-745337 ..... c28 N72-20758
US-PATENT-APPL-SN-745852 ..... c12 N71-17661
US-PATENT-APPL-SN-746269 ..... c44 N77-15490
US-PATENT-APPL-SN-746578 ..... c09 N77-12070
US-PATENT-APPL-SN-746579 ..... c33 N77-13338
US-PATENT-APPL-SN-746580 ..... c34 N77-15343
US-PATENT-APPL-SN-747674 ..... c27 N77-14262
US-PATENT-APPL-SN-747675 ..... c37 N77-15400
US-PATENT-APPL-SN-749121 ..... c07 N72-11149
US-PATENT-APPL-SN-749148 ..... c10 N71-19421
US-PATENT-APPL-SN-749149 ..... c15 N71-24897
US-PATENT-APPL-SN-749181 ..... c09 N71-24803
US-PATENT-APPL-SN-749320 ..... c14 N72-22443
US-PATENT-APPL-SN-749420 ..... c04 N77-12031
US-PATENT-APPL-SN-749548 ..... c10 N71-33129
US-PATENT-APPL-SN-750031 ..... c05 N73-32012
US-PATENT-APPL-SN-750235 ..... c25 N75-14844
US-PATENT-APPL-SN-750786 ..... c07 N71-27341
US-PATENT-APPL-SN-750787 ..... c10 N71-27126
US-PATENT-APPL-SN-750792 ..... c37 N77-15397
US-PATENT-APPL-SN-750796 ..... c32 N77-15233
US-PATENT-APPL-SN-750798 ..... c85 N77-17949
US-PATENT-APPL-SN-751061 ..... c18 N71-29040
US-PATENT-APPL-SN-751198 ..... c03 N71-24718
US-PATENT-APPL-SN-751215 ..... c22 N72-20597
US-PATENT-APPL-SN-751266 ..... c15 N71-33518
US-PATENT-APPL-SN-752729 ..... c09 N71-26787
US-PATENT-APPL-SN-752748 ..... c35 N77-28470
US-PATENT-APPL-SN-752946 ..... c15 N71-29032
US-PATENT-APPL-SN-752947 ..... c31 N71-15689
US-PATENT-APPL-SN-753964 ..... c34 N77-14372
US-PATENT-APPL-SN-753965 ..... c54 N77-15641
US-PATENT-APPL-SN-753971 ..... c07 N77-15036
US-PATENT-APPL-SN-753974 ..... c16 N71-33410
US-PATENT-APPL-SN-753976 ..... c54 N77-14742
US-PATENT-APPL-SN-753977 ..... c44 N77-15493
US-PATENT-APPL-SN-753978 ..... c54 N77-14743
US-PATENT-APPL-SN-754019 ..... c09 N71-25999
US-PATENT-APPL-SN-754020 ..... c12 N71-27332
US-PATENT-APPL-SN-754055 ..... c07 N71-24624
US-PATENT-APPL-SN-754066 ..... c32 N77-15236
US-PATENT-APPL-SN-755310 ..... c45 N77-17609
US-PATENT-APPL-SN-755323 ..... c74 N77-14842
US-PATENT-APPL-SN-756260 ..... c23 N71-26722
US-PATENT-APPL-SN-756266 ..... c15 N71-26145
US-PATENT-APPL-SN-756381 ..... c06 N71-25929
US-PATENT-APPL-SN-756511 ..... c09 N71-27016
US-PATENT-APPL-SN-756834 ..... c15 N72-21466
US-PATENT-APPL-SN-757017 ..... c35 N77-21393
US-PATENT-APPL-SN-757625 ..... c09 N71-26701
US-PATENT-APPL-SN-757857 ..... c10 N71-25900
US-PATENT-APPL-SN-757861 ..... c05 N71-11194
US-PATENT-APPL-SN-757875 ..... c09 N71-24805
US-PATENT-APPL-SN-758082 ..... c15 N71-17805
US-PATENT-APPL-SN-758390 ..... c28 N71-26642

US-PATENT-APPL-SN-758540 ..... c28 N73-27699
US-PATENT-APPL-SN-758721 ..... c52 N77-15621
US-PATENT-APPL-SN-758942 ..... c27 N71-14090
US-PATENT-APPL-SN-759256 ..... c07 N71-27233
US-PATENT-APPL-SN-759457 ..... c33 N71-16357
US-PATENT-APPL-SN-759460 ..... c09 N71-24597
US-PATENT-APPL-SN-759665 ..... c14 N71-18481
US-PATENT-APPL-SN-759965 ..... c52 N77-15619
US-PATENT-APPL-SN-760057 ..... c37 N77-22484
US-PATENT-APPL-SN-760114 ..... c28 N72-11709
US-PATENT-APPL-SN-760389 ..... c09 N71-24618
US-PATENT-APPL-SN-760771 ..... c44 N77-17565
US-PATENT-APPL-SN-760795 ..... c52 N77-18733
US-PATENT-APPL-SN-760809 ..... c24 N77-15105
US-PATENT-APPL-SN-760810 ..... c25 N77-17178
US-PATENT-APPL-SN-760819 ..... c14 N70-34820
US-PATENT-APPL-SN-760927 ..... c26 N71-25490
US-PATENT-APPL-SN-760928 ..... c15 N71-28582
US-PATENT-APPL-SN-761007 ..... c18 N71-26155
US-PATENT-APPL-SN-761404 ..... c09 N71-12526
US-PATENT-APPL-SN-762362 ..... c44 N77-20565
US-PATENT-APPL-SN-762363 ..... c44 N77-20566
US-PATENT-APPL-SN-762438 ..... c12 N71-17569
US-PATENT-APPL-SN-762935 ..... c14 N71-29041
US-PATENT-APPL-SN-762936 ..... c31 N69-27499
US-PATENT-APPL-SN-762956 ..... c14 N71-26627
US-PATENT-APPL-SN-762957 ..... c08 N71-27210
US-PATENT-APPL-SN-763040 ..... c14 N72-28438
US-PATENT-APPL-SN-763355 ..... c06 N71-28620
US-PATENT-APPL-SN-763684 ..... c15 N72-16329
US-PATENT-APPL-SN-763685 ..... c15 N71-24910
US-PATENT-APPL-SN-763705 ..... c09 N71-18720
US-PATENT-APPL-SN-763706 ..... c15 N71-24896
US-PATENT-APPL-SN-763729 ..... c12 N71-26546
US-PATENT-APPL-SN-763743 ..... c14 N72-21409
US-PATENT-APPL-SN-763744 ..... c10 N72-27246
US-PATENT-APPL-SN-763753 ..... c36 N77-18429
US-PATENT-APPL-SN-763868 ..... c15 N71-24679
US-PATENT-APPL-SN-763869 ..... c17 N71-16393
US-PATENT-APPL-SN-764245 ..... c24 N77-32249
US-PATENT-APPL-SN-764252 ..... c14 N71-25901
US-PATENT-APPL-SN-764253 ..... c33 N77-17357
US-PATENT-APPL-SN-764470 ..... c16 N71-28554
US-PATENT-APPL-SN-764812 ..... c10 N71-19468
US-PATENT-APPL-SN-765123 ..... c31 N71-15687
US-PATENT-APPL-SN-765138 ..... c44 N77-19581
US-PATENT-APPL-SN-765139 ..... c44 N77-19579
US-PATENT-APPL-SN-765165 ..... c33 N77-19320
US-PATENT-APPL-SN-765167 ..... c32 N77-19290
US-PATENT-APPL-SN-765264 ..... c02 N71-29128
US-PATENT-APPL-SN-765738 ..... c03 N71-11057
US-PATENT-APPL-SN-766170 ..... c07 N71-24625
US-PATENT-APPL-SN-766244 ..... c15 N71-26721
US-PATENT-APPL-SN-766245 ..... c14 N71-27215
US-PATENT-APPL-SN-766697 ..... c09 N71-33519
US-PATENT-APPL-SN-766999 ..... c35 N77-19390
US-PATENT-APPL-SN-767741 ..... c09 N72-27228
US-PATENT-APPL-SN-767911 ..... c09 N77-19077
US-PATENT-APPL-SN-767912 ..... c27 N77-17245
US-PATENT-APPL-SN-768336 ..... c15 N71-17648
US-PATENT-APPL-SN-768470 ..... c09 N71-28421
US-PATENT-APPL-SN-768473 ..... c14 N71-17657
US-PATENT-APPL-SN-768662 ..... c07 N73-25160
US-PATENT-APPL-SN-768794 ..... c37 N77-20441
US-PATENT-APPL-SN-768795 ..... c33 N77-17360
US-PATENT-APPL-SN-768942 ..... c46 N74-23068
US-PATENT-APPL-SN-769148 ..... c52 N77-17701
US-PATENT-APPL-SN-769149 ..... c33 N77-19319
US-PATENT-APPL-SN-769592 ..... c15 N72-16330
US-PATENT-APPL-SN-769665 ..... c15 N72-11387
US-PATENT-APPL-SN-769788 ..... c07 N71-11300
US-PATENT-APPL-SN-770203 ..... c05 N71-11195
US-PATENT-APPL-SN-770209 ..... c08 N71-27057
US-PATENT-APPL-SN-770371 ..... c15 N71-24599
US-PATENT-APPL-SN-770398 ..... c06 N71-27254
US-PATENT-APPL-SN-770398 ..... c06 N72-27144
US-PATENT-APPL-SN-770417 ..... c06 N73-33076
US-PATENT-APPL-SN-770425 ..... c06 N72-20121
US-PATENT-APPL-SN-771216 ..... c14 N72-17329
US-PATENT-APPL-SN-771523 ..... c10 N71-18772
US-PATENT-APPL-SN-771530 ..... c09 N72-12136
US-PATENT-APPL-SN-771759 ..... c09 N71-29008
US-PATENT-APPL-SN-771760 ..... c10 N71-25917
US-PATENT-APPL-SN-771803 ..... c07 N71-12391
US-PATENT-APPL-SN-771937 ..... c10 N71-24862
US-PATENT-APPL-SN-772006 ..... c17 N71-33408
US-PATENT-APPL-SN-772165 ..... c14 N77-18179
US-PATENT-APPL-SN-772167 ..... c25 N77-18238
US-PATENT-APPL-SN-772168 ..... c37 N77-19459
US-PATENT-APPL-SN-773029 ..... c09 N71-24893
US-PATENT-APPL-SN-773072 ..... c10 N72-28241
US-PATENT-APPL-SN-773530 ..... c25 N75-29192
US-PATENT-APPL-SN-774151 ..... c15 N71-17692
US-PATENT-APPL-SN-774265 ..... c10 N71-27365
US-PATENT-APPL-SN-774266 ..... c15 N71-26185
US-PATENT-APPL-SN-774553 ..... c32 N77-20299
US-PATENT-APPL-SN-774691 ..... c10 N72-31273
US-PATENT-APPL-SN-774733 ..... c14 N72-24477
US-PATENT-APPL-SN-775072 ..... c16 N71-24831
US-PATENT-APPL-SN-775235 ..... c05 N77-18134
US-PATENT-APPL-SN-775870 ..... c09 N71-24800
US-PATENT-APPL-SN-775870 ..... c09 N72-22196
US-PATENT-APPL-SN-775877 ..... c02 N71-11039
US-PATENT-APPL-SN-775966 ..... c02 N71-11037
US-PATENT-APPL-SN-776029 ..... c07 N77-18160
US-PATENT-APPL-SN-776146 ..... c44 N77-18560
US-PATENT-APPL-SN-776185 ..... c03 N72-22041
US-PATENT-APPL-SN-776869 ..... c44 N77-17564
US-PATENT-APPL-SN-777764 ..... c15 N71-27214
US-PATENT-APPL-SN-777765 ..... c15 N71-29018
US-PATENT-APPL-SN-777766 ..... c31 N71-16221
US-PATENT-APPL-SN-777818 ..... c09 N71-27364
US-PATENT-APPL-SN-777983 ..... c32 N77-24340
US-PATENT-APPL-SN-778195 ..... c24 N77-19173
US-PATENT-APPL-SN-779024 ..... c10 N71-27271
US-PATENT-APPL-SN-779025 ..... c09 N72-23171
US-PATENT-APPL-SN-779160 ..... c14 N72-16282
US-PATENT-APPL-SN-779169 ..... c09 N71-28618
US-PATENT-APPL-SN-779415 ..... c60 N77-24781
US-PATENT-APPL-SN-779428 ..... c35 N77-20408
US-PATENT-APPL-SN-779429 ..... c08 N77-31176
US-PATENT-APPL-SN-779847 ..... c15 N71-27091
US-PATENT-APPL-SN-779871 ..... c33 N77-20344
US-PATENT-APPL-SN-779883 ..... c27 N77-20256
US-PATENT-APPL-SN-780064 ..... c15 N71-27372
US-PATENT-APPL-SN-780065 ..... c12 N71-28741
US-PATENT-APPL-SN-780568 ..... c06 N77-20098
US-PATENT-APPL-SN-780569 ..... c54 N77-25784
US-PATENT-APPL-SN-780728 ..... c32 N77-24338
US-PATENT-APPL-SN-780729 ..... c33 N77-21321
US-PATENT-APPL-SN-780873 ..... c35 N77-20410
US-PATENT-APPL-SN-780874 ..... c33 N77-20343
US-PATENT-APPL-SN-780930 ..... c54 N77-21847
US-PATENT-APPL-SN-782462 ..... c33 N77-20341
US-PATENT-APPL-SN-782463 ..... c36 N77-24468
US-PATENT-APPL-SN-782464 ..... c32 N77-24341
US-PATENT-APPL-SN-782480 ..... c33 N77-21322
US-PATENT-APPL-SN-782481 ..... c44 N77-21666
US-PATENT-APPL-SN-782482 ..... c33 N77-21319
US-PATENT-APPL-SN-782544 ..... c14 N71-27325
US-PATENT-APPL-SN-782693 ..... c33 N77-21320
US-PATENT-APPL-SN-782955 ..... c07 N71-33108
US-PATENT-APPL-SN-782956 ..... c10 N71-25865
US-PATENT-APPL-SN-783374 ..... c15 N71-27147
US-PATENT-APPL-SN-783375 ..... c07 N71-24621
US-PATENT-APPL-SN-783377 ..... c05 N71-28619
US-PATENT-APPL-SN-783378 ..... c07 N71-19436
US-PATENT-APPL-SN-783379 ..... c15 N71-17653
US-PATENT-APPL-SN-784055 ..... c15 N72-11390
US-PATENT-APPL-SN-784521 ..... c14 N71-15620
US-PATENT-APPL-SN-784544 ..... c15 N72-12408
US-PATENT-APPL-SN-785078 ..... c03 N72-27053
US-PATENT-APPL-SN-785257 ..... c44 N77-24590
US-PATENT-APPL-SN-785279 ..... c05 N77-31131
US-PATENT-APPL-SN-785546 ..... c10 N71-25882
US-PATENT-APPL-SN-785595 ..... c10 N71-24861
US-PATENT-APPL-SN-785611 ..... c15 N71-24600
US-PATENT-APPL-SN-785613 ..... c05 N72-25119
US-PATENT-APPL-SN-785615 ..... c05 N72-20098
US-PATENT-APPL-SN-785620 ..... c21 N71-27324
US-PATENT-APPL-SN-785710 ..... c05 N71-24730
US-PATENT-APPL-SN-785780 ..... c18 N71-28729
US-PATENT-APPL-SN-786322 ..... c32 N77-22314
US-PATENT-APPL-SN-786913 ..... c16 N77-31237
US-PATENT-APPL-SN-787393 ..... c23 N71-26206
US-PATENT-APPL-SN-787410 ..... c15 N71-19213
US-PATENT-APPL-SN-787846 ..... c23 N71-33229
US-PATENT-APPL-SN-787906 ..... c03 N71-26084
US-PATENT-APPL-SN-787911 ..... c03 N71-28579
US-PATENT-APPL-SN-788044 ..... c26 N77-21217
US-PATENT-APPL-SN-788045 ..... c34 N77-22423
US-PATENT-APPL-SN-788704 ..... c36 N77-21424
US-PATENT-APPL-SN-788705 ..... c35 N77-22452
US-PATENT-APPL-SN-788856 ..... c37 N77-25535
US-PATENT-APPL-SN-789043 ..... c10 N71-26531
US-PATENT-APPL-SN-789044 ..... c14 N72-20381
US-PATENT-APPL-SN-789045 ..... c15 N72-22489
US-PATENT-APPL-SN-789278 ..... c15 N71-24694
US-PATENT-APPL-SN-789760 ..... c36 N77-24469

US-PATENT-APPL-SN-789903 ..... c07 N71-28429
US-PATENT-APPL-SN-790420 ..... c09 N71-24595
US-PATENT-APPL-SN-790637 ..... c44 N77-22615
US-PATENT-APPL-SN-791267 ..... c23 N72-17747
US-PATENT-APPL-SN-791268 ..... c33 N72-17947
US-PATENT-APPL-SN-791288 ..... c28 N71-25213
US-PATENT-APPL-SN-791364 ..... c14 N72-17328
US-PATENT-APPL-SN-791693 ..... c05 N71-11203
US-PATENT-APPL-SN-791888 ..... c23 N71-24725
US-PATENT-APPL-SN-792067 ..... c24 N77-22179
US-PATENT-APPL-SN-792068 ..... c51 N77-24755
US-PATENT-APPL-SN-792069 ..... c37 N77-24496
US-PATENT-APPL-SN-792623 ..... c14 N72-23457
US-PATENT-APPL-SN-793657 ..... c17 N72-28536
US-PATENT-APPL-SN-793670 ..... c37 N77-25536
US-PATENT-APPL-SN-793770 ..... c25 N71-15562
US-PATENT-APPL-SN-793771 ..... c14 N72-22440
US-PATENT-APPL-SN-793772 ..... c10 N71-18722
US-PATENT-APPL-SN-793823 ..... c09 N71-33109
US-PATENT-APPL-SN-794530 ..... c15 N72-11386
US-PATENT-APPL-SN-794968 ..... c15 N71-27146
US-PATENT-APPL-SN-795182 ..... c07 N71-24840
US-PATENT-APPL-SN-795217 ..... c33 N71-25351
US-PATENT-APPL-SN-796256 ..... c52 N77-23743
US-PATENT-APPL-SN-796257 ..... c27 N77-23267
US-PATENT-APPL-SN-796258 ..... c52 N77-26796
US-PATENT-APPL-SN-796263 ..... c23 N77-32244
US-PATENT-APPL-SN-796358 ..... c05 N72-11085
US-PATENT-APPL-SN-796360 ..... c15 N71-24696
US-PATENT-APPL-SN-796370 ..... c10 N71-27366
US-PATENT-APPL-SN-796405 ..... c14 N71-27185
US-PATENT-APPL-SN-796685 ..... c26 N72-28762
US-PATENT-APPL-SN-796690 ..... c07 N72-21119
US-PATENT-APPL-SN-796691 ..... c10 N71-26334
US-PATENT-APPL-SN-797056 ..... c15 N71-25975
US-PATENT-APPL-SN-797057 ..... c15 N70-22192
US-PATENT-APPL-SN-797058 ..... c05 N71-24738
US-PATENT-APPL-SN-797059 ..... c15 N71-28465
US-PATENT-APPL-SN-797210 ..... c28 N77-25346
US-PATENT-APPL-SN-797217 ..... c24 N77-24200
US-PATENT-APPL-SN-797219 ..... c03 N71-33409
US-PATENT-APPL-SN-797794 ..... c07 N71-12396
US-PATENT-APPL-SN-797795 ..... c07 N71-27191
US-PATENT-APPL-SN-797796 ..... c28 N71-14058
US-PATENT-APPL-SN-798277 ..... c23 N71-26654
US-PATENT-APPL-SN-798976 ..... c52 N77-27694
US-PATENT-APPL-SN-799013 ..... c09 N71-28468
US-PATENT-APPL-SN-799023 ..... c37 N77-24497
US-PATENT-APPL-SN-799024 ..... c24 N77-26242
US-PATENT-APPL-SN-799025 ..... c32 N77-24339
US-PATENT-APPL-SN-799026 ..... c44 N77-24589
US-PATENT-APPL-SN-799353 ..... c09 N71-27232
US-PATENT-APPL-SN-799832 ..... c54 N77-24771
US-PATENT-APPL-SN-800204 ..... c06 N72-17094
US-PATENT-APPL-SN-800973 ..... c16 N71-24832
US-PATENT-APPL-SN-801290 ..... c37 N77-24498
US-PATENT-APPL-SN-801312 ..... c16 N71-15565
US-PATENT-APPL-SN-801336 ..... c02 N71-13422
US-PATENT-APPL-SN-801432 ..... c33 N77-24385
US-PATENT-APPL-SN-801452 ..... c44 N77-28583
US-PATENT-APPL-SN-801660 ..... c14 N71-26672
US-PATENT-APPL-SN-802812 ..... c10 N72-22235
US-PATENT-APPL-SN-802813 ..... c15 N72-22487
US-PATENT-APPL-SN-802816 ..... c31 N71-16346
US-PATENT-APPL-SN-802818 ..... c07 N71-29065
US-PATENT-APPL-SN-802820 ..... c10 N71-13545
US-PATENT-APPL-SN-802948 ..... c31 N71-33160
US-PATENT-APPL-SN-802972 ..... c09 N71-26678
US-PATENT-APPL-SN-803822 ..... c26 N77-24254
US-PATENT-APPL-SN-803823 ..... c44 N77-24593
US-PATENT-APPL-SN-804035 ..... c33 N77-28395
US-PATENT-APPL-SN-804172 ..... c28 N71-26781
US-PATENT-APPL-SN-805298 ..... c10 N71-25899
US-PATENT-APPL-SN-805405 ..... c14 N71-27323
US-PATENT-APPL-SN-805406 ..... c07 N71-24613
US-PATENT-APPL-SN-806149 ..... c27 N71-16223
US-PATENT-APPL-SN-806226 ..... c14 N71-27407
US-PATENT-APPL-SN-806440 ..... c52 N77-27693
US-PATENT-APPL-SN-807762 ..... c27 N77-26308
US-PATENT-APPL-SN-808192 ..... c15 N71-27432
US-PATENT-APPL-SN-808193 ..... c31 N71-26537
US-PATENT-APPL-SN-808462 ..... c10 N71-27136
US-PATENT-APPL-SN-808510 ..... c32 N77-27272
US-PATENT-APPL-SN-808576 ..... c15 N71-27754
US-PATENT-APPL-SN-808577 ..... c32 N71-25360
US-PATENT-APPL-SN-808822 ..... c14 N73-16483
US-PATENT-APPL-SN-809822 ..... c28 N71-27585
US-PATENT-APPL-SN-809890 ..... c44 N77-28585
US-PATENT-APPL-SN-810575 ..... c15 N71-27169
US-PATENT-APPL-SN-810576 ..... c15 N73-12492
US-PATENT-APPL-SN-810579 ..... c09 N72-22203
US-PATENT-APPL-SN-810579 ..... c33 N74-22864
US-PATENT-APPL-SN-810815 ..... c06 N72-22107
US-PATENT-APPL-SN-811037 ..... c14 N71-26137
US-PATENT-APPL-SN-811038 ..... c14 N72-20380
US-PATENT-APPL-SN-811401 ..... c39 N77-27432
US-PATENT-APPL-SN-811509 ..... c02 N70-33332
US-PATENT-APPL-SN-811542 ..... c21 N71-24948
US-PATENT-APPL-SN-811815 ..... c44 N77-28584
US-PATENT-APPL-SN-811892 ..... c14 N71-27090
US-PATENT-APPL-SN-812998 ..... c28 N72-22769
US-PATENT-APPL-SN-812999 ..... c05 N71-12345
US-PATENT-APPL-SN-813338 ..... c18 N72-22566
US-PATENT-APPL-SN-813488 ..... c15 N71-28467
US-PATENT-APPL-SN-813494 ..... c08 N72-11171
US-PATENT-APPL-SN-814004 ..... c33 N77-28394
US-PATENT-APPL-SN-814005 ..... c33 N77-27308
US-PATENT-APPL-SN-814006 ..... c37 N77-27404
US-PATENT-APPL-SN-814212 ..... c14 N72-17326
US-PATENT-APPL-SN-814378 ..... c25 N77-29252
US-PATENT-APPL-SN-814813 ..... c32 N77-28358
US-PATENT-APPL-SN-815366 ..... c14 N71-28994
US-PATENT-APPL-SN-815367 ..... c14 N71-28863
US-PATENT-APPL-SN-815760 ..... c15 N71-27068
US-PATENT-APPL-SN-816733 ..... c15 N71-27084
US-PATENT-APPL-SN-816988 ..... c14 N71-26199
US-PATENT-APPL-SN-817413 ..... c33 N77-29403
US-PATENT-APPL-SN-817415 ..... c35 N77-29471
US-PATENT-APPL-SN-817481 ..... c09 N72-11225
US-PATENT-APPL-SN-817482 ..... c10 N71-27338
US-PATENT-APPL-SN-817569 ..... c06 N69-31244
US-PATENT-APPL-SN-818349 ..... c21 N71-19212
US-PATENT-APPL-SN-818916 ..... c05 N77-28111
US-PATENT-APPL-SN-818917 ..... c32 N77-28357
US-PATENT-APPL-SN-819029 ..... c20 N77-28219
US-PATENT-APPL-SN-819599 ..... c15 N71-19214
US-PATENT-APPL-SN-819898 ..... c30 N72-17873
US-PATENT-APPL-SN-820453 ..... c03 N72-24037
US-PATENT-APPL-SN-820498 ..... c74 N77-28937
US-PATENT-APPL-SN-820499 ..... c76 N77-30984
US-PATENT-APPL-SN-820963 ..... c07 N71-19854
US-PATENT-APPL-SN-820964 ..... c15 N71-28740
US-PATENT-APPL-SN-820965 ..... c09 N71-13486
US-PATENT-APPL-SN-821586 ..... c26 N71-14354
US-PATENT-APPL-SN-821681 ..... c43 N77-28563
US-PATENT-APPL-SN-822039 ..... c06 N72-25149
US-PATENT-APPL-SN-822088 ..... c15 N71-27135
US-PATENT-APPL-SN-822089 ..... c23 N72-23695
US-PATENT-APPL-SN-822090 ..... c16 N71-27183
US-PATENT-APPL-SN-822518 ..... c09 N71-13522
US-PATENT-APPL-SN-822519 ..... c14 N71-28992
US-PATENT-APPL-SN-822534 ..... c09 N72-11224
US-PATENT-APPL-SN-823061 ..... c44 N77-30613
US-PATENT-APPL-SN-823566 ..... c74 N77-30935
US-PATENT-APPL-SN-824024 ..... c44 N77-30616
US-PATENT-APPL-SN-824042 ..... c23 N71-29143
US-PATENT-APPL-SN-824755 ..... c09 N70-33182
US-PATENT-APPL-SN-825253 ..... c16 N69-31343
US-PATENT-APPL-SN-825258 ..... c26 N72-21701
US-PATENT-APPL-SN-825259 ..... c14 N71-26788
US-PATENT-APPL-SN-826202 ..... c54 N77-30751
US-PATENT-APPL-SN-826203 ..... c45 N77-31668
US-PATENT-APPL-SN-826204 ..... c37 N77-31501
US-PATENT-APPL-SN-827579 ..... c15 N71-24984
US-PATENT-APPL-SN-827597 ..... c26 N69-33482
US-PATENT-APPL-SN-828909 ..... c28 N71-27094
US-PATENT-APPL-SN-828920 ..... c35 N74-22095
US-PATENT-APPL-SN-828921 ..... c09 N71-27001
US-PATENT-APPL-SN-828983 ..... c03 N71-24719
US-PATENT-APPL-SN-828984 ..... c08 N71-29033
US-PATENT-APPL-SN-829314 ..... c54 N77-31787
US-PATENT-APPL-SN-829315 ..... c34 N77-32434
US-PATENT-APPL-SN-829316 ..... c12 N77-31213
US-PATENT-APPL-SN-829317 ..... c52 N77-30737
US-PATENT-APPL-SN-829318 ..... c52 N77-30736
US-PATENT-APPL-SN-829319 ..... c34 N77-32435
US-PATENT-APPL-SN-829321 ..... c33 N77-31407
US-PATENT-APPL-SN-829390 ..... c44 N77-31610
US-PATENT-APPL-SN-829825 ..... c03 N71-24681
US-PATENT-APPL-SN-830272 ..... c60 N77-31800
US-PATENT-APPL-SN-830366 ..... c16 N72-13437
US-PATENT-APPL-SN-830382 ..... c44 N77-31611
US-PATENT-APPL-SN-830715 ..... c15 N71-24903
US-PATENT-APPL-SN-830978 ..... c28 N71-26173
US-PATENT-APPL-SN-831118 ..... c08 N72-11172
US-PATENT-APPL-SN-831631 ..... c43 N77-31583
US-PATENT-APPL-SN-831632 ..... c25 N77-31260
US-PATENT-APPL-SN-831633 ..... c05 N77-31130

US-PATENT-APPL-SN-831634 ..... C05 N77-31135
US-PATENT-APPL-SN-832603 ..... C09 N72-22199
US-PATENT-APPL-SN-833049 ..... C06 N72-21094
US-PATENT-APPL-SN-833636 ..... C27 N77-32313
US-PATENT-APPL-SN-833637 ..... C33 N77-32402
US-PATENT-APPL-SN-835058 ..... C21 N72-22619
US-PATENT-APPL-SN-835059 ..... C09 N71-26133
US-PATENT-APPL-SN-835060 ..... C02 N71-26110
US-PATENT-APPL-SN-835146 ..... C15 N70-33264
US-PATENT-APPL-SN-835152 ..... C28 N70-38199
US-PATENT-APPL-SN-835153 ..... C31 N71-17680
US-PATENT-APPL-SN-836280 ..... C14 N73-14428
US-PATENT-APPL-SN-836280 ..... C35 N75-25122
US-PATENT-APPL-SN-836367 ..... C09 N71-24804
US-PATENT-APPL-SN-837259 ..... C54 N77-32723
US-PATENT-APPL-SN-837377 ..... C15 N71-26148
US-PATENT-APPL-SN-837378 ..... C15 N71-24865
US-PATENT-APPL-SN-837796 ..... C35 N77-32461
US-PATENT-APPL-SN-837825 ..... C15 N71-27006
US-PATENT-APPL-SN-837830 ..... C02 N71-27088
US-PATENT-APPL-SN-838278 ..... C60 N74-20836
US-PATENT-APPL-SN-838630 ..... C14 N71-28993
US-PATENT-APPL-SN-839934 ..... C07 N72-20140
US-PATENT-APPL-SN-839935 ..... C15 N71-24895
US-PATENT-APPL-SN-839941 ..... C07 N71-26181
US-PATENT-APPL-SN-839994 ..... C28 N71-28915
US-PATENT-APPL-SN-840176 ..... C28 N71-27095
US-PATENT-APPL-SN-840308 ..... C07 N71-33613
US-PATENT-APPL-SN-840359 ..... C23 N71-29125
US-PATENT-APPL-SN-840870 ..... C15 N71-26189
US-PATENT-APPL-SN-840983 ..... C05 N70-33285
US-PATENT-APPL-SN-841278 ..... C33 N77-21316
US-PATENT-APPL-SN-841845 ..... C14 N73-32317
US-PATENT-APPL-SN-842170 ..... C11 N70-33278
US-PATENT-APPL-SN-842171 ..... C11 N70-33329
US-PATENT-APPL-SN-843022 ..... C11 N70-33287
US-PATENT-APPL-SN-843032 ..... C28 N70-41818
US-PATENT-APPL-SN-843251 ..... C03 N72-11062
US-PATENT-APPL-SN-844225 ..... C05 N72-25120
US-PATENT-APPL-SN-844243 ..... C37 N75-29426
US-PATENT-APPL-SN-844315 ..... C35 N77-21392
US-PATENT-APPL-SN-844355 ..... C03 N72-26031
US-PATENT-APPL-SN-845365 ..... C09 N71-13518
US-PATENT-APPL-SN-845584 ..... C27 N73-22710
US-PATENT-APPL-SN-845807 ..... C15 N72-11391
US-PATENT-APPL-SN-845971 ..... C11 N71-28629
US-PATENT-APPL-SN-845972 ..... C09 N70-11148
US-PATENT-APPL-SN-845973 ..... C11 N71-24985
US-PATENT-APPL-SN-845974 ..... C33 N71-25353
US-PATENT-APPL-SN-845990 ..... C14 N71-27005
US-PATENT-APPL-SN-845991 ..... C14 N71-29134
US-PATENT-APPL-SN-847023 ..... C31 N70-37938
US-PATENT-APPL-SN-847027 ..... C03 N70-33343
US-PATENT-APPL-SN-847596 ..... C15 N70-10867
US-PATENT-APPL-SN-847815 ..... C52 N75-15270
US-PATENT-APPL-SN-848282 ..... C15 N72-21462
US-PATENT-APPL-SN-848325 ..... C06 N70-11251
US-PATENT-APPL-SN-848351 ..... C06 N70-11252
US-PATENT-APPL-SN-848403 ..... C33 N74-20859
US-PATENT-APPL-SN-848403 ..... C36 N75-27364
US-PATENT-APPL-SN-848481 ..... C17 N70-33283
US-PATENT-APPL-SN-848776 ..... C07 N72-22127
US-PATENT-APPL-SN-848805 ..... C06 N72-17095
US-PATENT-APPL-SN-848810 ..... C07 N72-11148
US-PATENT-APPL-SN-848811 ..... C10 N71-26142
US-PATENT-APPL-SN-849106 ..... C09 N72-22197
US-PATENT-APPL-SN-850586 ..... C31 N71-25434
US-PATENT-APPL-SN-850587 ..... C08 N72-21199
US-PATENT-APPL-SN-851298 ..... C15 N72-12409
US-PATENT-APPL-SN-851394 ..... C09 N71-24892
US-PATENT-APPL-SN-852131 ..... C15 N71-24836
US-PATENT-APPL-SN-852843 ..... C09 N72-22195
US-PATENT-APPL-SN-853641 ..... C33 N72-25913
US-PATENT-APPL-SN-853716 ..... C09 N71-24904
US-PATENT-APPL-SN-853746 ..... C02 N72-11018
US-PATENT-APPL-SN-853763 ..... C07 N70-12616
US-PATENT-APPL-SN-853763 ..... C07 N72-33146
US-PATENT-APPL-SN-853855 ..... C17 N72-22530
US-PATENT-APPL-SN-853855 ..... C17 N72-28535
US-PATENT-APPL-SN-853856 ..... C16 N71-29131
US-PATENT-APPL-SN-853983 ..... C14 N70-33254
US-PATENT-APPL-SN-853984 ..... C21 N70-33181
US-PATENT-APPL-SN-854815 ..... C09 N71-24807
US-PATENT-APPL-SN-855004 ..... C24 N72-11595
US-PATENT-APPL-SN-856253 ..... C24 N74-19769
US-PATENT-APPL-SN-856258 ..... C05 N71-17599
US-PATENT-APPL-SN-856279 ..... C07 N72-21118
US-PATENT-APPL-SN-856282 ..... C08 N72-22166
US-PATENT-APPL-SN-856327 ..... C05 N72-16015
US-PATENT-APPL-SN-856328 ..... C14 N72-22441
US-PATENT-APPL-SN-856415 ..... C09 N71-26182
US-PATENT-APPL-SN-857241 ..... C46 N74-23069
US-PATENT-APPL-SN-857445 ..... C05 N71-24728
US-PATENT-APPL-SN-857967 ..... C15 N72-20443
US-PATENT-APPL-SN-858695 ..... C11 N72-22247
US-PATENT-APPL-SN-860492 ..... C09 N72-20199
US-PATENT-APPL-SN-860493 ..... C14 N72-16283
US-PATENT-APPL-SN-860635 ..... C28 N72-17843
US-PATENT-APPL-SN-860750 ..... C08 N72-22165
US-PATENT-APPL-SN-860751 ..... C08 N72-18184
US-PATENT-APPL-SN-860781 ..... C18 N72-22567
US-PATENT-APPL-SN-861152 ..... C14 N70-33322
US-PATENT-APPL-SN-861649 ..... C14 N72-17327
US-PATENT-APPL-SN-862921 ..... C31 N71-29050
US-PATENT-APPL-SN-863276 ..... C16 N72-12440
US-PATENT-APPL-SN-863280 ..... C24 N72-33681
US-PATENT-APPL-SN-863913 ..... C14 N71-28991
US-PATENT-APPL-SN-863914 ..... C09 N72-31235
US-PATENT-APPL-SN-863963 ..... C10 N71-26085
US-PATENT-APPL-SN-863967 ..... C11 N71-27036
US-PATENT-APPL-SN-864020 ..... C15 N72-17454
US-PATENT-APPL-SN-864039 ..... C15 N72-22483
US-PATENT-APPL-SN-864097 ..... C07 N71-33606
US-PATENT-APPL-SN-864710 ..... C03 N70-26817
US-PATENT-APPL-SN-865106 ..... C09 N72-22202
US-PATENT-APPL-SN-865109 ..... C14 N71-28933
US-PATENT-APPL-SN-865274 ..... C09 N72-17155
US-PATENT-APPL-SN-865298 ..... C15 N72-11388
US-PATENT-APPL-SN-865329 ..... C15 N71-29132
US-PATENT-APPL-SN-865811 ..... C09 N71-27053
US-PATENT-APPL-SN-865909 ..... C14 N72-11364
US-PATENT-APPL-SN-866442 ..... C25 N72-24753
US-PATENT-APPL-SN-867841 ..... C11 N72-22246
US-PATENT-APPL-SN-867842 ..... C23 N72-27728
US-PATENT-APPL-SN-867843 ..... C14 N71-26161
US-PATENT-APPL-SN-867851 ..... C15 N72-22484
US-PATENT-APPL-SN-868445 ..... C14 N72-17323
US-PATENT-APPL-SN-868529 ..... C08 N72-22167
US-PATENT-APPL-SN-868530 ..... C05 N72-11084
US-PATENT-APPL-SN-868775 ..... C09 N72-25261
US-PATENT-APPL-SN-868775 ..... C09 N73-27150
US-PATENT-APPL-SN-869260 ..... C05 N72-20097
US-PATENT-APPL-SN-869260 ..... C05 N73-25125
US-PATENT-APPL-SN-870689 ..... C06 N72-25148
US-PATENT-APPL-SN-872602 ..... C09 N72-22200
US-PATENT-APPL-SN-872664 ..... C08 N70-34675
US-PATENT-APPL-SN-873045 ..... C14 N72-20379
US-PATENT-APPL-SN-873259 ..... C08 N72-21200
US-PATENT-APPL-SN-873260 ..... C33 N72-17948
US-PATENT-APPL-SN-873793 ..... C14 N72-21407
US-PATENT-APPL-SN-874177 ..... C11 N72-25284
US-PATENT-APPL-SN-874435 ..... C11 N71-33612
US-PATENT-APPL-SN-874732 ..... C09 N71-29139
US-PATENT-APPL-SN-874733 ..... C15 N71-26635
US-PATENT-APPL-SN-874958 ..... C31 N71-15566
US-PATENT-APPL-SN-875849 ..... C07 N71-33696
US-PATENT-APPL-SN-876588 ..... C15 N72-25452
US-PATENT-APPL-SN-876588 ..... C25 N74-30502
US-PATENT-APPL-SN-877717 ..... C14 N72-27410
US-PATENT-APPL-SN-877717 ..... C14 N73-13417
US-PATENT-APPL-SN-877990 ..... C14 N72-28437
US-PATENT-APPL-SN-878730 ..... C08 N72-22164
US-PATENT-APPL-SN-878731 ..... C15 N71-26162
US-PATENT-APPL-SN-880246 ..... C28 N72-22770
US-PATENT-APPL-SN-880247 ..... C09 N70-20737
US-PATENT-APPL-SN-880248 ..... C07 N72-11150
US-PATENT-APPL-SN-880249 ..... C15 N72-22482
US-PATENT-APPL-SN-880250 ..... C03 N72-20032
US-PATENT-APPL-SN-880271 ..... C15 N72-25448
US-PATENT-APPL-SN-880272 ..... C14 N71-27058
US-PATENT-APPL-SN-880398 ..... C15 N73-12487
US-PATENT-APPL-SN-880831 ..... C11 N72-20244
US-PATENT-APPL-SN-880885 ..... C07 N72-12080
US-PATENT-APPL-SN-881039 ..... C09 N71-24842
US-PATENT-APPL-SN-881041 ..... C09 N72-22204
US-PATENT-APPL-SN-882122 ..... C14 N72-22438
US-PATENT-APPL-SN-882577 ..... C07 N71-27056
US-PATENT-APPL-SN-883523 ..... C09 N72-33204
US-PATENT-APPL-SN-883524 ..... C09 N72-21246
US-PATENT-APPL-SN-885521 ..... C03 N72-28025
US-PATENT-APPL-SN-885571 ..... C09 N71-28886
US-PATENT-APPL-SN-885594 ..... C15 N71-29133
US-PATENT-APPL-SN-886907 ..... C37 N77-22478
US-PATENT-APPL-SN-887685 ..... C10 N72-20223
US-PATENT-APPL-SN-887698 ..... C09 N72-17153
US-PATENT-APPL-SN-887699 ..... C15 N72-17452
US-PATENT-APPL-SN-887700 ..... C07 N71-28980
US-PATENT-APPL-SN-887701 ..... C08 N71-29034

US-PATENT-APPI-SN-889374 ..... c08 N72-25207
US-PATENT-APPI-SN-889375 ..... c10 N72-20222
US-PATENT-APPI-SN-889376 ..... c18 N71-26285
US-PATENT-APPI-SN-889387 ..... c09 N71-29035
US-PATENT-APPI-SN-889420 ..... c14 N72-25413
US-PATENT-APPI-SN-889422 ..... c09 N72-25259
US-PATENT-APPI-SN-889423 ..... c10 N72-22236
US-PATENT-APPI-SN-889437 ..... c15 N72-11392
US-PATENT-APPI-SN-889438 ..... c15 N72-18477
US-PATENT-APPI-SN-889478 ..... c08 N71-29138
US-PATENT-APPI-SN-889479 ..... c14 N72-17325
US-PATENT-APPL-SN-889551 ..... c21 N72-21624
US-PATENT-APPL-SN-889554 ..... c15 N72-20444
US-PATENT-APPL-SN-889555 ..... c09 N72-17154
US-PATENT-APPL-SN-889556 ..... c14 N72-18411
US-PATENT-APPI-SN-889557 ..... c11 N72-17183
US-PATENT-APPI-SN-889558 ..... c15 N72-22491
US-PATENT-APPI-SN-889583 ..... c15 N72-21464
US-PATENT-APPI-SN-889584 ..... c08 N72-31226
US-PATENT-APPL-SN-889682 ..... c15 N72-25447

US-PATENT-CLASS-D12-76 ..... c05 N75-25914
US-PATENT-CLASS-D71-1 ..... c05 N74-10907

US-PATENT-CLASS-1 ..... c14 N71-27005
US-PATENT-CLASS-2-2.1 ..... c05 N71-11194
US-PATENT-CLASS-2-2.1 ..... c05 N71-11195
US-PATENT-CLASS-2-2.1 ..... c05 N71-12335
US-PATENT-CLASS-2-2.1 ..... c05 N71-12344
US-PATENT-CLASS-2-2.1 ..... c05 N71-23161
US-PATENT-CLASS-2-2.1 ..... c05 N71-24623
US-PATENT-CLASS-2-2.1 ..... c05 N71-24730
US-PATENT-CLASS-2-2.1 ..... c05 N72-20096
US-PATENT-CLASS-2-2.1 ..... c05 N72-20098
US-PATENT-CLASS-2-2.1 ..... c05 N72-25119
US-PATENT-CLASS-2-2.1 ..... c05 N73-26071
US-PATENT-CLASS-2-2.1A c05 N72-22092
US-PATENT-CLASS-2-2.1A c05 N73-25125
US-PATENT-CLASS-2-2.1A c05 N73-32012
US-PATENT-CLASS-2-2.1A c54 N74-32546
US-PATENT-CLASS-2-2.1A c54 N77-32721
US-PATENT-CLASS-2-6 ..... c05 N71-26333
US-PATENT-CLASS-2-14 ..... c05 N71-23096
US-PATENT-CLASS-2-81 ..... c18 N71-26285
US-PATENT-CLASS-2-81 ..... c05 N73-32012
US-PATENT-CLASS-2-82 ..... c54 N74-32546
US-PATENT-CLASS-2-115 ..... c05 N72-25119
US-PATENT-CLASS-2-275 ..... c18 N71-26285
US-PATENT-CLASS-3-1 ..... c52 N77-25772
US-PATENT-CLASS-3-1.1 ..... c05 N73-32013
US-PATENT-CLASS-3-1.1 ..... c52 N77-14738
US-PATENT-CLASS-3-1.2 ..... c52 N77-14735
US-PATENT-CLASS-3-2 ..... c05 N73-32013
US-PATENT-CLASS-3-2 ..... c54 N77-30749
US-PATENT-CLASS-3-6 ..... c05 N73-32013
US-PATENT-CLASS-3-12 ..... c05 N73-32013
US-PATENT-CLASS-3-14 ..... c52 N77-14735
US-PATENT-CLASS-3-21 ..... c54 N77-30749
US-PATENT-CLASS-4-10 ..... c54 N74-20725
US-PATENT-CLASS-4-99 ..... c05 N72-22093
US-PATENT-CLASS-4-110 ..... c05 N72-22093
US-PATENT-CLASS-4-120 ..... c54 N74-20725
US-PATENT-CLASS-5-69 ..... c05 N72-11085
US-PATENT-CLASS-5-82 ..... c05 N71-23159
US-PATENT-CLASS-5-345 ..... c05 N70-33285
US-PATENT-CLASS-8-3 ..... c51 N77-27677
US-PATENT-CLASS-8-94.11 ..... c51 N77-27677
US-PATENT-CLASS-8-94.12 ..... c18 N71-15545
US-PATENT-CLASS-9-2A c02 N73-26006
US-PATENT-CLASS-9-3 ..... c02 N73-26006
US-PATENT-CLASS-9-8 ..... c03 N70-36778
US-PATENT-CLASS-9-9 ..... c15 N71-24600
US-PATENT-CLASS-9-11A c02 N73-26006
US-PATENT-CLASS-9-11A c54 N74-14845
US-PATENT-CLASS-9-312 ..... c05 N71-22748
US-PATENT-CLASS-9-316 ..... c05 N70-36493
US-PATENT-CLASS-13-20 ..... c11 N72-23215
US-PATENT-CLASS-13-26 ..... c33 N71-15625
US-PATENT-CLASS-13-26 ..... c14 N71-23267
US-PATENT-CLASS-13-31 ..... c11 N72-23215
US-PATENT-CLASS-13-31 ..... c31 N74-27900
US-PATENT-CLASS-13-35 ..... c33 N71-24145
US-PATENT-CLASS-15-143 ..... c15 N72-11390
US-PATENT-CLASS-15-210 ..... c15 N72-11390
US-PATENT-CLASS-15-415 ..... c14 N73-30395
US-PATENT-CLASS-18-6 ..... c15 N71-26721
US-PATENT-CLASS-18-26 ..... c06 N71-22975
US-PATENT-CLASS-18-39 ..... c27 N70-34783
US-PATENT-CLASS-19-205 ..... c37 N76-18456
US-PATENT-CLASS-21-207 ..... c17 N71-16393
US-PATENT-CLASS-22-200 ..... c15 N71-15966
US-PATENT-CLASS-22-203 ..... c17 N70-38198
US-PATENT-CLASS-23-55 ..... c06 N72-17093
US-PATENT-CLASS-23-88 ..... c06 N72-17093
US-PATENT-CLASS-23-97 ..... c06 N72-17093
US-PATENT-CLASS-23-109 ..... c04 N72-33072
US-PATENT-CLASS-23-201 ..... c06 N72-17095
US-PATENT-CLASS-23-208 ..... c15 N69-21922
US-PATENT-CLASS-23-208 ..... c26 N70-36805
US-PATENT-CLASS-23-209.1 ..... c15 N72-20446
US-PATENT-CLASS-23-230 ..... c06 N71-23527
US-PATENT-CLASS-23-230 ..... c06 N72-17095
US-PATENT-CLASS-23-230B c25 N75-14844
US-PATENT-CLASS-23-230B c23 N77-17161
US-PATENT-CLASS-23-230L c35 N74-32879
US-PATENT-CLASS-23-230M c25 N76-18245
US-PATENT-CLASS-23-230M c23 N77-17161
US-PATENT-CLASS-23-230R c06 N72-17094
US-PATENT-CLASS-23-230R c17 N73-12547
US-PATENT-CLASS-23-230R c17 N73-27446
US-PATENT-CLASS-23-230R c25 N76-18245
US-PATENT-CLASS-23-230R c45 N76-31714
US-PATENT-CLASS-23-230R c23 N77-17161
US-PATENT-CLASS-23-231 ..... c23 N77-17161
US-PATENT-CLASS-23-232C c06 N72-17094
US-PATENT-CLASS-23-232C c25 N76-18245
US-PATENT-CLASS-23-232C c23 N77-17161
US-PATENT-CLASS-23-232E c06 N73-16106
US-PATENT-CLASS-23-232E c45 N76-31714
US-PATENT-CLASS-23-232R c06 N73-16106
US-PATENT-CLASS-23-232R c45 N76-31714
US-PATENT-CLASS-23-232R c23 N77-17161
US-PATENT-CLASS-23-252R c25 N74-12813
US-PATENT-CLASS-23-253 ..... c23 N71-16355
US-PATENT-CLASS-23-253 ..... c06 N71-26754
US-PATENT-CLASS-23-253 ..... c06 N72-17095
US-PATENT-CLASS-23-253A c51 N77-27677
US-PATENT-CLASS-23-253PC c06 N72-17094
US-PATENT-CLASS-23-253PC c37 N74-18123
US-PATENT-CLASS-23-253R c15 N72-21465
US-PATENT-CLASS-23-253R c25 N75-14844
US-PATENT-CLASS-23-253R c25 N76-18245
US-PATENT-CLASS-23-254 ..... c14 N71-20442
US-PATENT-CLASS-23-254E c06 N73-16106
US-PATENT-CLASS-23-254E c33 N75-26245
US-PATENT-CLASS-23-254E c35 N75-29380
US-PATENT-CLASS-23-254E c45 N76-21742
US-PATENT-CLASS-23-254EF c35 N76-18403
US-PATENT-CLASS-23-254R c06 N73-16106
US-PATENT-CLASS-23-254R c25 N76-18245
US-PATENT-CLASS-23-254R c23 N77-17161
US-PATENT-CLASS-23-255E c35 N75-29380
US-PATENT-CLASS-23-255R c25 N76-18245
US-PATENT-CLASS-23-259 ..... c15 N71-27372
US-PATENT-CLASS-23-259 ..... c15 N72-21465
US-PATENT-CLASS-23-259 ..... c37 N74-18123
US-PATENT-CLASS-23-259 ..... c51 N77-27677
US-PATENT-CLASS-23-277 ..... c26 N70-40015
US-PATENT-CLASS-23-277C c25 N74-33378
US-PATENT-CLASS-23-277R c44 N77-22607
US-PATENT-CLASS-23-281 ..... c28 N72-18766
US-PATENT-CLASS-23-281 ..... c25 N74-12813
US-PATENT-CLASS-23-281 ..... c44 N76-18642
US-PATENT-CLASS-23-281 ..... c44 N76-29700
US-PATENT-CLASS-23-281 ..... c44 N77-10636
US-PATENT-CLASS-23-281 ..... c44 N77-22607
US-PATENT-CLASS-23-284 ..... c35 N74-15127
US-PATENT-CLASS-23-288 ..... c28 N72-18766
US-PATENT-CLASS-23-288F c25 N74-12813
US-PATENT-CLASS-23-288J c25 N74-12813
US-PATENT-CLASS-23-292 ..... c51 N77-27677
US-PATENT-CLASS-24-126 ..... c15 N71-22994
US-PATENT-CLASS-24-134R c15 N73-25512
US-PATENT-CLASS-24-205.17 ..... c15 N71-25975
US-PATENT-CLASS-24-211 ..... c15 N71-17653
US-PATENT-CLASS-24-211N c15 N72-11385
US-PATENT-CLASS-24-263 ..... c15 N71-21076
US-PATENT-CLASS-24-263 ..... c15 N71-26162
US-PATENT-CLASS-25-156 ..... c15 N71-16076
US-PATENT-CLASS-27-498 ..... c15 N73-28515
US-PATENT-CLASS-29-DIG.24 ..... c24 N75-33181
US-PATENT-CLASS-29-DIG.35 ..... c37 N77-23482
US-PATENT-CLASS-29-DIG.39 ..... c24 N75-33181
US-PATENT-CLASS-29-25.14 ..... c05 N72-25121
US-PATENT-CLASS-29-25.18 ..... c09 N71-26678
US-PATENT-CLASS-29-25.18 ..... c05 N72-25121

US-PATENT-CLASS-29-25.18 ..... c20 N75-18310
US-PATENT-CLASS-29-25.18 ..... c20 N76-21276
US-PATENT-CLASS-29-25.42 ..... c26 N72-28762
US-PATENT-CLASS-29-26A c37 N75-33395
US-PATENT-CLASS-29-81D c37 N76-18454
US-PATENT-CLASS-29-148.4 ..... c15 N71-16052
US-PATENT-CLASS-29-148.4 ..... c15 N71-17688
US-PATENT-CLASS-29-148.4A c37 N74-15128
US-PATENT-CLASS-29-148.4B c37 N74-15128
US-PATENT-CLASS-29-155.55 ..... c15 N71-15986
US-PATENT-CLASS-29-157 ..... c28 N71-15658
US-PATENT-CLASS-29-157.3 ..... c28 N70-41818
US-PATENT-CLASS-29-157.3R c34 N74-18552
US-PATENT-CLASS-29-182 ..... c37 N74-13179
US-PATENT-CLASS-29-182 ..... c34 N76-27515
US-PATENT-CLASS-29-182.1 ..... c18 N71-23710
US-PATENT-CLASS-29-182.2 ..... c17 N71-23046
US-PATENT-CLASS-29-182.2 ..... c37 N75-26371
US-PATENT-CLASS-29-182.5 ..... c17 N72-28536
US-PATENT-CLASS-29-182.5 ..... c37 N75-26371
US-PATENT-CLASS-29-182.5 ..... c27 N76-15311
US-PATENT-CLASS-29-182.5 ..... c27 N77-13217
US-PATENT-CLASS-29-183.5 ..... c17 N70-38490
US-PATENT-CLASS-29-193 ..... c34 N76-27515
US-PATENT-CLASS-29-194 ..... c26 N75-19408
US-PATENT-CLASS-29-194 ..... c44 N76-14595
US-PATENT-CLASS-29-195 ..... c44 N76-14595
US-PATENT-CLASS-29-195A c27 N76-16229
US-PATENT-CLASS-29-195Y c14 N73-32320
US-PATENT-CLASS-29-196.2 ..... c17 N73-32414
US-PATENT-CLASS-29-196.2 ..... c26 N75-19408
US-PATENT-CLASS-29-196.6 ..... c17 N73-32414
US-PATENT-CLASS-29-196.6 ..... c37 N75-13261
US-PATENT-CLASS-29-196.6 ..... c26 N75-19408
US-PATENT-CLASS-29-197 ..... c17 N73-32414
US-PATENT-CLASS-29-197 ..... c37 N75-13261
US-PATENT-CLASS-29-197 ..... c26 N75-19408
US-PATENT-CLASS-29-197 ..... c44 N76-14595
US-PATENT-CLASS-29-198 ..... c17 N70-33288
US-PATENT-CLASS-29-198 ..... c09 N72-25259
US-PATENT-CLASS-29-203H c37 N74-32918
US-PATENT-CLASS-29-203HW c33 N74-26977
US-PATENT-CLASS-29-234 ..... c15 N70-36901
US-PATENT-CLASS-29-268 ..... c37 N74-32918
US-PATENT-CLASS-29-271 ..... c15 N70-41371
US-PATENT-CLASS-29-278R c15 N71-29133
US-PATENT-CLASS-29-400 ..... c05 N71-12345
US-PATENT-CLASS-29-412 ..... c15 N72-20444
US-PATENT-CLASS-29-419 ..... c24 N75-28135
US-PATENT-CLASS-29-420 ..... c24 N75-13032
US-PATENT-CLASS-29-420.5 ..... c26 N74-10521
US-PATENT-CLASS-29-420.5 ..... c37 N74-13179
US-PATENT-CLASS-29-420.5 ..... c37 N75-26371
US-PATENT-CLASS-29-421 ..... c15 N71-29018
US-PATENT-CLASS-29-421 ..... c14 N72-22439
US-PATENT-CLASS-29-421 ..... c37 N76-14461
US-PATENT-CLASS-29-423 ..... c15 N70-36409
US-PATENT-CLASS-29-423 ..... c31 N74-21059
US-PATENT-CLASS-29-426 ..... c15 N72-20444
US-PATENT-CLASS-29-428 ..... c15 N71-17686
US-PATENT-CLASS-29-432 ..... c37 N76-19437
US-PATENT-CLASS-29-433 ..... c37 N76-19437
US-PATENT-CLASS-29-447 ..... c37 N77-23482
US-PATENT-CLASS-29-452 ..... c15 N73-30457
US-PATENT-CLASS-29-460 ..... c37 N74-11301
US-PATENT-CLASS-29-460 ..... c37 N75-13261
US-PATENT-CLASS-29-467 ..... c39 N76-31562
US-PATENT-CLASS-29-470.1 ..... c37 N74-21057
US-PATENT-CLASS-29-470.1 ..... c37 N75-12326
US-PATENT-CLASS-29-472.7 ..... c37 N75-15992
US-PATENT-CLASS-29-472.9 ..... c15 N69-39786
US-PATENT-CLASS-29-472.9 ..... c26 N71-16037
US-PATENT-CLASS-29-472.9 ..... c15 N72-22492
US-PATENT-CLASS-29-473.1 ..... c15 N72-22487
US-PATENT-CLASS-29-473.1 ..... c15 N72-22492
US-PATENT-CLASS-29-473.1 ..... c37 N75-15992
US-PATENT-CLASS-29-475 ..... c37 N75-12326
US-PATENT-CLASS-29-482 ..... c05 N72-25121
US-PATENT-CLASS-29-482 ..... c37 N74-18128
US-PATENT-CLASS-29-487 ..... c15 N73-33383
US-PATENT-CLASS-29-487 ..... c37 N74-21055
US-PATENT-CLASS-29-488 ..... c15 N70-33311
US-PATENT-CLASS-29-488 ..... c37 N74-18128
US-PATENT-CLASS-29-492 ..... c15 N71-20443
US-PATENT-CLASS-29-492 ..... c09 N72-25261
US-PATENT-CLASS-29-494 ..... c15 N73-33383
US-PATENT-CLASS-29-494 ..... c37 N74-21055
US-PATENT-CLASS-29-494 ..... c37 N75-13261
US-PATENT-CLASS-29-495 ..... c15 N71-21078

US-PATENT-CLASS-29-497 ..... c09 N72-25261
US-PATENT-CLASS-29-497 ..... c15 N73-32358
US-PATENT-CLASS-29-497 ..... c37 N74-18128
US-PATENT-CLASS-29-497.5 ..... c15 N73-28515
US-PATENT-CLASS-29-497.5 ..... c15 N73-33383
US-PATENT-CLASS-29-497.5 ..... c37 N74-11300
US-PATENT-CLASS-29-497.5 ..... c37 N75-13261
US-PATENT-CLASS-29-498 ..... c09 N72-25261
US-PATENT-CLASS-29-498 ..... c15 N73-33383
US-PATENT-CLASS-29-498 ..... c37 N74-11301
US-PATENT-CLASS-29-498 ..... c37 N74-18128
US-PATENT-CLASS-29-498 ..... c37 N74-21055
US-PATENT-CLASS-29-502 ..... c09 N72-25261
US-PATENT-CLASS-29-503 ..... c37 N74-11301
US-PATENT-CLASS-29-504 ..... c37 N74-21055
US-PATENT-CLASS-29-504 ..... c37 N75-13261
US-PATENT-CLASS-29-517 ..... c15 N71-17650
US-PATENT-CLASS-29-526 ..... c37 N76-19437
US-PATENT-CLASS-29-526 ..... c39 N76-31562
US-PATENT-CLASS-29-527.2 ..... c15 N72-20444
US-PATENT-CLASS-29-527.2 ..... c15 N73-32360
US-PATENT-CLASS-29-527.2 ..... c37 N74-11301
US-PATENT-CLASS-29-527.2 ..... c24 N75-33181
US-PATENT-CLASS-29-527.2 ..... c24 N77-19171
US-PATENT-CLASS-29-570 ..... c26 N72-28761
US-PATENT-CLASS-29-571 ..... c35 N75-13213
US-PATENT-CLASS-29-572 ..... c09 N71-23027
US-PATENT-CLASS-29-572 ..... c03 N71-24681
US-PATENT-CLASS-29-572 ..... c03 N72-22041
US-PATENT-CLASS-29-572 ..... c44 N74-14784
US-PATENT-CLASS-29-572 ..... c44 N76-14600
US-PATENT-CLASS-29-572 ..... c44 N76-28635
US-PATENT-CLASS-29-572 ..... c44 N77-10635
US-PATENT-CLASS-29-573 ..... c14 N73-13417
US-PATENT-CLASS-29-578 ..... c26 N72-17820
US-PATENT-CLASS-29-580 ..... c09 N73-27150
US-PATENT-CLASS-29-588 ..... c14 N71-27334
US-PATENT-CLASS-29-588 ..... c14 N72-31446
US-PATENT-CLASS-29-588 ..... c44 N74-14784
US-PATENT-CLASS-29-589 ..... c26 N72-17820
US-PATENT-CLASS-29-589 ..... c09 N72-25261
US-PATENT-CLASS-29-589 ..... c15 N73-14469
US-PATENT-CLASS-29-590 ..... c09 N72-22199
US-PATENT-CLASS-29-591 ..... c15 N73-14469
US-PATENT-CLASS-29-592 ..... c35 N75-13213
US-PATENT-CLASS-29-597 ..... c33 N77-26385
US-PATENT-CLASS-29-599 ..... c15 N72-25447
US-PATENT-CLASS-29-599 ..... c26 N73-26752
US-PATENT-CLASS-29-599 ..... c26 N73-32571
US-PATENT-CLASS-29-603 ..... c08 N71-27210
US-PATENT-CLASS-29-604 ..... c24 N75-13032
US-PATENT-CLASS-29-610 ..... c24 N75-30260
US-PATENT-CLASS-29-613 ..... c24 N75-30260
US-PATENT-CLASS-29-622 ..... c33 N77-26385
US-PATENT-CLASS-29-624 ..... c15 N72-20444
US-PATENT-CLASS-29-624 ..... c14 N73-13417
US-PATENT-CLASS-29-628 ..... c15 N72-22491
US-PATENT-CLASS-29-628 ..... c09 N72-25261
US-PATENT-CLASS-29-628 ..... c09 N73-28083
US-PATENT-CLASS-29-628 ..... c33 N77-26385
US-PATENT-CLASS-29-629 ..... c09 N73-28083
US-PATENT-CLASS-29-630 ..... c09 N73-28083
US-PATENT-CLASS-29-630A c05 N72-25121
US-PATENT-CLASS-29-630A c09 N73-28083
US-PATENT-CLASS-29-630E c33 N77-26385
US-PATENT-CLASS-30-228 ..... c15 N70-42017
US-PATENT-CLASS-32-28 ..... c05 N73-27062
US-PATENT-CLASS-32-58 ..... c05 N73-27062
US-PATENT-CLASS-33-DIG.13 ..... c35 N75-12273
US-PATENT-CLASS-33-1 ..... c14 N70-36907
US-PATENT-CLASS-33-1G c37 N76-21554
US-PATENT-CLASS-33-1M c35 N74-32877
US-PATENT-CLASS-33-1SA c14 N72-28436
US-PATENT-CLASS-33-1SA c19 N74-21015
US-PATENT-CLASS-33-15A c08 N72-11172
US-PATENT-CLASS-33-23R c35 N74-32877
US-PATENT-CLASS-33-31 ..... c14 N71-21079
US-PATENT-CLASS-33-46R c19 N74-21015
US-PATENT-CLASS-33-72 ..... c15 N72-11386
US-PATENT-CLASS-33-75R c14 N72-28436
US-PATENT-CLASS-33-96 ..... c33 N75-30430
US-PATENT-CLASS-33-125 ..... c14 N72-11364
US-PATENT-CLASS-33-147 ..... c15 N71-19489
US-PATENT-CLASS-33-148D c35 N75-19615
US-PATENT-CLASS-33-149 ..... c14 N71-17657
US-PATENT-CLASS-33-155R c33 N76-19338
US-PATENT-CLASS-33-174 ..... c14 N69-21363
US-PATENT-CLASS-33-174 ..... c14 N71-17658
US-PATENT-CLASS-33-174 ..... c14 N71-24693

US-PATENT-CLASS-33-174B c37 N76-21554
US-PATENT-CLASS-33-174D c33 N76-19338
US-PATENT-CLASS-33-174S c14 N72-22445
US-PATENT-CLASS-33-180R c35 N75-12273
US-PATENT-CLASS-33-189 ..... c15 N71-26145
US-PATENT-CLASS-33-204C c08 N72-11172
US-PATENT-CLASS-33-207 ..... c15 N71-15571
US-PATENT-CLASS-33-268 ..... c89 N74-30886
US-PATENT-CLASS-33-285 ..... c36 N74-21091
US-PATENT-CLASS-33-286 ..... c18 N76-14186
US-PATENT-CLASS-33-356 ..... c04 N76-20114
US-PATENT-CLASS-33-356 ..... c04 N77-19056
US-PATENT-CLASS-34-155 ..... c14 N73-28489
US-PATENT-CLASS-34-160 ..... c14 N73-28489
US-PATENT-CLASS-34-162 ..... c14 N73-28489
US-PATENT-CLASS-34-162 ..... c35 N74-15831
US-PATENT-CLASS-35-8 ..... c05 N72-16015
US-PATENT-CLASS-35-10.2 ..... c14 N71-15621
US-PATENT-CLASS-35-12 ..... c11 N70-34815
US-PATENT-CLASS-35-12 ..... c31 N70-34966
US-PATENT-CLASS-35-12 ..... c11 N71-10746
US-PATENT-CLASS-35-12 ..... c11 N71-10748
US-PATENT-CLASS-35-12 ..... c11 N71-10776
US-PATENT-CLASS-35-12 ..... c11 N71-18773
US-PATENT-CLASS-35-12 ..... c11 N71-19494
US-PATENT-CLASS-35-12 ..... c11 N71-21474
US-PATENT-CLASS-35-12 ..... c18 N76-14186
US-PATENT-CLASS-35-12C c14 N73-27377
US-PATENT-CLASS-35-12C c09 N75-15662
US-PATENT-CLASS-35-12E c09 N74-30597
US-PATENT-CLASS-35-12N c09 N76-24280
US-PATENT-CLASS-35-17 ..... c05 N71-24606
US-PATENT-CLASS-35-19 ..... c10 N71-27365
US-PATENT-CLASS-35-22R c05 N73-13114
US-PATENT-CLASS-35-29 ..... c11 N71-16028
US-PATENT-CLASS-35-29 ..... c05 N71-28619
US-PATENT-CLASS-35-35A c71 N74-21014
US-PATENT-CLASS-35-45 ..... c14 N70-35394
US-PATENT-CLASS-35-49 ..... c12 N69-39988
US-PATENT-CLASS-40-28 ..... c12 N71-18603
US-PATENT-CLASS-40-130 ..... c09 N73-14215
US-PATENT-CLASS-42-1F c11 N72-22247
US-PATENT-CLASS-42-215 ..... c44 N76-29704
US-PATENT-CLASS-44-77 ..... c06 N71-23499
US-PATENT-CLASS-47-1.2 ..... c51 N75-25503
US-PATENT-CLASS-47-1.4 ..... c31 N73-32750
US-PATENT-CLASS-47-17 ..... c31 N73-32750
US-PATENT-CLASS-47-39 ..... c51 N75-25503
US-PATENT-CLASS-47-58 ..... c51 N75-25503
US-PATENT-CLASS-48-61 ..... c44 N77-10636
US-PATENT-CLASS-48-63 ..... c44 N76-18642
US-PATENT-CLASS-48-75 ..... c44 N76-18642
US-PATENT-CLASS-48-95 ..... c44 N76-18642
US-PATENT-CLASS-48-95 ..... c44 N76-29700
US-PATENT-CLASS-48-116 ..... c44 N76-18642
US-PATENT-CLASS-48-116 ..... c44 N77-10636
US-PATENT-CLASS-48-117 ..... c44 N76-18642
US-PATENT-CLASS-48-117 ..... c44 N77-10636
US-PATENT-CLASS-48-197R c44 N76-29704
US-PATENT-CLASS-48-197R c44 N77-10636
US-PATENT-CLASS-48-212 ..... c44 N77-10636
US-PATENT-CLASS-48-215 ..... c44 N76-29700
US-PATENT-CLASS-49-68 ..... c18 N74-22136
US-PATENT-CLASS-51-57 ..... c15 N71-22705
US-PATENT-CLASS-51-97R c37 N74-27905
US-PATENT-CLASS-51-170 ..... c15 N71-26134
US-PATENT-CLASS-51-216 ..... c15 N72-20444
US-PATENT-CLASS-51-225 ..... c37 N74-27905
US-PATENT-CLASS-51-234 ..... c37 N74-27905
US-PATENT-CLASS-51-283 ..... c46 N74-23069
US-PATENT-CLASS-51-320 ..... c15 N72-20444
US-PATENT-CLASS-51-323 ..... c15 N72-20444
US-PATENT-CLASS-52-DIG.10 ..... c18 N72-25540
US-PATENT-CLASS-52-DIG.10 ..... c18 N72-25541
US-PATENT-CLASS-52-1 ..... c15 N72-28496
US-PATENT-CLASS-52-2 ..... c32 N71-21045
US-PATENT-CLASS-52-2 ..... c44 N77-32583
US-PATENT-CLASS-52-3 ..... c31 N71-16080
US-PATENT-CLASS-52-64 ..... c31 N73-32749
US-PATENT-CLASS-52-71 ..... c18 N75-27040
US-PATENT-CLASS-52-80 ..... c18 N72-25540
US-PATENT-CLASS-52-80 ..... c18 N72-25541
US-PATENT-CLASS-52-80 ..... c31 N73-32749
US-PATENT-CLASS-52-108 ..... c15 N72-18477
US-PATENT-CLASS-52-109 ..... c31 N73-32749
US-PATENT-CLASS-52-117 ..... c44 N77-32582
US-PATENT-CLASS-52-127 ..... c15 N71-21531
US-PATENT-CLASS-52-169 ..... c15 N72-25454
US-PATENT-CLASS-52-171 ..... c11 N73-12265
US-PATENT-CLASS-52-173 ..... c15 N72-25454
US-PATENT-CLASS-52-173 ..... c44 N77-31601
US-PATENT-CLASS-52-236 ..... c39 N76-31562
US-PATENT-CLASS-52-249 ..... c33 N71-25351
US-PATENT-CLASS-52-272 ..... c31 N71-24035
US-PATENT-CLASS-52-284 ..... c32 N73-13921
US-PATENT-CLASS-52-404 ..... c33 N71-25351
US-PATENT-CLASS-52-518 ..... c44 N77-31601
US-PATENT-CLASS-52-573 ..... c15 N72-28496
US-PATENT-CLASS-52-594 ..... c15 N72-25454
US-PATENT-CLASS-52-594 ..... c32 N73-13921
US-PATENT-CLASS-52-637 ..... c39 N76-31562
US-PATENT-CLASS-52-646 ..... c31 N73-32749
US-PATENT-CLASS-52-648 ..... c11 N72-25287
US-PATENT-CLASS-52-648 ..... c39 N76-31562
US-PATENT-CLASS-52-651 ..... c39 N76-31562
US-PATENT-CLASS-52-655 ..... c11 N72-25287
US-PATENT-CLASS-52-705 ..... c37 N76-19437
US-PATENT-CLASS-52-726 ..... c39 N76-31562
US-PATENT-CLASS-52-745 ..... c39 N76-31562
US-PATENT-CLASS-52-749 ..... c39 N76-31562
US-PATENT-CLASS-52-758F c37 N76-19437
US-PATENT-CLASS-53-9 ..... c37 N77-23482
US-PATENT-CLASS-53-22 ..... c15 N71-23256
US-PATENT-CLASS-53-22A c15 N73-27405
US-PATENT-CLASS-53-102 ..... c15 N71-21528
US-PATENT-CLASS-53-112A c15 N73-27405
US-PATENT-CLASS-55-DIG.35 ..... c54 N75-27761
US-PATENT-CLASS-55-16 ..... c06 N72-31140
US-PATENT-CLASS-55-35 ..... c05 N70-41297
US-PATENT-CLASS-55-43 ..... c34 N74-30608
US-PATENT-CLASS-55-55 ..... c06 N72-31140
US-PATENT-CLASS-55-67 ..... c23 N77-17161
US-PATENT-CLASS-55-74 ..... c23 N77-17161
US-PATENT-CLASS-55-75 ..... c15 N71-26185
US-PATENT-CLASS-55-158 ..... c18 N71-20742
US-PATENT-CLASS-55-158 ..... c44 N77-22607
US-PATENT-CLASS-55-159 ..... c34 N74-30608
US-PATENT-CLASS-55-160 ..... c15 N71-15968
US-PATENT-CLASS-55-179 ..... c14 N71-17588
US-PATENT-CLASS-55-179 ..... c54 N77-32722
US-PATENT-CLASS-55-197 ..... c23 N77-17161
US-PATENT-CLASS-55-199 ..... c34 N74-30608
US-PATENT-CLASS-55-204 ..... c15 N71-23023
US-PATENT-CLASS-55-208 ..... c14 N71-18483
US-PATENT-CLASS-55-261 ..... c35 N76-18401
US-PATENT-CLASS-55-269 ..... c54 N77-32722
US-PATENT-CLASS-55-306 ..... c28 N70-34788
US-PATENT-CLASS-55-386 ..... c35 N75-26334
US-PATENT-CLASS-55-400 ..... c11 N71-10777
US-PATENT-CLASS-55-408 ..... c15 N70-40062
US-PATENT-CLASS-55-418 ..... c15 N71-22721
US-PATENT-CLASS-55-446 ..... c15 N72-22489
US-PATENT-CLASS-55-464 ..... c15 N72-22489
US-PATENT-CLASS-55-493 ..... c14 N72-23457
US-PATENT-CLASS-55-498 ..... c14 N72-23457
US-PATENT-CLASS-55-502 ..... c14 N72-23457
US-PATENT-CLASS-55-510 ..... c25 N74-12813
US-PATENT-CLASS-55-518 ..... c25 N74-12813
US-PATENT-CLASS-55-521 ..... c14 N72-23457
US-PATENT-CLASS-55-523 ..... c34 N76-27515
US-PATENT-CLASS-55-526 ..... c34 N76-27515
US-PATENT-CLASS-58-24 ..... c10 N71-26326
US-PATENT-CLASS-60-1 ..... c15 N72-33477
US-PATENT-CLASS-60-1 ..... c15 N73-13467
US-PATENT-CLASS-60-23 ..... c09 N71-26182
US-PATENT-CLASS-60-23 ..... c15 N72-12409
US-PATENT-CLASS-60-23 ..... c21 N72-31637
US-PATENT-CLASS-60-23 ..... c15 N73-13467
US-PATENT-CLASS-60-25 ..... c15 N73-24513
US-PATENT-CLASS-60-25 ..... c37 N74-21060
US-PATENT-CLASS-60-26 ..... c21 N72-31637
US-PATENT-CLASS-60-26 ..... c03 N73-20040
US-PATENT-CLASS-60-35.3 ..... c28 N70-33265
US-PATENT-CLASS-60-35.3 ..... c28 N70-40367
US-PATENT-CLASS-60-35.5 ..... c28 N70-33356
US-PATENT-CLASS-60-35.5 ..... c28 N70-34175
US-PATENT-CLASS-60-35.5 ..... c22 N70-34248
US-PATENT-CLASS-60-35.5 ..... c28 N70-36802
US-PATENT-CLASS-60-35.5 ..... c21 N70-36938
US-PATENT-CLASS-60-35.5 ..... c25 N70-36946
US-PATENT-CLASS-60-35.5 ..... c28 N70-37245
US-PATENT-CLASS-60-35.5 ..... c28 N70-37980
US-PATENT-CLASS-60-35.5 ..... c28 N71-14043
US-PATENT-CLASS-60-35.5 ..... c28 N71-15661
US-PATENT-CLASS-60-35.6 ..... c28 N70-33284
US-PATENT-CLASS-60-35.6 ..... c28 N70-33331
US-PATENT-CLASS-60-35.6 ..... c28 N70-33374
US-PATENT-CLASS-60-35.6 ..... c28 N70-33375
US-PATENT-CLASS-60-35.6 ..... c28 N70-34860

US-PATENT-CLASS-60-35.6 ..... c28 N70-35381
US-PATENT-CLASS-60-35.6 ..... c27 N70-35534
US-PATENT-CLASS-60-35.6 ..... c15 N70-36535
US-PATENT-CLASS-60-35.6 ..... c28 N70-36806
US-PATENT-CLASS-60-35.6 ..... c28 N70-36910
US-PATENT-CLASS-60-35.6 ..... c28 N70-38249
US-PATENT-CLASS-60-35.6 ..... c28 N70-38504
US-PATENT-CLASS-60-35.6 ..... c28 N70-38505
US-PATENT-CLASS-60-35.6 ..... c28 N70-38710
US-PATENT-CLASS-60-35.6 ..... c28 N70-39899
US-PATENT-CLASS-60-35.6 ..... c33 N71-15623
US-PATENT-CLASS-60-35.6 ..... c27 N71-15634
US-PATENT-CLASS-60-35.6 ..... c31 N71-15637
US-PATENT-CLASS-60-35.6 ..... c31 N71-15647
US-PATENT-CLASS-60-35.6 ..... c28 N71-15660
US-PATENT-CLASS-60-35.6 ..... c14 N71-27186
US-PATENT-CLASS-60-35.54 ..... c28 N70-34294
US-PATENT-CLASS-60-35.54 ..... c28 N70-38645
US-PATENT-CLASS-60-35.54 ..... c28 N71-29153
US-PATENT-CLASS-60-35.55 ..... c28 N70-34162
US-PATENT-CLASS-60-35.55 ..... c28 N70-38711
US-PATENT-CLASS-60-35.55 ..... c21 N71-15582
US-PATENT-CLASS-60-35.55 ..... c15 N71-28951
US-PATENT-CLASS-60-35.60 ..... c28 N71-15659
US-PATENT-CLASS-60-36 ..... c15 N72-33477
US-PATENT-CLASS-60-37 ..... c15 N73-13467
US-PATENT-CLASS-60-39.03 ..... c07 N77-23106
US-PATENT-CLASS-60-39.23 ..... c20 N76-14190
US-PATENT-CLASS-60-39.28R c28 N73-19793
US-PATENT-CLASS-60-39.28R c07 N77-23106
US-PATENT-CLASS-60-39.29 ..... c20 N76-14190
US-PATENT-CLASS-60-39.29 ..... c35 N76-14431
US-PATENT-CLASS-60-39.36 ..... c28 N71-20330
US-PATENT-CLASS-60-39.36 ..... c28 N71-28915
US-PATENT-CLASS-60-39.46 ..... c27 N71-15635
US-PATENT-CLASS-60-39.46 ..... c15 N74-27360
US-PATENT-CLASS-60-39.47 ..... c27 N71-16392
US-PATENT-CLASS-60-39.48 ..... c28 N70-38199
US-PATENT-CLASS-60-39.48 ..... c28 N70-39931
US-PATENT-CLASS-60-39.48 ..... c27 N71-28929
US-PATENT-CLASS-60-39.65 ..... c28 N71-28915
US-PATENT-CLASS-60-39.65 ..... c23 N73-30665
US-PATENT-CLASS-60-39.66 ..... c15 N70-36411
US-PATENT-CLASS-60-39.66 ..... c23 N73-30665
US-PATENT-CLASS-60-39.66 ..... c07 N77-23106
US-PATENT-CLASS-60-39.72 ..... c23 N73-30665
US-PATENT-CLASS-60-39.74 ..... c28 N70-33241
US-PATENT-CLASS-60-39.74 ..... c28 N72-17843
US-PATENT-CLASS-60-39.74A c15 N72-25455
US-PATENT-CLASS-60-39.74R c23 N73-30665
US-PATENT-CLASS-60-39.74R c20 N76-14190
US-PATENT-CLASS-60-39-48 ..... c28 N72-11709
US-PATENT-CLASS-60-51 ..... c15 N71-27754
US-PATENT-CLASS-60-53 ..... c37 N77-22479
US-PATENT-CLASS-60-54.5 ..... c15 N71-10658
US-PATENT-CLASS-60-97 ..... c03 N71-12260
US-PATENT-CLASS-60-108 ..... c33 N71-16104
US-PATENT-CLASS-60-200 ..... c28 N71-14044
US-PATENT-CLASS-60-200A c33 N72-25911
US-PATENT-CLASS-60-200A c33 N73-25952
US-PATENT-CLASS-60-202 ..... c28 N70-41922
US-PATENT-CLASS-60-202 ..... c28 N71-10574
US-PATENT-CLASS-60-202 ..... c25 N71-21694
US-PATENT-CLASS-60-202 ..... c28 N71-21822
US-PATENT-CLASS-60-202 ..... c28 N71-23081
US-PATENT-CLASS-60-202 ..... c28 N71-23293
US-PATENT-CLASS-60-202 ..... c28 N71-25213
US-PATENT-CLASS-60-202 ..... c28 N71-26173
US-PATENT-CLASS-60-202 ..... c28 N71-26642
US-PATENT-CLASS-60-202 ..... c28 N71-26781
US-PATENT-CLASS-60-202 ..... c28 N72-11709
US-PATENT-CLASS-60-202 ..... c28 N72-22770
US-PATENT-CLASS-60-202 ..... c28 N72-22771
US-PATENT-CLASS-60-202 ..... c28 N73-24783
US-PATENT-CLASS-60-202 ..... c25 N73-25760
US-PATENT-CLASS-60-202 ..... c28 N73-27699
US-PATENT-CLASS-60-202 ..... c20 N77-10148
US-PATENT-CLASS-60-202 ..... c20 N77-20162
US-PATENT-CLASS-60-211 ..... c28 N73-13773
US-PATENT-CLASS-60-214 ..... c15 N74-27360
US-PATENT-CLASS-60-215 ..... c06 N73-30097
US-PATENT-CLASS-60-215 ..... c15 N74-27360
US-PATENT-CLASS-60-217 ..... c12 N71-17631
US-PATENT-CLASS-60-225 ..... c28 N71-10780
US-PATENT-CLASS-60-226A c07 N77-17059
US-PATENT-CLASS-60-226B c07 N77-14025
US-PATENT-CLASS-60-226B c07 N77-28118
US-PATENT-CLASS-60-228 ..... c07 N77-17059
US-PATENT-CLASS-60-240 ..... c28 N71-24736
US-PATENT-CLASS-60-240 ..... c28 N73-13773
US-PATENT-CLASS-60-243 ..... c33 N71-21507
US-PATENT-CLASS-60-243 ..... c15 N71-27432
US-PATENT-CLASS-60-243 ..... c28 N73-13773
US-PATENT-CLASS-60-251 ..... c28 N70-41311
US-PATENT-CLASS-60-251 ..... c27 N71-21819
US-PATENT-CLASS-60-254 ..... c28 N72-20758
US-PATENT-CLASS-60-254 ..... c28 N73-24784
US-PATENT-CLASS-60-256 ..... c28 N73-24784
US-PATENT-CLASS-60-257 ..... c31 N70-41948
US-PATENT-CLASS-60-258 ..... c15 N70-22192
US-PATENT-CLASS-60-258 ..... c28 N71-22983
US-PATENT-CLASS-60-258 ..... c28 N71-28849
US-PATENT-CLASS-60-258 ..... c28 N72-17843
US-PATENT-CLASS-60-258 ..... c15 N72-25455
US-PATENT-CLASS-60-258 ..... c20 N74-13502
US-PATENT-CLASS-60-259 ..... c28 N70-41275
US-PATENT-CLASS-60-259 ..... c20 N74-13502
US-PATENT-CLASS-60-259 ..... c34 N77-30399
US-PATENT-CLASS-60-260 ..... c28 N70-41992
US-PATENT-CLASS-60-260 ..... c28 N72-18766
US-PATENT-CLASS-60-263 ..... c28 N71-24321
US-PATENT-CLASS-60-263 ..... c07 N77-28118
US-PATENT-CLASS-60-265 ..... c28 N71-20942
US-PATENT-CLASS-60-265 ..... c33 N72-25911
US-PATENT-CLASS-60-265 ..... c33 N73-25952
US-PATENT-CLASS-60-265 ..... c20 N76-14191
US-PATENT-CLASS-60-266 ..... c33 N71-28852
US-PATENT-CLASS-60-266 ..... c28 N72-23810
US-PATENT-CLASS-60-267 ..... c33 N71-29053
US-PATENT-CLASS-60-267 ..... c33 N72-25911
US-PATENT-CLASS-60-267 ..... c33 N73-25952
US-PATENT-CLASS-60-267 ..... c28 N73-32606
US-PATENT-CLASS-60-267 ..... c20 N76-14191
US-PATENT-CLASS-60-271 ..... c28 N72-11708
US-PATENT-CLASS-60-271 ..... c28 N72-23810
US-PATENT-CLASS-60-291 ..... c31 N73-13898
US-PATENT-CLASS-60-316 ..... c34 N76-18364
US-PATENT-CLASS-60-516 ..... c20 N75-24837
US-PATENT-CLASS-60-517 ..... c44 N76-29701
US-PATENT-CLASS-60-527 ..... c44 N74-33379
US-PATENT-CLASS-60-527 ..... c37 N77-12402
US-PATENT-CLASS-60-527 ..... c37 N77-19458
US-PATENT-CLASS-60-530 ..... c20 N75-24837
US-PATENT-CLASS-60-641 ..... c44 N75-32581
US-PATENT-CLASS-60-641 ..... c44 N77-32582
US-PATENT-CLASS-60-659 ..... c44 N75-32581
US-PATENT-CLASS-60-659 ..... c44 N76-31667
US-PATENT-CLASS-61-83 ..... c18 N74-22136
US-PATENT-CLASS-62-2 ..... c15 N71-15906
US-PATENT-CLASS-62-3 ..... c20 N75-24837
US-PATENT-CLASS-62-4 ..... c44 N77-32581
US-PATENT-CLASS-62-6 ..... c15 N69-23190
US-PATENT-CLASS-62-6 ..... c23 N71-15467
US-PATENT-CLASS-62-6 ..... c15 N71-23025
US-PATENT-CLASS-62-6 ..... c23 N72-25619
US-PATENT-CLASS-62-6 ..... c37 N76-29590
US-PATENT-CLASS-62-6 ..... c44 N76-29701
US-PATENT-CLASS-62-7 ..... c15 N73-12486
US-PATENT-CLASS-62-15 ..... c06 N70-34946
US-PATENT-CLASS-62-40 ..... c15 N71-24044
US-PATENT-CLASS-62-45 ..... c15 N70-33323
US-PATENT-CLASS-62-45 ..... c31 N70-41871
US-PATENT-CLASS-62-45 ..... c33 N71-25351
US-PATENT-CLASS-62-45 ..... c33 N71-28892
US-PATENT-CLASS-62-45 ..... c15 N73-12486
US-PATENT-CLASS-62-45 ..... c35 N74-15093
US-PATENT-CLASS-62-49 ..... c31 N76-14284
US-PATENT-CLASS-62-50 ..... c15 N70-34247
US-PATENT-CLASS-62-51 ..... c15 N72-17453
US-PATENT-CLASS-62-55 ..... c15 N70-38020
US-PATENT-CLASS-62-55 ..... c34 N77-30399
US-PATENT-CLASS-62-55.5 ..... c11 N71-24964
US-PATENT-CLASS-62-55.5 ..... c15 N72-22484
US-PATENT-CLASS-62-56 ..... c05 N72-11084
US-PATENT-CLASS-62-80 ..... c23 N72-25619
US-PATENT-CLASS-62-85 ..... c23 N72-25619
US-PATENT-CLASS-62-89 ..... c05 N73-26071
US-PATENT-CLASS-62-93 ..... c15 N69-21465
US-PATENT-CLASS-62-93 ..... c03 N72-28025
US-PATENT-CLASS-62-93 ..... c77 N75-20139
US-PATENT-CLASS-62-100 ..... c34 N77-19353
US-PATENT-CLASS-62-121 ..... c34 N77-19353
US-PATENT-CLASS-62-129 ..... c31 N76-14284
US-PATENT-CLASS-62-176 ..... c05 N73-26071
US-PATENT-CLASS-62-207 ..... c05 N73-26071
US-PATENT-CLASS-62-209 ..... c05 N73-26071
US-PATENT-CLASS-62-217 ..... c31 N77-10229
US-PATENT-CLASS-62-259 ..... c05 N73-20137

US-PATENT-CLASS-62-259 ..... c05 N73-26071
US-PATENT-CLASS-62-268 ..... c14 N71-20427
US-PATENT-CLASS-62-269 ..... c34 N77-19353
US-PATENT-CLASS-62-285 ..... c77 N75-20139
US-PATENT-CLASS-62-288 ..... c77 N75-20139
US-PATENT-CLASS-62-289 ..... c77 N75-20139
US-PATENT-CLASS-62-290 ..... c77 N75-20139
US-PATENT-CLASS-62-315 ..... c34 N77-19353
US-PATENT-CLASS-62-317 ..... c77 N75-20139
US-PATENT-CLASS-62-384 ..... c23 N71-24725
US-PATENT-CLASS-62-467 ..... c33 N70-37979
US-PATENT-CLASS-62-467 ..... c33 N71-17897
US-PATENT-CLASS-62-467 ..... c05 N72-11084
US-PATENT-CLASS-62-467 ..... c33 N72-25911
US-PATENT-CLASS-62-467 ..... c33 N73-25952
US-PATENT-CLASS-62-467 ..... c20 N75-24837
US-PATENT-CLASS-62-475 ..... c23 N72-25619
US-PATENT-CLASS-62-514 ..... c23 N71-26654
US-PATENT-CLASS-62-514JT c31 N77-10229
US-PATENT-CLASS-64-18 ..... c15 N71-28467
US-PATENT-CLASS-64-27 ..... c15 N71-28959
US-PATENT-CLASS-64-28 ..... c15 N69-27505
US-PATENT-CLASS-65-DIG.11 ..... c37 N74-21063
US-PATENT-CLASS-65-3 ..... c37 N75-26371
US-PATENT-CLASS-65-7 ..... c18 N71-23088
US-PATENT-CLASS-65-43 ..... c37 N75-15992
US-PATENT-CLASS-65-59A c35 N77-24455
US-PATENT-CLASS-65-108 ..... c35 N77-24455
US-PATENT-CLASS-72-34 ..... c15 N71-21536
US-PATENT-CLASS-72-46 ..... c24 N75-33181
US-PATENT-CLASS-72-53 ..... c15 N71-18616
US-PATENT-CLASS-72-53 ..... c15 N73-32360
US-PATENT-CLASS-72-54 ..... c37 N76-14461
US-PATENT-CLASS-72-56 ..... c15 N70-34249
US-PATENT-CLASS-72-56 ..... c15 N71-24833
US-PATENT-CLASS-72-56 ..... c15 N71-24865
US-PATENT-CLASS-72-56 ..... c15 N71-26148
US-PATENT-CLASS-72-60 ..... c15 N71-24836
US-PATENT-CLASS-72-61 ..... c15 N71-26346
US-PATENT-CLASS-72-63 ..... c20 N75-18310
US-PATENT-CLASS-72-63 ..... c37 N76-14461
US-PATENT-CLASS-72-83 ..... c15 N71-22723
US-PATENT-CLASS-72-253 ..... c15 N71-22797
US-PATENT-CLASS-72-258 ..... c15 N73-13464
US-PATENT-CLASS-72-3C7 ..... c15 N72-12408
US-PATENT-CLASS-72-354 ..... c15 N71-23811
US-PATENT-CLASS-72-363 ..... c37 N76-14461
US-PATENT-CLASS-72-364 ..... c15 N71-18579
US-PATENT-CLASS-72-369 ..... c15 N71-24679
US-PATENT-CLASS-72-447 ..... c15 N73-13463
US-PATENT-CLASS-72-453 ..... c37 N76-18454
US-PATENT-CLASS-72-467 ..... c15 N71-23817
US-PATENT-CLASS-72-476 ..... c15 N73-13463
US-PATENT-CLASS-73-1 ..... c10 N71-13545
US-PATENT-CLASS-73-1 ..... c09 N71-22988
US-PATENT-CLASS-73-1B c35 N76-24523
US-PATENT-CLASS-73-1DV c14 N73-27379
US-PATENT-CLASS-73-1F c35 N74-21019
US-PATENT-CLASS-73-1R c14 N71-29134
US-PATENT-CLASS-73-1R c35 N75-15932
US-PATENT-CLASS-73-1R c35 N76-15432
US-PATENT-CLASS-73-3 ..... c34 N74-27730
US-PATENT-CLASS-73-4 ..... c14 N71-18481
US-PATENT-CLASS-73-4 ..... c14 N71-23036
US-PATENT-CLASS-73-4 ..... c14 N71-23755
US-PATENT-CLASS-73-4 ..... c14 N73-30390
US-PATENT-CLASS-73-4R c35 N74-13132
US-PATENT-CLASS-73-4V c35 N74-15092
US-PATENT-CLASS-73-9 ..... c14 N71-22995
US-PATENT-CLASS-73-9 ..... c35 N76-31489
US-PATENT-CLASS-73-12 ..... c14 N71-23225
US-PATENT-CLASS-73-12 ..... c14 N71-26161
US-PATENT-CLASS-73-12 ..... c14 N72-16282
US-PATENT-CLASS-73-12 ..... c14 N72-25411
US-PATENT-CLASS-73-12 ..... c14 N73-32327
US-PATENT-CLASS-73-12 ..... c35 N74-21062
US-PATENT-CLASS-73-12 ..... c35 N75-33367
US-PATENT-CLASS-73-12 ..... c75 N76-14931
US-PATENT-CLASS-73-12 ..... c35 N77-18417
US-PATENT-CLASS-73-15 ..... c14 N70-34156
US-PATENT-CLASS-73-15 ..... c14 N71-15992
US-PATENT-CLASS-73-15 ..... c14 N71-22964
US-PATENT-CLASS-73-15 ..... c11 N71-24985
US-PATENT-CLASS-73-15 ..... c11 N71-28629
US-PATENT-CLASS-73-15.4 ..... c14 N71-17659
US-PATENT-CLASS-73-15.4 ..... c35 N74-32879
US-PATENT-CLASS-73-15.6 ..... c14 N70-35368
US-PATENT-CLASS-73-15.6 ..... c14 N71-24234
US-PATENT-CLASS-73-15.6 ..... c14 N71-26136
US-PATENT-CLASS-73-15.6 ..... c32 N72-25877
US-PATENT-CLASS-73-15.6 ..... c09 N74-19528
US-PATENT-CLASS-73-15.6 ..... c35 N76-24523
US-PATENT-CLASS-73-15.6 ..... c35 N77-22450
US-PATENT-CLASS-73-15B c33 N72-25913
US-PATENT-CLASS-73-15B c14 N73-28486
US-PATENT-CLASS-73-15B c25 N74-18551
US-PATENT-CLASS-73-15B c31 N74-27900
US-PATENT-CLASS-73-15B c09 N77-27131
US-PATENT-CLASS-73-17 ..... c06 N71-24607
US-PATENT-CLASS-73-23 ..... c14 N71-10774
US-PATENT-CLASS-73-23 ..... c05 N71-11202
US-PATENT-CLASS-73-23 ..... c52 N74-20728
US-PATENT-CLASS-73-23 ..... c35 N75-29380
US-PATENT-CLASS-73-23.1 ..... c06 N69-39936
US-PATENT-CLASS-73-23.1 ..... c06 N72-17094
US-PATENT-CLASS-73-23.1 ..... c06 N72-25146
US-PATENT-CLASS-73-23.1 ..... c25 N76-18245
US-PATENT-CLASS-73-23.1 ..... c23 N77-17161
US-PATENT-CLASS-73-24 ..... c06 N69-39733
US-PATENT-CLASS-73-28 ..... c14 N73-27376
US-PATENT-CLASS-73-28 ..... c14 N73-30395
US-PATENT-CLASS-73-28 ..... c35 N76-18401
US-PATENT-CLASS-73-29 ..... c14 N71-17701
US-PATENT-CLASS-73-29 ..... c14 N71-20741
US-PATENT-CLASS-73-30 ..... c14 N70-41681
US-PATENT-CLASS-73-32 ..... c14 N70-41330
US-PATENT-CLASS-73-32B c76 N75-12810
US-PATENT-CLASS-73-35 ..... c33 N72-27959
US-PATENT-CLASS-73-38 ..... c18 N71-24934
US-PATENT-CLASS-73-40 ..... c35 N75-15931
US-PATENT-CLASS-73-40.5 ..... c14 N71-10779
US-PATENT-CLASS-73-40.7 ..... c15 N71-24910
US-PATENT-CLASS-73-40.7 ..... c14 N71-28992
US-PATENT-CLASS-73-40.7 ..... c35 N74-32879
US-PATENT-CLASS-73-45.5 ..... c12 N71-17573
US-PATENT-CLASS-73-46 ..... c35 N75-19612
US-PATENT-CLASS-73-49.2 ..... c32 N71-24285
US-PATENT-CLASS-73-49.2 ..... c35 N75-15931
US-PATENT-CLASS-73-49.2 ..... c35 N75-19612
US-PATENT-CLASS-73-49.3 ..... c14 N71-26672
US-PATENT-CLASS-73-49.8 ..... c14 N69-27503
US-PATENT-CLASS-73-49.8 ..... c15 N71-29132
US-PATENT-CLASS-73-57 ..... c14 N71-17584
US-PATENT-CLASS-73-57 ..... c14 N73-14429
US-PATENT-CLASS-73-60 ..... c14 N73-14429
US-PATENT-CLASS-73-61 ..... c14 N71-26199
US-PATENT-CLASS-73-61.1C c23 N77-17161
US-PATENT-CLASS-73-65 ..... c14 N71-22992
US-PATENT-CLASS-73-67.1 ..... c35 N75-12271
US-PATENT-CLASS-73-67.2 ..... c11 N69-21540
US-PATENT-CLASS-73-67.2 ..... c15 N71-18132
US-PATENT-CLASS-73-67.2 ..... c14 N72-22440
US-PATENT-CLASS-73-67.3 ..... c32 N73-26910
US-PATENT-CLASS-73-67.5R c38 N74-15395
US-PATENT-CLASS-73-67.7 ..... c39 N77-28511
US-PATENT-CLASS-73-67.8S c35 N74-10415
US-PATENT-CLASS-73-67.8S c38 N74-15130
US-PATENT-CLASS-73-67.9 ..... c52 N74-20726
US-PATENT-CLASS-73-69 ..... c71 N74-31148
US-PATENT-CLASS-73-70.2 ..... c14 N71-10616
US-PATENT-CLASS-73-71.2 ..... c14 N70-34794
US-PATENT-CLASS-73-71.3 ..... c35 N74-15146
US-PATENT-CLASS-73-71.4 ..... c32 N71-16428
US-PATENT-CLASS-73-71.4 ..... c32 N71-26681
US-PATENT-CLASS-73-71.5R c71 N74-31148
US-PATENT-CLASS-73-71.5U c38 N74-15395
US-PATENT-CLASS-73-71.6 ..... c14 N71-27185
US-PATENT-CLASS-73-71.6 ..... c14 N72-27412
US-PATENT-CLASS-73-71.6 ..... c14 N73-13416
US-PATENT-CLASS-73-71.6 ..... c14 N73-19421
US-PATENT-CLASS-73-71.6 ..... c35 N77-18417
US-PATENT-CLASS-73-76 ..... c06 N72-17095
US-PATENT-CLASS-73-79 ..... c14 N71-26161
US-PATENT-CLASS-73-81 ..... c14 N73-32321
US-PATENT-CLASS-73-84 ..... c14 N71-22765
US-PATENT-CLASS-73-84 ..... c14 N73-19420
US-PATENT-CLASS-73-84 ..... c35 N77-27367
US-PATENT-CLASS-73-85 ..... c14 N72-33377
US-PATENT-CLASS-73-86 ..... c14 N69-39975
US-PATENT-CLASS-73-86 ..... c33 N71-21586
US-PATENT-CLASS-73-86 ..... c33 N73-27796
US-PATENT-CLASS-73-86 ..... c34 N74-15652
US-PATENT-CLASS-73-88 ..... c32 N71-17645
US-PATENT-CLASS-73-88.5 ..... c14 N70-34705
US-PATENT-CLASS-73-88.5 ..... c14 N70-34799
US-PATENT-CLASS-73-88.5 ..... c14 N71-17656
US-PATENT-CLASS-73-88.5 ..... c14 N71-21091
US-PATENT-CLASS-73-88.5 ..... c14 N71-23087

US-PATENT-CLASS-73-88.5 ..... c14 N71-24233
US-PATENT-CLASS-73-88.5 ..... c09 N72-22200
US-PATENT-CLASS-73-88.5 ..... c33 N75-31329
US-PATENT-CLASS-73-88.5 ..... c38 N76-28563
US-PATENT-CLASS-73-88.5R c15 N72-17452
US-PATENT-CLASS-73-88.5R c32 N73-26910
US-PATENT-CLASS-73-88.5R c52 N74-27864
US-PATENT-CLASS-73-88.5R c35 N76-14430
US-PATENT-CLASS-73-88.5SD c33 N76-19338
US-PATENT-CLASS-73-88A c32 N73-20740
US-PATENT-CLASS-73-88B c35 N74-13129
US-PATENT-CLASS-73-88B c35 N77-22449
US-PATENT-CLASS-73-88B c39 N77-28511
US-PATENT-CLASS-73-90 ..... c32 N70-42003
US-PATENT-CLASS-73-90 ..... c32 N71-25360
US-PATENT-CLASS-73-90 ..... c14 N73-20476
US-PATENT-CLASS-73-91 ..... c14 N73-20476
US-PATENT-CLASS-73-91 ..... c32 N73-26910
US-PATENT-CLASS-73-91 ..... c09 N74-19528
US-PATENT-CLASS-73-94 ..... c14 N73-32323
US-PATENT-CLASS-73-95 ..... c15 N71-24834
US-PATENT-CLASS-73-95 ..... c14 N72-11364
US-PATENT-CLASS-73-95 ..... c35 N76-18400
US-PATENT-CLASS-73-95 ..... c35 N77-22450
US-PATENT-CLASS-73-97 ..... c14 N71-15600
US-PATENT-CLASS-73-99 ..... c14 N71-10781
US-PATENT-CLASS-73-100 ..... c15 N70-41993
US-PATENT-CLASS-73-100 ..... c32 N72-25877
US-PATENT-CLASS-73-103 ..... c15 N71-17696
US-PATENT-CLASS-73-103 ..... c14 N72-27412
US-PATENT-CLASS-73-103 ..... c14 N73-32323
US-PATENT-CLASS-73-103 ..... c35 N76-18400
US-PATENT-CLASS-73-104 ..... c35 N74-32879
US-PATENT-CLASS-73-105 ..... c14 N70-34161
US-PATENT-CLASS-73-105 ..... c14 N71-17586
US-PATENT-CLASS-73-116 ..... c11 N70-33278
US-PATENT-CLASS-73-116 ..... c11 N70-34844
US-PATENT-CLASS-73-116 ..... c14 N70-40203
US-PATENT-CLASS-73-116 ..... c11 N70-41677
US-PATENT-CLASS-73-116 ..... c11 N71-10604
US-PATENT-CLASS-73-116 ..... c31 N71-15643
US-PATENT-CLASS-73-117 ..... c14 N71-22965
US-PATENT-CLASS-73-117.1 ..... c11 N72-27262
US-PATENT-CLASS-73-117.4 ..... c14 N71-20429
US-PATENT-CLASS-73-117.4 ..... c28 N71-27094
US-PATENT-CLASS-73-117.4 ..... c35 N75-29382
US-PATENT-CLASS-73-133 ..... c14 N71-23725
US-PATENT-CLASS-73-133 ..... c15 N72-22482
US-PATENT-CLASS-73-133R c35 N77-14407
US-PATENT-CLASS-73-134 ..... c14 N70-40201
US-PATENT-CLASS-73-136 ..... c14 N70-34818
US-PATENT-CLASS-73-136R c15 N72-26371
US-PATENT-CLASS-73-140 ..... c11 N72-25288
US-PATENT-CLASS-73-141 ..... c14 N70-41957
US-PATENT-CLASS-73-141 ..... c15 N71-20441
US-PATENT-CLASS-73-141 ..... c14 N71-23790
US-PATENT-CLASS-73-141 ..... c26 N71-25490
US-PATENT-CLASS-73-141A c14 N72-21405
US-PATENT-CLASS-73-141A c14 N72-22437
US-PATENT-CLASS-73-141A c35 N74-26945
US-PATENT-CLASS-73-141A c35 N74-27865
US-PATENT-CLASS-73-141A c35 N75-33369
US-PATENT-CLASS-73-141AB c14 N72-33377
US-PATENT-CLASS-73-142 ..... c15 N70-40180
US-PATENT-CLASS-73-142 ..... c14 N71-20439
US-PATENT-CLASS-73-143 ..... c35 N75-19615
US-PATENT-CLASS-73-143 ..... c14 N75-24794
US-PATENT-CLASS-73-144 ..... c15 N71-22878
US-PATENT-CLASS-73-147 ..... c11 N70-33287
US-PATENT-CLASS-73-147 ..... c14 N70-33386
US-PATENT-CLASS-73-147 ..... c14 N70-34813
US-PATENT-CLASS-73-147 ..... c11 N70-36913
US-PATENT-CLASS-73-147 ..... c14 N70-40400
US-PATENT-CLASS-73-147 ..... c14 N70-41366
US-PATENT-CLASS-73-147 ..... c11 N71-15926
US-PATENT-CLASS-73-147 ..... c09 N71-16086
US-PATENT-CLASS-73-147 ..... c12 N71-20436
US-PATENT-CLASS-73-147 ..... c09 N71-20816
US-PATENT-CLASS-73-147 ..... c11 N71-21481
US-PATENT-CLASS-73-147 ..... c11 N71-23030
US-PATENT-CLASS-73-147 ..... c15 N71-27006
US-PATENT-CLASS-73-147 ..... c15 N71-28740
US-PATENT-CLASS-73-147 ..... c11 N71-33612
US-PATENT-CLASS-73-147 ..... c11 N72-17183
US-PATENT-CLASS-73-147 ..... c14 N72-21407
US-PATENT-CLASS-73-147 ..... c11 N72-22246
US-PATENT-CLASS-73-147 ..... c11 N73-12264
US-PATENT-CLASS-73-147 ..... c14 N73-13415
US-PATENT-CLASS-73-147 ..... c12 N73-25262

US-PATENT-CLASS-73-147 ..... c12 N73-28144
US-PATENT-CLASS-73-147 ..... c09 N74-17955
US-PATENT-CLASS-73-147 ..... c34 N74-27730
US-PATENT-CLASS-73-147 ..... c09 N75-12969
US-PATENT-CLASS-73-147 ..... c09 N76-23273
US-PATENT-CLASS-73-147 ..... c34 N76-27517
US-PATENT-CLASS-73-147 ..... c09 N77-10071
US-PATENT-CLASS-73-149 ..... c14 N72-11363
US-PATENT-CLASS-73-149 ..... c52 N74-10975
US-PATENT-CLASS-73-161 ..... c11 N72-25288
US-PATENT-CLASS-73-170 ..... c14 N71-14996
US-PATENT-CLASS-73-170 ..... c17 N73-32415
US-PATENT-CLASS-73-170R c07 N73-20175
US-PATENT-CLASS-73-170R c14 N73-32327
US-PATENT-CLASS-73-170R c33 N74-27862
US-PATENT-CLASS-73-170R c35 N75-33367
US-PATENT-CLASS-73-170R c91 N76-30131
US-PATENT-CLASS-73-178 ..... c14 N70-36807
US-PATENT-CLASS-73-178 ..... c14 N70-40157
US-PATENT-CLASS-73-178R c35 N75-29381
US-PATENT-CLASS-73-178R c04 N77-19056
US-PATENT-CLASS-73-182 ..... c14 N73-13415
US-PATENT-CLASS-73-182 ..... c35 N74-32878
US-PATENT-CLASS-73-182 ..... c35 N76-14429
US-PATENT-CLASS-73-189 ..... c20 N71-16281
US-PATENT-CLASS-73-189 ..... c02 N71-23007
US-PATENT-CLASS-73-189 ..... c14 N71-23726
US-PATENT-CLASS-73-189 ..... c14 N73-13415
US-PATENT-CLASS-73-189 ..... c14 N73-25460
US-PATENT-CLASS-73-189 ..... c35 N76-24524
US-PATENT-CLASS-73-189 ..... c34 N76-27517
US-PATENT-CLASS-73-189 ..... c34 N77-27345
US-PATENT-CLASS-73-190 ..... c33 N71-15641
US-PATENT-CLASS-73-190 ..... c14 N71-22989
US-PATENT-CLASS-73-190 ..... c33 N71-23085
US-PATENT-CLASS-73-190 ..... c33 N71-29051
US-PATENT-CLASS-73-190H c35 N74-22095
US-PATENT-CLASS-73-190R c34 N74-27859
US-PATENT-CLASS-73-194 ..... c14 N70-41994
US-PATENT-CLASS-73-194 ..... c14 N71-23226
US-PATENT-CLASS-73-194 ..... c12 N71-26546
US-PATENT-CLASS-73-194A c14 N72-17329
US-PATENT-CLASS-73-194E c14 N73-20478
US-PATENT-CLASS-73-194E c05 N73-32015
US-PATENT-CLASS-73-194EM c14 N73-32326
US-PATENT-CLASS-73-194EM c35 N74-21018
US-PATENT-CLASS-73-194F c14 N72-11365
US-PATENT-CLASS-73-194M c05 N73-32015
US-PATENT-CLASS-73-194M c35 N75-30503
US-PATENT-CLASS-73-194R c34 N76-27517
US-PATENT-CLASS-73-195 ..... c35 N75-30503
US-PATENT-CLASS-73-198 ..... c14 N69-24257
US-PATENT-CLASS-73-198 ..... c14 N72-17327
US-PATENT-CLASS-73-204 ..... c12 N71-17569
US-PATENT-CLASS-73-204 ..... c35 N76-24524
US-PATENT-CLASS-73-204 ..... c35 N77-20400
US-PATENT-CLASS-73-212 ..... c14 N70-36824
US-PATENT-CLASS-73-212 ..... c14 N73-13415
US-PATENT-CLASS-73-212 ..... c35 N76-14429
US-PATENT-CLASS-73-221 ..... c35 N75-19611
US-PATENT-CLASS-73-228 ..... c34 N77-27345
US-PATENT-CLASS-73-290 ..... c14 N71-10500
US-PATENT-CLASS-73-290 ..... c14 N71-21007
US-PATENT-CLASS-73-290B c14 N72-11363
US-PATENT-CLASS-73-295 ..... c23 N71-17802
US-PATENT-CLASS-73-295 ..... c31 N76-14284
US-PATENT-CLASS-73-301 ..... c12 N71-26387
US-PATENT-CLASS-73-304 ..... c14 N72-22442
US-PATENT-CLASS-73-304C c14 N71-29134
US-PATENT-CLASS-73-339 ..... c33 N73-27796
US-PATENT-CLASS-73-341 ..... c14 N71-15598
US-PATENT-CLASS-73-343 ..... c33 N71-16356
US-PATENT-CLASS-73-343 ..... c11 N71-21475
US-PATENT-CLASS-73-343R c52 N77-10780
US-PATENT-CLASS-73-355 ..... c14 N71-27323
US-PATENT-CLASS-73-355 ..... c14 N72-28437
US-PATENT-CLASS-73-355R c14 N72-28477
US-PATENT-CLASS-73-356 ..... c35 N75-25122
US-PATENT-CLASS-73-362AR c35 N77-27368
US-PATENT-CLASS-73-379 ..... c05 N73-27941
US-PATENT-CLASS-73-379 ..... c05 N73-30078
US-PATENT-CLASS-73-379 ..... c35 N75-15932
US-PATENT-CLASS-73-382 ..... c10 N71-13537
US-PATENT-CLASS-73-382 ..... c14 N71-17587
US-PATENT-CLASS-73-384 ..... c15 N70-37925
US-PATENT-CLASS-73-388 ..... c35 N74-32878
US-PATENT-CLASS-73-389 ..... c12 N71-24692
US-PATENT-CLASS-73-398 ..... c14 N70-34816
US-PATENT-CLASS-73-398 ..... c14 N71-21072

US-PATENT-CLASS-73-398 ..... c09 N71-20597
US-PATENT-CLASS-73-398 ..... c14 N73-30394
US-PATENT-CLASS-73-398AR c52 N74-27566
US-PATENT-CLASS-73-398AR c52 N76-29896
US-PATENT-CLASS-73-398C c14 N72-22438
US-PATENT-CLASS-73-398C c33 N76-21390
US-PATENT-CLASS-73-399 ..... c37 N76-18454
US-PATENT-CLASS-73-400 ..... c14 N71-23093
US-PATENT-CLASS-73-400 ..... c14 N71-24232
US-PATENT-CLASS-73-401 ..... c14 N70-34820
US-PATENT-CLASS-73-419 ..... c14 N71-22752
US-PATENT-CLASS-73-420 ..... c35 N74-13132
US-PATENT-CLASS-73-421.5 ..... c14 N73-12444
US-PATENT-CLASS-73-421.5R c13 N72-25323
US-PATENT-CLASS-73-421.5R c14 N73-30395
US-PATENT-CLASS-73-421.5R c52 N74-20728
US-PATENT-CLASS-73-421.5R c35 N76-18401
US-PATENT-CLASS-73-421.5R c35 N77-32456
US-PATENT-CLASS-73-421R c54 N76-14804
US-PATENT-CLASS-73-422 ..... c14 N71-20435
US-PATENT-CLASS-73-422GC c13 N72-25323
US-PATENT-CLASS-73-422TC c13 N72-25323
US-PATENT-CLASS-73-425.2 ..... c91 N76-30131
US-PATENT-CLASS-73-425.6 ..... c15 N72-21465
US-PATENT-CLASS-73-432 ..... c11 N70-34786
US-PATENT-CLASS-73-432 ..... c11 N70-38675
US-PATENT-CLASS-73-432 ..... c05 N70-42000
US-PATENT-CLASS-73-432 ..... c31 N71-16221
US-PATENT-CLASS-73-432 ..... c27 N71-16223
US-PATENT-CLASS-73-432 ..... c30 N71-17788
US-PATENT-CLASS-73-432 ..... c14 N71-23227
US-PATENT-CLASS-73-432 ..... c10 N71-26339
US-PATENT-CLASS-73-432 ..... c11 N71-28629
US-PATENT-CLASS-73-432 ..... c14 N71-30026
US-PATENT-CLASS-73-432 ..... c35 N74-21062
US-PATENT-CLASS-73-432PS c76 N75-12810
US-PATENT-CLASS-73-432PS c35 N75-33367
US-PATENT-CLASS-73-432R c33 N73-27796
US-PATENT-CLASS-73-432R c91 N76-30131
US-PATENT-CLASS-73-432R c35 N77-19385
US-PATENT-CLASS-73-432SD c11 N72-27262
US-PATENT-CLASS-73-432SD c11 N73-20267
US-PATENT-CLASS-73-432SD c35 N77-18417
US-PATENT-CLASS-73-492 ..... c14 N72-25411
US-PATENT-CLASS-73-493 ..... c17 N76-29347
US-PATENT-CLASS-73-497 ..... c14 N71-30265
US-PATENT-CLASS-73-497 ..... c35 N74-15094
US-PATENT-CLASS-73-505 ..... c23 N71-16098
US-PATENT-CLASS-73-505 ..... c12 N75-24774
US-PATENT-CLASS-73-515 ..... c14 N72-25410
US-PATENT-CLASS-73-517 ..... c11 N70-38196
US-PATENT-CLASS-73-517 ..... c14 N70-41682
US-PATENT-CLASS-73-517 ..... c14 N71-15969
US-PATENT-CLASS-73-517B c35 N74-15094
US-PATENT-CLASS-73-517R c17 N76-29347
US-PATENT-CLASS-73-521 ..... c14 N72-25410
US-PATENT-CLASS-73-557 ..... c35 N75-19614
US-PATENT-CLASS-73-557 ..... c07 N76-27232
US-PATENT-CLASS-74-2 ..... c15 N71-24600
US-PATENT-CLASS-74-2 ..... c31 N73-14855
US-PATENT-CLASS-74-5.5 ..... c35 N74-28097
US-PATENT-CLASS-74-5.6 ..... c35 N74-15094
US-PATENT-CLASS-74-5.7 ..... c35 N74-18323
US-PATENT-CLASS-74-5.7 ..... c15 N76-14158
US-PATENT-CLASS-74-5.12 ..... c31 N71-26537
US-PATENT-CLASS-74-5.22 ..... c21 N73-13644
US-PATENT-CLASS-74-5.34 ..... c04 N76-26175
US-PATENT-CLASS-74-5.47 ..... c21 N71-23289
US-PATENT-CLASS-74-5F c15 N73-12488
US-PATENT-CLASS-74-18.2 ..... c11 N71-27036
US-PATENT-CLASS-74-63 ..... c15 N71-17692
US-PATENT-CLASS-74-89.15 ..... c15 N71-26635
US-PATENT-CLASS-74-89.15 ..... c15 N72-21462
US-PATENT-CLASS-74-89.18 ..... c15 N71-23809
US-PATENT-CLASS-74-96 ..... c37 N77-22482
US-PATENT-CLASS-74-100 ..... c15 N71-24045
US-PATENT-CLASS-74-105 ..... c09 N72-22195
US-PATENT-CLASS-74-126 ..... c15 N71-21529
US-PATENT-CLASS-74-217R c37 N74-23070
US-PATENT-CLASS-74-384 ..... c37 N76-15457
US-PATENT-CLASS-74-409 ..... c15 N71-21744
US-PATENT-CLASS-74-424.8 ..... c15 N71-26635
US-PATENT-CLASS-74-424.8VA c37 N75-15050
US-PATENT-CLASS-74-436 ..... c37 N75-13266
US-PATENT-CLASS-74-468 ..... c15 N71-24984
US-PATENT-CLASS-74-469 ..... c15 N72-21463
US-PATENT-CLASS-74-469 ..... c15 N72-28495
US-PATENT-CLASS-74-471 ..... c05 N70-41581
US-PATENT-CLASS-74-471 ..... c03 N70-42073
US-PATENT-CLASS-74-471 ..... c15 N71-20740
US-PATENT-CLASS-74-471XY c54 N75-27760
US-PATENT-CLASS-74-480B c05 N75-12930
US-PATENT-CLASS-74-501R c15 N72-22485
US-PATENT-CLASS-74-519 ..... c03 N70-41954
US-PATENT-CLASS-74-594.6 ..... c37 N74-18127
US-PATENT-CLASS-74-594.7 ..... c37 N74-18127
US-PATENT-CLASS-74-665B c37 N76-15457
US-PATENT-CLASS-74-675 ..... c37 N74-27901
US-PATENT-CLASS-74-710 ..... c37 N74-27901
US-PATENT-CLASS-74-820 ..... c37 N75-13266
US-PATENT-CLASS-75-.5B c17 N72-22530
US-PATENT-CLASS-75-DIG.1 ..... c18 N72-25539
US-PATENT-CLASS-75-DIG.1 ..... c37 N75-26371
US-PATENT-CLASS-75-0.5BB c15 N72-25448
US-PATENT-CLASS-75-20F c15 N72-11387
US-PATENT-CLASS-75-63 ..... c15 N71-27184
US-PATENT-CLASS-75-65R c24 N77-27187
US-PATENT-CLASS-75-66 ..... c17 N71-26773
US-PATENT-CLASS-75-66 ..... c06 N73-13129
US-PATENT-CLASS-75-66 ..... c17 N73-28573
US-PATENT-CLASS-75-122.7 ..... c37 N77-19458
US-PATENT-CLASS-75-135 ..... c18 N73-32437
US-PATENT-CLASS-75-135 ..... c24 N77-27187
US-PATENT-CLASS-75-139 ..... c24 N77-27187
US-PATENT-CLASS-75-142 ..... c17 N71-20743
US-PATENT-CLASS-75-170 ..... c17 N71-15644
US-PATENT-CLASS-75-170 ..... c17 N71-16025
US-PATENT-CLASS-75-170 ..... c17 N71-23248
US-PATENT-CLASS-75-170 ..... c17 N72-22535
US-PATENT-CLASS-75-170 ..... c37 N77-19458
US-PATENT-CLASS-75-170 ..... c26 N77-20201
US-PATENT-CLASS-75-170 ..... c26 N77-32279
US-PATENT-CLASS-75-170 ..... c26 N77-32280
US-PATENT-CLASS-75-171 ..... c17 N70-33283
US-PATENT-CLASS-75-171 ..... c17 N70-36616
US-PATENT-CLASS-75-171 ..... c17 N71-16026
US-PATENT-CLASS-75-171 ..... c17 N73-32415
US-PATENT-CLASS-75-172 ..... c17 N71-23365
US-PATENT-CLASS-75-173 ..... c26 N75-27126
US-PATENT-CLASS-75-173 ..... c26 N75-27127
US-PATENT-CLASS-75-178R c04 N76-20114
US-PATENT-CLASS-75-200 ..... c26 N74-10521
US-PATENT-CLASS-75-200 ..... c37 N74-13179
US-PATENT-CLASS-75-200 ..... c24 N75-13032
US-PATENT-CLASS-75-200 ..... c37 N75-26371
US-PATENT-CLASS-75-202 ..... c17 N71-15468
US-PATENT-CLASS-75-204 ..... c18 N71-22894
US-PATENT-CLASS-75-206 ..... c15 N72-25448
US-PATENT-CLASS-75-208 ..... c18 N72-25539
US-PATENT-CLASS-75-208R c37 N75-26371
US-PATENT-CLASS-75-211 ..... c18 N72-25539
US-PATENT-CLASS-75-212 ..... c37 N75-26371
US-PATENT-CLASS-75-213 ..... c15 N72-25448
US-PATENT-CLASS-75-213 ..... c37 N74-13179
US-PATENT-CLASS-75-214 ..... c37 N74-13179
US-PATENT-CLASS-75-214 ..... c37 N75-26371
US-PATENT-CLASS-75-222 ..... c28 N70-38197
US-PATENT-CLASS-75-222 ..... c37 N75-26371
US-PATENT-CLASS-75-225 ..... c34 N76-27515
US-PATENT-CLASS-75-226 ..... c18 N72-25539
US-PATENT-CLASS-75-226 ..... c26 N74-10521
US-PATENT-CLASS-75-226 ..... c37 N74-13179
US-PATENT-CLASS-78-1 ..... c15 N70-33330
US-PATENT-CLASS-81-3R c15 N71-29133
US-PATENT-CLASS-81-56 ..... c37 N76-20480
US-PATENT-CLASS-81-57.31 ..... c37 N76-20480
US-PATENT-CLASS-81-57.38 ..... c15 N73-30457
US-PATENT-CLASS-81-63.1 ..... c15 N71-17805
US-PATENT-CLASS-82-14 ..... c15 N71-22722
US-PATENT-CLASS-82-24R c14 N72-16283
US-PATENT-CLASS-83-8 ..... c15 N72-27485
US-PATENT-CLASS-83-451 ..... c37 N77-14478
US-PATENT-CLASS-83-452 ..... c39 N74-13131
US-PATENT-CLASS-83-467 ..... c15 N71-22798
US-PATENT-CLASS-83-467R c37 N77-14478
US-PATENT-CLASS-83-522 ..... c15 N72-27485
US-PATENT-CLASS-83-562 ..... c15 N72-27485
US-PATENT-CLASS-83-563 ..... c15 N72-27485
US-PATENT-CLASS-83-588 ..... c15 N72-27485
US-PATENT-CLASS-83-602 ..... c39 N74-13131
US-PATENT-CLASS-83-917 ..... c39 N74-13131
US-PATENT-CLASS-85-1 ..... c15 N72-22488
US-PATENT-CLASS-85-3 ..... c15 N71-17653
US-PATENT-CLASS-85-5B c15 N72-11385
US-PATENT-CLASS-85-7 ..... c15 N71-23254
US-PATENT-CLASS-85-33 ..... c15 N71-15922
US-PATENT-CLASS-85-33 ..... c15 N71-21489
US-PATENT-CLASS-86-1 ..... c28 N71-26779

US-PATENT-CLASS-86-1R c28 N77-10213
US-PATENT-CLASS-86-1R c20 N77-17143
US-PATENT-CLASS-86-20.2 ..... c28 N71-26779
US-PATENT-CLASS-86-20R c20 N77-17143
US-PATENT-CLASS-88-1 ..... c21 N70-35427
US-PATENT-CLASS-88-1 ..... c21 N71-22880
US-PATENT-CLASS-88-14 ..... c14 N70-34298
US-PATENT-CLASS-88-14 ..... c14 N70-40003
US-PATENT-CLASS-88-14 ..... c14 N70-41946
US-PATENT-CLASS-88-14 ..... c14 N70-41955
US-PATENT-CLASS-88-14 ..... c09 N71-22999
US-PATENT-CLASS-88-16 ..... c14 N70-33254
US-PATENT-CLASS-88-24 ..... c23 N71-21882
US-PATENT-CLASS-89-1 ..... c03 N70-34667
US-PATENT-CLASS-89-1 ..... c15 N71-16078
US-PATENT-CLASS-89-1.5 ..... c31 N71-15675
US-PATENT-CLASS-89-1.5 ..... c15 N71-24600
US-PATENT-CLASS-89-1.7 ..... c11 N70-38202
US-PATENT-CLASS-89-1.7 ..... c30 N70-40353
US-PATENT-CLASS-89-1.7 ..... c03 N71-12258
US-PATENT-CLASS-89-1.7 ..... c03 N71-12259
US-PATENT-CLASS-89-1.801 ..... c20 N76-22296
US-PATENT-CLASS-89-1.806 ..... c15 N71-24043
US-PATENT-CLASS-89-1.811 ..... c15 N72-17455
US-PATENT-CLASS-89-8 ..... c11 N71-18578
US-PATENT-CLASS-89-8 ..... c11 N73-32152
US-PATENT-CLASS-89-8 ..... c75 N76-14931
US-PATENT-CLASS-89-8 ..... c75 N76-17951
US-PATENT-CLASS-90-11 ..... c15 N71-33518
US-PATENT-CLASS-90-12 ..... c15 N71-22799
US-PATENT-CLASS-90-12.5 ..... c37 N74-25968
US-PATENT-CLASS-91-186 ..... c05 N73-32014
US-PATENT-CLASS-91-361 ..... c15 N71-27754
US-PATENT-CLASS-91-363A c15 N73-13466
US-PATENT-CLASS-91-390 ..... c15 N71-27147
US-PATENT-CLASS-91-390 ..... c15 N71-27754
US-PATENT-CLASS-91-448 ..... c15 N71-27754
US-PATENT-CLASS-91-448 ..... c15 N73-13466
US-PATENT-CLASS-91-461 ..... c15 N71-27147
US-PATENT-CLASS-92-49 ..... c14 N73-13418
US-PATENT-CLASS-92-94 ..... c32 N70-41370
US-PATENT-CLASS-93-1 ..... c15 N70-33180
US-PATENT-CLASS-95-1.1 ..... c14 N72-18411
US-PATENT-CLASS-95-1.1 ..... c14 N73-26431
US-PATENT-CLASS-95-11 ..... c14 N71-18465
US-PATENT-CLASS-95-11 ..... c16 N71-33410
US-PATENT-CLASS-95-11 ..... c14 N73-32319
US-PATENT-CLASS-95-11.5 ..... c14 N73-32319
US-PATENT-CLASS-95-11.5R c14 N73-19419
US-PATENT-CLASS-95-11R c14 N73-19419
US-PATENT-CLASS-95-12 ..... c14 N73-33361
US-PATENT-CLASS-95-12.5 ..... c31 N72-25842
US-PATENT-CLASS-95-12.5 ..... c14 N73-14427
US-PATENT-CLASS-95-18 ..... c14 N72-20380
US-PATENT-CLASS-95-42 ..... c14 N73-32322
US-PATENT-CLASS-95-44 ..... c14 N71-26474
US-PATENT-CLASS-95-53 ..... c15 N71-21060
US-PATENT-CLASS-95-53EA c33 N74-20861
US-PATENT-CLASS-95-58 ..... c14 N70-40273
US-PATENT-CLASS-95-59 ..... c14 N73-14427
US-PATENT-CLASS-95-89R c35 N74-15831
US-PATENT-CLASS-96-36.2 ..... c06 N72-21094
US-PATENT-CLASS-96-36.2 ..... c15 N72-25452
US-PATENT-CLASS-96-38.3 ..... c35 N74-26946
US-PATENT-CLASS-96-49 ..... c14 N71-17574
US-PATENT-CLASS-96-79 ..... c35 N74-26946
US-PATENT-CLASS-96-90PC c14 N72-22443
US-PATENT-CLASS-98-39 ..... c31 N74-27902
US-PATENT-CLASS-99-80PS c05 N72-33096
US-PATENT-CLASS-100-8 ..... c33 N74-17928
US-PATENT-CLASS-100-299 ..... c15 N72-20446
US-PATENT-CLASS-102-28EB c28 N74-27425
US-PATENT-CLASS-102-34.4 ..... c07 N72-25171
US-PATENT-CLASS-102-49 ..... c33 N70-36846
US-PATENT-CLASS-102-49 ..... c28 N70-38181
US-PATENT-CLASS-102-49 ..... c03 N70-39930
US-PATENT-CLASS-102-49 ..... c15 N70-41679
US-PATENT-CLASS-102-49 ..... c28 N70-41967
US-PATENT-CLASS-102-49 ..... c31 N71-10582
US-PATENT-CLASS-102-49 ..... c15 N71-13789
US-PATENT-CLASS-102-49 ..... c31 N71-15692
US-PATENT-CLASS-102-49 ..... c31 N71-17730
US-PATENT-CLASS-102-49.3 ..... c20 N77-17143
US-PATENT-CLASS-102-49.5 ..... c31 N71-15687
US-PATENT-CLASS-102-49.5 ..... c15 N71-22874
US-PATENT-CLASS-102-49.5 ..... c31 N71-23008
US-PATENT-CLASS-102-49.5 ..... c31 N73-14853
US-PATENT-CLASS-102-49.7 ..... c28 N73-24784
US-PATENT-CLASS-102-49.8 ..... c28 N73-24784

US-PATENT-CLASS-102-50 ..... c31 N71-24750
US-PATENT-CLASS-102-70.2 ..... c09 N71-18599
US-PATENT-CLASS-102-70.2A c28 N74-27425
US-PATENT-CLASS-102-70.2R c19 N74-15089
US-PATENT-CLASS-102-70-2R c28 N74-27425
US-PATENT-CLASS-102-90 ..... c15 N74-27360
US-PATENT-CLASS-102-95 ..... c11 N73-32152
US-PATENT-CLASS-102-99 ..... c28 N77-10213
US-PATENT-CLASS-102-101 ..... c28 N71-26779
US-PATENT-CLASS-102-105 ..... c33 N72-17947
US-PATENT-CLASS-102-105 ..... c33 N72-25911
US-PATENT-CLASS-102-105 ..... c33 N73-25952
US-PATENT-CLASS-102-105 ..... c27 N74-27037
US-PATENT-CLASS-103.5R c04 N73-27052
US-PATENT-CLASS-103-1 ..... c26 N71-21824
US-PATENT-CLASS-103-37 ..... c28 N71-14058
US-PATENT-CLASS-103-48 ..... c15 N71-24042
US-PATENT-CLASS-104-1 ..... c05 N71-28619
US-PATENT-CLASS-104-23FS c85 N74-34672
US-PATENT-CLASS-104-138R c85 N74-34672
US-PATENT-CLASS-104-139 ..... c05 N71-28619
US-PATENT-CLASS-106-13 ..... c23 N75-14834
US-PATENT-CLASS-106-15 ..... c18 N71-14014
US-PATENT-CLASS-106-15 ..... c18 N71-15469
US-PATENT-CLASS-106-15FP c27 N74-27037
US-PATENT-CLASS-106-15FP c27 N76-24405
US-PATENT-CLASS-106-15R c23 N75-14834
US-PATENT-CLASS-106-39 ..... c26 N72-28762
US-PATENT-CLASS-106-39R c18 N73-14584
US-PATENT-CLASS-106-40 ..... c18 N71-22998
US-PATENT-CLASS-106-46 ..... c26 N72-28762
US-PATENT-CLASS-106-48 ..... c27 N75-27160
US-PATENT-CLASS-106-52 ..... c37 N74-21063
US-PATENT-CLASS-106-54 ..... c27 N75-27160
US-PATENT-CLASS-106-54 ..... c27 N76-22377
US-PATENT-CLASS-106-54 ..... c27 N76-23426
US-PATENT-CLASS-106-55 ..... c17 N71-20941
US-PATENT-CLASS-106-55 ..... c18 N73-14584
US-PATENT-CLASS-106-58 ..... c18 N73-14584
US-PATENT-CLASS-106-63 ..... c18 N73-14584
US-PATENT-CLASS-106-74 ..... c18 N69-39979
US-PATENT-CLASS-106-84 ..... c18 N71-24183
US-PATENT-CLASS-106-84 ..... c18 N71-24184
US-PATENT-CLASS-106-84 ..... c18 N72-22566
US-PATENT-CLASS-106-84 ..... c18 N72-23581
US-PATENT-CLASS-106-88 ..... c18 N71-16124
US-PATENT-CLASS-106-209 ..... c05 N72-25120
US-PATENT-CLASS-106-286 ..... c18 N72-22566
US-PATENT-CLASS-106-287SB c23 N75-14834
US-PATENT-CLASS-106-288B c18 N72-22566
US-PATENT-CLASS-106-292 ..... c18 N72-17532
US-PATENT-CLASS-106-292 ..... c27 N77-30237
US-PATENT-CLASS-106-296 ..... c18 N71-26772
US-PATENT-CLASS-106-296 ..... c27 N77-30237
US-PATENT-CLASS-106-299 ..... c18 N72-17532
US-PATENT-CLASS-106-299 ..... c27 N77-30237
US-PATENT-CLASS-106-306 ..... c24 N76-24363
US-PATENT-CLASS-108-136 ..... c09 N75-12968
US-PATENT-CLASS-112-402 ..... c18 N71-26285
US-PATENT-CLASS-113-116 ..... c15 N71-15597
US-PATENT-CLASS-114-16.6 ..... c37 N76-22540
US-PATENT-CLASS-114-66.5 ..... c12 N70-33305
US-PATENT-CLASS-114-122 ..... c02 N73-26006
US-PATENT-CLASS-115-103.5 ..... c51 N75-13502
US-PATENT-CLASS-116-114.5 ..... c35 N75-25122
US-PATENT-CLASS-116-114AH c14 N72-25411
US-PATENT-CLASS-116-114AH c35 N75-33367
US-PATENT-CLASS-116-117 ..... c14 N70-42074
US-PATENT-CLASS-117-2R c32 N74-27612
US-PATENT-CLASS-117-6 ..... c14 N71-20461
US-PATENT-CLASS-117-8.5 ..... c24 N75-33181
US-PATENT-CLASS-117-16R c15 N72-25452
US-PATENT-CLASS-117-21 ..... c18 N69-39895
US-PATENT-CLASS-117-33.3 ..... c70 N74-13436
US-PATENT-CLASS-117-35R c06 N73-13128
US-PATENT-CLASS-117-37 ..... c15 N72-25452
US-PATENT-CLASS-117-38 ..... c24 N75-33181
US-PATENT-CLASS-117-45 ..... c74 N74-20008
US-PATENT-CLASS-117-46 ..... c15 N71-16077
US-PATENT-CLASS-117-46FS c24 N75-33181
US-PATENT-CLASS-117-47R c15 N72-25452
US-PATENT-CLASS-117-50 ..... c15 N71-15610
US-PATENT-CLASS-117-62 ..... c15 N72-25447
US-PATENT-CLASS-117-62 ..... c15 N72-25452
US-PATENT-CLASS-117-65.2 ..... c18 N71-10772
US-PATENT-CLASS-117-66 ..... c15 N73-32360
US-PATENT-CLASS-117-69 ..... c18 N70-36400
US-PATENT-CLASS-117-69 ..... c15 N71-16075
US-PATENT-CLASS-117-72 ..... c35 N75-25122

US-PATENT-CLASS-117-93.1GD c25 N75-12087
US-PATENT-CLASS-117-93.3 ..... c15 N72-25452
US-PATENT-CLASS-117-93.3 ..... c37 N75-15992
US-PATENT-CLASS-117-93.16D c15 N72-25447
US-PATENT-CLASS-117-95 ..... c24 N74-19769
US-PATENT-CLASS-117-95 ..... c36 N75-15029
US-PATENT-CLASS-117-97 ..... c36 N75-15029
US-PATENT-CLASS-117-104 ..... c18 N71-26100
US-PATENT-CLASS-117-105 ..... c15 N73-32360
US-PATENT-CLASS-117-105.2 ..... c37 N74-11301
US-PATENT-CLASS-117-105.2 ..... c24 N75-33181
US-PATENT-CLASS-117-105.5 ..... c15 N73-32360
US-PATENT-CLASS-117-106 ..... c33 N71-14032
US-PATENT-CLASS-117-106A c70 N74-13436
US-PATENT-CLASS-117-106A c37 N75-15992
US-PATENT-CLASS-117-106A c25 N75-26043
US-PATENT-CLASS-117-107 ..... c15 N72-25447
US-PATENT-CLASS-117-107.2 ..... c25 N75-26043
US-PATENT-CLASS-117-119 ..... c18 N71-16105
US-PATENT-CLASS-117-124C c15 N72-25452
US-PATENT-CLASS-117-124F c23 N75-14834
US-PATENT-CLASS-117-126GM c37 N75-26371
US-PATENT-CLASS-117-126GR c27 N74-23125
US-PATENT-CLASS-117-126R c37 N75-26371
US-PATENT-CLASS-117-129 ..... c37 N74-21063
US-PATENT-CLASS-117-129 ..... c27 N75-27160
US-PATENT-CLASS-117-130R c15 N73-32360
US-PATENT-CLASS-117-132 ..... c06 N72-25150
US-PATENT-CLASS-117-132B c27 N74-23125
US-PATENT-CLASS-117-135.5 ..... c23 N75-14834
US-PATENT-CLASS-117-138.8R c15 N73-32360
US-PATENT-CLASS-117-151 ..... c15 N73-32360
US-PATENT-CLASS-117-152 ..... c15 N72-25452
US-PATENT-CLASS-117-160R c15 N73-32360
US-PATENT-CLASS-117-161 ..... c06 N72-25150
US-PATENT-CLASS-117-161P c06 N73-27980
US-PATENT-CLASS-117-161UA c25 N75-12087
US-PATENT-CLASS-117-161UN c06 N73-27980
US-PATENT-CLASS-117-161UN c27 N74-23125
US-PATENT-CLASS-117-161UN c25 N75-12087
US-PATENT-CLASS-117-161UZ c25 N75-12087
US-PATENT-CLASS-117-200 ..... c09 N72-25259
US-PATENT-CLASS-117-201 ..... c15 N69-21460
US-PATENT-CLASS-117-201 ..... c18 N71-16046
US-PATENT-CLASS-117-201 ..... c03 N72-24037
US-PATENT-CLASS-117-201 ..... c25 N75-26043
US-PATENT-CLASS-117-211 ..... c15 N72-25447
US-PATENT-CLASS-117-212 ..... c09 N71-20705
US-PATENT-CLASS-117-212 ..... c15 N71-29032
US-PATENT-CLASS-117-212 ..... c26 N72-28762
US-PATENT-CLASS-117-217 ..... c15 N72-25447
US-PATENT-CLASS-117-217 ..... c26 N72-28762
US-PATENT-CLASS-117-224 ..... c15 N71-28582
US-PATENT-CLASS-117-228 ..... c06 N73-27980
US-PATENT-CLASS-118-6 ..... c51 N77-27677
US-PATENT-CLASS-118-7 ..... c51 N77-27677
US-PATENT-CLASS-118-9 ..... c51 N77-27677
US-PATENT-CLASS-118-11 ..... c15 N71-17647
US-PATENT-CLASS-118-43 ..... c25 N75-29192
US-PATENT-CLASS-118-48 ..... c25 N75-26043
US-PATENT-CLASS-118-49.1 ..... c15 N72-32487
US-PATENT-CLASS-118-49.1 ..... c31 N75-12161
US-PATENT-CLASS-118-49.1 ..... c25 N75-26043
US-PATENT-CLASS-118-49.5 ..... c09 N71-26701
US-PATENT-CLASS-118-308 ..... c17 N71-24911
US-PATENT-CLASS-118-313 ..... c51 N77-27677
US-PATENT-CLASS-119-15 ..... c11 N71-22875
US-PATENT-CLASS-119-51.5 ..... c51 N74-15778
US-PATENT-CLASS-119-51.13 ..... c51 N74-15778
US-PATENT-CLASS-119-51R c51 N74-15778
US-PATENT-CLASS-119-52AF c51 N74-15778
US-PATENT-CLASS-119-54 ..... c51 N74-15778
US-PATENT-CLASS-119-96 ..... c05 N71-28619
US-PATENT-CLASS-121-38 ..... c15 N70-35409
US-PATENT-CLASS-121-38 ..... c02 N71-29128
US-PATENT-CLASS-122-32 ..... c33 N72-20915
US-PATENT-CLASS-123-DIG.8 ..... c37 N77-31497
US-PATENT-CLASS-123-DIG.12 ..... c37 N76-18457
US-PATENT-CLASS-123-1A c44 N76-29700
US-PATENT-CLASS-123-3 ..... c44 N76-18642
US-PATENT-CLASS-123-3 ..... c44 N76-29700
US-PATENT-CLASS-123-3 ..... c44 N77-10636
US-PATENT-CLASS-123-3 ..... c37 N77-31497
US-PATENT-CLASS-123-37 ..... c37 N77-31497
US-PATENT-CLASS-123-41.33 ..... c07 N77-23106
US-PATENT-CLASS-123-59E c37 N77-31497
US-PATENT-CLASS-123-89A c37 N76-18457
US-PATENT-CLASS-123-1C2 ..... c11 N72-20244
US-PATENT-CLASS-123-119A c37 N77-31497

US-PATENT-CLASS-123-119E c37 N76-18457
US-PATENT-CLASS-123-120 ..... c37 N76-18457
US-PATENT-CLASS-123-121 ..... c37 N76-18457
US-PATENT-CLASS-123-122AB c28 N72-22772
US-PATENT-CLASS-123-122AB c37 N77-31497
US-PATENT-CLASS-123-122E c07 N77-23106
US-PATENT-CLASS-123-148CB c33 N77-28385
US-PATENT-CLASS-123-148E c33 N77-28385
US-PATENT-CLASS-124-1 ..... c75 N76-17951
US-PATENT-CLASS-124-6 ..... c09 N77-19076
US-PATENT-CLASS-124-11R c75 N76-17951
US-PATENT-CLASS-125-1 ..... c46 N74-23069
US-PATENT-CLASS-125-3 ..... c46 N74-23069
US-PATENT-CLASS-126-263 ..... c44 N77-32581
US-PATENT-CLASS-126-270 ..... c09 N70-40234
US-PATENT-CLASS-126-270 ..... c03 N70-41580
US-PATENT-CLASS-126-270 ..... c34 N74-23039
US-PATENT-CLASS-126-270 ..... c44 N76-14595
US-PATENT-CLASS-126-270 ..... c44 N76-23675
US-PATENT-CLASS-126-270 ..... c44 N76-24696
US-PATENT-CLASS-126-270 ..... c35 N77-20401
US-PATENT-CLASS-126-270 ..... c44 N77-32582
US-PATENT-CLASS-126-271 ..... c44 N75-32581
US-PATENT-CLASS-126-271 ..... c44 N76-14602
US-PATENT-CLASS-126-271 ..... c44 N76-22657
US-PATENT-CLASS-126-271 ..... c44 N76-24696
US-PATENT-CLASS-126-271 ..... c35 N77-20401
US-PATENT-CLASS-126-271 ..... c44 N77-32582
US-PATENT-CLASS-128.2.06E c05 N75-24716
US-PATENT-CLASS-128-DIG.4 ..... c05 N72-27103
US-PATENT-CLASS-128-DIG.4 ..... c05 N75-24716
US-PATENT-CLASS-128-DIG.4 ..... c35 N76-24525
US-PATENT-CLASS-128-DIG.4 ..... c52 N77-28717
US-PATENT-CLASS-128-DIG.12 ..... c37 N77-28487
US-PATENT-CLASS-128-DIG.20 ..... c52 N76-19785
US-PATENT-CLASS-128-1 ..... c05 N70-41819
US-PATENT-CLASS-128-1A c05 N73-32012
US-PATENT-CLASS-128-1R c52 N77-25772
US-PATENT-CLASS-128-1R c52 N77-28716
US-PATENT-CLASS-128-2 ..... c05 N73-27062
US-PATENT-CLASS-128-2.1 ..... c05 N71-11193
US-PATENT-CLASS-128-2.1 ..... c05 N71-12346
US-PATENT-CLASS-128-2.1 ..... c05 N71-24729
US-PATENT-CLASS-128-2.1 ..... c09 N71-26002
US-PATENT-CLASS-128-2.1 ..... c05 N72-25120
US-PATENT-CLASS-128-2.1A c09 N72-17153
US-PATENT-CLASS-128-2.1A c09 N72-22202
US-PATENT-CLASS-128-2.1A c52 N74-26625
US-PATENT-CLASS-128-2.1A c52 N76-14757
US-PATENT-CLASS-128-2.1A c52 N76-29894
US-PATENT-CLASS-128-2.1E c05 N72-27103
US-PATENT-CLASS-128-2.1E c35 N76-24525
US-PATENT-CLASS-128-2.1E c52 N77-28717
US-PATENT-CLASS-128-2.1R c05 N73-26072
US-PATENT-CLASS-128-2.1Z c35 N76-24525
US-PATENT-CLASS-128-2.05 ..... c05 N70-41329
US-PATENT-CLASS-128-2.05 ..... c04 N71-23185
US-PATENT-CLASS-128-2.05 ..... c05 N71-27234
US-PATENT-CLASS-128-2.05A c52 N74-26626
US-PATENT-CLASS-128-2.05A c54 N75-13531
US-PATENT-CLASS-128-2.05E c52 N74-27566
US-PATENT-CLASS-128-2.05E c52 N76-29896
US-PATENT-CLASS-128-2.05F c14 N73-32326
US-PATENT-CLASS-128-2.05P c54 N75-13531
US-PATENT-CLASS-128-2.05R c05 N73-27941
US-PATENT-CLASS-128-2.05R c52 N76-29895
US-PATENT-CLASS-128-2.05S c52 N74-26626
US-PATENT-CLASS-128-2.05T c52 N74-12778
US-PATENT-CLASS-128-2.05V c35 N76-24525
US-PATENT-CLASS-128-2.05Z c54 N75-27760
US-PATENT-CLASS-128-2.06 ..... c05 N69-21925
US-PATENT-CLASS-128-2.06 ..... c05 N71-22896
US-PATENT-CLASS-128-2.06 ..... c09 N71-24618
US-PATENT-CLASS-128-2.06 ..... c05 N71-26293
US-PATENT-CLASS-128-2.06B c05 N75-24716
US-PATENT-CLASS-128-2.06E c52 N76-29896
US-PATENT-CLASS-128-2.06F c52 N74-12778
US-PATENT-CLASS-128-2.06R c05 N73-27941
US-PATENT-CLASS-128-2.06R c52 N76-14757
US-PATENT-CLASS-128-2.07 ..... c05 N73-32015
US-PATENT-CLASS-128-2.07 ..... c52 N74-20728
US-PATENT-CLASS-128-2.08 ..... c05 N69-21473
US-PATENT-CLASS-128-2.08 ..... c05 N73-32015
US-PATENT-CLASS-128-2.08 ..... c52 N74-20728
US-PATENT-CLASS-128-2F c54 N76-14804
US-PATENT-CLASS-128-2H c52 N76-14757
US-PATENT-CLASS-128-2H c52 N76-29894
US-PATENT-CLASS-128-2H c52 N77-10780
US-PATENT-CLASS-128-2H c52 N77-14736

US-PATENT-CLASS-128-2N c05 N72-25122
US-PATENT-CLASS-128-2N c05 N73-13114
US-PATENT-CLASS-128-2P c52 N76-29894
US-PATENT-CLASS-128-2R c09 N72-22202
US-PATENT-CLASS-128-2S c52 N74-10975
US-PATENT-CLASS-128-2S c52 N74-27864
US-PATENT-CLASS-128-2S c33 N75-31329
US-PATENT-CLASS-128-2S c33 N76-19338
US-PATENT-CLASS-128-2S c52 N76-29895
US-PATENT-CLASS-128-2S c52 N76-29896
US-PATENT-CLASS-128-2V c52 N74-20726
US-PATENT-CLASS-128-2V c35 N75-12271
US-PATENT-CLASS-128-2V c54 N75-27760
US-PATENT-CLASS-128-24 ..... c05 N71-24738
US-PATENT-CLASS-128-24A c05 N73-27062
US-PATENT-CLASS-128-24A c54 N75-27760
US-PATENT-CLASS-128-25 ..... c05 N71-24738
US-PATENT-CLASS-128-25R c37 N74-18127
US-PATENT-CLASS-128-26 ..... c52 N76-19785
US-PATENT-CLASS-128-29 ..... c05 N70-39922
US-PATENT-CLASS-128-142.2 ..... c54 N76-24900
US-PATENT-CLASS-128-142.5 ..... c05 N71-11190
US-PATENT-CLASS-128-142.5 ..... c05 N71-11203
US-PATENT-CLASS-128-142.5 ..... c05 N71-17599
US-PATENT-CLASS-128-142.5 ..... c05 N72-20096
US-PATENT-CLASS-128-142.5 ..... c05 N73-25125
US-PATENT-CLASS-128-145.8 ..... c54 N75-27761
US-PATENT-CLASS-128-191R c25 N74-12813
US-PATENT-CLASS-128-203 ..... c54 N76-24900
US-PATENT-CLASS-128-206F c14 N73-24473
US-PATENT-CLASS-128-214E c52 N74-22771
US-PATENT-CLASS-128-214F c37 N77-28487
US-PATENT-CLASS-128-230 ..... c52 N75-33640
US-PATENT-CLASS-128-272 ..... c15 N71-24835
US-PATENT-CLASS-128-275 ..... c15 N71-24835
US-PATENT-CLASS-128-283 ..... c05 N69-23192
US-PATENT-CLASS-128-295 ..... c05 N72-22093
US-PATENT-CLASS-128-303R c52 N77-28716
US-PATENT-CLASS-128-305 ..... c05 N73-27062
US-PATENT-CLASS-128-305 ..... c52 N75-33640
US-PATENT-CLASS-128-379 ..... c52 N77-14736
US-PATENT-CLASS-128-400 ..... c52 N77-14736
US-PATENT-CLASS-128-402 ..... c05 N72-20096
US-PATENT-CLASS-128-402 ..... c52 N77-14736
US-PATENT-CLASS-128-410 ..... c52 N77-28717
US-PATENT-CLASS-128-417 ..... c05 N72-25120
US-PATENT-CLASS-128-417 ..... c05 N72-27103
US-PATENT-CLASS-128-418 ..... c52 N76-29896
US-PATENT-CLASS-128-418 ..... c52 N77-14738
US-PATENT-CLASS-128-419P c52 N76-29896
US-PATENT-CLASS-129-16.7 ..... c08 N71-15908
US-PATENT-CLASS-134-21 ..... c37 N76-18456
US-PATENT-CLASS-134-37 ..... c37 N76-18456
US-PATENT-CLASS-135-1 ..... c32 N70-36536
US-PATENT-CLASS-136-6 ..... c03 N71-26084
US-PATENT-CLASS-136-6 ..... c03 N72-15986
US-PATENT-CLASS-136-6LF c44 N76-18643
US-PATENT-CLASS-136-20 ..... c44 N74-19693
US-PATENT-CLASS-136-24 ..... c09 N73-32108
US-PATENT-CLASS-136-28 ..... c03 N71-10608
US-PATENT-CLASS-136-30 ..... c44 N74-19693
US-PATENT-CLASS-136-30 ..... c44 N76-18643
US-PATENT-CLASS-136-30 ..... c44 N76-29699
US-PATENT-CLASS-136-36 ..... c44 N74-19692
US-PATENT-CLASS-136-79 ..... c03 N72-20032
US-PATENT-CLASS-136-81 ..... c03 N72-20032
US-PATENT-CLASS-136-83 ..... c03 N71-28579
US-PATENT-CLASS-136-83R c03 N72-20034
US-PATENT-CLASS-136-83R c44 N76-18641
US-PATENT-CLASS-136-86 ..... c03 N71-11052
US-PATENT-CLASS-136-86 ..... c03 N71-20904
US-PATENT-CLASS-136-86 ..... c15 N71-23022
US-PATENT-CLASS-136-86 ..... c03 N71-29044
US-PATENT-CLASS-136-86A c44 N76-27664
US-PATENT-CLASS-136-86S c44 N76-18641
US-PATENT-CLASS-136-89 ..... c03 N69-24267
US-PATENT-CLASS-136-89 ..... c03 N71-11049
US-PATENT-CLASS-136-89 ..... c03 N71-11050
US-PATENT-CLASS-136-89 ..... c03 N71-11056
US-PATENT-CLASS-136-89 ..... c03 N71-18698
US-PATENT-CLASS-136-89 ..... c03 N71-19545
US-PATENT-CLASS-136-89 ..... c03 N71-20492
US-PATENT-CLASS-136-89 ..... c03 N71-20895
US-PATENT-CLASS-136-89 ..... c26 N71-23043
US-PATENT-CLASS-136-89 ..... c03 N71-23187
US-PATENT-CLASS-136-89 ..... c03 N71-23449
US-PATENT-CLASS-136-89 ..... c03 N71-33409
US-PATENT-CLASS-136-89 ..... c03 N72-20031
US-PATENT-CLASS-136-89 ..... c03 N72-22042
US-PATENT-CLASS-136-89 ..... c31 N72-22874
US-PATENT-CLASS-136-89 ..... c03 N72-24037
US-PATENT-CLASS-136-89 ..... c09 N72-25259
US-PATENT-CLASS-136-89 ..... c03 N72-27054
US-PATENT-CLASS-136-89 ..... c09 N73-32109
US-PATENT-CLASS-136-89 ..... c44 N74-14784
US-PATENT-CLASS-136-89 ..... c44 N76-14600
US-PATENT-CLASS-136-89 ..... c44 N76-28635
US-PATENT-CLASS-136-89 ..... c44 N76-31666
US-PATENT-CLASS-136-89 ..... c44 N77-10635
US-PATENT-CLASS-136-89 ..... c44 N77-14580
US-PATENT-CLASS-136-89 ..... c44 N77-19571
US-PATENT-CLASS-136-89-AC c44 N77-31601
US-PATENT-CLASS-136-89P c44 N77-31601
US-PATENT-CLASS-136-90 ..... c44 N76-14601
US-PATENT-CLASS-136-100R c03 N72-20034
US-PATENT-CLASS-136-114 ..... c44 N76-14601
US-PATENT-CLASS-136-132 ..... c03 N71-11053
US-PATENT-CLASS-136-132 ..... c03 N71-22974
US-PATENT-CLASS-136-133 ..... c15 N69-24320
US-PATENT-CLASS-136-133 ..... c03 N71-23006
US-PATENT-CLASS-136-133 ..... c03 N72-15986
US-PATENT-CLASS-136-135 ..... c03 N72-15986
US-PATENT-CLASS-136-143 ..... c44 N76-29699
US-PATENT-CLASS-136-146 ..... c03 N69-21337
US-PATENT-CLASS-136-146 ..... c24 N76-14204
US-PATENT-CLASS-136-148 ..... c24 N76-14204
US-PATENT-CLASS-136-162 ..... c44 N76-14601
US-PATENT-CLASS-136-166 ..... c03 N71-23336
US-PATENT-CLASS-136-166 ..... c03 N72-20032
US-PATENT-CLASS-136-170 ..... c03 N71-11051
US-PATENT-CLASS-136-175 ..... c03 N72-20034
US-PATENT-CLASS-136-179 ..... c03 N70-41864
US-PATENT-CLASS-136-182 ..... c03 N71-10728
US-PATENT-CLASS-136-182 ..... c03 N71-20407
US-PATENT-CLASS-136-182 ..... c03 N71-20491
US-PATENT-CLASS-136-182 ..... c44 N74-27519
US-PATENT-CLASS-136-182 ..... c44 N76-14601
US-PATENT-CLASS-136-202 ..... c09 N72-12136
US-PATENT-CLASS-136-202 ..... c03 N72-26031
US-PATENT-CLASS-136-202 ..... c44 N76-16612
US-PATENT-CLASS-136-202 ..... c35 N77-32454
US-PATENT-CLASS-136-206 ..... c03 N72-11062
US-PATENT-CLASS-136-206 ..... c09 N72-12136
US-PATENT-CLASS-136-206 ..... c44 N76-14595
US-PATENT-CLASS-136-206 ..... c44 N76-31666
US-PATENT-CLASS-136-210 ..... c44 N76-16612
US-PATENT-CLASS-136-211 ..... c35 N76-15434
US-PATENT-CLASS-136-212 ..... c35 N76-15434
US-PATENT-CLASS-136-213 ..... c14 N69-27459
US-PATENT-CLASS-136-213 ..... c34 N74-27861
US-PATENT-CLASS-136-224 ..... c14 N73-12447
US-PATENT-CLASS-136-225 ..... c14 N73-24472
US-PATENT-CLASS-136-225 ..... c35 N76-15434
US-PATENT-CLASS-136-227 ..... c09 N72-12136
US-PATENT-CLASS-136-228 ..... c33 N71-15568
US-PATENT-CLASS-136-230 ..... c14 N71-23039
US-PATENT-CLASS-136-230 ..... c34 N74-27861
US-PATENT-CLASS-136-232 ..... c35 N77-14409
US-PATENT-CLASS-136-233 ..... c14 N72-27410
US-PATENT-CLASS-136-233 ..... c14 N73-13417
US-PATENT-CLASS-136-233 ..... c34 N74-27861
US-PATENT-CLASS-136-233 ..... c35 N77-14409
US-PATENT-CLASS-136-236R c35 N77-32454
US-PATENT-CLASS-136-240 ..... c35 N77-32454
US-PATENT-CLASS-137-DIG.9 ..... c54 N76-24900
US-PATENT-CLASS-137-1 ..... c12 N70-38997
US-PATENT-CLASS-137-1 ..... c15 N73-27406
US-PATENT-CLASS-137-13 ..... c15 N71-15967
US-PATENT-CLASS-137-13 ..... c15 N72-33477
US-PATENT-CLASS-137-15.1 ..... c02 N74-20646
US-PATENT-CLASS-137-15.1 ..... c07 N74-31270
US-PATENT-CLASS-137-15.1 ..... c07 N75-24736
US-PATENT-CLASS-137-15.1 ..... c07 N77-18154
US-PATENT-CLASS-137-15.2 ..... c02 N74-20646
US-PATENT-CLASS-137-15.2 ..... c35 N76-14431
US-PATENT-CLASS-137-81 ..... c05 N72-20097
US-PATENT-CLASS-137-81 ..... c14 N73-13418
US-PATENT-CLASS-137-81.5 ..... c12 N69-21466
US-PATENT-CLASS-137-81.5 ..... c15 N71-15609
US-PATENT-CLASS-137-81.5 ..... c12 N71-17578
US-PATENT-CLASS-137-81.5 ..... c12 N71-17579
US-PATENT-CLASS-137-81.5 ..... c10 N71-25899
US-PATENT-CLASS-137-81.5 ..... c12 N71-27332
US-PATENT-CLASS-137-81.5 ..... c12 N71-28741
US-PATENT-CLASS-137-81.5 ..... c28 N72-22772
US-PATENT-CLASS-137-81.5 ..... c15 N72-33477
US-PATENT-CLASS-137-81.5 ..... c15 N73-13462
US-PATENT-CLASS-137-81.5 ..... c28 N73-13773

US-PATENT-CLASS-137-101 ..... c07 N77-23106
US-PATENT-CLASS-137-110 ..... c54 N76-24900
US-PATENT-CLASS-137-154 ..... c15 N73-27406
US-PATENT-CLASS-137-197 ..... c15 N70-41646
US-PATENT-CLASS-137-207 ..... c34 N77-30399
US-PATENT-CLASS-137-209 ..... c34 N77-30399
US-PATENT-CLASS-137-340 ..... c15 N70-34817
US-PATENT-CLASS-137-340 ..... c15 N70-35087
US-PATENT-CLASS-137-341 ..... c12 N71-17661
US-PATENT-CLASS-137-397 ..... c15 N73-26472
US-PATENT-CLASS-137-469 ..... c05 N72-20097
US-PATENT-CLASS-137-487.5 ..... c14 N73-13418
US-PATENT-CLASS-137-491 ..... c15 N69-21924
US-PATENT-CLASS-137-495 ..... c15 N70-38603
US-PATENT-CLASS-137-496 ..... c15 N71-22706
US-PATENT-CLASS-137-505.12 ..... c14 N71-18625
US-PATENT-CLASS-137-505.38 ..... c37 N75-15050
US-PATENT-CLASS-137-505.42 ..... c37 N75-15050
US-PATENT-CLASS-137-515.3 ..... c37 N76-14463
US-PATENT-CLASS-137-516.27 ..... c15 N73-30459
US-PATENT-CLASS-137-535 ..... c15 N73-30459
US-PATENT-CLASS-137-535 ..... c05 N73-32014
US-PATENT-CLASS-137-538 ..... c05 N73-25125
US-PATENT-CLASS-137-539 ..... c15 N70-41811
US-PATENT-CLASS-137-550 ..... c37 N76-14463
US-PATENT-CLASS-137-554 ..... c09 N71-23191
US-PATENT-CLASS-137-559 ..... c11 N73-12265
US-PATENT-CLASS-137-582 ..... c32 N71-16103
US-PATENT-CLASS-137-582 ..... c32 N71-16106
US-PATENT-CLASS-137-582 ..... c15 N71-19569
US-PATENT-CLASS-137-582 ..... c15 N73-26472
US-PATENT-CLASS-137-594 ..... c12 N71-18615
US-PATENT-CLASS-137-604 ..... c15 N73-27406
US-PATENT-CLASS-137-608 ..... c15 N73-13462
US-PATENT-CLASS-137-614 ..... c15 N70-36492
US-PATENT-CLASS-137-615 ..... c12 N71-16031
US-PATENT-CLASS-137-624.14 ..... c03 N69-21469
US-PATENT-CLASS-137-625.5 ..... c15 N71-23051
US-PATENT-CLASS-137-625.69 ..... c15 N70-36908
US-PATENT-CLASS-137-628 ..... c37 N74-21065
US-PATENT-CLASS-137-819 ..... c33 N74-11050
US-PATENT-CLASS-137-833 ..... c33 N74-11050
US-PATENT-CLASS-137-840 ..... c33 N74-11050
US-PATENT-CLASS-138-4 ..... c15 N71-18580
US-PATENT-CLASS-138-42 ..... c15 N71-15608
US-PATENT-CLASS-138-43 ..... c15 N71-19213
US-PATENT-CLASS-138-45 ..... c15 N71-18580
US-PATENT-CLASS-138-45 ..... c15 N73-13462
US-PATENT-CLASS-138-46 ..... c12 N71-18615
US-PATENT-CLASS-138-113 ..... c34 N75-12222
US-PATENT-CLASS-138-114 ..... c34 N75-12222
US-PATENT-CLASS-138-119 ..... c32 N70-41579
US-PATENT-CLASS-138-148 ..... c34 N75-12222
US-PATENT-CLASS-138-178 ..... c15 N72-20445
US-PATENT-CLASS-139-425R c28 N72-11708
US-PATENT-CLASS-140-105 ..... c15 N72-12408
US-PATENT-CLASS-140-123 ..... c15 N71-15918
US-PATENT-CLASS-140-124 ..... c15 N71-10809
US-PATENT-CLASS-141-5 ..... c33 N71-20834
US-PATENT-CLASS-141-23 ..... c15 N72-21465
US-PATENT-CLASS-141-91 ..... c12 N71-21089
US-PATENT-CLASS-141-258 ..... c14 N71-27005
US-PATENT-CLASS-148-1.5 ..... c26 N71-10607
US-PATENT-CLASS-148-1.5 ..... c26 N71-23654
US-PATENT-CLASS-148-1.5 ..... c76 N74-20329
US-PATENT-CLASS-148-2 ..... c26 N77-20201
US-PATENT-CLASS-148-6 ..... c18 N71-29040
US-PATENT-CLASS-148-6.3 ..... c17 N71-33408
US-PATENT-CLASS-148-6.11 ..... c15 N71-24875
US-PATENT-CLASS-148-6.16 ..... c18 N71-23047
US-PATENT-CLASS-148-6.20 ..... c17 N71-23828
US-PATENT-CLASS-148-11.5R c15 N73-13465
US-PATENT-CLASS-148-12.7R c26 N77-20201
US-PATENT-CLASS-148-13 ..... c14 N71-25892
US-PATENT-CLASS-148-20.3 ..... c26 N77-20201
US-PATENT-CLASS-148-32 ..... c26 N77-32279
US-PATENT-CLASS-148-32.5 ..... c17 N72-22535
US-PATENT-CLASS-148-32.5 ..... c26 N77-20201
US-PATENT-CLASS-148-32.5 ..... c26 N77-32280
US-PATENT-CLASS-148-126 ..... c17 N71-24142
US-PATENT-CLASS-148-126 ..... c18 N71-26153
US-PATENT-CLASS-148-126 ..... c18 N71-28729
US-PATENT-CLASS-148-126 ..... c26 N74-10521
US-PATENT-CLASS-148-127 ..... c26 N75-29236
US-PATENT-CLASS-148-162 ..... c26 N77-20201
US-PATENT-CLASS-148-174 ..... c26 N71-29156
US-PATENT-CLASS-148-174 ..... c44 N76-28635
US-PATENT-CLASS-148-175 ..... c25 N75-26043
US-PATENT-CLASS-148-175 ..... c76 N76-25049
US-PATENT-CLASS-148-175 ..... c44 N76-28635
US-PATENT-CLASS-148-187 ..... c26 N72-17820
US-PATENT-CLASS-148-187 ..... c14 N72-28438
US-PATENT-CLASS-148-188 ..... c24 N71-10560
US-PATENT-CLASS-148-188 ..... c09 N71-12513
US-PATENT-CLASS-149-1 ..... c23 N71-16212
US-PATENT-CLASS-149-1 ..... c06 N73-30097
US-PATENT-CLASS-149-2 ..... c12 N70-40124
US-PATENT-CLASS-149-17 ..... c28 N74-33209
US-PATENT-CLASS-149-19 ..... c27 N71-14090
US-PATENT-CLASS-149-19 ..... c27 N72-25699
US-PATENT-CLASS-149-19 ..... c27 N73-16764
US-PATENT-CLASS-149-20 ..... c27 N72-25699
US-PATENT-CLASS-149-36 ..... c27 N72-25699
US-PATENT-CLASS-149-36 ..... c27 N73-16764
US-PATENT-CLASS-149-36 ..... c06 N73-30097
US-PATENT-CLASS-149-36 ..... c24 N76-14203
US-PATENT-CLASS-149-60 ..... c28 N74-33209
US-PATENT-CLASS-149-76 ..... c28 N74-33209
US-PATENT-CLASS-149-92 ..... c27 N72-25699
US-PATENT-CLASS-149-109 ..... c27 N70-41897
US-PATENT-CLASS-152-11 ..... c31 N71-18611
US-PATENT-CLASS-152-225 ..... c15 N71-27091
US-PATENT-CLASS-152-250 ..... c15 N71-27091
US-PATENT-CLASS-156-DIG.62 ..... c76 N77-32919
US-PATENT-CLASS-156-3 ..... c17 N71-16044
US-PATENT-CLASS-156-3 ..... c15 N71-21404
US-PATENT-CLASS-156-3 ..... c15 N71-24047
US-PATENT-CLASS-156-3 ..... c06 N72-21094
US-PATENT-CLASS-156-7 ..... c74 N75-12732
US-PATENT-CLASS-156-16 ..... c74 N75-12732
US-PATENT-CLASS-156-18 ..... c26 N73-26752
US-PATENT-CLASS-156-18 ..... c74 N75-12732
US-PATENT-CLASS-156-60 ..... c15 N71-22713
US-PATENT-CLASS-156-66 ..... c15 N72-11392
US-PATENT-CLASS-156-84 ..... c15 N72-16330
US-PATENT-CLASS-156-86 ..... c15 N72-16330
US-PATENT-CLASS-156-89 ..... c37 N75-15992
US-PATENT-CLASS-156-94 ..... c32 N74-27612
US-PATENT-CLASS-156-94 ..... c24 N74-30001
US-PATENT-CLASS-156-99 ..... c37 N75-15992
US-PATENT-CLASS-156-172 ..... c15 N71-17651
US-PATENT-CLASS-156-212 ..... c03 N71-26726
US-PATENT-CLASS-156-218 ..... c54 N74-32546
US-PATENT-CLASS-156-229 ..... c24 N77-28225
US-PATENT-CLASS-156-242 ..... c15 N69-24322
US-PATENT-CLASS-156-242 ..... c37 N76-24575
US-PATENT-CLASS-156-245 ..... c31 N74-18089
US-PATENT-CLASS-156-247 ..... c31 N74-18089
US-PATENT-CLASS-156-250 ..... c03 N72-25019
US-PATENT-CLASS-156-264 ..... c05 N72-25121
US-PATENT-CLASS-156-285 ..... c15 N71-23052
US-PATENT-CLASS-156-285 ..... c18 N73-30532
US-PATENT-CLASS-156-285 ..... c31 N74-18089
US-PATENT-CLASS-156-285 ..... c24 N74-27035
US-PATENT-CLASS-156-286 ..... c37 N76-21554
US-PATENT-CLASS-156-286 ..... c37 N76-24575
US-PATENT-CLASS-156-308 ..... c05 N72-25121
US-PATENT-CLASS-156-309 ..... c31 N74-18089
US-PATENT-CLASS-156-320 ..... c15 N72-11392
US-PATENT-CLASS-156-331 ..... c37 N74-18126
US-PATENT-CLASS-156-345 ..... c15 N70-42033
US-PATENT-CLASS-156-382 ..... c37 N76-21554
US-PATENT-CLASS-156-510 ..... c15 N71-17687
US-PATENT-CLASS-156-510 ..... c03 N72-25019
US-PATENT-CLASS-156-545 ..... c15 N71-24164
US-PATENT-CLASS-156-556 ..... c37 N76-21554
US-PATENT-CLASS-156-601 ..... c76 N77-32919
US-PATENT-CLASS-156-610 ..... c76 N76-25049
US-PATENT-CLASS-156-612 ..... c76 N76-25049
US-PATENT-CLASS-156-612 ..... c44 N76-28635
US-PATENT-CLASS-156-613 ..... c76 N76-25049
US-PATENT-CLASS-156-613 ..... c44 N76-28635
US-PATENT-CLASS-156-614 ..... c44 N76-28635
US-PATENT-CLASS-156-619 ..... c76 N77-32919
US-PATENT-CLASS-156-620 ..... c76 N77-32919
US-PATENT-CLASS-156-645 ..... c27 N77-32308
US-PATENT-CLASS-156-663 ..... c27 N77-32308
US-PATENT-CLASS-161-7 ..... c18 N72-25540
US-PATENT-CLASS-161-7 ..... c18 N72-25541
US-PATENT-CLASS-161-42 ..... c37 N74-18126
US-PATENT-CLASS-161-43 ..... c37 N74-18126
US-PATENT-CLASS-161-67 ..... c33 N72-17947
US-PATENT-CLASS-161-68 ..... c18 N71-21651
US-PATENT-CLASS-161-68 ..... c18 N72-25540
US-PATENT-CLASS-161-68 ..... c18 N72-25541
US-PATENT-CLASS-161-69 ..... c33 N71-24858
US-PATENT-CLASS-161-89 ..... c17 N71-28747
US-PATENT-CLASS-161-92 ..... c37 N75-26371

US-PATENT-CLASS-161-93 ..... c18 N73-12604
US-PATENT-CLASS-161-93 ..... c37 N74-18126
US-PATENT-CLASS-161-93 ..... c37 N75-26371
US-PATENT-CLASS-161-115 ..... c18 N70-41583
US-PATENT-CLASS-161-116 ..... c37 N74-23064
US-PATENT-CLASS-161-127 ..... c18 N72-25540
US-PATENT-CLASS-161-127 ..... c18 N72-25541
US-PATENT-CLASS-161-161 ..... c33 N71-25351
US-PATENT-CLASS-161-182 ..... c15 N69-39735
US-PATENT-CLASS-161-182 ..... c37 N74-18126
US-PATENT-CLASS-161-189 ..... c23 N71-15978
US-PATENT-CLASS-161-192 ..... c37 N74-18126
US-PATENT-CLASS-161-196 ..... c37 N74-21063
US-PATENT-CLASS-161-214 ..... c06 N73-27980
US-PATENT-CLASS-161-227 ..... c06 N73-27980
US-PATENT-CLASS-162-102 ..... c24 N76-14204
US-PATENT-CLASS-162-153 ..... c24 N76-14204
US-PATENT-CLASS-162-222 ..... c24 N76-14204
US-PATENT-CLASS-162-228 ..... c24 N76-14204
US-PATENT-CLASS-164-60 ..... c24 N77-27187
US-PATENT-CLASS-164-132 ..... c37 N76-23570
US-PATENT-CLASS-165-1 ..... c09 N70-41717
US-PATENT-CLASS-165-1 ..... c34 N75-12222
US-PATENT-CLASS-165-2 ..... c33 N71-24876
US-PATENT-CLASS-165-2 ..... c35 N74-15093
US-PATENT-CLASS-165-2 ..... c44 N77-32581
US-PATENT-CLASS-165-3 ..... c03 N72-28025
US-PATENT-CLASS-165-10 ..... c44 N76-31667
US-PATENT-CLASS-165-12 ..... c33 N71-24276
US-PATENT-CLASS-165-20 ..... c03 N72-28025
US-PATENT-CLASS-165-32 ..... c31 N73-30829
US-PATENT-CLASS-165-32 ..... c33 N73-32818
US-PATENT-CLASS-165-44 ..... c15 N71-26611
US-PATENT-CLASS-165-46 ..... c05 N71-19439
US-PATENT-CLASS-165-46 ..... c05 N71-24147
US-PATENT-CLASS-165-46 ..... c05 N73-20137
US-PATENT-CLASS-165-46 ..... c05 N73-26071
US-PATENT-CLASS-165-47 ..... c33 N71-29052
US-PATENT-CLASS-165-47 ..... c31 N73-30829
US-PATENT-CLASS-165-47 ..... c34 N75-12222
US-PATENT-CLASS-165-86 ..... c15 N71-26611
US-PATENT-CLASS-165-86 ..... c33 N71-29046
US-PATENT-CLASS-165-96 ..... c33 N70-36847
US-PATENT-CLASS-165-96 ..... c33 N71-22890
US-PATENT-CLASS-165-96 ..... c31 N73-30829
US-PATENT-CLASS-165-96 ..... c33 N73-32818
US-PATENT-CLASS-165-104 ..... c33 N71-25353
US-PATENT-CLASS-165-105 ..... c09 N71-24807
US-PATENT-CLASS-165-105 ..... c33 N71-25353
US-PATENT-CLASS-165-105 ..... c33 N72-17948
US-PATENT-CLASS-165-105 ..... c31 N73-30829
US-PATENT-CLASS-165-105 ..... c28 N73-32606
US-PATENT-CLASS-165-105 ..... c34 N74-18552
US-PATENT-CLASS-165-105 ..... c34 N75-12222
US-PATENT-CLASS-165-105 ..... c44 N75-32581
US-PATENT-CLASS-165-105 ..... c44 N76-16612
US-PATENT-CLASS-165-105 ..... c34 N76-17317
US-PATENT-CLASS-165-105 ..... c34 N76-27515
US-PATENT-CLASS-165-105 ..... c34 N77-32413
US-PATENT-CLASS-165-106 ..... c33 N73-32818
US-PATENT-CLASS-165-106 ..... c34 N76-17317
US-PATENT-CLASS-165-107 ..... c09 N71-24807
US-PATENT-CLASS-165-107 ..... c44 N77-32581
US-PATENT-CLASS-165-109 ..... c35 N74-15093
US-PATENT-CLASS-165-110 ..... c77 N75-20139
US-PATENT-CLASS-165-111 ..... c77 N75-20139
US-PATENT-CLASS-165-133 ..... c33 N71-16277
US-PATENT-CLASS-165-133 ..... c33 N71-25353
US-PATENT-CLASS-165-133 ..... c33 N72-20915
US-PATENT-CLASS-165-133 ..... c44 N76-23675
US-PATENT-CLASS-165-138 ..... c09 N71-24807
US-PATENT-CLASS-165-141 ..... c28 N73-32606
US-PATENT-CLASS-165-155 ..... c33 N72-20915
US-PATENT-CLASS-165-158 ..... c33 N72-20915
US-PATENT-CLASS-165-161 ..... c33 N72-20915
US-PATENT-CLASS-165-164 ..... c34 N77-10463
US-PATENT-CLASS-165-166 ..... c54 N77-32722
US-PATENT-CLASS-165-170 ..... c34 N77-10463
US-PATENT-CLASS-165-174 ..... c33 N72-20915
US-PATENT-CLASS-165-185 ..... c28 N73-32606
US-PATENT-CLASS-169-28 ..... c12 N72-21310
US-PATENT-CLASS-169-36 ..... c12 N72-21310
US-PATENT-CLASS-173-131 ..... c15 N73-13463
US-PATENT-CLASS-173-132 ..... c37 N76-18454
US-PATENT-CLASS-174-DIG.6 ..... c26 N73-26752
US-PATENT-CLASS-174-DIG.6 ..... c26 N73-32571
US-PATENT-CLASS-174-DIG.8 ..... c33 N74-22865
US-PATENT-CLASS-174-15C c33 N74-27683
US-PATENT-CLASS-174-18 ..... c09 N69-21542
US-PATENT-CLASS-174-28 ..... c07 N71-27191
US-PATENT-CLASS-174-28 ..... c33 N74-27683
US-PATENT-CLASS-174-35 ..... c07 N71-19436
US-PATENT-CLASS-174-36 ..... c09 N72-22198
US-PATENT-CLASS-174-52S c15 N73-14469
US-PATENT-CLASS-174-68.5 ..... c15 N70-41960
US-PATENT-CLASS-174-69 ..... c33 N74-22865
US-PATENT-CLASS-174-70R c33 N74-22865
US-PATENT-CLASS-174-72 ..... c03 N69-21539
US-PATENT-CLASS-174-84 ..... c15 N72-17455
US-PATENT-CLASS-174-106R c09 N72-22198
US-PATENT-CLASS-174-110.3 ..... c14 N71-27186
US-PATENT-CLASS-174-111 ..... c33 N74-27683
US-PATENT-CLASS-174-115 ..... c09 N70-38201
US-PATENT-CLASS-174-117FF c09 N72-22198
US-PATENT-CLASS-174-126CP c26 N73-32571
US-PATENT-CLASS-174-145 ..... c33 N76-16332
US-PATENT-CLASS-174-148 ..... c33 N76-16332
US-PATENT-CLASS-175-26 ..... c15 N73-32362
US-PATENT-CLASS-175-310 ..... c15 N70-42034
US-PATENT-CLASS-175-323 ..... c14 N69-21923
US-PATENT-CLASS-176-3 ..... c75 N75-13625
US-PATENT-CLASS-176-11 ..... c24 N72-33681
US-PATENT-CLASS-176-11 ..... c25 N76-27383
US-PATENT-CLASS-176-11 ..... c25 N76-29379
US-PATENT-CLASS-176-14 ..... c25 N76-29379
US-PATENT-CLASS-176-16 ..... c25 N76-27383
US-PATENT-CLASS-176-16 ..... c25 N76-29379
US-PATENT-CLASS-176-19 ..... c14 N70-34669
US-PATENT-CLASS-176-19 ..... c14 N70-36808
US-PATENT-CLASS-176-35 ..... c22 N70-34501
US-PATENT-CLASS-176-45 ..... c22 N71-28759
US-PATENT-CLASS-176-52 ..... c22 N70-34572
US-PATENT-CLASS-176-86G c22 N72-20597
US-PATENT-CLASS-176-169 ..... c22 N73-32528
US-PATENT-CLASS-177-1 ..... c35 N77-19385
US-PATENT-CLASS-177-200 ..... c35 N74-26945
US-PATENT-CLASS-177-208 ..... c35 N77-19385
US-PATENT-CLASS-177-210 ..... c14 N71-10773
US-PATENT-CLASS-177-211 ..... c35 N74-26945
US-PATENT-CLASS-177-246 ..... c35 N74-26945
US-PATENT-CLASS-178-DIG.1 ..... c36 N74-20009
US-PATENT-CLASS-178-DIG.1 ..... c33 N75-30431
US-PATENT-CLASS-178-DIG.1 ..... c45 N76-17656
US-PATENT-CLASS-178-DIG.6 ..... c10 N73-13235
US-PATENT-CLASS-178-DIG.8 ..... c14 N72-25412
US-PATENT-CLASS-178-DIG.8 ..... c45 N76-17656
US-PATENT-CLASS-178-DIG.12 ..... c07 N72-12081
US-PATENT-CLASS-178-DIG.12 ..... c32 N75-21485
US-PATENT-CLASS-178-DIG.20 ..... c23 N72-27728
US-PATENT-CLASS-178-DIG.20 ..... c35 N75-19613
US-PATENT-CLASS-178-DIG.20 ..... c18 N76-14186
US-PATENT-CLASS-178-DIG.21 ..... c16 N72-13437
US-PATENT-CLASS-178-DIG.23 ..... c07 N73-30115
US-PATENT-CLASS-178-DIG.25 ..... c74 N75-25706
US-PATENT-CLASS-178-DIG.28 ..... c08 N72-22164
US-PATENT-CLASS-178-DIG.29 ..... c35 N75-25123
US-PATENT-CLASS-178-DIG.32 ..... c71 N74-21014
US-PATENT-CLASS-178-DIG.35 ..... c09 N76-24280
US-PATENT-CLASS-178-DIG.36 ..... c08 N72-22164
US-PATENT-CLASS-178-5.2R c09 N71-28618
US-PATENT-CLASS-178-5.2R c07 N72-17109
US-PATENT-CLASS-178-5.4 ..... c07 N72-17109
US-PATENT-CLASS-178-5.8R c71 N74-21014
US-PATENT-CLASS-178-6 ..... c07 N71-19433
US-PATENT-CLASS-178-6 ..... c09 N71-19449
US-PATENT-CLASS-178-6 ..... c07 N71-23026
US-PATENT-CLASS-178-6 ..... c07 N71-26579
US-PATENT-CLASS-178-6 ..... c07 N72-12081
US-PATENT-CLASS-178-6 ..... c16 N72-13437
US-PATENT-CLASS-178-6 ..... c10 N73-13235
US-PATENT-CLASS-178-6 ..... c36 N74-20009
US-PATENT-CLASS-178-6.5 ..... c23 N72-27728
US-PATENT-CLASS-178-6.6 ..... c07 N71-11300
US-PATENT-CLASS-178-6.6 ..... c07 N71-26102
US-PATENT-CLASS-178-6.6DD c07 N73-30115
US-PATENT-CLASS-178-6.6DD c35 N74-11283
US-PATENT-CLASS-178-6.7 ..... c07 N72-17109
US-PATENT-CLASS-178-6.7R c35 N74-15831
US-PATENT-CLASS-178-6.8 ..... c08 N72-22164
US-PATENT-CLASS-178-6.8 ..... c14 N72-25412
US-PATENT-CLASS-178-6.8 ..... c07 N73-30115
US-PATENT-CLASS-178-6.8 ..... c33 N75-30431
US-PATENT-CLASS-178-6.8 ..... c45 N76-17656
US-PATENT-CLASS-178-7.1 ..... c07 N71-24612
US-PATENT-CLASS-178-7.1 ..... c07 N71-27341
US-PATENT-CLASS-178-7.1 ..... c09 N72-17156
US-PATENT-CLASS-178-7.1 ..... c32 N74-19790
US-PATENT-CLASS-178-7.1 ..... c36 N75-19652

US-PATENT-CLASS-178-7.2 ..... c14 N70-41807
US-PATENT-CLASS-178-7.2 ..... c71 N74-21014
US-PATENT-CLASS-178-7.2 ..... c35 N75-25123
US-PATENT-CLASS-178-7.2R c08 N72-22164
US-PATENT-CLASS-178-7.3 ..... c07 N71-27341
US-PATENT-CLASS-178-7.3 ..... c07 N72-12081
US-PATENT-CLASS-178-7.5E c10 N72-31273
US-PATENT-CLASS-178-7.6 ..... c36 N74-20009
US-PATENT-CLASS-178-7.7 ..... c09 N71-12539
US-PATENT-CLASS-178-7.7 ..... c32 N74-20813
US-PATENT-CLASS-178-7.89 ..... c09 N76-24280
US-PATENT-CLASS-178-7.92 ..... c14 N72-25414
US-PATENT-CLASS-178-15 ..... c33 N75-19517
US-PATENT-CLASS-178-18 ..... c10 N73-32143
US-PATENT-CLASS-178-50 ..... c08 N72-18184
US-PATENT-CLASS-178-50 ..... c08 N72-25208
US-PATENT-CLASS-178-52 ..... c08 N72-22162
US-PATENT-CLASS-178-54CF c09 N71-28618
US-PATENT-CLASS-178-54PE c09 N71-28618
US-PATENT-CLASS-178-58A c32 N75-21486
US-PATENT-CLASS-178-66 ..... c09 N71-25866
US-PATENT-CLASS-178-66 ..... c08 N72-18184
US-PATENT-CLASS-178-66R c32 N75-24981
US-PATENT-CLASS-178-67 ..... c08 N70-41961
US-PATENT-CLASS-178-67 ..... c32 N74-26654
US-PATENT-CLASS-178-69.4R c32 N74-10132
US-PATENT-CLASS-178-69.5 ..... c07 N71-11281
US-PATENT-CLASS-178-69.5 ..... c10 N71-19468
US-PATENT-CLASS-178-69.5 ..... c10 N71-25865
US-PATENT-CLASS-178-69.5 ..... c10 N71-33407
US-PATENT-CLASS-178-69.5 ..... c07 N72-25173
US-PATENT-CLASS-178-69.5 ..... c07 N73-13149
US-PATENT-CLASS-178-69.5 ..... c09 N73-28084
US-PATENT-CLASS-178-69.5 ..... c17 N76-22245
US-PATENT-CLASS-178-69.5R c07 N72-20140
US-PATENT-CLASS-178-69.5R c32 N75-26195
US-PATENT-CLASS-178-69.5R c33 N76-14371
US-PATENT-CLASS-178-69.5R c60 N77-19760
US-PATENT-CLASS-178-69A c35 N75-21582
US-PATENT-CLASS-178-69C c32 N76-16249
US-PATENT-CLASS-178-79 ..... c32 N75-21486
US-PATENT-CLASS-178-88 ..... c07 N71-12392
US-PATENT-CLASS-178-88 ..... c33 N74-12887
US-PATENT-CLASS-178-88 ..... c32 N74-20809
US-PATENT-CLASS-178-88 ..... c33 N74-27705
US-PATENT-CLASS-178-88 ..... c33 N76-14371
US-PATENT-CLASS-178-88 ..... c32 N76-16249
US-PATENT-CLASS-178-88 ..... c32 N77-10392
US-PATENT-CLASS-178-88 ..... c32 N77-24331
US-PATENT-CLASS-179-1 ..... c07 N71-26181
US-PATENT-CLASS-179-1 ..... c31 N71-33160
US-PATENT-CLASS-179-1P c10 N73-12244
US-PATENT-CLASS-179-1R c07 N71-33108
US-PATENT-CLASS-179-1SA c10 N73-25240
US-PATENT-CLASS-179-1SA c32 N76-31372
US-PATENT-CLASS-179-1SA c32 N77-30309
US-PATENT-CLASS-179-1SP c32 N77-30309
US-PATENT-CLASS-179-1VC c07 N71-33108
US-PATENT-CLASS-179-15 ..... c07 N69-39978
US-PATENT-CLASS-179-15 ..... c07 N71-20814
US-PATENT-CLASS-179-15 ..... c07 N71-24621
US-PATENT-CLASS-179-15 ..... c07 N71-24622
US-PATENT-CLASS-179-15 ..... c08 N72-18184
US-PATENT-CLASS-179-15.55E c08 N72-11171
US-PATENT-CLASS-179-15.55E c08 N72-33172
US-PATENT-CLASS-179-15A c08 N72-22162
US-PATENT-CLASS-179-15A c07 N73-26118
US-PATENT-CLASS-179-15AN c07 N73-16121
US-PATENT-CLASS-179-15AT c32 N74-30524
US-PATENT-CLASS-179-15BA c60 N77-12721
US-PATENT-CLASS-179-15BC c08 N72-25208
US-PATENT-CLASS-179-15BC c07 N73-16121
US-PATENT-CLASS-179-15BC c32 N74-30523
US-PATENT-CLASS-179-15BC c33 N75-26243
US-PATENT-CLASS-179-15BL c08 N72-22162
US-PATENT-CLASS-179-15BM c07 N73-26118
US-PATENT-CLASS-179-15BS c10 N71-33407
US-PATENT-CLASS-179-15BS c07 N72-20140
US-PATENT-CLASS-179-15BS c07 N73-30115
US-PATENT-CLASS-179-15BS c32 N75-26195
US-PATENT-CLASS-179-15BS c60 N77-19760
US-PATENT-CLASS-179-15BV c07 N72-25172
US-PATENT-CLASS-179-15BY c32 N74-30524
US-PATENT-CLASS-179-15FD c08 N72-25208
US-PATENT-CLASS-179-15FS c07 N73-28012
US-PATENT-CLASS-179-100.2 ..... c09 N69-24329
US-PATENT-CLASS-179-100.2 ..... c09 N71-25866
US-PATENT-CLASS-179-100.2 ..... c08 N71-27210
US-PATENT-CLASS-179-100.2 ..... c08 N71-27255

US-PATENT-CLASS-179-100.2A c21 N73-13644
US-PATENT-CLASS-179-100.2A c32 N74-27612
US-PATENT-CLASS-179-100.2B c32 N74-27612
US-PATENT-CLASS-179-100.2C c35 N77-21392
US-PATENT-CLASS-179-100.2CH c36 N74-13205
US-PATENT-CLASS-179-100.2K c07 N72-21119
US-PATENT-CLASS-179-100.2MD c35 N74-11283
US-PATENT-CLASS-179-100.2T c35 N74-11283
US-PATENT-CLASS-179-100-2CA c09 N72-11224
US-PATENT-CLASS-179-100-2MD c09 N72-11224
US-PATENT-CLASS-179-175.1A c14 N73-27379
US-PATENT-CLASS-180-6.5 ..... c11 N73-26238
US-PATENT-CLASS-180-7B c11 N73-26238
US-PATENT-CLASS-180-8A c11 N73-26238
US-PATENT-CLASS-180-9.2R c11 N73-26238
US-PATENT-CLASS-180-9.5 ..... c11 N73-26238
US-PATENT-CLASS-180-41 ..... c11 N73-26238
US-PATENT-CLASS-180-79.3 ..... c37 N74-18125
US-PATENT-CLASS-180-105E c11 N72-20244
US-PATENT-CLASS-180-118 ..... c31 N71-15689
US-PATENT-CLASS-180-121 ..... c31 N71-15689
US-PATENT-CLASS-180-125 ..... c15 N72-17451
US-PATENT-CLASS-180-127 ..... c15 N72-17451
US-PATENT-CLASS-181.5R c71 N74-31148
US-PATENT-CLASS-181-.5 ..... c11 N71-28779
US-PATENT-CLASS-181-33C c07 N74-32418
US-PATENT-CLASS-181-33F c07 N74-32418
US-PATENT-CLASS-181-33H c07 N74-32418
US-PATENT-CLASS-181-33HB c07 N74-27490
US-PATENT-CLASS-181-33HC c07 N74-33218
US-PATENT-CLASS-181-33HC c07 N76-18117
US-PATENT-CLASS-181-33L c07 N74-32418
US-PATENT-CLASS-181-42 ..... c07 N74-32418
US-PATENT-CLASS-181-43 ..... c07 N74-15453
US-PATENT-CLASS-181-52 ..... c28 N70-41582
US-PATENT-CLASS-182-5 ..... c15 N73-25512
US-PATENT-CLASS-182-10 ..... c15 N71-27067
US-PATENT-CLASS-182-178 ..... c39 N76-31562
US-PATENT-CLASS-182-191 ..... c05 N71-11199
US-PATENT-CLASS-184-1 ..... c15 N71-23048
US-PATENT-CLASS-187-1 ..... c15 N72-25453
US-PATENT-CLASS-187-7.1 ..... c07 N71-24742
US-PATENT-CLASS-187-20 ..... c15 N72-25453
US-PATENT-CLASS-187-95 ..... c15 N72-25453
US-PATENT-CLASS-188-1 ..... c15 N70-34861
US-PATENT-CLASS-188-1 ..... c15 N70-38601
US-PATENT-CLASS-188-1 ..... c15 N70-40354
US-PATENT-CLASS-188-1 ..... c14 N71-17626
US-PATENT-CLASS-188-1 ..... c15 N71-22877
US-PATENT-CLASS-188-1 ..... c14 N71-23092
US-PATENT-CLASS-188-1 ..... c15 N71-26243
US-PATENT-CLASS-188-1 ..... c15 N71-27146
US-PATENT-CLASS-188-1 ..... c15 N71-27169
US-PATENT-CLASS-188-1B c15 N72-20443
US-PATENT-CLASS-188-1E c19 N76-22284
US-PATENT-CLASS-188-1C c15 N72-17450
US-PATENT-CLASS-188-1C c15 N72-20443
US-PATENT-CLASS-188-1C c15 N73-30460
US-PATENT-CLASS-188-1C c11 N73-32152
US-PATENT-CLASS-188-65.1 ..... c15 N73-25512
US-PATENT-CLASS-188-65.5 ..... c15 N71-27067
US-PATENT-CLASS-188-87 ..... c12 N71-16894
US-PATENT-CLASS-188-88 ..... c15 N71-26611
US-PATENT-CLASS-188-103 ..... c15 N71-27146
US-PATENT-CLASS-188-129 ..... c15 N72-17450
US-PATENT-CLASS-188-163 ..... c37 N74-26976
US-PATENT-CLASS-188-171 ..... c37 N74-26976
US-PATENT-CLASS-188-266 ..... c15 N73-25513
US-PATENT-CLASS-188-268 ..... c15 N72-20443
US-PATENT-CLASS-188-291 ..... c54 N77-21844
US-PATENT-CLASS-189-36 ..... c15 N70-36987
US-PATENT-CLASS-192-43.1 ..... c15 N71-17805
US-PATENT-CLASS-195-1.8 ..... c51 N77-25769
US-PATENT-CLASS-195-28N c06 N72-25149
US-PATENT-CLASS-195-66R c06 N73-27086
US-PATENT-CLASS-195-68 ..... c04 N69-27487
US-PATENT-CLASS-195-99 ..... c06 N71-17705
US-PATENT-CLASS-195-103.5K c51 N77-22794
US-PATENT-CLASS-195-103.5R c06 N72-25149
US-PATENT-CLASS-195-103.5R c25 N75-12086
US-PATENT-CLASS-195-103.5R c35 N75-27330
US-PATENT-CLASS-195-103.5R c35 N75-33368
US-PATENT-CLASS-195-103.5R c51 N76-29891
US-PATENT-CLASS-195-103.5R c51 N77-22794
US-PATENT-CLASS-195-120 ..... c51 N75-13502
US-PATENT-CLASS-195-120 ..... c35 N75-27330
US-PATENT-CLASS-195-127 ..... c15 N72-21465
US-PATENT-CLASS-195-127 ..... c11 N72-25284
US-PATENT-CLASS-195-127 ..... c14 N72-25413

US-PATENT-CLASS-195-127 ..... c15 N73-20514
US-PATENT-CLASS-195-127 ..... c05 N73-32011
US-PATENT-CLASS-195-127 ..... c35 N75-12272
US-PATENT-CLASS-195-127 ..... c51 N75-13502
US-PATENT-CLASS-195-127 ..... c35 N75-27330
US-PATENT-CLASS-195-141 ..... c35 N75-27330
US-PATENT-CLASS-197-188 ..... c37 N77-19457
US-PATENT-CLASS-197-190 ..... c37 N77-19457
US-PATENT-CLASS-200-6 ..... c10 N71-15909
US-PATENT-CLASS-200-6 ..... c09 N71-16089
US-PATENT-CLASS-200-19 ..... c09 N70-39915
US-PATENT-CLASS-200-39 ..... c03 N70-38713
US-PATENT-CLASS-200-61.42 ..... c09 N71-12518
US-PATENT-CLASS-200-61.45 ..... c14 N70-41812
US-PATENT-CLASS-200-64 ..... c15 N72-17455
US-PATENT-CLASS-200-81.9M c09 N72-20199
US-PATENT-CLASS-200-81R c09 N72-22204
US-PATENT-CLASS-200-82 ..... c10 N71-23663
US-PATENT-CLASS-200-82C c09 N72-22204
US-PATENT-CLASS-200-83N c35 N75-15931
US-PATENT-CLASS-200-129 ..... c33 N75-27249
US-PATENT-CLASS-200-152 ..... c09 N71-19610
US-PATENT-CLASS-202-182 ..... c05 N71-11207
US-PATENT-CLASS-202-234 ..... c15 N71-23086
US-PATENT-CLASS-204-DIG.11 ..... c25 N77-32255
US-PATENT-CLASS-204-9 ..... c20 N74-32919
US-PATENT-CLASS-204-9 ..... c24 N77-19171
US-PATENT-CLASS-204-16 ..... c24 N77-19171
US-PATENT-CLASS-204-20 ..... c18 N71-16210
US-PATENT-CLASS-204-30 ..... c09 N71-28691
US-PATENT-CLASS-204-32A c33 N77-26385
US-PATENT-CLASS-204-32R c44 N76-14595
US-PATENT-CLASS-204-33 ..... c17 N71-25903
US-PATENT-CLASS-204-33 ..... c44 N76-14595
US-PATENT-CLASS-204-37 ..... c33 N71-29151
US-PATENT-CLASS-204-38 ..... c17 N71-24830
US-PATENT-CLASS-204-38A c44 N76-14595
US-PATENT-CLASS-204-40 ..... c44 N76-14595
US-PATENT-CLASS-204-40 ..... c24 N77-19171
US-PATENT-CLASS-204-42 ..... c44 N76-14595
US-PATENT-CLASS-204-49 ..... c15 N72-25452
US-PATENT-CLASS-204-49 ..... c44 N76-14595
US-PATENT-CLASS-204-59 ..... c15 N72-21466
US-PATENT-CLASS-204-130 ..... c15 N72-21466
US-PATENT-CLASS-204-157.1H c25 N74-30502
US-PATENT-CLASS-204-157.1R c37 N76-18458
US-PATENT-CLASS-204-157.1R c25 N77-32255
US-PATENT-CLASS-204-157.1R c44 N77-32580
US-PATENT-CLASS-204-157.18AG c15 N72-25452
US-PATENT-CLASS-204-158R c25 N77-32255
US-PATENT-CLASS-204-162R c25 N77-32255
US-PATENT-CLASS-204-168 ..... c24 N71-25555
US-PATENT-CLASS-204-177 ..... c25 N75-12087
US-PATENT-CLASS-204-180R c25 N74-26948
US-PATENT-CLASS-204-180R c34 N74-27744
US-PATENT-CLASS-204-192 ..... c15 N73-12487
US-PATENT-CLASS-204-192 ..... c17 N73-24569
US-PATENT-CLASS-204-192 ..... c27 N74-13270
US-PATENT-CLASS-204-192 ..... c20 N74-31269
US-PATENT-CLASS-204-192 ..... c37 N75-19684
US-PATENT-CLASS-204-192 ..... c44 N77-14580
US-PATENT-CLASS-204-195 ..... c14 N71-17575
US-PATENT-CLASS-204-195R c33 N76-19339
US-PATENT-CLASS-204-222 ..... c31 N74-23065
US-PATENT-CLASS-204-242 ..... c33 N75-27252
US-PATENT-CLASS-204-263 ..... c14 N71-28933
US-PATENT-CLASS-204-267 ..... c33 N75-27252
US-PATENT-CLASS-204-279 ..... c33 N75-27252
US-PATENT-CLASS-204-286 ..... c33 N75-27252
US-PATENT-CLASS-204-290R c33 N75-27252
US-PATENT-CLASS-204-298 ..... c15 N70-34967
US-PATENT-CLASS-204-298 ..... c09 N71-26701
US-PATENT-CLASS-204-298 ..... c15 N72-32487
US-PATENT-CLASS-204-298 ..... c37 N75-19684
US-PATENT-CLASS-204-299 ..... c34 N74-27744
US-PATENT-CLASS-204-305 ..... c03 N71-24718
US-PATENT-CLASS-204-324 ..... c33 N73-16918
US-PATENT-CLASS-204-325 ..... c33 N73-16918
US-PATENT-CLASS-204-328 ..... c33 N73-16918
US-PATENT-CLASS-205-343 ..... c35 N75-30502
US-PATENT-CLASS-209-10 ..... c15 N71-20440
US-PATENT-CLASS-209-127R c35 N76-22509
US-PATENT-CLASS-209-250 ..... c37 N76-18456
US-PATENT-CLASS-209-300 ..... c37 N76-18456
US-PATENT-CLASS-209-305 ..... c37 N76-18456
US-PATENT-CLASS-209-349 ..... c15 N72-22483
US-PATENT-CLASS-210-DIG.27 ..... c27 N77-31308
US-PATENT-CLASS-210-24 ..... c27 N77-30236
US-PATENT-CLASS-210-40 ..... c27 N77-31308

US-PATENT-CLASS-210-82 ..... c34 N75-33342
US-PATENT-CLASS-210-103 ..... c05 N72-27102
US-PATENT-CLASS-210-104 ..... c05 N72-27102
US-PATENT-CLASS-210-110 ..... c05 N72-27102
US-PATENT-CLASS-210-137 ..... c05 N72-27102
US-PATENT-CLASS-210-188 ..... c12 N72-25292
US-PATENT-CLASS-210-212 ..... c03 N72-20033
US-PATENT-CLASS-210-234 ..... c34 N75-33342
US-PATENT-CLASS-210-259 ..... c34 N75-33342
US-PATENT-CLASS-210-304 ..... c34 N75-33342
US-PATENT-CLASS-210-314 ..... c28 N70-41447
US-PATENT-CLASS-210-333 ..... c34 N75-33342
US-PATENT-CLASS-210-340 ..... c34 N75-33342
US-PATENT-CLASS-210-411 ..... c34 N75-33342
US-PATENT-CLASS-210-425 ..... c34 N75-33342
US-PATENT-CLASS-210-429 ..... c37 N76-14463
US-PATENT-CLASS-210-445 ..... c15 N72-11389
US-PATENT-CLASS-210-500 ..... c25 N75-12087
US-PATENT-CLASS-210-512 ..... c34 N75-33342
US-PATENT-CLASS-212-11 ..... c32 N71-17609
US-PATENT-CLASS-212-134 ..... c15 N72-11388
US-PATENT-CLASS-213-81 ..... c37 N77-23483
US-PATENT-CLASS-214-1CM c37 N76-15460
US-PATENT-CLASS-214-1 ..... c32 N70-41367
US-PATENT-CLASS-214-1B c54 N75-27758
US-PATENT-CLASS-214-1BC c54 N77-32721
US-PATENT-CLASS-214-1CM c15 N72-28495
US-PATENT-CLASS-214-1CM c54 N75-12616
US-PATENT-CLASS-214-1CM c18 N75-27041
US-PATENT-CLASS-214-1CM c54 N75-27758
US-PATENT-CLASS-214-1CM c37 N77-23483
US-PATENT-CLASS-214-1CM c54 N77-32721
US-PATENT-CLASS-214-1R c37 N76-15457
US-PATENT-CLASS-214-16.1CB c37 N77-22480
US-PATENT-CLASS-214-90R c03 N72-25021
US-PATENT-CLASS-215-247 ..... c33 N76-19339
US-PATENT-CLASS-219-10.49 ..... c11 N71-15925
US-PATENT-CLASS-219-19 ..... c33 N70-34812
US-PATENT-CLASS-219-34 ..... c09 N70-33312
US-PATENT-CLASS-219-50 ..... c14 N73-26430
US-PATENT-CLASS-219-62 ..... c15 N73-28515
US-PATENT-CLASS-219-72 ..... c15 N71-14932
US-PATENT-CLASS-219-78 ..... c37 N74-11300
US-PATENT-CLASS-219-85 ..... c15 N72-22491
US-PATENT-CLASS-219-85 ..... c15 N72-23497
US-PATENT-CLASS-219-91 ..... c15 N71-18613
US-PATENT-CLASS-219-91 ..... c15 N73-32358
US-PATENT-CLASS-219-92 ..... c37 N76-27568
US-PATENT-CLASS-219-92 ..... c37 N77-11397
US-PATENT-CLASS-219-101 ..... c37 N74-11300
US-PATENT-CLASS-219-107 ..... c15 N73-28515
US-PATENT-CLASS-219-107 ..... c37 N74-11300
US-PATENT-CLASS-219-109 ..... c15 N72-23497
US-PATENT-CLASS-219-117 ..... c15 N73-32358
US-PATENT-CLASS-219-118 ..... c37 N76-27568
US-PATENT-CLASS-219-118 ..... c37 N77-11397
US-PATENT-CLASS-219-121 ..... c15 N69-21471
US-PATENT-CLASS-219-121 ..... c33 N70-34540
US-PATENT-CLASS-219-121 ..... c15 N71-19486
US-PATENT-CLASS-219-121 ..... c16 N71-20400
US-PATENT-CLASS-219-121 ..... c15 N71-27135
US-PATENT-CLASS-219-121P c15 N72-32487
US-PATENT-CLASS-219-125 ..... c15 N71-23815
US-PATENT-CLASS-219-125 ..... c37 N75-27376
US-PATENT-CLASS-219-130 ..... c15 N71-23798
US-PATENT-CLASS-219-131 ..... c15 N71-15871
US-PATENT-CLASS-219-137 ..... c15 N70-34814
US-PATENT-CLASS-219-137 ..... c37 N75-19683
US-PATENT-CLASS-219-158 ..... c15 N72-22491
US-PATENT-CLASS-219-203 ..... c11 N73-12265
US-PATENT-CLASS-219-216 ..... c35 N74-15831
US-PATENT-CLASS-219-221 ..... c15 N72-11392
US-PATENT-CLASS-219-229 ..... c15 N71-27214
US-PATENT-CLASS-219-234 ..... c15 N72-22491
US-PATENT-CLASS-219-234 ..... c15 N72-23497
US-PATENT-CLASS-219-243 ..... c15 N72-11392
US-PATENT-CLASS-219-273 ..... c15 N72-32487
US-PATENT-CLASS-219-275 ..... c15 N71-20395
US-PATENT-CLASS-219-300 ..... c37 N77-13418
US-PATENT-CLASS-219-304 ..... c37 N77-13418
US-PATENT-CLASS-219-347 ..... c15 N69-27871
US-PATENT-CLASS-219-347 ..... c33 N70-34545
US-PATENT-CLASS-219-348 ..... c15 N73-27405
US-PATENT-CLASS-219-364 ..... c33 N71-16278
US-PATENT-CLASS-219-378 ..... c33 N71-25353
US-PATENT-CLASS-219-388 ..... c35 N74-15831
US-PATENT-CLASS-219-411 ..... c17 N69-25147
US-PATENT-CLASS-219-413 ..... c14 N71-28958
US-PATENT-CLASS-219-477 ..... c33 N74-14935

US-PATENT-CLASS-219-497 ..... c77 N75-20140
US-PATENT-CLASS-219-499 ..... c14 N73-26430
US-PATENT-CLASS-219-501 ..... c77 N75-20140
US-PATENT-CLASS-219-5C5 ..... c14 N71-27058
US-PATENT-CLASS-219-5C5 ..... c77 N75-20140
US-PATENT-CLASS-219-522 ..... c11 N73-12265
US-PATENT-CLASS-219-530 ..... c33 N71-25353
US-PATENT-CLASS-219-539 ..... c33 N74-14935
US-PATENT-CLASS-220-1 ..... c31 N71-17680
US-PATENT-CLASS-220-5R c15 N72-22486
US-PATENT-CLASS-220-9 ..... c23 N71-22881
US-PATENT-CLASS-220-9 ..... c18 N71-23658
US-PATENT-CLASS-220-9 ..... c15 N71-23816
US-PATENT-CLASS-220-9 ..... c33 N71-25351
US-PATENT-CLASS-220-14 ..... c15 N69-39935
US-PATENT-CLASS-220-15 ..... c31 N71-15664
US-PATENT-CLASS-220-15 ..... c34 N75-12222
US-PATENT-CLASS-220-46 ..... c15 N71-27068
US-PATENT-CLASS-220-55 ..... c15 N69-27502
US-PATENT-CLASS-220-63 ..... c11 N70-38182
US-PATENT-CLASS-220-67 ..... c15 N71-10577
US-PATENT-CLASS-220-89 ..... c11 N71-15960
US-PATENT-CLASS-220-89 ..... c11 N71-17600
US-PATENT-CLASS-221-265 ..... c51 N74-15778
US-PATENT-CLASS-222-45 ..... c14 N70-40233
US-PATENT-CLASS-222-49 ..... c14 N71-27005
US-PATENT-CLASS-222-61 ..... c27 N71-29155
US-PATENT-CLASS-222-61 ..... c37 N77-28487
US-PATENT-CLASS-222-71 ..... c15 N72-21465
US-PATENT-CLASS-222-95 ..... c37 N77-28487
US-PATENT-CLASS-222-135 ..... c15 N72-21465
US-PATENT-CLASS-222-137 ..... c14 N71-27005
US-PATENT-CLASS-222-145 ..... c37 N76-19436
US-PATENT-CLASS-222-193 ..... c37 N74-13178
US-PATENT-CLASS-222-309 ..... c15 N72-21465
US-PATENT-CLASS-222-309 ..... c54 N74-12779
US-PATENT-CLASS-222-324 ..... c54 N74-17853
US-PATENT-CLASS-222-340 ..... c54 N74-12779
US-PATENT-CLASS-222-387 ..... c54 N74-12779
US-PATENT-CLASS-222-389 ..... c15 N70-38996
US-PATENT-CLASS-222-414 ..... c14 N73-27378
US-PATENT-CLASS-222-514 ..... c54 N74-12779
US-PATENT-CLASS-224-25 ..... c05 N71-12351
US-PATENT-CLASS-224-25A c05 N72-23085
US-PATENT-CLASS-224-444 ..... c54 N74-17853
US-PATENT-CLASS-225-1 ..... c15 N71-17628
US-PATENT-CLASS-225-2 ..... c26 N71-14354
US-PATENT-CLASS-226-58 ..... c14 N71-28935
US-PATENT-CLASS-226-190 ..... c08 N71-19420
US-PATENT-CLASS-228-1 ..... c37 N75-25185
US-PATENT-CLASS-228-7 ..... c15 N71-15607
US-PATENT-CLASS-228-8 ..... c15 N71-23050
US-PATENT-CLASS-228-9 ..... c15 N71-20393
US-PATENT-CLASS-228-50 ..... c15 N70-39924
US-PATENT-CLASS-228-50 ..... c15 N70-40204
US-PATENT-CLASS-228-53 ..... c15 N71-27214
US-PATENT-CLASS-228-57 ..... c15 N72-22491
US-PATENT-CLASS-228-124 ..... c26 N77-29260
US-PATENT-CLASS-228-190 ..... c24 N75-28135
US-PATENT-CLASS-228-190 ..... c26 N77-28265
US-PATENT-CLASS-228-193 ..... c24 N75-28135
US-PATENT-CLASS-228-193 ..... c37 N76-18455
US-PATENT-CLASS-228-194 ..... c26 N77-28265
US-PATENT-CLASS-228-206 ..... c37 N76-18455
US-PATENT-CLASS-228-214 ..... c37 N76-18455
US-PATENT-CLASS-228-232 ..... c26 N77-28265
US-PATENT-CLASS-228-238 ..... c37 N76-18455
US-PATENT-CLASS-228-263 ..... c26 N77-29260
US-PATENT-CLASS-229-DIG.11 ..... c32 N73-13921
US-PATENT-CLASS-230-54 ..... c11 N72-22245
US-PATENT-CLASS-230-162 ..... c33 N71-17610
US-PATENT-CLASS-230-221 ..... c11 N72-22245
US-PATENT-CLASS-233-DIG.1 ..... c34 N75-26282
US-PATENT-CLASS-233-6 ..... c34 N75-26282
US-PATENT-CLASS-233-11 ..... c15 N71-16079
US-PATENT-CLASS-233-20RP c34 N75-26282
US-PATENT-CLASS-233-25 ..... c34 N75-26282
US-PATENT-CLASS-233-46 ..... c34 N75-26282
US-PATENT-CLASS-235.150.27 ..... c04 N74-13420
US-PATENT-CLASS-235-10.2 ..... c08 N73-25206
US-PATENT-CLASS-235-61.6 ..... c01 N71-13411
US-PATENT-CLASS-235-61.6 ..... c15 N71-21179
US-PATENT-CLASS-235-61NV c08 N72-11172
US-PATENT-CLASS-235-61NV c35 N76-29552
US-PATENT-CLASS-235-78M c35 N76-29552
US-PATENT-CLASS-235-88M c35 N76-29552
US-PATENT-CLASS-235-92 ..... c08 N71-22897
US-PATENT-CLASS-235-92 ..... c08 N71-24891
US-PATENT-CLASS-235-92 ..... c10 N71-27137

US-PATENT-CLASS-235-92 ..... c14 N71-27215
US-PATENT-CLASS-235-92CA c33 N74-10223
US-PATENT-CLASS-235-92CA c38 N77-17495
US-PATENT-CLASS-235-92CC c08 N72-20176
US-PATENT-CLASS-235-92CT c38 N77-17495
US-PATENT-CLASS-235-92CV c08 N73-25206
US-PATENT-CLASS-235-92DE c08 N72-20176
US-PATENT-CLASS-235-92DM c08 N72-20176
US-PATENT-CLASS-235-92DM c33 N74-10223
US-PATENT-CLASS-235-92DM c33 N75-19519
US-PATENT-CLASS-235-92DN c08 N73-25206
US-PATENT-CLASS-235-92DN c38 N77-17495
US-PATENT-CLASS-235-92EA c08 N73-25206
US-PATENT-CLASS-235-92EV c08 N73-25206
US-PATENT-CLASS-235-92FQ c08 N73-20217
US-PATENT-CLASS-235-92LG c08 N72-20176
US-PATENT-CLASS-235-92LG c33 N75-19519
US-PATENT-CLASS-235-92MT c08 N72-31226
US-PATENT-CLASS-235-92MT c32 N73-26910
US-PATENT-CLASS-235-92PE c37 N74-21056
US-PATENT-CLASS-235-92R c08 N72-20176
US-PATENT-CLASS-235-92R c08 N73-20217
US-PATENT-CLASS-235-92R c08 N73-25206
US-PATENT-CLASS-235-92R c33 N75-19519
US-PATENT-CLASS-235-92R c38 N77-17495
US-PATENT-CLASS-235-92SB c37 N74-21056
US-PATENT-CLASS-235-92SH c33 N76-18473
US-PATENT-CLASS-235-92T c03 N72-25020
US-PATENT-CLASS-235-92T c08 N73-20217
US-PATENT-CLASS-235-92T c33 N75-19519
US-PATENT-CLASS-235-92VA c33 N75-19519
US-PATENT-CLASS-235-150.1 ..... c08 N71-29033
US-PATENT-CLASS-235-150.1 ..... c08 N72-31226
US-PATENT-CLASS-235-150.1 ..... c32 N77-10392
US-PATENT-CLASS-235-150.2 ..... c08 N71-29033
US-PATENT-CLASS-235-150.2 ..... c35 N77-26399
US-PATENT-CLASS-235-150.3 ..... c33 N74-10223
US-PATENT-CLASS-235-150.22 ..... c02 N71-13421
US-PATENT-CLASS-235-150.22 ..... c04 N74-13420
US-PATENT-CLASS-235-150.25 ..... c21 N71-21688
US-PATENT-CLASS-235-150.25 ..... c35 N77-20399
US-PATENT-CLASS-235-150.26 ..... c04 N74-13420
US-PATENT-CLASS-235-150.27 ..... c08 N71-29033
US-PATENT-CLASS-235-150.52 ..... c08 N72-22165
US-PATENT-CLASS-235-150.53 ..... c08 N72-22165
US-PATENT-CLASS-235-150.53 ..... c07 N73-13149
US-PATENT-CLASS-235-150.53 ..... c33 N75-26243
US-PATENT-CLASS-235-151 ..... c37 N74-21056
US-PATENT-CLASS-235-151.1 ..... c08 N71-29033
US-PATENT-CLASS-235-151.1 ..... c08 N72-31226
US-PATENT-CLASS-235-151.3 ..... c52 N74-22771
US-PATENT-CLASS-235-151.13 ..... c25 N76-18245
US-PATENT-CLASS-235-151.27 ..... c08 N73-25206
US-PATENT-CLASS-235-151.31 ..... c10 N73-25240
US-PATENT-CLASS-235-151.34 ..... c35 N76-14431
US-PATENT-CLASS-235-152 ..... c07 N71-24741
US-PATENT-CLASS-235-152 ..... c08 N72-20176
US-PATENT-CLASS-235-152 ..... c08 N72-22167
US-PATENT-CLASS-235-152 ..... c08 N72-25210
US-PATENT-CLASS-235-152 ..... c08 N73-12175
US-PATENT-CLASS-235-152 ..... c09 N73-13209
US-PATENT-CLASS-235-152 ..... c08 N73-26175
US-PATENT-CLASS-235-152 ..... c60 N77-14751
US-PATENT-CLASS-235-152IE c08 N73-32081
US-PATENT-CLASS-235-153 ..... c08 N71-24633
US-PATENT-CLASS-235-153 ..... c08 N72-22166
US-PATENT-CLASS-235-153AE c60 N76-21914
US-PATENT-CLASS-235-153AK c62 N74-14920
US-PATENT-CLASS-235-154 ..... c08 N70-34778
US-PATENT-CLASS-235-154 ..... c10 N71-23662
US-PATENT-CLASS-235-154 ..... c08 N72-18184
US-PATENT-CLASS-235-154 ..... c08 N72-25206
US-PATENT-CLASS-235-155 ..... c08 N71-24890
US-PATENT-CLASS-235-155 ..... c08 N72-21197
US-PATENT-CLASS-235-155 ..... c08 N73-12176
US-PATENT-CLASS-235-156 ..... c08 N71-18693
US-PATENT-CLASS-235-156 ..... c60 N75-13539
US-PATENT-CLASS-235-156 ..... c32 N76-21366
US-PATENT-CLASS-235-156 ..... c32 N77-10392
US-PATENT-CLASS-235-158 ..... c08 N71-19437
US-PATENT-CLASS-235-164 ..... c08 N71-33110
US-PATENT-CLASS-235-164 ..... c08 N73-26175
US-PATENT-CLASS-235-164 ..... c60 N74-20836
US-PATENT-CLASS-235-175 ..... c08 N71-18602
US-PATENT-CLASS-235-175 ..... c08 N71-33110
US-PATENT-CLASS-235-176 ..... c08 N70-34787
US-PATENT-CLASS-235-181 ..... c07 N71-21476
US-PATENT-CLASS-235-181 ..... c07 N73-13149
US-PATENT-CLASS-235-181 ..... c35 N75-21582

US-PATENT-CLASS-235-181 ..... c33 N75-26243
US-PATENT-CLASS-235-181 ..... c43 N77-10584
US-PATENT-CLASS-235-183 ..... c08 N72-22165
US-PATENT-CLASS-235-184 ..... c74 N76-18913
US-PATENT-CLASS-235-186 ..... c10 N73-26230
US-PATENT-CLASS-235-194 ..... c09 N71-19480
US-PATENT-CLASS-235-194 ..... c08 N72-22165
US-PATENT-CLASS-235-194 ..... c10 N73-26230
US-PATENT-CLASS-235-197 ..... c08 N72-22165
US-PATENT-CLASS-235-197 ..... c09 N72-23173
US-PATENT-CLASS-235-197 ..... c10 N73-20253
US-PATENT-CLASS-235-197 ..... c10 N73-26230
US-PATENT-CLASS-235-197 ..... c60 N75-13539
US-PATENT-CLASS-235-201 ..... c10 N71-25899
US-PATENT-CLASS-236-1 ..... c33 N71-16357
US-PATENT-CLASS-236-49 ..... c31 N74-27902
US-PATENT-CLASS-236-68 ..... c15 N72-12409
US-PATENT-CLASS-237-1A c44 N76-14602
US-PATENT-CLASS-237-60 ..... c34 N76-17317
US-PATENT-CLASS-238-1 ..... c05 N71-28619
US-PATENT-CLASS-238-134 ..... c85 N74-34672
US-PATENT-CLASS-239-127.1 ..... c28 N71-23968
US-PATENT-CLASS-239-127.1 ..... c28 N73-32606
US-PATENT-CLASS-239-127.3 ..... c20 N76-14191
US-PATENT-CLASS-239-171 ..... c37 N77-13418
US-PATENT-CLASS-239-265.11 ..... c18 N71-21068
US-PATENT-CLASS-239-265.11 ..... c07 N74-33218
US-PATENT-CLASS-239-265.11 ..... c07 N76-18117
US-PATENT-CLASS-239-265.17 ..... c07 N74-27490
US-PATENT-CLASS-239-265.19 ..... c28 N71-21493
US-PATENT-CLASS-239-265.19 ..... c28 N72-11708
US-PATENT-CLASS-239-265.43 ..... c28 N71-16224
US-PATENT-CLASS-239-265.43 ..... c28 N72-11708
US-PATENT-CLASS-239-416 ..... c15 N69-23185
US-PATENT-CLASS-239-416 ..... c15 N71-17654
US-PATENT-CLASS-239-418 ..... c28 N72-23809
US-PATENT-CLASS-239-424 ..... c15 N72-25455
US-PATENT-CLASS-239-433 ..... c28 N72-23809
US-PATENT-CLASS-239-543 ..... c28 N72-23809
US-PATENT-CLASS-240-1.2 ..... c11 N70-33329
US-PATENT-CLASS-240-11.2 ..... c09 N71-26787
US-PATENT-CLASS-240-11.4 ..... c09 N71-26787
US-PATENT-CLASS-240-41.35R c74 N77-21941
US-PATENT-CLASS-240-41B c36 N75-27364
US-PATENT-CLASS-240-41R c74 N77-21941
US-PATENT-CLASS-240-46.13 ..... c74 N77-21941
US-PATENT-CLASS-240-47 ..... c34 N74-23066
US-PATENT-CLASS-240-51.11 ..... c09 N71-26787
US-PATENT-CLASS-242-54 ..... c15 N72-18477
US-PATENT-CLASS-242-55.19 ..... c14 N70-41647
US-PATENT-CLASS-242-55.19 ..... c07 N71-10609
US-PATENT-CLASS-242-57 ..... c37 N77-14479
US-PATENT-CLASS-242-187 ..... c37 N77-14479
US-PATENT-CLASS-242-192 ..... c14 N71-23698
US-PATENT-CLASS-242-193 ..... c37 N77-14479
US-PATENT-CLASS-242-204 ..... c37 N77-14479
US-PATENT-CLASS-242-210 ..... c37 N77-14479
US-PATENT-CLASS-244-ISS c03 N72-20031
US-PATENT-CLASS-244-1 ..... c31 N69-27499
US-PATENT-CLASS-244-1 ..... c03 N70-33343
US-PATENT-CLASS-244-1 ..... c33 N70-33344
US-PATENT-CLASS-244-1 ..... c03 N70-34157
US-PATENT-CLASS-244-1 ..... c31 N70-34176
US-PATENT-CLASS-244-1 ..... c21 N70-34295
US-PATENT-CLASS-244-1 ..... c31 N70-34296
US-PATENT-CLASS-244-1 ..... c21 N70-35395
US-PATENT-CLASS-244-1 ..... c31 N70-36410
US-PATENT-CLASS-244-1 ..... c33 N70-36617
US-PATENT-CLASS-244-1 ..... c21 N70-36943
US-PATENT-CLASS-244-1 ..... c31 N70-37924
US-PATENT-CLASS-244-1 ..... c31 N70-37938
US-PATENT-CLASS-244-1 ..... c31 N70-37986
US-PATENT-CLASS-244-1 ..... c31 N70-38676
US-PATENT-CLASS-244-1 ..... c30 N70-40016
US-PATENT-CLASS-244-1 ..... c31 N70-41373
US-PATENT-CLASS-244-1 ..... c31 N70-41588
US-PATENT-CLASS-244-1 ..... c31 N70-41631
US-PATENT-CLASS-244-1 ..... c31 N70-41855
US-PATENT-CLASS-244-1 ..... c21 N70-41856
US-PATENT-CLASS-244-1 ..... c31 N70-42075
US-PATENT-CLASS-244-1 ..... c03 N71-11058
US-PATENT-CLASS-244-1 ..... c33 N71-14035
US-PATENT-CLASS-244-1 ..... c21 N71-14132
US-PATENT-CLASS-244-1 ..... c21 N71-14159
US-PATENT-CLASS-244-1 ..... c21 N71-15583
US-PATENT-CLASS-244-1 ..... c31 N71-15663
US-PATENT-CLASS-244-1 ..... c31 N71-15674
US-PATENT-CLASS-244-1 ..... c31 N71-15676
US-PATENT-CLASS-244-1 ..... c02 N71-16087
US-PATENT-CLASS-244-1 ..... c31 N71-16222
US-PATENT-CLASS-244-1 ..... c31 N71-16345
US-PATENT-CLASS-244-1 ..... c31 N71-16346
US-PATENT-CLASS-244-1 ..... c31 N71-17679
US-PATENT-CLASS-244-1 ..... c15 N71-17693
US-PATENT-CLASS-244-1 ..... c31 N71-17729
US-PATENT-CLASS-244-1 ..... c15 N71-19214
US-PATENT-CLASS-244-1 ..... c03 N71-20273
US-PATENT-CLASS-244-1 ..... c31 N71-20396
US-PATENT-CLASS-244-1 ..... c31 N71-21064
US-PATENT-CLASS-244-1 ..... c14 N71-21082
US-PATENT-CLASS-244-1 ..... c21 N71-21708
US-PATENT-CLASS-244-1 ..... c31 N71-21881
US-PATENT-CLASS-244-1 ..... c33 N71-22792
US-PATENT-CLASS-244-1 ..... c31 N71-22968
US-PATENT-CLASS-244-1 ..... c31 N71-22969
US-PATENT-CLASS-244-1 ..... c31 N71-23009
US-PATENT-CLASS-244-1 ..... c14 N71-23040
US-PATENT-CLASS-244-1 ..... c31 N71-23912
US-PATENT-CLASS-244-1 ..... c31 N71-24315
US-PATENT-CLASS-244-1 ..... c15 N71-24600
US-PATENT-CLASS-244-1 ..... c05 N71-24728
US-PATENT-CLASS-244-1 ..... c33 N71-25353
US-PATENT-CLASS-244-1 ..... c31 N71-25434
US-PATENT-CLASS-244-1 ..... c31 N71-26537
US-PATENT-CLASS-244-1 ..... c15 N71-26611
US-PATENT-CLASS-244-1 ..... c28 N71-27095
US-PATENT-CLASS-244-1 ..... c21 N71-27324
US-PATENT-CLASS-244-1 ..... c33 N71-28903
US-PATENT-CLASS-244-1 ..... c15 N71-28936
US-PATENT-CLASS-244-1 ..... c31 N71-29050
US-PATENT-CLASS-244-1 ..... c31 N71-33160
US-PATENT-CLASS-244-1.55 ..... c03 N73-20040
US-PATENT-CLASS-244-1A c33 N77-10429
US-PATENT-CLASS-244-1SA c21 N72-21624
US-PATENT-CLASS-244-1SA c21 N72-25595
US-PATENT-CLASS-244-1SA c03 N73-20039
US-PATENT-CLASS-244-1SA c15 N73-25513
US-PATENT-CLASS-244-1SA c21 N73-30640
US-PATENT-CLASS-244-1SA c19 N74-15089
US-PATENT-CLASS-244-1SA c35 N74-28097
US-PATENT-CLASS-244-1SB c15 N73-12486
US-PATENT-CLASS-244-1SC c31 N73-32750
US-PATENT-CLASS-244-1SC c34 N75-12222
US-PATENT-CLASS-244-1SD c31 N73-26876
US-PATENT-CLASS-244-1SD c37 N74-27903
US-PATENT-CLASS-244-1SD c15 N77-10112
US-PATENT-CLASS-244-1SS c11 N73-13257
US-PATENT-CLASS-244-1SS c03 N73-20039
US-PATENT-CLASS-244-1SS c14 N73-27378
US-PATENT-CLASS-244-1SS c31 N73-30829
US-PATENT-CLASS-244-1SS c31 N73-32750
US-PATENT-CLASS-244-1SS c33 N73-32818
US-PATENT-CLASS-244-1SS c18 N74-22136
US-PATENT-CLASS-244-1SS c18 N74-27397
US-PATENT-CLASS-244-1SS c73 N75-30876
US-PATENT-CLASS-244-3.14 ..... c31 N71-17691
US-PATENT-CLASS-244-3.16 ..... c19 N74-15089
US-PATENT-CLASS-244-3.21 ..... c30 N72-17873
US-PATENT-CLASS-244-3.21 ..... c15 N76-14158
US-PATENT-CLASS-244-3.21 ..... c15 N77-10113
US-PATENT-CLASS-244-3.21 ..... c35 N77-20399
US-PATENT-CLASS-244-3.22 ..... c31 N71-17629
US-PATENT-CLASS-244-3.22 ..... c28 N72-22769
US-PATENT-CLASS-244-3.22 ..... c20 N76-21275
US-PATENT-CLASS-244-4 ..... c05 N69-21380
US-PATENT-CLASS-244-4 ..... c05 N71-12336
US-PATENT-CLASS-244-4 ..... c28 N71-27585
US-PATENT-CLASS-244-12 ..... c02 N70-33332
US-PATENT-CLASS-244-13 ..... c01 N71-23497
US-PATENT-CLASS-244-13 ..... c02 N73-26005
US-PATENT-CLASS-244-13 ..... c05 N75-25914
US-PATENT-CLASS-244-14 ..... c14 N70-33322
US-PATENT-CLASS-244-15 ..... c05 N75-25914
US-PATENT-CLASS-244-15.5 ..... c31 N72-18859
US-PATENT-CLASS-244-16 ..... c02 N70-41863
US-PATENT-CLASS-244-17.13 ..... c02 N73-19004
US-PATENT-CLASS-244-23 ..... c02 N71-11039
US-PATENT-CLASS-244-23A c21 N72-25595
US-PATENT-CLASS-244-23D c34 N76-18364
US-PATENT-CLASS-244-31 ..... c02 N71-11037
US-PATENT-CLASS-244-31 ..... c31 N71-16081
US-PATENT-CLASS-244-31 ..... c34 N74-23039
US-PATENT-CLASS-244-32 ..... c02 N73-13008
US-PATENT-CLASS-244-35 ..... c01 N71-13410
US-PATENT-CLASS-244-35R c02 N76-22154
US-PATENT-CLASS-244-40R c02 N76-22154
US-PATENT-CLASS-244-42 ..... c02 N70-42016
US-PATENT-CLASS-244-42 ..... c02 N71-26110

US-PATENT-CLASS-244-42CG c33 N77-10429
US-PATENT-CLASS-244-42DA c05 N75-25914
US-PATENT-CLASS-244-43 ..... c02 N70-33255
US-PATENT-CLASS-244-43 ..... c02 N71-11043
US-PATENT-CLASS-244-44 ..... c02 N71-11038
US-PATENT-CLASS-244-45 ..... c02 N71-12243
US-PATENT-CLASS-244-46 ..... c02 N70-33266
US-PATENT-CLASS-244-46 ..... c02 N70-33286
US-PATENT-CLASS-244-46 ..... c02 N70-34178
US-PATENT-CLASS-244-46 ..... c02 N70-34858
US-PATENT-CLASS-244-46 ..... c31 N70-38010
US-PATENT-CLASS-244-46 ..... c02 N70-38011
US-PATENT-CLASS-244-46 ..... c02 N71-11041
US-PATENT-CLASS-244-46 ..... c02 N73-26005
US-PATENT-CLASS-244-46 ..... c05 N76-29217
US-PATENT-CLASS-244-50 ..... c02 N70-34160
US-PATENT-CLASS-244-51 ..... c02 N70-34856
US-PATENT-CLASS-244-53 ..... c28 N71-15563
US-PATENT-CLASS-244-53B c02 N74-20646
US-PATENT-CLASS-244-53B c07 N75-24736
US-PATENT-CLASS-244-53B c07 N77-18154
US-PATENT-CLASS-244-55 ..... c02 N73-26005
US-PATENT-CLASS-244-55 ..... c05 N75-25914
US-PATENT-CLASS-244-57 ..... c15 N71-26611
US-PATENT-CLASS-244-63 ..... c09 N77-19076
US-PATENT-CLASS-244-75A c02 N73-26004
US-PATENT-CLASS-244-75R c05 N75-12930
US-PATENT-CLASS-244-76 ..... c21 N70-34539
US-PATENT-CLASS-244-76 ..... c02 N71-13422
US-PATENT-CLASS-244-76 ..... c02 N71-20570
US-PATENT-CLASS-244-76C c02 N73-26004
US-PATENT-CLASS-244-77 ..... c32 N71-23971
US-PATENT-CLASS-244-77A c04 N74-13420
US-PATENT-CLASS-244-77B c04 N74-13420
US-PATENT-CLASS-244-77D c02 N73-19004
US-PATENT-CLASS-244-77F c02 N73-26004
US-PATENT-CLASS-244-77G c02 N73-26004
US-PATENT-CLASS-244-79 ..... c04 N76-26175
US-PATENT-CLASS-244-83 ..... c21 N70-33279
US-PATENT-CLASS-244-83 ..... c15 N71-23255
US-PATENT-CLASS-244-83 ..... c31 N71-33160
US-PATENT-CLASS-244-83 ..... c08 N74-10942
US-PATENT-CLASS-244-83R c05 N75-12930
US-PATENT-CLASS-244-90 ..... c02 N71-27088
US-PATENT-CLASS-244-90R c08 N74-30421
US-PATENT-CLASS-244-91 ..... c08 N74-30421
US-PATENT-CLASS-244-100 ..... c15 N70-34850
US-PATENT-CLASS-244-100 ..... c31 N70-36654
US-PATENT-CLASS-244-100 ..... c31 N70-36845
US-PATENT-CLASS-244-100 ..... c02 N70-41589
US-PATENT-CLASS-244-103 ..... c02 N70-36825
US-PATENT-CLASS-244-113 ..... c02 N70-37939
US-PATENT-CLASS-244-113 ..... c31 N71-25434
US-PATENT-CLASS-244-113 ..... c02 N77-10001
US-PATENT-CLASS-244-114 ..... c21 N72-22619
US-PATENT-CLASS-244-117 ..... c31 N70-33242
US-PATENT-CLASS-244-117 ..... c33 N72-17947
US-PATENT-CLASS-244-117A c33 N73-25952
US-PATENT-CLASS-244-117A c34 N76-17317
US-PATENT-CLASS-244-117A c37 N76-19437
US-PATENT-CLASS-244-117A c34 N77-18382
US-PATENT-CLASS-244-122 ..... c05 N71-20718
US-PATENT-CLASS-244-123 ..... c24 N77-28225
US-PATENT-CLASS-244-127 ..... c34 N74-23039
US-PATENT-CLASS-244-130 ..... c02 N77-10001
US-PATENT-CLASS-244-135 ..... c31 N70-42015
US-PATENT-CLASS-244-135 ..... c15 N73-12486
US-PATENT-CLASS-244-135 ..... c14 N73-27378
US-PATENT-CLASS-244-135R c34 N76-17317
US-PATENT-CLASS-244-137P c31 N73-26876
US-PATENT-CLASS-244-137P c37 N76-22540
US-PATENT-CLASS-244-138 ..... c01 N69-39981
US-PATENT-CLASS-244-138 ..... c02 N70-41630
US-PATENT-CLASS-244-138 ..... c31 N71-16085
US-PATENT-CLASS-244-138 ..... c31 N71-25434
US-PATENT-CLASS-244-138 ..... c31 N71-28851
US-PATENT-CLASS-244-139 ..... c31 N73-13898
US-PATENT-CLASS-244-139 ..... c02 N76-16014
US-PATENT-CLASS-244-140 ..... c02 N70-38009
US-PATENT-CLASS-244-145 ..... c02 N74-10034
US-PATENT-CLASS-244-150 ..... c15 N71-24600
US-PATENT-CLASS-244-151R c33 N74-22865
US-PATENT-CLASS-244-152 ..... c02 N70-36804
US-PATENT-CLASS-244-155 ..... c30 N73-12884
US-PATENT-CLASS-244-155 ..... c31 N73-14854
US-PATENT-CLASS-244-158 ..... c37 N76-22540
US-PATENT-CLASS-244-161 ..... c18 N76-14186
US-PATENT-CLASS-244-161 ..... c37 N76-22540
US-PATENT-CLASS-244-161 ..... c37 N77-23483
US-PATENT-CLASS-244-162 ..... c18 N75-19329
US-PATENT-CLASS-244-162 ..... c18 N76-17185
US-PATENT-CLASS-244-163 ..... c37 N76-19437
US-PATENT-CLASS-244-165 ..... c15 N76-14158
US-PATENT-CLASS-244-165 ..... c35 N77-20399
US-PATENT-CLASS-244-169 ..... c15 N77-10113
US-PATENT-CLASS-244-171 ..... c15 N77-10113
US-PATENT-CLASS-244-171 ..... c35 N77-20399
US-PATENT-CLASS-244-172 ..... c18 N76-17185
US-PATENT-CLASS-244-173 ..... c44 N75-32581
US-PATENT-CLASS-244-327 ..... c08 N74-30421
US-PATENT-CLASS-247-171 ..... c35 N75-23910
US-PATENT-CLASS-248-14 ..... c15 N72-17454
US-PATENT-CLASS-248-16 ..... c18 N74-27397
US-PATENT-CLASS-248-18 ..... c14 N69-27486
US-PATENT-CLASS-248-18 ..... c15 N72-11391
US-PATENT-CLASS-248-20 ..... c15 N72-11391
US-PATENT-CLASS-248-22 ..... c19 N76-22284
US-PATENT-CLASS-248-23 ..... c18 N74-27397
US-PATENT-CLASS-248-27 ..... c15 N71-20813
US-PATENT-CLASS-248-119 ..... c11 N70-35383
US-PATENT-CLASS-248-178 ..... c15 N70-41310
US-PATENT-CLASS-248-183 ..... c14 N71-26627
US-PATENT-CLASS-248-183 ..... c15 N72-11386
US-PATENT-CLASS-248-188.4 ..... c15 N72-27484
US-PATENT-CLASS-248-188.9 ..... c31 N70-34159
US-PATENT-CLASS-248-278 ..... c15 N72-11386
US-PATENT-CLASS-248-317 ..... c11 N69-27466
US-PATENT-CLASS-248-346 ..... c14 N70-39898
US-PATENT-CLASS-248-358 ..... c15 N70-40156
US-PATENT-CLASS-248-358 ..... c23 N71-15673
US-PATENT-CLASS-248-358 ..... c15 N71-24694
US-PATENT-CLASS-248-358R c37 N75-18573
US-PATENT-CLASS-248-358R c19 N76-22284
US-PATENT-CLASS-248-360 ..... c15 N71-17649
US-PATENT-CLASS-248-361 ..... c05 N71-28619
US-PATENT-CLASS-248-362 ..... c37 N76-21554
US-PATENT-CLASS-248-363 ..... c37 N76-21554
US-PATENT-CLASS-248-487 ..... c15 N72-11386
US-PATENT-CLASS-249-59 ..... c31 N75-13111
US-PATENT-CLASS-249-83 ..... c31 N74-32920
US-PATENT-CLASS-249-95 ..... c31 N74-32920
US-PATENT-CLASS-249-144 ..... c31 N75-13111
US-PATENT-CLASS-249-145 ..... c31 N74-32920
US-PATENT-CLASS-249-145 ..... c31 N75-13111
US-PATENT-CLASS-249-184 ..... c31 N74-32920
US-PATENT-CLASS-250-41.9 ..... c06 N71-13461
US-PATENT-CLASS-250-41.9 ..... c24 N71-16095
US-PATENT-CLASS-250-41.9 ..... c14 N71-23041
US-PATENT-CLASS-250-41.9 ..... c14 N71-28863
US-PATENT-CLASS-250-41.9 ..... c14 N72-17328
US-PATENT-CLASS-250-41.9 ..... c14 N73-32325
US-PATENT-CLASS-250-41.9D c14 N72-29464
US-PATENT-CLASS-250-41.9G c14 N73-12444
US-PATENT-CLASS-250-41.9S c14 N73-12444
US-PATENT-CLASS-250-41.95 ..... c14 N71-28992
US-PATENT-CLASS-250-43.5 ..... c27 N71-16348
US-PATENT-CLASS-250-43.5 ..... c15 N71-24896
US-PATENT-CLASS-250-43.5 ..... c14 N71-25901
US-PATENT-CLASS-250-43.5FC c14 N72-11365
US-PATENT-CLASS-250-43.5R c14 N71-27090
US-PATENT-CLASS-250-43.5R c14 N72-21408
US-PATENT-CLASS-250-43.5R c06 N72-25146
US-PATENT-CLASS-250-43.5R c06 N72-31141
US-PATENT-CLASS-250-49.5 ..... c14 N69-39982
US-PATENT-CLASS-250-49.5 ..... c14 N71-28863
US-PATENT-CLASS-250-49.5 ..... c14 N72-17328
US-PATENT-CLASS-250-49.5B c24 N72-11595
US-PATENT-CLASS-250-49.5TE c24 N72-11595
US-PATENT-CLASS-250-51 ..... c24 N72-11595
US-PATENT-CLASS-250-51.5 ..... c23 N73-13662
US-PATENT-CLASS-250-51.5 ..... c14 N73-28491
US-PATENT-CLASS-250-52 ..... c15 N71-15606
US-PATENT-CLASS-250-52 ..... c11 N71-23042
US-PATENT-CLASS-250-52 ..... c24 N72-11595
US-PATENT-CLASS-250-52 ..... c23 N73-13662
US-PATENT-CLASS-250-65F c15 N72-25452
US-PATENT-CLASS-250-65R c14 N73-30389
US-PATENT-CLASS-250-71 ..... c14 N70-41676
US-PATENT-CLASS-250-71.5 ..... c14 N72-17328
US-PATENT-CLASS-250-71.5R c14 N72-29464
US-PATENT-CLASS-250-71R c06 N73-16106
US-PATENT-CLASS-250-83 ..... c14 N69-27484
US-PATENT-CLASS-250-83 ..... c14 N69-39937
US-PATENT-CLASS-250-83 ..... c09 N71-18830
US-PATENT-CLASS-250-83 ..... c05 N71-19440
US-PATENT-CLASS-250-83 ..... c14 N71-20430
US-PATENT-CLASS-250-83 ..... c14 N71-23401
US-PATENT-CLASS-250-83 ..... c09 N71-27232

US-PATENT-CLASS-250-83.3 ..... c21 N70-33181
US-PATENT-CLASS-250-83.3 ..... c21 N70-34297
US-PATENT-CLASS-250-83.3 ..... c14 N71-15599
US-PATENT-CLASS-250-83.3 ..... c14 N71-18699
US-PATENT-CLASS-250-83.3 ..... c14 N71-21088
US-PATENT-CLASS-250-83.3 ..... c09 N71-22985
US-PATENT-CLASS-250-83.3 ..... c14 N71-25901
US-PATENT-CLASS-250-83.3 ..... c14 N71-26475
US-PATENT-CLASS-250-83.3 ..... c14 N71-27323
US-PATENT-CLASS-250-83.3 ..... c14 N72-17328
US-PATENT-CLASS-250-83.3 ..... c35 N75-27329
US-PATENT-CLASS-250-83.3H c14 N72-21408
US-PATENT-CLASS-250-83.3H c14 N72-24477
US-PATENT-CLASS-250-83.3H c14 N73-12445
US-PATENT-CLASS-250-83.3H c14 N73-20475
US-PATENT-CLASS-250-83.3H c14 N73-25462
US-PATENT-CLASS-250-83.3R c14 N73-12445
US-PATENT-CLASS-250-83.3R c14 N73-20477
US-PATENT-CLASS-250-83.3R c14 N73-32317
US-PATENT-CLASS-250-83.30V c10 N72-17173
US-PATENT-CLASS-250-83.30V c14 N72-25409
US-PATENT-CLASS-250-83.30V c06 N73-16106
US-PATENT-CLASS-250-83.6 ..... c10 N70-41991
US-PATENT-CLASS-250-83.6R c14 N71-27090
US-PATENT-CLASS-250-83.6R c14 N72-20381
US-PATENT-CLASS-250-83.6R c25 N72-33696
US-PATENT-CLASS-250-83CD c91 N74-13130
US-PATENT-CLASS-250-83R c14 N73-12445
US-PATENT-CLASS-250-83R c14 N73-20477
US-PATENT-CLASS-250-84 ..... c14 N71-24809
US-PATENT-CLASS-250-105 ..... c14 N70-40240
US-PATENT-CLASS-250-105 ..... c14 N73-30389
US-PATENT-CLASS-250-199 ..... c16 N69-27491
US-PATENT-CLASS-250-199 ..... c07 N71-12389
US-PATENT-CLASS-250-199 ..... c16 N71-22895
US-PATENT-CLASS-250-199 ..... c16 N71-25914
US-PATENT-CLASS-250-199 ..... c16 N71-27183
US-PATENT-CLASS-250-199 ..... c16 N71-28963
US-PATENT-CLASS-250-199 ..... c16 N73-16536
US-PATENT-CLASS-250-199 ..... c07 N73-26119
US-PATENT-CLASS-250-199 ..... c74 N76-18913
US-PATENT-CLASS-250-199 ..... c74 N76-30053
US-PATENT-CLASS-250-199 ..... c74 N77-26942
US-PATENT-CLASS-250-199 ..... c32 N77-28346
US-PATENT-CLASS-250-199 ..... c60 N77-32731
US-PATENT-CLASS-250-201 ..... c14 N70-40238
US-PATENT-CLASS-250-201 ..... c35 N75-15014
US-PATENT-CLASS-250-203 ..... c14 N69-27432
US-PATENT-CLASS-250-203 ..... c14 N69-27485
US-PATENT-CLASS-250-203 ..... c07 N69-39736
US-PATENT-CLASS-250-203 ..... c14 N70-34158
US-PATENT-CLASS-250-203 ..... c21 N70-35089
US-PATENT-CLASS-250-203 ..... c14 N70-40239
US-PATENT-CLASS-250-203 ..... c21 N71-10678
US-PATENT-CLASS-250-203 ..... c21 N71-10771
US-PATENT-CLASS-250-203 ..... c21 N71-15642
US-PATENT-CLASS-250-203 ..... c14 N71-19568
US-PATENT-CLASS-250-203 ..... c14 N71-23269
US-PATENT-CLASS-250-203 ..... c14 N71-23797
US-PATENT-CLASS-250-203 ..... c14 N72-22444
US-PATENT-CLASS-250-203 ..... c14 N73-30393
US-PATENT-CLASS-250-203 ..... c35 N75-23910
US-PATENT-CLASS-250-203R c14 N72-27409
US-PATENT-CLASS-250-203R c14 N73-25462
US-PATENT-CLASS-250-203R c14 N73-28490
US-PATENT-CLASS-250-203R c21 N73-30640
US-PATENT-CLASS-250-203R c19 N74-15089
US-PATENT-CLASS-250-203R c89 N74-30886
US-PATENT-CLASS-250-203R c35 N77-20401
US-PATENT-CLASS-250-203R c74 N77-22951
US-PATENT-CLASS-250-203X c16 N72-13437
US-PATENT-CLASS-250-204 ..... c36 N74-21091
US-PATENT-CLASS-250-205 ..... c14 N72-27411
US-PATENT-CLASS-250-205 ..... c09 N73-14214
US-PATENT-CLASS-250-205 ..... c36 N74-13205
US-PATENT-CLASS-250-206 ..... c10 N71-20782
US-PATENT-CLASS-250-207 ..... c14 N71-21040
US-PATENT-CLASS-250-207 ..... c14 N72-17328
US-PATENT-CLASS-250-207 ..... c14 N73-32317
US-PATENT-CLASS-250-207 ..... c33 N74-27682
US-PATENT-CLASS-250-208 ..... c14 N72-20379
US-PATENT-CLASS-250-209 ..... c07 N69-39980
US-PATENT-CLASS-250-209 ..... c20 N71-16340
US-PATENT-CLASS-250-209 ..... c10 N72-17173
US-PATENT-CLASS-250-209 ..... c14 N72-25409
US-PATENT-CLASS-250-209 ..... c14 N73-16483
US-PATENT-CLASS-250-209 ..... c14 N73-26432
US-PATENT-CLASS-250-209 ..... c14 N73-28490
US-PATENT-CLASS-250-209 ..... c21 N73-30640

US-PATENT-CLASS-250-211J c09 N72-17152
US-PATENT-CLASS-250-211J c09 N73-14214
US-PATENT-CLASS-250-211J c35 N74-15090
US-PATENT-CLASS-250-211K c74 N77-22951
US-PATENT-CLASS-250-211R c36 N75-19652
US-PATENT-CLASS-250-211R c35 N75-23910
US-PATENT-CLASS-250-212 ..... c03 N71-23354
US-PATENT-CLASS-250-212 ..... c03 N73-20040
US-PATENT-CLASS-250-212 ..... c09 N73-32109
US-PATENT-CLASS-250-214 ..... c14 N73-25462
US-PATENT-CLASS-250-214 ..... c14 N73-25462
US-PATENT-CLASS-250-214 ..... c35 N74-15090
US-PATENT-CLASS-250-214A c33 N77-14435
US-PATENT-CLASS-250-214R c14 N73-28490
US-PATENT-CLASS-250-215 ..... c14 N73-16483
US-PATENT-CLASS-250-217 ..... c14 N69-39896
US-PATENT-CLASS-250-217 ..... c14 N73-16483
US-PATENT-CLASS-250-217 ..... c36 N74-13205
US-PATENT-CLASS-250-217F c14 N73-16484
US-PATENT-CLASS-250-217R c14 N73-19419
US-PATENT-CLASS-250-217SS c09 N73-14214
US-PATENT-CLASS-250-217SS c36 N74-15145
US-PATENT-CLASS-250-218 ..... c14 N71-22996
US-PATENT-CLASS-250-218 ..... c14 N71-28994
US-PATENT-CLASS-250-219 ..... c14 N71-28993
US-PATENT-CLASS-250-219DF c91 N74-13130
US-PATENT-CLASS-250-219TH c26 N73-26751
US-PATENT-CLASS-250-225 ..... c14 N71-24864
US-PATENT-CLASS-250-225 ..... c14 N72-27409
US-PATENT-CLASS-250-226 ..... c14 N72-25409
US-PATENT-CLASS-250-227 ..... c14 N71-22991
US-PATENT-CLASS-250-227 ..... c14 N71-23240
US-PATENT-CLASS-250-227 ..... c60 N77-14751
US-PATENT-CLASS-250-229 ..... c08 N73-30135
US-PATENT-CLASS-250-231 ..... c14 N73-20475
US-PATENT-CLASS-250-231SE c74 N74-21304
US-PATENT-CLASS-250-232 ..... c23 N71-21821
US-PATENT-CLASS-250-233 ..... c23 N71-16100
US-PATENT-CLASS-250-234 ..... c03 N73-20040
US-PATENT-CLASS-250-235 ..... c14 N72-11364
US-PATENT-CLASS-250-236 ..... c21 N73-30640
US-PATENT-CLASS-250-237 ..... c14 N69-24331
US-PATENT-CLASS-250-237R c08 N73-30135
US-PATENT-CLASS-250-237R c19 N74-15089
US-PATENT-CLASS-250-238 ..... c33 N75-31332
US-PATENT-CLASS-250-238 ..... c32 N77-28346
US-PATENT-CLASS-250-239 ..... c08 N73-30135
US-PATENT-CLASS-250-251 ..... c35 N76-15431
US-PATENT-CLASS-250-281 ..... c35 N74-34857
US-PATENT-CLASS-250-281 ..... c35 N76-16393
US-PATENT-CLASS-250-281 ..... c36 N77-26477
US-PATENT-CLASS-250-282 ..... c36 N77-26477
US-PATENT-CLASS-250-283 ..... c36 N77-26477
US-PATENT-CLASS-250-287 ..... c35 N76-15431
US-PATENT-CLASS-250-287 ..... c35 N76-16393
US-PATENT-CLASS-250-288 ..... c35 N76-16393
US-PATENT-CLASS-250-288 ..... c35 N77-32456
US-PATENT-CLASS-250-289 ..... c35 N77-14406
US-PATENT-CLASS-250-290 ..... c35 N77-10492
US-PATENT-CLASS-250-291 ..... c35 N77-10492
US-PATENT-CLASS-250-295 ..... c35 N74-34857
US-PATENT-CLASS-250-298 ..... c35 N77-14406
US-PATENT-CLASS-250-304 ..... c25 N74-26947
US-PATENT-CLASS-250-332 ..... c35 N75-19613
US-PATENT-CLASS-250-335 ..... c34 N76-18374
US-PATENT-CLASS-250-336 ..... c14 N73-28488
US-PATENT-CLASS-250-336 ..... c35 N76-15433
US-PATENT-CLASS-250-336 ..... c33 N76-27673
US-PATENT-CLASS-250-338 ..... c35 N74-18088
US-PATENT-CLASS-250-338 ..... c35 N77-10493
US-PATENT-CLASS-250-338 ..... c47 N77-10753
US-PATENT-CLASS-250-339 ..... c35 N77-10493
US-PATENT-CLASS-250-339 ..... c47 N77-10753
US-PATENT-CLASS-250-340 ..... c35 N76-29551
US-PATENT-CLASS-250-343 ..... c35 N74-11284
US-PATENT-CLASS-250-343 ..... c25 N74-26947
US-PATENT-CLASS-250-343 ..... c45 N75-27585
US-PATENT-CLASS-250-343 ..... c74 N76-20958
US-PATENT-CLASS-250-343 ..... c25 N76-22323
US-PATENT-CLASS-250-343 ..... c35 N77-14411
US-PATENT-CLASS-250-344 ..... c25 N76-22323
US-PATENT-CLASS-250-345 ..... c45 N75-27585
US-PATENT-CLASS-250-347 ..... c35 N77-10493
US-PATENT-CLASS-250-347 ..... c47 N77-10753
US-PATENT-CLASS-250-351 ..... c35 N75-30502
US-PATENT-CLASS-250-353 ..... c35 N76-29551
US-PATENT-CLASS-250-359 ..... c37 N75-26372
US-PATENT-CLASS-250-360 ..... c35 N74-15091
US-PATENT-CLASS-250-361 ..... c35 N74-15091

US-PATENT-CLASS-250-363R c52 N77-14737
US-PATENT-CLASS-250-369 ..... c35 N74-15091
US-PATENT-CLASS-250-370 ..... c35 N74-18088
US-PATENT-CLASS-250-370 ..... c33 N75-31332
US-PATENT-CLASS-250-371 ..... c35 N74-18088
US-PATENT-CLASS-250-372 ..... c19 N74-29410
US-PATENT-CLASS-250-372 ..... c24 N76-24363
US-PATENT-CLASS-250-372 ..... c33 N76-27473
US-PATENT-CLASS-250-373 ..... c25 N74-26947
US-PATENT-CLASS-250-373 ..... c35 N75-30502
US-PATENT-CLASS-250-373 ..... c45 N76-17656
US PATENT-CLASS-250-374 ..... c35 N74-26949
US-PATENT-CLASS-250-385 ..... c35 N74-26949
US-PATENT-CLASS-250-385 ..... c35 N75-27331
US-PATENT-CLASS-250-385 ..... c35 N76-15433
US-PATENT-CLASS-250-385 ..... c35 N76-16393
US-PATENT-CLASS-250-394 ..... c14 N73-30392
US-PATENT-CLASS-250-394 ..... c19 N74-29410
US-PATENT-CLASS-250-396 ..... c35 N77-14408
US-PATENT-CLASS-250-400 ..... c25 N76-29379
US-PATENT-CLASS-250-423 ..... c35 N76-15431
US-PATENT-CLASS-250-423 ..... c35 N76-16393
US-PATENT-CLASS-250-423P c36 N77-26477
US-PATENT-CLASS-250-429 ..... c25 N76-29379
US-PATENT-CLASS-250-432 ..... c45 N75-27585
US-PATENT-CLASS-250-432R c25 N76-22323
US-PATENT-CLASS-250-444 ..... c52 N77-14737
US-PATENT-CLASS-250-460 ..... c37 N75-26372
US-PATENT-CLASS-250-489 ..... c35 N76-15433
US-PATENT-CLASS-250-492 ..... c35 N74-15091
US-PATENT-CLASS-250-492 ..... c37 N75-26372
US-PATENT-CLASS-250-492R c25 N76-29379
US-PATENT-CLASS-250-493 ..... c73 N75-30876
US-PATENT-CLASS-250-495 ..... c74 N75-12732
US-PATENT-CLASS-250-496 ..... c73 N75-30876
US-PATENT-CLASS-250-498 ..... c52 N77-14737
US-PATENT-CLASS-250-499 ..... c73 N74-26767
US-PATENT-CLASS-250-499 ..... c72 N76-15860
US-PATENT-CLASS-250-500 ..... c72 N76-15860
US-PATENT-CLASS-250-505 ..... c74 N74-27866
US-PATENT-CLASS-250-505 ..... c35 N75-19616
US-PATENT-CLASS-250-508 ..... c35 N75-19616
US-PATENT-CLASS-250-510 ..... c35 N75-19616
US-PATENT-CLASS-250-511 ..... c74 N74-27866
US-PATENT-CLASS-250-518 ..... c14 N73-30392
US-PATENT-CLASS-250-527 ..... c37 N76-18458
US-PATENT-CLASS-250-527 ..... c25 N77-32255
US-PATENT-CLASS-250-527 ..... c44 N77-32580
US-PATENT-CLASS-250-566 ..... c74 N75-25706
US-PATENT-CLASS-250-573 ..... c74 N76-20958
US-PATENT-CLASS-250-574 ..... c45 N76-21742
US-PATENT-CLASS-250-574 ..... c36 N77-25501
US-PATENT-CLASS-250-576 ..... c35 N74-27860
US-PATENT-CLASS-250-578 ..... c36 N75-19652
US-PATENT-CLASS-251-11 ..... c15 N70-35407
US-PATENT-CLASS-251-31 ..... c15 N71-19485
US-PATENT-CLASS-251-61 ..... c15 N71-10778
US-PATENT-CLASS-251-61.1 ..... c12 N71-18615
US-PATENT-CLASS-251-86 ..... c15 N72-31483
US-PATENT-CLASS-251-118 ..... c15 N71-18580
US-PATENT-CLASS-251-120 ..... c37 N74-21065
US-PATENT-CLASS-251-121 ..... c15 N71-18580
US-PATENT-CLASS-251-122 ..... c15 N73-13462
US-PATENT-CLASS-251-122 ..... c37 N74-21065
US-PATENT-CLASS-251-127 ..... c12 N71-18615
US-PATENT-CLASS-251-129 ..... c15 N72-20442
US-PATENT-CLASS-251-148 ..... c15 N71-23024
US-PATENT-CLASS-251-149.6 ..... c37 N76-14463
US-PATENT-CLASS-251-172 ..... c15 N71-21234
US-PATENT-CLASS-251-173 ..... c15 N70-33376
US-PATENT-CLASS-251-210 ..... c37 N74-21065
US-PATENT-CLASS-251-331 ..... c15 N72-31483
US-PATENT-CLASS-251-333 ..... c15 N70-34859
US-PATENT-CLASS-251-333 ..... c12 N71-18615
US-PATENT-CLASS-251-333 ..... c15 N72-20442
US-PATENT-CLASS-251-333 ..... c37 N75-25185
US-PATENT-CLASS-251-342 ..... c12 N71-18615
US-PATENT-CLASS-251-358 ..... c15 N71-17648
US-PATENT-CLASS-251-360 ..... c15 N72-25451
US-PATENT-CLASS-252-8.1 ..... c18 N73-26572
US-PATENT-CLASS-252-8.1 ..... c27 N74-27037
US-PATENT-CLASS-252-12 ..... c15 N71-23810
US-PATENT-CLASS-252-12 ..... c24 N76-22309
US-PATENT-CLASS-252-26 ..... c15 N71-21403
US-PATENT-CLASS-252-26 ..... c15 N71-24046
US-PATENT-CLASS-252-58 ..... c18 N70-39897
US-PATENT-CLASS-252-62 ..... c27 N74-27037
US-PATENT-CLASS-252-62.3 ..... c26 N71-23292
US-PATENT-CLASS-252-62.3 ..... c76 N76-25049
US-PATENT-CLASS-252-62.3GA c25 N75-26043
US-PATENT-CLASS-252-70 ..... c23 N75-14834
US-PATENT-CLASS-252-300 ..... c14 N72-22443
US-PATENT-CLASS-252-300 ..... c24 N76-24363
US-PATENT-CLASS-252-301.2 ..... c18 N71-27170
US-PATENT-CLASS-252-301.4 ..... c06 N73-30097
US-PATENT-CLASS-252-305 ..... c06 N73-30097
US-PATENT-CLASS-252-359A c37 N77-13418
US-PATENT-CLASS-252-373 ..... c44 N76-29704
US-PATENT-CLASS-252-373 ..... c44 N77-10636
US-PATENT-CLASS-252-408 ..... c14 N73-14428
US-PATENT-CLASS-252-431N c06 N73-32029
US-PATENT-CLASS-252-431R c06 N73-32029
US-PATENT-CLASS-252-514 ..... c05 N72-25120
US-PATENT-CLASS-252-549 ..... c23 N75-14834
US-PATENT-CLASS-253-39.1 ..... c33 N71-29152
US-PATENT-CLASS-253-39.15 ..... c15 N70-33226
US-PATENT-CLASS-253-39.15 ..... c15 N70-33264
US-PATENT-CLASS-253-39.15 ..... c28 N70-33372
US-PATENT-CLASS-253-66 ..... c15 N70-36412
US-PATENT-CLASS-253-66 ..... c28 N70-39895
US-PATENT-CLASS-253-77 ..... c28 N71-28928
US-PATENT-CLASS-253-77 ..... c28 N71-29154
US-PATENT-CLASS-253-317 ..... c44 N77-22606
US-PATENT-CLASS-254-29A c15 N73-30457
US-PATENT-CLASS-254-93R c35 N74-13129
US-PATENT-CLASS-254-93R c20 N76-22296
US-PATENT-CLASS-254-124 ..... c20 N76-22296
US-PATENT-CLASS-254-150 ..... c15 N71-24599
US-PATENT-CLASS-254-156 ..... c15 N73-25512
US-PATENT-CLASS-254-158 ..... c54 N77-21844
US-PATENT-CLASS-254-173 ..... c15 N71-24599
US-PATENT-CLASS-254-186 ..... c15 N71-24599
US-PATENT-CLASS-254-190 ..... c15 N72-25453
US-PATENT-CLASS-259-DIG.18 ..... c35 N74-15093
US-PATENT-CLASS-259-4 ..... c15 N73-19458
US-PATENT-CLASS-259-4AC c37 N76-19436
US-PATENT-CLASS-259-60 ..... c35 N74-15093
US-PATENT-CLASS-259-71 ..... c15 N71-21177
US-PATENT-CLASS-259-72 ..... c37 N74-18123
US-PATENT-CLASS-259-98 ..... c35 N74-15126
US-PATENT-CLASS-259/4R c34 N77-24423
US-PATENT-CLASS-260.46.5E c27 N74-21156
US-PATENT-CLASS-260-DIG.24 ..... c27 N74-27037
US-PATENT-CLASS-260-DIG.24 ..... c27 N76-24405
US-PATENT-CLASS-260-2 ..... c06 N71-11243
US-PATENT-CLASS-260-2 ..... c06 N71-20717
US-PATENT-CLASS-260-2 ..... c06 N71-20905
US-PATENT-CLASS-260-2 ..... c06 N71-27363
US-PATENT-CLASS-260-2 ..... c06 N73-30102
US-PATENT-CLASS-260-2.1E c18 N72-22567
US-PATENT-CLASS-260-2.5 ..... c06 N71-11242
US-PATENT-CLASS-260-2.5 ..... c06 N71-24739
US-PATENT-CLASS-260-2.5 ..... c06 N71-25929
US-PATENT-CLASS-260-2.5 ..... c18 N71-26155
US-PATENT-CLASS-260-2.5 ..... c06 N72-25150
US-PATENT-CLASS-260-2.5A c27 N77-31308
US-PATENT-CLASS-260-2.5AK c27 N76-15310
US-PATENT-CLASS-260-2.5AM c27 N74-12812
US-PATENT-CLASS-260-2.5AM c27 N77-31308
US-PATENT-CLASS-260-2.5AY c27 N77-31308
US-PATENT-CLASS-260-2.5F c18 N73-13562
US-PATENT-CLASS-260-2.5FP c06 N72-25147
US-PATENT-CLASS-260-2.5FP c27 N74-27037
US-PATENT-CLASS-260-2.5L c27 N74-12814
US-PATENT-CLASS-260-2.5R c27 N74-27037
US-PATENT-CLASS-260-2R c37 N74-18126
US-PATENT-CLASS-260-2R c27 N74-27037
US-PATENT-CLASS-260-18S c06 N72-25151
US-PATENT-CLASS-260-29.6 ..... c26 N75-27125
US-PATENT-CLASS-260-29.6S c27 N74-17283
US-PATENT-CLASS-260-30.2 ..... c06 N73-27980
US-PATENT-CLASS-260-30.8DS c06 N73-27980
US-PATENT-CLASS-260-32.6N c06 N73-27980
US-PATENT-CLASS-260-32.6N c23 N76-15268
US-PATENT-CLASS-260-32.8N c23 N76-15268
US-PATENT-CLASS-260-33.4R c06 N73-27980
US-PATENT-CLASS-260-33.6R c06 N73-27980
US-PATENT-CLASS-260-33.8F c27 N76-24405
US-PATENT-CLASS-260-37 ..... c18 N71-25881
US-PATENT-CLASS-260-45.7 ..... c27 N76-24405
US-PATENT-CLASS-260-46.5 ..... c06 N71-11237
US-PATENT-CLASS-260-46.5 ..... c06 N71-11240
US-PATENT-CLASS-260-46.5R c06 N72-25151
US-PATENT-CLASS-260-46.5G c06 N72-25151
US-PATENT-CLASS-260-46.5P c06 N72-25151
US-PATENT-CLASS-260-46.5R c06 N73-26100
US-PATENT-CLASS-260-47 ..... c06 N71-28620
US-PATENT-CLASS-260-47 ..... c06 N71-28807

US-PATENT-CLASS-260-47CP c06 N73-27980
US-PATENT-CLASS-260-47CP c23 N76-15268
US-PATENT-CLASS-260-47UP c06 N73-32029
US-PATENT-CLASS-260-65 ..... c06 N73-27980
US-PATENT-CLASS-260-72.5 ..... c06 N71-11236
US-PATENT-CLASS-260-72.5 ..... c06 N71-11239
US-PATENT-CLASS-260-72.5 ..... c06 N71-24740
US-PATENT-CLASS-260-77.5 ..... c06 N73-30099
US-PATENT-CLASS-260-77.5 ..... c06 N73-30100
US-PATENT-CLASS-260-77.5 ..... c06 N73-30103
US-PATENT-CLASS-260-77.5AP c06 N72-27144
US-PATENT-CLASS-260-77.5AP c06 N73-33076
US-PATENT-CLASS-260-77.5AP c27 N77-31308
US-PATENT-CLASS-260-78 ..... c06 N71-11235
US-PATENT-CLASS-260-78 ..... c06 N71-11238
US-PATENT-CLASS-260-78TF c06 N73-27980
US-PATENT-CLASS-260-78TF c27 N74-23125
US-PATENT-CLASS-260-78TF c23 N75-30256
US-PATENT-CLASS-260-78TF c23 N76-15268
US-PATENT-CLASS-260-78UA c06 N73-27980
US-PATENT-CLASS-260-85.5 ..... c06 N71-23500
US-PATENT-CLASS-260-92.1 ..... c06 N72-25150
US-PATENT-CLASS-260-92.1 ..... c06 N72-25152
US-PATENT-CLASS-260-92.1 ..... c27 N76-16228
US-PATENT-CLASS-260-92.1 ..... c27 N76-24405
US-PATENT-CLASS-260-93.5A c06 N73-32029
US-PATENT-CLASS-260-93.5S c06 N73-32029
US-PATENT-CLASS-260-94.2M c06 N73-32029
US-PATENT-CLASS-260-94.2R c06 N73-32029
US-PATENT-CLASS-260-94.7R c06 N73-32029
US-PATENT-CLASS-260-94.8 ..... c27 N73-22710
US-PATENT-CLASS-260-211.5 ..... c06 N72-25149
US-PATENT-CLASS-260-240G c27 N76-32315
US-PATENT-CLASS-260-346.3 ..... c23 N75-30256
US-PATENT-CLASS-260-346.3 ..... c23 N76-15268
US-PATENT-CLASS-260-348SC c06 N72-25148
US-PATENT-CLASS-260-396N c27 N74-27037
US-PATENT-CLASS-260-404.5 ..... c18 N71-15688
US-PATENT-CLASS-260-429 ..... c06 N71-28808
US-PATENT-CLASS-260-448.2 ..... c06 N71-23230
US-PATENT-CLASS-260-448.2D c06 N72-25151
US-PATENT-CLASS-260-448.2D c06 N73-32030
US-PATENT-CLASS-260-448.2N c37 N74-21058
US-PATENT-CLASS-260-485F c06 N73-30098
US-PATENT-CLASS-260-520 ..... c23 N75-30256
US-PATENT-CLASS-260-535H c06 N72-27144
US-PATENT-CLASS-260-544F c06 N72-20121
US-PATENT-CLASS-260-566B c27 N76-32315
US-PATENT-CLASS-260-567.6M c06 N73-32029
US-PATENT-CLASS-260-571 ..... c23 N76-15268
US-PATENT-CLASS-260-615 ..... c06 N71-27254
US-PATENT-CLASS-260-615 ..... c06 N73-30101
US-PATENT-CLASS-260-877 ..... c06 N72-22107
US-PATENT-CLASS-260-879 ..... c27 N76-16228
US-PATENT-CLASS-260-900 ..... c27 N76-16228
US-PATENT-CLASS-261-145 ..... c28 N72-22772
US-PATENT-CLASS-261/DIG.75 ..... c34 N77-24423
US-PATENT-CLASS-261/123 ..... c34 N77-24423
US-PATENT-CLASS-263-48 ..... c15 N69-27483
US-PATENT-CLASS-264-DIG.36 ..... c18 N73-14584
US-PATENT-CLASS-264-DIG.44 ..... c15 N72-16329
US-PATENT-CLASS-264-3 ..... c28 N71-26779
US-PATENT-CLASS-264-3R c28 N77-10213
US-PATENT-CLASS-264-3R c20 N77-17143
US-PATENT-CLASS-264-22 ..... c15 N72-20446
US-PATENT-CLASS-264-22 ..... c14 N72-22439
US-PATENT-CLASS-264-22 ..... c25 N75-12087
US-PATENT-CLASS-264-27 ..... c26 N71-17818
US-PATENT-CLASS-264-28 ..... c15 N73-12489
US-PATENT-CLASS-264-36 ..... c15 N73-12489
US-PATENT-CLASS-264-36 ..... c32 N74-27612
US-PATENT-CLASS-264-40 ..... c15 N73-12489
US-PATENT-CLASS-264-60 ..... c27 N76-22376
US-PATENT-CLASS-264-63 ..... c27 N76-22376
US-PATENT-CLASS-264-65 ..... c18 N73-14584
US-PATENT-CLASS-264-66 ..... c27 N76-22376
US-PATENT-CLASS-264-92 ..... c15 N71-17803
US-PATENT-CLASS-264-92 ..... c15 N72-24522
US-PATENT-CLASS-264-102 ..... c15 N71-10672
US-PATENT-CLASS-264-102 ..... c15 N73-12489
US-PATENT-CLASS-264-102 ..... c31 N74-14133
US-PATENT-CLASS-264-102 ..... c31 N74-18124
US-PATENT-CLASS-264-102 ..... c37 N76-24575
US-PATENT-CLASS-264-104 ..... c05 N72-25120
US-PATENT-CLASS-264-111 ..... c17 N71-29137
US-PATENT-CLASS-264-129 ..... c37 N76-31524
US-PATENT-CLASS-264-135 ..... c37 N74-18126
US-PATENT-CLASS-264-136 ..... c37 N74-18126
US-PATENT-CLASS-264-161 ..... c37 N76-31524
US-PATENT-CLASS-264-217 ..... c25 N75-12087
US-PATENT-CLASS-264-219 ..... c37 N76-31524
US-PATENT-CLASS-264-221 ..... c15 N72-16329
US-PATENT-CLASS-264-225 ..... c15 N72-16329
US-PATENT-CLASS-264-227 ..... c15 N72-16329
US-PATENT-CLASS-264-257 ..... c37 N74-18126
US-PATENT-CLASS-264-267 ..... c37 N76-24575
US-PATENT-CLASS-264-294 ..... c31 N74-13177
US-PATENT-CLASS-264-304 ..... c37 N76-31524
US-PATENT-CLASS-264-305 ..... c37 N76-31524
US-PATENT-CLASS-264-308 ..... c37 N76-31524
US-PATENT-CLASS-264-310 ..... c37 N76-31524
US-PATENT-CLASS-264-318 ..... c37 N76-31524
US-PATENT-CLASS-264-331 ..... c27 N76-16230
US-PATENT-CLASS-264-334 ..... c37 N76-31524
US-PATENT-CLASS-266-19 ..... c15 N70-33382
US-PATENT-CLASS-266-24 ..... c17 N72-28535
US-PATENT-CLASS-267-1 ..... c15 N69-27504
US-PATENT-CLASS-267-1 ..... c15 N70-38225
US-PATENT-CLASS-267-64 ..... c15 N71-21530
US-PATENT-CLASS-267-166 ..... c34 N74-18552
US-PATENT-CLASS-269-21 ..... c37 N76-21554
US-PATENT-CLASS-269-48.1 ..... c39 N74-13131
US-PATENT-CLASS-272-DIG.1 ..... c05 N73-32014
US-PATENT-CLASS-272-DIG.4 ..... c05 N73-32014
US-PATENT-CLASS-272-DIG.5 ..... c05 N73-32014
US-PATENT-CLASS-272-1R c09 N75-15662
US-PATENT-CLASS-272-57A c09 N75-15662
US-PATENT-CLASS-272-70 ..... c05 N71-28619
US-PATENT-CLASS-272-73 ..... c14 N73-27377
US-PATENT-CLASS-272-73 ..... c05 N73-27941
US-PATENT-CLASS-272-73 ..... c37 N74-18127
US-PATENT-CLASS-272-79C c05 N73-32014
US-PATENT-CLASS-272-80 ..... c37 N74-18127
US-PATENT-CLASS-273-1E c05 N73-13114
US-PATENT-CLASS-274-4R c09 N72-11224
US-PATENT-CLASS-277-4 ..... c37 N76-22541
US-PATENT-CLASS-277-13 ..... c15 N71-26294
US-PATENT-CLASS-277-25 ..... c15 N69-21362
US-PATENT-CLASS-277-25 ..... c15 N71-19570
US-PATENT-CLASS-277-25 ..... c15 N72-29488
US-PATENT-CLASS-277-25 ..... c37 N74-10474
US-PATENT-CLASS-277-27 ..... c15 N72-29488
US-PATENT-CLASS-277-27 ..... c37 N74-10474
US-PATENT-CLASS-277-27 ..... c37 N74-15125
US-PATENT-CLASS-277-27 ..... c37 N75-21631
US-PATENT-CLASS-277-40 ..... c37 N75-21631
US-PATENT-CLASS-277-41 ..... c37 N76-22541
US-PATENT-CLASS-277-74 ..... c15 N72-29488
US-PATENT-CLASS-277-74 ..... c37 N76-22541
US-PATENT-CLASS-277-91 ..... c37 N74-15125
US-PATENT-CLASS-277-93R c37 N76-22541
US-PATENT-CLASS-277-96 ..... c37 N74-10474
US-PATENT-CLASS-277-134 ..... c37 N75-21631
US-PATENT-CLASS-279-1B c37 N75-33395
US-PATENT-CLASS-279-89 ..... c37 N75-33395
US-PATENT-CLASS-279-107 ..... c37 N75-33395
US-PATENT-CLASS-280-150SB c05 N75-25915
US-PATENT-CLASS-280-432 ..... c37 N77-14477
US-PATENT-CLASS-285-DIG.21 ..... c15 N72-25450
US-PATENT-CLASS-285-DIG.21 ..... c33 N73-26958
US-PATENT-CLASS-285-3 ..... c15 N69-27490
US-PATENT-CLASS-285-3 ..... c15 N72-25450
US-PATENT-CLASS-285-18 ..... c15 N72-20445
US-PATENT-CLASS-285-24 ..... c15 N71-10782
US-PATENT-CLASS-285-27 ..... c15 N70-41808
US-PATENT-CLASS-285-33 ..... c15 N72-25450
US-PATENT-CLASS-285-38 ..... c15 N71-24903
US-PATENT-CLASS-285-45 ..... c15 N71-28937
US-PATENT-CLASS-285-114 ..... c37 N75-19686
US-PATENT-CLASS-285-226 ..... c37 N75-19686
US-PATENT-CLASS-285-226 ..... c37 N76 14460
US-PATENT-CLASS-285-265 ..... c37 N76-14460
US-PATENT-CLASS-285-314 ..... c15 N71-24903
US-PATENT-CLASS-285-316 ..... c15 N72-25450
US-PATENT-CLASS-285-316 ..... c33 N73-26958
US-PATENT-CLASS-285-317 ..... c15 N71-24903
US-PATENT-CLASS-285-331 ..... c15 N70-41629
US-PATENT-CLASS-285-345 ..... c15 N72-20445
US-PATENT-CLASS-285-406 ..... c15 N71-24903
US-PATENT-CLASS-285-410 ..... c05 N72-11085
US-PATENT-CLASS-287-54A c11 N72-25287
US-PATENT-CLASS-287-85R c15 N73-12488
US-PATENT-CLASS-287-92 ..... c31 N73-32749
US-PATENT-CLASS-287-119 ..... c15 N70-41829
US-PATENT-CLASS-287-189.36 ..... c15 N71-10795
US-PATENT-CLASS-287-189.365 ..... c15 N71-26312
US-PATENT-CLASS-290-40 ..... c03 N71-11057
US-PATENT-CLASS-290-52 ..... c37 N77-32500

US-PATENT-CLASS-290-52 ..... c37 N77-32501
US-PATENT-CLASS-292-110 ..... c37 N77-32499
US-PATENT-CLASS-294-1R c35 N76-16392
US-PATENT-CLASS-294-15 ..... c15 N71-29133
US-PATENT-CLASS-294-19R c35 N76-16392
US-PATENT-CLASS-294-83 ..... c15 N71-24897
US-PATENT-CLASS-294-86.33 ..... c37 N75-33395
US-PATENT-CLASS-294-116 ..... c37 N75-33395
US-PATENT-CLASS-297-68 ..... c05 N71-12343
US-PATENT-CLASS-297-68 ..... c05 N72-11085
US-PATENT-CLASS-297-216 ..... c05 N70-35152
US-PATENT-CLASS-297-232 ..... c05 N72-11085
US-PATENT-CLASS-297-365 ..... c05 N71-12341
US-PATENT-CLASS-297-385 ..... c05 N75-25915
US-PATENT-CLASS-297-386 ..... c15 N73-30460
US-PATENT-CLASS-297-388 ..... c05 N75-25915
US-PATENT-CLASS-297-389 ..... c05 N75-25915
US-PATENT-CLASS-299-67 ..... c46 N74-23068
US-PATENT-CLASS-299-86 ..... c46 N74-23069
US-PATENT-CLASS-301-5P c37 N74-18125
US-PATENT-CLASS-305-35EB c11 N73-26238
US-PATENT-CLASS-305-39 ..... c11 N73-26238
US-PATENT-CLASS-307-18 ..... c03 N73-31988
US-PATENT-CLASS-307-18 ..... c33 N74-34638
US-PATENT-CLASS-307-28 ..... c03 N73-31988
US-PATENT-CLASS-307-29 ..... c03 N73-31988
US-PATENT-CLASS-307-35 ..... c33 N74-34638
US-PATENT-CLASS-307-38 ..... c03 N73-31988
US-PATENT-CLASS-307-53 ..... c10 N71-26626
US-PATENT-CLASS-307-64 ..... c33 N77-30365
US-PATENT-CLASS-307-81 ..... c09 N72-17157
US-PATENT-CLASS-307-83 ..... c09 N72-25262
US-PATENT-CLASS-307-88 ..... c08 N70-34743
US-PATENT-CLASS-307-88 ..... c09 N70-38604
US-PATENT-CLASS-307-88 ..... c09 N71-24803
US-PATENT-CLASS-307-88 ..... c09 N71-26000
US-PATENT-CLASS-307-88.3 ..... c09 N72-25258
US-PATENT-CLASS-307-88.5 ..... c09 N70-34819
US-PATENT-CLASS-307-88.5 ..... c09 N70-40272
US-PATENT-CLASS-307-88.5 ..... c09 N70-41675
US-PATENT-CLASS-307-88.5 ..... c10 N70-42032
US-PATENT-CLASS-307-88.5 ..... c09 N71-10673
US-PATENT-CLASS-307-88.5 ..... c10 N71-15910
US-PATENT-CLASS-307-88.5 ..... c10 N71-16042
US-PATENT-CLASS-307-88.5 ..... c10 N71-28739
US-PATENT-CLASS-307-88MP c09 N72-22197
US-PATENT-CLASS-307-92 ..... c09 N72-27227
US-PATENT-CLASS-307-103 ..... c09 N72-25262
US-PATENT-CLASS-307-104 ..... c09 N71-24892
US-PATENT-CLASS-307-106 ..... c09 N69-21468
US-PATENT-CLASS-307-118 ..... c09 N72-27227
US-PATENT-CLASS-307-126 ..... c14 N71-27407
US-PATENT-CLASS-307-127 ..... c33 N74-14956
US-PATENT-CLASS-307-136 ..... c09 N69-27500
US-PATENT-CLASS-307-141.8 ..... c03 N72-25020
US-PATENT-CLASS-307-149 ..... c09 N71-13486
US-PATENT-CLASS-307-149 ..... c54 N75-12616
US-PATENT-CLASS-307-157 ..... c16 N73-32391
US-PATENT-CLASS-307-204 ..... c35 N75-30504
US-PATENT-CLASS-307-205 ..... c33 N75-14957
US-PATENT-CLASS-307-206 ..... c10 N72-22236
US-PATENT-CLASS-307-207 ..... c08 N71-29034
US-PATENT-CLASS-307-207 ..... c09 N73-13209
US-PATENT-CLASS-307-208 ..... c33 N75-14957
US-PATENT-CLASS-307-211 ..... c35 N75-30504
US-PATENT-CLASS-307-215 ..... c10 N71-28860
US-PATENT-CLASS-307-215 ..... c09 N71-29139
US-PATENT-CLASS-307-215 ..... c10 N72-22236
US-PATENT-CLASS-307-215 ..... c09 N73-13209
US-PATENT-CLASS-307-215 ..... c33 N74-22814
US-PATENT-CLASS-307-216 ..... c08 N71-18751
US-PATENT-CLASS-307-219 ..... c35 N75-30504
US-PATENT-CLASS-307-220 ..... c10 N73-26229
US-PATENT-CLASS-307-221R c10 N73-20254
US-PATENT-CLASS-307-221R c33 N76-14373
US-PATENT-CLASS-307-222 ..... c09 N69-27463
US-PATENT-CLASS-307-222 ..... c08 N71-29034
US-PATENT-CLASS-307-223 ..... c09 N72-17157
US-PATENT-CLASS-307-223B c09 N72-22201
US-PATENT-CLASS-307-225R c33 N74-10223
US-PATENT-CLASS-307-225R c33 N75-31330
US-PATENT-CLASS-307-225R c33 N77-24375
US-PATENT-CLASS-307-227 ..... c09 N72-17157
US-PATENT-CLASS-307-227 ..... c33 N75-19522
US-PATENT-CLASS-307-229 ..... c09 N71-12520
US-PATENT-CLASS-307-229 ..... c09 N72-23173
US-PATENT-CLASS-307-229 ..... c33 N75-18479
US-PATENT-CLASS-307-229 ..... c33 N77-17354
US-PATENT-CLASS-307-230 ..... c10 N72-16172
US-PATENT-CLASS-307-230 ..... c09 N72-21245
US-PATENT-CLASS-307-230 ..... c09 N73-20232
US-PATENT-CLASS-307-230 ..... c33 N74-32712
US-PATENT-CLASS-307-230 ..... c33 N77-17354
US-PATENT-CLASS-307-231 ..... c09 N72-22202
US-PATENT-CLASS-307-232 ..... c33 N77-21314
US-PATENT-CLASS-307-233 ..... c09 N72-25257
US-PATENT-CLASS-307-233 ..... c10 N73-26229
US-PATENT-CLASS-307-233 ..... c33 N77-13315
US-PATENT-CLASS-307-234 ..... c10 N71-23315
US-PATENT-CLASS-307-234 ..... c09 N71-27016
US-PATENT-CLASS-307-234 ..... c08 N71-29138
US-PATENT-CLASS-307-235 ..... c10 N71-19471
US-PATENT-CLASS-307-235 ..... c09 N71-23545
US-PATENT-CLASS-307-235 ..... c10 N71-24862
US-PATENT-CLASS-307-235R c33 N75-18479
US-PATENT-CLASS-307-237 ..... c09 N72-22200
US-PATENT-CLASS-307-237 ..... c32 N74-19788
US-PATENT-CLASS-307-238 ..... c33 N75-31331
US-PATENT-CLASS-307-238 ..... c33 N77-21314
US-PATENT-CLASS-307-241 ..... c09 N72-22201
US-PATENT-CLASS-307-242 ..... c10 N73-13235
US-PATENT-CLASS-307-243 ..... c09 N71-12516
US-PATENT-CLASS-307-243 ..... c08 N72-22162
US-PATENT-CLASS-307-243 ..... c33 N74-22814
US-PATENT-CLASS-307-246 ..... c09 N71-27016
US-PATENT-CLASS-307-247 ..... c09 N71-29139
US-PATENT-CLASS-307-247 ..... c09 N72-22202
US-PATENT-CLASS-307-251 ..... c09 N71-33109
US-PATENT-CLASS-307-251 ..... c08 N72-22162
US-PATENT-CLASS-307-252 ..... c10 N69-39888
US-PATENT-CLASS-307-252 ..... c09 N71-12514
US-PATENT-CLASS-307-252F c09 N72-17153
US-PATENT-CLASS-307-252J c09 N72-17153
US-PATENT-CLASS-307-252J c09 N72-22201
US-PATENT-CLASS-307-252K c09 N72-22201
US-PATENT-CLASS-307-252L c33 N74-27682
US-PATENT-CLASS-307-252N c09 N72-23171
US-PATENT-CLASS-307-252Q c33 N74-27682
US-PATENT-CLASS-307-252R c09 N72-23171
US-PATENT-CLASS-307-253 ..... c10 N71-27126
US-PATENT-CLASS-307-254 ..... c10 N71-24799
US-PATENT-CLASS-307-254 ..... c09 N72-22200
US-PATENT-CLASS-307-255 ..... c33 N76-31410
US-PATENT-CLASS-307-257 ..... c09 N72-21247
US-PATENT-CLASS-307-259 ..... c09 N72-21247
US-PATENT-CLASS-307-259 ..... c09 N72-23171
US-PATENT-CLASS-307-259 ..... c10 N73-13235
US-PATENT-CLASS-307-260 ..... c09 N71-23311
US-PATENT-CLASS-307-260 ..... c05 N71-23317
US-PATENT-CLASS-307-260 ..... c33 N75-19515
US-PATENT-CLASS-307-261 ..... c09 N71-33109
US-PATENT-CLASS-307-261 ..... c09 N72-25251
US-PATENT-CLASS-307-262 ..... c10 N72-16172
US-PATENT-CLASS-307-262 ..... c09 N72-22197
US-PATENT-CLASS-307-262 ..... c09 N72-33204
US-PATENT-CLASS-307-263 ..... c09 N71-23270
US-PATENT-CLASS-307-263 ..... c09 N71-28926
US-PATENT-CLASS-307-265 ..... c09 N69-39987
US-PATENT-CLASS-307-265 ..... c10 N71-23029
US-PATENT-CLASS-307-265 ..... c09 N71-28468
US-PATENT-CLASS-307-265 ..... c10 N71-28860
US-PATENT-CLASS-307-265 ..... c08 N71-29138
US-PATENT-CLASS-307-265 ..... c09 N71-29139
US-PATENT-CLASS-307-267 ..... c09 N71-20447
US-PATENT-CLASS-307-267 ..... c33 N74-32711
US-PATENT-CLASS-307-267 ..... c33 N75-18479
US-PATENT-CLASS-307-268 ..... c09 N69-24317
US-PATENT-CLASS-307-271 ..... c10 N73-32145
US-PATENT-CLASS-307-273 ..... c10 N71-18723
US-PATENT-CLASS-307-273 ..... c09 N71-27016
US-PATENT-CLASS-307-273 ..... c09 N71-28468
US-PATENT-CLASS-307-273 ..... c10 N71-28860
US-PATENT-CLASS-307-273 ..... c09 N71-29139
US-PATENT-CLASS-307-273 ..... c10 N72-20221
US-PATENT-CLASS-307-280 ..... c33 N77-21314
US-PATENT-CLASS-307-284 ..... c09 N72-22201
US-PATENT-CLASS-307-288 ..... c09 N71-23015
US-PATENT-CLASS-307-288 ..... c09 N71-28468
US-PATENT-CLASS-307-288 ..... c10 N72-20221
US-PATENT-CLASS-307-288 ..... c09 N72-22202
US-PATENT-CLASS-307-289 ..... c10 N71-19547
US-PATENT-CLASS-307-290 ..... c33 N74-22814
US-PATENT-CLASS-307-294 ..... c09 N71-29139
US-PATENT-CLASS-307-295 ..... c10 N72-17171
US-PATENT-CLASS-307-295 ..... c10 N72-20223
US-PATENT-CLASS-307-295 ..... c09 N72-21245
US-PATENT-CLASS-307-295 ..... c09 N72-33204
US-PATENT-CLASS-307-295 ..... c33 N74-34638

US-PATENT-CLASS-307-295 ..... c33 N77-13315
US-PATENT-CLASS-307-296 ..... c08 N71-12494
US-PATENT-CLASS-307-296 ..... c07 N71-28430
US-PATENT-CLASS-307-299 ..... c08 N72-21198
US-PATENT-CLASS-307-299 ..... c26 N72-21701
US-PATENT-CLASS-307-300 ..... c10 N71-27126
US-PATENT-CLASS-307-300 ..... c33 N76-31410
US-PATENT-CLASS-307-303 ..... c08 N72-21198
US-PATENT-CLASS-307-304 ..... c09 N72-22201
US-PATENT-CLASS-307-304 ..... c09 N73-20232
US-PATENT-CLASS-307-304 ..... c33 N74-34638
US-PATENT-CLASS-307-305 ..... c09 N72-23171
US-PATENT-CLASS-307-308 ..... c14 N73-28488
US-PATENT-CLASS-307-309 ..... c35 N75-13213
US-PATENT-CLASS-307-310 ..... c09 N73-14214
US-PATENT-CLASS-307-311 ..... c14 N72-18411
US-PATENT-CLASS-307-311 ..... c08 N72-21198
US-PATENT-CLASS-307-311 ..... c09 N73-14214
US-PATENT-CLASS-307-313 ..... c10 N72-20221
US-PATENT-CLASS-307-313 ..... c33 N76-31410
US-PATENT-CLASS-307-315 ..... c33 N76-31410
US-PATENT-CLASS-307-317 ..... c09 N72-22200
US-PATENT-CLASS-307-317 ..... c09 N72-22201
US-PATENT-CLASS-307-321 ..... c33 N75-19520
US-PATENT-CLASS-307-321 ..... c33 N75-25041
US-PATENT-CLASS-307-322 ..... c10 N72-22236
US-PATENT-CLASS-307-323 ..... c10 N72-22236
US-PATENT-CLASS-308-DIG.1 ..... c15 N72-17451
US-PATENT-CLASS-308-1 ..... c31 N71-26537
US-PATENT-CLASS-308-2 ..... c15 N71-23812
US-PATENT-CLASS-308-2A c15 N72-26371
US-PATENT-CLASS-308-2A c15 N73-12488
US-PATENT-CLASS-308-5 ..... c15 N71-10617
US-PATENT-CLASS-308-5 ..... c15 N72-11388
US-PATENT-CLASS-308-5 ..... c15 N72-17451
US-PATENT-CLASS-308-5R c37 N77-28486
US-PATENT-CLASS-308-9 ..... c15 N70-34664
US-PATENT-CLASS-308-9 ..... c15 N70-38620
US-PATENT-CLASS-308-9 ..... c15 N70-39896
US-PATENT-CLASS-308-9 ..... c15 N71-20739
US-PATENT-CLASS-308-9 ..... c14 N71-26627
US-PATENT-CLASS-308-9 ..... c15 N72-17451
US-PATENT-CLASS-308-9 ..... c15 N73-32359
US-PATENT-CLASS-308-9 ..... c37 N76-15461
US-PATENT-CLASS-308-9 ..... c37 N77-28486
US-PATENT-CLASS-308-10 ..... c15 N71-22997
US-PATENT-CLASS-308-10 ..... c15 N72-33476
US-PATENT-CLASS-308-10 ..... c35 N74-18323
US-PATENT-CLASS-308-10 ..... c37 N75-18574
US-PATENT-CLASS-308-10 ..... c37 N76-18459
US-PATENT-CLASS-308-10 ..... c37 N77-17464
US-PATENT-CLASS-308-35 ..... c15 N73-32359
US-PATENT-CLASS-308-72 ..... c37 N76-15461
US-PATENT-CLASS-308-72 ..... c37 N77-32500
US-PATENT-CLASS-308-73 ..... c37 N74-21061
US-PATENT-CLASS-308-73 ..... c37 N75-30562
US-PATENT-CLASS-308-73 ..... c37 N76-15461
US-PATENT-CLASS-308-73 ..... c37 N77-28486
US-PATENT-CLASS-308-121 ..... c37 N74-32921
US-PATENT-CLASS-308-121 ..... c37 N75-30562
US-PATENT-CLASS-308-122 ..... c37 N76-15461
US-PATENT-CLASS-308-160 ..... c37 N76-15461
US-PATENT-CLASS-308-160 ..... c37 N76-29588
US-PATENT-CLASS-308-163 ..... c37 N76-29588
US-PATENT-CLASS-308-170 ..... c15 N71-28465
US-PATENT-CLASS-308-170 ..... c37 N76-29588
US-PATENT-CLASS-308-174 ..... c54 N75-12616
US-PATENT-CLASS-308-176 ..... c15 N71-22982
US-PATENT-CLASS-308-177 ..... c15 N71-29136
US-PATENT-CLASS-308-187 ..... c15 N71-26189
US-PATENT-CLASS-308-188 ..... c15 N73-30458
US-PATENT-CLASS-308-188 ..... c37 N74-21064
US-PATENT-CLASS-308-191 ..... c37 N74-21064
US-PATENT-CLASS-308-191 ..... c37 N75-31446
US-PATENT-CLASS-308-193 ..... c15 N73-30458
US-PATENT-CLASS-308-195 ..... c15 N72-22490
US-PATENT-CLASS-308-195 ..... c37 N75-31446
US-PATENT-CLASS-308-195 ..... c37 N77-32500
US-PATENT-CLASS-308-195 ..... c37 N77-32501
US-PATENT-CLASS-308-201 ..... c37 N75-31446
US-PATENT-CLASS-310-2 ..... c03 N72-23048
US-PATENT-CLASS-310-4 ..... c09 N69-21313
US-PATENT-CLASS-310-4 ..... c03 N69-39898
US-PATENT-CLASS-310-4 ..... c09 N69-39929
US-PATENT-CLASS-310-4 ..... c03 N70-34134
US-PATENT-CLASS-310-4 ..... c03 N71-11055
US-PATENT-CLASS-310-4 ..... c22 N71-23599
US-PATENT-CLASS-310-4 ..... c09 N71-24807
US-PATENT-CLASS-310-4 ..... c33 N71-27862
US-PATENT-CLASS-310-4 ..... c09 N71-28421
US-PATENT-CLASS-310-4 ..... c09 N72-25260
US-PATENT-CLASS-310-4 ..... c09 N72-27228
US-PATENT-CLASS-310-4 ..... c20 N75-24837
US-PATENT-CLASS-310-4 ..... c36 N75-30524
US-PATENT-CLASS-310-4 ..... c44 N76-16612
US-PATENT-CLASS-310-4A c37 N77-19458
US-PATENT-CLASS-310-4B c33 N74-27683
US-PATENT-CLASS-310-4E c73 N77-18891
US-PATENT-CLASS-310-5 ..... c03 N70-35408
US-PATENT-CLASS-310-8.2 ..... c35 N76-15432
US-PATENT-CLASS-310-8.5 ..... c14 N71-22993
US-PATENT-CLASS-310-9.1 ..... c15 N71-21311
US-PATENT-CLASS-310-10 ..... c03 N69-39890
US-PATENT-CLASS-310-10 ..... c09 N71-23443
US-PATENT-CLASS-310-10 ..... c09 N71-24904
US-PATENT-CLASS-310-10 ..... c09 N72-25255
US-PATENT-CLASS-310-10 ..... c20 N75-24837
US-PATENT-CLASS-310-11 ..... c25 N69-21929
US-PATENT-CLASS-310-11 ..... c03 N69-39983
US-PATENT-CLASS-310-11 ..... c03 N70-36803
US-PATENT-CLASS-310-11 ..... c14 N72-22439
US-PATENT-CLASS-310-11 ..... c12 N72-25292
US-PATENT-CLASS-310-11 ..... c35 N74-21018
US-PATENT-CLASS-310-11 ..... c36 N75-32441
US-PATENT-CLASS-310-15 ..... c09 N72-25255
US-PATENT-CLASS-310-40 ..... c20 N75-24837
US-PATENT-CLASS-310-42 ..... c14 N72-22439
US-PATENT-CLASS-310-51 ..... c15 N71-27169
US-PATENT-CLASS-310-52 ..... c20 N75-24837
US-PATENT-CLASS-310-54 ..... c09 N71-20446
US-PATENT-CLASS-310-68 ..... c15 N72-25456
US-PATENT-CLASS-310-80 ..... c15 N72-25456
US-PATENT-CLASS-310-83 ..... c15 N72-25456
US-PATENT-CLASS-310-93 ..... c15 N71-17652
US-PATENT-CLASS-310-101 ..... c15 N71-24696
US-PATENT-CLASS-310-111 ..... c33 N77-26387
US-PATENT-CLASS-310-168 ..... c09 N71-25999
US-PATENT-CLASS-310-168 ..... c33 N77-26387
US-PATENT-CLASS-310-254 ..... c09 N71-25999
US-PATENT-CLASS-311-37 ..... c35 N75-29380
US-PATENT-CLASS-312-1 ..... c05 N71-23080
US-PATENT-CLASS-312-1 ..... c05 N73-20137
US-PATENT-CLASS-312-1 ..... c37 N74-20063
US-PATENT-CLASS-312-209 ..... c37 N74-18123
US-PATENT-CLASS-312-257 ..... c31 N72-22874
US-PATENT-CLASS-312-296 ..... c09 N71-18600
US-PATENT-CLASS-313-DIG.8 ..... c28 N73-24783
US-PATENT-CLASS-313-7 ..... c14 N71-18482
US-PATENT-CLASS-313-7 ..... c14 N73-32324
US-PATENT-CLASS-313-11.5 ..... c28 N70-39925
US-PATENT-CLASS-313-22 ..... c09 N71-26787
US-PATENT-CLASS-313-32 ..... c33 N74-12913
US-PATENT-CLASS-313-32 ..... c33 N77-21315
US-PATENT-CLASS-313-44 ..... c15 N69-24319
US-PATENT-CLASS-313-60 ..... c33 N77-22386
US-PATENT-CLASS-313-61S c73 N74-26767
US-PATENT-CLASS-313-63 ..... c28 N70-41576
US-PATENT-CLASS-313-63 ..... c09 N71-10618
US-PATENT-CLASS-313-63 ..... c28 N71-26781
US-PATENT-CLASS-313-63 ..... c28 N73-24783
US-PATENT-CLASS-313-63 ..... c28 N73-27699
US-PATENT-CLASS-313-63 ..... c75 N75-13625
US-PATENT-CLASS-313-93 ..... c35 N74-26949
US-PATENT-CLASS-313-94 ..... c33 N76-31409
US-PATENT-CLASS-313-104 ..... c14 N73-32317
US-PATENT-CLASS-313-109.5 ..... c09 N71-33519
US-PATENT-CLASS-313-110 ..... c09 N71-12521
US-PATENT-CLASS-313-146 ..... c33 N77-22386
US-PATENT-CLASS-313-153 ..... c33 N74-12913
US-PATENT-CLASS-313-156 ..... c25 N70-34661
US-PATENT-CLASS-313-161 ..... c25 N73-25760
US-PATENT-CLASS-313-161 ..... c09 N73-30181
US-PATENT-CLASS-313-161 ..... c33 N77-21315
US-PATENT-CLASS-313-175 ..... c33 N77-21316
US-PATENT-CLASS-313-180 ..... c33 N77-21316
US-PATENT-CLASS-313-182 ..... c33 N77-22386
US-PATENT-CLASS-313-184 ..... c33 N77-21315
US-PATENT-CLASS-313-184 ..... c33 N77-21316
US-PATENT-CLASS-313-186 ..... c25 N72-24753
US-PATENT-CLASS-313-204 ..... c28 N73-24783
US-PATENT-CLASS-313-209 ..... c33 N74-12913
US-PATENT-CLASS-313-212 ..... c25 N72-24753
US-PATENT-CLASS-313-217 ..... c28 N73-27699
US-PATENT-CLASS-313-217 ..... c33 N74-12913
US-PATENT-CLASS-313-218 ..... c28 N73-27699
US-PATENT-CLASS-313-224 ..... c25 N72-24753
US-PATENT-CLASS-313-224 ..... c33 N74-12913
US-PATENT-CLASS-313-224 ..... c33 N77-21315
US-PATENT-CLASS-313-230 ..... c28 N71-28850

US-PATENT-CLASS-313-230 ..... c28 N73-27699
US-PATENT-CLASS-313-230 ..... c20 N77-20162
US-PATENT-CLASS-313-231 ..... c06 N69-39889
US-PATENT-CLASS-313-231 ..... c09 N71-23190
US-PATENT-CLASS-313-231 ..... c09 N71-33519
US-PATENT-CLASS-313-231 ..... c25 N72-24753
US-PATENT-CLASS-313-231 ..... c25 N72-32688
US-PATENT-CLASS-313-231 ..... c28 N73-24783
US-PATENT-CLASS-313-231 ..... c25 N73-25760
US-PATENT-CLASS-313-231.3 ..... c20 N77-20162
US-PATENT-CLASS-313-231.4 ..... c20 N77-10148
US-PATENT-CLASS-313-236 ..... c09 N71-26182
US-PATENT-CLASS-313-237 ..... c09 N71-26182
US-PATENT-CLASS-313-240 ..... c20 N77-10148
US-PATENT-CLASS-313-250 ..... c31 N76-31365
US-PATENT-CLASS-313-271 ..... c25 N71-20747
US-PATENT-CLASS-313-306 ..... c31 N76-31365
US-PATENT-CLASS-313-309 ..... c10 N72-27246
US-PATENT-CLASS-313-309 ..... c31 N76-31365
US-PATENT-CLASS-313-311 ..... c73 N77-18891
US-PATENT-CLASS-313-336 ..... c10 N72-27246
US-PATENT-CLASS-313-338 ..... c31 N76-31365
US-PATENT-CLASS-313-351 ..... c10 N72-27246
US-PATENT-CLASS-313-352 ..... c09 N71-22987
US-PATENT-CLASS-313-355 ..... c28 N73-27699
US-PATENT-CLASS-313-356 ..... c14 N72-29464
US-PATENT-CLASS-313-360 ..... c20 N77-20162
US-PATENT-CLASS-313-361 ..... c20 N77-10148
US-PATENT-CLASS-314-129 ..... c15 N69-24266
US-PATENT-CLASS-315-DIG.2 ..... c16 N73-32391
US-PATENT-CLASS-315-3.5 ..... c09 N73-13208
US-PATENT-CLASS-315-5.35 ..... c33 N74-10195
US-PATENT-CLASS-315-5.38 ..... c09 N73-13208
US-PATENT-CLASS-315-5.38 ..... c33 N74-10195
US-PATENT-CLASS-315-10 ..... c33 N74-21850
US-PATENT-CLASS-315-10 ..... c33 N75-26244
US-PATENT-CLASS-315-11 ..... c33 N74-21850
US-PATENT-CLASS-315-12 ..... c33 N74-21850
US-PATENT-CLASS-315-18 ..... c32 N74-20813
US-PATENT-CLASS-315-18 ..... c33 N75-19517
US-PATENT-CLASS-315-22 ..... c10 N72-20225
US-PATENT-CLASS-315-22 ..... c32 N74-20813
US-PATENT-CLASS-315-22R c10 N72-31273
US-PATENT-CLASS-315-24 ..... c08 N71-20571
US-PATENT-CLASS-315-25 ..... c10 N72-20225
US-PATENT-CLASS-315-26 ..... c09 N71-23189
US-PATENT-CLASS-315-30 ..... c33 N75-27250
US-PATENT-CLASS-315-30R c10 N72-31273
US-PATENT-CLASS-315-36 ..... c10 N72-27246
US-PATENT-CLASS-315-101 ..... c16 N73-32391
US-PATENT-CLASS-315-108 ..... c09 N71-33519
US-PATENT-CLASS-315-108 ..... c33 N77-21316
US-PATENT-CLASS-315-110 ..... c33 N77-21316
US-PATENT-CLASS-315-111 ..... c25 N70-33267
US-PATENT-CLASS-315-111 ..... c25 N70-41628
US-PATENT-CLASS-315-111 ..... c25 N71-15562
US-PATENT-CLASS-315-111 ..... c24 N71-16213
US-PATENT-CLASS-315-111 ..... c25 N71-21693
US-PATENT-CLASS-315-111 ..... c28 N71-26781
US-PATENT-CLASS-315-111 ..... c25 N71-29184
US-PATENT-CLASS-315-111 ..... c09 N71-33519
US-PATENT-CLASS-315-111 ..... c25 N72-24753
US-PATENT-CLASS-315-111 ..... c25 N72-32688
US-PATENT-CLASS-315-111 ..... c14 N73-30391
US-PATENT-CLASS-315-111 ..... c75 N75-13625
US-PATENT-CLASS-315-111 ..... c33 N75-29318
US-PATENT-CLASS-315-111 ..... c37 N75-29426
US-PATENT-CLASS-315-111.3 ..... c20 N77-10148
US-PATENT-CLASS-315-111.3 ..... c20 N77-20162
US-PATENT-CLASS-315-111.6 ..... c75 N76-14931
US-PATENT-CLASS-315-111.6 ..... c20 N77-20162
US-PATENT-CLASS-315-135 ..... c09 N72-25250
US-PATENT-CLASS-315-151 ..... c14 N72-27411
US-PATENT-CLASS-315-153 ..... c14 N73-16483
US-PATENT-CLASS-315-156 ..... c14 N72-27411
US-PATENT-CLASS-315-158 ..... c14 N72-27411
US-PATENT-CLASS-315-160 ..... c09 N71-12540
US-PATENT-CLASS-315-169R c23 N73-13660
US-PATENT-CLASS-315-169R c36 N75-19652
US-PATENT-CLASS-315-169TV c23 N73-13660
US-PATENT-CLASS-315-176 ..... c33 N77-28385
US-PATENT-CLASS-315-211 ..... c33 N74-20859
US-PATENT-CLASS-315-228 ..... c33 N74-20859
US-PATENT-CLASS-315-241 ..... c09 N71-13518
US-PATENT-CLASS-315-248 ..... c09 N73-30181
US-PATENT-CLASS-315-258 ..... c16 N73-32391
US-PATENT-CLASS-315-297 ..... c14 N72-27411
US-PATENT-CLASS-315-307 ..... c14 N72-27411
US-PATENT-CLASS-315-310 ..... c14 N72-27411

US-PATENT-CLASS-315-311 ..... c14 N72-27411
US-PATENT-CLASS-315-324 ..... c09 N73-30181
US-PATENT-CLASS-315-326 ..... c25 N72-24753
US-PATENT-CLASS-315-344 ..... c33 N77-21315
US-PATENT-CLASS-315-349 ..... c09 N72-25250
US-PATENT-CLASS-315-356 ..... c16 N73-32391
US-PATENT-CLASS-315-358 ..... c25 N72-24753
US-PATENT-CLASS-315-367 ..... c33 N75-26244
US-PATENT-CLASS-315-369 ..... c33 N75-26244
US-PATENT-CLASS-315-387 ..... c33 N75-26244
US-PATENT-CLASS-317-DIG.3 ..... c10 N71-26334
US-PATENT-CLASS-317-DIG.6 ..... c10 N73-26228
US-PATENT-CLASS-317-2D c33 N77-10429
US-PATENT-CLASS-317-9 ..... c09 N71-22796
US-PATENT-CLASS-317-9 ..... c09 N71-27001
US-PATENT-CLASS-317-16 ..... c09 N69-39897
US-PATENT-CLASS-317-16 ..... c33 N74-17929
US-PATENT-CLASS-317-20 ..... c10 N71-26531
US-PATENT-CLASS-317-31 ..... c09 N71-12526
US-PATENT-CLASS-317-31 ..... c10 N71-23543
US-PATENT-CLASS-317-31 ..... c33 N74-17929
US-PATENT-CLASS-317-31 ..... c33 N77-14333
US-PATENT-CLASS-317-33 ..... c10 N71-26531
US-PATENT-CLASS-317-33 ..... c09 N71-27001
US-PATENT-CLASS-317-33 ..... c10 N71-27366
US-PATENT-CLASS-317-33 ..... c09 N71-29008
US-PATENT-CLASS-317-33SC c33 N74-14956
US-PATENT-CLASS-317-43 ..... c33 N74-14956
US-PATENT-CLASS-317-46 ..... c33 N74-14956
US-PATENT-CLASS-317-47 ..... c33 N74-14956
US-PATENT-CLASS-317-48 ..... c33 N74-14956
US-PATENT-CLASS-317-54 ..... c09 N71-29008
US-PATENT-CLASS-317-60 ..... c09 N71-29008
US-PATENT-CLASS-317-100 ..... c10 N71-28783
US-PATENT-CLASS-317-100 ..... c10 N73-25243
US-PATENT-CLASS-317-101 ..... c09 N71-26133
US-PATENT-CLASS-317-101A c09 N72-33205
US-PATENT-CLASS-317-101A c23 N73-13660
US-PATENT-CLASS-317-101DH c15 N72-22486
US-PATENT-CLASS-317-101DH c10 N73-25243
US-PATENT-CLASS-317-117 ..... c15 N72-22486
US-PATENT-CLASS-317-120 ..... c15 N72-22486
US-PATENT-CLASS-317-122 ..... c15 N71-18701
US-PATENT-CLASS-317-123 ..... c09 N71-24892
US-PATENT-CLASS-317-140 ..... c09 N70-34502
US-PATENT-CLASS-317-148.5 ..... c10 N71-23271
US-PATENT-CLASS-317-148.5 ..... c09 N71-24892
US-PATENT-CLASS-317-153 ..... c10 N71-26334
US-PATENT-CLASS-317-155.5 ..... c09 N71-29008
US-PATENT-CLASS-317-157.5 ..... c15 N69-21472
US-PATENT-CLASS-317-158 ..... c15 N73-28516
US-PATENT-CLASS-317-158 ..... c26 N73-28710
US-PATENT-CLASS-317-158 ..... c15 N73-32361
US-PATENT-CLASS-317-230 ..... c09 N71-27232
US-PATENT-CLASS-317-230 ..... c26 N72-28761
US-PATENT-CLASS-317-231 ..... c09 N71-27232
US-PATENT-CLASS-317-234 ..... c14 N69-23191
US-PATENT-CLASS-317-234 ..... c09 N69-27422
US-PATENT-CLASS-317-234 ..... c26 N71-18064
US-PATENT-CLASS-317-234A c15 N73-14469
US-PATENT-CLASS-317-234D c14 N72-31446
US-PATENT-CLASS-317-234E c33 N74-12951
US-PATENT-CLASS-317-234F c33 N74-12951
US-PATENT-CLASS-317-234G c14 N72-31446
US-PATENT-CLASS-317-234G c15 N73-14469
US-PATENT-CLASS-317-234G c09 N73-27150
US-PATENT-CLASS-317-234J c26 N72-25679
US-PATENT-CLASS-317-234L c09 N73-27150
US-PATENT-CLASS-317-234M c09 N73-27150
US-PATENT-CLASS-317-234M c33 N74-12951
US-PATENT-CLASS-317-234N c09 N73-27150
US-PATENT-CLASS-317-234N c33 N74-12951
US-PATENT-CLASS-317-234R c09 N73-27150
US-PATENT-CLASS-317-234R c33 N74-12951
US-PATENT-CLASS-317-234V c26 N72-21701
US-PATENT-CLASS-317-234V c09 N73-15235
US-PATENT-CLASS-317-235 ..... c09 N69-24318
US-PATENT-CLASS-317-235 ..... c09 N72-33205
US-PATENT-CLASS-317-235A c26 N72-25679
US-PATENT-CLASS-317-235A c09 N72-33205
US-PATENT-CLASS-317-235AG c09 N73-15235
US-PATENT-CLASS-317-235AJ c26 N72-25679
US-PATENT-CLASS-317-235AJ c09 N72-33205
US-PATENT-CLASS-317-235AM c09 N73-19235
US-PATENT-CLASS-317-235B c35 N75-13213
US-PATENT-CLASS-317-235K c09 N73-15235
US-PATENT-CLASS-317-235M c14 N72-31446
US-PATENT-CLASS-317-235N c09 N73-19235
US-PATENT-CLASS-317-235N c35 N74-15090

US-PATENT-CLASS-317-235R c26 N72-21701
US-PATENT-CLASS-317-235R c26 N72-25679
US-PATENT-CLASS-317-235R c14 N72-31446
US-PATENT-CLASS-317-235R c09 N73-19235
US-PATENT-CLASS-317-235R c09 N73-32112
US-PATENT-CLASS-317-235T c09 N73-19235
US-PATENT-CLASS-317-235UA c09 N73-19235
US-PATENT-CLASS-317-235WB c09 N73-32112
US-PATENT-CLASS-317-238 ..... c09 N71-27232
US-PATENT-CLASS-317-246 ..... c14 N69-21541
US-PATENT-CLASS-317-246 ..... c33 N76-21390
US-PATENT-CLASS-317-246 ..... c35 N76-22509
US-PATENT-CLASS-317-247 ..... c14 N72-24477
US-PATENT-CLASS-317-258 ..... c09 N71-13522
US-PATENT-CLASS-317-258 ..... c33 N76-15373
US-PATENT-CLASS-317-261 ..... c26 N72-28761
US-PATENT-CLASS-317-261 ..... c33 N76-15373
US-PATENT-CLASS-318-20.105 ..... c08 N71-27057
US-PATENT-CLASS-318-22 ..... c15 N71-17694
US-PATENT-CLASS-318-31 ..... c15 N71-28952
US-PATENT-CLASS-318-137 ..... c33 N75-19524
US-PATENT-CLASS-318-138 ..... c09 N71-10677
US-PATENT-CLASS-318-138 ..... c14 N71-17585
US-PATENT-CLASS-318-138 ..... c10 N71-18772
US-PATENT-CLASS-318-138 ..... c09 N71-25999
US-PATENT-CLASS-318-138 ..... c33 N77-26386
US-PATENT-CLASS-318-167 ..... c33 N75-19524
US-PATENT-CLASS-318-176 ..... c33 N75-19524
US-PATENT-CLASS-318-183 ..... c33 N75-19524
US-PATENT-CLASS-318-227 ..... c07 N71-33613
US-PATENT-CLASS-318-227 ..... c33 N75-15874
US-PATENT-CLASS-318-227 ..... c33 N77-26386
US-PATENT-CLASS-318-230 ..... c07 N71-33613
US-PATENT-CLASS-318-230 ..... c10 N73-32145
US-PATENT-CLASS-318-230 ..... c33 N75-15874
US-PATENT-CLASS-318-231 ..... c10 N73-32145
US-PATENT-CLASS-318-231 ..... c33 N75-15874
US-PATENT-CLASS-318-254 ..... c09 N71-25999
US-PATENT-CLASS-318-254 ..... c09 N73-32107
US-PATENT-CLASS-318-254 ..... c33 N77-26386
US-PATENT-CLASS-318-257 ..... c10 N71-18724
US-PATENT-CLASS-318-258 ..... c09 N71-26092
US-PATENT-CLASS-318-260 ..... c09 N70-38712
US-PATENT-CLASS-318-265 ..... c15 N71-24895
US-PATENT-CLASS-318-267 ..... c37 N77-27400
US-PATENT-CLASS-318-308 ..... c11 N72-20244
US-PATENT-CLASS-318-314 ..... c10 N71-20448
US-PATENT-CLASS-318-314 ..... c09 N75-24758
US-PATENT-CLASS-318-317 ..... c09 N71-28886
US-PATENT-CLASS-318-318 ..... c09 N71-24805
US-PATENT-CLASS-318-318 ..... c09 N75-24758
US-PATENT-CLASS-318-327 ..... c11 N72-20244
US-PATENT-CLASS-318-328 ..... c09 N73-32107
US-PATENT-CLASS-318-331 ..... c09 N71-28886
US-PATENT-CLASS-318-341 ..... c10 N73-32145
US-PATENT-CLASS-318-341 ..... c09 N75-24758
US-PATENT-CLASS-318-345 ..... c09 N71-28886
US-PATENT-CLASS-318-376 ..... c10 N71-16030
US-PATENT-CLASS-318-376 ..... c11 N72-20244
US-PATENT-CLASS-318-382 ..... c15 N71-24695
US-PATENT-CLASS-318-468 ..... c37 N77-27400
US-PATENT-CLASS-318-470 ..... c37 N77-27400
US-PATENT-CLASS-318-489 ..... c02 N73-19004
US-PATENT-CLASS-318-504 ..... c09 N71-28886
US-PATENT-CLASS-318-571 ..... c10 N71-27136
US-PATENT-CLASS-318-576 ..... c09 N72-21246
US-PATENT-CLASS-318-580 ..... c08 N74-10942
US-PATENT-CLASS-318-599 ..... c10 N71-24861
US-PATENT-CLASS-318-602 ..... c33 N74-29556
US-PATENT-CLASS-318-603 ..... c33 N74-29556
US-PATENT-CLASS-318-608 ..... c33 N75-13139
US-PATENT-CLASS-318-628 ..... c08 N74-10942
US-PATENT-CLASS-318-640 ..... c33 N75-13139
US-PATENT-CLASS-318-640 ..... c54 N75-27758
US-PATENT-CLASS-318-649 ..... c33 N75-13139
US-PATENT-CLASS-318-653 ..... c10 N71-27136
US-PATENT-CLASS-318-664 ..... c33 N74-29556
US-PATENT-CLASS-318-675 ..... c33 N75-13139
US-PATENT-CLASS-318-675 ..... c37 N77-27400
US-PATENT-CLASS-320-2 ..... c44 N77-14581
US-PATENT-CLASS-320-13 ..... c03 N71-29129
US-PATENT-CLASS-320-17 ..... c03 N71-24605
US-PATENT-CLASS-320-21 ..... c44 N76-18643
US-PATENT-CLASS-320-22 ..... c44 N76-18643
US-PATENT-CLASS-320-23 ..... c03 N71-19438
US-PATENT-CLASS-320-39 ..... c03 N71-24719
US-PATENT-CLASS-320-48 ..... c03 N72-25020
US-PATENT-CLASS-321-1.5 ..... c09 N73-32109
US-PATENT-CLASS-321-2 ..... c03 N69-21330
US-PATENT-CLASS-321-2 ..... c03 N69-25146
US-PATENT-CLASS-321-2 ..... c03 N71-12255
US-PATENT-CLASS-321-2 ..... c09 N71-23188
US-PATENT-CLASS-321-2 ..... c03 N71-23239
US-PATENT-CLASS-321-2 ..... c10 N71-26085
US-PATENT-CLASS-321-2 ..... c09 N72-22196
US-PATENT-CLASS-321-2 ..... c09 N72-22203
US-PATENT-CLASS-321-2 ..... c03 N72-23048
US-PATENT-CLASS-321-2 ..... c09 N72-25249
US-PATENT-CLASS-321-2 ..... c09 N72-25251
US-PATENT-CLASS-321-2 ..... c09 N72-25252
US-PATENT-CLASS-321-2 ..... c09 N72-25253
US-PATENT-CLASS-321-2 ..... c09 N72-25254
US-PATENT-CLASS-321-2 ..... c33 N74-11049
US-PATENT-CLASS-321-2 ..... c33 N77-10428
US-PATENT-CLASS-321-5 ..... c08 N71-18752
US-PATENT-CLASS-321-8R c35 N74-18090
US-PATENT-CLASS-321-9 ..... c10 N71-25139
US-PATENT-CLASS-321-10 ..... c09 N72-17154
US-PATENT-CLASS-321-11 ..... c09 N69-39984
US-PATENT-CLASS-321-11 ..... c09 N72-25252
US-PATENT-CLASS-321-11 ..... c10 N73-26228
US-PATENT-CLASS-321-12 ..... c10 N71-27366
US-PATENT-CLASS-321-13 ..... c33 N77-14333
US-PATENT-CLASS-321-14 ..... c09 N72-22196
US-PATENT-CLASS-321-15 ..... c09 N72-22203
US-PATENT-CLASS-321-15 ..... c33 N75-19522
US-PATENT-CLASS-321-18 ..... c09 N72-22203
US-PATENT-CLASS-321-18 ..... c09 N72-25251
US-PATENT-CLASS-321-18 ..... c09 N72-25252
US-PATENT-CLASS-321-18 ..... c33 N74-11049
US-PATENT-CLASS-321-19 ..... c09 N72-22196
US-PATENT-CLASS-321-19 ..... c09 N72-25252
US-PATENT-CLASS-321-19 ..... c33 N77-10428
US-PATENT-CLASS-321-25 ..... c09 N72-22196
US-PATENT-CLASS-321-45 ..... c09 N71-24800
US-PATENT-CLASS-321-45 ..... c09 N72-22203
US-PATENT-CLASS-321-45C c10 N73-26228
US-PATENT-CLASS-321-45ER c09 N72-25252
US-PATENT-CLASS-321-45R c09 N72-25252
US-PATENT-CLASS-321-45R c09 N72-25254
US-PATENT-CLASS-321-45R c33 N74-22864
US-PATENT-CLASS-321-45S c33 N74-11049
US-PATENT-CLASS-321-47 ..... c09 N71-33109
US-PATENT-CLASS-321-47 ..... c09 N72-25253
US-PATENT-CLASS-321-48 ..... c12 N71-20896
US-PATENT-CLASS-321-60 ..... c14 N71-23174
US-PATENT-CLASS-321-61 ..... c09 N71-27364
US-PATENT-CLASS-321-64 ..... c09 N71-27364
US-PATENT-CLASS-321-69 ..... c10 N71-26414
US-PATENT-CLASS-322-2 ..... c03 N72-23048
US-PATENT-CLASS-322-32 ..... c09 N71-27364
US-PATENT-CLASS-322-96 ..... c33 N77-26387
US-PATENT-CLASS-323-DIG.1 ..... c09 N72-21243
US-PATENT-CLASS-323-DIG.1 ..... c09 N72-25249
US-PATENT-CLASS-323-DIG.1 ..... c33 N74-11049
US-PATENT-CLASS-323-DIG.1 ..... c33 N77-10428
US-PATENT-CLASS-323-8 ..... c10 N71-10578
US-PATENT-CLASS-323-17 ..... c09 N72-25249
US-PATENT-CLASS-323-17 ..... c33 N77-10428
US-PATENT-CLASS-323-19 ..... c08 N72-31226
US-PATENT-CLASS-323-20 ..... c14 N71-27407
US-PATENT-CLASS-323-22 ..... c09 N71-21449
US-PATENT-CLASS-323-22 ..... c09 N71-23316
US-PATENT-CLASS-323-22T c09 N72-21243
US-PATENT-CLASS-323-22T c09 N72-25249
US-PATENT-CLASS-323-22T c33 N77-10428
US-PATENT-CLASS-323-23 ..... c33 N77-10428
US-PATENT-CLASS-323-38 ..... c09 N72-21243
US-PATENT-CLASS-323-48 ..... c09 N71-27053
US-PATENT-CLASS-323-48 ..... c09 N72-25262
US-PATENT-CLASS-323-56 ..... c10 N71-22961
US-PATENT-CLASS-323-56 ..... c09 N71-24893
US-PATENT-CLASS-323-56 ..... c09 N72-22196
US-PATENT-CLASS-323-60 ..... c09 N71-27053
US-PATENT-CLASS-323-82 ..... c09 N72-25262
US-PATENT-CLASS-323-89C c09 N72-22196
US-PATENT-CLASS-323-93 ..... c33 N77-31404
US-PATENT-CLASS-323-106 ..... c33 N74-22885
US-PATENT-CLASS-323-122 ..... c33 N74-22885
US-PATENT-CLASS-323-128 ..... c33 N74-22885
US-PATENT-CLASS-324-.5 ..... c14 N71-20428
US-PATENT-CLASS-324-.5R c16 N73-13489
US-PATENT-CLASS-324-DIG.1 ..... c33 N75-19520
US-PATENT-CLASS-324-DIG.1 ..... c33 N75-25041
US-PATENT-CLASS-324-0.5 ..... c14 N71-26137
US-PATENT-CLASS-324-0.5 ..... c14 N71-26266
US-PATENT-CLASS-324-5 ..... c14 N71-28991
US-PATENT-CLASS-324-20R c09 N72-23172

US-PATENT-CLASS-324-29.5 ..... c03 N72-25020
US-PATENT-CLASS-324-29.5 ..... c14 N73-30388
US-PATENT-CLASS-324-29.5 ..... c44 N74-27519
US-PATENT-CLASS-324-30B c33 N76-19339
US-PATENT-CLASS-324-30R c14 N73-20478
US-PATENT-CLASS-324-32 ..... c14 N71-16014
US-PATENT-CLASS-324-32 ..... c33 N75-18477
US-PATENT-CLASS-324-32 ..... c33 N75-19522
US-PATENT-CLASS-324-33 ..... c25 N69-39884
US-PATENT-CLASS-324-33 ..... c14 N70-35666
US-PATENT-CLASS-324-33 ..... c24 N71-20518
US-PATENT-CLASS-324-33 ..... c14 N71-21090
US-PATENT-CLASS-324-33 ..... c14 N71-27090
US-PATENT-CLASS-324-34 ..... c25 N71-16073
US-PATENT-CLASS-324-34FL c35 N74-21018
US-PATENT-CLASS-324-34R c26 N76-18257
US-PATENT-CLASS-324-40 ..... c38 N74-15395
US-PATENT-CLASS-324-41 ..... c10 N72-28240
US-PATENT-CLASS-324-43 ..... c14 N69-27423
US-PATENT-CLASS-324-43 ..... c09 N70-40123
US-PATENT-CLASS-324-43 ..... c14 N71-15962
US-PATENT-CLASS-324-43 ..... c14 N71-26135
US-PATENT-CLASS-324-43 ..... c14 N71-27325
US-PATENT-CLASS-324-43R c35 N76-16390
US-PATENT-CLASS-324-52 ..... c14 N72-17325
US-PATENT-CLASS-324-52 ..... c14 N73-28486
US-PATENT-CLASS-324-54 ..... c33 N75-18477
US-PATENT-CLASS-324-57 ..... c10 N71-16057
US-PATENT-CLASS-324-57 ..... c09 N71-20569
US-PATENT-CLASS-324-57B c35 N77-32455
US-PATENT-CLASS-324-57PS c35 N75-21582
US-PATENT-CLASS-324-57R c15 N72-21464
US-PATENT-CLASS-324-57R c14 N73-30388
US-PATENT-CLASS-324-57R c35 N74-18090
US-PATENT-CLASS-324-58.5 ..... c15 N71-17822
US-PATENT-CLASS-324-58.5 ..... c25 N71-20563
US-PATENT-CLASS-324-58.5 ..... c14 N71-26137
US-PATENT-CLASS-324-58.5 ..... c18 N71-27397
US-PATENT-CLASS-324-58.5A c33 N75-26245
US-PATENT-CLASS-324-58.5C c33 N75-26245
US-PATENT-CLASS-324-59 ..... c35 N77-32455
US-PATENT-CLASS-324-60 ..... c33 N77-31404
US-PATENT-CLASS-324-60C c35 N75-12270
US-PATENT-CLASS-324-60C c76 N76-20994
US-PATENT-CLASS-324-61 ..... c14 N69-39785
US-PATENT-CLASS-324-61 ..... c14 N70-36618
US-PATENT-CLASS-324-61 ..... c14 N71-10797
US-PATENT-CLASS-324-61 ..... c18 N71-27397
US-PATENT-CLASS-324-61 ..... c14 N72-22442
US-PATENT-CLASS-324-61R c14 N72-24477
US-PATENT-CLASS-324-61R c35 N76-22509
US-PATENT-CLASS-324-62R c14 N73-30388
US-PATENT-CLASS-324-64 ..... c15 N72-21464
US-PATENT-CLASS-324-65 ..... c14 N71-27186
US-PATENT-CLASS-324-65P c14 N73-20478
US-PATENT-CLASS-324-65R c15 N72-23497
US-PATENT-CLASS-324-66 ..... c05 N72-16015
US-PATENT-CLASS-324-70 ..... c14 N70-41332
US-PATENT-CLASS-324-70 ..... c14 N71-22990
US-PATENT-CLASS-324-70 ..... c10 N71-24863
US-PATENT-CLASS-324-71 ..... c09 N71-24843
US-PATENT-CLASS-324-71CP c35 N76-22509
US-PATENT-CLASS-324-71R c09 N72-21246
US-PATENT-CLASS-324-71R c15 N72-21464
US-PATENT-CLASS-324-72 ..... c25 N71-15650
US-PATENT-CLASS-324-72 ..... c10 N71-19421
US-PATENT-CLASS-324-72 ..... c14 N71-23699
US-PATENT-CLASS-324-72 ..... c07 N73-20175
US-PATENT-CLASS-324-72 ..... c14 N73-32318
US-PATENT-CLASS-324-72 ..... c33 N74-27862
US-PATENT-CLASS-324-72 ..... c33 N75-26246
US-PATENT-CLASS-324-72 ..... c33 N77-10429
US-PATENT-CLASS-324-72.5 ..... c44 N74-27519
US-PATENT-CLASS-324-73 ..... c14 N71-28991
US-PATENT-CLASS-324-73AT c08 N72-22166
US-PATENT-CLASS-324-77 ..... c09 N71-10659
US-PATENT-CLASS-324-77 ..... c07 N71-24622
US-PATENT-CLASS-324-77B c60 N75-13539
US-PATENT-CLASS-324-77G c08 N72-20177
US-PATENT-CLASS-324-77H c35 N75-21582
US-PATENT-CLASS-324-77R c10 N73-25240
US-PATENT-CLASS-324-78D c09 N72-25257
US-PATENT-CLASS-324-78D c52 N74-12778
US-PATENT-CLASS-324-78E c14 N73-24473
US-PATENT-CLASS-324-78J c10 N73-25240
US-PATENT-CLASS-324-78J c33 N75-19515
US-PATENT-CLASS-324-79D c14 N73-30386
US-PATENT-CLASS-324-79D c33 N76-16331
US-PATENT-CLASS-324-79R c14 N72-27408

US-PATENT-CLASS-324-83A c10 N72-20224
US-PATENT-CLASS-324-83Q c35 N74-21017
US-PATENT-CLASS-324-83Q c33 N75-26243
US-PATENT-CLASS-324-85 ..... c10 N72-20224
US-PATENT-CLASS-324-92 ..... c26 N72-25680
US-PATENT-CLASS-324-95 ..... c10 N71-12554
US-PATENT-CLASS-324-95 ..... c14 N73-30388
US-PATENT-CLASS-324-96 ..... c26 N72-25680
US-PATENT-CLASS-324-102 ..... c09 N72-11225
US-PATENT-CLASS-324-102 ..... c33 N74-17930
US-PATENT-CLASS-324-102 ..... c33 N75-19521
US-PATENT-CLASS-324-103 ..... c10 N71-27338
US-PATENT-CLASS-324-106 ..... c14 N70-38602
US-PATENT-CLASS-324-106 ..... c08 N71-29138
US-PATENT-CLASS-324-107 ..... c10 N71-27338
US-PATENT-CLASS-324-113 ..... c09 N70-41655
US-PATENT-CLASS-324-113 ..... c33 N75-19521
US-PATENT-CLASS-324-115 ..... c14 N71-26244
US-PATENT-CLASS-324-115 ..... c10 N72-20222
US-PATENT-CLASS-324-117 ..... c14 N71-23037
US-PATENT-CLASS-324-118 ..... c33 N74-17930
US-PATENT-CLASS-324-119 ..... c09 N72-11225
US-PATENT-CLASS-324-120 ..... c14 N71-19431
US-PATENT-CLASS-324-120 ..... c09 N71-23021
US-PATENT-CLASS-324-123R c09 N72-11225
US-PATENT-CLASS-324-132 ..... c09 N71-13530
US-PATENT-CLASS-324-132 ..... c10 N72-20222
US-PATENT-CLASS-324-133 ..... c10 N71-27338
US-PATENT-CLASS-324-158 ..... c09 N69-21926
US-PATENT-CLASS-324-158D c15 N72-25457
US-PATENT-CLASS-324-158D c76 N76-20994
US-PATENT-CLASS-324-158R c76 N76-20994
US-PATENT-CLASS-324-158T c15 N72-25457
US-PATENT-CLASS-324-158T c35 N75-12270
US-PATENT-CLASS-324-158T c76 N76-20994
US-PATENT-CLASS-324-163 ..... c35 N77-30436
US-PATENT-CLASS-324-165 ..... c35 N77-30436
US-PATENT-CLASS-324-174 ..... c35 N77-30436
US-PATENT-CLASS-324-181 ..... c09 N71-24717
US-PATENT-CLASS-324-186 ..... c09 N72-25257
US-PATENT-CLASS-324-186 ..... c52 N74-12778
US-PATENT-CLASS-325-4 ..... c07 N71-16088
US-PATENT-CLASS-325-4 ..... c07 N71-19773
US-PATENT-CLASS-325-4 ..... c07 N71-24621
US-PATENT-CLASS-325-4 ..... c07 N72-11149
US-PATENT-CLASS-325-4 ..... c07 N72-12080
US-PATENT-CLASS-325-4 ..... c07 N72-20140
US-PATENT-CLASS-325-4 ..... c07 N72-25171
US-PATENT-CLASS-325-4 ..... c07 N73-20174
US-PATENT-CLASS-325-4 ..... c15 N75-13007
US-PATENT-CLASS-325-4 ..... c32 N75-26195
US-PATENT-CLASS-325-4 ..... c32 N77-20289
US-PATENT-CLASS-325-5 ..... c07 N73-20174
US-PATENT-CLASS-325-7 ..... c07 N73-20174
US-PATENT-CLASS-325-8 ..... c07 N73-20174
US-PATENT-CLASS-325-9 ..... c07 N73-20174
US-PATENT-CLASS-325-10 ..... c07 N72-12081
US-PATENT-CLASS-325-12 ..... c07 N73-20174
US-PATENT-CLASS-325-13 ..... c07 N72-12081
US-PATENT-CLASS-325-14 ..... c17 N76-21250
US-PATENT-CLASS-325-16 ..... c07 N71-27056
US-PATENT-CLASS-325-17 ..... c07 N73-20174
US-PATENT-CLASS-325-23 ..... c07 N71-27056
US-PATENT-CLASS-325-29 ..... c09 N72-22202
US-PATENT-CLASS-325-30 ..... c32 N74-26654
US-PATENT-CLASS-325-30 ..... c32 N75-24981
US-PATENT-CLASS-325-30 ..... c32 N77-30308
US-PATENT-CLASS-325-31 ..... c07 N71-20791
US-PATENT-CLASS-325-38 ..... c07 N72-20140
US-PATENT-CLASS-325-38 ..... c07 N72-25173
US-PATENT-CLASS-325-38B c35 N74-17885
US-PATENT-CLASS-325-39 ..... c07 N72-11149
US-PATENT-CLASS-325-40 ..... c07 N73-26118
US-PATENT-CLASS-325-41 ..... c10 N71-26577
US-PATENT-CLASS-325-41 ..... c32 N77-12240
US-PATENT-CLASS-325-42 ..... c07 N71-11266
US-PATENT-CLASS-325-42 ..... c32 N76-21366
US-PATENT-CLASS-325-42 ..... c32 N77-30308
US-PATENT-CLASS-325-45 ..... c07 N73-25160
US-PATENT-CLASS-325-51 ..... c07 N72-25173
US-PATENT-CLASS-325-55 ..... c07 N72-25173
US-PATENT-CLASS-325-58 ..... c07 N72-11149
US-PATENT-CLASS-325-58 ..... c07 N72-20140
US-PATENT-CLASS-325-58 ..... c07 N72-25173
US-PATENT-CLASS-325-60 ..... c08 N71-19763
US-PATENT-CLASS-325-60 ..... c07 N73-16121
US-PATENT-CLASS-325-60 ..... c32 N75-24981
US-PATENT-CLASS-325-61 ..... c07 N73-25160
US-PATENT-CLASS-325-62 ..... c08 N72-25208

US-PATENT-CLASS-325-62 ..... c44 N74-19870
US-PATENT-CLASS-325-63 ..... c10 N71-19467
US-PATENT-CLASS-325-63 ..... c07 N73-20174
US-PATENT-CLASS-325-64 ..... c07 N72-25173
US-PATENT-CLASS-325-65 ..... c07 N70-41331
US-PATENT-CLASS-325-65 ..... c07 N70-41372
US-PATENT-CLASS-325-65 ..... c07 N71-11284
US-PATENT-CLASS-325-65 ..... c32 N77-30308
US-PATENT-CLASS-325-67 ..... c07 N71-26292
US-PATENT-CLASS-325-67 ..... c10 N73-25241
US-PATENT-CLASS-325-67 ..... c35 N75-21582
US-PATENT-CLASS-325-113 ..... c07 N71-24840
US-PATENT-CLASS-325-113 ..... c07 N73-25160
US-PATENT-CLASS-325-113 ..... c52 N74-26625
US-PATENT-CLASS-325-114 ..... c07 N72-25171
US-PATENT-CLASS-325-114 ..... c03 N76-32140
US-PATENT-CLASS-325-115 ..... c03 N76-32140
US-PATENT-CLASS-325-139 ..... c07 N73-25160
US-PATENT-CLASS-325-141 ..... c07 N72-25173
US-PATENT-CLASS-325-141 ..... c52 N74-26625
US-PATENT-CLASS-325-143 ..... c05 N71-12342
US-PATENT-CLASS-325-145 ..... c32 N77-14292
US-PATENT-CLASS-325-148 ..... c32 N74-19790
US-PATENT-CLASS-325-151.11 ..... c08 N71-27057
US-PATENT-CLASS-325-163 ..... c07 N71-23405
US-PATENT-CLASS-325-185 ..... c07 N71-28430
US-PATENT-CLASS-325-186 ..... c03 N76-32140
US-PATENT-CLASS-325-302 ..... c07 N72-25173
US-PATENT-CLASS-325-304 ..... c32 N76-14321
US-PATENT-CLASS-325-305 ..... c07 N71-10775
US-PATENT-CLASS-325-305 ..... c10 N71-20841
US-PATENT-CLASS-325-305 ..... c07 N71-23098
US-PATENT-CLASS-325-306 ..... c32 N76-14321
US-PATENT-CLASS-325-320 ..... c33 N74-12887
US-PATENT-CLASS-325-320 ..... c32 N74-20809
US-PATENT-CLASS-325-320 ..... c32 N74-20811
US-PATENT-CLASS-325-320 ..... c33 N74-27705
US-PATENT-CLASS-325-321 ..... c07 N72-20140
US-PATENT-CLASS-325-321 ..... c32 N74-20810
US-PATENT-CLASS-325-321 ..... c32 N76-16249
US-PATENT-CLASS-325-323 ..... c32 N77-10392
US-PATENT-CLASS-325-325 ..... c07 N71-24613
US-PATENT-CLASS-325-325 ..... c07 N72-25173
US-PATENT-CLASS-325-325 ..... c07 N73-13149
US-PATENT-CLASS-325-346 ..... c10 N73-16205
US-PATENT-CLASS-325-346 ..... c32 N74-30523
US-PATENT-CLASS-325-346 ..... c32 N77-24331
US-PATENT-CLASS-325-347 ..... c07 N71-33696
US-PATENT-CLASS-325-348 ..... c07 N71-33696
US-PATENT-CLASS-325-349 ..... c32 N77-10392
US-PATENT-CLASS-325-363 ..... c07 N71-11267
US-PATENT-CLASS-325-363 ..... c14 N71-26774
US-PATENT-CLASS-325-363 ..... c14 N72-28437
US-PATENT-CLASS-325-363 ..... c10 N73-25241
US-PATENT-CLASS-325-369 ..... c07 N71-27056
US-PATENT-CLASS-325-372 ..... c32 N76-14321
US-PATENT-CLASS-325-373 ..... c07 N72-33146
US-PATENT-CLASS-325-419 ..... c10 N73-16205
US-PATENT-CLASS-325-419 ..... c07 N73-28012
US-PATENT-CLASS-325-419 ..... c32 N74-20810
US-PATENT-CLASS-325-419 ..... c32 N74-20811
US-PATENT-CLASS-325-420 ..... c07 N73-30113
US-PATENT-CLASS-325-422 ..... c07 N73-30113
US-PATENT-CLASS-325-423 ..... c32 N74-20809
US-PATENT-CLASS-325-445 ..... c07 N72-20141
US-PATENT-CLASS-325-446 ..... c09 N69-24324
US-PATENT-CLASS-325-473 ..... c07 N71-33696
US-PATENT-CLASS-325-473 ..... c10 N73-12244
US-PATENT-CLASS-325-473 ..... c32 N77-30308
US-PATENT-CLASS-325-476 ..... c32 N77-10392
US-PATENT-CLASS-325-478 ..... c07 N71-33696
US-PATENT-CLASS-325-480 ..... c07 N71-33696
US-PATENT-CLASS-325-480 ..... c10 N73-12244
US-PATENT-CLASS-325-482 ..... c07 N71-33696
US-PATENT-CLASS-325-492 ..... c09 N72-17153
US-PATENT-CLASS-325-492 ..... c09 N72-22202
US-PATENT-CLASS-328-1 ..... c23 N71-16099
US-PATENT-CLASS-328-1 ..... c10 N71-19472
US-PATENT-CLASS-328-1 ..... c09 N72-22200
US-PATENT-CLASS-328-4-8 ..... c33 N77-24375
US-PATENT-CLASS-328-16 ..... c10 N72-20223
US-PATENT-CLASS-328-20 ..... c10 N72-20223
US-PATENT-CLASS-328-24 ..... c09 N72-33204
US-PATENT-CLASS-328-37 ..... c08 N71-12503
US-PATENT-CLASS-328-37 ..... c10 N73-20254
US-PATENT-CLASS-328-37 ..... c33 N76-14373
US-PATENT-CLASS-328-38 ..... c10 N72-20223
US-PATENT-CLASS-328-38 ..... c33 N77-24375
US-PATENT-CLASS-328-39 ..... c33 N77-24375
US-PATENT-CLASS-328-41 ..... c33 N75-31330
US-PATENT-CLASS-328-42 ..... c08 N71-19432
US-PATENT-CLASS-328-44 ..... c08 N71-29034
US-PATENT-CLASS-328-48 ..... c14 N73-30386
US-PATENT-CLASS-328-48 ..... c33 N74-10223
US-PATENT-CLASS-328-49 ..... c10 N71-27137
US-PATENT-CLASS-328-58 ..... c08 N71-29138
US-PATENT-CLASS-328-58 ..... c33 N74-32711
US-PATENT-CLASS-328-58 ..... c33 N75-18479
US-PATENT-CLASS-328-59 ..... c33 N75-19515
US-PATENT-CLASS-328-61 ..... c09 N71-23525
US-PATENT-CLASS-328-61 ..... c10 N73-20254
US-PATENT-CLASS-328-61 ..... c35 N75-30504
US-PATENT-CLASS-328-62 ..... c35 N75-30504
US-PATENT-CLASS-328-63 ..... c33 N76-14371
US-PATENT-CLASS-328-63 ..... c33 N77-24375
US-PATENT-CLASS-328-67 ..... c10 N71-28960
US-PATENT-CLASS-328-92 ..... c10 N71-28860
US-PATENT-CLASS-328-104 ..... c08 N72-22162
US-PATENT-CLASS-328-104 ..... c10 N73-13235
US-PATENT-CLASS-328-106 ..... c09 N72-22201
US-PATENT-CLASS-328-110 ..... c09 N71-12519
US-PATENT-CLASS-328-111 ..... c60 N77-12721
US-PATENT-CLASS-328-115 ..... c33 N75-18479
US-PATENT-CLASS-328-116 ..... c09 N69-39885
US-PATENT-CLASS-328-120 ..... c09 N71-27016
US-PATENT-CLASS-328-123 ..... c60 N74-12888
US-PATENT-CLASS-328-129 ..... c14 N73-30386
US-PATENT-CLASS-328-133 ..... c09 N71-24596
US-PATENT-CLASS-328-133 ..... c10 N72-20224
US-PATENT-CLASS-328-133 ..... c33 N75-26243
US-PATENT-CLASS-328-133 ..... c33 N77-13315
US-PATENT-CLASS-328-134 ..... c08 N71-18692
US-PATENT-CLASS-328-134 ..... c14 N73-30386
US-PATENT-CLASS-328-134 ..... c33 N76-16331
US-PATENT-CLASS-328-136 ..... c09 N72-25257
US-PATENT-CLASS-328-140 ..... c09 N72-25257
US-PATENT-CLASS-328-142 ..... c09 N72-21245
US-PATENT-CLASS-328-145 ..... c09 N72-23173
US-PATENT-CLASS-328-145 ..... c32 N76-14321
US-PATENT-CLASS-328-151 ..... c09 N72-22200
US-PATENT-CLASS-328-151 ..... c33 N75-18479
US-PATENT-CLASS-328-154 ..... c08 N72-22162
US-PATENT-CLASS-328-154 ..... c10 N73-13235
US-PATENT-CLASS-328-154 ..... c33 N74-22814
US-PATENT-CLASS-328-155 ..... c10 N72-16172
US-PATENT-CLASS-328-155 ..... c09 N72-33204
US-PATENT-CLASS-328-155 ..... c33 N74-17927
US-PATENT-CLASS-328-155 ..... c17 N76-22245
US-PATENT-CLASS-328-160 ..... c32 N74-19788
US-PATENT-CLASS-328-161 ..... c33 N77-17354
US-PATENT-CLASS-328-164 ..... c07 N71-33696
US-PATENT-CLASS-328-165 ..... c09 N71-24806
US-PATENT-CLASS-328-165 ..... c07 N71-33696
US-PATENT-CLASS-328-166 ..... c10 N72-20223
US-PATENT-CLASS-328-167 ..... c10 N71-22986
US-PATENT-CLASS-328-167 ..... c08 N71-29034
US-PATENT-CLASS-328-167 ..... c10 N72-17171
US-PATENT-CLASS-328-167 ..... c09 N72-21245
US-PATENT-CLASS-328-167 ..... c09 N73-20231
US-PATENT-CLASS-328-167 ..... c08 N73-26175
US-PATENT-CLASS-328-168 ..... c32 N74-19788
US-PATENT-CLASS-328-171 ..... c10 N71-24844
US-PATENT-CLASS-328-172 ..... c32 N74-19788
US-PATENT-CLASS-328-186 ..... c09 N72-17157
US-PATENT-CLASS-328-187 ..... c10 N73-20254
US-PATENT-CLASS-328-189 ..... c14 N72-27408
US-PATENT-CLASS-328-190 ..... c33 N76-14371
US-PATENT-CLASS-328-207 ..... c09 N71-28468
US-PATENT-CLASS-328-207 ..... c10 N71-28860
US-PATENT-CLASS-328-207 ..... c09 N71-29139
US-PATENT-CLASS-328-207 ..... c10 N72-20221
US-PATENT-CLASS-328-233 ..... c10 N71-22962
US-PATENT-CLASS-328-233 ..... c75 N75-13625
US-PATENT-CLASS-329-50 ..... c33 N74-17930
US-PATENT-CLASS-329-104 ..... c07 N71-11282
US-PATENT-CLASS-329-104 ..... c33 N74-12887
US-PATENT-CLASS-329-104 ..... c32 N77-24331
US-PATENT-CLASS-329-119 ..... c33 N77-21314
US-PATENT-CLASS-329-120 ..... c07 N73-30113
US-PATENT-CLASS-329-122 ..... c10 N71-19469
US-PATENT-CLASS-329-122 ..... c07 N73-28012
US-PATENT-CLASS-329-122 ..... c33 N74-12887
US-PATENT-CLASS-329-122 ..... c32 N74-20811
US-PATENT-CLASS-329-122 ..... c33 N77-14334
US-PATENT-CLASS-329-122 ..... c32 N77-24331
US-PATENT-CLASS-329-124 ..... c33 N77-14334
US-PATENT-CLASS-329-126 ..... c33 N74-12887
US-PATENT-CLASS-329-140 ..... c07 N71-28583

US-PATENT-CLASS-329-145 ..... c07 N71-33696
US-PATENT-CLASS-329-161 ..... c07 N72-20141
US-PATENT-CLASS-329-162 ..... c07 N72-20141
US-PATENT-CLASS-329-166 ..... c33 N75-19520
US-PATENT-CLASS-329-166 ..... c33 N75-25041
US-PATENT-CLASS-329-204 ..... c33 N75-19520
US-PATENT-CLASS-329-204 ..... c33 N75-25041
US-PATENT-CLASS-329-205 ..... c33 N77-21314
US-PATENT-CLASS-330-2 ..... c09 N69-39986
US-PATENT-CLASS-330-2 ..... c09 N72-25250
US-PATENT-CLASS-330-4 ..... c16 N71-15550
US-PATENT-CLASS-330-4 ..... c16 N71-24831
US-PATENT-CLASS-330-4 ..... c16 N72-28521
US-PATENT-CLASS-330-4 ..... c36 N75-15029
US-PATENT-CLASS-330-4 ..... c36 N76-31512
US-PATENT-CLASS-330-4.3 ..... c16 N73-32391
US-PATENT-CLASS-330-4.3 ..... c36 N75-19655
US-PATENT-CLASS-330-4.3 ..... c36 N75-27364
US-PATENT-CLASS-330-4.3 ..... c36 N75-32441
US-PATENT-CLASS-330-4.3 ..... c36 N76-29575
US-PATENT-CLASS-330-4.3 ..... c36 N77-25502
US-PATENT-CLASS-330-4.5 ..... c09 N72-25258
US-PATENT-CLASS-330-4.9 ..... c33 N74-32660
US-PATENT-CLASS-330-5 ..... c33 N75-27251
US-PATENT-CLASS-330-5.5 ..... c71 N77-26919
US-PATENT-CLASS-330-6 ..... c35 N75-13213
US-PATENT-CLASS-330-9 ..... c33 N74-14939
US-PATENT-CLASS-330-10 ..... c33 N74-14939
US-PATENT-CLASS-330-11 ..... c09 N71-13531
US-PATENT-CLASS-330-11 ..... c10 N71-33129
US-PATENT-CLASS-330-11 ..... c09 N72-17156
US-PATENT-CLASS-330-12 ..... c10 N72-33230
US-PATENT-CLASS-330-13 ..... c10 N71-26415
US-PATENT-CLASS-330-13 ..... c33 N75-30428
US-PATENT-CLASS-330-14 ..... c09 N70-35440
US-PATENT-CLASS-330-14 ..... c33 N77-14335
US-PATENT-CLASS-330-16 ..... c10 N71-33129
US-PATENT-CLASS-330-18 ..... c09 N72-17155
US-PATENT-CLASS-330-18 ..... c33 N75-30428
US-PATENT-CLASS-330-20 ..... c09 N73-20232
US-PATENT-CLASS-330-22 ..... c09 N71-10798
US-PATENT-CLASS-330-22 ..... c09 N73-20232
US-PATENT-CLASS-330-24 ..... c10 N71-33129
US-PATENT-CLASS-330-24 ..... c33 N75-30429
US-PATENT-CLASS-330-26 ..... c10 N72-17172
US-PATENT-CLASS-330-27R c10 N72-31273
US-PATENT-CLASS-330-28 ..... c33 N74-21851
US-PATENT-CLASS-330-28 ..... c33 N77-14335
US-PATENT-CLASS-330-29 ..... c09 N69-24330
US-PATENT-CLASS-330-29 ..... c10 N72-28241
US-PATENT-CLASS-330-30 ..... c09 N71-19466
US-PATENT-CLASS-330-30 ..... c09 N71-19516
US-PATENT-CLASS-330-30 ..... c09 N71-27016
US-PATENT-CLASS-330-30D c10 N72-20221
US-PATENT-CLASS-330-30D c09 N73-20232
US-PATENT-CLASS-330-31 ..... c10 N71-26331
US-PATENT-CLASS-330-31 ..... c10 N72-17172
US-PATENT-CLASS-330-35 ..... c09 N72-17156
US-PATENT-CLASS-330-35 ..... c09 N73-20232
US-PATENT-CLASS-330-35 ..... c33 N74-14939
US-PATENT-CLASS-330-40 ..... c07 N71-28430
US-PATENT-CLASS-330-40 ..... c09 N72-17155
US-PATENT-CLASS-330-40 ..... c09 N73-20232
US-PATENT-CLASS-330-40 ..... c33 N75-30428
US-PATENT-CLASS-330-49 ..... c14 N70-35220
US-PATENT-CLASS-330-51 ..... c10 N71-28859
US-PATENT-CLASS-330-53 ..... c33 N74-32660
US-PATENT-CLASS-330-59 ..... c09 N72-25250
US-PATENT-CLASS-330-59 ..... c33 N74-21851
US-PATENT-CLASS-330-59 ..... c33 N77-14335
US-PATENT-CLASS-330-61 ..... c09 N71-23097
US-PATENT-CLASS-330-63 ..... c33 N75-30428
US-PATENT-CLASS-330-69 ..... c33 N74-32712
US-PATENT-CLASS-330-69 ..... c33 N75-19518
US-PATENT-CLASS-330-70CR c10 N73-27171
US-PATENT-CLASS-330-70R c09 N72-21245
US-PATENT-CLASS-330-80T c09 N73-20232
US-PATENT-CLASS-330-85 ..... c09 N72-21245
US-PATENT-CLASS-330-86 ..... c09 N73-20231
US-PATENT-CLASS-330-86 ..... c33 N75-19518
US-PATENT-CLASS-330-94 ..... c10 N72-17172
US-PATENT-CLASS-330-103 ..... c32 N74-22096
US-PATENT-CLASS-330-107 ..... c10 N72-11256
US-PATENT-CLASS-330-107 ..... c10 N72-17172
US-PATENT-CLASS-330-109 ..... c10 N72-11256
US-PATENT-CLASS-330-109 ..... c10 N72-17171
US-PATENT-CLASS-330-109 ..... c10 N72-17172
US-PATENT-CLASS-330-109 ..... c09 N73-20231
US-PATENT-CLASS-330-124 ..... c07 N71-28430

US-PATENT-CLASS-330-176 ..... c10 N72-17171
US-PATENT-CLASS-330-200 ..... c07 N71-28430
US-PATENT-CLASS-330-207A c33 N75-30429
US-PATENT-CLASS-331-DIG.1 ..... c36 N75-30524
US-PATENT-CLASS-331-1A c33 N74-10194
US-PATENT-CLASS-331-1A c33 N75-25040
US-PATENT-CLASS-331-3 ..... c35 N76-15436
US-PATENT-CLASS-331-4 ..... c09 N69-21543
US-PATENT-CLASS-331-4 ..... c33 N74-10194
US-PATENT-CLASS-331-7 ..... c07 N72-11150
US-PATENT-CLASS-331-10 ..... c07 N72-11150
US-PATENT-CLASS-331-14 ..... c09 N72-21247
US-PATENT-CLASS-331-14 ..... c33 N74-10194
US-PATENT-CLASS-331-17 ..... c10 N71-20852
US-PATENT-CLASS-331-17 ..... c10 N73-27171
US-PATENT-CLASS-331-17 ..... c33 N74-10194
US-PATENT-CLASS-331-18 ..... c10 N71-26374
US-PATENT-CLASS-331-18 ..... c33 N74-10194
US-PATENT-CLASS-331-18 ..... c33 N75-25040
US-PATENT-CLASS-331-23 ..... c09 N72-21247
US-PATENT-CLASS-331-23 ..... c33 N77-14334
US-PATENT-CLASS-331-25 ..... c10 N73-27171
US-PATENT-CLASS-331-25 ..... c33 N75-25040
US-PATENT-CLASS-331-30 ..... c09 N72-21247
US-PATENT-CLASS-331-34 ..... c07 N72-11150
US-PATENT-CLASS-331-36C c33 N77-14334
US-PATENT-CLASS-331-44 ..... c14 N72-27408
US-PATENT-CLASS-331-45 ..... c10 N73-16206
US-PATENT-CLASS-331-62 ..... c33 N74-11049
US-PATENT-CLASS-331-65 ..... c35 N75-29380
US-PATENT-CLASS-331-66 ..... c07 N72-11150
US-PATENT-CLASS-331-78 ..... c09 N71-23598
US-PATENT-CLASS-331-78 ..... c08 N73-12175
US-PATENT-CLASS-331-78 ..... c33 N75-19515
US-PATENT-CLASS-331-90 ..... c09 N73-15235
US-PATENT-CLASS-331-94 ..... c16 N70-41578
US-PATENT-CLASS-331-94 ..... c16 N72-28521
US-PATENT-CLASS-331-94 ..... c16 N73-13489
US-PATENT-CLASS-331-94 ..... c35 N76-15436
US-PATENT-CLASS-331-94 ..... c36 N76-31512
US-PATENT-CLASS-331-94.5 ..... c16 N71-18614
US-PATENT-CLASS-331-94.5 ..... c16 N71-24832
US-PATENT-CLASS-331-94.5 ..... c23 N71-26722
US-PATENT-CLASS-331-94.5 ..... c15 N71-27135
US-PATENT-CLASS-331-94.5 ..... c23 N71-29125
US-PATENT-CLASS-331-94.5 ..... c16 N71-33410
US-PATENT-CLASS-331-94.5 ..... c16 N72-12440
US-PATENT-CLASS-331-94.5 ..... c25 N72-24753
US-PATENT-CLASS-331-94.5 ..... c16 N72-25485
US-PATENT-CLASS-331-94.5 ..... c07 N73-26119
US-PATENT-CLASS-331-94.5 ..... c09 N73-32111
US-PATENT-CLASS-331-94.5 ..... c16 N73-32391
US-PATENT-CLASS-331-94.5 ..... c36 N76-18427
US-PATENT-CLASS-331-94.5A c16 N73-33397
US-PATENT-CLASS-331-94.5A c36 N75-27364
US-PATENT-CLASS-331-94.5C c36 N75-31427
US-PATENT-CLASS-331-94.5C c36 N76-18428
US-PATENT-CLASS-331-94.5C c36 N76-24553
US-PATENT-CLASS-331-94.5C c36 N76-29575
US-PATENT-CLASS-331-94.5D c33 N74-20859
US-PATENT-CLASS-331-94.5D c36 N77-19416
US-PATENT-CLASS-331-94.5D c36 N77-25502
US-PATENT-CLASS-331-94.5D c35 N77-27366
US-PATENT-CLASS-331-94.5G c36 N75-31426
US-PATENT-CLASS-331-94.5G c36 N77-19416
US-PATENT-CLASS-331-94.5K c36 N74-15145
US-PATENT-CLASS-331-94.5M c36 N75-19654
US-PATENT-CLASS-331-94.5P c36 N75-19655
US-PATENT-CLASS-331-94.5P c36 N75-31426
US-PATENT-CLASS-331-94.5P c36 N77-25502
US-PATENT-CLASS-331-94.5PE c36 N75-32441
US-PATENT-CLASS-331-94.5PE c36 N77-19416
US-PATENT-CLASS-331-94.5S c36 N74-15145
US-PATENT-CLASS-331-94.5S c36 N77-25499
US-PATENT-CLASS-331-94.5T c35 N77-27366
US-PATENT-CLASS-331-94-5G c36 N75-32441
US-PATENT-CLASS-331-107 ..... c09 N71-18721
US-PATENT-CLASS-331-107 ..... c26 N72-21701
US-PATENT-CLASS-331-107A c71 N77-26919
US-PATENT-CLASS-331-107G c26 N72-25679
US-PATENT-CLASS-331-107G c09 N73-15235
US-PATENT-CLASS-331-108A c33 N74-20862
US-PATENT-CLASS-331-109 ..... c10 N71-27271
US-PATENT-CLASS-331-109 ..... c33 N74-26732
US-PATENT-CLASS-331-111 ..... c10 N71-23669
US-PATENT-CLASS-331-111 ..... c09 N72-21247
US-PATENT-CLASS-331-113 ..... c09 N70-38995
US-PATENT-CLASS-331-113 ..... c10 N71-19418
US-PATENT-CLASS-331-113 ..... c09 N71-19470

US-PATENT-CLASS-331-113 ..... c10 N71-25882
US-PATENT-CLASS-331-113 ..... c10 N71-25950
US-PATENT-CLASS-331-113 ..... c09 N71-28810
US-PATENT-CLASS-331-113A c09 N72-25253
US-PATENT-CLASS-331-113A c09 N72-25254
US-PATENT-CLASS-331-113A c33 N74-11049
US-PATENT-CLASS-331-114 ..... c33 N77-17351
US-PATENT-CLASS-331-115 ..... c10 N72-33230
US-PATENT-CLASS-331-115 ..... c33 N74-20862
US-PATENT-CLASS-331-116R c10 N72-33230
US-PATENT-CLASS-331-116R c33 N74-20862
US-PATENT-CLASS-331-117 ..... c10 N71-27271
US-PATENT-CLASS-331-117 ..... c09 N72-22203
US-PATENT-CLASS-331-117R c33 N74-26732
US-PATENT-CLASS-331-135 ..... c10 N73-32145
US-PATENT-CLASS-331-159 ..... c33 N74-20862
US-PATENT-CLASS-331-177 ..... c10 N71-27271
US-PATENT-CLASS-331-177R c09 N73-15235
US-PATENT-CLASS-331-177V c33 N77-17351
US-PATENT-CLASS-331-178 ..... c33 N74-10194
US-PATENT-CLASS-331-183 ..... c33 N74-26732
US-PATENT-CLASS-332-1 ..... c10 N71-23084
US-PATENT-CLASS-332-2 ..... c35 N75-19614
US-PATENT-CLASS-332-7.5 ..... c36 N75-15029
US-PATENT-CLASS-332-7.51 ..... c16 N72-25485
US-PATENT-CLASS-332-7.51 ..... c07 N73-26119
US-PATENT-CLASS-332-7.51 ..... c33 N74-20859
US-PATENT-CLASS-332-7.51 ..... c36 N76-18427
US-PATENT-CLASS-332-9 ..... c07 N71-12390
US-PATENT-CLASS-332-9R c08 N71-29138
US-PATENT-CLASS-332-10 ..... c08 N71-29138
US-PATENT-CLASS-332-11D c35 N74-17885
US-PATENT-CLASS-332-16 ..... c33 N77-21314
US-PATENT-CLASS-332-18 ..... c33 N77-17351
US-PATENT-CLASS-332-19 ..... c10 N71-23544
US-PATENT-CLASS-332-21 ..... c08 N72-25208
US-PATENT-CLASS-332-22 ..... c32 N77-14292
US-PATENT-CLASS-332-23R c32 N77-14292
US-PATENT-CLASS-332-29 ..... c07 N71-28429
US-PATENT-CLASS-332-30 ..... c10 N71-27271
US-PATENT-CLASS-332-30 ..... c07 N71-28429
US-PATENT-CLASS-332-30 ..... c33 N77-21314
US-PATENT-CLASS-332-30V c33 N77-14334
US-PATENT-CLASS-332-30V c33 N77-17351
US-PATENT-CLASS-332-31 ..... c08 N71-12500
US-PATENT-CLASS-332-31 ..... c26 N72-21701
US-PATENT-CLASS-332-47 ..... c33 N75-19520
US-PATENT-CLASS-332-51W c07 N72-20141
US-PATENT-CLASS-332-52 ..... c33 N77-21314
US-PATENT-CLASS-333-6 ..... c07 N71-33606
US-PATENT-CLASS-333-7 ..... c07 N71-33606
US-PATENT-CLASS-333-7 ..... c07 N72-25170
US-PATENT-CLASS-333-8 ..... c07 N69-24334
US-PATENT-CLASS-333-14 ..... c32 N74-19788
US-PATENT-CLASS-333-16 ..... c33 N74-17927
US-PATENT-CLASS-333-17 ..... c44 N74-19870
US-PATENT-CLASS-333-18 ..... c33 N74-17927
US-PATENT-CLASS-333-18 ..... c32 N76-21366
US-PATENT-CLASS-333-21 ..... c07 N71-10676
US-PATENT-CLASS-333-21A c07 N71-33606
US-PATENT-CLASS-333-21B c33 N75-30430
US-PATENT-CLASS-333-24R c09 N72-29172
US-PATENT-CLASS-333-30 ..... c10 N71-25900
US-PATENT-CLASS-333-70CR c10 N72-17171
US-PATENT-CLASS-333-70R c32 N77-18307
US-PATENT-CLASS-333-72 ..... c10 N71-25900
US-PATENT-CLASS-333-72 ..... c71 N77-26919
US-PATENT-CLASS-333-73 ..... c07 N69-24323
US-PATENT-CLASS-333-73 ..... c09 N71-23573
US-PATENT-CLASS-333-73R c09 N73-26195
US-PATENT-CLASS-333-73S c09 N73-26195
US-PATENT-CLASS-333-73W c07 N72-20141
US-PATENT-CLASS-333-75 ..... c32 N77-18307
US-PATENT-CLASS-333-76 ..... c32 N77-18307
US-PATENT-CLASS-333-79 ..... c10 N70-41964
US-PATENT-CLASS-333-79 ..... c09 N72-25256
US-PATENT-CLASS-333-80 ..... c09 N71-12517
US-PATENT-CLASS-333-80 ..... c09 N72-21245
US-PATENT-CLASS-333-80R c33 N74-32712
US-PATENT-CLASS-333-80T c10 N72-33230
US-PATENT-CLASS-333-81 ..... c07 N71-29065
US-PATENT-CLASS-333-81B c14 N73-13420
US-PATENT-CLASS-333-81R c07 N72-25170
US-PATENT-CLASS-333-82A c09 N73-26195
US-PATENT-CLASS-333-82B c32 N77-18307
US-PATENT-CLASS-333-83 ..... c09 N71-24841
US-PATENT-CLASS-333-83BT c33 N75-30430
US-PATENT-CLASS-333-83R c36 N74-11313
US-PATENT-CLASS-333-84M c09 N73-26195
US-PATENT-CLASS-333-95 ..... c07 N71-27191
US-PATENT-CLASS-333-96 ..... c09 N71-20445
US-PATENT-CLASS-333-96 ..... c07 N71-27191
US-PATENT-CLASS-333-97 ..... c07 N69-27462
US-PATENT-CLASS-333-97R c36 N74-11313
US-PATENT-CLASS-333-98 ..... c09 N71-23548
US-PATENT-CLASS-333-98 ..... c09 N71-24808
US-PATENT-CLASS-333-98P c07 N72-25170
US-PATENT-CLASS-333-98P c09 N72-29172
US-PATENT-CLASS-333-98R c07 N72-25170
US-PATENT-CLASS-333-98R c09 N72-29172
US-PATENT-CLASS-333-98R c14 N73-13420
US-PATENT-CLASS-333-98R c33 N75-30430
US-PATENT-CLASS-333-98S c07 N72-25170
US-PATENT-CLASS-335-205 ..... c09 N72-20199
US-PATENT-CLASS-335-216 ..... c16 N71-28554
US-PATENT-CLASS-335-216 ..... c23 N71-29049
US-PATENT-CLASS-335-216 ..... c26 N73-32571
US-PATENT-CLASS-335-216 ..... c20 N75-24837
US-PATENT-CLASS-335-296 ..... c09 N73-30185
US-PATENT-CLASS-335-297 ..... c09 N73-30185
US-PATENT-CLASS-335-300 ..... c09 N70-41929
US-PATENT-CLASS-336-DIG.1 ..... c26 N73-26752
US-PATENT-CLASS-336-60 ..... c09 N72-27226
US-PATENT-CLASS-336-178 ..... c09 N72-17154
US-PATENT-CLASS-336-198 ..... c09 N72-27226
US-PATENT-CLASS-336-200 ..... c26 N73-26752
US-PATENT-CLASS-336-210 ..... c33 N74-17928
US-PATENT-CLASS-336-220 ..... c09 N72-27226
US-PATENT-CLASS-337-75 ..... c15 N72-12409
US-PATENT-CLASS-337-114 ..... c09 N71-29035
US-PATENT-CLASS-337-121 ..... c09 N71-29035
US-PATENT-CLASS-337-334 ..... c37 N77-19458
US-PATENT-CLASS-337-354 ..... c15 N72-12409
US-PATENT-CLASS-337-359 ..... c15 N72-12409
US-PATENT-CLASS-338-2 ..... c33 N75-31329
US-PATENT-CLASS-338-5 ..... c32 N71-15974
US-PATENT-CLASS-338-5 ..... c52 N74-27864
US-PATENT-CLASS-338-6 ..... c35 N76-18430
US-PATENT-CLASS-338-6 ..... c52 N76-29895
US-PATENT-CLASS-338-13 ..... c24 N75-30260
US-PATENT-CLASS-338-25 ..... c35 N77-21393
US-PATENT-CLASS-338-28 ..... c35 N77-20400
US-PATENT-CLASS-338-28 ..... c35 N77-24454
US-PATENT-CLASS-338-64 ..... c09 N71-21583
US-PATENT-CLASS-338-75 ..... c37 N75-13265
US-PATENT-CLASS-338-82 ..... c09 N71-20842
US-PATENT-CLASS-338-89 ..... c35 N74-32877
US-PATENT-CLASS-338-97 ..... c37 N75-13265
US-PATENT-CLASS-338-114 ..... c52 N74-27864
US-PATENT-CLASS-338-162 ..... c37 N75-13265
US-PATENT-CLASS-338-229 ..... c35 N77-24454
US-PATENT-CLASS-338-283 ..... c24 N75-30260
US-PATENT-CLASS-338-320 ..... c33 N74-14935
US-PATENT-CLASS-339-5 ..... c15 N71-23049
US-PATENT-CLASS-339-17 ..... c14 N69-27431
US-PATENT-CLASS-339-17 ..... c15 N71-17685
US-PATENT-CLASS-339-17 ..... c09 N71-26133
US-PATENT-CLASS-339-17M c37 N76-27567
US-PATENT-CLASS-339-17R c15 N71-29133
US-PATENT-CLASS-339-18C c37 N76-27567
US-PATENT-CLASS-339-45M c15 N72-25450
US-PATENT-CLASS-339-46 ..... c15 N72-17455
US-PATENT-CLASS-339-75MP c09 N72-28225
US-PATENT-CLASS-339-91 ..... c09 N69-21927
US-PATENT-CLASS-339-91B c15 N72-25450
US-PATENT-CLASS-339-94M c09 N72-28225
US-PATENT-CLASS-339-95 ..... c09 N69-39734
US-PATENT-CLASS-339-143C c33 N76-16332
US-PATENT-CLASS-339-143R c09 N72-25256
US-PATENT-CLASS-339-147R c09 N72-25256
US-PATENT-CLASS-339-150 ..... c09 N69-21470
US-PATENT-CLASS-339-176 ..... c09 N70-34596
US-PATENT-CLASS-339-176 ..... c09 N70-36494
US-PATENT-CLASS-339-176M c15 N72-17455
US-PATENT-CLASS-339-176MP c09 N72-28225
US-PATENT-CLASS-339-177 ..... c09 N71-20851
US-PATENT-CLASS-339-198R c33 N76-16332
US-PATENT-CLASS-339-218M c09 N72-28225
US-PATENT-CLASS-339-242 ..... c33 N76-16332
US-PATENT-CLASS-339-252R c52 N77-14738
US-PATENT-CLASS-339-275R c33 N76-16332
US-PATENT-CLASS-339-275T c09 N72-20200
US-PATENT-CLASS-339-276T c09 N72-20200
US-PATENT-CLASS-339-278M c15 N72-17455
US-PATENT-CLASS-339,12R c52 N77-25772
US-PATENT-CLASS-340-5C c14 N73-27379
US-PATENT-CLASS-340-5H c32 N77-21267
US-PATENT-CLASS-340-5R c35 N74-16135

US-PATENT-CLASS-340-8R c35 N74-16135
US-PATENT-CLASS-340-12R c35 N74-16135
US-PATENT-CLASS-340-15.5GC c14 N73-26432
US-PATENT-CLASS-340-25 ..... c14 N73-16483
US-PATENT-CLASS-340-26 ..... c21 N72-22619
US-PATENT-CLASS-340-27AT c21 N73-14692
US-PATENT-CLASS-340-27NA c21 N73-13643
US-PATENT-CLASS-340-27R c14 N73-16483
US-PATENT-CLASS-340-27R c14 N73-20474
US-PATENT-CLASS-340-33 ..... c21 N73-13643
US-PATENT-CLASS-340-38P c66 N76-19888
US-PATENT-CLASS-340-57 ..... c14 N71-15620
US-PATENT-CLASS-340-97 ..... c21 N73-13643
US-PATENT-CLASS-340-146.1 ..... c09 N71-18843
US-PATENT-CLASS-340-146.1 ..... c08 N71-22749
US-PATENT-CLASS-340-146.1 ..... c10 N71-26103
US-PATENT-CLASS-340-146.1 ..... c08 N71-27255
US-PATENT-CLASS-340-146.1 ..... c08 N72-22167
US-PATENT-CLASS-340-146.1 ..... c08 N72-25207
US-PATENT-CLASS-340-146.1 ..... c07 N73-13149
US-PATENT-CLASS-340-146.1AL c08 N72-25210
US-PATENT-CLASS-340-146.1AL c08 N73-12175
US-PATENT-CLASS-340-146.1AL c32 N77-12240
US-PATENT-CLASS-340-146.1AQ c08 N73-12177
US-PATENT-CLASS-340-146.1AQ c32 N74-32598
US-PATENT-CLASS-340-146.1AQ c32 N77-12240
US-PATENT-CLASS-340-146.1AV c08 N73-12177
US-PATENT-CLASS-340-146.1AV c32 N77-12240
US-PATENT-CLASS-340-146.1C c07 N73-20176
US-PATENT-CLASS-340-146.2 ..... c08 N71-12505
US-PATENT-CLASS-340-146.2 ..... c08 N71-23295
US-PATENT-CLASS-340-146.3P c43 N77-10584
US-PATENT-CLASS-340-146.3Q c43 N77-10584
US-PATENT-CLASS-340-147 ..... c09 N70-33182
US-PATENT-CLASS-340-147 ..... c09 N70-38998
US-PATENT-CLASS-340-147C c60 N76-14818
US-PATENT-CLASS-340-147R c07 N73-20176
US-PATENT-CLASS-340-147R c60 N76-14818
US-PATENT-CLASS-340-147SY c17 N76-22245
US-PATENT-CLASS-340-150 ..... c10 N71-27272
US-PATENT-CLASS-340-151 ..... c33 N74-27862
US-PATENT-CLASS-340-163 ..... c07 N73-20176
US-PATENT-CLASS-340-164 ..... c10 N71-27272
US-PATENT-CLASS-340-166 ..... c10 N71-27272
US-PATENT-CLASS-340-166 ..... c10 N73-32144
US-PATENT-CLASS-340-167 ..... c07 N72-25173
US-PATENT-CLASS-340-171 ..... c09 N72-22202
US-PATENT-CLASS-340-171 ..... c16 N73-16536
US-PATENT-CLASS-340-172.5 ..... c08 N69-21928
US-PATENT-CLASS-340-172.5 ..... c09 N69-24333
US-PATENT-CLASS-340-172.5 ..... c08 N71-12502
US-PATENT-CLASS-340-172.5 ..... c08 N71-12506
US-PATENT-CLASS-340-172.5 ..... c31 N71-15566
US-PATENT-CLASS-340-172.5 ..... c08 N71-19288
US-PATENT-CLASS-340-172.5 ..... c08 N71-22707
US-PATENT-CLASS-340-172.5 ..... c08 N71-22710
US-PATENT-CLASS-340-172.5 ..... c07 N71-24624
US-PATENT-CLASS-340-172.5 ..... c08 N71-27255
US-PATENT-CLASS-340-172.5 ..... c07 N72-25172
US-PATENT-CLASS-340-172.5 ..... c08 N72-25207
US-PATENT-CLASS-340-172.5 ..... c09 N72-25248
US-PATENT-CLASS-340-172.5 ..... c08 N73-13187
US-PATENT-CLASS-340-172.5 ..... c08 N73-26176
US-PATENT-CLASS-340-172.5 ..... c60 N76-18800
US-PATENT-CLASS-340-172.5 ..... c60 N76-21914
US-PATENT-CLASS-340-172.5 ..... c60 N77-12721
US-PATENT-CLASS-340-172.5 ..... c60 N77-14751
US-PATENT-CLASS-340-172.5 ..... c60 N77-19760
US-PATENT-CLASS-340-173 ..... c10 N73-32144
US-PATENT-CLASS-340-173.2 ..... c08 N72-21198
US-PATENT-CLASS-340-173CA c33 N75-31331
US-PATENT-CLASS-340-173CR c60 N74-12888
US-PATENT-CLASS-340-173LM c60 N74-12888
US-PATENT-CLASS-340-173LS c08 N72-21198
US-PATENT-CLASS-340-173LS c36 N75-19652
US-PATENT-CLASS-340-174 ..... c08 N71-12504
US-PATENT-CLASS-340-174 ..... c09 N71-12515
US-PATENT-CLASS-340-174 ..... c08 N71-18595
US-PATENT-CLASS-340-174 ..... c08 N71-18694
US-PATENT-CLASS-340-174 ..... c10 N71-23033
US-PATENT-CLASS-340-174 ..... c10 N71-26418
US-PATENT-CLASS-340-174 ..... c10 N71-26434
US-PATENT-CLASS-340-174 ..... c08 N71-28925
US-PATENT-CLASS-340-174 ..... c10 N71-29135
US-PATENT-CLASS-340-174.1 ..... c08 N71-21042
US-PATENT-CLASS-340-174.1 ..... c07 N71-23001
US-PATENT-CLASS-340-174.1 ..... c08 N71-27210
US-PATENT-CLASS-340-174.1I c35 N74-11283
US-PATENT-CLASS-340-174.1M c36 N74-13205
US-PATENT-CLASS-340-174.1R c21 N73-13644
US-PATENT-CLASS-340-174AG c23 N72-17747
US-PATENT-CLASS-340-174CS c08 N72-21199
US-PATENT-CLASS-340-174CT c23 N72-17747
US-PATENT-CLASS-340-174GA c23 N72-17747
US-PATENT-CLASS-340-174LC c08 N72-21199
US-PATENT-CLASS-340-174M c08 N72-21199
US-PATENT-CLASS-340-174MA c24 N75-13032
US-PATENT-CLASS-340-174SC c23 N72-17747
US-PATENT-CLASS-340-174SR c08 N72-21199
US-PATENT-CLASS-340-174YC c36 N74-13205
US-PATENT-CLASS-340-177 ..... c09 N72-17153
US-PATENT-CLASS-340-182 ..... c33 N74-27862
US-PATENT-CLASS-340-183 ..... c52 N74-26625
US-PATENT-CLASS-340-189M c17 N76-29347
US-PATENT-CLASS-340-198 ..... c14 N70-33179
US-PATENT-CLASS-340-198 ..... c07 N71-11298
US-PATENT-CLASS-340-200 ..... c33 N74-27862
US-PATENT-CLASS-340-200 ..... c33 N77-31404
US-PATENT-CLASS-340-203 ..... c09 N72-22202
US-PATENT-CLASS-340-203 ..... c52 N74-26625
US-PATENT-CLASS-340-206 ..... c17 N76-29347
US-PATENT-CLASS-340-207 ..... c07 N73-25160
US-PATENT-CLASS-340-207P c17 N76-22245
US-PATENT-CLASS-340-207R c52 N74-26625
US-PATENT-CLASS-340-210 ..... c03 N72-20031
US-PATENT-CLASS-340-213 ..... c10 N71-27272
US-PATENT-CLASS-340-213.1 ..... c10 N71-19417
US-PATENT-CLASS-340-223 ..... c10 N73-32144
US-PATENT-CLASS-340-224 ..... c37 N77-19458
US-PATENT-CLASS-340-227 ..... c10 N71-16058
US-PATENT-CLASS-340-227 ..... c14 N71-27186
US-PATENT-CLASS-340-227R c14 N72-25412
US-PATENT-CLASS-340-228.2 ..... c10 N72-17173
US-PATENT-CLASS-340-228S c14 N73-16484
US-PATENT-CLASS-340-233 ..... c14 N71-25901
US-PATENT-CLASS-340-235 ..... c10 N71-26334
US-PATENT-CLASS-340-237S c45 N76-17656
US-PATENT-CLASS-340-240 ..... c09 N72-27227
US-PATENT-CLASS-340-242 ..... c35 N75-19612
US-PATENT-CLASS-340-248 ..... c10 N71-27338
US-PATENT-CLASS-340-258 ..... c10 N72-28240
US-PATENT-CLASS-340-258R c07 N73-25160
US-PATENT-CLASS-340-271 ..... c35 N77-30436
US-PATENT-CLASS-340-277 ..... c10 N73-30205
US-PATENT-CLASS-340-279 ..... c05 N72-16015
US-PATENT-CLASS-340-279 ..... c10 N73-30205
US-PATENT-CLASS-340-285 ..... c14 N71-25901
US-PATENT-CLASS-340-324 ..... c08 N71-12507
US-PATENT-CLASS-340-324 ..... c09 N71-33519
US-PATENT-CLASS-340-324A c09 N72-25248
US-PATENT-CLASS-340-324AD c33 N75-19517
US-PATENT-CLASS-340-324R c26 N72-25680
US-PATENT-CLASS-340-332 ..... c09 N72-25250
US-PATENT-CLASS-340-336 ..... c09 N71-33519
US-PATENT-CLASS-340-347 ..... c08 N70-35423
US-PATENT-CLASS-340-347 ..... c08 N70-40125
US-PATENT-CLASS-340-347 ..... c08 N71-12501
US-PATENT-CLASS-340-347 ..... c08 N71-18594
US-PATENT-CLASS-340-347 ..... c08 N71-19435
US-PATENT-CLASS-340-347 ..... c08 N71-19544
US-PATENT-CLASS-340-347 ..... c08 N71-19687
US-PATENT-CLASS-340-347 ..... c08 N71-24650
US-PATENT-CLASS-340-347 ..... c10 N71-25917
US-PATENT-CLASS-340-347 ..... c10 N71-26544
US-PATENT-CLASS-340-347 ..... c08 N73-28045
US-PATENT-CLASS-340-347AD c14 N71-28991
US-PATENT-CLASS-340-347AD c08 N72-21200
US-PATENT-CLASS-340-347AD c08 N72-22163
US-PATENT-CLASS-340-347AD c08 N72-22166
US-PATENT-CLASS-340-347AD c08 N72-31226
US-PATENT-CLASS-340-347AD c08 N73-20217
US-PATENT-CLASS-340-347AD c35 N74-17885
US-PATENT-CLASS-340-347AD c35 N74-32877
US-PATENT-CLASS-340-347AD c33 N76-18345
US-PATENT-CLASS-340-347AD c60 N77-32731
US-PATENT-CLASS-340-347DA c08 N71-27057
US-PATENT-CLASS-340-347DA c08 N72-20176
US-PATENT-CLASS-340-347DA c08 N72-25206
US-PATENT-CLASS-340-347DA c08 N73-32081
US-PATENT-CLASS-340-347DD c10 N71-33407
US-PATENT-CLASS-340-347DD c08 N72-18184
US-PATENT-CLASS-340-347DD c08 N72-20176
US-PATENT-CLASS-340-347DD c08 N72-21197
US-PATENT-CLASS-340-347DD c08 N73-12176
US-PATENT-CLASS-340-347DD c60 N76-23850
US-PATENT-CLASS-340-347DD c32 N77-12239
US-PATENT-CLASS-340-347P c60 N76-23850
US-PATENT-CLASS-340-347P c35 N77-30436

US-PATENT-CLASS-340-347R c08 N72-22165
US-PATENT-CLASS-340-347SH c33 N77-31404
US-PATENT-CLASS-340-347SY c62 N76-31946
US-PATENT-CLASS-340-347SY c35 N77-30436
US-PATENT-CLASS-340-348 ..... c08 N72-22167
US-PATENT-CLASS-340-403 ..... c10 N71-27272
US-PATENT-CLASS-340-407 ..... c71 N74-21014
US-PATENT-CLASS-340-412 ..... c10 N71-24798
US-PATENT-CLASS-340-415 ..... c10 N73-32144
US-PATENT-CLASS-340-418 ..... c14 N73-16484
US-PATENT-CLASS-343-DIG.2 ..... c07 N73-24176
US-PATENT-CLASS-343-DIG.2 ..... c33 N74-20860
US-PATENT-CLASS-343-DIG.3 ..... c09 N72-12136
US-PATENT-CLASS-343-5CM c07 N72-21118
US-PATENT-CLASS-343-5CM c32 N77-21267
US-PATENT-CLASS-343-5CM c32 N77-32342
US-PATENT-CLASS-343-5DP c07 N72-11149
US-PATENT-CLASS-343-5DP c09 N73-12211
US-PATENT-CLASS-343-5DP c32 N77-32342
US-PATENT-CLASS-343-5GC c32 N75-24982
US-PATENT-CLASS-343-5MM c32 N77-21267
US-PATENT-CLASS-343-6 ..... c30 N71-16090
US-PATENT-CLASS-343-6.BR c32 N77-20289
US-PATENT-CLASS-343-6.5 ..... c21 N71-11766
US-PATENT-CLASS-343-6.5 ..... c10 N71-23099
US-PATENT-CLASS-343-6.5R c07 N72-12080
US-PATENT-CLASS-343-6.5R c07 N72-21118
US-PATENT-CLASS-343-6.5R c07 N72-25171
US-PATENT-CLASS-343-6.5R c08 N72-25209
US-PATENT-CLASS-343-6.5R c07 N73-25161
US-PATENT-CLASS-343-6.5R c21 N73-30641
US-PATENT-CLASS-343-6.5R c32 N74-12912
US-PATENT-CLASS-343-6.5R c32 N75-15854
US-PATENT-CLASS-343-6.5R c03 N75-30132
US-PATENT-CLASS-343-6.5R c32 N77-20289
US-PATENT-CLASS-343-6.5SS c32 N74-12912
US-PATENT-CLASS-343-6.8R c07 N72-12080
US-PATENT-CLASS-343-6.8R c07 N73-25161
US-PATENT-CLASS-343-6.8R c14 N73-25461
US-PATENT-CLASS-343-7.4 ..... c10 N72-22235
US-PATENT-CLASS-343-7.5 ..... c07 N69-39974
US-PATENT-CLASS-343-7.5 ..... c09 N71-24595
US-PATENT-CLASS-343-7.5 ..... c07 N72-11149
US-PATENT-CLASS-343-7.5 ..... c44 N74-19870
US-PATENT-CLASS-343-9 ..... c32 N75-15854
US-PATENT-CLASS-343-10 ..... c32 N77-32342
US-PATENT-CLASS-343-11R c09 N73-12211
US-PATENT-CLASS-343-11VB c09 N73-12211
US-PATENT-CLASS-343-12 ..... c21 N70-41930
US-PATENT-CLASS-343-12 ..... c10 N72-20224
US-PATENT-CLASS-343-12R c08 N72-25209
US-PATENT-CLASS-343-13 ..... c09 N71-18598
US-PATENT-CLASS-343-14 ..... c07 N70-41680
US-PATENT-CLASS-343-14 ..... c08 N72-25209
US-PATENT-CLASS-343-14 ..... c14 N73-25461
US-PATENT-CLASS-343-16 ..... c09 N71-20864
US-PATENT-CLASS-343-16 ..... c10 N71-21483
US-PATENT-CLASS-343-16M c10 N72-22235
US-PATENT-CLASS-343-17.2 ..... c07 N70-36911
US-PATENT-CLASS-343-17.5 ..... c14 N73-25461
US-PATENT-CLASS-343-17.5 ..... c32 N75-15854
US-PATENT-CLASS-343-17.7 ..... c07 N71-12391
US-PATENT-CLASS-343-17.7 ..... c44 N74-19870
US-PATENT-CLASS-343-17.7 ..... c32 N77-31350
US-PATENT-CLASS-343-18 ..... c31 N70-37981
US-PATENT-CLASS-343-18 ..... c07 N70-40063
US-PATENT-CLASS-343-18 ..... c30 N70-40309
US-PATENT-CLASS-343-18 ..... c07 N70-41678
US-PATENT-CLASS-343-18B c32 N74-12912
US-PATENT-CLASS-343-18B c32 N77-21267
US-PATENT-CLASS-343-100 ..... c10 N71-18722
US-PATENT-CLASS-343-100 ..... c07 N71-19854
US-PATENT-CLASS-343-100 ..... c30 N71-23723
US-PATENT-CLASS-343-100 ..... c07 N71-24621
US-PATENT-CLASS-343-100 ..... c09 N71-24804
US-PATENT-CLASS-343-100 ..... c31 N71-24813
US-PATENT-CLASS-343-100 ..... c07 N71-27056
US-PATENT-CLASS-343-100 ..... c07 N71-28900
US-PATENT-CLASS-343-100CL c32 N77-32342
US-PATENT-CLASS-343-100ME c14 N72-28437
US-PATENT-CLASS-343-100ME c14 N73-26432
US-PATENT-CLASS-343-100PE c32 N75-24982
US-PATENT-CLASS-343-100R c10 N73-16206
US-PATENT-CLASS-343-100SA c10 N73-16206
US-PATENT-CLASS-343-100SA c33 N74-20860
US-PATENT-CLASS-343-100SA c17 N76-21250
US-PATENT-CLASS-343-100ST c07 N72-21118
US-PATENT-CLASS-343-100ST c33 N74-20860
US-PATENT-CLASS-343-100ST c32 N75-15854
US-PATENT-CLASS-343-100ST c17 N76-21250
US-PATENT-CLASS-343-100ST c32 N77-20289
US-PATENT-CLASS-343-105R c32 N75-26194
US-PATENT-CLASS-343-108R c04 N74-18420
US-PATENT-CLASS-343-112 ..... c21 N71-13958
US-PATENT-CLASS-343-112 ..... c02 N71-19287
US-PATENT-CLASS-343-112 ..... c21 N71-24948
US-PATENT-CLASS-343-112CA c21 N73-13643
US-PATENT-CLASS-343-112CA c21 N73-30641
US-PATENT-CLASS-343-112CA c03 N75-30132
US-PATENT-CLASS-343-112D c14 N72-28437
US-PATENT-CLASS-343-112D c32 N75-26194
US-PATENT-CLASS-343-112R c09 N73-32110
US-PATENT-CLASS-343-112TC c17 N76-21250
US-PATENT-CLASS-343-113 ..... c10 N71-21473
US-PATENT-CLASS-343-113 ..... c07 N71-24625
US-PATENT-CLASS-343-113R c09 N73-32110
US-PATENT-CLASS-343-117 ..... c07 N71-27056
US-PATENT-CLASS-343-176 ..... c07 N71-27056
US-PATENT-CLASS-343-176 ..... c32 N76-14321
US-PATENT-CLASS-343-179 ..... c07 N72-11149
US-PATENT-CLASS-343-179 ..... c07 N73-20174
US-PATENT-CLASS-343-200 ..... c07 N73-16121
US-PATENT-CLASS-343-204 ..... c07 N73-26118
US-PATENT-CLASS-343-703 ..... c09 N71-13521
US-PATENT-CLASS-343-703 ..... c07 N71-24614
US-PATENT-CLASS-343-705 ..... c07 N70-38200
US-PATENT-CLASS-343-705 ..... c07 N70-40202
US-PATENT-CLASS-343-705 ..... c31 N71-10747
US-PATENT-CLASS-343-705 ..... c03 N76-32140
US-PATENT-CLASS-343-706 ..... c07 N72-21117
US-PATENT-CLASS-343-708 ..... c09 N71-22888
US-PATENT-CLASS-343-708 ..... c07 N71-22984
US-PATENT-CLASS-343-708 ..... c07 N71-28980
US-PATENT-CLASS-343-708 ..... c09 N72-25247
US-PATENT-CLASS-343-708 ..... c32 N74-20864
US-PATENT-CLASS-343-718 ..... c09 N71-18720
US-PATENT-CLASS-343-720 ..... c09 N72-12136
US-PATENT-CLASS-343-725 ..... c07 N73-28013
US-PATENT-CLASS-343-729 ..... c07 N73-28013
US-PATENT-CLASS-343-730 ..... c32 N74-20863
US-PATENT-CLASS-343-754 ..... c09 N73-19234
US-PATENT-CLASS-343-755 ..... c33 N76-17472
US-PATENT-CLASS-343-761 ..... c33 N75-19516
US-PATENT-CLASS-343-761 ..... c32 N76-21365
US-PATENT-CLASS-343-762 ..... c07 N72-25174
US-PATENT-CLASS-343-768 ..... c10 N71-26142
US-PATENT-CLASS-343-769 ..... c32 N74-20864
US-PATENT-CLASS-343-770 ..... c09 N72-31235
US-PATENT-CLASS-343-770 ..... c33 N76-14372
US-PATENT-CLASS-343-771 ..... c07 N71-28809
US-PATENT-CLASS-343-771 ..... c07 N72-11148
US-PATENT-CLASS-343-771 ..... c09 N72-21244
US-PATENT-CLASS-343-771 ..... c07 N72-22127
US-PATENT-CLASS-343-771 ..... c09 N72-25247
US-PATENT-CLASS-343-771 ..... c09 N72-31235
US-PATENT-CLASS-343-772 ..... c07 N72-20141
US-PATENT-CLASS-343-773 ..... c07 N72-20141
US-PATENT-CLASS-343-776 ..... c07 N71-12396
US-PATENT-CLASS-343-777 ..... c07 N71-27233
US-PATENT-CLASS-343-777 ..... c07 N72-25174
US-PATENT-CLASS-343-779 ..... c07 N71-11285
US-PATENT-CLASS-343-779 ..... c10 N72-22235
US-PATENT-CLASS-343-779 ..... c07 N72-25174
US-PATENT-CLASS-343-779 ..... c32 N76-15329
US-PATENT-CLASS-343-779 ..... c33 N76-27472
US-PATENT-CLASS-343-781 ..... c09 N70-35219
US-PATENT-CLASS-343-781 ..... c09 N70-35382
US-PATENT-CLASS-343-781 ..... c09 N70-35425
US-PATENT-CLASS-343-781 ..... c07 N72-32169
US-PATENT-CLASS-343-781 ..... c32 N74-11000
US-PATENT-CLASS-343-781 ..... c33 N75-19516
US-PATENT-CLASS-343-781 ..... c32 N76-21365
US-PATENT-CLASS-343-782 ..... c07 N73-14130
US-PATENT-CLASS-343-784 ..... c07 N71-28980
US-PATENT-CLASS-343-786 ..... c07 N71-15907
US-PATENT-CLASS-343-786 ..... c07 N71-22750
US-PATENT-CLASS-343-786 ..... c07 N71-26101
US-PATENT-CLASS-343-786 ..... c07 N71-27233
US-PATENT-CLASS-343-786 ..... c07 N72-20141
US-PATENT-CLASS-343-786 ..... c10 N72-22235
US-PATENT-CLASS-343-786 ..... c07 N72-25174
US-PATENT-CLASS-343-786 ..... c09 N72-31235
US-PATENT-CLASS-343-786 ..... c32 N74-20863
US-PATENT-CLASS-343-786 ..... c32 N76-15330
US-PATENT-CLASS-343-786 ..... c32 N76-21365
US-PATENT-CLASS-343-797 ..... c09 N71-28842
US-PATENT-CLASS-343-797 ..... c07 N72-22127
US-PATENT-CLASS-343-797 ..... c09 N72-31235

US-PATENT-CLASS-343-797 ..... c07 N73-28013
US-PATENT-CLASS-343-797 ..... c32 N74-20863
US-PATENT-CLASS-343-797 ..... c33 N76-14372
US-PATENT-CLASS-343-799 ..... c07 N71-27233
US-PATENT-CLASS-343-803 ..... c07 N73-28013
US-PATENT-CLASS-343-823 ..... c07 N71-28979
US-PATENT-CLASS-343-833 ..... c31 N70-34135
US-PATENT-CLASS-343-837 ..... c07 N72-32169
US-PATENT-CLASS-343-837 ..... c07 N73-14130
US-PATENT-CLASS-343-837 ..... c33 N75-19516
US-PATENT-CLASS-343-837 ..... c32 N76-15329
US-PATENT-CLASS-343-837 ..... c32 N76-18295
US-PATENT-CLASS-343-839 ..... c09 N73-19234
US-PATENT-CLASS-343-840 ..... c07 N71-27233
US-PATENT-CLASS-343-840 ..... c09 N72-12136
US-PATENT-CLASS-343-840 ..... c07 N72-32169
US-PATENT-CLASS-343-840 ..... c32 N76-18295
US-PATENT-CLASS-343-846 ..... c33 N76-14372
US-PATENT-CLASS-343-853 ..... c07 N72-11148
US-PATENT-CLASS-343-853 ..... c07 N72-22127
US-PATENT-CLASS-343-853 ..... c07 N72-25174
US-PATENT-CLASS-343-853 ..... c09 N72-31235
US-PATENT-CLASS-343-853 ..... c10 N73-16206
US-PATENT-CLASS-343-853 ..... c32 N74-20863
US-PATENT-CLASS-343-853 ..... c32 N74-20864
US-PATENT-CLASS-343-854 ..... c07 N69-27460
US-PATENT-CLASS-343-854 ..... c07 N71-27233
US-PATENT-CLASS-343-854 ..... c09 N73-19234
US-PATENT-CLASS-343-854 ..... c33 N74-20860
US-PATENT-CLASS-343-854 ..... c33 N76-27472
US-PATENT-CLASS-343-872 ..... c07 N71-28980
US-PATENT-CLASS-343-873 ..... c07 N71-19493
US-PATENT-CLASS-343-873 ..... c09 N72-25247
US-PATENT-CLASS-343-876 ..... c32 N76-15329
US-PATENT-CLASS-343-880 ..... c07 N73-26117
US-PATENT-CLASS-343-882 ..... c33 N76-32457
US-PATENT-CLASS-343-883 ..... c07 N73-26117
US-PATENT-CLASS-343-884 ..... c07 N71-27191
US-PATENT-CLASS-343-889 ..... c07 N73-26117
US-PATENT-CLASS-343-893 ..... c09 N72-21244
US-PATENT-CLASS-343-893 ..... c07 N73-28013
US-PATENT-CLASS-343-895 ..... c09 N73-19234
US-PATENT-CLASS-343-895 ..... c07 N73-26117
US-PATENT-CLASS-343-909 ..... c32 N74-11000
US-PATENT-CLASS-343-909 ..... c35 N76-15435
US-PATENT-CLASS-343-912 ..... c07 N72-21117
US-PATENT-CLASS-343-912 ..... c07 N72-22127
US-PATENT-CLASS-343-912 ..... c32 N76-18295
US-PATENT-CLASS-343-915 ..... c31 N71-16102
US-PATENT-CLASS-343-915 ..... c09 N71-20658
US-PATENT-CLASS-343-915 ..... c07 N72-32169
US-PATENT-CLASS-343-915 ..... c07 N73-14130
US-PATENT-CLASS-343-915 ..... c07 N73-24176
US-PATENT-CLASS-343-915 ..... c32 N76-18295
US-PATENT-CLASS-343-915 ..... c33 N76-32457
US-PATENT-CLASS-346-1 ..... c12 N71-20815
US-PATENT-CLASS-346-1 ..... c09 N72-21246
US-PATENT-CLASS-346-23 ..... c14 N72-18411
US-PATENT-CLASS-346-24 ..... c35 N74-15831
US-PATENT-CLASS-346-29 ..... c09 N72-21246
US-PATENT-CLASS-346-33R c35 N74-32877
US-PATENT-CLASS-346-44 ..... c09 N69-21467
US-PATENT-CLASS-346-50 ..... c14 N71-21006
US-PATENT-CLASS-346-74MD c21 N73-13644
US-PATENT-CLASS-346-107 ..... c23 N71-23976
US-PATENT-CLASS-346-107A c14 N72-18411
US-PATENT-CLASS-346-108 ..... c35 N74-15831
US-PATENT-CLASS-346-110 ..... c14 N73-32322
US-PATENT-CLASS-346-138 ..... c21 N73-13644
US-PATENT-CLASS-346-138 ..... c35 N74-15831
US-PATENT-CLASS-346R c73 N77-18891
US-PATENT-CLASS-350-1 ..... c23 N69-24332
US-PATENT-CLASS-350-1 ..... c07 N71-29065
US-PATENT-CLASS-350-1 ..... c16 N72-12440
US-PATENT-CLASS-350-1 ..... c24 N76-24363
US-PATENT-CLASS-350-2 ..... c23 N71-30027
US-PATENT-CLASS-350-3.5 ..... c16 N71-15551
US-PATENT-CLASS-350-3.5 ..... c16 N71-15565
US-PATENT-CLASS-350-3.5 ..... c16 N71-15567
US-PATENT-CLASS-350-3.5 ..... c16 N71-26154
US-PATENT-CLASS-350-3.5 ..... c16 N71-29131
US-PATENT-CLASS-350-3.5 ..... c14 N72-17324
US-PATENT-CLASS-350-3.5 ..... c16 N73-30476
US-PATENT-CLASS-350-3.5 ..... c35 N74-15146
US-PATENT-CLASS-350-3.5 ..... c35 N74-17153
US-PATENT-CLASS-350-3.5 ..... c35 N74-26946
US-PATENT-CLASS-350-3.5 ..... c35 N75-25124
US-PATENT-CLASS-350-3.5 ..... c35 N75-27328
US-PATENT-CLASS-350-3.5 ..... c35 N76-18402

US-PATENT-CLASS-350-6 ..... c14 N69-27461
US-PATENT-CLASS-350-6 ..... c36 N74-15145
US-PATENT-CLASS-350-7 ..... c74 N74-15095
US-PATENT-CLASS-350-16 ..... c14 N72-22444
US-PATENT-CLASS-350-19 ..... c14 N72-22441
US-PATENT-CLASS-350-23 ..... c14 N72-22441
US-PATENT-CLASS-350-26 ..... c14 N72-22441
US-PATENT-CLASS-350-35 ..... c14 N72-22441
US-PATENT-CLASS-350-36 ..... c14 N72-22441
US-PATENT-CLASS-350-49 ..... c14 N72-22441
US-PATENT-CLASS-350-52 ..... c14 N72-22441
US-PATENT-CLASS-350-52 ..... c14 N72-22444
US-PATENT-CLASS-350-55 ..... c23 N71-33229
US-PATENT-CLASS-350-55 ..... c14 N73-30393
US-PATENT-CLASS-350-55 ..... c23 N73-30666
US-PATENT-CLASS-350-58 ..... c14 N71-15604
US-PATENT-CLASS-350-79 ..... c14 N72-32452
US-PATENT-CLASS-350-86 ..... c14 N72-22445
US-PATENT-CLASS-350-96 ..... c07 N71-26291
US-PATENT-CLASS-350-96R c60 N77-14751
US-PATENT-CLASS-350-96R c60 N77-32731
US-PATENT-CLASS-350-96WG c36 N75-31427
US-PATENT-CLASS-350-96WG c36 N76-18428
US-PATENT-CLASS-350-96WG c36 N76-24553
US-PATENT-CLASS-350-100 ..... c36 N77-25501
US-PATENT-CLASS-350-102 ..... c23 N71-29123
US-PATENT-CLASS-350-102 ..... c36 N77-25501
US-PATENT-CLASS-350-138 ..... c23 N72-27728
US-PATENT-CLASS-350-145 ..... c74 N77-20882
US-PATENT-CLASS-350-147 ..... c14 N72-27409
US-PATENT-CLASS-350-150 ..... c26 N72-25680
US-PATENT-CLASS-350-150 ..... c36 N76-18427
US-PATENT-CLASS-350-151 ..... c36 N74-13205
US-PATENT-CLASS-350-160 ..... c36 N76-18427
US-PATENT-CLASS-350-160R c14 N72-25410
US-PATENT-CLASS-350-160R c26 N72-25680
US-PATENT-CLASS-350-161 ..... c26 N72-27784
US-PATENT-CLASS-350-161 ..... c36 N75-31427
US-PATENT-CLASS-350-162 ..... c14 N72-17323
US-PATENT-CLASS-350-162SF c23 N73-30666
US-PATENT-CLASS-350-162SF c74 N76-31998
US-PATENT-CLASS-350-162SF c74 N77-28932
US-PATENT-CLASS-350-162SF c36 N77-32478
US-PATENT-CLASS-350-171 ..... c23 N72-23695
US-PATENT-CLASS-350-174 ..... c74 N77-20882
US-PATENT-CLASS-350-175FS c14 N72-25414
US-PATENT-CLASS-350-189 ..... c23 N71-24857
US-PATENT-CLASS-350-199 ..... c14 N73-30393
US-PATENT-CLASS-350-202 ..... c23 N73-20741
US-PATENT-CLASS-350-202 ..... c74 N77-28932
US-PATENT-CLASS-350-203 ..... c14 N72-25409
US-PATENT-CLASS-350-204 ..... c14 N73-30393
US-PATENT-CLASS-350-211 ..... c44 N76-14602
US-PATENT-CLASS-350-213 ..... c14 N71-15622
US-PATENT-CLASS-350-236 ..... c74 N74-15095
US-PATENT-CLASS-350-253 ..... c35 N77-27366
US-PATENT-CLASS-350-269 ..... c33 N74-20861
US-PATENT-CLASS-350-270 ..... c70 N74-21300
US-PATENT-CLASS-350-275 ..... c09 N71-19479
US-PATENT-CLASS-350-285 ..... c14 N71-15605
US-PATENT-CLASS-350-285 ..... c14 N71-17662
US-PATENT-CLASS-350-285 ..... c19 N71-26674
US-PATENT-CLASS-350-285 ..... c15 N72-11386
US-PATENT-CLASS-350-285 ..... c16 N73-33397
US-PATENT-CLASS-350-285 ..... c74 N74-15095
US-PATENT-CLASS-350-286 ..... c07 N71-29065
US-PATENT-CLASS-350-287 ..... c15 N72-11386
US-PATENT-CLASS-350-288 ..... c23 N71-29123
US-PATENT-CLASS-350-288 ..... c12 N76-15189
US-PATENT-CLASS-350-288 ..... c74 N77-28933
US-PATENT-CLASS-350-292 ..... c35 N75-12273
US-PATENT-CLASS-350-293 ..... c16 N73-16536
US-PATENT-CLASS-350-293 ..... c12 N76-15189
US-PATENT-CLASS-350-293 ..... c44 N76-24696
US-PATENT-CLASS-350-295 ..... c44 N77-32583
US-PATENT-CLASS-350-299 ..... c74 N74-21304
US-PATENT-CLASS-350-299 ..... c44 N76-24696
US-PATENT-CLASS-350-299 ..... c74 N77-28932
US-PATENT-CLASS-350-310 ..... c11 N69-24321
US-PATENT-CLASS-350-310 ..... c23 N71-24868
US-PATENT-CLASS-350-310 ..... c23 N71-29123
US-PATENT-CLASS-350-310 ..... c23 N71-33229
US-PATENT-CLASS-350-310 ..... c23 N72-22673
US-PATENT-CLASS-350-310 ..... c74 N77-28933
US-PATENT-CLASS-350-311 ..... c74 N75-25706
US-PATENT-CLASS-350-312 ..... c16 N72-12440
US-PATENT-CLASS-350-320 ..... c74 N77-28933
US-PATENT-CLASS-350-320 ..... c44 N77-32583
US-PATENT-CLASS-351-23 ..... c05 N73-26072

US-PATENT-CLASS-351-23 ..... c52 N76-30793
US-PATENT-CLASS-351-30 ..... c05 N73-26072
US-PATENT-CLASS-351-30 ..... c52 N76-30793
US-PATENT-CLASS-351-36 ..... c05 N73-26072
US-PATENT-CLASS-351-36 ..... c52 N76-30793
US-PATENT-CLASS-351-38 ..... c54 N75-27759
US-PATENT-CLASS-352-84 ..... c16 N71-33410
US-PATENT-CLASS-352-84 ..... c14 N72-18411
US-PATENT-CLASS-352-169 ..... c14 N73-14427
US-PATENT-CLASS-353-54 ..... c34 N74-23066
US-PATENT-CLASS-353-61 ..... c34 N74-23066
US-PATENT-CLASS-354-234 ..... c33 N74-20861
US-PATENT-CLASS-354-234 ..... c70 N74-21300
US-PATENT-CLASS-355-18 ..... c14 N73-33361
US-PATENT-CLASS-356-4 ..... c14 N72-17326
US-PATENT-CLASS-356-4 ..... c07 N73-26119
US-PATENT-CLASS-356-4 ..... c36 N74-15145
US-PATENT-CLASS-356-4 ..... c35 N75-15014
US-PATENT-CLASS-356-5 ..... c07 N73-26119
US-PATENT-CLASS-356-5 ..... c36 N74-15145
US-PATENT-CLASS-356-5 ..... c36 N75-15028
US-PATENT-CLASS-356-17 ..... c14 N72-21409
US-PATENT-CLASS-356-18 ..... c14 N72-21409
US-PATENT-CLASS-356-28 ..... c21 N71-19212
US-PATENT-CLASS-356-28 ..... c16 N71-24828
US-PATENT-CLASS-356-28 ..... c72 N74-19310
US-PATENT-CLASS-356-28 ..... c36 N75-15028
US-PATENT-CLASS-356-28 ..... c35 N75-16783
US-PATENT-CLASS-356-28 ..... c36 N76-14447
US-PATENT-CLASS-356-28 ..... c36 N77-25501
US-PATENT-CLASS-356-32 ..... c14 N72-11364
US-PATENT-CLASS-356-32 ..... c32 N73-20740
US-PATENT-CLASS-356-36 ..... c23 N71-16365
US-PATENT-CLASS-356-37 ..... c45 N76-21742
US-PATENT-CLASS-356-43 ..... c74 N74-15095
US-PATENT-CLASS-356-43 ..... c75 N74-30156
US-PATENT-CLASS-356-51 ..... c06 N72-31141
US-PATENT-CLASS-356-51 ..... c35 N75-30502
US-PATENT-CLASS-356-71 ..... c66 N76-19888
US-PATENT-CLASS-356-72 ..... c14 N71-23268
US-PATENT-CLASS-356-72 ..... c33 N73-27796
US-PATENT-CLASS-356-73 ..... c75 N74-30156
US-PATENT-CLASS-356-74 ..... c30 N71-15990
US-PATENT-CLASS-356-76 ..... c23 N71-26206
US-PATENT-CLASS-356-76 ..... c14 N71-29041
US-PATENT-CLASS-356-83 ..... c35 N75-19613
US-PATENT-CLASS-356-85 ..... c37 N74-18123
US-PATENT-CLASS-356-85 ..... c75 N74-30156
US-PATENT-CLASS-356-87 ..... c75 N74-30156
US-PATENT-CLASS-356-96 ..... c35 N75-19613
US-PATENT-CLASS-356-97 ..... c35 N77-14411
US-PATENT-CLASS-356-103 ..... c14 N71-28994
US-PATENT-CLASS-356-103 ..... c36 N75-15028
US-PATENT-CLASS-356-104 ..... c16 N71-24074
US-PATENT-CLASS-356-106 ..... c14 N71-17627
US-PATENT-CLASS-356-106 ..... c14 N71-17655
US-PATENT-CLASS-356-106 ..... c14 N71-27215
US-PATENT-CLASS-356-106 ..... c14 N73-12446
US-PATENT-CLASS-356-106 ..... c35 N74-15146
US-PATENT-CLASS-356-106LR c36 N75-19653
US-PATENT-CLASS-356-106R c72 N74-19310
US-PATENT-CLASS-356-106R c36 N76-14447
US-PATENT-CLASS-356-106R c35 N77-10493
US-PATENT-CLASS-356-106R c47 N77-10753
US-PATENT-CLASS-356-106S c23 N73-13661
US-PATENT-CLASS-356-106S c35 N76-31490
US-PATENT-CLASS-356-107 ..... c16 N71-24170
US-PATENT-CLASS-356-108 ..... c26 N73-26751
US-PATENT-CLASS-356-108 ..... c16 N73-30476
US-PATENT-CLASS-356-109 ..... c16 N73-30476
US-PATENT-CLASS-356-110 ..... c14 N73-25463
US-PATENT-CLASS-356-112 ..... c72 N74-19310
US-PATENT-CLASS-356-113 ..... c14 N72-17323
US-PATENT-CLASS-356-113 ..... c35 N74-23040
US-PATENT-CLASS-356-114 ..... c14 N73-12446
US-PATENT-CLASS-356-114 ..... c35 N76-31490
US-PATENT-CLASS-356-117 ..... c23 N71-16101
US-PATENT-CLASS-356-123 ..... c74 N76-19935
US-PATENT-CLASS-356-124 ..... c74 N76-19935
US-PATENT-CLASS-356-138 ..... c14 N72-20379
US-PATENT-CLASS-356-138 ..... c16 N73-33397
US-PATENT-CLASS-356-141 ..... c14 N72-27409
US-PATENT-CLASS-356-141 ..... c14 N73-28490
US-PATENT-CLASS-356-141 ..... c36 N74-21091
US-PATENT-CLASS-356-141 ..... c89 N74-30886
US-PATENT-CLASS-356-141 ..... c74 N77-22951
US-PATENT-CLASS-356-147 ..... c89 N74-30886
US-PATENT-CLASS-356-148 ..... c16 N73-33397
US-PATENT-CLASS-356-150 ..... c15 N71-28740
US-PATENT-CLASS-356-152 ..... c15 N71-28740
US-PATENT-CLASS-356-152 ..... c16 N72-13437
US-PATENT-CLASS-356-152 ..... c14 N72-20379
US-PATENT-CLASS-356-152 ..... c14 N72-27409
US-PATENT-CLASS-356-152 ..... c14 N73-25462
US-PATENT-CLASS-356-152 ..... c36 N74-15145
US-PATENT-CLASS-356-152 ..... c36 N74-21091
US-PATENT-CLASS-356-152 ..... c74 N74-21304
US-PATENT-CLASS-356-152 ..... c74 N77-22951
US-PATENT-CLASS-356-153 ..... c15 N71-28740
US-PATENT-CLASS-356-153 ..... c23 N71-29125
US-PATENT-CLASS-356-153 ..... c16 N73-33397
US-PATENT-CLASS-356-153 ..... c18 N76-14186
US-PATENT-CLASS-356-154 ..... c15 N71-26673
US-PATENT-CLASS-356-161 ..... c26 N73-26751
US-PATENT-CLASS-356-162 ..... c66 N76-19888
US-PATENT-CLASS-356-166 ..... c14 N71-23175
US-PATENT-CLASS-356-167 ..... c14 N72-11364
US-PATENT-CLASS-356-167 ..... c66 N76-19888
US-PATENT-CLASS-356-171 ..... c74 N77-22950
US-PATENT-CLASS-356-172 ..... c16 N73-33397
US-PATENT-CLASS-356-172 ..... c36 N74-21091
US-PATENT-CLASS-356-172 ..... c74 N77-22951
US-PATENT-CLASS-356-180 ..... c35 N74-27860
US-PATENT-CLASS-356-186 ..... c35 N75-19613
US-PATENT-CLASS-356-189 ..... c35 N75-19613
US-PATENT-CLASS-356-197 ..... c37 N74-18123
US-PATENT-CLASS-356-201 ..... c75 N74-30156
US-PATENT-CLASS-356-201 ..... c35 N77-14411
US-PATENT-CLASS-356-202 ..... c26 N73-26751
US-PATENT-CLASS-356-203 ..... c14 N71-26788
US-PATENT-CLASS-356-204 ..... c35 N77-14411
US-PATENT-CLASS-356-207 ..... c45 N76-17656
US-PATENT-CLASS-356-209 ..... c23 N71-16341
US-PATENT-CLASS-356-209 ..... c14 N71-28993
US-PATENT-CLASS-356-209 ..... c14 N72-17323
US-PATENT-CLASS-356-209 ..... c35 N76-31490
US-PATENT-CLASS-356-212 ..... c35 N77-31465
US-PATENT-CLASS-356-216 ..... c74 N74-15095
US-PATENT-CLASS-356-222 ..... c03 N72-20033
US-PATENT-CLASS-356-236 ..... c74 N77-21941
US-PATENT-CLASS-356-237 ..... c74 N77-10899
US-PATENT-CLASS-356-239 ..... c74 N77-10899
US-PATENT-CLASS-356-241 ..... c14 N72-32452
US-PATENT-CLASS-356-244 ..... c14 N72-17323
US-PATENT-CLASS-356-244 ..... c35 N76-31490
US-PATENT-CLASS-356-246 ..... c35 N74-27860
US-PATENT-CLASS-356-248 ..... c14 N72-22444
US-PATENT-CLASS-356-1065 ..... c35 N74-23040
US-PATENT-CLASS-357-5 ..... c33 N75-31332
US-PATENT-CLASS-357-7 ..... c33 N75-31331
US-PATENT-CLASS-357-23 ..... c76 N75-25730
US-PATENT-CLASS-357-24 ..... c33 N75-31331
US-PATENT-CLASS-357-29 ..... c76 N75-25730
US-PATENT-CLASS-357-30 ..... c44 N76-28635
US-PATENT-CLASS-357-42 ..... c76 N75-25730
US-PATENT-CLASS-357-52 ..... c76 N75-25730
US-PATENT-CLASS-357-54 ..... c76 N75-25730
US-PATENT-CLASS-357-59 ..... c44 N76-28635
US-PATENT-CLASS-357-63 ..... c33 N76-31409
US-PATENT-CLASS-357-91 ..... c76 N75-25730
US-PATENT-CLASS-358-36 ..... c32 N75-21485
US-PATENT-CLASS-358-44 ..... c74 N77-18893
US-PATENT-CLASS-358-133 ..... c32 N77-24328
US-PATENT-CLASS-358-138 ..... c32 N77-24328
US-PATENT-CLASS-360-9 ..... c35 N76-16391
US-PATENT-CLASS-360-10 ..... c35 N76-16391
US-PATENT-CLASS-360-25 ..... c35 N77-17426
US-PATENT-CLASS-360-26 ..... c33 N76-18353
US-PATENT-CLASS-360-31 ..... c35 N77-17426
US-PATENT-CLASS-360-35 ..... c35 N76-16391
US-PATENT-CLASS-360-51 ..... c33 N76-18353
US-PATENT-CLASS-360-101 ..... c35 N76-16391
US-PATENT-CLASS-363-53 ..... c33 N77-30365
US-PATENT-CLASS-363-70 ..... c33 N77-30365
US-PATENT-CLASS-403-28 ..... c27 N76-14264
US-PATENT-CLASS-403-179 ..... c27 N76-14264
US-PATENT-CLASS-403-273 ..... c37 N77-23482
US-PATENT-CLASS-408-80 ..... c37 N74-25968
US-PATENT-CLASS-408-111 ..... c37 N74-25968
US-PATENT-CLASS-408-112 ..... c37 N75-25186
US-PATENT-CLASS-408-137 ..... c15 N71-33518
US-PATENT-CLASS-408-186 ..... c37 N75-25186
US-PATENT-CLASS-408-186 ..... c37 N77-22478
US-PATENT-CLASS-408-193 ..... c37 N75-25186
US-PATENT-CLASS-408-193 ..... c37 N77-22478
US-PATENT-CLASS-408-195 ..... c37 N75-25186
US-PATENT-CLASS-408-225 ..... c37 N77-22478
US-PATENT-CLASS-415-145 ..... c07 N77-28118

US-PATENT-CLASS-415-180 ..... c07 N77-23106
US-PATENT-CLASS-415-181 ..... c07 N74-28226
US-PATENT-CLASS-415-181 ..... c07 N74-31270
US-PATENT-CLASS-416-25 ..... c05 N75-12930
US-PATENT-CLASS-416-104 ..... c05 N77-17029
US-PATENT-CLASS-416-115 ..... c02 N72-11018
US-PATENT-CLASS-416-121 ..... c02 N72-11018
US-PATENT-CLASS-416-127 ..... c02 N72-11018
US-PATENT-CLASS-416-130 ..... c02 N72-11018
US-PATENT-CLASS-416-135 ..... c07 N77-32148
US-PATENT-CLASS-416-138 ..... c05 N77-17029
US-PATENT-CLASS-416-141 ..... c05 N77-17029
US-PATENT-CLASS-416-149 ..... c02 N72-11018
US-PATENT-CLASS-416-153 ..... c07 N77-14025
US-PATENT-CLASS-416-160 ..... c07 N77-14025
US-PATENT-CLASS-416-162 ..... c07 N77-14025
US-PATENT-CLASS-416-165 ..... c07 N77-14025
US-PATENT-CLASS-416-167 ..... c07 N77-14025
US-PATENT-CLASS-416-190 ..... c07 N77-32148
US-PATENT-CLASS-416-193A c07 N77-32148
US-PATENT-CLASS-416-200 ..... c02 N72-11018
US-PATENT-CLASS-416-220R c07 N77-27116
US-PATENT-CLASS-416-221 ..... c07 N77-27116
US-PATENT-CLASS-416-223 ..... c07 N74-28226
US-PATENT-CLASS-416-224 ..... c24 N77-19170
US-PATENT-CLASS-416-230 ..... c24 N77-19170
US-PATENT-CLASS-416-237 ..... c07 N74-28226
US-PATENT-CLASS-416-241A c07 N77-32148
US-PATENT-CLASS-417-36 ..... c35 N75-19611
US-PATENT-CLASS-417-50 ..... c15 N71-27084
US-PATENT-CLASS-417-52 ..... c37 N74-27904
US-PATENT-CLASS-417-138 ..... c35 N75-19611
US-PATENT-CLASS-417-141 ..... c44 N76-29701
US-PATENT-CLASS-417-152 ..... c15 N72-22489
US-PATENT-CLASS-417-207 ..... c44 N76-29701
US-PATENT-CLASS-417-209 ..... c34 N76-17317
US-PATENT-CLASS-417-209 ..... c44 N76-29701
US-PATENT-CLASS-417-379 ..... c44 N76-29701
US-PATENT-CLASS-417-391 ..... c15 N73-20513
US-PATENT-CLASS-417-395 ..... c35 N75-19611
US-PATENT-CLASS-417-470 ..... c35 N74-15126
US-PATENT-CLASS-417-471 ..... c35 N74-15126
US-PATENT-CLASS-423-231 ..... c25 N74-12813
US-PATENT-CLASS-423-249 ..... c25 N76-27383
US-PATENT-CLASS-423-345 ..... c76 N76-25049
US-PATENT-CLASS-423-346 ..... c76 N76-25049
US-PATENT-CLASS-423-352 ..... c36 N76-18427
US-PATENT-CLASS-423-407 ..... c24 N76-14203
US-PATENT-CLASS-423-446 ..... c15 N73-19457
US-PATENT-CLASS-423-579 ..... c46 N74-13011
US-PATENT-CLASS-423-625 ..... c15 N73-19457
US-PATENT-CLASS-423-644 ..... c36 N76-18427
US-PATENT-CLASS-423-648R c44 N77-22607
US-PATENT-CLASS-423-650 ..... c44 N76-18642
US-PATENT-CLASS-423-650 ..... c44 N76-29700
US-PATENT-CLASS-423-650 ..... c44 N76-29704
US-PATENT-CLASS-423-650 ..... c44 N77-10636
US-PATENT-CLASS-424-3 ..... c51 N77-27677
US-PATENT-CLASS-424-180 ..... c52 N75-15270
US-PATENT-CLASS-425-DIG.43 ..... c31 N75-13111
US-PATENT-CLASS-425-28B c31 N74-32917
US-PATENT-CLASS-425-35 ..... c31 N74-32917
US-PATENT-CLASS-425-77 ..... c15 N72-20446
US-PATENT-CLASS-425-113 ..... c15 N73-13464
US-PATENT-CLASS-425-128 ..... c31 N74-32920
US-PATENT-CLASS-425-133 ..... c15 N73-13464
US-PATENT-CLASS-425-176 ..... c15 N73-13464
US-PATENT-CLASS-425-405R c31 N75-13111
US-PATENT-CLASS-425-415 ..... c31 N74-32920
US-PATENT-CLASS-425-438 ..... c31 N75-13111
US-PATENT-CLASS-425-468 ..... c31 N75-13111
US-PATENT-CLASS-427-4 ..... c51 N77-27677
US-PATENT-CLASS-427-47 ..... c44 N77-32583
US-PATENT-CLASS-427-86 ..... c44 N76-28635
US-PATENT-CLASS-427-113 ..... c44 N76-28635
US-PATENT-CLASS-427-130 ..... c44 N77-32583
US-PATENT-CLASS-427-160 ..... c34 N77-18382
US-PATENT-CLASS-427-162 ..... c12 N76-15189
US-PATENT-CLASS-427-196 ..... c27 N76-15310
US-PATENT-CLASS-427-203 ..... c27 N76-16229
US-PATENT-CLASS-427-204 ..... c27 N76-16229
US-PATENT-CLASS-427-205 ..... c27 N76-16229
US-PATENT-CLASS-427-230 ..... c37 N76-31524
US-PATENT-CLASS-427-248 ..... c44 N76-28635
US-PATENT-CLASS-427-249 ..... c44 N76-28635
US-PATENT-CLASS-427-250 ..... c12 N76-15189
US-PATENT-CLASS-427-250 ..... c44 N76-28635
US-PATENT-CLASS-427-270 ..... c27 N76-16229
US-PATENT-CLASS-427-275 ..... c27 N76-16229
US-PATENT-CLASS-427-287 ..... c27 N76-16229
US-PATENT-CLASS-427-322 ..... c34 N77-18382
US-PATENT-CLASS-427-376 ..... c27 N76-22377
US-PATENT-CLASS-427-376 ..... c27 N76-23426
US-PATENT-CLASS-427-379 ..... c27 N76-22377
US-PATENT-CLASS-427-379 ..... c27 N76-23426
US-PATENT-CLASS-427-380 ..... c27 N76-22377
US-PATENT-CLASS-427-380 ..... c27 N76-23426
US-PATENT-CLASS-427-402 ..... c27 N76-22377
US-PATENT-CLASS-427-402 ..... c27 N76-23426
US-PATENT-CLASS-427-426 ..... c27 N76-15310
US-PATENT-CLASS-428-35 ..... c34 N77-18382
US-PATENT-CLASS-428-77 ..... c27 N76-14264
US-PATENT-CLASS-428-109 ..... c27 N76-14264
US-PATENT-CLASS-428-117 ..... c37 N76-24575
US-PATENT-CLASS-428-141 ..... c24 N77-28225
US-PATENT-CLASS-428-161 ..... c24 N77-28225
US-PATENT-CLASS-428-212 ..... c27 N76-14264
US-PATENT-CLASS-428-214 ..... c27 N76-14264
US-PATENT-CLASS-428-301 ..... c24 N77-27188
US-PATENT-CLASS-428-303 ..... c27 N76-15310
US-PATENT-CLASS-428-328 ..... c24 N77-27188
US-PATENT-CLASS-428-332 ..... c27 N76-22377
US-PATENT-CLASS-428-332 ..... c27 N76-23426
US-PATENT-CLASS-428-368 ..... c24 N77-27188
US-PATENT-CLASS-428-412 ..... c27 N76-16230
US-PATENT-CLASS-428-413 ..... c27 N76-16230
US-PATENT-CLASS-428-416 ..... c27 N76-14264
US-PATENT-CLASS-428-418 ..... c24 N77-27188
US-PATENT-CLASS-428-421 ..... c34 N77-18382
US-PATENT-CLASS-428-425 ..... c24 N77-28225
US-PATENT-CLASS-428-428 ..... c27 N76-22377
US-PATENT-CLASS-428-428 ..... c27 N76-23426
US-PATENT-CLASS-428-447 ..... c27 N76-14264
US-PATENT-CLASS-428-447 ..... c27 N76-16230
US-PATENT-CLASS-428-450 ..... c27 N76-16229
US-PATENT-CLASS-428-450 ..... c27 N76-22377
US-PATENT-CLASS-428-450 ..... c27 N76-23426
US-PATENT-CLASS-428-457 ..... c27 N76-16229
US-PATENT-CLASS-428-457 ..... c24 N77-27188
US-PATENT-CLASS-428-457 ..... c24 N77-28225
US-PATENT-CLASS-428-458 ..... c24 N77-28225
US-PATENT-CLASS-428-461 ..... c34 N77-18382
US-PATENT-CLASS-428-469 ..... c27 N76-16229
US-PATENT-CLASS-428-474 ..... c34 N77-18382
US-PATENT-CLASS-428-538 ..... c27 N76-22377
US-PATENT-CLASS-428-538 ..... c27 N76-23426
US-PATENT-CLASS-428-539 ..... c27 N76-16229
US-PATENT-CLASS-428-902 ..... c24 N77-27188
US-PATENT-CLASS-428-911 ..... c27 N76-16230
US-PATENT-CLASS-428-911 ..... c24 N77-27188
US-PATENT-CLASS-428-920 ..... c27 N76-16230
US-PATENT-CLASS-428-920 ..... c27 N76-22377
US-PATENT-CLASS-428-920 ..... c27 N76-23426
US-PATENT-CLASS-428-921 ..... c27 N76-16230
US-PATENT-CLASS-429-23 ..... c44 N77-14581
US-PATENT-CLASS-429-34 ..... c44 N77-14581
US-PATENT-CLASS-429-105 ..... c44 N77-22606
US-PATENT-CLASS-429-107 ..... c44 N77-22606
US-PATENT-CLASS-429-190 ..... c44 N77-22606
US-PATENT-CLASS-431-4 ..... c44 N76-29704
US-PATENT-CLASS-431-9 ..... c23 N73-30665
US-PATENT-CLASS-431-11 ..... c44 N77-10636
US-PATENT-CLASS-431-41 ..... c44 N77-10636
US-PATENT-CLASS-431-116 ..... c44 N77-10636
US-PATENT-CLASS-431-162 ..... c44 N77-10636
US-PATENT-CLASS-431-163 ..... c44 N76-29704
US-PATENT-CLASS-431-170 ..... c44 N77-10636
US-PATENT-CLASS-431-173 ..... c23 N73-30665
US-PATENT-CLASS-431-202 ..... c25 N74-33378
US-PATENT-CLASS-431-210 ..... c44 N76-29704
US-PATENT-CLASS-431-352 ..... c28 N71-28915
US-PATENT-CLASS-526-1 ..... c27 N76-24405
US-PATENT-CLASS-526-255 ..... c27 N76-24405
US-PATENT-CLASS-536-56 ..... c27 N77-30236
US-PATENT-CLASS-536-58 ..... c27 N77-30236
US-PATENT-CLASS-536-84 ..... c27 N77-30236
US-PATENT-CLASS-536-105 ..... c27 N77-30236
US-PATENT-CLASS-536-536-85 ..... c27 N77-30236
US-PATENT-CLASS-6554 ..... c35 N77-24455
US-PATENT-CLASS-6564 ..... c35 N77-24455

US-PATENT-DES-228,688 ..... c05 N74-10907

US-PATENT-RE-26,548 ..... c07 N71-12389
US-PATENT-RE-28,921 ..... c52 N76-30793

US-PATENT-2,837,706 ..... c15 N71-28952
US-PATENT-2,898,889 ..... c02 N71-29128

US-PATENT-2,903,307 ..... c15 N71-29136
US-PATENT-2,926,123 ..... c33 N71-29151
US-PATENT-2,934,331 ..... c15 N70-33382
US-PATENT-2,940,259 ..... c28 N70-33241
US-PATENT-2,944,316 ..... c15 N71-16076
US-PATENT-2,945,667 ..... c15 N70-33376
US-PATENT-2,956,772 ..... c33 N71-29152
US-PATENT-2,960,002 ..... c14 N70-41946
US-PATENT-2,971,837 ..... c17 N70-33283
US-PATENT-2,974,925 ..... c28 N70-33372
US-PATENT-2,984,735 ..... c11 N70-33329
US-PATENT-2,991,671 ..... c15 N70-33330
US-PATENT-2,991,961 ..... c02 N70-33332
US-PATENT-2,996,212 ..... c31 N71-17680
US-PATENT-2,997,274 ..... c28 N71-29154
US-PATENT-3,001,363 ..... c28 N70-33331
US-PATENT-3,001,395 ..... c14 N70-33386
US-PATENT-3,001,739 ..... c03 N70-33343
US-PATENT-3,004,189 ..... c37 N75-29426
US-PATENT-3,004,735 ..... c14 N70-33322
US-PATENT-3,005,081 ..... c09 N70-33312
US-PATENT-3,005,339 ..... c11 N70-33287
US-PATENT-3,008,229 ..... c15 N70-33311
US-PATENT-3,010,372 ..... c15 N70-33180
US-PATENT-3,011,760 ..... c15 N70-33226
US-PATENT-3,012,400 ..... c28 N70-33374
US-PATENT-3,012,407 ..... c15 N70-33323
US-PATENT-3,016,693 ..... c28 N70-33356
US-PATENT-3,016,863 ..... c12 N70-33305
US-PATENT-3,022,672 ..... c14 N70-34816
US-PATENT-3,024,659 ..... c14 N70-34820
US-PATENT-3,028,122 ..... c02 N70-33286
US-PATENT-3,028,126 ..... c21 N70-33279
US-PATENT-3,028,128 ..... c31 N70-33242
US-PATENT-3,035,333 ..... c28 N70-41818
US-PATENT-3,038,077 ..... c21 N70-33181
US-PATENT-3,038,175 ..... c05 N70-33285
US-PATENT-3,041,587 ..... c14 N70-33179
US-PATENT-3,041,924 ..... c14 N70-33254
US-PATENT-3,045,424 ..... c28 N70-40367
US-PATENT-3,049,876 ..... c28 N70-33284
US-PATENT-3,053,484 ..... c02 N70-33255
US-PATENT-3,057,597 ..... c15 N70-33264
US-PATENT-3,059,220 ..... c09 N70-33182
US-PATENT-3,063,291 ..... c11 N70-33278
US-PATENT-3,064,928 ..... c02 N70-33266
US-PATENT-3,067,573 ..... c28 N70-39899
US-PATENT-3,068,658 ..... c15 N70-34247
US-PATENT-3,069,123 ..... c14 N70-39898
US-PATENT-3,070,330 ..... c21 N70-34539
US-PATENT-3,070,349 ..... c28 N70-39895
US-PATENT-3,070,407 ..... c15 N70-39896
US-PATENT-3,072,574 ..... c18 N70-39897
US-PATENT-3,076,065 ..... c09 N70-39915
US-PATENT-3,077,599 ..... c07 N70-40202
US-PATENT-3,079,113 ..... c02 N70-38009
US-PATENT-3,080,711 ..... c28 N70-38711
US-PATENT-3,083,611 ..... c21 N70-35427
US-PATENT-3,084,421 ..... c17 N70-38490
US-PATENT-3,085,165 ..... c09 N70-34819
US-PATENT-3,087,692 ..... c02 N70-34178
US-PATENT-3,088,441 ..... c15 N70-35409
US-PATENT-3,090,212 ..... c33 N70-37979
US-PATENT-3,090,580 ..... c31 N70-37924
US-PATENT-3,093,000 ..... c15 N70-37925
US-PATENT-3,093,346 ..... c31 N70-37938
US-PATENT-3,098,630 ..... c02 N70-37939
US-PATENT-3,100,294 ..... c09 N70-38998
US-PATENT-3,100,990 ..... c14 N70-34813
US-PATENT-3,102,948 ..... c15 N70-34814
US-PATENT-3,104,079 ..... c31 N70-37986
US-PATENT-3,104,082 ..... c02 N70-38011
US-PATENT-3,105,515 ..... c15 N70-38603
US-PATENT-3,106,603 ..... c09 N70-38201
US-PATENT-3,108,171 ..... c33 N70-34812
US-PATENT-3,110,318 ..... c12 N70-38997
US-PATENT-3,112,672 ..... c11 N70-38202
US-PATENT-3,115,630 ..... c31 N70-37981
US-PATENT-3,118,100 ..... c03 N71-29129
US-PATENT-3,119,232 ..... c28 N70-37980
US-PATENT-3,120,101 ..... c28 N70-34860
US-PATENT-3,120,361 ..... c31 N70-38010
US-PATENT-3,120,738 ..... c28 N70-38249
US-PATENT-3,121,309 ..... c28 N70-35381
US-PATENT-3,122,000 ..... c15 N70-38020
US-PATENT-3,122,058 ..... c28 N70-38181
US-PATENT-3,122,885 ..... c28 N70-38710
US-PATENT-3,123,248 ..... c11 N70-38182
US-PATENT-3,127,157 ..... c15 N70-38225

US-PATENT-3,128,389 ..... c09 N70-38604
US-PATENT-3,128,845 ..... c15 N70-38601
US-PATENT-3,130,940 ..... c33 N70-33344
US-PATENT-3,132,342 ..... c07 N70-38200
US-PATENT-3,132,476 ..... c28 N70-34294
US-PATENT-3,132,479 ..... c15 N71-28951
US-PATENT-3,132,903 ..... c15 N70-38620
US-PATENT-3,135,089 ..... c28 N70-38504
US-PATENT-3,135,090 ..... c28 N70-38505
US-PATENT-3,136,123 ..... c28 N70-38199
US-PATENT-3,137,082 ..... c09 N73-14215
US-PATENT-3,138,837 ..... c17 N70-38198
US-PATENT-3,139,725 ..... c28 N70-38645
US-PATENT-3,140,728 ..... c15 N70-36908
US-PATENT-3,141,340 ..... c11 N70-38196
US-PATENT-3,141,769 ..... c28 N70-38197
US-PATENT-3,141,932 ..... c03 N70-38713
US-PATENT-3,143,321 ..... c15 N70-34850
US-PATENT-3,143,651 ..... c14 N70-40240
US-PATENT-3,144,219 ..... c31 N70-38676
US-PATENT-3,144,999 ..... c02 N70-34856
US-PATENT-3,145,874 ..... c11 N71-15960
US-PATENT-3,147,422 ..... c09 N70-38712
US-PATENT-3,149,897 ..... c09 N70-36494
US-PATENT-3,150,329 ..... c09 N70-38995
US-PATENT-3,150,367 ..... c03 N70-36778
US-PATENT-3,152,344 ..... c05 N70-36493
US-PATENT-3,156,090 ..... c28 N70-37245
US-PATENT-3,157,529 ..... c18 N70-36400
US-PATENT-3,158,172 ..... c15 N70-34817
US-PATENT-3,158,336 ..... c31 N70-36410
US-PATENT-3,158,764 ..... c03 N70-36803
US-PATENT-3,159,967 ..... c28 N70-36802
US-PATENT-3,160,567 ..... c14 N70-36808
US-PATENT-3,160,825 ..... c14 N70-35220
US-PATENT-3,160,950 ..... c15 N70-36409
US-PATENT-3,162,012 ..... c15 N70-36411
US-PATENT-3,163,935 ..... c14 N70-36907
US-PATENT-3,164,222 ..... c15 N70-34861
US-PATENT-3,164,369 ..... c15 N70-36412
US-PATENT-3,165,356 ..... c05 N70-35152
US-PATENT-3,166,834 ..... c15 N70-36901
US-PATENT-3,167,426 ..... c17 N70-36616
US-PATENT-3,168,827 ..... c14 N70-36807
US-PATENT-3,169,001 ..... c02 N70-36825
US-PATENT-3,169,613 ..... c15 N70-36947
US-PATENT-3,169,725 ..... c31 N70-34296
US-PATENT-3,170,286 ..... c15 N70-36535
US-PATENT-3,170,290 ..... c28 N70-36910
US-PATENT-3,170,295 ..... c27 N71-28929
US-PATENT-3,170,324 ..... c14 N70-36824
US-PATENT-3,170,471 ..... c32 N70-36536
US-PATENT-3,170,486 ..... c15 N70-36492
US-PATENT-3,170,605 ..... c15 N70-38996
US-PATENT-3,170,657 ..... c02 N70-34858
US-PATENT-3,170,660 ..... c02 N70-36804
US-PATENT-3,170,773 ..... c17 N70-33288
US-PATENT-3,171,060 ..... c25 N70-33267
US-PATENT-3,171,081 ..... c14 N70-35666
US-PATENT-3,172,097 ..... c08 N70-35423
US-PATENT-3,173,246 ..... c28 N70-33265
US-PATENT-3,173,251 ..... c28 N70-33375
US-PATENT-3,174,278 ..... c25 N70-36946
US-PATENT-3,174,279 ..... c28 N70-36806
US-PATENT-3,174,827 ..... c26 N70-36805
US-PATENT-3,175,789 ..... c31 N70-36654
US-PATENT-3,176,222 ..... c14 N70-36618
US-PATENT-3,176,499 ..... c14 N70-35368
US-PATENT-3,176,933 ..... c33 N70-36617
US-PATENT-3,177,933 ..... c33 N70-36847
US-PATENT-3,178,883 ..... c21 N70-36938
US-PATENT-3,180,264 ..... c33 N70-36846
US-PATENT-3,180,587 ..... c21 N70-36943
US-PATENT-3,181,821 ..... c31 N70-36845
US-PATENT-3,182,496 ..... c11 N70-36913
US-PATENT-3,183,506 ..... c07 N70-36911
US-PATENT-3,184,915 ..... c22 N70-34248
US-PATENT-3,185,023 ..... c14 N70-34298
US-PATENT-3,187,583 ..... c11 N70-38675
US-PATENT-3,188,472 ..... c21 N70-34297
US-PATENT-3,188,844 ..... c15 N70-34249
US-PATENT-3,189,299 ..... c21 N70-34295
US-PATENT-3,189,535 ..... c15 N70-34967
US-PATENT-3,189,726 ..... c33 N70-34545
US-PATENT-3,189,788 ..... c33 N75-27250
US-PATENT-3,189,794 ..... c09 N70-34502
US-PATENT-3,189,864 ..... c09 N70-34596
US-PATENT-3,191,316 ..... c31 N70-34966
US-PATENT-3,191,379 ..... c27 N70-35534

US-PATENT-3,191,907 ..... c15 N70-34859
US-PATENT-3,192,730 ..... c06 N70-34946
US-PATENT-3,193,883 ..... c27 N70-34783
US-PATENT-3,193,883 ..... c20 N77-17143
US-PATENT-3,194,060 ..... c14 N70-34794
US-PATENT-3,194,525 ..... c11 N70-35383
US-PATENT-3,194,951 ..... c08 N70-34778
US-PATENT-3,196,261 ..... c08 N70-34787
US-PATENT-3,196,362 ..... c09 N70-35440
US-PATENT-3,196,557 ..... c11 N70-34815
US-PATENT-3,196,558 ..... c14 N70-35394
US-PATENT-3,196,598 ..... c28 N70-34788
US-PATENT-3,196,675 ..... c14 N70-34818
US-PATENT-3,196,690 ..... c11 N70-34786
US-PATENT-3,197,616 ..... c14 N71-28958
US-PATENT-3,198,709 ..... c22 N70-34501
US-PATENT-3,198,955 ..... c08 N70-34743
US-PATENT-3,198,994 ..... c26 N73-28710
US-PATENT-3,199,340 ..... c14 N70-34799
US-PATENT-3,199,343 ..... c11 N70-34844
US-PATENT-3,199,931 ..... c15 N70-34664
US-PATENT-3,200,706 ..... c03 N70-34667
US-PATENT-3,201,560 ..... c33 N70-34540
US-PATENT-3,201,635 ..... c25 N70-34661
US-PATENT-3,201,980 ..... c14 N70-40203
US-PATENT-3,202,387 ..... c31 N70-34176
US-PATENT-3,202,398 ..... c28 N71-28928
US-PATENT-3,202,582 ..... c22 N70-34572
US-PATENT-3,202,844 ..... c03 N70-34134
US-PATENT-3,202,915 ..... c14 N70-38602
US-PATENT-3,202,998 ..... c31 N70-34135
US-PATENT-3,204,447 ..... c14 N70-34156
US-PATENT-3,204,889 ..... c03 N70-34157
US-PATENT-3,205,141 ..... c14 N70-34669
US-PATENT-3,205,361 ..... c14 N70-34158
US-PATENT-3,205,362 ..... c21 N70-35089
US-PATENT-3,205,381 ..... c03 N70-35408
US-PATENT-3,206,141 ..... c21 N70-35395
US-PATENT-3,206,897 ..... c18 N75-27040
US-PATENT-3,208,215 ..... c28 N70-34162
US-PATENT-3,208,272 ..... c14 N70-34161
US-PATENT-3,208,694 ..... c02 N70-34160
US-PATENT-3,208,707 ..... c31 N70-34159
US-PATENT-3,209,360 ..... c09 N70-35219
US-PATENT-3,209,361 ..... c09 N70-35425
US-PATENT-3,210,927 ..... c28 N70-34175
US-PATENT-3,211,169 ..... c15 N70-35087
US-PATENT-3,211,414 ..... c15 N70-35407
US-PATENT-3,212,096 ..... c09 N70-35382
US-PATENT-3,212,259 ..... c28 N71-29153
US-PATENT-3,212,325 ..... c14 N70-34705
US-PATENT-3,212,564 ..... c33 N71-29052
US-PATENT-3,215,572 ..... c12 N70-40124
US-PATENT-3,215,842 ..... c16 N71-28963
US-PATENT-3,216,007 ..... c08 N70-40125
US-PATENT-3,217,624 ..... c14 N70-40273
US-PATENT-3,218,479 ..... c09 N70-40272
US-PATENT-3,218,547 ..... c09 N70-40123
US-PATENT-3,218,850 ..... c14 N70-40400
US-PATENT-3,219,250 ..... c15 N70-40204
US-PATENT-3,219,365 ..... c15 N71-28937
US-PATENT-3,219,997 ..... c08 N73-28045
US-PATENT-3,220,004 ..... c30 N70-40309
US-PATENT-3,221,547 ..... c14 N70-40201
US-PATENT-3,221,549 ..... c14 N70-40157
US-PATENT-3,223,374 ..... c15 N70-40156
US-PATENT-3,224,001 ..... c07 N70-40063
US-PATENT-3,224,173 ..... c15 N70-40062
US-PATENT-3,224,263 ..... c15 N70-40180
US-PATENT-3,224,336 ..... c30 N70-40353
US-PATENT-3,228,492 ..... c15 N70-40354
US-PATENT-3,228,558 ..... c14 N70-40233
US-PATENT-3,228,099 ..... c14 N70-40238
US-PATENT-3,228,102 ..... c14 N70-40239
US-PATENT-3,229,139 ..... c28 N70-39925
US-PATENT-3,229,155 ..... c25 N70-41628
US-PATENT-3,229,463 ..... c28 N70-39931
US-PATENT-3,229,568 ..... c14 N70-40003
US-PATENT-3,229,636 ..... c03 N70-39930
US-PATENT-3,229,682 ..... c09 N70-40234
US-PATENT-3,229,689 ..... c05 N70-39922
US-PATENT-3,229,884 ..... c15 N70-39924
US-PATENT-3,229,930 ..... c30 N70-40016
US-PATENT-3,230,053 ..... c26 N70-40015
US-PATENT-3,236,066 ..... c15 N71-28959
US-PATENT-3,237,253 ..... c15 N71-15966
US-PATENT-3,238,345 ..... c11 N71-15925
US-PATENT-3,238,413 ..... c25 N71-29184
US-PATENT-3,238,715 ..... c28 N71-14043
US-PATENT-3,238,730 ..... c03 N71-12260
US-PATENT-3,238,774 ..... c14 N71-14996
US-PATENT-3,238,777 ..... c14 N71-15598
US-PATENT-3,239,660 ..... c23 N71-30292
US-PATENT-3,242,716 ..... c14 N71-15992
US-PATENT-3,243,154 ..... c23 N71-15673
US-PATENT-3,243,791 ..... c07 N71-11298
US-PATENT-3,244,943 ..... c15 N73-28516
US-PATENT-3,249,012 ..... c03 N71-12258
US-PATENT-3,249,013 ..... c03 N71-12259
US-PATENT-3,251,053 ..... c08 N71-12501
US-PATENT-3,252,100 ..... c10 N71-28960
US-PATENT-3,254,395 ..... c28 N71-15658
US-PATENT-3,254,487 ..... c28 N71-15659
US-PATENT-3,257,780 ..... c15 N71-15968
US-PATENT-3,258,582 ..... c02 N71-13421
US-PATENT-3,258,687 ..... c14 N71-15962
US-PATENT-3,258,831 ..... c15 N71-15986
US-PATENT-3,258,912 ..... c27 N71-15634
US-PATENT-3,258,918 ..... c27 N71-15635
US-PATENT-3,260,055 ..... c23 N71-15467
US-PATENT-3,260,204 ..... c31 N71-15692
US-PATENT-3,260,326 ..... c11 N71-28779
US-PATENT-3,261,210 ..... c14 N71-15969
US-PATENT-3,262,025 ..... c15 N73-32361
US-PATENT-3,262,186 ..... c15 N71-16052
US-PATENT-3,262,262 ..... c28 N71-15661
US-PATENT-3,262,351 ..... c15 N71-15922
US-PATENT-3,262,365 ..... c31 N71-15675
US-PATENT-3,262,395 ..... c15 N71-30028
US-PATENT-3,262,518 ..... c05 N71-11199
US-PATENT-3,262,655 ..... c31 N71-15663
US-PATENT-3,263,016 ..... c33 N71-15625
US-PATENT-3,263,171 ..... c09 N71-13530
US-PATENT-3,263,610 ..... c15 N71-13789
US-PATENT-3,264,135 ..... c15 N71-16075
US-PATENT-3,270,441 ..... c11 N71-16028
US-PATENT-3,270,499 ..... c28 N71-15660
US-PATENT-3,270,501 ..... c31 N71-15647
US-PATENT-3,270,503 ..... c33 N71-15623
US-PATENT-3,270,504 ..... c31 N71-15637
US-PATENT-3,270,505 ..... c21 N71-15582
US-PATENT-3,270,512 ..... c15 N71-15906
US-PATENT-3,270,565 ..... c14 N71-30265
US-PATENT-3,270,756 ..... c15 N71-15967
US-PATENT-3,270,802 ..... c33 N71-24876
US-PATENT-3,270,835 ..... c28 N70-41582
US-PATENT-3,270,908 ..... c31 N71-15664
US-PATENT-3,270,985 ..... c21 N71-15583
US-PATENT-3,270,986 ..... c05 N71-12336
US-PATENT-3,270,988 ..... c01 N71-13410
US-PATENT-3,270,989 ..... c02 N71-11041
US-PATENT-3,270,990 ..... c28 N71-15563
US-PATENT-3,271,140 ..... c17 N71-15644
US-PATENT-3,271,181 ..... c15 N71-16077
US-PATENT-3,271,532 ..... c09 N71-16089
US-PATENT-3,271,558 ..... c15 N71-15871
US-PATENT-3,271,594 ..... c10 N71-28739
US-PATENT-3,271,620 ..... c09 N71-12540
US-PATENT-3,271,637 ..... c26 N71-18064
US-PATENT-3,271,649 ..... c10 N71-16030
US-PATENT-3,273,094 ..... c23 N71-29049
US-PATENT-3,273,355 ..... c33 N71-17897
US-PATENT-3,273,381 ..... c32 N71-17645
US-PATENT-3,273,388 ..... c09 N71-16086
US-PATENT-3,273,392 ..... c23 N71-17802
US-PATENT-3,273,399 ..... c12 N71-24692
US-PATENT-3,274,304 ..... c26 N71-17818
US-PATENT-3,275,794 ..... c37 N75-27376
US-PATENT-3,276,251 ..... c11 N71-15926
US-PATENT-3,276,376 ..... c31 N71-17629
US-PATENT-3,276,602 ..... c32 N71-17609
US-PATENT-3,276,679 ..... c15 N71-16079
US-PATENT-3,276,722 ..... c02 N71-16087
US-PATENT-3,276,726 ..... c31 N71-16081
US-PATENT-3,276,865 ..... c17 N71-16025
US-PATENT-3,276,866 ..... c17 N71-16026
US-PATENT-3,276,946 ..... c23 N71-15978
US-PATENT-3,277,314 ..... c10 N71-16042
US-PATENT-3,277,366 ..... c10 N71-16057
US-PATENT-3,277,373 ..... c07 N71-16088
US-PATENT-3,277,375 ..... c07 N71-11284
US-PATENT-3,277,458 ..... c10 N71-16058
US-PATENT-3,277,486 ..... c31 N71-10747
US-PATENT-3,279,193 ..... c33 N71-28852
US-PATENT-3,281,558 ..... c33 N75-27249
US-PATENT-3,281,963 ..... c11 N71-10746
US-PATENT-3,281,964 ..... c11 N71-10776
US-PATENT-3,281,965 ..... c11 N71-10748

US-PATENT-3,282,035 ..... c11 N71-10777
US-PATENT-3,282,091 ..... c14 N71-10781
US-PATENT-3,282,532 ..... c31 N71-17729
US-PATENT-3,282,541 ..... c31 N71-24750
US-PATENT-3,282,739 ..... c03 N71-11053
US-PATENT-3,282,740 ..... c03 N71-11051
US-PATENT-3,283,088 ..... c10 N71-15909
US-PATENT-3,283,175 ..... c10 N71-15910
US-PATENT-3,283,241 ..... c14 N71-16014
US-PATENT-3,286,274 ..... c05 N71-12335
US-PATENT-3,286,531 ..... c30 N71-17788
US-PATENT-3,286,629 ..... c31 N71-17730
US-PATENT-3,286,630 ..... c31 N71-10582
US-PATENT-3,286,882 ..... c27 N71-29155
US-PATENT-3,286,953 ..... c21 N70-41856
US-PATENT-3,286,957 ..... c02 N70-41863
US-PATENT-3,287,031 ..... c15 N70-41808
US-PATENT-3,287,174 ..... c03 N70-41864
US-PATENT-3,287,496 ..... c14 N70-41807
US-PATENT-3,287,582 ..... c28 N70-41576
US-PATENT-3,287,640 ..... c09 N70-41655
US-PATENT-3,287,660 ..... c16 N70-41578
US-PATENT-3,287,725 ..... c07 N70-41680
US-PATENT-3,289,205 ..... c07 N70-41678
US-PATENT-3,295,360 ..... c14 N70-41681
US-PATENT-3,295,366 ..... c11 N70-41677
US-PATENT-3,295,377 ..... c14 N70-41682
US-PATENT-3,295,386 ..... c05 N70-41581
US-PATENT-3,295,512 ..... c03 N70-41580
US-PATENT-3,295,545 ..... c15 N70-41646
US-PATENT-3,295,556 ..... c32 N70-41579
US-PATENT-3,295,684 ..... c28 N70-41447
US-PATENT-3,295,699 ..... c32 N70-41367
US-PATENT-3,295,782 ..... c14 N70-41647
US-PATENT-3,295,790 ..... c31 N70-41588
US-PATENT-3,295,798 ..... c02 N70-41589
US-PATENT-3,295,808 ..... c15 N70-41310
US-PATENT-3,296,060 ..... c18 N70-41583
US-PATENT-3,296,526 ..... c14 N70-41332
US-PATENT-3,296,531 ..... c07 N70-41331
US-PATENT-3,298,175 ..... c33 N71-29053
US-PATENT-3,298,182 ..... c28 N70-41311
US-PATENT-3,298,221 ..... c14 N70-41330
US-PATENT-3,298,285 ..... c32 N70-41370
US-PATENT-3,298,362 ..... c05 N70-41329
US-PATENT-3,298,582 ..... c14 N71-28935
US-PATENT-3,299,364 ..... c16 N71-15550
US-PATENT-3,299,431 ..... c07 N71-28979
US-PATENT-3,299,913 ..... c15 N71-15918
US-PATENT-3,300,162 ..... c31 N70-41373
US-PATENT-3,300,717 ..... c25 N71-15650
US-PATENT-3,300,731 ..... c07 N70-41372
US-PATENT-3,300,847 ..... c15 N70-41371
US-PATENT-3,300,949 ..... c05 N70-41297
US-PATENT-3,300,981 ..... c28 N70-41275
US-PATENT-3,301,046 ..... c14 N70-41366
US-PATENT-3,301,315 ..... c09 N70-41717
US-PATENT-3,301,507 ..... c31 N70-41631
US-PATENT-3,301,511 ..... c02 N70-41630
US-PATENT-3,301,578 ..... c15 N70-41629
US-PATENT-3,302,023 ..... c14 N70-41676
US-PATENT-3,302,040 ..... c09 N70-41675
US-PATENT-3,302,569 ..... c15 N70-41679
US-PATENT-3,302,633 ..... c05 N70-41819
US-PATENT-3,302,662 ..... c15 N70-41811
US-PATENT-3,302,960 ..... c15 N70-41829
US-PATENT-3,303,304 ..... c14 N70-41812
US-PATENT-3,304,028 ..... c31 N70-41855
US-PATENT-3,304,718 ..... c28 N70-41922
US-PATENT-3,304,724 ..... c31 N70-41948
US-PATENT-3,304,729 ..... c31 N70-41871
US-PATENT-3,304,768 ..... c32 N70-42003
US-PATENT-3,304,773 ..... c14 N70-41957
US-PATENT-3,304,799 ..... c03 N70-41954
US-PATENT-3,304,865 ..... c28 N70-41967
US-PATENT-3,305,415 ..... c27 N70-41897
US-PATENT-3,305,636 ..... c08 N70-41961
US-PATENT-3,305,801 ..... c10 N70-41964
US-PATENT-3,305,810 ..... c09 N70-41929
US-PATENT-3,305,861 ..... c21 N70-41930
US-PATENT-3,305,870 ..... c07 N71-15907
US-PATENT-3,308,848 ..... c12 N71-16031
US-PATENT-3,309,012 ..... c33 N71-17610
US-PATENT-3,309,961 ..... c15 N71-16078
US-PATENT-3,310,054 ..... c08 N71-15908
US-PATENT-3,310,138 ..... c12 N71-16894
US-PATENT-3,310,256 ..... c31 N71-17679
US-PATENT-3,310,258 ..... c31 N71-17691
US-PATENT-3,310,261 ..... c02 N71-11038
US-PATENT-3,310,262 ..... c02 N71-12243
US-PATENT-3,310,443 ..... c24 N71-10560
US-PATENT-3,310,699 ..... c14 N73-32324
US-PATENT-3,310,978 ..... c14 N71-10616
US-PATENT-3,310,980 ..... c11 N71-10604
US-PATENT-3,311,315 ..... c07 N71-10609
US-PATENT-3,311,502 ..... c03 N71-10608
US-PATENT-3,311,510 ..... c26 N71-10607
US-PATENT-3,311,748 ..... c21 N71-10678
US-PATENT-3,311,772 ..... c09 N71-10618
US-PATENT-3,311,832 ..... c07 N71-10775
US-PATENT-3,312,101 ..... c14 N71-10774
US-PATENT-3,316,716 ..... c28 N71-10780
US-PATENT-3,316,752 ..... c14 N71-10779
US-PATENT-3,316,991 ..... c14 N71-10773
US-PATENT-3,317,180 ..... c15 N71-10778
US-PATENT-3,317,341 ..... c18 N71-10772
US-PATENT-3,317,352 ..... c03 N71-10728
US-PATENT-3,317,641 ..... c15 N71-10672
US-PATENT-3,317,731 ..... c21 N71-10771
US-PATENT-3,317,751 ..... c09 N71-10673
US-PATENT-3,317,797 ..... c10 N71-28783
US-PATENT-3,317,832 ..... c09 N71-10659
US-PATENT-3,318,093 ..... c15 N71-10658
US-PATENT-3,318,056 ..... c28 N71-28849
US-PATENT-3,318,343 ..... c15 N71-10809
US-PATENT-3,318,622 ..... c15 N71-10799
US-PATENT-3,319,175 ..... c09 N71-10798
US-PATENT-3,319,979 ..... c15 N71-10782
US-PATENT-3,320,669 ..... c15 N70-42017
US-PATENT-3,321,034 ..... c15 N70-42034
US-PATENT-3,321,154 ..... c31 N70-42075
US-PATENT-3,321,157 ..... c02 N70-42016
US-PATENT-3,321,159 ..... c31 N70-42015
US-PATENT-3,321,570 ..... c15 N70-41960
US-PATENT-3,321,628 ..... c10 N70-41991
US-PATENT-3,321,645 ..... c10 N70-42032
US-PATENT-3,321,922 ..... c28 N70-41992
US-PATENT-3,323,356 ..... c15 N70-41993
US-PATENT-3,323,362 ..... c14 N70-41994
US-PATENT-3,323,370 ..... c05 N70-42000
US-PATENT-3,323,386 ..... c03 N70-42073
US-PATENT-3,323,408 ..... c14 N70-41955
US-PATENT-3,323,484 ..... c14 N70-42074
US-PATENT-3,323,967 ..... c15 N70-42033
US-PATENT-3,324,370 ..... c09 N71-10677
US-PATENT-3,324,388 ..... c14 N71-10797
US-PATENT-3,324,423 ..... c07 N71-10676
US-PATENT-3,324,659 ..... c28 N71-10574
US-PATENT-3,325,229 ..... c15 N71-10617
US-PATENT-3,325,723 ..... c10 N71-10578
US-PATENT-3,325,749 ..... c09 N71-28810
US-PATENT-3,326,043 ..... c14 N71-10500
US-PATENT-3,326,407 ..... c15 N71-10577
US-PATENT-3,327,298 ..... c08 N71-21042
US-PATENT-3,327,991 ..... c15 N71-21234
US-PATENT-3,328,624 ..... c28 N71-28850
US-PATENT-3,329,375 ..... c21 N71-21708
US-PATENT-3,329,918 ..... c09 N71-21583
US-PATENT-3,330,052 ..... c11 N71-21474
US-PATENT-3,330,082 ..... c15 N71-21531
US-PATENT-3,330,510 ..... c31 N71-28851
US-PATENT-3,330,549 ..... c15 N71-21530
US-PATENT-3,331,071 ..... c07 N71-28900
US-PATENT-3,331,246 ..... c11 N71-21475
US-PATENT-3,331,255 ..... c15 N71-21529
US-PATENT-3,331,404 ..... c12 N71-21089
US-PATENT-3,331,951 ..... c21 N71-21688
US-PATENT-3,333,152 ..... c25 N71-21693
US-PATENT-3,333,788 ..... c31 N71-21881
US-PATENT-3,334,225 ..... c14 N73-32325
US-PATENT-3,336,725 ..... c15 N71-21528
US-PATENT-3,336,748 ..... c25 N71-21694
US-PATENT-3,336,754 ..... c28 N71-22983
US-PATENT-3,337,004 ..... c14 N71-23092
US-PATENT-3,337,279 ..... c05 N71-23080
US-PATENT-3,337,315 ..... c18 N71-23088
US-PATENT-3,337,337 ..... c18 N71-22894
US-PATENT-3,337,790 ..... c12 N71-20896
US-PATENT-3,337,812 ..... c09 N71-23097
US-PATENT-3,339,404 ..... c14 N71-22765
US-PATENT-3,339,863 ..... c14 N71-23040
US-PATENT-3,340,099 ..... c03 N71-23006
US-PATENT-3,340,395 ..... c14 N71-23041
US-PATENT-3,340,397 ..... c11 N71-23042
US-PATENT-3,340,430 ..... c09 N71-22796
US-PATENT-3,340,532 ..... c10 N71-21473
US-PATENT-3,340,599 ..... c09 N71-23027
US-PATENT-3,340,713 ..... c15 N71-22723

US-PATENT-3,340,732 ..... c02 N71-23007
US-PATENT-3,341,151 ..... c31 N71-23009
US-PATENT-3,341,169 ..... c15 N71-23024
US-PATENT-3,341,708 ..... c16 N71-22895
US-PATENT-3,341,778 ..... c07 N71-23098
US-PATENT-3,341,977 ..... c15 N71-22705
US-PATENT-3,342,055 ..... c15 N71-22797
US-PATENT-3,342,066 ..... c11 N71-23030
US-PATENT-3,342,653 ..... c15 N71-22713
US-PATENT-3,343,180 ..... c05 N71-23159
US-PATENT-3,343,189 ..... c05 N71-22748
US-PATENT-3,344,340 ..... c09 N71-21449
US-PATENT-3,344,425 ..... c10 N71-21483
US-PATENT-3,345,620 ..... c28 N71-21822
US-PATENT-3,345,822 ..... c27 N71-21819
US-PATENT-3,345,840 ..... c15 N71-21536
US-PATENT-3,345,866 ..... c11 N71-21481
US-PATENT-3,346,419 ..... c03 N71-20895
US-PATENT-3,346,442 ..... c18 N71-21651
US-PATENT-3,346,515 ..... c06 N71-20905
US-PATENT-3,346,724 ..... c15 N71-21179
US-PATENT-3,346,806 ..... c14 N71-21090
US-PATENT-3,346,929 ..... c15 N71-21076
US-PATENT-3,347,046 ..... c33 N71-21507
US-PATENT-3,347,309 ..... c33 N71-29046
US-PATENT-3,347,465 ..... c18 N71-21068
US-PATENT-3,347,466 ..... c28 N71-21493
US-PATENT-3,347,531 ..... c15 N71-21177
US-PATENT-3,347,665 ..... c17 N71-20743
US-PATENT-3,348,048 ..... c14 N71-21088
US-PATENT-3,348,053 ..... c10 N71-20782
US-PATENT-3,348,152 ..... c10 N71-20841
US-PATENT-3,348,218 ..... c10 N71-29135
US-PATENT-3,349,814 ..... c33 N71-20834
US-PATENT-3,350,033 ..... c14 N71-21082
US-PATENT-3,350,034 ..... c31 N71-21064
US-PATENT-3,350,214 ..... c17 N71-20941
US-PATENT-3,350,643 ..... c07 N71-20791
US-PATENT-3,350,671 ..... c09 N71-20842
US-PATENT-3,350,926 ..... c14 N71-21091
US-PATENT-3,352,157 ..... c14 N71-21072
US-PATENT-3,352,192 ..... c15 N71-21489
US-PATENT-3,353,359 ..... c28 N71-20942
US-PATENT-3,354,058 ..... c06 N71-20717
US-PATENT-3,354,320 ..... c23 N71-21821
US-PATENT-3,354,462 ..... c14 N71-21006
US-PATENT-3,355,861 ..... c18 N71-20742
US-PATENT-3,355,948 ..... c14 N71-21007
US-PATENT-3,356,320 ..... c05 N71-20718
US-PATENT-3,356,549 ..... c15 N71-21404
US-PATENT-3,356,885 ..... c25 N71-20747
US-PATENT-3,357,024 ..... c12 N71-20815
US-PATENT-3,357,093 ..... c15 N71-21078
US-PATENT-3,357,237 ..... c33 N71-21586
US-PATENT-3,357,862 ..... c03 N71-20904
US-PATENT-3,358,145 ..... c14 N71-21040
US-PATENT-3,358,264 ..... c09 N71-20851
US-PATENT-3,359,046 ..... c15 N71-20739
US-PATENT-3,359,132 ..... c09 N71-20705
US-PATENT-3,359,409 ..... c07 N71-21476
US-PATENT-3,359,435 ..... c15 N71-21311
US-PATENT-3,359,555 ..... c09 N71-20864
US-PATENT-3,359,819 ..... c15 N71-21744
US-PATENT-3,359,855 ..... c23 N71-21882
US-PATENT-3,360,798 ..... c09 N71-20658
US-PATENT-3,360,864 ..... c14 N71-24693
US-PATENT-3,360,972 ..... c15 N71-24833
US-PATENT-3,360,980 ..... c14 N71-20741
US-PATENT-3,360,988 ..... c09 N71-20816
US-PATENT-3,361,045 ..... c15 N71-21060
US-PATENT-3,361,067 ..... c26 N71-21824
US-PATENT-3,361,400 ..... c15 N71-20813
US-PATENT-3,361,666 ..... c15 N71-21403
US-PATENT-3,361,985 ..... c10 N71-20852
US-PATENT-3,364,311 ..... c07 N71-20814
US-PATENT-3,364,366 ..... c09 N71-28926
US-PATENT-3,364,578 ..... c14 N71-21079
US-PATENT-3,364,631 ..... c32 N71-21045
US-PATENT-3,364,777 ..... c15 N71-20740
US-PATENT-3,364,813 ..... c09 N71-22999
US-PATENT-3,365,657 ..... c10 N71-22961
US-PATENT-3,365,665 ..... c14 N71-23037
US-PATENT-3,365,857 ..... c33 N71-28892
US-PATENT-3,365,930 ..... c14 N71-22964
US-PATENT-3,365,941 ..... c14 N71-22965
US-PATENT-3,366,886 ..... c10 N71-22962
US-PATENT-3,366,894 ..... c10 N71-23084
US-PATENT-3,367,114 ..... c28 N71-23081
US-PATENT-3,367,121 ..... c15 N71-23025
US-PATENT-3,367,182 ..... c33 N71-23085
US-PATENT-3,367,224 ..... c15 N71-22798
US-PATENT-3,367,271 ..... c15 N71-24042
US-PATENT-3,367,308 ..... c11 N71-22875
US-PATENT-3,367,445 ..... c15 N71-23048
US-PATENT-3,368,486 ..... c15 N71-22874
US-PATENT-3,369,222 ..... c08 N71-22707
US-PATENT-3,369,223 ..... c08 N71-22710
US-PATENT-3,369,564 ..... c15 N71-23051
US-PATENT-3,370,039 ..... c06 N71-28807
US-PATENT-3,372,588 ..... c33 N71-29051
US-PATENT-3,373,016 ..... c26 N75-27127
US-PATENT-3,373,069 ..... c15 N71-23052
US-PATENT-3,373,404 ..... c08 N71-22749
US-PATENT-3,373,430 ..... c09 N71-22888
US-PATENT-3,373,431 ..... c07 N71-22750
US-PATENT-3,373,640 ..... c15 N71-22722
US-PATENT-3,373,914 ..... c15 N71-23050
US-PATENT-3,374,339 ..... c08 N71-22897
US-PATENT-3,374,366 ..... c09 N71-23015
US-PATENT-3,374,830 ..... c33 N71-22890
US-PATENT-3,375,451 ..... c10 N71-22986
US-PATENT-3,375,479 ..... c15 N71-23049
US-PATENT-3,375,712 ..... c35 N75-29382
US-PATENT-3,375,885 ..... c15 N73-32362
US-PATENT-3,376,730 ..... c14 N71-22995
US-PATENT-3,377,208 ..... c14 N71-23039
US-PATENT-3,377,845 ..... c14 N71-22992
US-PATENT-3,378,315 ..... c15 N71-22997
US-PATENT-3,378,851 ..... c05 N71-23096
US-PATENT-3,378,892 ..... c15 N71-22994
US-PATENT-3,379,052 ..... c14 N73-32321
US-PATENT-3,379,064 ..... c14 N71-23093
US-PATENT-3,379,330 ..... c23 N71-22881
US-PATENT-3,379,885 ..... c09 N71-22985
US-PATENT-3,379,974 ..... c14 N71-22990
US-PATENT-3,380,042 ..... c07 N71-23001
US-PATENT-3,380,049 ..... c10 N71-23099
US-PATENT-3,381,339 ..... c06 N71-22975
US-PATENT-3,381,517 ..... c09 N71-22988
US-PATENT-3,381,527 ..... c15 N71-22878
US-PATENT-3,381,569 ..... c21 N71-22880
US-PATENT-3,381,778 ..... c15 N71-22877
US-PATENT-3,382,082 ..... c18 N71-22998
US-PATENT-3,382,105 ..... c03 N71-29044
US-PATENT-3,382,107 ..... c03 N71-22974
US-PATENT-3,382,714 ..... c14 N71-22989
US-PATENT-3,383,461 ..... c07 N71-23026
US-PATENT-3,383,524 ..... c10 N71-23029
US-PATENT-3,383,903 ..... c14 N71-23036
US-PATENT-3,383,922 ..... c14 N71-22752
US-PATENT-3,384,016 ..... c31 N71-23008
US-PATENT-3,384,075 ..... c05 N71-22896
US-PATENT-3,384,111 ..... c15 N71-22706
US-PATENT-3,384,324 ..... c33 N71-22792
US-PATENT-3,384,820 ..... c09 N71-23021
US-PATENT-3,384,895 ..... c07 N71-22984
US-PATENT-3,385,036 ..... c15 N71-22721
US-PATENT-3,386,337 ..... c15 N71-22799
US-PATENT-3,386,685 ..... c31 N71-22968
US-PATENT-3,386,686 ..... c31 N71-22969
US-PATENT-3,387,149 ..... c14 N71-22993
US-PATENT-3,388,258 ..... c14 N71-22996
US-PATENT-3,388,387 ..... c10 N71-23033
US-PATENT-3,388,590 ..... c14 N71-23087
US-PATENT-3,389,017 ..... c15 N71-23022
US-PATENT-3,389,260 ..... c14 N71-23269
US-PATENT-3,389,346 ..... c10 N71-28859
US-PATENT-3,389,877 ..... c15 N71-28936
US-PATENT-3,390,017 ..... c03 N71-23336
US-PATENT-3,390,020 ..... c26 N71-23654
US-PATENT-3,390,023 ..... c26 N75-29236
US-PATENT-3,390,282 ..... c09 N71-23311
US-PATENT-3,390,378 ..... c08 N71-23295
US-PATENT-3,391,080 ..... c15 N71-24046
US-PATENT-3,392,403 ..... c23 N71-23976
US-PATENT-3,392,586 ..... c14 N71-24232
US-PATENT-3,392,864 ..... c18 N71-23658
US-PATENT-3,392,865 ..... c15 N71-23816
US-PATENT-3,392,936 ..... c01 N71-23497
US-PATENT-3,393,059 ..... c06 N71-23499
US-PATENT-3,393,330 ..... c22 N71-23599
US-PATENT-3,393,332 ..... c09 N71-23443
US-PATENT-3,393,347 ..... c10 N71-23543
US-PATENT-3,393,380 ..... c10 N71-23544
US-PATENT-3,393,384 ..... c09 N71-23573
US-PATENT-3,394,286 ..... c14 N73-30391
US-PATENT-3,394,359 ..... c08 N71-28925
US-PATENT-3,394,975 ..... c23 N71-30027

US-PATENT-3,395,053 ..... c18 N71-23047
US-PATENT-3,395,565 ..... c14 N73-30390
US-PATENT-3,396,057 ..... c26 N71-23043
US-PATENT-3,396,184 ..... c06 N71-28808
US-PATENT-3,396,303 ..... c09 N71-22987
US-PATENT-3,396,584 ..... c14 N71-30026
US-PATENT-3,396,920 ..... c31 N71-29050
US-PATENT-3,397,094 ..... c26 N71-29156
US-PATENT-3,397,117 ..... c15 N71-23086
US-PATENT-3,397,318 ..... c14 N71-22991
US-PATENT-3,397,512 ..... c15 N71-23023
US-PATENT-3,397,932 ..... c15 N71-22982
US-PATENT-3,399,259 ..... c10 N71-23662
US-PATENT-3,399,574 ..... c32 N71-24285
US-PATENT-3,402,265 ..... c09 N73-28084
US-PATENT-3,404,289 ..... c09 N71-23545
US-PATENT-3,404,348 ..... c32 N74-22096
US-PATENT-3,405,406 ..... c05 N71-23161
US-PATENT-3,405,887 ..... c31 N71-24315
US-PATENT-3,406,336 ..... c10 N71-24863
US-PATENT-3,406,742 ..... c33 N71-24276
US-PATENT-3,407,304 ..... c14 N71-23240
US-PATENT-3,408,816 ..... c28 N71-24736
US-PATENT-3,408,870 ..... c14 N71-23227
US-PATENT-3,409,247 ..... c33 N71-28903
US-PATENT-3,409,252 ..... c15 N71-23255
US-PATENT-3,409,554 ..... c26 N71-23292
US-PATENT-3,409,730 ..... c33 N71-24145
US-PATENT-3,411,356 ..... c14 N71-23226
US-PATENT-3,411,900 ..... c26 N75-27126
US-PATENT-3,412,559 ..... c28 N71-23293
US-PATENT-3,412,598 ..... c14 N71-23225
US-PATENT-3,412,729 ..... c04 N71-23185
US-PATENT-3,412,961 ..... c32 N71-23971
US-PATENT-3,413,115 ..... c17 N71-23365
US-PATENT-3,413,393 ..... c17 N71-29137
US-PATENT-3,413,510 ..... c09 N71-23190
US-PATENT-3,413,536 ..... c03 N71-24605
US-PATENT-3,414,012 ..... c09 N71-23191
US-PATENT-3,414,358 ..... c14 N71-23175
US-PATENT-3,415,032 ..... c15 N71-23256
US-PATENT-3,415,069 ..... c15 N71-24044
US-PATENT-3,415,116 ..... c14 N71-23790
US-PATENT-3,415,126 ..... c21 N71-23289
US-PATENT-3,415,156 ..... c15 N71-24043
US-PATENT-3,415,643 ..... c17 N71-23248
US-PATENT-3,416,106 ..... c09 N71-24808
US-PATENT-3,416,274 ..... c31 N71-24035
US-PATENT-3,416,939 ..... c18 N71-24183
US-PATENT-3,416,975 ..... c17 N71-23828
US-PATENT-3,416,988 ..... c15 N71-24164
US-PATENT-3,417,247 ..... c14 N71-23797
US-PATENT-3,417,266 ..... c09 N71-23270
US-PATENT-3,417,298 ..... c10 N71-23271
US-PATENT-3,417,316 ..... c14 N71-23174
US-PATENT-3,417,321 ..... c09 N71-23316
US-PATENT-3,417,332 ..... c07 N71-23405
US-PATENT-3,417,399 ..... c30 N71-23723
US-PATENT-3,417,400 ..... c07 N71-28809
US-PATENT-3,419,329 ..... c14 N71-23268
US-PATENT-3,419,363 ..... c18 N71-23710
US-PATENT-3,419,384 ..... c17 N73-28573
US-PATENT-3,419,433 ..... c03 N71-23187
US-PATENT-3,419,537 ..... c06 N71-23500
US-PATENT-3,419,827 ..... c09 N71-23548
US-PATENT-3,419,964 ..... c14 N69-21363
US-PATENT-3,419,992 ..... c14 N71-23401
US-PATENT-3,420,069 ..... c15 N69-21465
US-PATENT-3,420,223 ..... c05 N69-21925
US-PATENT-3,420,225 ..... c05 N69-21473
US-PATENT-3,420,253 ..... c12 N69-21466
US-PATENT-3,420,338 ..... c15 N71-26243
US-PATENT-3,420,471 ..... c05 N69-21380
US-PATENT-3,420,704 ..... c15 N69-21460
US-PATENT-3,420,945 ..... c09 N69-21542
US-PATENT-3,420,978 ..... c15 N69-21471
US-PATENT-3,421,004 ..... c14 N71-19568
US-PATENT-3,421,053 ..... c15 N69-21472
US-PATENT-3,421,056 ..... c14 N69-23191
US-PATENT-3,421,105 ..... c09 N69-21543
US-PATENT-3,421,130 ..... c09 N69-21470
US-PATENT-3,421,331 ..... c15 N69-23190
US-PATENT-3,421,363 ..... c11 N69-21540
US-PATENT-3,421,506 ..... c05 N69-23192
US-PATENT-3,421,541 ..... c15 N69-21924
US-PATENT-3,421,549 ..... c03 N69-21469
US-PATENT-3,421,591 ..... c14 N69-21923
US-PATENT-3,421,700 ..... c15 N69-23185
US-PATENT-3,421,768 ..... c15 N69-21362
US-PATENT-3,421,864 ..... c17 N71-23046
US-PATENT-3,421,948 ..... c03 N69-21337
US-PATENT-3,422,213 ..... c03 N69-21539
US-PATENT-3,422,278 ..... c09 N69-21468
US-PATENT-3,422,291 ..... c25 N69-21929
US-PATENT-3,422,324 ..... c14 N69-21541
US-PATENT-3,422,352 ..... c14 N71-19431
US-PATENT-3,422,354 ..... c09 N69-21926
US-PATENT-3,422,390 ..... c09 N69-21927
US-PATENT-3,422,403 ..... c08 N69-21928
US-PATENT-3,422,440 ..... c09 N69-21467
US-PATENT-3,423,179 ..... c15 N69-21922
US-PATENT-3,423,290 ..... c06 N71-17705
US-PATENT-3,423,579 ..... c09 N71-19480
US-PATENT-3,423,608 ..... c09 N69-21313
US-PATENT-3,424,966 ..... c10 N71-20448
US-PATENT-3,425,131 ..... c15 N71-19489
US-PATENT-3,425,268 ..... c14 N69-39975
US-PATENT-3,425,272 ..... c14 N71-20439
US-PATENT-3,425,276 ..... c14 N69-24257
US-PATENT-3,425,486 ..... c05 N71-24147
US-PATENT-3,425,487 ..... c05 N71-19439
US-PATENT-3,425,685 ..... c15 N69-24322
US-PATENT-3,426,219 ..... c09 N69-24317
US-PATENT-3,426,230 ..... c15 N69-24319
US-PATENT-3,426,263 ..... c03 N71-19438
US-PATENT-3,426,272 ..... c14 N69-39785
US-PATENT-3,426,746 ..... c05 N71-26293
US-PATENT-3,426,791 ..... c15 N71-19569
US-PATENT-3,427,047 ..... c15 N69-27490
US-PATENT-3,427,089 ..... c23 N69-24332
US-PATENT-3,427,093 ..... c09 N71-19479
US-PATENT-3,427,097 ..... c11 N69-24321
US-PATENT-3,427,205 ..... c15 N69-24320
US-PATENT-3,427,435 ..... c17 N69-25147
US-PATENT-3,427,454 ..... c05 N71-19440
US-PATENT-3,427,525 ..... c03 N69-21330
US-PATENT-3,428,761 ..... c09 N69-24329
US-PATENT-3,428,812 ..... c14 N69-27485
US-PATENT-3,428,847 ..... c15 N69-24266
US-PATENT-3,428,910 ..... c09 N69-24330
US-PATENT-3,428,919 ..... c07 N69-24334
US-PATENT-3,428,923 ..... c07 N69-27462
US-PATENT-3,429,058 ..... c12 N69-39988
US-PATENT-3,429,177 ..... c06 N69-39733
US-PATENT-3,429,477 ..... c15 N69-27502
US-PATENT-3,430,063 ..... c09 N69-27500
US-PATENT-3,430,115 ..... c09 N69-24318
US-PATENT-3,430,131 ..... c24 N71-20518
US-PATENT-3,430,182 ..... c14 N69-27431
US-PATENT-3,430,227 ..... c08 N71-19687
US-PATENT-3,430,237 ..... c07 N69-39974
US-PATENT-3,430,460 ..... c15 N69-27505
US-PATENT-3,430,902 ..... c14 N69-27486
US-PATENT-3,430,909 ..... c11 N69-27466
US-PATENT-3,430,937 ..... c15 N69-27483
US-PATENT-3,430,942 ..... c15 N69-27504
US-PATENT-3,431,149 ..... c14 N69-27459
US-PATENT-3,431,397 ..... c15 N69-27871
US-PATENT-3,431,460 ..... c09 N71-23189
US-PATENT-3,431,559 ..... c09 N69-24333
US-PATENT-3,432,730 ..... c09 N69-27422
US-PATENT-3,433,015 ..... c28 N71-20330
US-PATENT-3,433,079 ..... c14 N69-27503
US-PATENT-3,433,662 ..... c14 N71-20461
US-PATENT-3,433,818 ..... c06 N71-23230
US-PATENT-3,433,909 ..... c10 N71-23663
US-PATENT-3,433,953 ..... c14 N69-27484
US-PATENT-3,433,960 ..... c16 N69-27491
US-PATENT-3,433,961 ..... c14 N69-27432
US-PATENT-3,434,033 ..... c09 N69-39984
US-PATENT-3,434,037 ..... c10 N71-26414
US-PATENT-3,434,050 ..... c09 N71-20569
US-PATENT-3,434,064 ..... c09 N69-39986
US-PATENT-3,434,855 ..... c18 N71-24184
US-PATENT-3,434,865 ..... c03 N71-20492
US-PATENT-3,435,246 ..... c14 N69-24331
US-PATENT-3,437,394 ..... c14 N69-27461
US-PATENT-3,437,527 ..... c03 N69-24267
US-PATENT-3,437,560 ..... c04 N69-27487
US-PATENT-3,437,818 ..... c03 N71-23350
US-PATENT-3,437,832 ..... c09 N69-27463
US-PATENT-3,437,874 ..... c08 N71-20571
US-PATENT-3,437,903 ..... c03 N69-25186
US-PATENT-3,437,919 ..... c14 N69-27423
US-PATENT-3,437,935 ..... c09 N69-24328
US-PATENT-3,437,959 ..... c07 N69-24323
US-PATENT-3,438,044 ..... c07 N69-27460
US-PATENT-3,438,263 ..... c14 N71-20435

US-PATENT-3,439,886 ..... c31 N69-27499
US-PATENT-3,440,419 ..... c14 N73-28491
US-PATENT-3,443,128 ..... c03 N69-39890
US-PATENT-3,443,208 ..... c14 N71-20428
US-PATENT-3,443,384 ..... c28 N71-24321
US-PATENT-3,443,390 ..... c11 N71-24964
US-PATENT-3,443,412 ..... c15 N71-23811
US-PATENT-3,443,416 ..... c06 N69-39936
US-PATENT-3,443,472 ..... c15 N71-23254
US-PATENT-3,443,583 ..... c14 N71-18625
US-PATENT-3,443,584 ..... c32 N71-16106
US-PATENT-3,443,732 ..... c15 N71-15607
US-PATENT-3,443,773 ..... c31 N71-23912
US-PATENT-3,443,779 ..... c01 N69-39981
US-PATENT-3,444,051 ..... c05 N71-11207
US-PATENT-3,444,127 ..... c06 N71-11237
US-PATENT-3,444,375 ..... c14 N71-15599
US-PATENT-3,444,380 ..... c07 N69-39980
US-PATENT-3,446,075 ..... c14 N73-30394
US-PATENT-3,446,387 ..... c15 N69-39935
US-PATENT-3,446,558 ..... c16 N71-24074
US-PATENT-3,446,642 ..... c18 N69-39895
US-PATENT-3,446,676 ..... c03 N71-11050
US-PATENT-3,446,960 ..... c14 N69-39982
US-PATENT-3,446,992 ..... c09 N69-39987
US-PATENT-3,446,997 ..... c03 N69-39898
US-PATENT-3,446,998 ..... c09 N69-39929
US-PATENT-3,447,003 ..... c09 N71-20446
US-PATENT-3,447,015 ..... c06 N69-39889
US-PATENT-3,447,071 ..... c25 N69-39884
US-PATENT-3,447,154 ..... c21 N71-11766
US-PATENT-3,447,155 ..... c09 N71-18598
US-PATENT-3,447,233 ..... c15 N69-39786
US-PATENT-3,447,774 ..... c15 N71-19485
US-PATENT-3,447,850 ..... c09 N71-18600
US-PATENT-3,448,273 ..... c07 N69-39736
US-PATENT-3,448,290 ..... c10 N71-23315
US-PATENT-3,448,341 ..... c09 N71-12526
US-PATENT-3,448,346 ..... c15 N71-18701
US-PATENT-3,450,842 ..... c07 N69-39978
US-PATENT-3,450,878 ..... c14 N71-20430
US-PATENT-3,450,946 ..... c09 N69-39897
US-PATENT-3,452,103 ..... c06 N73-30101
US-PATENT-3,452,423 ..... c26 N71-16037
US-PATENT-3,452,872 ..... c14 N69-39896
US-PATENT-3,453,172 ..... c15 N69-39735
US-PATENT-3,453,462 ..... c03 N69-39983
US-PATENT-3,453,546 ..... c05 N71-12342
US-PATENT-3,454,410 ..... c18 N69-39979
US-PATENT-3,454,766 ..... c35 N75-27329
US-PATENT-3,455,121 ..... c14 N71-20427
US-PATENT-3,455,171 ..... c23 N71-16098
US-PATENT-3,456,112 ..... c14 N69-39937
US-PATENT-3,456,193 ..... c08 N71-19763
US-PATENT-3,456,201 ..... c09 N69-39885
US-PATENT-3,458,104 ..... c15 N71-20393
US-PATENT-3,458,313 ..... c14 N71-17574
US-PATENT-3,458,651 ..... c09 N71-19449
US-PATENT-3,458,702 ..... c14 N71-18699
US-PATENT-3,458,726 ..... c10 N69-39888
US-PATENT-3,458,833 ..... c10 N71-19418
US-PATENT-3,458,851 ..... c09 N69-39734
US-PATENT-3,459,391 ..... c03 N71-11058
US-PATENT-3,460,378 ..... c14 N71-24233
US-PATENT-3,460,379 ..... c15 N71-24834
US-PATENT-3,460,381 ..... c14 N71-23725
US-PATENT-3,460,397 ..... c15 N71-24045
US-PATENT-3,460,759 ..... c28 N71-23968
US-PATENT-3,460,781 ..... c14 N71-23698
US-PATENT-3,460,595 ..... c03 N71-20407
US-PATENT-3,461,290 ..... c14 N71-26475
US-PATENT-3,461,393 ..... c10 N71-26415
US-PATENT-3,461,437 ..... c10 N71-26434
US-PATENT-3,461,700 ..... c15 N71-26346
US-PATENT-3,461,721 ..... c12 N71-20436
US-PATENT-3,463,001 ..... c14 N71-20429
US-PATENT-3,463,563 ..... c15 N71-23812
US-PATENT-3,463,673 ..... c03 N71-20491
US-PATENT-3,463,679 ..... c17 N71-24142
US-PATENT-3,463,761 ..... c06 N73-30099
US-PATENT-3,463,762 ..... c06 N73-30100
US-PATENT-3,463,939 ..... c10 N71-19471
US-PATENT-3,464,012 ..... c14 N71-26244
US-PATENT-3,464,016 ..... c10 N71-19472
US-PATENT-3,464,018 ..... c09 N71-23525
US-PATENT-3,464,049 ..... c32 N71-15974
US-PATENT-3,464,051 ..... c15 N71-17685
US-PATENT-3,465,482 ..... c31 N71-16080
US-PATENT-3,465,567 ..... c15 N71-18579
US-PATENT-3,465,569 ..... c14 N71-17659
US-PATENT-3,465,584 ..... c14 N71-23726
US-PATENT-3,465,638 ..... c11 N71-18578
US-PATENT-3,465,986 ..... c31 N71-20396
US-PATENT-3,466,052 ..... c15 N71-19570
US-PATENT-3,466,085 ..... c05 N71-12343
US-PATENT-3,466,158 ..... c03 N71-19545
US-PATENT-3,466,243 ..... c15 N71-23810
US-PATENT-3,466,418 ..... c15 N71-18613
US-PATENT-3,466,424 ..... c15 N71-20395
US-PATENT-3,466,459 ..... c09 N71-26000
US-PATENT-3,466,484 ..... c14 N71-18482
US-PATENT-3,466,560 ..... c09 N71-19466
US-PATENT-3,466,570 ..... c10 N71-25950
US-PATENT-3,467,837 ..... c05 N71-23317
US-PATENT-3,468,303 ..... c09 N71-26002
US-PATENT-3,468,548 ..... c15 N71-26294
US-PATENT-3,468,609 ..... c16 N71-24170
US-PATENT-3,468,727 ..... c14 N71-25892
US-PATENT-3,468,765 ..... c17 N71-25903
US-PATENT-3,469,068 ..... c15 N71-23815
US-PATENT-3,469,069 ..... c15 N71-23798
US-PATENT-3,469,087 ..... c16 N71-25914
US-PATENT-3,469,103 ..... c33 N75-29318
US-PATENT-3,469,289 ..... c15 N71-25975
US-PATENT-3,469,375 ..... c14 N71-18483
US-PATENT-3,469,436 ..... c15 N71-23817
US-PATENT-3,469,437 ..... c14 N71-24234
US-PATENT-3,469,734 ..... c11 N71-17600
US-PATENT-3,470,043 ..... c15 N71-24047
US-PATENT-3,470,304 ..... c14 N71-23267
US-PATENT-3,470,313 ..... c07 N71-26579
US-PATENT-3,470,318 ..... c07 N71-24612
US-PATENT-3,470,342 ..... c09 N71-19610
US-PATENT-3,470,443 ..... c03 N71-23239
US-PATENT-3,470,446 ..... c09 N71-23188
US-PATENT-3,470,466 ..... c14 N71-23699
US-PATENT-3,470,475 ..... c10 N71-19467
US-PATENT-3,470,489 ..... c09 N71-23598
US-PATENT-3,470,495 ..... c10 N71-23669
US-PATENT-3,470,496 ..... c09 N71-19470
US-PATENT-3,471,856 ..... c30 N71-16090
US-PATENT-3,471,858 ..... c07 N71-12391
US-PATENT-3,472,019 ..... c10 N71-26326
US-PATENT-3,472,059 ..... c14 N71-23755
US-PATENT-3,472,060 ..... c14 N71-26136
US-PATENT-3,472,069 ..... c15 N71-20441
US-PATENT-3,472,080 ..... c10 N71-26339
US-PATENT-3,472,086 ..... c15 N71-23809
US-PATENT-3,472,140 ..... c14 N71-26474
US-PATENT-3,472,202 ..... c17 N71-24911
US-PATENT-3,472,372 ..... c15 N71-20440
US-PATENT-3,472,470 ..... c02 N71-20570
US-PATENT-3,472,577 ..... c23 N71-24857
US-PATENT-3,472,625 ..... c06 N71-23527
US-PATENT-3,472,629 ..... c14 N71-20442
US-PATENT-3,472,658 ..... c03 N71-23449
US-PATENT-3,472,709 ..... c18 N71-26153
US-PATENT-3,472,742 ..... c17 N71-24830
US-PATENT-3,472,998 ..... c16 N71-20400
US-PATENT-3,473,050 ..... c09 N71-20447
US-PATENT-3,473,116 ..... c25 N71-20563
US-PATENT-3,473,165 ..... c05 N71-26333
US-PATENT-3,473,216 ..... c15 N71-20443
US-PATENT-3,473,379 ..... c12 N71-26387
US-PATENT-3,473,758 ..... c03 N71-20273
US-PATENT-3,474,192 ..... c07 N71-26102
US-PATENT-3,474,220 ..... c15 N71-19486
US-PATENT-3,474,328 ..... c14 N71-26266
US-PATENT-3,474,357 ..... c09 N71-20445
US-PATENT-3,474,413 ..... c10 N71-26103
US-PATENT-3,474,441 ..... c08 N71-19544
US-PATENT-3,475,384 ..... c06 N73-30103
US-PATENT-3,475,442 ..... c26 N75-27125
US-PATENT-3,478,514 ..... c37 N77-22479
US-PATENT-3,480,789 ..... c10 N71-26626
US-PATENT-3,481,638 ..... c15 N71-26312
US-PATENT-3,481,887 ..... c18 N71-26155
US-PATENT-3,482,179 ..... c10 N71-26331
US-PATENT-3,483,535 ..... c10 N71-26418
US-PATENT-3,484,712 ..... c10 N71-26374
US-PATENT-3,486,123 ..... c16 N71-24831
US-PATENT-3,487,216 ..... c14 N71-24809
US-PATENT-3,487,281 ..... c15 N71-24695
US-PATENT-3,487,288 ..... c10 N71-25139
US-PATENT-3,487,680 ..... c15 N71-17696
US-PATENT-3,488,103 ..... c14 N71-15604
US-PATENT-3,488,123 ..... c14 N71-17627
US-PATENT-3,488,414 ..... c15 N71-17803

US-PATENT-3,488,461 ..... c09 N71-12518
US-PATENT-3,488,504 ..... c21 N71-15642
US-PATENT-3,490,130 ..... c05 N71-12345
US-PATENT-3,490,205 ..... c14 N71-17588
US-PATENT-3,490,235 ..... c28 N71-14044
US-PATENT-3,490,238 ..... c15 N70-22192
US-PATENT-3,490,405 ..... c15 N71-15597
US-PATENT-3,490,440 ..... c05 N71-12346
US-PATENT-3,490,718 ..... c33 N71-14035
US-PATENT-3,490,719 ..... c21 N71-14159
US-PATENT-3,490,721 ..... c02 N71-11039
US-PATENT-3,490,939 ..... c33 N71-14032
US-PATENT-3,490,965 ..... c09 N71-12513
US-PATENT-3,491,202 ..... c07 N71-12392
US-PATENT-3,491,255 ..... c09 N71-12514
US-PATENT-3,491,335 ..... c14 N71-15620
US-PATENT-3,491,857 ..... c14 N71-17626
US-PATENT-3,492,176 ..... c27 N71-14090
US-PATENT-3,492,672 ..... c05 N71-12344
US-PATENT-3,492,739 ..... c15 N71-15571
US-PATENT-3,492,862 ..... c14 N71-15600
US-PATENT-3,492,947 ..... c28 N71-14058
US-PATENT-3,493,003 ..... c15 N71-15609
US-PATENT-3,493,004 ..... c12 N71-17579
US-PATENT-3,493,012 ..... c15 N71-15608
US-PATENT-3,493,027 ..... c31 N71-18611
US-PATENT-3,493,153 ..... c05 N71-12351
US-PATENT-3,493,155 ..... c26 N71-14354
US-PATENT-3,493,194 ..... c21 N71-14132
US-PATENT-3,493,197 ..... c02 N71-11043
US-PATENT-3,493,291 ..... c14 N71-15622
US-PATENT-3,493,294 ..... c14 N71-15605
US-PATENT-3,493,401 ..... c18 N71-14014
US-PATENT-3,493,415 ..... c15 N71-15610
US-PATENT-3,493,437 ..... c03 N71-11056
US-PATENT-3,493,522 ..... c06 N71-11243
US-PATENT-3,493,524 ..... c06 N71-11242
US-PATENT-3,493,665 ..... c14 N71-15621
US-PATENT-3,493,677 ..... c07 N71-11300
US-PATENT-3,493,711 ..... c15 N71-14932
US-PATENT-3,493,746 ..... c15 N71-15606
US-PATENT-3,493,797 ..... c15 N71-17652
US-PATENT-3,493,805 ..... c09 N71-12521
US-PATENT-3,493,901 ..... c09 N71-12517
US-PATENT-3,493,929 ..... c08 N71-12505
US-PATENT-3,493,942 ..... c08 N71-12504
US-PATENT-3,495,260 ..... c21 N71-13958
US-PATENT-3,495,262 ..... c07 N71-12396
US-PATENT-3,500,020 ..... c01 N71-13411
US-PATENT-3,500,525 ..... c15 N71-17688
US-PATENT-3,500,677 ..... c14 N71-17584
US-PATENT-3,500,686 ..... c12 N71-17569
US-PATENT-3,500,688 ..... c14 N71-17587
US-PATENT-3,500,747 ..... c09 N71-18599
US-PATENT-3,500,827 ..... c05 N71-11203
US-PATENT-3,501,112 ..... c15 N71-17693
US-PATENT-3,501,632 ..... c27 N71-16348
US-PATENT-3,501,641 ..... c20 N71-16340
US-PATENT-3,501,648 ..... c10 N71-24799
US-PATENT-3,501,649 ..... c10 N71-18723
US-PATENT-3,501,664 ..... c14 N71-17585
US-PATENT-3,501,683 ..... c15 N71-17694
US-PATENT-3,501,684 ..... c09 N71-26092
US-PATENT-3,501,701 ..... c08 N71-18692
US-PATENT-3,501,704 ..... c07 N71-11282
US-PATENT-3,501,712 ..... c09 N71-19516
US-PATENT-3,501,743 ..... c09 N71-18843
US-PATENT-3,501,750 ..... c08 N71-19288
US-PATENT-3,501,752 ..... c08 N71-18595
US-PATENT-3,501,764 ..... c10 N71-18722
US-PATENT-3,502,051 ..... c15 N71-17647
US-PATENT-3,502,074 ..... c05 N71-11190
US-PATENT-3,502,141 ..... c33 N71-16277
US-PATENT-3,503,251 ..... c32 N71-16428
US-PATENT-3,504,258 ..... c10 N71-18724
US-PATENT-3,504,983 ..... c23 N71-16341
US-PATENT-3,507,034 ..... c15 N71-17650
US-PATENT-3,507,114 ..... c27 N71-16392
US-PATENT-3,507,146 ..... c05 N71-11202
US-PATENT-3,507,150 ..... c20 N71-16281
US-PATENT-3,507,425 ..... c15 N71-17628
US-PATENT-3,507,436 ..... c08 N71-19420
US-PATENT-3,507,704 ..... c03 N71-11052
US-PATENT-3,507,706 ..... c03 N71-18698
US-PATENT-3,508,036 ..... c08 N71-18693
US-PATENT-3,508,039 ..... c08 N71-19437
US-PATENT-3,508,053 ..... c09 N71-18830
US-PATENT-3,508,070 ..... c03 N71-11057
US-PATENT-3,508,152 ..... c07 N71-11266
US-PATENT-3,508,156 ..... c07 N71-11267
US-PATENT-3,508,347 ..... c05 N71-24606
US-PATENT-3,508,402 ..... c33 N71-16104
US-PATENT-3,508,541 ..... c05 N71-11193
US-PATENT-3,508,578 ..... c32 N71-16103
US-PATENT-3,508,723 ..... c31 N71-16222
US-PATENT-3,508,724 ..... c02 N71-11037
US-PATENT-3,508,739 ..... c15 N71-17648
US-PATENT-3,508,779 ..... c15 N71-24897
US-PATENT-3,508,940 ..... c18 N71-16124
US-PATENT-3,508,955 ..... c18 N71-16105
US-PATENT-3,508,999 ..... c15 N71-17687
US-PATENT-3,509,034 ..... c14 N71-17575
US-PATENT-3,509,386 ..... c03 N71-11055
US-PATENT-3,509,419 ..... c24 N71-16213
US-PATENT-3,509,469 ..... c23 N71-16099
US-PATENT-3,509,475 ..... c09 N71-24596
US-PATENT-3,509,491 ..... c09 N71-18721
US-PATENT-3,509,551 ..... c08 N71-18694
US-PATENT-3,509,558 ..... c08 N71-19435
US-PATENT-3,509,570 ..... c09 N71-18720
US-PATENT-3,509,578 ..... c07 N71-19493
US-PATENT-3,512,009 ..... c08 N71-18751
US-PATENT-3,516,091 ..... c05 N71-24623
US-PATENT-3,516,179 ..... c11 N71-19494
US-PATENT-3,516,185 ..... c12 N71-18603
US-PATENT-3,516,284 ..... c12 N71-17573
US-PATENT-3,516,404 ..... c05 N71-17599
US-PATENT-3,516,711 ..... c05 N71-12341
US-PATENT-3,516,879 ..... c23 N71-16212
US-PATENT-3,516,964 ..... c06 N71-11240
US-PATENT-3,516,970 ..... c06 N71-11239
US-PATENT-3,516,971 ..... c06 N71-24740
US-PATENT-3,517,109 ..... c07 N71-19436
US-PATENT-3,517,162 ..... c33 N71-16278
US-PATENT-3,517,171 ..... c08 N71-24633
US-PATENT-3,517,221 ..... c10 N71-19547
US-PATENT-3,517,268 ..... c10 N71-19469
US-PATENT-3,517,302 ..... c25 N71-16073
US-PATENT-3,517,318 ..... c08 N71-19432
US-PATENT-3,517,328 ..... c16 N71-18614
US-PATENT-3,518,232 ..... c06 N71-11235
US-PATENT-3,520,190 ..... c10 N71-13537
US-PATENT-3,520,238 ..... c14 N71-18465
US-PATENT-3,520,317 ..... c12 N71-17578
US-PATENT-3,520,496 ..... c31 N71-16345
US-PATENT-3,520,503 ..... c31 N71-16085
US-PATENT-3,520,617 ..... c23 N71-16101
US-PATENT-3,520,660 ..... c23 N71-16355
US-PATENT-3,521,054 ..... c06 N71-13461
US-PATENT-3,521,143 ..... c08 N71-18752
US-PATENT-3,521,290 ..... c31 N71-16102
US-PATENT-3,523,228 ..... c10 N71-24861
US-PATENT-3,526,030 ..... c15 N71-17686
US-PATENT-3,526,134 ..... c33 N71-16356
US-PATENT-3,526,139 ..... c31 N71-16221
US-PATENT-3,526,140 ..... c27 N71-16223
US-PATENT-3,526,359 ..... c33 N71-16357
US-PATENT-3,526,365 ..... c28 N71-16224
US-PATENT-3,526,372 ..... c31 N71-16346
US-PATENT-3,526,382 ..... c15 N71-17649
US-PATENT-3,526,460 ..... c23 N71-16365
US-PATENT-3,526,473 ..... c18 N71-15545
US-PATENT-3,526,580 ..... c18 N71-16210
US-PATENT-3,526,611 ..... c06 N71-11236
US-PATENT-3,526,845 ..... c09 N71-13531
US-PATENT-3,526,897 ..... c09 N71-13521
US-PATENT-3,529,480 ..... c15 N71-17692
US-PATENT-3,529,928 ..... c17 N71-16393
US-PATENT-3,530,336 ..... c09 N71-13518
US-PATENT-3,531,964 ..... c15 N71-18616
US-PATENT-3,531,978 ..... c14 N71-18481
US-PATENT-3,531,982 ..... c15 N71-18132
US-PATENT-3,531,989 ..... c33 N71-15641
US-PATENT-3,532,118 ..... c12 N71-18615
US-PATENT-3,532,128 ..... c15 N71-18580
US-PATENT-3,532,427 ..... c21 N71-19212
US-PATENT-3,532,428 ..... c30 N71-15990
US-PATENT-3,532,538 ..... c18 N71-16046
US-PATENT-3,532,551 ..... c03 N71-11049
US-PATENT-3,532,568 ..... c17 N71-16044
US-PATENT-3,532,673 ..... c06 N71-11238
US-PATENT-3,532,807 ..... c07 N71-19433
US-PATENT-3,532,819 ..... c10 N71-19468
US-PATENT-3,532,866 ..... c08 N71-18602
US-PATENT-3,532,880 ..... c24 N71-16095
US-PATENT-3,532,894 ..... c23 N71-16100
US-PATENT-3,532,948 ..... c10 N71-18772
US-PATENT-3,532,960 ..... c03 N71-12255

US-PATENT-3,532,973 ..... c15 N71-17822
US-PATENT-3,532,975 ..... c10 N71-19421
US-PATENT-3,532,979 ..... c10 N71-12554
US-PATENT-3,532,985 ..... c07 N71-19773
US-PATENT-3,533,CC1 ..... c07 N71-24583
US-PATENT-3,533,006 ..... c10 N72-28241
US-PATENT-3,533,074 ..... c08 N71-12502
US-PATENT-3,533,093 ..... c10 N71-19417
US-PATENT-3,533,098 ..... c08 N71-18594
US-PATENT-3,534,365 ..... c07 N71-19854
US-PATENT-3,534,367 ..... c02 N71-19287
US-PATENT-3,534,375 ..... c07 N71-11285
US-PATENT-3,534,376 ..... c07 N71-26101
US-PATENT-3,534,406 ..... c05 N71-11195
US-PATENT-3,534,407 ..... c05 N71-11194
US-PATENT-3,534,479 ..... c14 N71-17657
US-PATENT-3,534,480 ..... c14 N71-17658
US-PATENT-3,534,485 ..... c11 N71-18773
US-PATENT-3,534,555 ..... c12 N71-17631
US-PATENT-3,534,584 ..... c10 N71-13545
US-PATENT-3,534,585 ..... c14 N71-17701
US-PATENT-3,534,592 ..... c14 N71-17656
US-PATENT-3,534,596 ..... c14 N71-17586
US-PATENT-3,534,597 ..... c31 N71-15643
US-PATENT-3,534,650 ..... c15 N71-17653
US-PATENT-3,534,686 ..... c31 N71-15687
US-PATENT-3,534,727 ..... c05 N71-11189
US-PATENT-3,534,765 ..... c12 N71-17661
US-PATENT-3,534,826 ..... c31 N71-15689
US-PATENT-3,534,836 ..... c15 N71-17805
US-PATENT-3,534,909 ..... c15 N71-17654
US-PATENT-3,534,924 ..... c31 N71-15674
US-PATENT-3,534,925 ..... c31 N71-15676
US-PATENT-3,534,926 ..... c15 N71-19214
US-PATENT-3,534,930 ..... c02 N71-13422
US-PATENT-3,535,012 ..... c16 N71-15567
US-PATENT-3,535,013 ..... c16 N71-15551
US-PATENT-3,535,014 ..... c16 N71-15565
US-PATENT-3,535,024 ..... c14 N71-17662
US-PATENT-3,535,041 ..... c14 N71-17655
US-PATENT-3,535,110 ..... c17 N71-15468
US-PATENT-3,535,130 ..... c18 N71-15469
US-PATENT-3,535,165 ..... c33 N71-15568
US-PATENT-3,535,179 ..... c15 N71-17651
US-PATENT-3,535,352 ..... c18 N71-15688
US-PATENT-3,535,446 ..... c09 N71-12539
US-PATENT-3,535,451 ..... c07 N71-11281
US-PATENT-3,535,457 ..... c08 N71-24890
US-PATENT-3,535,543 ..... c09 N71-13486
US-PATENT-3,535,547 ..... c09 N71-12520
US-PATENT-3,535,554 ..... c09 N71-12516
US-PATENT-3,535,560 ..... c08 N71-12494
US-PATENT-3,535,562 ..... c33 N71-27862
US-PATENT-3,535,570 ..... c15 N71-24696
US-PATENT-3,535,586 ..... c25 N71-15562
US-PATENT-3,535,602 ..... c09 N71-13522
US-PATENT-3,535,642 ..... c08 N71-12503
US-PATENT-3,535,644 ..... c09 N71-12519
US-PATENT-3,535,657 ..... c07 N71-12390
US-PATENT-3,535,658 ..... c08 N71-12500
US-PATENT-3,535,683 ..... c31 N71-15566
US-PATENT-3,535,696 ..... c08 N71-12506
US-PATENT-3,535,702 ..... c09 N71-12515
US-PATENT-3,536,103 ..... c15 N71-19213
US-PATENT-3,537,096 ..... c08 N71-12507
US-PATENT-3,537,103 ..... c08 N71-24650
US-PATENT-3,537,107 ..... c05 N71-24730
US-PATENT-3,537,305 ..... c26 N71-25490
US-PATENT-3,537,515 ..... c09 N71-24807
US-PATENT-3,537,668 ..... c05 N71-24728
US-PATENT-3,537,672 ..... c15 N71-24694
US-PATENT-3,539,905 ..... c09 N71-24800
US-PATENT-3,540,045 ..... c09 N71-24595
US-PATENT-3,540,048 ..... c31 N71-24813
US-PATENT-3,540,050 ..... c09 N71-24804
US-PATENT-3,540,054 ..... c07 N71-24625
US-PATENT-3,540,056 ..... c07 N71-24614
US-PATENT-3,540,250 ..... c15 N71-24865
US-PATENT-3,540,449 ..... c15 N71-24835
US-PATENT-3,540,615 ..... c33 N71-25351
US-PATENT-3,540,676 ..... c15 N71-24600
US-PATENT-3,540,790 ..... c16 N71-26154
US-PATENT-3,540,802 ..... c23 N71-24868
US-PATENT-3,540,942 ..... c15 N71-24875
US-PATENT-3,540,989 ..... c24 N71-25555
US-PATENT-3,541,250 ..... c07 N71-24742
US-PATENT-3,541,312 ..... c08 N71-24891
US-PATENT-3,541,314 ..... c07 N71-24741
US-PATENT-3,541,346 ..... c09 N71-24803
US-PATENT-3,541,361 ..... c09 N71-24904
US-PATENT-3,541,422 ..... c03 N71-24719
US-PATENT-3,541,428 ..... c09 N71-24893
US-PATENT-3,541,439 ..... c09 N71-24843
US-PATENT-3,541,450 ..... c07 N71-24840
US-PATENT-3,541,459 ..... c10 N71-24844
US-PATENT-3,541,479 ..... c09 N71-24841
US-PATENT-3,541,486 ..... c16 N71-28554
US-PATENT-3,541,679 ..... c03 N71-24681
US-PATENT-3,541,825 ..... c15 N71-24836
US-PATENT-3,541,875 ..... c15 N71-24984
US-PATENT-3,543,050 ..... c10 N71-24862
US-PATENT-3,543,159 ..... c09 N71-24717
US-PATENT-3,545,208 ..... c28 N71-25213
US-PATENT-3,545,226 ..... c23 N71-24725
US-PATENT-3,545,252 ..... c11 N71-24985
US-PATENT-3,545,262 ..... c38 N76-28563
US-PATENT-3,545,275 ..... c09 N71-24597
US-PATENT-3,545,725 ..... c15 N71-24599
US-PATENT-3,545,792 ..... c15 N71-24903
US-PATENT-3,546,386 ..... c07 N71-24621
US-PATENT-3,546,471 ..... c14 N71-24864
US-PATENT-3,546,552 ..... c15 N71-24895
US-PATENT-3,546,553 ..... c09 N71-24805
US-PATENT-3,546,684 ..... c07 N71-24624
US-PATENT-3,546,694 ..... c10 N71-24798
US-PATENT-3,546,705 ..... c09 N71-24842
US-PATENT-3,546,917 ..... c15 N71-24679
US-PATENT-3,546,920 ..... c06 N71-24607
US-PATENT-3,546,931 ..... c32 N71-25360
US-PATENT-3,547,105 ..... c09 N71-24618
US-PATENT-3,547,376 ..... c31 N71-25434
US-PATENT-3,547,540 ..... c16 N71-24828
US-PATENT-3,547,801 ..... c03 N71-24718
US-PATENT-3,548,107 ..... c07 N71-24622
US-PATENT-3,548,633 ..... c18 N71-24934
US-PATENT-3,548,636 ..... c15 N71-24910
US-PATENT-3,548,812 ..... c05 N71-24729
US-PATENT-3,548,930 ..... c33 N71-25353
US-PATENT-3,549,435 ..... c14 N72-28438
US-PATENT-3,549,564 ..... c06 N71-24739
US-PATENT-3,549,799 ..... c09 N71-25866
US-PATENT-3,549,882 ..... c15 N71-24896
US-PATENT-3,549,955 ..... c09 N71-24892
US-PATENT-3,550,023 ..... c09 N71-24806
US-PATENT-3,550,034 ..... c16 N71-24832
US-PATENT-3,550,129 ..... c21 N71-24948
US-PATENT-3,550,585 ..... c05 N71-24738
US-PATENT-3,551,266 ..... c33 N71-24858
US-PATENT-3,551,816 ..... c07 N71-24613
US-PATENT-3,551,831 ..... c33 N75-27251
US-PATENT-3,552,124 ..... c28 N71-26642
US-PATENT-3,552,125 ..... c28 N71-26173
US-PATENT-3,553,0C2 ..... c18 N71-26100
US-PATENT-3,553,586 ..... c07 N71-26292
US-PATENT-3,553,704 ..... c10 N71-26142
US-PATENT-3,553,904 ..... c15 N71-26134
US-PATENT-3,554,466 ..... c31 N71-26537
US-PATENT-3,554,647 ..... c23 N71-26206
US-PATENT-3,554,806 ..... c03 N71-26084
US-PATENT-3,555,192 ..... c07 N71-26181
US-PATENT-3,555,361 ..... c10 N71-26531
US-PATENT-3,555,455 ..... c23 N71-26722
US-PATENT-3,555,483 ..... c35 N77-21393
US-PATENT-3,555,867 ..... c15 N71-26148
US-PATENT-3,555,858 ..... c12 N71-26546
US-PATENT-3,556,048 ..... c09 N71-26701
US-PATENT-3,556,634 ..... c07 N71-26291
US-PATENT-3,557,027 ..... c06 N71-25929
US-PATENT-3,557,534 ..... c15 N71-26185
US-PATENT-3,559,031 ..... c10 N71-26085
US-PATENT-3,559,096 ..... c10 N71-25882
US-PATENT-3,559,460 ..... c14 N71-26672
US-PATENT-3,559,937 ..... c14 N71-26627
US-PATENT-3,560,081 ..... c19 N71-26674
US-PATENT-3,560,161 ..... c06 N71-26754
US-PATENT-3,561,828 ..... c15 N71-26189
US-PATENT-3,562,575 ..... c09 N71-26182
US-PATENT-3,562,631 ..... c14 N71-26137
US-PATENT-3,562,857 ..... c15 N71-26721
US-PATENT-3,562,881 ..... c09 N71-26678
US-PATENT-3,562,919 ..... c15 N71-26145
US-PATENT-3,563,135 ..... c15 N71-27147
US-PATENT-3,563,198 ..... c18 N71-26285
US-PATENT-3,563,232 ..... c05 N71-27234
US-PATENT-3,563,307 ..... c15 N71-26611
US-PATENT-3,563,668 ..... c14 N71-26788
US-PATENT-3,563,727 ..... c15 N71-27184
US-PATENT-3,563,918 ..... c06 N71-27363

US-PATENT-3,564,234 ..... c09 N71-26787
US-PATENT-3,564,401 ..... c14 N71-26135
US-PATENT-3,564,420 ..... c14 N71-26774
US-PATENT-3,564,564 ..... c15 N71-26162
US-PATENT-3,564,866 ..... c23 N71-26654
US-PATENT-3,564,906 ..... c32 N71-26681
US-PATENT-3,565,530 ..... c15 N71-26673
US-PATENT-3,565,584 ..... c15 N71-27372
US-PATENT-3,565,607 ..... c17 N71-26773
US-PATENT-3,565,719 ..... c03 N71-26726
US-PATENT-3,566,027 ..... c07 N71-27341
US-PATENT-3,566,045 ..... c08 N71-27210
US-PATENT-3,566,122 ..... c14 N71-27323
US-PATENT-3,566,143 ..... c14 N71-27407
US-PATENT-3,566,158 ..... c10 N71-27126
US-PATENT-3,566,268 ..... c10 N71-26577
US-PATENT-3,566,396 ..... c10 N71-26544
US-PATENT-3,566,459 ..... c14 N71-27334
US-PATENT-3,566,676 ..... c14 N71-26199
US-PATENT-3,566,993 ..... c15 N71-27169
US-PATENT-3,567,155 ..... c21 N71-27324
US-PATENT-3,567,339 ..... c15 N71-27084
US-PATENT-3,567,651 ..... c18 N71-27170
US-PATENT-3,567,677 ..... c18 N71-25881
US-PATENT-3,567,861 ..... c10 N71-25865
US-PATENT-3,567,913 ..... c10 N71-27137
US-PATENT-3,567,927 ..... c14 N71-28863
US-PATENT-3,568,010 ..... c09 N71-27232
US-PATENT-3,568,028 ..... c10 N71-27136
US-PATENT-3,568,103 ..... c10 N71-25900
US-PATENT-3,568,197 ..... c07 N71-27056
US-PATENT-3,568,447 ..... c15 N71-27432
US-PATENT-3,568,572 ..... c15 N71-27754
US-PATENT-3,568,702 ..... c10 N71-25899
US-PATENT-3,568,748 ..... c15 N71-27091
US-PATENT-3,568,755 ..... c15 N71-27067
US-PATENT-3,568,805 ..... c15 N71-27146
US-PATENT-3,568,874 ..... c15 N71-27068
US-PATENT-3,568,885 ..... c14 N71-27005
US-PATENT-3,569,710 ..... c14 N71-25901
US-PATENT-3,569,744 ..... c09 N71-27016
US-PATENT-3,569,804 ..... c09 N71-25999
US-PATENT-3,569,827 ..... c18 N71-27397
US-PATENT-3,569,828 ..... c14 N71-27186
US-PATENT-3,569,866 ..... c10 N71-27271
US-PATENT-3,569,875 ..... c07 N71-27191
US-PATENT-3,569,956 ..... c10 N71-25917
US-PATENT-3,569,976 ..... c07 N71-27233
US-PATENT-3,570,143 ..... c10 N71-27365
US-PATENT-3,570,364 ..... c28 N71-26779
US-PATENT-3,570,513 ..... c12 N71-27332
US-PATENT-3,570,785 ..... c28 N71-27585
US-PATENT-3,570,789 ..... c02 N71-27088
US-PATENT-3,571,555 ..... c15 N71-27135
US-PATENT-3,571,656 ..... c09 N71-27001
US-PATENT-3,571,662 ..... c10 N71-27366
US-PATENT-3,571,693 ..... c09 N71-27364
US-PATENT-3,571,699 ..... c09 N71-27053
US-PATENT-3,571,700 ..... c14 N71-27325
US-PATENT-3,571,707 ..... c10 N71-27338
US-PATENT-3,571,800 ..... c10 N71-27272
US-PATENT-3,571,801 ..... c08 N71-27255
US-PATENT-3,572,089 ..... c14 N71-27185
US-PATENT-3,572,104 ..... c28 N71-27094
US-PATENT-3,572,112 ..... c15 N71-27006
US-PATENT-3,572,610 ..... c28 N71-27095
US-PATENT-3,572,935 ..... c14 N71-27215
US-PATENT-3,573,583 ..... c09 N71-28886
US-PATENT-3,573,757 ..... c08 N71-27057
US-PATENT-3,573,977 ..... c15 N71-28582
US-PATENT-3,573,986 ..... c03 N71-28579
US-PATENT-3,573,996 ..... c18 N71-29040
US-PATENT-3,574,057 ..... c22 N71-28759
US-PATENT-3,574,084 ..... c14 N71-28933
US-PATENT-3,574,277 ..... c15 N71-28467
US-PATENT-3,574,286 ..... c11 N71-27036
US-PATENT-3,574,438 ..... c07 N71-29065
US-PATENT-3,574,448 ..... c23 N71-29123
US-PATENT-3,574,462 ..... c14 N71-29041
US-PATENT-3,574,467 ..... c23 N71-29125
US-PATENT-3,574,470 ..... c14 N71-28993
US-PATENT-3,574,770 ..... c06 N71-27254
US-PATENT-3,575,336 ..... c15 N71-27214
US-PATENT-3,575,585 ..... c14 N71-27058
US-PATENT-3,575,597 ..... c14 N71-27090
US-PATENT-3,575,602 ..... c16 N71-27183
US-PATENT-3,575,638 ..... c09 N71-26133
US-PATENT-3,575,641 ..... c10 N71-26334
US-PATENT-3,576,107 ..... c28 N71-26781
US-PATENT-3,576,127 ..... c14 N71-26161
US-PATENT-3,576,135 ..... c15 N71-26635
US-PATENT-3,576,301 ..... c02 N71-26110
US-PATENT-3,576,656 ..... c18 N71-26772
US-PATENT-3,576,669 ..... c15 N71-29032
US-PATENT-3,576,723 ..... c09 N71-28691
US-PATENT-3,576,786 ..... c06 N71-28620
US-PATENT-3,577,014 ..... c10 N71-28860
US-PATENT-3,577,092 ..... c07 N71-28430
US-PATENT-3,577,356 ..... c06 N73-30102
US-PATENT-3,578,755 ..... c14 N71-29134
US-PATENT-3,578,756 ..... c11 N71-28629
US-PATENT-3,578,758 ..... c14 N71-28992
US-PATENT-3,578,838 ..... c16 N71-29131
US-PATENT-3,578,867 ..... c14 N71-28994
US-PATENT-3,578,957 ..... c08 N71-29033
US-PATENT-3,578,988 ..... c09 N71-29139
US-PATENT-3,578,992 ..... c09 N71-28421
US-PATENT-3,579,041 ..... c09 N71-29008
US-PATENT-3,579,103 ..... c14 N71-28991
US-PATENT-3,579,122 ..... c08 N71-29034
US-PATENT-3,579,146 ..... c08 N71-29138
US-PATENT-3,579,147 ..... c07 N71-28429
US-PATENT-3,579,168 ..... c09 N71-29035
US-PATENT-3,579,242 ..... c07 N71-28980
US-PATENT-3,579,390 ..... c18 N71-28729
US-PATENT-3,579,412 ..... c17 N71-28747
US-PATENT-3,581,492 ..... c28 N71-28915
US-PATENT-3,582,828 ..... c33 N77-21314
US-PATENT-3,582,960 ..... c09 N71-28618
US-PATENT-3,583,058 ..... c15 N71-29018
US-PATENT-3,583,239 ..... c15 N71-29132
US-PATENT-3,583,322 ..... c05 N71-28619
US-PATENT-3,583,419 ..... c12 N71-28741
US-PATENT-3,583,744 ..... c15 N71-29133
US-PATENT-3,583,777 ..... c15 N71-28465
US-PATENT-3,583,815 ..... c15 N71-28740
US-PATENT-3,584,311 ..... c09 N71-28468
US-PATENT-3,584,660 ..... c15 N72-12408
US-PATENT-3,585,514 ..... c10 N71-33129
US-PATENT-3,585,882 ..... c15 N71-33518
US-PATENT-3,586,261 ..... c31 N71-33160
US-PATENT-3,587,306 ..... c11 N71-33612
US-PATENT-3,587,424 ..... c16 N71-33410
US-PATENT-3,588,220 ..... c23 N71-33229
US-PATENT-3,588,331 ..... c07 N72-12081
US-PATENT-3,588,359 ..... c07 N71-33108
US-PATENT-3,588,483 ..... c08 N71-33110
US-PATENT-3,588,648 ..... c07 N71-33613
US-PATENT-3,588,671 ..... c09 N71-33109
US-PATENT-3,588,705 ..... c07 N71-33696
US-PATENT-3,588,751 ..... c07 N71-33606
US-PATENT-3,588,874 ..... c09 N71-33519
US-PATENT-3,588,883 ..... c10 N71-33407
US-PATENT-3,591,420 ..... c03 N71-33409
US-PATENT-3,591,426 ..... c17 N71-33408
US-PATENT-3,591,885 ..... c15 N72-11390
US-PATENT-3,591,960 ..... c15 N72-12409
US-PATENT-3,591,967 ..... c28 N72-11709
US-PATENT-3,592,422 ..... c15 N72-11391
US-PATENT-3,592,478 ..... c09 N72-11224
US-PATENT-3,592,505 ..... c05 N72-11085
US-PATENT-3,592,545 ..... c14 N72-11364
US-PATENT-3,592,559 ..... c02 N72-11018
US-PATENT-3,592,628 ..... c15 N72-11387
US-PATENT-3,592,768 ..... c15 N72-11389
US-PATENT-3,593,001 ..... c15 N72-11392
US-PATENT-3,593,024 ..... c24 N72-11595
US-PATENT-3,593,132 ..... c09 N72-11225
US-PATENT-3,593,138 ..... c07 N72-11149
US-PATENT-3,593,175 ..... c10 N72-11256
US-PATENT-3,593,180 ..... c07 N72-11150
US-PATENT-3,593,194 ..... c16 N72-12440
US-PATENT-3,594,790 ..... c07 N72-12080
US-PATENT-3,594,803 ..... c09 N72-12136
US-PATENT-3,596,465 ..... c28 N72-11708
US-PATENT-3,596,510 ..... c14 N72-11363
US-PATENT-3,596,554 ..... c15 N72-11385
US-PATENT-3,596,863 ..... c15 N72-11386
US-PATENT-3,597,281 ..... c03 N72-11062
US-PATENT-3,598,921 ..... c08 N72-11171
US-PATENT-3,599,216 ..... c07 N72-11148
US-PATENT-3,599,335 ..... c08 N72-11172
US-PATENT-3,599,443 ..... c05 N72-11084
US-PATENT-3,599,489 ..... c14 N72-11365
US-PATENT-3,600,046 ..... c15 N72-11388
US-PATENT-3,602,920 ..... c11 N72-17183
US-PATENT-3,602,923 ..... c05 N72-22093
US-PATENT-3,602,979 ..... c15 N72-22492

US-PATENT-3,602,984 ..... c26 N72-17820
US-PATENT-3,603,092 ..... c28 N72-17843
US-PATENT-3,603,093 ..... c28 N72-18766
US-PATENT-3,603,260 ..... c33 N72-17947
US-PATENT-3,603,285 ..... c25 N75-29192
US-PATENT-3,603,382 ..... c33 N72-17948
US-PATENT-3,603,433 ..... c15 N72-17450
US-PATENT-3,603,532 ..... c30 N72-17873
US-PATENT-3,603,683 ..... c14 N72-17326
US-PATENT-3,603,686 ..... c16 N72-13437
US-PATENT-3,603,690 ..... c14 N72-17323
US-PATENT-3,603,722 ..... c07 N72-17109
US-PATENT-3,603,772 ..... c08 N72-22166
US-PATENT-3,603,798 ..... c09 N72-17152
US-PATENT-3,603,864 ..... c09 N72-17154
US-PATENT-3,603,892 ..... c09 N72-17155
US-PATENT-3,603,946 ..... c09 N72-17153
US-PATENT-3,603,974 ..... c14 N72-18411
US-PATENT-3,603,976 ..... c08 N72-18184
US-PATENT-3,605,032 ..... c10 N72-17172
US-PATENT-3,605,424 ..... c15 N72-17453
US-PATENT-3,605,482 ..... c14 N72-16282
US-PATENT-3,605,495 ..... c14 N72-17327
US-PATENT-3,605,519 ..... c14 N72-17324
US-PATENT-3,606,212 ..... c31 N72-18859
US-PATENT-3,606,470 ..... c46 N74-23068
US-PATENT-3,606,522 ..... c23 N72-23695
US-PATENT-3,606,979 ..... c15 N72-17454
US-PATENT-3,607,015 ..... c06 N72-17093
US-PATENT-3,607,076 ..... c06 N72-17094
US-PATENT-3,607,080 ..... c06 N72-17095
US-PATENT-3,607,338 ..... c18 N72-17532
US-PATENT-3,607,401 ..... c03 N72-15986
US-PATENT-3,607,495 ..... c15 N72-16330
US-PATENT-3,608,046 ..... c15 N72-16329
US-PATENT-3,608,365 ..... c15 N72-17452
US-PATENT-3,608,409 ..... c14 N72-16283
US-PATENT-3,608,844 ..... c15 N72-18477
US-PATENT-3,609,230 ..... c09 N72-17156
US-PATENT-3,609,271 ..... c09 N72-22204
US-PATENT-3,609,327 ..... c08 N72-22167
US-PATENT-3,609,353 ..... c14 N72-17328
US-PATENT-3,609,364 ..... c10 N72-17173
US-PATENT-3,609,387 ..... c09 N72-17157
US-PATENT-3,609,535 ..... c14 N72-17325
US-PATENT-3,609,567 ..... c10 N72-17171
US-PATENT-3,609,740 ..... c05 N72-16015
US-PATENT-3,610,365 ..... c15 N72-17451
US-PATENT-3,611,274 ..... c15 N72-17455
US-PATENT-3,611,330 ..... c23 N72-17747
US-PATENT-3,611,798 ..... c14 N72-22437
US-PATENT-3,611,801 ..... c14 N72-17329
US-PATENT-3,612,030 ..... c46 N74-23069
US-PATENT-3,612,391 ..... c11 N72-22245
US-PATENT-3,612,442 ..... c28 N72-22769
US-PATENT-3,612,645 ..... c14 N72-22441
US-PATENT-3,612,743 ..... c09 N72-22198
US-PATENT-3,612,895 ..... c09 N72-22197
US-PATENT-3,613,110 ..... c08 N72-21199
US-PATENT-3,613,111 ..... c08 N72-21200
US-PATENT-3,613,370 ..... c28 N72-22770
US-PATENT-3,613,454 ..... c35 N77-27368
US-PATENT-3,613,457 ..... c15 N72-22482
US-PATENT-3,613,794 ..... c12 N72-21310
US-PATENT-3,614,228 ..... c14 N72-21409
US-PATENT-3,614,327 ..... c08 N72-22162
US-PATENT-3,614,343 ..... c07 N72-21119
US-PATENT-3,614,431 ..... c14 N72-21408
US-PATENT-3,614,475 ..... c10 N72-16172
US-PATENT-3,614,557 ..... c26 N72-21701
US-PATENT-3,614,587 ..... c09 N72-22196
US-PATENT-3,614,648 ..... c09 N72-21247
US-PATENT-3,614,772 ..... c08 N72-22163
US-PATENT-3,614,858 ..... c15 N72-21462
US-PATENT-3,614,859 ..... c09 N72-22195
US-PATENT-3,615,021 ..... c15 N72-22483
US-PATENT-3,615,241 ..... c15 N72-21465
US-PATENT-3,615,465 ..... c06 N72-21094
US-PATENT-3,615,853 ..... c03 N72-22042
US-PATENT-3,616,338 ..... c15 N72-21466
US-PATENT-3,616,528 ..... c03 N72-22041
US-PATENT-3,617,804 ..... c25 N72-24753
US-PATENT-3,619,856 ..... c15 N72-22487
US-PATENT-3,619,924 ..... c11 N72-22247
US-PATENT-3,620,018 ..... c28 N72-22771
US-PATENT-3,620,069 ..... c14 N72-22440
US-PATENT-3,620,076 ..... c11 N72-22246
US-PATENT-3,620,083 ..... c14 N72-22438
US-PATENT-3,620,055 ..... c15 N72-21463

US-PATENT-3,620,585 ..... c15 N72-22490
US-PATENT-3,620,595 ..... c14 N72-22445
US-PATENT-3,620,606 ..... c23 N72-22673
US-PATENT-3,620,718 ..... c17 N72-22535
US-PATENT-3,620,784 ..... c18 N72-23581
US-PATENT-3,620,791 ..... c18 N72-22566
US-PATENT-3,620,846 ..... c31 N72-22874
US-PATENT-3,621,130 ..... c08 N72-22164
US-PATENT-3,621,193 ..... c15 N72-23497
US-PATENT-3,621,194 ..... c15 N72-22491
US-PATENT-3,621,228 ..... c08 N72-22165
US-PATENT-3,621,277 ..... c10 N72-22236
US-PATENT-3,621,285 ..... c09 N72-22200
US-PATENT-3,621,287 ..... c09 N72-22201
US-PATENT-3,621,290 ..... c09 N72-22202
US-PATENT-3,621,294 ..... c09 N72-23171
US-PATENT-3,621,330 ..... c33 N77-21316
US-PATENT-3,621,362 ..... c09 N72-22203
US-PATENT-3,621,372 ..... c09 N72-25249
US-PATENT-3,621,406 ..... c09 N72-33204
US-PATENT-3,621,407 ..... c09 N72-21245
US-PATENT-3,621,565 ..... c09 N72-22199
US-PATENT-3,623,030 ..... c08 N72-21198
US-PATENT-3,623,094 ..... c10 N72-22235
US-PATENT-3,623,107 ..... c07 N72-21117
US-PATENT-3,623,114 ..... c07 N72-22127
US-PATENT-3,623,359 ..... c35 N77-27367
US-PATENT-3,623,360 ..... c14 N72-21405
US-PATENT-3,623,361 ..... c14 N72-21407
US-PATENT-3,623,394 ..... c15 N72-22488
US-PATENT-3,623,828 ..... c15 N72-22489
US-PATENT-3,623,861 ..... c17 N72-22530
US-PATENT-3,624,496 ..... c15 N72-21464
US-PATENT-3,624,598 ..... c21 N72-22619
US-PATENT-3,624,650 ..... c07 N72-21118
US-PATENT-3,624,659 ..... c09 N72-21246
US-PATENT-3,624,839 ..... c05 N72-20098
US-PATENT-3,625,018 ..... c15 N72-22484
US-PATENT-3,625,084 ..... c15 N72-22485
US-PATENT-3,625,766 ..... c03 N72-20032
US-PATENT-3,626,189 ..... c14 N72-20381
US-PATENT-3,626,218 ..... c14 N72-22439
US-PATENT-3,626,258 ..... c07 N72-20140
US-PATENT-3,626,308 ..... c10 N72-20223
US-PATENT-3,626,828 ..... c14 N72-20380
US-PATENT-3,628,113 ..... c37 N77-27400
US-PATENT-3,629,068 ..... c22 N72-20597
US-PATENT-3,629,161 ..... c18 N72-22567
US-PATENT-3,630,276 ..... c33 N72-20915
US-PATENT-3,630,304 ..... c11 N72-20244
US-PATENT-3,630,627 ..... c03 N72-20033
US-PATENT-3,631,339 ..... c08 N72-20177
US-PATENT-3,631,351 ..... c10 N72-20224
US-PATENT-3,631,382 ..... c09 N72-20200
US-PATENT-3,631,737 ..... c15 N72-28495
US-PATENT-3,632,081 ..... c15 N72-20442
US-PATENT-3,632,140 ..... c15 N72-20445
US-PATENT-3,632,242 ..... c15 N72-20446
US-PATENT-3,632,923 ..... c09 N72-20199
US-PATENT-3,632,996 ..... c08 N72-20176
US-PATENT-3,633,048 ..... c10 N72-20221
US-PATENT-3,633,110 ..... c07 N72-20141
US-PATENT-3,634,383 ..... c27 N73-22710
US-PATENT-3,635,216 ..... c05 N72-20096
US-PATENT-3,635,573 ..... c37 N77-22478
US-PATENT-3,635,765 ..... c03 N72-20034
US-PATENT-3,636,539 ..... c03 N72-20031
US-PATENT-3,636,564 ..... c05 N72-22092
US-PATENT-3,636,623 ..... c15 N72-20444
US-PATENT-3,636,711 ..... c28 N72-20758
US-PATENT-3,636,966 ..... c05 N72-20097
US-PATENT-3,637,051 ..... c15 N72-20443
US-PATENT-3,637,170 ..... c21 N72-21624
US-PATENT-3,637,312 ..... c14 N72-20379
US-PATENT-3,637,842 ..... c06 N72-20121
US-PATENT-3,638,002 ..... c08 N72-21197
US-PATENT-3,638,066 ..... c10 N72-20225
US-PATENT-3,638,103 ..... c09 N72-21243
US-PATENT-3,638,114 ..... c10 N72-20222
US-PATENT-3,638,224 ..... c09 N72-21244
US-PATENT-3,639,250 ..... c14 N72-22443
US-PATENT-3,639,510 ..... c06 N72-22107
US-PATENT-3,639,809 ..... c15 N72-22486
US-PATENT-3,639,835 ..... c14 N72-22442
US-PATENT-3,640,256 ..... c28 N72-22772
US-PATENT-3,647,276 ..... c14 N72-22444
US-PATENT-3,647,529 ..... c27 N74-23125
US-PATENT-3,647,924 ..... c11 N72-23215
US-PATENT-3,648,043 ..... c09 N72-23173

US-PATENT-3,648,083 ..... c12 N72-25292
US-PATENT-3,648,152 ..... c03 N72-23048
US-PATENT-3,648,209 ..... c09 N72-27226
US-PATENT-3,648,250 ..... c09 N72-25248
US-PATENT-3,648,256 ..... c08 N72-25207
US-PATENT-3,648,275 ..... c08 N72-25206
US-PATENT-3,648,461 ..... c28 N72-23810
US-PATENT-3,648,516 ..... c35 N74-22095
US-PATENT-3,649,242 ..... c15 N72-25448
US-PATENT-3,649,353 ..... c26 N72-28762
US-PATENT-3,649,356 ..... c15 N72-25447
US-PATENT-3,649,462 ..... c11 N72-25284
US-PATENT-3,649,907 ..... c09 N72-23172
US-PATENT-3,649,921 ..... c05 N72-23085
US-PATENT-3,649,935 ..... c07 N72-25170
US-PATENT-3,650,095 ..... c14 N72-23457
US-PATENT-3,650,474 ..... c28 N72-23809
US-PATENT-3,653,052 ..... c09 N72-25247
US-PATENT-3,653,882 ..... c18 N72-25539
US-PATENT-3,653,970 ..... c03 N72-24037
US-PATENT-3,654,036 ..... c03 N72-25019
US-PATENT-3,656,313 ..... c23 N72-25619
US-PATENT-3,656,317 ..... c33 N72-25911
US-PATENT-3,656,352 ..... c14 N72-25411
US-PATENT-3,656,781 ..... c15 N72-25450
US-PATENT-3,657,549 ..... c14 N72-25409
US-PATENT-3,657,644 ..... c14 N72-24477
US-PATENT-3,657,928 ..... c14 N72-25410
US-PATENT-3,658,295 ..... c15 N72-25451
US-PATENT-3,658,569 ..... c15 N72-25452
US-PATENT-3,658,608 ..... c27 N72-25699
US-PATENT-3,658,974 ..... c15 N72-24522
US-PATENT-3,659,043 ..... c14 N72-25412
US-PATENT-3,659,053 ..... c08 N72-25208
US-PATENT-3,659,148 ..... c09 N72-25250
US-PATENT-3,659,184 ..... c09 N72-25251
US-PATENT-3,659,225 ..... c16 N72-25485
US-PATENT-3,659,292 ..... c08 N72-25209
US-PATENT-3,660,240 ..... c06 N72-25149
US-PATENT-3,660,434 ..... c06 N72-25148
US-PATENT-3,660,704 ..... c15 N72-25456
US-PATENT-3,660,851 ..... c05 N72-25119
US-PATENT-3,662,337 ..... c08 N72-25210
US-PATENT-3,662,441 ..... c05 N72-25121
US-PATENT-3,662,547 ..... c15 N72-25455
US-PATENT-3,662,604 ..... c13 N72-25323
US-PATENT-3,662,661 ..... c31 N72-25842
US-PATENT-3,662,744 ..... c05 N72-25122
US-PATENT-3,662,973 ..... c21 N72-25595
US-PATENT-3,663,346 ..... c18 N72-25541
US-PATENT-3,663,347 ..... c18 N72-25540
US-PATENT-3,663,464 ..... c06 N72-25147
US-PATENT-3,663,521 ..... c06 N72-25152
US-PATENT-3,663,753 ..... c14 N72-25414
US-PATENT-3,663,828 ..... c09 N72-25262
US-PATENT-3,663,839 ..... c09 N72-25260
US-PATENT-3,663,843 ..... c09 N72-25255
US-PATENT-3,663,885 ..... c09 N72-25257
US-PATENT-3,663,886 ..... c09 N72-25258
US-PATENT-3,663,929 ..... c09 N72-25256
US-PATENT-3,663,938 ..... c03 N72-25020
US-PATENT-3,663,940 ..... c09 N72-25252
US-PATENT-3,663,941 ..... c09 N72-25253
US-PATENT-3,663,944 ..... c09 N72-25254
US-PATENT-3,664,185 ..... c15 N72-26371
US-PATENT-3,664,874 ..... c09 N72-25259
US-PATENT-3,665,064 ..... c05 N72-25120
US-PATENT-3,665,307 ..... c15 N72-25457
US-PATENT-3,665,313 ..... c07 N72-25173
US-PATENT-3,665,417 ..... c07 N72-25172
US-PATENT-3,665,467 ..... c14 N72-28437
US-PATENT-3,665,481 ..... c07 N72-25174
US-PATENT-3,665,589 ..... c09 N72-25261
US-PATENT-3,665,669 ..... c15 N72-25454
US-PATENT-3,665,670 ..... c11 N72-25287
US-PATENT-3,665,750 ..... c33 N72-25913
US-PATENT-3,665,751 ..... c32 N72-25877
US-PATENT-3,665,758 ..... c11 N72-25288
US-PATENT-3,666,051 ..... c15 N72-25453
US-PATENT-3,666,120 ..... c03 N72-25021
US-PATENT-3,666,566 ..... c03 N72-26031
US-PATENT-3,666,631 ..... c14 N72-25413
US-PATENT-3,666,718 ..... c06 N72-25151
US-PATENT-3,666,741 ..... c06 N72-25150
US-PATENT-3,666,582 ..... c06 N72-25146
US-PATENT-3,667,010 ..... c26 N72-25679
US-PATENT-3,667,039 ..... c26 N72-25680
US-PATENT-3,667,044 ..... c07 N72-25171
US-PATENT-3,668,556 ..... c15 N72-27485

US-PATENT-3,669,110 ..... c05 N72-27103
US-PATENT-3,669,393 ..... c15 N72-27484
US-PATENT-3,670,097 ..... c23 N72-27728
US-PATENT-3,670,168 ..... c14 N72-27409
US-PATENT-3,670,202 ..... c14 N72-27411
US-PATENT-3,670,241 ..... c14 N72-27408
US-PATENT-3,670,290 ..... c09 N72-28225
US-PATENT-3,670,559 ..... c33 N72-27959
US-PATENT-3,670,563 ..... c14 N72-27412
US-PATENT-3,670,564 ..... c11 N72-27262
US-PATENT-3,670,890 ..... c05 N72-27102
US-PATENT-3,671,105 ..... c26 N72-27784
US-PATENT-3,671,329 ..... c14 N72-27410
US-PATENT-3,671,497 ..... c06 N72-27144
US-PATENT-3,671,798 ..... c10 N72-27246
US-PATENT-3,672,999 ..... c03 N72-27053
US-PATENT-3,673,424 ..... c09 N72-27227
US-PATENT-3,673,440 ..... c09 N72-27228
US-PATENT-3,675,332 ..... c14 N72-28436
US-PATENT-3,675,376 ..... c15 N72-28496
US-PATENT-3,675,712 ..... c03 N72-28025
US-PATENT-3,675,910 ..... c17 N72-28535
US-PATENT-3,675,935 ..... c15 N72-29488
US-PATENT-3,676,084 ..... c17 N72-28536
US-PATENT-3,676,674 ..... c14 N72-29464
US-PATENT-3,676,754 ..... c26 N72-28761
US-PATENT-3,676,772 ..... c10 N72-28240
US-PATENT-3,676,787 ..... c16 N72-28521
US-PATENT-3,676,809 ..... c09 N72-29172
US-PATENT-3,678,191 ..... c10 N72-31273
US-PATENT-3,678,654 ..... c06 N72-31140
US-PATENT-3,678,685 ..... c21 N72-31637
US-PATENT-3,678,771 ..... c37 N74-23070
US-PATENT-3,679,360 ..... c04 N72-33072
US-PATENT-3,679,899 ..... c06 N72-31141
US-PATENT-3,680,142 ..... c09 N72-31235
US-PATENT-3,680,144 ..... c07 N72-32169
US-PATENT-3,680,830 ..... c15 N72-31483
US-PATENT-3,681,581 ..... c08 N72-31226
US-PATENT-3,686,542 ..... c14 N72-31446
US-PATENT-3,690,291 ..... c15 N72-32487
US-PATENT-3,692,533 ..... c05 N72-33096
US-PATENT-3,693,002 ..... c25 N72-32688
US-PATENT-3,693,105 ..... c10 N72-33230
US-PATENT-3,693,346 ..... c15 N72-33477
US-PATENT-3,693,418 ..... c14 N72-33377
US-PATENT-3,694,041 ..... c15 N72-33476
US-PATENT-3,694,094 ..... c14 N72-32452
US-PATENT-3,694,313 ..... c24 N72-33681
US-PATENT-3,694,581 ..... c08 N72-33172
US-PATENT-3,694,655 ..... c25 N72-33696
US-PATENT-3,694,700 ..... c09 N72-33205
US-PATENT-3,694,753 ..... c07 N72-33146
US-PATENT-3,694,771 ..... c09 N73-15235
US-PATENT-3,695,101 ..... c11 N73-12264
US-PATENT-3,696,418 ..... c09 N73-12211
US-PATENT-3,696,833 ..... c11 N73-12265
US-PATENT-3,697,021 ..... c15 N73-12486
US-PATENT-3,697,630 ..... c15 N73-12489
US-PATENT-3,697,705 ..... c35 N77-21392
US-PATENT-3,697,733 ..... c08 N73-12176
US-PATENT-3,697,950 ..... c08 N73-12177
US-PATENT-3,697,968 ..... c21 N73-13644
US-PATENT-3,698,385 ..... c05 N73-13114
US-PATENT-3,698,412 ..... c14 N73-13418
US-PATENT-3,698,659 ..... c11 N73-13257
US-PATENT-3,698,667 ..... c02 N73-13008
US-PATENT-3,698,848 ..... c15 N73-13464
US-PATENT-3,699,511 ..... c21 N73-13643
US-PATENT-3,699,645 ..... c14 N73-13417
US-PATENT-3,699,799 ..... c15 N73-13463
US-PATENT-3,699,807 ..... c14 N73-13416
US-PATENT-3,699,811 ..... c14 N73-13415
US-PATENT-3,700,005 ..... c15 N73-13462
US-PATENT-3,700,192 ..... c31 N73-13898
US-PATENT-3,700,193 ..... c30 N73-12884
US-PATENT-3,700,291 ..... c15 N73-12488
US-PATENT-3,700,334 ..... c14 N73-12446
US-PATENT-3,700,503 ..... c14 N73-12447
US-PATENT-3,700,538 ..... c18 N73-12604
US-PATENT-3,700,575 ..... c15 N73-12487
US-PATENT-3,700,603 ..... c14 N73-14428
US-PATENT-3,700,812 ..... c10 N73-12244
US-PATENT-3,700,868 ..... c09 N73-13209
US-PATENT-3,700,869 ..... c08 N73-12175
US-PATENT-3,700,893 ..... c14 N73-12444
US-PATENT-3,700,897 ..... c14 N73-12445
US-PATENT-3,700,961 ..... c23 N73-13660
US-PATENT-3,701,631 ..... c17 N73-12547

US-PATENT-3,701,894 ..... c07 N73-13149
US-PATENT-3,702-751 ..... c15 N73-13465
US-PATENT-3,702,463 ..... c08 N73-13187
US-PATENT-3,702,520 ..... c32 N73-13921
US-PATENT-3,702,532 ..... c15 N73-13467
US-PATENT-3,702,536 ..... c28 N73-13773
US-PATENT-3,702,575 ..... c15 N73-13466
US-PATENT-3,702,688 ..... c31 N73-14854
US-PATENT-3,702,735 ..... c23 N73-13661
US-PATENT-3,702,762 ..... c06 N73-13129
US-PATENT-3,702,775 ..... c06 N73-13128
US-PATENT-3,702,841 ..... c18 N73-13562
US-PATENT-3,702,858 ..... c10 N73-13235
US-PATENT-3,702,933 ..... c23 N73-13662
US-PATENT-3,702,951 ..... c09 N73-13208
US-PATENT-3,702,972 ..... c16 N73-13489
US-PATENT-3,702,979 ..... c14 N73-13420
US-PATENT-3,704,659 ..... c14 N73-14427
US-PATENT-3,705,255 ..... c15 N73-14469
US-PATENT-3,705,316 ..... c09 N73-14214
US-PATENT-3,705,406 ..... c07 N73-14130
US-PATENT-3,706,221 ..... c14 N73-14429
US-PATENT-3,706,230 ..... c31 N73-14855
US-PATENT-3,706,281 ..... c31 N73-14853
US-PATENT-3,706,583 ..... c18 N73-14584
US-PATENT-3,706,970 ..... c21 N73-14692
US-PATENT-3,708,359 ..... c27 N73-16764
US-PATENT-3,708,419 ..... c33 N73-16918
US-PATENT-3,708,671 ..... c14 N73-16483
US-PATENT-3,708,674 ..... c14 N73-16484
US-PATENT-3,709,663 ..... c06 N73-16106
US-PATENT-3,710,122 ..... c16 N73-16536
US-PATENT-3,710,257 ..... c07 N73-16121
US-PATENT-3,710,261 ..... c10 N73-16205
US-PATENT-3,710,329 ..... c10 N73-16206
US-PATENT-3,711,042 ..... c02 N73-19004
US-PATENT-3,711,701 ..... c74 N77-21941
US-PATENT-3,712,120 ..... c14 N73-19421
US-PATENT-3,712,121 ..... c14 N73-19420
US-PATENT-3,712,132 ..... c14 N73-20478
US-PATENT-3,712,195 ..... c14 N73-19419
US-PATENT-3,712,591 ..... c15 N73-19458
US-PATENT-3,713,163 ..... c09 N73-19234
US-PATENT-3,713,250 ..... c28 N73-19793
US-PATENT-3,713,480 ..... c05 N73-20137
US-PATENT-3,713,987 ..... c15 N73-20514
US-PATENT-3,714,332 ..... c15 N73-19457
US-PATENT-3,714,405 ..... c10 N73-20253
US-PATENT-3,714,432 ..... c14 N73-20475
US-PATENT-3,714,526 ..... c09 N73-19235
US-PATENT-3,714,588 ..... c09 N73-20231
US-PATENT-3,714,624 ..... c14 N73-20474
US-PATENT-3,714,645 ..... c08 N73-20217
US-PATENT-3,714,821 ..... c14 N73-20476
US-PATENT-3,714,833 ..... c11 N73-20267
US-PATENT-3,715,092 ..... c03 N73-20039
US-PATENT-3,715,152 ..... c23 N73-20741
US-PATENT-3,715,590 ..... c14 N73-20477
US-PATENT-3,715,600 ..... c03 N73-20040
US-PATENT-3,715,660 ..... c07 N73-20175
US-PATENT-3,715,663 ..... c07 N73-20174
US-PATENT-3,715,693 ..... c09 N73-20232
US-PATENT-3,715,723 ..... c07 N73-20176
US-PATENT-3,715,915 ..... c32 N73-20740
US-PATENT-3,718,863 ..... c10 N73-20254
US-PATENT-3,719,891 ..... c07 N73-25160
US-PATENT-3,720,075 ..... c33 N73-25952
US-PATENT-3,720,208 ..... c05 N73-25125
US-PATENT-3,723,475 ..... c14 N73-25462
US-PATENT-3,728,861 ..... c28 N73-24783
US-PATENT-3,729,068 ..... c15 N73-25512
US-PATENT-3,729,129 ..... c08 N73-25206
US-PATENT-3,729,260 ..... c14 N73-25463
US-PATENT-3,729,343 ..... c14 N73-24472
US-PATENT-3,729,343 ..... c35 N76-15434
US-PATENT-3,729,676 ..... c14 N73-24473
US-PATENT-3,729,736 ..... c07 N73-25161
US-PATENT-3,729,743 ..... c07 N73-24176
US-PATENT-3,729,535 ..... c28 N73-24784
US-PATENT-3,730,287 ..... c11 N73-26238
US-PATENT-3,730,851 ..... c18 N73-26572
US-PATENT-3,731,528 ..... c12 N73-25262
US-PATENT-3,731,531 ..... c14 N73-25460
US-PATENT-3,732,040 ..... c15 N73-24513
US-PATENT-3,732,158 ..... c17 N73-24569
US-PATENT-3,732,397 ..... c33 N74-14935
US-PATENT-3,732,405 ..... c10 N73-25240
US-PATENT-3,732,409 ..... c08 N73-26175
US-PATENT-3,732,567 ..... c14 N73-25461

US-PATENT-3,733,350 ..... c06 N73-26100
US-PATENT-3,733,424 ..... c32 N73-26910
US-PATENT-3,733,463 ..... c14 N73-26430
US-PATENT-3,734,432 ..... c02 N73-26004
US-PATENT-3,735,206 ..... c10 N73-25243
US-PATENT-3,735,591 ..... c25 N73-25760
US-PATENT-3,736,453 ..... c33 N77-22386
US-PATENT-3,736,607 ..... c02 N73-26006
US-PATENT-3,736,764 ..... c05 N73-26071
US-PATENT-3,736,849 ..... c14 N73-26431
US-PATENT-3,736,938 ..... c05 N73-27062
US-PATENT-3,736,956 ..... c15 N73-26472
US-PATENT-3,737,117 ..... c31 N73-26876
US-PATENT-3,737,118 ..... c15 N73-25513
US-PATENT-3,737,121 ..... c02 N73-26005
US-PATENT-3,737,121 ..... c05 N76-29217
US-PATENT-3,737,181 ..... c33 N73-26958
US-PATENT-3,737,214 ..... c52 N76-30793
US-PATENT-3,737,217 ..... c05 N73-26072
US-PATENT-3,737,231 ..... c07 N73-26119
US-PATENT-3,737,237 ..... c26 N73-26751
US-PATENT-3,737,639 ..... c10 N73-26230
US-PATENT-3,737,676 ..... c10 N73-26229
US-PATENT-3,737,757 ..... c10 N73-26228
US-PATENT-3,737,762 ..... c14 N73-28486
US-PATENT-3,737,776 ..... c07 N73-26118
US-PATENT-3,737,781 ..... c10 N73-25241
US-PATENT-3,737,815 ..... c09 N73-26195
US-PATENT-3,737,824 ..... c26 N73-26752
US-PATENT-3,737,905 ..... c14 N73-26432
US-PATENT-3,737,912 ..... c07 N73-26117
US-PATENT-3,739,646 ..... c04 N76-26175
US-PATENT-3,740,671 ..... c10 N73-27171
US-PATENT-3,740,725 ..... c08 N73-26176
US-PATENT-3,741,001 ..... c14 N73-27376
US-PATENT-3,742,316 ..... c09 N73-27150
US-PATENT-3,744,128 ..... c09 N73-28083
US-PATENT-3,744,148 ..... c14 N73-28489
US-PATENT-3,744,247 ..... c28 N73-27699
US-PATENT-3,744,294 ..... c14 N73-27379
US-PATENT-3,744,305 ..... c12 N73-28144
US-PATENT-3,744,480 ..... c05 N73-27941
US-PATENT-3,744,510 ..... c15 N73-27406
US-PATENT-3,744,738 ..... c14 N73-27378
US-PATENT-3,744,739 ..... c15 N77-10112
US-PATENT-3,744,794 ..... c14 N73-27377
US-PATENT-3,744,912 ..... c16 N73-30476
US-PATENT-3,744,913 ..... c14 N73-28490
US-PATENT-3,744,972 ..... c17 N73-27446
US-PATENT-3,745,082 ..... c18 N73-30532
US-PATENT-3,745,089 ..... c06 N73-27086
US-PATENT-3,745,090 ..... c04 N73-27052
US-PATENT-3,745,149 ..... c06 N73-27980
US-PATENT-3,745,255 ..... c07 N73-28012
US-PATENT-3,745,300 ..... c15 N73-28515
US-PATENT-3,745,352 ..... c08 N73-30135
US-PATENT-3,745,357 ..... c14 N73-28488
US-PATENT-3,745,410 ..... c09 N73-30181
US-PATENT-3,745,475 ..... c14 N73-30386
US-PATENT-3,745,739 ..... c15 N73-27405
US-PATENT-3,745,816 ..... c33 N73-27796
US-PATENT-3,746,958 ..... c07 N73-30113
US-PATENT-3,747,111 ..... c07 N73-28013
US-PATENT-3,748,722 ..... c15 N73-33383
US-PATENT-3,748,853 ..... c23 N73-30665
US-PATENT-3,748,905 ..... c14 N73-30395
US-PATENT-3,749,123 ..... c15 N73-30459
US-PATENT-3,749,156 ..... c31 N73-30829
US-PATENT-3,749,205 ..... c15 N73-30460
US-PATENT-3,749,332 ..... c31 N73-32750
US-PATENT-3,749,362 ..... c15 N73-30457
US-PATENT-3,749,831 ..... c07 N73-30115
US-PATENT-3,749,911 ..... c14 N73-30389
US-PATENT-3,750,016 ..... c14 N73-30388
US-PATENT-3,750,035 ..... c33 N77-13315
US-PATENT-3,750,067 ..... c09 N73-30185
US-PATENT-3,750,131 ..... c10 N73-30205
US-PATENT-3,750,168 ..... c21 N73-30641
US-PATENT-3,750,479 ..... c05 N73-30078
US-PATENT-3,751,123 ..... c15 N73-30458
US-PATENT-3,751,727 ..... c05 N73-32012
US-PATENT-3,751,733 ..... c05 N73-32013
US-PATENT-3,751,913 ..... c06 N73-30097
US-PATENT-3,751,980 ..... c14 N73-32326
US-PATENT-3,752,556 ..... c35 N74-17153
US-PATENT-3,752,559 ..... c14 N73-30393
US-PATENT-3,752,564 ..... c23 N73-30666
US-PATENT-3,752,665 ..... c18 N73-32437
US-PATENT-3,752,847 ..... c06 N73-30098

US-PATENT-3,752,986 ..... c14 N73-30392
US-PATENT-3,752,993 ..... c21 N73-30640
US-PATENT-3,752,996 ..... c91 N74-13130
US-PATENT-3,753,148 ..... c09 N73-32111
US-PATENT-3,754,236 ..... c08 N73-32081
US-PATENT-3,754,263 ..... c09 N73-32110
US-PATENT-3,754,976 ..... c15 N73-32360
US-PATENT-3,755,265 ..... c06 N73-33076
US-PATENT-3,755,283 ..... c06 N73-32029
US-PATENT-3,755,686 ..... c03 N73-31988
US-PATENT-3,756,920 ..... c05 N73-32011
US-PATENT-3,757,183 ..... c09 N73-32107
US-PATENT-3,757,476 ..... c31 N73-32749
US-PATENT-3,757,568 ..... c14 N73-32323
US-PATENT-3,757,659 ..... c14 N73-32322
US-PATENT-3,758,112 ..... c05 N73-32014
US-PATENT-3,758,718 ..... c10 N73-32143
US-PATENT-3,758,741 ..... c15 N73-32358
US-PATENT-3,758,781 ..... c14 N73-32317
US-PATENT-3,758,877 ..... c16 N73-32391
US-PATENT-3,759,152 ..... c14 N73-32319
US-PATENT-3,759,249 ..... c05 N73-32015
US-PATENT-3,759,443 ..... c28 N73-32606
US-PATENT-3,759,588 ..... c15 N73-32359
US-PATENT-3,759,672 ..... c14 N73-32320
US-PATENT-3,759,746 ..... c09 N73-32108
US-PATENT-3,759,747 ..... c44 N74-19692
US-PATENT-3,759,787 ..... c22 N73-32528
US-PATENT-3,760,239 ..... c09 N73-32112
US-PATENT-3,760,248 ..... c10 N73-32145
US-PATENT-3,760,257 ..... c09 N73-32109
US-PATENT-3,760,268 ..... c14 N73-32318
US-PATENT-3,760,394 ..... c10 N73-32144
US-PATENT-3,762,884 ..... c17 N73-32414
US-PATENT-3,762,918 ..... c17 N73-32415
US-PATENT-3,763,204 ..... c06 N73-32030
US-PATENT-3,763,552 ..... c26 N73-32571
US-PATENT-3,763,691 ..... c14 N73-32327
US-PATENT-3,763,708 ..... c35 N74-18323
US-PATENT-3,763,740 ..... c11 N73-32152
US-PATENT-3,763,928 ..... c33 N73-32818
US-PATENT-3,764,057 ..... c02 N74-10034
US-PATENT-3,764,209 ..... c14 N73-33361
US-PATENT-3,764,220 ..... c16 N73-33397
US-PATENT-3,764,790 ..... c33 N74-10223
US-PATENT-3,764,850 ..... c33 N74-10195
US-PATENT-3,764,933 ..... c33 N74-10194
US-PATENT-3,765,229 ..... c35 N74-10415
US-PATENT-3,765,958 ..... c26 N74-10521
US-PATENT-3,766,315 ..... c32 N74-10132
US-PATENT-3,766,380 ..... c35 N74-11284
US-PATENT-3,767,212 ..... c37 N74-10474
US-PATENT-3,769,623 ..... c32 N74-11000
US-PATENT-3,769,689 ..... c37 N74-11301
US-PATENT-3,769,834 ..... c52 N74-10975
US-PATENT-3,770,021 ..... c33 N74-11050
US-PATENT-3,770,903 ..... c35 N74-11283
US-PATENT-3,770,933 ..... c37 N74-11300
US-PATENT-3,771,037 ..... c08 N74-10942
US-PATENT-3,771,040 ..... c33 N74-11049
US-PATENT-3,771,074 ..... c36 N74-11313
US-PATENT-3,771,959 ..... c25 N74-12813
US-PATENT-3,772,174 ..... c27 N74-13270
US-PATENT-3,772,216 ..... c27 N74-12812
US-PATENT-3,772,220 ..... c27 N74-12814
US-PATENT-3,772,272 ..... c33 N74-12887
US-PATENT-3,772,418 ..... c31 N74-13177
US-PATENT-3,772,691 ..... c32 N74-12912
US-PATENT-3,773,038 ..... c52 N74-12778
US-PATENT-3,773,913 ..... c46 N74-13011
US-PATENT-3,775,101 ..... c37 N74-13179
US-PATENT-3,776,028 ..... c35 N74-13129
US-PATENT-3,776,432 ..... c37 N74-13178
US-PATENT-3,776,455 ..... c04 N74-13420
US-PATENT-3,777,200 ..... c33 N74-12913
US-PATENT-3,777,490 ..... c20 N74-13502
US-PATENT-3,777,546 ..... c35 N74-13132
US-PATENT-3,777,552 ..... c38 N74-15130
US-PATENT-3,777,605 ..... c39 N74-13131
US-PATENT-3,777,942 ..... c54 N74-12779
US-PATENT-3,778,685 ..... c33 N74-12951
US-PATENT-3,778,786 ..... c60 N74-12888
US-PATENT-3,778,791 ..... c36 N74-13205
US-PATENT-3,779,788 ..... c70 N74-13436
US-PATENT-3,780,151 ..... c31 N74-14133
US-PATENT-3,780,424 ..... c44 N74-14784
US-PATENT-3,780,563 ..... c35 N74-15092
US-PATENT-3,780,827 ..... c07 N74-15453
US-PATENT-3,780,966 ..... c19 N74-15089

US-PATENT-3,781,111 ..... c36 N74-15145
US-PATENT-3,781,549 ..... c35 N74-15090
US-PATENT-3,781,562 ..... c35 N74-15091
US-PATENT-3,781,902 ..... c35 N74-15831
US-PATENT-3,781,933 ..... c54 N74-14845
US-PATENT-3,781,958 ..... c37 N74-15128
US-PATENT-3,782,177 ..... c38 N74-15395
US-PATENT-3,782,181 ..... c34 N74-15652
US-PATENT-3,782,205 ..... c35 N74-15094
US-PATENT-3,782,334 ..... c51 N74-15778
US-PATENT-3,782,698 ..... c35 N74-15093
US-PATENT-3,782,699 ..... c35 N74-15126
US-PATENT-3,782,737 ..... c37 N74-15125
US-PATENT-3,782,825 ..... c35 N74-15146
US-PATENT-3,782,835 ..... c74 N74-15095
US-PATENT-3,782,904 ..... c35 N74-15127
US-PATENT-3,783,250 ..... c62 N74-14920
US-PATENT-3,783,354 ..... c33 N74-14956
US-PATENT-3,783,399 ..... c33 N74-14939
US-PATENT-3,783,443 ..... c35 N74-16135
US-PATENT-3,784,499 ..... c27 N74-17283
US-PATENT-3,787,959 ..... c37 N74-18128
US-PATENT-3,788,163 ..... c37 N74-18127
US-PATENT-3,789,654 ..... c25 N74-18551
US-PATENT-3,789,920 ..... c34 N74-18552
US-PATENT-3,789,947 ..... c37 N74-18125
US-PATENT-3,790,037 ..... c54 N74-17853
US-PATENT-3,790,347 ..... c37 N74-18123
US-PATENT-3,790,409 ..... c44 N74-19693
US-PATENT-3,790,432 ..... c37 N74-18126
US-PATENT-3,790,650 ..... c31 N74-18124
US-PATENT-3,790,795 ..... c35 N74-18088
US-PATENT-3,790,906 ..... c33 N74-17927
US-PATENT-3,791,207 ..... c09 N74-17955
US-PATENT-3,792,399 ..... c33 N74-17928
US-PATENT-3,793,109 ..... c31 N74-18089
US-PATENT-3,795,134 ..... c09 N74-19528
US-PATENT-3,795,448 ..... c72 N74-19310
US-PATENT-3,795,840 ..... c33 N74-17929
US-PATENT-3,795,858 ..... c35 N74-18090
US-PATENT-3,795,862 ..... c33 N74-17930
US-PATENT-3,795,900 ..... c35 N74-17885
US-PATENT-3,795,910 ..... c44 N74-19870
US-PATENT-3,796,473 ..... c37 N74-20063
US-PATENT-3,796,592 ..... c24 N74-19769
US-PATENT-3,797,098 ..... c37 N74-21057
US-PATENT-3,797,919 ..... c70 N74-21300
US-PATENT-3,798,741 ..... c31 N74-21059
US-PATENT-3,798,748 ..... c37 N74-21055
US-PATENT-3,798,778 ..... c19 N74-21015
US-PATENT-3,798,896 ..... c37 N74-21060
US-PATENT-3,799,149 ..... c52 N74-20728
US-PATENT-3,799,475 ..... c02 N74-20646
US-PATENT-3,799,793 ..... c74 N74-20008
US-PATENT-3,799,813 ..... c76 N74-20329
US-PATENT-3,800,074 ..... c36 N74-20009
US-PATENT-3,800,082 ..... c71 N74-21014
US-PATENT-3,800,224 ..... c32 N74-19790
US-PATENT-3,800,227 ..... c32 N74-20809
US-PATENT-3,800,237 ..... c32 N74-19788
US-PATENT-3,800,253 ..... c37 N74-21056
US-PATENT-3,801,617 ..... c37 N74-21058
US-PATENT-3,802,249 ..... c35 N74-21019
US-PATENT-3,802,253 ..... c52 N74-20726
US-PATENT-3,802,262 ..... c35 N74-21018
US-PATENT-3,802,660 ..... c37 N74-21065
US-PATENT-3,802,753 ..... c37 N74-21064
US-PATENT-3,802,779 ..... c74 N74-21304
US-PATENT-3,803,090 ..... c27 N74-21156
US-PATENT-3,803,090 ..... c27 N76-32315
US-PATENT-3,803,393 ..... c60 N74-20836
US-PATENT-3,803,445 ..... c32 N74-20813
US-PATENT-3,803,617 ..... c32 N74-20863
US-PATENT-3,804,472 ..... c37 N74-21061
US-PATENT-3,804,472 ..... c37 N76-15461
US-PATENT-3,804,506 ..... c33 N74-20861
US-PATENT-3,804,525 ..... c36 N74-21091
US-PATENT-3,804,703 ..... c37 N74-21063
US-PATENT-3,805,266 ..... c32 N74-20864
US-PATENT-3,805,303 ..... c54 N74-20725
US-PATENT-3,805,622 ..... c35 N74-21062
US-PATENT-3,806,756 ..... c33 N74-21850
US-PATENT-3,806,802 ..... c35 N74-21017
US-PATENT-3,806,815 ..... c32 N74-20811
US-PATENT-3,806,816 ..... c32 N74-20810
US-PATENT-3,806,831 ..... c33 N74-20862
US-PATENT-3,806,834 ..... c36 N76-18427
US-PATENT-3,806,835 ..... c33 N74-20859
US-PATENT-3,806,932 ..... c33 N74-20860

US-PATENT-3,807,384 ..... c34 N74-23039
US-PATENT-3,807,656 ..... c18 N74-22136
US-PATENT-3,808,464 ..... c33 N74-22814
US-PATENT-3,808,511 ..... c33 N74-22864
US-PATENT-3,808,517 ..... c33 N74-22885
US-PATENT-3,809,481 ..... c35 N74-23040
US-PATENT-3,809,601 ..... c37 N74-23064
US-PATENT-3,809,800 ..... c33 N74-22865
US-PATENT-3,809,871 ..... c52 N74-22771
US-PATENT-3,810,829 ..... c31 N74-23065
US-PATENT-3,811,044 ..... c34 N74-23066
US-PATENT-3,811,094 ..... c33 N74-21851
US-PATENT-3,811,429 ..... c52 N74-27566
US-PATENT-3,812,358 ..... c35 N74-26949
US-PATENT-3,812,783 ..... c28 N74-27425
US-PATENT-3,812,924 ..... c35 N74-26945
US-PATENT-3,812,936 ..... c37 N74-26976
US-PATENT-3,813,183 ..... c37 N74-25968
US-PATENT-3,813,875 ..... c15 N74-27360
US-PATENT-3,813,937 ..... c34 N74-27859
US-PATENT-3,814,083 ..... c52 N74-26626
US-PATENT-3,814,350 ..... c18 N74-27397
US-PATENT-3,814,645 ..... c24 N74-30001
US-PATENT-3,814,653 ..... c24 N74-27035
US-PATENT-3,814,678 ..... c25 N74-26948
US-PATENT-3,814,939 ..... c25 N74-26947
US-PATENT-3,815,048 ..... c33 N74-26732
US-PATENT-3,815,109 ..... c52 N74-26625
US-PATENT-3,815,205 ..... c33 N74-26977
US-PATENT-3,815,969 ..... c35 N74-26946
US-PATENT-3,816,657 ..... c32 N74-26654
US-PATENT-3,816,785 ..... c73 N74-26767
US-PATENT-3,817,082 ..... c34 N74-27730
US-PATENT-3,817,084 ..... c31 N74-27900
US-PATENT-3,817,622 ..... c75 N74-30156
US-PATENT-3,817,627 ..... c35 N74-27860
US-PATENT-3,818,325 ..... c44 N74-27519
US-PATENT-3,818,346 ..... c33 N74-27705
US-PATENT-3,818,767 ..... c35 N74-28097
US-PATENT-3,818,775 ..... c37 N74-27901
US-PATENT-3,818,814 ..... c31 N74-27902
US-PATENT-3,819,299 ..... c37 N74-27904
US-PATENT-3,819,419 ..... c34 N74-27861
US-PATENT-3,819,440 ..... c32 N74-27612
US-PATENT-3,819,550 ..... c27 N74-27037
US-PATENT-3,820,095 ..... c33 N74-27862
US-PATENT-3,820,286 ..... c37 N74-27905
US-PATENT-3,820,388 ..... c35 N74-27865
US-PATENT-3,820,529 ..... c52 N74-27864
US-PATENT-3,820,630 ..... c07 N74-27490
US-PATENT-3,820,741 ..... c37 N74-27903
US-PATENT-3,820,918 ..... c07 N74-28226
US-PATENT-3,821,102 ..... c34 N74-27744
US-PATENT-3,821,462 ..... c33 N74-27683
US-PATENT-3,821,546 ..... c33 N74-27682
US-PATENT-3,821,556 ..... c74 N74-27866
US-PATENT-3,824,707 ..... c09 N74-30597
US-PATENT-3,825,760 ..... c19 N74-29410
US-PATENT-3,826,448 ..... c08 N74-30421
US-PATENT-3,826,726 ..... c25 N74-30502
US-PATENT-3,826,729 ..... c20 N74-31269
US-PATENT-3,826,964 ..... c33 N74-29556
US-PATENT-3,827,288 ..... c71 N74-31148
US-PATENT-3,827,807 ..... c89 N74-30886
US-PATENT-3,828,137 ..... c32 N74-30524
US-PATENT-3,828,138 ..... c32 N74-30523
US-PATENT-3,828,524 ..... c34 N74-30608
US-PATENT-3,829,237 ..... c07 N74-31270
US-PATENT-3,829,839 ..... c60 N76-18800
US-PATENT-3,830,060 ..... c44 N74-33379
US-PATENT-3,830,094 ..... c35 N74-32879
US-PATENT-3,830,335 ..... c07 N74-32418
US-PATENT-3,830,431 ..... c07 N74-33218
US-PATENT-3,830,552 ..... c37 N74-32921
US-PATENT-3,830,552 ..... c37 N76-15461
US-PATENT-3,830,609 ..... c31 N74-32920
US-PATENT-3,830,673 ..... c28 N74-33209
US-PATENT-3,831,098 ..... c33 N74-32711
US-PATENT-3,831,117 ..... c33 N74-32712
US-PATENT-3,831,142 ..... c32 N74-32598
US-PATENT-3,832,290 ..... c20 N74-32919
US-PATENT-3,832,735 ..... c54 N74-32546
US-PATENT-3,832,764 ..... c37 N74-32918
US-PATENT-3,832,781 ..... c35 N74-32877
US-PATENT-3,832,903 ..... c35 N74-32878
US-PATENT-3,833,322 ..... c31 N74-32917
US-PATENT-3,833,336 ..... c25 N74-33378
US-PATENT-3,833,857 ..... c33 N74-32660
US-PATENT-3,835,318 ..... c35 N74-34857
US-PATENT-3,837,285 ..... c85 N74-34672
US-PATENT-3,840,829 ..... c33 N74-34638
US-PATENT-3,841,973 ..... c35 N75-12272
US-PATENT-3,842,485 ..... c37 N75-12326
US-PATENT-3,842,509 ..... c35 N75-12273
US-PATENT-3,842,656 ..... c76 N75-12810
US-PATENT-3,846,243 ..... c25 N75-12086
US-PATENT-3,847,115 ..... c31 N75-12161
US-PATENT-3,847,141 ..... c35 N75-12271
US-PATENT-3,847,208 ..... c34 N75-12222
US-PATENT-3,847,652 ..... c25 N75-12087
US-PATENT-3,847,689 ..... c74 N75-12732
US-PATENT-3,848,190 ..... c35 N75-12270
US-PATENT-3,849,554 ..... c52 N75-15270
US-PATENT-3,849,668 ..... c54 N75-12616
US-PATENT-3,849,720 ..... c33 N77-26387
US-PATENT-3,849,865 ..... c37 N75-13261
US-PATENT-3,849,875 ..... c35 N75-13213
US-PATENT-3,849,877 ..... c24 N75-13032
US-PATENT-3,850,169 ..... c54 N75-13531
US-PATENT-3,850,388 ..... c05 N75-12930
US-PATENT-3,850,567 ..... c31 N75-13111
US-PATENT-3,850,754 ..... c51 N75-13502
US-PATENT-3,851,162 ..... c60 N75-13539
US-PATENT-3,851,238 ..... c33 N75-13139
US-PATENT-3,851,250 ..... c15 N75-13007
US-PATENT-3,853,003 ..... c09 N75-12969
US-PATENT-3,853,075 ..... c09 N75-12968
US-PATENT-3,854,097 ..... c75 N75-13625
US-PATENT-3,854,097 ..... c75 N76-17951
US-PATENT-3,854,113 ..... c37 N75-13265
US-PATENT-3,855,873 ..... c37 N75-13266
US-PATENT-3,856,042 ..... c37 N75-15050
US-PATENT-3,856,402 ..... c36 N75-15028
US-PATENT-3,856,471 ..... c25 N75-14844
US-PATENT-3,856,534 ..... c23 N75-14834
US-PATENT-3,857,031 ..... c35 N75-15014
US-PATENT-3,857,045 ..... c33 N75-14957
US-PATENT-3,859,119 ..... c36 N75-15029
US-PATENT-3,859,714 ..... c37 N75-15992
US-PATENT-3,859,736 ..... c09 N75-15662
US-PATENT-3,859,840 ..... c35 N75-15932
US-PATENT-3,859,845 ..... c35 N75-15931
US-PATENT-3,860,342 ..... c35 N75-16783
US-PATENT-3,860,393 ..... c25 N76-18245
US-PATENT-3,860,858 ..... c33 N75-15874
US-PATENT-3,860,921 ..... c32 N75-15854
US-PATENT-3,863,881 ..... c37 N75-18573
US-PATENT-3,864,060 ..... c35 N75-19611
US-PATENT-3,864,239 ..... c37 N75-19684
US-PATENT-3,864,542 ..... c37 N75-19683
US-PATENT-3,864,797 ..... c20 N75-18310
US-PATENT-3,864,797 ..... c37 N76-14861
US-PATENT-3,864,953 ..... c35 N75-19615
US-PATENT-3,864,960 ..... c35 N75-19612
US-PATENT-3,865,442 ..... c37 N75-18574
US-PATENT-3,865,975 ..... c36 N75-19652
US-PATENT-3,866,022 ..... c33 N75-19519
US-PATENT-3,866,114 ..... c33 N75-18477
US-PATENT-3,866,128 ..... c33 N75-19515
US-PATENT-3,866,210 ..... c33 N75-19517
US-PATENT-3,866,233 ..... c33 N75-19516
US-PATENT-3,866,863 ..... c18 N75-19329
US-PATENT-3,867,677 ..... c33 N75-19524
US-PATENT-3,868,591 ..... c36 N75-19655
US-PATENT-3,868,830 ..... c77 N75-20139
US-PATENT-3,868,856 ..... c35 N75-19614
US-PATENT-3,869,151 ..... c37 N75-19686
US-PATENT-3,869,210 ..... c36 N75-19653
US-PATENT-3,869,212 ..... c35 N75-19613
US-PATENT-3,869,597 ..... c77 N75-20140
US-PATENT-3,869,615 ..... c35 N75-19616
US-PATENT-3,869,624 ..... c33 N75-18479
US-PATENT-3,869,659 ..... c33 N75-19522
US-PATENT-3,869,667 ..... c33 N75-19521
US-PATENT-3,869,676 ..... c33 N75-19520
US-PATENT-3,869,680 ..... c36 N75-19654
US-PATENT-3,869,779 ..... c26 N75-19408
US-PATENT-3,872,395 ..... c33 N75-19518
US-PATENT-3,874,240 ..... c35 N75-25122
US-PATENT-3,874,635 ..... c37 N75-25185
US-PATENT-3,874,677 ..... c37 N75-21631
US-PATENT-3,875,332 ..... c32 N75-21486
US-PATENT-3,875,394 ..... c33 N75-26243
US-PATENT-3,875,404 ..... c35 N75-23910
US-PATENT-3,875,435 ..... c20 N75-24837
US-PATENT-3,875,500 ..... c35 N75-21582
US-PATENT-3,875,500 ..... c35 N77-17426
US-PATENT-3,875,584 ..... c32 N75-21485

US-PATENT-3,877,833 ..... c37 N75-25186
US-PATENT-3,878,464 ..... c32 N75-24981
US-PATENT-3,881,132 ..... c33 N77-21315
US-PATENT-3,882,530 ..... c76 N75-25730
US-PATENT-3,882,634 ..... c51 N75-25503
US-PATENT-3,882,719 ..... c14 N75-24794
US-PATENT-3,882,732 ..... c12 N75-24774
US-PATENT-3,882,846 ..... c05 N75-24716
US-PATENT-3,883,095 ..... c07 N75-24736
US-PATENT-3,883,215 ..... c35 N75-25124
US-PATENT-3,883,436 ..... c74 N75-25706
US-PATENT-3,883,689 ..... c35 N75-25123
US-PATENT-3,883,785 ..... c09 N75-24758
US-PATENT-3,883,812 ..... c33 N75-25041
US-PATENT-3,883,817 ..... c33 N75-25040
US-PATENT-3,883,872 ..... c32 N75-24982
US-PATENT-3,884,432 ..... c05 N75-25914
US-PATENT-3,884,765 ..... c35 N75-27330
US-PATENT-3,887,233 ..... c05 N75-25915
US-PATENT-3,887,345 ..... c35 N75-26334
US-PATENT-3,887,365 ..... c37 N75-26371
US-PATENT-3,888,362 ..... c54 N75-27758
US-PATENT-3,888,410 ..... c34 N75-26282
US-PATENT-3,888,561 ..... c35 N75-27328
US-PATENT-3,888,705 ..... c25 N75-26043
US-PATENT-3,889,064 ..... c32 N75-26195
US-PATENT-3,889,122 ..... c37 N75-26372
US-PATENT-3,889,155 ..... c33 N75-26244
US-PATENT-3,889,182 ..... c33 N75-26245
US-PATENT-3,889,185 ..... c33 N75-26246
US-PATENT-3,889,264 ..... c32 N75-26194
US-PATENT-3,891,311 ..... c54 N75-27759
US-PATENT-3,891,452 ..... c27 N75-27160
US-PATENT-3,891,533 ..... c33 N75-27252
US-PATENT-3,891,848 ..... c45 N75-27585
US-PATENT-3,891,851 ..... c35 N75-27331
US-PATENT-3,893,449 ..... c54 N75-27760
US-PATENT-3,893,458 ..... c54 N75-27761
US-PATENT-3,893,573 ..... c18 N75-27041
US-PATENT-3,894,289 ..... c36 N75-27364
US-PATENT-3,894,677 ..... c24 N75-28135
US-PATENT-3,894,887 ..... c44 N76-18641
US-PATENT-3,895,521 ..... c35 N75-29381
US-PATENT-3,895,912 ..... c35 N75-29380
US-PATENT-3,896,758 ..... c35 N75-33367
US-PATENT-3,896,955 ..... c37 N77-22480
US-PATENT-3,898,578 ..... c33 N75-30428
US-PATENT-3,898,730 ..... c24 N75-30260
US-PATENT-3,898,882 ..... c35 N75-30503
US-PATENT-3,899,224 ..... c37 N75-30562
US-PATENT-3,899,252 ..... c35 N75-30502
US-PATENT-3,899,517 ..... c23 N75-30256
US-PATENT-3,899,680 ..... c73 N75-30876
US-PATENT-3,899,696 ..... c36 N75-30524
US-PATENT-3,899,745 ..... c33 N75-30429
US-PATENT-3,900,705 ..... c33 N75-30431
US-PATENT-3,900,741 ..... c35 N75-30504
US-PATENT-3,900,847 ..... c03 N75-30132
US-PATENT-3,902,143 ..... c33 N75-30430
US-PATENT-3,903,699 ..... c44 N75-32581
US-PATENT-3,903,699 ..... c44 N76-23675
US-PATENT-3,905,356 ..... c33 N75-31329
US-PATENT-3,905,660 ..... c37 N75-31446
US-PATENT-3,906,231 ..... c33 N75-31332
US-PATENT-3,906,296 ..... c33 N75-31331
US-PATENT-3,906,374 ..... c33 N75-31330
US-PATENT-3,906,393 ..... c36 N75-31427
US-PATENT-3,906,397 ..... c36 N75-31426
US-PATENT-3,906,398 ..... c36 N75-32441
US-PATENT-3,906,769 ..... c24 N75-33181
US-PATENT-3,906,788 ..... c35 N75-33369
US-PATENT-3,906,913 ..... c37 N76-18457
US-PATENT-3,906,954 ..... c52 N75-33640
US-PATENT-3,907,312 ..... c37 N75-33395
US-PATENT-3,907,646 ..... c35 N75-33368
US-PATENT-3,907,686 ..... c34 N75-33342
US-PATENT-3,910,035 ..... c20 N76-14190
US-PATENT-3,910,039 ..... c20 N76-14191
US-PATENT-3,910,257 ..... c52 N76-14757
US-PATENT-3,910,307 ..... c37 N76-14463
US-PATENT-3,910,533 ..... c18 N76-14186
US-PATENT-3,910,814 ..... c24 N76-14204
US-PATENT-3,911,260 ..... c35 N76-14431
US-PATENT-3,911,330 ..... c33 N76-14373
US-PATENT-3,912,540 ..... c44 N76-14600
US-PATENT-3,912,541 ..... c44 N76-14601
US-PATENT-3,912,959 ..... c44 N76-18643
US-PATENT-3,914,950 ..... c31 N76-14284
US-PATENT-3,914,969 ..... c37 N76-14461
US-PATENT-3,914,991 ..... c35 N76-14430
US-PATENT-3,914,997 ..... c35 N76-14429
US-PATENT-3,915,012 ..... c54 N76-14804
US-PATENT-3,915,148 ..... c44 N76-14602
US-PATENT-3,915,416 ..... c15 N76-14158
US-PATENT-3,915,482 ..... c37 N76-14460
US-PATENT-3,915,572 ..... c36 N76-14447
US-PATENT-3,916,060 ..... c27 N76-15310
US-PATENT-3,916,084 ..... c33 N76-14371
US-PATENT-3,916,187 ..... c35 N76-15431
US-PATENT-3,916,316 ..... c32 N76-14321
US-PATENT-3,916,380 ..... c60 N76-14818
US-PATENT-3,916,761 ..... c75 N76-14931
US-PATENT-3,919,014 ..... c24 N76-14203
US-PATENT-3,919,710 ..... c33 N76-14372
US-PATENT-3,920,339 ..... c27 N76-14264
US-PATENT-3,920,413 ..... c44 N76-14595
US-PATENT-3,920,416 ..... c44 N76-18642
US-PATENT-3,920,416 ..... c44 N76-29704
US-PATENT-3,922,930 ..... c37 N76-15457
US-PATENT-3,923,166 ..... c37 N76-15460
US-PATENT-3,924,068 ..... c32 N76-16249
US-PATENT-3,924,137 ..... c72 N76-15860
US-PATENT-3,924,164 ..... c33 N76-15373
US-PATENT-3,924,176 ..... c35 N76-16390
US-PATENT-3,924,183 ..... c33 N76-16331
US-PATENT-3,924,200 ..... c35 N76-15436
US-PATENT-3,924,237 ..... c32 N76-15330
US-PATENT-3,924,239 ..... c35 N76-15435
US-PATENT-3,924,267 ..... c35 N76-16391
US-PATENT-3,924,444 ..... c35 N76-15432
US-PATENT-3,925,104 ..... c35 N76-15434
US-PATENT-3,925,312 ..... c23 N76-15268
US-PATENT-3,926,482 ..... c37 N76-15461
US-PATENT-3,926,567 ..... c27 N76-15311
US-PATENT-3,927,227 ..... c12 N76-15189
US-PATENT-3,927,324 ..... c35 N76-15433
US-PATENT-3,927,408 ..... c32 N76-15329
US-PATENT-3,928,708 ..... c27 N76-16230
US-PATENT-3,929,119 ..... c75 N76-17951
US-PATENT-3,929,305 ..... c34 N76-17317
US-PATENT-3,929,306 ..... c18 N76-17185
US-PATENT-3,929,364 ..... c35 N76-16392
US-PATENT-3,930,628 ..... c02 N76-16014
US-PATENT-3,930,735 ..... c66 N76-19888
US-PATENT-3,931,132 ..... c27 N76-16228
US-PATENT-3,931,447 ..... c27 N76-16229
US-PATENT-3,931,456 ..... c33 N76-16332
US-PATENT-3,931,462 ..... c45 N76-17656
US-PATENT-3,931,516 ..... c35 N76-16393
US-PATENT-3,931,532 ..... c44 N76-16612
US-PATENT-3,936,927 ..... c37 N76-19437
US-PATENT-3,937,055 ..... c37 N76-18454
US-PATENT-3,937,212 ..... c33 N76-19338
US-PATENT-3,937,215 ..... c52 N76-19785
US-PATENT-3,937,367 ..... c37 N76-18455
US-PATENT-3,937,533 ..... c37 N76-18459
US-PATENT-3,937,555 ..... c35 N76-18402
US-PATENT-3,937,661 ..... c37 N76-18456
US-PATENT-3,937,945 ..... c74 N76-18913
US-PATENT-3,938,035 ..... c33 N76-19339
US-PATENT-3,938,037 ..... c26 N76-18257
US-PATENT-3,938,162 ..... c32 N76-18295
US-PATENT-3,938,182 ..... c33 N76-18353
US-PATENT-3,938,188 ..... c33 N76-18345
US-PATENT-3,938,367 ..... c35 N76-18401
US-PATENT-3,938,373 ..... c35 N76-18400
US-PATENT-3,938,742 ..... c07 N76-18117
US-PATENT-3,938,892 ..... c74 N76-19935
US-PATENT-3,938,956 ..... c35 N76-18403
US-PATENT-3,939,048 ..... c37 N76-18458
US-PATENT-3,939,439 ..... c36 N76-18428
US-PATENT-3,940,097 ..... c34 N76-18364
US-PATENT-3,940,621 ..... c34 N76-18374
US-PATENT-3,941,355 ..... c37 N76-19436
US-PATENT-3,942,398 ..... c37 N76-20480
US-PATENT-3,943,368 ..... c74 N76-20958
US-PATENT-3,943,442 ..... c76 N76-20994
US-PATENT-3,943,763 ..... c04 N76-20114
US-PATENT-3,943,763 ..... c04 N77-19056
US-PATENT-3,945,801 ..... c45 N76-21742
US-PATENT-3,945,879 ..... c37 N76-21554
US-PATENT-3,947,933 ..... c20 N76-21276
US-PATENT-3,948,102 ..... c33 N76-21390
US-PATENT-3,948,470 ..... c20 N76-21275
US-PATENT-3,949,206 ..... c32 N76-21366
US-PATENT-3,949,400 ..... c17 N76-21250
US-PATENT-3,949,404 ..... c32 N76-21365
US-PATENT-3,950,729 ..... c60 N76-21914

US-PATENT-3,951,129 ..... c44 N76-22657
US-PATENT-3,952,083 ..... c27 N76-22376
US-PATENT-3,952,560 ..... c09 N76-23273
US-PATENT-3,952,971 ..... c02 N76-22154
US-PATENT-3,952,976 ..... c37 N76-22540
US-PATENT-3,952,980 ..... c19 N76-22284
US-PATENT-3,952,998 ..... c20 N76-22296
US-PATENT-3,953,038 ..... c37 N76-22541
US-PATENT-3,953,343 ..... c24 N76-22309
US-PATENT-3,953,646 ..... c27 N76-22377
US-PATENT-3,953,674 ..... c17 N76-22245
US-PATENT-3,953,734 ..... c25 N76-22323
US-PATENT-3,953,792 ..... c35 N76-22509
US-PATENT-3,955,034 ..... c27 N76-23426
US-PATENT-3,955,981 ..... c44 N76-29700
US-PATENT-3,956,032 ..... c76 N76-25049
US-PATENT-3,956,050 ..... c37 N76-24575
US-PATENT-3,956,233 ..... c27 N76-24405
US-PATENT-3,956,833 ..... c09 N76-24280
US-PATENT-3,956,919 ..... c35 N76-24523
US-PATENT-3,956,932 ..... c35 N76-24524
US-PATENT-3,957,030 ..... c44 N76-23675
US-PATENT-3,957,037 ..... c35 N76-24525
US-PATENT-3,957,044 ..... c54 N76-24900
US-PATENT-3,957,104 ..... c37 N76-23570
US-PATENT-3,957,675 ..... c24 N76-24363
US-PATENT-3,958,188 ..... c36 N76-24553
US-PATENT-3,958,238 ..... c60 N76-23850
US-PATENT-3,958,553 ..... c44 N76-24696
US-PATENT-3,961,997 ..... c44 N76-28635
US-PATENT-3,964,306 ..... c34 N76-27517
US-PATENT-3,964,319 ..... c07 N76-27232
US-PATENT-3,964,813 ..... c37 N76-27567
US-PATENT-3,964,902 ..... c34 N76-27515
US-PATENT-3,964,928 ..... c44 N76-27664
US-PATENT-3,965,096 ..... c27 N76-32315
US-PATENT-3,965,354 ..... c33 N76-27473
US-PATENT-3,965,475 ..... c33 N76-27472
US-PATENT-3,966,499 ..... c44 N76-31666
US-PATENT-3,966,547 ..... c25 N76-27383
US-PATENT-3,967,091 ..... c37 N76-27568
US-PATENT-3,971,230 ..... c37 N76-29590
US-PATENT-3,971,256 ..... c91 N76-30131
US-PATENT-3,971,362 ..... c52 N76-29894
US-PATENT-3,971,363 ..... c52 N76-29895
US-PATENT-3,971,364 ..... c52 N76-29896
US-PATENT-3,971,535 ..... c05 N76-29217
US-PATENT-3,971,602 ..... c37 N76-29588
US-PATENT-3,971,697 ..... c25 N76-29379
US-PATENT-3,971,703 ..... c51 N76-29891
US-PATENT-3,971,847 ..... c44 N76-29704
US-PATENT-3,971,918 ..... c35 N76-29552
US-PATENT-3,971,930 ..... c74 N76-30053
US-PATENT-3,971,940 ..... c35 N76-29551
US-PATENT-3,972,008 ..... c36 N76-29575
US-PATENT-3,972,038 ..... c17 N76-29347
US-PATENT-3,972,651 ..... c44 N76-29701
US-PATENT-3,972,727 ..... c44 N76-29699
US-PATENT-3,976,997 ..... c62 N76-31946
US-PATENT-3,977,147 ..... c39 N76-31562
US-PATENT-3,977,197 ..... c44 N76-31667
US-PATENT-3,977,231 ..... c35 N76-31489
US-PATENT-3,977,771 ..... c74 N76-31998
US-PATENT-3,977,787 ..... c35 N76-31490
US-PATENT-3,977,831 ..... c45 N76-31714
US-PATENT-3,978,187 ..... c37 N76-31524
US-PATENT-3,978,287 ..... c32 N76-31372
US-PATENT-3,978,350 ..... c33 N76-31410
US-PATENT-3,978,360 ..... c33 N76-31409
US-PATENT-3,978,364 ..... c31 N76-31365
US-PATENT-3,978,410 ..... c03 N76-32140
US-PATENT-3,978,417 ..... c36 N76-31512
US-PATENT-3,978,490 ..... c33 N76-32457
US-PATENT-3,982,910 ..... c44 N77-10636
US-PATENT-3,983,695 ..... c20 N77-10148
US-PATENT-3,983,714 ..... c31 N77-10229
US-PATENT-3,983,749 ..... c09 N77-10071
US-PATENT-3,983,753 ..... c52 N77-10780
US-PATENT-3,983,780 ..... c28 N77-10213
US-PATENT-3,983,933 ..... c34 N77-10463
US-PATENT-3,984,070 ..... c02 N77-10001
US-PATENT-3,984,072 ..... c15 N77-10113
US-PATENT-3,984,256 ..... c44 N77-10635
US-PATENT-3,984,634 ..... c32 N77-10392
US-PATENT-3,984,671 ..... c43 N77-10584
US-PATENT-3,984,681 ..... c35 N77-10492
US-PATENT-3,984,685 ..... c47 N77-10753
US-PATENT-3,984,686 ..... c35 N77-10493
US-PATENT-3,984,730 ..... c33 N77-10429
US-PATENT-3,984,799 ..... c33 N77-10428
US-PATENT-3,985,454 ..... c74 N77-10899
US-PATENT-3,987,630 ..... c37 N77-12402
US-PATENT-3,988,561 ..... c37 N77-11397
US-PATENT-3,988,677 ..... c32 N77-12240
US-PATENT-3,988,716 ..... c60 N77-12721
US-PATENT-3,988,729 ..... c32 N77-12239
US-PATENT-3,988,933 ..... c35 N77-19385
US-PATENT-3,989,136 ..... c37 N77-19457
US-PATENT-3,989,206 ..... c09 N77-19076
US-PATENT-3,989,541 ..... c44 N77-19571
US-PATENT-3,989,602 ..... c24 N77-19171
US-PATENT-3,990,049 ..... c60 N77-19760
US-PATENT-3,990,860 ..... c27 N77-13217
US-PATENT-3,990,987 ..... c37 N77-13418
US-PATENT-3,994,128 ..... c07 N77-14025
US-PATENT-3,995,324 ..... c52 N77-14735
US-PATENT-3,995,476 ..... c35 N77-14407
US-PATENT-3,995,522 ..... c37 N77-14478
US-PATENT-3,995,621 ..... c52 N77-14736
US-PATENT-3,995,644 ..... c52 N77-14738
US-PATENT-3,995,789 ..... c37 N77-14479
US-PATENT-3,995,877 ..... c37 N77-14477
US-PATENT-3,995,960 ..... c35 N77-14411
US-PATENT-3,996,064 ..... c44 N77-14581
US-PATENT-3,996,067 ..... c44 N77-14580
US-PATENT-3,996,070 ..... c35 N77-14409
US-PATENT-3,996,455 ..... c60 N77-14751
US-PATENT-3,996,455 ..... c60 N77-32731
US-PATENT-3,996,462 ..... c33 N77-14335
US-PATENT-3,996,464 ..... c35 N77-14406
US-PATENT-3,996,468 ..... c35 N77-14408
US-PATENT-3,996,471 ..... c52 N77-14737
US-PATENT-3,996,506 ..... c33 N77-14333
US-PATENT-3,996,532 ..... c32 N77-14292
US-PATENT-3,997,848 ..... c33 N77-14334
US-PATENT-3,999,886 ..... c05 N77-17029
US-PATENT-4,000,682 ..... c20 N77-17143
US-PATENT-4,000,929 ..... c37 N77-17464
US-PATENT-4,001,552 ..... c38 N77-17495
US-PATENT-4,001,602 ..... c33 N77-17354
US-PATENT-4,003,004 ..... c33 N77-17351
US-PATENT-4,003,084 ..... c35 N77-17426
US-PATENT-4,003,257 ..... c23 N77-17161
US-PATENT-4,004,292 ..... c74 N77-18893
US-PATENT-4,005,574 ..... c07 N77-17059
US-PATENT-4,006,631 ..... c04 N77-19056
US-PATENT-4,006,999 ..... c24 N77-19170
US-PATENT-4,007,430 ..... c36 N77-19416
US-PATENT-4,007,434 ..... c32 N77-18307
US-PATENT-4,007,601 ..... c34 N77-19353
US-PATENT-4,007,623 ..... c35 N77-18417
US-PATENT-4,007,891 ..... c07 N77-18154
US-PATENT-4,008,348 ..... c34 N77-18382
US-PATENT-4,008,407 ..... c73 N77-18891
US-PATENT-4,010,455 ..... c37 N77-19458
US-PATENT-4,011,719 ..... c20 N77-20162
US-PATENT-4,011,756 ..... c35 N77-20400
US-PATENT-4,011,854 ..... c35 N77-20401
US-PATENT-4,012,018 ..... c35 N77-20399
US-PATENT-4,012,123 ..... c74 N77-20882
US-PATENT-4,012,237 ..... c26 N77-20201
US-PATENT-4,012,696 ..... c32 N77-20289
US-PATENT-4,014,745 ..... c51 N77-22794
US-PATENT-4,017,959 ..... c37 N77-23482
US-PATENT-4,018,080 ..... c35 N77-22450
US-PATENT-4,018,085 ..... c35 N77-22449
US-PATENT-4,018,092 ..... c37 N77-22482
US-PATENT-4,018,409 ..... c37 N77-23483
US-PATENT-4,018,423 ..... c54 N77-21844
US-PATENT-4,018,532 ..... c74 N77-22951
US-PATENT-4,018,533 ..... c74 N77-22950
US-PATENT-4,018,649 ..... c51 N77-25769
US-PATENT-4,018,971 ..... c44 N77-22606
US-PATENT-4,019,179 ..... c32 N77-21267
US-PATENT-4,019,868 ..... c44 N77-22607
US-PATENT-4,020,632 ..... c07 N77-23106
US-PATENT-4,023,266 ..... c33 N77-26385
US-PATENT-4,025,327 ..... c35 N77-24455
US-PATENT-4,025,783 ..... c74 N77-26942
US-PATENT-4,025,866 ..... c33 N77-24375
US-PATENT-4,025,875 ..... c36 N77-25499
US-PATENT-4,025,876 ..... c71 N77-26919
US-PATENT-4,025,891 ..... c35 N77-24454
US-PATENT-4,025,950 ..... c32 N77-24328
US-PATENT-4,025,964 ..... c52 N77-25772
US-PATENT-4,026,527 ..... c34 N77-24423
US-PATENT-4,026,655 ..... c36 N77-25501
US-PATENT-4,027,212 ..... c33 N77-26386

US-PATENT-4,027,265 ..... c32 N77-24331
US-PATENT-4,027,273 ..... c36 N77-25502
US-PATENT-4,027,524 ..... c09 N77-27131
US-PATENT-4,028,939 ..... c34 N77-27345
US-PATENT-4,029,470 ..... c51 N77-27677
US-PATENT-4,029,500 ..... c24 N77-27187
US-PATENT-4,029,838 ..... c24 N77-27188
US-PATENT-4,030,047 ..... c35 N77-27366
US-PATENT-4,031,389 ..... c36 N77-26477
US-PATENT-4,032,089 ..... c24 N77-28225
US-PATENT-4,033,119 ..... c07 N77-28118
US-PATENT-4,033,182 ..... c39 N77-28511
US-PATENT-4,033,316 ..... c33 N77-28385
US-PATENT-4,033,334 ..... c52 N77-28717
US-PATENT-4,033,349 ..... c52 N77-28716
US-PATENT-4,033,479 ..... c37 N77-28487
US-PATENT-4,033,503 ..... c26 N77-29260
US-PATENT-4,033,504 ..... c26 N77-28265
US-PATENT-4,033,705 ..... c07 N77-27116
US-PATENT-4,033,882 ..... c32 N77-28346
US-PATENT-4,035,037 ..... c37 N77-28486
US-PATENT-4,035,062 ..... c74 N77-28932
US-PATENT-4,035,065 ..... c74 N77-28933
US-PATENT-4,038,705 ..... c54 N77-30749
US-PATENT-4,039-489 ..... c27 N77-31308
US-PATENT-4,039-946 ..... c35 N77-30436
US-PATENT-4,039,000 ..... c34 N77-30399
US-PATENT-4,039,347 ..... c27 N77-30237
US-PATENT-4,039,754 ..... c32 N77-30309
US-PATENT-4,039,925 ..... c33 N77-30365
US-PATENT-4,040,041 ..... c33 N77-31404
US-PATENT-4,040,750 ..... c35 N77-31465
US-PATENT-4,040,867 ..... c44 N77-31601
US-PATENT-4,041,233 ..... c27 N77-30236
US-PATENT-4,041,391 ..... c32 N77-30308
US-PATENT-4,041,910 ..... c37 N77-31497
US-PATENT-4,042,926 ..... c32 N77-31350
US-PATENT-4,043,674 ..... c36 N77-32478
US-PATENT-4,044,753 ..... c44 N77-32582
US-PATENT-4,044,821 ..... c44 N77-32581
US-PATENT-4,045,063 ..... c37 N77-32499
US-PATENT-4,045,149 ..... c07 N77-32148
US-PATENT-4,045,247 ..... c35 N77-32454
US-PATENT-4,045,255 ..... c26 N77-32279
US-PATENT-4,045,315 ..... c44 N77-32580
US-PATENT-4,045,359 ..... c25 N77-32255
US-PATENT-4,045,728 ..... c35 N77-32455
US-PATENT-4,045,792 ..... c60 N77-32731
US-PATENT-4,045,795 ..... c32 N77-32342
US-PATENT-4,046,012 ..... c35 N77-32456
US-PATENT-4,046,190 ..... c34 N77-32413
US-PATENT-4,046,262 ..... c54 N77-32721
US-PATENT-4,046,434 ..... c37 N77-32500
US-PATENT-4,046,435 ..... c37 N77-32501
US-PATENT-4,046,462 ..... c44 N77-32583
US-PATENT-4,046,529 ..... c54 N77-32722
US-PATENT-4,046,560 ..... c26 N77-32280
US-PATENT-4,046,617 ..... c76 N77-32919
US-PATENT-4,046,619 ..... c27 N77-32308

Typical Accession Number Index Listing



Listings in the index are arranged numerically by NASA accession number The category number indicates the category in Section 1 (Abstracts) in which the citation is located The NASA accession number denotes the number by which the citation is identified within the subject category The patent numbers are the identification numbers that have been assigned to the item by the issuing body or other agency

c09 N69-21313 ..... NASA-CASE-XAR-03786
US-PATENT-APPL-SN-476763
US-PATENT-CLASS-310-4
US-PATENT-3,423,608

c03 N69-21330 ..... NASA-CASE-XGS-03429
US-PATENT-APPL-SN-591930
US-PATENT-CLASS-321-2
US-PATENT-3,427,525

c03 N69-21337 ..... NASA-CASE-XNP-04264
US-PATENT-APPL-SN-447933
US-PATENT-CLASS-136-146
US-PATENT-3,421,948

c15 N69-21362 ..... NASA-CASE-XLE-05130
US-PATENT-APPL-SN-545224
US-PATENT-CLASS-277-25
US-PATENT-3,421,768

c14 N69-21363 ..... NASA-CASE-XGS-03865
US-PATENT-APPL-SN-478491
US-PATENT-CLASS-33-174
US-PATENT-3,419,964

c05 N69-21380 ..... NASA-CASE-XLA-08491
US-PATENT-APPL-SN-619520
US-PATENT-CLASS-244-4
US-PATENT-3,420,471

c15 N69-21460 ..... NASA-CASE-XKS-04614
US-PATENT-APPL-SN-574280
US-PATENT-CLASS-117-201
US-PATENT-3,420,704

c15 N69-21465 ..... NASA-CASE-XLA-08645
US-PATENT-APPL-SN-635970
US-PATENT-CLASS-62-93
US-PATENT-3,420,069

c12 N69-21466 ..... NASA-CASE-XLE-03512
US-PATENT-APPL-SN-462762
US-PATENT-CLASS-137-81.5
US-PATENT-3,420,253

c09 N69-21467 ..... NASA-CASE-XMS-06949
US-PATENT-APPL-SN-635328
US-PATENT-CLASS-346-44
US-PATENT-3,422,440

c09 N69-21468 ..... NASA-CASE-XNP-05612
US-PATENT-APPL-SN-562934
US-PATENT-CLASS-307-106
US-PATENT-3,422,278

c03 N69-21469 ..... NASA-CASE-XMS-04843
US-PATENT-APPL-SN-545229
US-PATENT-CLASS-137-624.14
US-PATENT-3,421,549

c09 N69-21470 ..... NASA-CASE-XLA-01288
US-PATENT-APPL-SN-460876
US-PATENT-CLASS-339-150
US-PATENT-3,421,134

c15 N69-21471 ..... NASA-CASE-XMS-03537
US-PATENT-APPL-SN-468655
US-PATENT-CLASS-219-121
US-PATENT-3,420,978

c15 N69-21472 ..... NASA-CASE-XGS-02437
US-PATENT-APPL-SN-487384
US-PATENT-CLASS-317-157.5
US-PATENT-3,421,053

c05 N69-21473 ..... NASA-CASE-XAR-01547
US-PATENT-APPL-SN-391383
US-PATENT-CLASS-128-2.08
US-PATENT-3,420,225

c03 N69-21539 ..... NASA-CASE-XGS-01395
US-PATENT-APPL-SN-545535
US-PATENT-CLASS-174-72
US-PATENT-3,422,213

c11 N69-21540 ..... NASA-CASE-XLA-02704
US-PATENT-APPL-SN-469011
US-PATENT-CLASS-73-67.2
US-PATENT-3,421,363

c14 N69-21541 ..... NASA-CASE-XNP-09752
US-PATENT-APPL-SN-640460
US-PATENT-CLASS-317-246
US-PATENT-3,422,324

c09 N69-21542 ..... NASA-CASE-XLE-03778
US-PATENT-APPL-SN-628247
US-PATENT-CLASS-174-18
US-PATENT-3,420,945

c09 N69-21543 ..... NASA-CASE-XGS-04994
US-PATENT-APPL-SN-619907
US-PATENT-CLASS-331-4
US-PATENT-3,421,105

c15 N69-21922 ..... NASA-CASE-XBQ-03903
US-PATENT-APPL-SN-560967
US-PATENT-CLASS-23-208
US-PATENT-3,423,179

c14 N69-21923 ..... NASA-CASE-XNP-07478
US-PATENT-APPL-SN-605097
US-PATENT-CLASS-175-323
US-PATENT-3,421,591

c15 N69-21924 ..... NASA-CASE-XMS-05894-1
US-PATENT-APPL-SN-685766
US-PATENT-CLASS-137-491
US-PATENT-3,421,541

c05 N69-21925 ..... NASA-CASE-XMS-02872
US-PATENT-APPL-SN-422864
US-PATENT-CLASS-128-2.06
US-PATENT-3,420,223

c09 N69-21926 ..... NASA-CASE-XNP-06032
US-PATENT-APPL-SN-590146
US-PATENT-CLASS-324-158
US-PATENT-3,422,354

c09 N69-21927 ..... NASA-CASE-XMS-07846-1
US-PATENT-APPL-SN-694247
US-PATENT-CLASS-339-91
US-PATENT-3,422,390

c08 N69-21928 ..... NASA-CASE-XNP-09785
US-PATENT-APPL-SN-599975
US-PATENT-CLASS-340-172.5
US-PATENT-3,422,403

c25 N69-21929 ..... NASA-CASE-XNP-07481
US-PATENT-APPL-SN-563650
US-PATENT-CLASS-310-11
US-PATENT-3,422,291

c15 N69-23185 ..... NASA-CASE-XNP-05975
US-PATENT-APPL-SN-570097
US-PATENT-CLASS-239-416
US-PATENT-3,421,700

c15 N69-23190 ..... NASA-CASE-NPO-10309
US-PATENT-APPL-SN-574282
US-PATENT-APPL-SN-700985
US-PATENT-CLASS-62-6
US-PATENT-3,421,331

c14 N69-23191 ..... NASA-CASE-XLB-10529
US-PATENT-APPL-SN-603396
US-PATENT-CLASS-317-234
US-PATENT-3,421,056

c05 N69-23192 ..... NASA-CASE-XMS-06761
US-PATENT-APPL-SN-575475
US-PATENT-CLASS-128-283
US-PATENT-3,421,506

c14 N69-24257 ..... NASA-CASE-XMS-04917
US-PATENT-APPL-SN-574283
US-PATENT-CLASS-73-198
US-PATENT-3,425,276

c15 N69-24266 ..... NASA-CASE-XMS-03700
US-PATENT-APPL-SN-617783
US-PATENT-CLASS-314-129
US-PATENT-3,428,847
c07 N69-24267 ..... NASA-CASE-XGS-04531
US-PATENT-APPL-SN-590141
US-PATENT-CLASS-136-89
US-PATENT-3,437,527
c09 N69-24317 ..... NASA-CASE-XGS-04999
US-PATENT-APPL-SN-519395
US-PATENT-CLASS-307-268
US-PATENT-3,426,219
c09 N69-24318 ..... NASA-CASE-XGS-05003
US-PATENT-APPL-SN-576797
US-PATENT-CLASS-317-235
US-PATENT-3,430,115
c15 N69-24319 ..... NASA-CASE-XNP-09227
US-PATENT-APPL-SN-632164
US-PATENT-CLASS-313-44
US-PATENT-3,426,230
c15 N69-24320 ..... NASA-CASE-XGS-03864
US-PATENT-APPL-SN-577114
US-PATENT-CLASS-136-133
US-PATENT-3,427,205
c11 N69-24321 ..... NASA-CASE-XLA-03271
US-PATENT-APPL-SN-482313
US-PATENT-CLASS-350-310
US-PATENT-3,427,097
c15 N69-24322 ..... NASA-CASE-XMS-01108
US-PATENT-APPL-SN-432032
US-PATENT-CLASS-156-242
US-PATENT-3,425,885
c07 N69-24323 ..... NASA-CASE-XGS-02816
US-PATENT-APPL-SN-521998
US-PATENT-CLASS-333-73
US-PATENT-3,437,959
c09 N69-24324 ..... NASA-CASE-XGS-02171
US-PATENT-APPL-SN-590159
US-PATENT-CLASS-325-446
US-PATENT-3,437,935
c09 N69-24329 ..... NASA-CASE-XNP-04183
US-PATENT-APPL-SN-546142
US-PATENT-CLASS-179-100.2
US-PATENT-3,428,761
c09 N69-24330 ..... NASA-CASE-XMS-05307
US-PATENT-APPL-SN-516154
US-PATENT-CLASS-330-29
US-PATENT-3,428,910
c14 N69-24331 ..... NASA-CASE-XNP-03930
US-PATENT-APPL-SN-526665
US-PATENT-CLASS-250-237
US-PATENT-3,435,246
c23 N69-24332 ..... NASA-CASE-XNP-02340
US-PATENT-APPL-SN-439490
US-PATENT-CLASS-350-1
US-PATENT-3,427,089
c09 N69-24333 ..... NASA-CASE-XNP-09225
US-PATENT-APPL-SN-640785
US-PATENT-CLASS-340-172.5
US-PATENT-3,431,559
c07 N69-24334 ..... NASA-CASE-XGS-01110
US-PATENT-APPL-SN-526664
US-PATENT-CLASS-333-8
US-PATENT-3,428,919
c03 N69-25146 ..... NASA-CASE-XGS-04808
US-PATENT-APPL-SN-640781
US-PATENT-CLASS-321-2
US-PATENT-3,437,903
c17 N69-25147 ..... NASA-CASE-XLE-10466
US-PATENT-APPL-SN-644448
US-PATENT-CLASS-219-411
US-PATENT-3,427,435
c09 N69-27422 ..... NASA-CASE-XLA-04980
US-PATENT-APPL-SN-577548
US-PATENT-CLASS-317-234
US-PATENT-3,432,730
c14 N69-27423 ..... NASA-CASE-XAC-02407
US-PATENT-APPL-SN-469013
US-PATENT-CLASS-324-43
US-PATENT-3,437,919
c14 N69-27431 ..... NASA-CASE-XNP-01483
US-PATENT-APPL-SN-635325
US-PATENT-CLASS-339-17
US-PATENT-3,430,182
c14 N69-27432 ..... NASA-CASE-XGS-08266
US-PATENT-APPL-SN-628248
US-PATENT-CLASS-250-203
US-PATENT-3,433,961
c14 N69-27459 ..... NASA-CASE-XMS-05909-1
US-PATENT-APPL-SN-685764
US-PATENT-CLASS-136-213
US-PATENT-3,431,149
c07 N69-27460 ..... NASA-CASE-XGS-05582
US-PATENT-APPL-SN-646424
US-PATENT-CLASS-343-854
US-PATENT-3,438,044
c14 N69-27461 ..... NASA-CASE-XLA-03724
US-PATENT-APPL-SN-568071
US-PATENT-CLASS-350-6
US-PATENT-3,437,394
c07 N69-27462 ..... NASA-CASE-XMS-05303
US-PATENT-APPL-SN-617022
US-PATENT-CLASS-333-97
US-PATENT-3,428,923
c09 N69-27463 ..... NASA-CASE-XGS-03095
US-PATENT-APPL-SN-552344
US-PATENT-CLASS-307-222
US-PATENT-3,437,832
c11 N69-27466 ..... NASA-CASE-XNP-04969
US-PATENT-APPL-SN-593604
US-PATENT-CLASS-248-317
US-PATENT-3,430,909
c15 N69-27483 ..... NASA-CASE-XLA-03105
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-263-48
US-PATENT-3,430,937
c14 N69-27484 ..... NASA-CASE-XLA-04556
US-PATENT-APPL-SN-607608
US-PATENT-CLASS-250-83
US-PATENT-3,433,953
c14 N69-27485 ..... NASA-CASE-XGS-02401
US-PATENT-APPL-SN-502740
US-PATENT-CLASS-250-203
US-PATENT-3,428,812
c14 N69-27486 ..... NASA-CASE-XAC-11225
US-PATENT-APPL-SN-638707
US-PATENT-CLASS-248-18
US-PATENT-3,430,902
c04 N69-27487 ..... NASA-CASE-XGS-05533
US-PATENT-APPL-SN-568346
US-PATENT-CLASS-195-68
US-PATENT-3,437,560
c15 N69-27490 ..... NASA-CASE-XLA-02854
US-PATENT-APPL-SN-598118
US-PATENT-CLASS-285-3
US-PATENT-3,427,047
c16 N69-27491 ..... NASA-CASE-XGS-04480
US-PATENT-APPL-SN-591007
US-PATENT-CLASS-250-199
US-PATENT-3,433,960
c31 N69-27499 ..... NASA-CASE-XMS-12158-1
US-PATENT-APPL-SN-762936
US-PATENT-CLASS-244-1
US-PATENT-3,439,886
c09 N69-27500 ..... NASA-CASE-XNP-09228
US-PATENT-APPL-SN-584070
US-PATENT-CLASS-307-136
US-PATENT-3,430,063
c15 N69-27502 ..... NASA-CASE-XNP-04132
US-PATENT-APPL-SN-640788
US-PATENT-CLASS-220-55
US-PATENT-3,429,477
c14 N69-27503 ..... NASA-CASE-XPR-09479
US-PATENT-APPL-SN-653278
US-PATENT-CLASS-73-49.8
US-PATENT-3,433,079
c15 N69-27504 ..... NASA-CASE-XNP-09452
US-PATENT-APPL-SN-640789
US-PATENT-CLASS-267-1
US-PATENT-3,430,942
c15 N69-27505 ..... NASA-CASE-XLA-09122
US-PATENT-APPL-SN-619903
US-PATENT-CLASS-64-28
US-PATENT-3,430,460
c15 N69-27871 ..... NASA-CASE-XMS-04318
US-PATENT-APPL-SN-521996
US-PATENT-CLASS-219-347
US-PATENT-3,431,397
c06 N69-31244 ..... NASA-CASE-NPO-10714
US-PATENT-APPL-SN-817569
c16 N69-31343 ..... NASA-CASE-ERC-10187
US-PATENT-APPL-SN-825253
c26 N69-33482 ..... NASA-CASE-ERC-10120
US-PATENT-APPL-SN-827597
c06 N69-39733 ..... NASA-CASE-XNP-03873
US-PATENT-APPL-SN-543774
US-PATENT-CLASS-73-24
US-PATENT-3,429,177

c09 N69-39734 ..... NASA-CASE-XMF-04238
US-PATENT-APPL-SN-562443
US-PATENT-CLASS-339-95
US-PATENT-3,458,851
c15 N69-39735 ..... NASA-CASE-XGS-00963
US-PATENT-APPL-SN-494282
US-PATENT-CLASS-161-182
US-PATENT-3,453,172
c07 N69-39736 ..... NASA-CASE-XNP-04180
US-PATENT-APPL-SN-545228
US-PATENT-CLASS-250-203
US-PATENT-3,448,273
c14 N69-39785 ..... NASA-CASE-XKS-03495
US-PATENT-APPL-SN-559351
US-PATENT-CLASS-324-61
US-PATENT-3,426,272
c15 N69-39786 ..... NASA-CASE-XGS-04554
US-PATENT-APPL-SN-584072
US-PATENT-CLASS-29-472.9
US-PATENT-3,447,233
c25 N69-39884 ..... NASA-CASE-XLE-00690
US-PATENT-APPL-SN-489442
US-PATENT-CLASS-324-33
US-PATENT-3,447,071
c09 N69-39885 ..... NASA-CASE-XMS-04061-1
US-PATENT-APPL-SN-511564
US-PATENT-CLASS-328-116
US-PATENT-3,456,201
c10 N69-39888 ..... NASA-CASE-XNP-02713
US-PATENT-APPL-SN-528031
US-PATENT-CLASS-307-252
US-PATENT-3,458,726
c06 N69-39889 ..... NASA-CASE-XLE-07087
US-PATENT-APPL-SN-619521
US-PATENT-CLASS-313-231
US-PATENT-3,447,015
c03 N69-39890 ..... NASA-CASE-XLE-02824
US-PATENT-APPL-SN-487343
US-PATENT-CLASS-310-10
US-PATENT-3,443,128
c18 N69-39895 ..... NASA-CASE-XNP-06508
US-PATENT-APPL-SN-617776
US-PATENT-CLASS-117-21
US-PATENT-3,446,642
c14 N69-39896 ..... NASA-CASE-XAC-02970
US-PATENT-APPL-SN-447930
US-PATENT-CLASS-250-217
US-PATENT-3,452,872
c09 N69-39897 ..... NASA-CASE-XAC-08981
US-PATENT-APPL-SN-634060
US-PATENT-CLASS-317-16
US-PATENT-3,450,946
c03 N69-39898 ..... NASA-CASE-XLE-01015
US-PATENT-APPL-SN-502746
US-PATENT-CLASS-310-4
US-PATENT-3,446,997
c09 N69-39929 ..... NASA-CASE-XNP-09776
US-PATENT-APPL-SN-617779
US-PATENT-CLASS-310-4
US-PATENT-3,446,998
c15 N69-39935 ..... NASA-CASE-XNP-08882
US-PATENT-APPL-SN-640784
US-PATENT-CLASS-220-14
US-PATENT-3,446,387
c06 N69-39936 ..... NASA-CASE-XNP-04816
US-PATENT-APPL-SN-578926
US-PATENT-CLASS-73-23.1
US-PATENT-3,443,416
c14 N69-39937 ..... NASA-CASE-XNP-09750
US-PATENT-APPL-SN-632162
US-PATENT-CLASS-250-83
US-PATENT-3,456,112
c07 N69-39974 ..... NASA-CASE-XGS-05918
US-PATENT-APPL-SN-685497
US-PATENT-CLASS-343-7.5
US-PATENT-3,430,237
c14 N69-39975 ..... NASA-CASE-XLA-01781
US-PATENT-APPL-SN-441936
US-PATENT-CLASS-73-86
US-PATENT-3,425,268
c07 N69-39978 ..... NASA-CASE-XGS-02749
US-PATENT-APPL-SN-502753
US-PATENT-CLASS-179-15
US-PATENT-3,450,842
c18 N69-39979 ..... NASA-CASE-XGS-04119
US-PATENT-APPL-SN-452945
US-PATENT-CLASS-106-74
US-PATENT-3,454,410
c07 N69-39980 ..... NASA-CASE-XGS-05211
US-PATENT-APPL-SN-590145
US-PATENT-CLASS-250-209
US-PATENT-3,444,380
c01 N69-39981 ..... NASA-CASE-XLA-06095
US-PATENT-APPL-SN-683612
US-PATENT-CLASS-244-138
US-PATENT-3,443,779
c14 N69-39982 ..... NASA-CASE-XGS-01725
US-PATENT-APPL-SN-483891
US-PATENT-CLASS-250-49.5
US-PATENT-3,446,960
c03 N69-39983 ..... NASA-CASE-XLE-02083
US-PATENT-APPL-SN-568362
US-PATENT-CLASS-310-11
US-PATENT-3,453,462
c09 N69-39984 ..... NASA-CASE-XLA-08507
US-PATENT-APPL-SN-632154
US-PATENT-CLASS-321-11
US-PATENT-3,434,033
c09 N69-39986 ..... NASA-CASE-XMS-05562-1
US-PATENT-APPL-SN-529609
US-PATENT-CLASS-330-2
US-PATENT-3,434,064
c09 N69-39987 ..... NASA-CASE-XMS-04215-1
US-PATENT-APPL-SN-605102
US-PATENT-CLASS-307-265
US-PATENT-3,446,992
c12 N69-39988 ..... NASA-CASE-XLE-02624
US-PATENT-APPL-SN-635327
US-PATENT-CLASS-35-49
US-PATENT-3,429,058
c15 N70-10867 ..... NASA-CASE-EEC-10208
US-PATENT-APPL-SN-847596
c09 N70-11148 ..... NASA-CASE-EEC-10072
US-PATENT-APPL-SN-845972
c06 N70-11251 ..... NASA-CASE-NPO-10863
US-PATENT-APPL-SN-848325
c06 N70-11252 ..... NASA-CASE-NPO-10447
US-PATENT-APPL-SN-848351
c07 N70-12616 ..... NASA-CASE-MSC-12259-1
US-PATENT-APPL-SN-853763
c09 N70-20737 ..... NASA-CASE-MFS-14741
US-PATENT-APPL-SN-880247
c15 N70-22192 ..... NASA-CASE-XMS-04890-1
US-PATENT-APPL-SN-797057
US-PATENT-CLASS-60-258
US-PATENT-3,490,238
c03 N70-26817 ..... NASA-CASE-LAR-10367-1
US-PATENT-APPL-SN-864710
c15 N70-26819 ..... NASA-CASE-LAR-10590-1
US-PATENT-APPL-SN-21732
c14 N70-33179 ..... NASA-CASE-XMF-00447
US-PATENT-APPL-SN-134479
US-PATENT-CLASS-340-198
US-PATENT-3,041,587
c15 N70-33180 ..... NASA-CASE-XIA-00137
US-PATENT-APPL-SN-8203
US-PATENT-CLASS-93-1
US-PATENT-3,010,372
c21 N70-33181 ..... NASA-CASE-XLA-00120
US-PATENT-APPL-SN-853984
US-PATENT-CLASS-250-83.3
US-PATENT-3,038,077
c09 N70-33182 ..... NASA-CASE-XAC-00086
US-PATENT-APPL-SN-824755
US-PATENT-CLASS-340-147
US-PATENT-3,059,220
c15 N70-33226 ..... NASA-CASE-XLE-00020
US-PATENT-APPL-SN-387332
US-PATENT-CLASS-253-39.15
US-PATENT-3,011,760
c28 N70-33241 ..... NASA-CASE-XLE-00103
US-PATENT-APPL-SN-517100
US-PATENT-CLASS-60-39.74
US-PATENT-2,940,259
c31 N70-33242 ..... NASA-CASE-XLA-00165
US-PATENT-APPL-SN-47120
US-PATENT-CLASS-244-117
US-PATENT-3,028,128
c14 N70-33254 ..... NASA-CASE-XIA-00062
US-PATENT-APPL-SN-853983
US-PATENT-CLASS-88-16
US-PATENT-3,041,924
c02 N70-33255 ..... NASA-CASE-XLA-00230
US-PATENT-APPL-SN-41455
US-PATENT-CLASS-244-43
US-PATENT-3,053,484
c15 N70-33264 ..... NASA-CASE-XLE-00092
US-PATENT-APPL-SN-835146

US-PATENT-CLASS-253-39.15
US-PATENT-3,057,597
c28 N70-33265 ..... NASA-CASE-XLE-00817
US-PATENT-APPL-SN-264735
US-PATENT-CLASS-60-35.3
US-PATENT-3,173,246
c02 N70-33266 ..... NASA-CASE-XLA-00221
US-PATENT-APPL-SN-51473
US-PATENT-CLASS-244-46
US-PATENT-3,064,928
c25 N70-33267 ..... NASA-CASE-XLA-00675
US-PATENT-APPL-SN-178213
US-PATENT-CLASS-315-111
US-PATENT-3,171,060
c11 N70-33278 ..... NASA-CASE-XLE-00168
US-PATENT-APPL-SN-842170
US-PATENT-CLASS-73-116
US-PATENT-3,063,291
c21 N70-33279 ..... NASA-CASE-XFR-00181
US-PATENT-APPL-SN-28175
US-PATENT-CLASS-244-83
US-PATENT-3,028,126
c17 N70-33283 ..... NASA-CASE-XLE-00151
US-PATENT-APPL-SN-848481
US-PATENT-CLASS-75-171
US-PATENT-2,971,837
c28 N70-33284 ..... NASA-CASE-XLE-00078
US-PATENT-APPL-SN-18776
US-PATENT-CLASS-60-35.6
US-PATENT-3,049,876
c05 N70-33285 ..... NASA-CASE-XLA-00118
US-PATENT-APPL-SN-840983
US-PATENT-CLASS-5-345
US-PATENT-3,038,175
c02 N70-33286 ..... NASA-CASE-XLA-00142
US-PATENT-APPL-SN-26375
US-PATENT-CLASS-244-46
US-PATENT-3,028,122
c11 N70-33287 ..... NASA-CASE-XLA-00112
US-PATENT-APPL-SN-843022
US-PATENT-CLASS-73-147
US-PATENT-3,005,339
c17 N70-33288 ..... NASA-CASE-XLE-02428
US-PATENT-APPL-SN-339821
US-PATENT-CLASS-29-198
US-PATENT-3,170,773
c12 N70-33305 ..... NASA-CASE-XLA-00229
US-PATENT-APPL-SN-18780
US-PATENT-CLASS-114-66.5
US-PATENT-3,016,863
c15 N70-33311 ..... NASA-CASE-XLE-00046
US-PATENT-APPL-SN-686796
US-PATENT-CLASS-29-488
US-PATENT-3,008,229
c09 N70-33312 ..... NASA-CASE-XLA-00141
US-PATENT-APPL-SN-19971
US-PATENT-CLASS-219-34
US-PATENT-3,005,081
c14 N70-33322 ..... NASA-CASE-XLA-00135
US-PATENT-APPL-SN-861152
US-PATENT-CLASS-244-14
US-PATENT-3,004,735
c15 N70-33323 ..... NASA-CASE-XMF-00341
US-PATENT-APPL-SN-77256
US-PATENT-CLASS-62-45
US-PATENT-3,012,407
c11 N70-33329 ..... NASA-CASE-XLA-00119
US-PATENT-APPL-SN-842171
US-PATENT-CLASS-240-1.2
US-PATENT-2,984,735
c15 N70-33330 ..... NASA-CASE-XLE-00023
US-PATENT-APPL-SN-512352
US-PATENT-CLASS-78-1
US-PATENT-2,991,671
c28 N70-33331 ..... NASA-CASE-XLA-00105
US-PATENT-APPL-SN-719173
US-PATENT-CLASS-60-35.6
US-PATENT-3,001,363
c02 N70-33332 ..... NASA-CASE-XLA-00087
US-PATENT-APPL-SN-811509
US-PATENT-CLASS-244-12
US-PATENT-2,991,961
c03 N70-33343 ..... NASA-CASE-XLA-00115
US-PATENT-APPL-SN-847027
US-PATENT-CLASS-244-1
US-PATENT-3,001,739
c33 N70-33344 ..... NASA-CASE-XMS-00486
US-PATENT-APPL-SN-300113
US-PATENT-CLASS-244-1
US-PATENT-3,130,940
c28 N70-33356 ..... NASA-CASE-XLE-00267
US-PATENT-APPL-SN-58147
US-PATENT-CLASS-60-35.5
US-PATENT-3,016,693
c28 N70-33372 ..... NASA-CASE-XLE-00037
US-PATENT-APPL-SN-639589
US-PATENT-CLASS-253-39.15
US-PATENT-2,974,925
c28 N70-33374 ..... NASA-CASE-XLA-00154
US-PATENT-APPL-SN-31242
US-PATENT-CLASS-60-35.6
US-PATENT-3,012,400
c28 N70-33375 ..... NASA-CASE-XLE-00207
US-PATENT-APPL-SN-180370
US-PATENT-CLASS-60-35.6
US-PATENT-3,173,251
c15 N70-33376 ..... NASA-CASE-XLE-00101
US-PATENT-APPL-SN-551961
US-PATENT-CLASS-251-173
US-PATENT-2,945,667
c15 N70-33382 ..... NASA-CASE-XLE-00010
US-PATENT-APPL-SN-554899
US-PATENT-CLASS-266-19
US-PATENT-2,934,331
c14 N70-33386 ..... NASA-CASE-XLA-00113
US-PATENT-APPL-SN-2792
US-PATENT-CLASS-73-147
US-PATENT-3,001,395
c03 N70-34134 ..... NASA-CASE-XLE-00212
US-PATENT-APPL-SN-151598
US-PATENT-CLASS-310-4
US-PATENT-3,202,844
c31 N70-34135 ..... NASA-CASE-XLA-00686
US-PATENT-APPL-SN-195347
US-PATENT-CLASS-343-833
US-PATENT-3,202,998
c14 N70-34156 ..... NASA-CASE-XLE-00266
US-PATENT-APPL-SN-202024
US-PATENT-CLASS-73-15
US-PATENT-3,204,447
c03 N70-34157 ..... NASA-CASE-XMF-00517
US-PATENT-APPL-SN-216711
US-PATENT-CLASS-244-1
US-PATENT-3,204,889
c14 N70-34158 ..... NASA-CASE-XGS-00359
US-PATENT-APPL-SN-94952
US-PATENT-CLASS-250-203
US-PATENT-3,205,361
c31 N70-34159 ..... NASA-CASE-XMF-03856
US-PATENT-APPL-SN-416941
US-PATENT-CLASS-248-188.9
US-PATENT-3,208,707
c02 N70-34160 ..... NASA-CASE-XLA-01804
US-PATENT-APPL-SN-353637
US-PATENT-CLASS-244-50
US-PATENT-3,208,694
c14 N70-34161 ..... NASA-CASE-XLA-00203
US-PATENT-APPL-SN-227682
US-PATENT-CLASS-73-105
US-PATENT-3,208,272
c28 N70-34162 ..... NASA-CASE-XMF-01544
US-PATENT-APPL-SN-394638
US-PATENT-CLASS-60-35.55
US-PATENT-3,208,215
c28 N70-34175 ..... NASA-CASE-XLE-01783
US-PATENT-APPL-SN-313132
US-PATENT-CLASS-60-35.5
US-PATENT-3,210,927
c31 N70-34176 ..... NASA-CASE-XMF-00389
US-PATENT-APPL-SN-151114
US-PATENT-CLASS-244-1
US-PATENT-3,202,381
c02 N70-34178 ..... NASA-CASE-XLA-00166
US-PATENT-APPL-SN-84961
US-PATENT-CLASS-244-46
US-PATENT-3,087,692
c15 N70-34247 ..... NASA-CASE-XLE-00288
US-PATENT-APPL-SN-118200
US-PATENT-CLASS-62-50
US-PATENT-3,068,658
c22 N70-34248 ..... NASA-CASE-XLE-00818
US-PATENT-APPL-SN-253006
US-PATENT-CLASS-60-35.5
US-PATENT-3,184,915
c15 N70-34249 ..... NASA-CASE-XMF-00375
US-PATENT-APPL-SN-166969
US-PATENT-CLASS-72-56
US-PATENT-3,188,844

c28 N70-34294 ..... NASA-CASE-XLE-00208
US-PATENT-APPL-SN-106135
US-PATENT-CLASS-60-35.54
US-PATENT-3,132,476
c21 N70-34295 ..... NASA-CASE-XLA-01989
US-PATENT-APPL-SN-305020
US-PATENT-CLASS-244-1
US-PATENT-3,189,299
c31 N70-34296 ..... NASA-CASE-XLA-00678
US-PATENT-APPL-SN-197551
US-PATENT-CLASS-244-1
US-PATENT-3,169,725
c21 N70-34297 ..... NASA-CASE-XGS-00466
US-PATENT-APPL-SN-123597
US-PATENT-CLASS-250-83.3
US-PATENT-3,188,472
c14 N70-34298 ..... NASA-CASE-XMF-00462
US-PATENT-APPL-SN-148001
US-PATENT-CLASS-88-14
US-PATENT-3,185,023
c22 N70-34501 ..... NASA-CASE-XLE-00298
US-PATENT-APPL-SN-277402
US-PATENT-CLASS-176-35
US-PATENT-3,198,709
c09 N70-34502 ..... NASA-CASE-XMF-00421
US-PATENT-APPL-SN-197548
US-PATENT-CLASS-317-140
US-PATENT-3,189,794
c21 N70-34539 ..... NASA-CASE-XMF-00185
US-PATENT-APPL-SN-97112
US-PATENT-CLASS-244-76
US-PATENT-3,070,330
c33 N70-34540 ..... NASA-CASE-XLA-00330
US-PATENT-APPL-SN-264729
US-PATENT-CLASS-219-121
US-PATENT-3,201,560
c33 N70-34545 ..... NASA-CASE-XLE-00490
US-PATENT-APPL-SN-252259
US-PATENT-CLASS-219-347
US-PATENT-3,189,726
c09 N70-34559 ..... NASA-CASE-LAR-10218-1
US-PATENT-APPL-SN-47441
c22 N70-34572 ..... NASA-CASE-XLE-00321
US-PATENT-APPL-SN-134478
US-PATENT-CLASS-176-52
US-PATENT-3,202,582
c09 N70-34596 ..... NASA-CASE-XMF-00324
US-PATENT-APPL-SN-109789
US-PATENT-CLASS-339-176
US-PATENT-3,189,864
c03 N70-34646 ..... NASA-CASE-NPO-11138
US-PATENT-APPL-SN-9251
c25 N70-34661 ..... NASA-CASE-XLA-00147
US-PATENT-APPL-SN-178215
US-PATENT-CLASS-313-156
US-PATENT-3,201,635
c15 N70-34664 ..... NASA-CASE-XMF-00515
US-PATENT-APPL-SN-278790
US-PATENT-CLASS-308-9
US-PATENT-3,199,931
c03 N70-34667 ..... NASA-CASE-XLA-00326
US-PATENT-APPL-SN-318443
US-PATENT-CLASS-89-1
US-PATENT-3,200,706
c14 N70-34669 ..... NASA-CASE-XLE-00724
US-PATENT-APPL-SN-284757
US-PATENT-CLASS-176-19
US-PATENT-3,205,141
c08 N70-34675 ..... NASA-CASE-XNP-04162-1
US-PATENT-APPL-SN-872664
c14 N70-34697 ..... NASA-CASE-NPO-11106
US-PATENT-APPL-SN-15020
c15 N70-34699 ..... NASA-CASE-NPO-10682
US-PATENT-APPL-SN-15023
c14 N70-34705 ..... NASA-CASE-XMF-00456
US-PATENT-APPL-SN-298800
US-PATENT-CLASS-73-88.5
US-PATENT-3,212,325
c08 N70-34743 ..... NASA-CASE-XGS-00174
US-PATENT-APPL-SN-120803
US-PATENT-CLASS-307-88
US-PATENT-3,198,955
c08 N70-34778 ..... NASA-CASE-XLA-00471
US-PATENT-APPL-SN-197553
US-PATENT-CLASS-235-154
US-PATENT-3,194,951
c27 N70-34783 ..... NASA-CASE-XLA-00304
US-PATENT-APPL-SN-54552
US-PATENT-CLASS-18-39
US-PATENT-3,193,883
c11 N70-34786 ..... NASA-CASE-XLA-00493
US-PATENT-APPL-SN-202029
US-PATENT-CLASS-73-432
US-PATENT-3,196,690
c08 N70-34787 ..... NASA-CASE-XGS-00689
US-PATENT-APPL-SN-250451
US-PATENT-CLASS-235-176
US-PATENT-3,196,261
c28 N70-34788 ..... NASA-CASE-XLE-00388
US-PATENT-APPL-SN-234568
US-PATENT-CLASS-55-306
US-PATENT-3,196,598
c14 N70-34794 ..... NASA-CASE-XMF-00479
US-PATENT-APPL-SN-169977
US-PATENT-CLASS-73-71.2
US-PATENT-3,194,060
c14 N70-34799 ..... NASA-CASE-XLA-00492
US-PATENT-APPL-SN-284265
US-PATENT-CLASS-73-88.5
US-PATENT-3,199,340
c33 N70-34812 ..... NASA-CASE-XLE-00387
US-PATENT-APPL-SN-203411
US-PATENT-CLASS-219-19
US-PATENT-3,108,171
c14 N70-34813 ..... NASA-CASE-XAC-00073
US-PATENT-APPL-SN-47122
US-PATENT-CLASS-73-147
US-PATENT-3,100,990
c15 N70-34814 ..... NASA-CASE-XMF-00392
US-PATENT-APPL-SN-151112
US-PATENT-CLASS-219-137
US-PATENT-3,102,948
c11 N70-34815 ..... NASA-CASE-XAC-00399
US-PATENT-APPL-SN-134481
US-PATENT-CLASS-35-12
US-PATENT-3,196,557
c14 N70-34816 ..... NASA-CASE-XAC-00042
US-PATENT-APPL-SN-734805
US-PATENT-CLASS-73-398
US-PATENT-3,022,672
c15 N70-34817 ..... NASA-CASE-XAC-00074
US-PATENT-APPL-SN-47143
US-PATENT-CLASS-137-340
US-PATENT-3,158,172
c14 N70-34818 ..... NASA-CASE-XLE-00503
US-PATENT-APPL-SN-261912
US-PATENT-CLASS-73-136
US-PATENT-3,196,675
c09 N70-34819 ..... NASA-CASE-XGS-00381
US-PATENT-APPL-SN-104188
US-PATENT-CLASS-307-88.5
US-PATENT-3,085,165
c14 N70-34820 ..... NASA-CASE-XAC-00030
US-PATENT-APPL-SN-760819
US-PATENT-CLASS-73-401
US-PATENT-3,024,659
c11 N70-34844 ..... NASA-CASE-XLE-00252
US-PATENT-APPL-SN-144803
US-PATENT-CLASS-73-116
US-PATENT-3,199,343
c15 N70-34850 ..... NASA-CASE-XLA-00754
US-PATENT-APPL-SN-209479
US-PATENT-CLASS-244-100
US-PATENT-3,143,321
c02 N70-34856 ..... NASA-CASE-XAC-00139
US-PATENT-APPL-SN-168560
US-PATENT-CLASS-244-51
US-PATENT-3,144,999
c02 N70-34858 ..... NASA-CASE-XLA-00806
US-PATENT-APPL-SN-26375
US-PATENT-APPL-SN-181828
US-PATENT-CLASS-244-46
US-PATENT-3,170,657
c15 N70-34859 ..... NASA-CASE-XLE-00715
US-PATENT-APPL-SN-212174
US-PATENT-CLASS-251-333
US-PATENT-3,191,907
c28 N70-34860 ..... NASA-CASE-XLE-00144
US-PATENT-APPL-SN-177684
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,101
c15 N70-34861 ..... NASA-CASE-XLE-00810
US-PATENT-APPL-SN-249540
US-PATENT-CLASS-188-1
US-PATENT-3,164,222
c06 N70-34946 ..... NASA-CASE-XNP-00733
US-PATENT-APPL-SN-256484

US-PATENT-CLASS-62-15
US-PATENT-3,192,730
c31 N70-34566 ..... NASA-CASE-XPR-00929
US-PATENT-APPL-SN-290868
US-PATENT-CLASS-35-12
US-PATENT-3,191,316
c15 N70-34967 ..... NASA-CASE-XNP-00595
US-PATENT-APPL-SN-188594
US-PATENT-CLASS-204-298
US-PATENT-3,189,535
c15 N70-35087 ..... NASA-CASE-XGS-00587
US-PATENT-APPL-SN-313135
US-PATENT-CLASS-137-340
US-PATENT-3,211,169
c21 N70-35089 ..... NASA-CASE-XNP-00438
US-PATENT-APPL-SN-180381
US-PATENT-CLASS-250-203
US-PATENT-3,205,362
c05 N70-35152 ..... NASA-CASE-XMS-01240
US-PATENT-APPL-SN-331324
US-PATENT-CLASS-297-216
US-PATENT-3,165,356
c09 N70-35219 ..... NASA-CASE-XNP-00611
US-PATENT-APPL-SN-140443
US-PATENT-CLASS-343-781
US-PATENT-3,209,360
c14 N70-35220 ..... NASA-CASE-XNP-00449
US-PATENT-APPL-SN-118169
US-PATENT-CLASS-330-49
US-PATENT-3,160,825
c14 N70-35368 ..... NASA-CASE-XLE-00335
US-PATENT-APPL-SN-197554
US-PATENT-CLASS-73-15.6
US-PATENT-3,176,499
c28 N70-35381 ..... NASA-CASE-XHQ-01897
US-PATENT-APPL-SN-129579
US-PATENT-CLASS-60-35.6
US-PATENT-3,121,309
c09 N70-35382 ..... NASA-CASE-XNP-00540
US-PATENT-APPL-SN-140509
US-PATENT-CLASS-343-781
US-PATENT-3,212,096
c11 N70-35383 ..... NASA-CASE-XMF-00580
US-PATENT-APPL-SN-343425
US-PATENT-CLASS-248-119
US-PATENT-3,194,525
c14 N70-35394 ..... NASA-CASE-XNP-00708
US-PATENT-APPL-SN-281069
US-PATENT-CLASS-35-45
US-PATENT-3,196,558
c21 N70-35395 ..... NASA-CASE-XNP-00465
US-PATENT-APPL-SN-180379
US-PATENT-CLASS-244-1
US-PATENT-3,206,141
c15 N70-35407 ..... NASA-CASE-XLE-00815
US-PATENT-APPL-SN-300712
US-PATENT-CLASS-251-11
US-PATENT-3,211,414
c03 N70-35408 ..... NASA-CASE-XGS-01593
US-PATENT-APPL-SN-178721
US-PATENT-CLASS-310-5
US-PATENT-3,205,381
c15 N70-35409 ..... NASA-CASE-XHQ-01208
US-PATENT-APPL-SN-42022
US-PATENT-CLASS-121-38
US-PATENT-3,088,441
c28 N70-35422 ..... NASA-CASE-LEW-10814-1
US-PATENT-APPL-SN-38262
c08 N70-35423 ..... NASA-CASE-XNP-00432
US-PATENT-APPL-SN-127234
US-PATENT-CLASS-340-347
US-PATENT-3,172,097
c09 N70-35425 ..... NASA-CASE-XNP-00683
US-PATENT-APPL-SN-251451
US-PATENT-CLASS-343-781
US-PATENT-3,209,361
c21 N70-35427 ..... NASA-CASE-XGS-00809
US-PATENT-APPL-SN-85585
US-PATENT-CLASS-88-1
US-PATENT-3,083,611
c09 N70-35440 ..... NASA-CASE-XAC-00435
US-PATENT-APPL-SN-164428
US-PATENT-CLASS-330-14
US-PATENT-3,196,362
c27 N70-35534 ..... NASA-CASE-XGS-03556
US-PATENT-APPL-SN-94259
US-PATENT-CLASS-60-35.6
US-PATENT-3,191,379
c14 N70-35666 ..... NASA-CASE-XNP-00646
US-PATENT-APPL-SN-173981
US-PATENT-CLASS-324-33
US-PATENT-3,171,081
c15 N70-35679 ..... NASA-CASE-MSC-12279-1
US-PATENT-APPL-SN-24154
c18 N70-36400 ..... NASA-CASE-XMS-00259
US-PATENT-APPL-SN-145007
US-PATENT-CLASS-117-69
US-PATENT-3,157,529
c15 N70-36409 ..... NASA-CASE-XLA-00482
US-PATENT-APPL-SN-166970
US-PATENT-CLASS-29-423
US-PATENT-3,160,950
c31 N70-36410 ..... NASA-CASE-XMF-00641
US-PATENT-APPL-SN-221945
US-PATENT-CLASS-244-1
US-PATENT-3,158,336
c15 N70-36411 ..... NASA-CASE-XLE-00164
US-PATENT-APPL-SN-107870
US-PATENT-CLASS-60-39.66
US-PATENT-3,162,012
c15 N70-36412 ..... NASA-CASE-XLE-00170
US-PATENT-APPL-SN-232914
US-PATENT-CLASS-253-66
US-PATENT-3,164,369
c15 N70-36492 ..... NASA-CASE-XLE-00397
US-PATENT-APPL-SN-195346
US-PATENT-CLASS-137-614
US-PATENT-3,170,486
c05 N70-36493 ..... NASA-CASE-XMS-00864
US-PATENT-APPL-SN-258932
US-PATENT-CLASS-9-316
US-PATENT-3,152,344
c09 N70-36494 ..... NASA-CASE-XMF-00369
US-PATENT-APPL-SN-134782
US-PATENT-CLASS-339-176
US-PATENT-3,149,897
c15 N70-36535 ..... NASA-CASE-XLE-00303
US-PATENT-APPL-SN-182692
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,286
c32 N70-36536 ..... NASA-CASE-XLA-00204
US-PATENT-APPL-SN-189648
US-PATENT-CLASS-135-1
US-PATENT-3,170,471
c17 N70-36616 ..... NASA-CASE-XLE-00283
US-PATENT-APPL-SN-107866
US-PATENT-CLASS-75-171
US-PATENT-3,167,426
c33 N70-36617 ..... NASA-CASE-XLA-01291
US-PATENT-APPL-SN-277961
US-PATENT-CLASS-244-1
US-PATENT-3,176,933
c14 N70-36618 ..... NASA-CASE-XLE-00143
US-PATENT-APPL-SN-104187
US-PATENT-CLASS-324-61
US-PATENT-3,176,222
c31 N70-36654 ..... NASA-CASE-XMF-02853
US-PATENT-APPL-SN-360182
US-PATENT-CLASS-244-100
US-PATENT-3,175,789
c03 N70-36778 ..... NASA-CASE-XLA-00838
US-PATENT-APPL-SN-192016
US-PATENT-CLASS-9-8
US-PATENT-3,150,387
c28 N70-36802 ..... NASA-CASE-XMF-00923
US-PATENT-APPL-SN-264736
US-PATENT-CLASS-60-35.5
US-PATENT-3,159,967
c03 N70-36803 ..... NASA-CASE-XNP-00644
US-PATENT-APPL-SN-212496
US-PATENT-CLASS-310-11
US-PATENT-3,158,764
c02 N70-36804 ..... NASA-CASE-XLA-00898
US-PATENT-APPL-SN-227683
US-PATENT-CLASS-244-152
US-PATENT-3,170,660
c26 N70-36805 ..... NASA-CASE-XLA-00158
US-PATENT-APPL-SN-221637
US-PATENT-CLASS-23-208
US-PATENT-3,174,827
c28 N70-36806 ..... NASA-CASE-XLE-00145
US-PATENT-APPL-SN-173081
US-PATENT-CLASS-60-35.6
US-PATENT-3,174,279
c14 N70-36807 ..... NASA-CASE-XLA-00100
US-PATENT-APPL-SN-534901
US-PATENT-CLASS-73-178
US-PATENT-3,168,827

c14 N70-36808 ..... NASA-CASE-XLE-00301
US-PATENT-APPL-SN-138540
US-PATENT-CLASS-176-19
US-PATENT-3,160,567
c14 N70-36824 ..... NASA-CASE-XLA-00481
US-PATENT-APPL-SN-120797
US-PATENT-CLASS-73-212
US-PATENT-3,170,324
c02 N70-36825 ..... NASA-CASE-XLA-01583
US-PATENT-APPL-SN-327565
US-PATENT-CLASS-244-103
US-PATENT-3,169,001
c31 N70-36845 ..... NASA-CASE-XNP-02108
US-PATENT-APPL-SN-372727
US-PATENT-CLASS-244-100
US-PATENT-3,181,821
c33 N70-36846 ..... NASA-CASE-XLA-00189
US-PATENT-APPL-SN-223003
US-PATENT-CLASS-102-49
US-PATENT-3,180,264
c33 N70-36847 ..... NASA-CASE-XNP-00463
US-PATENT-APPL-SN-259487
US-PATENT-CLASS-165-96
US-PATENT-3,177,933
c15 N70-36901 ..... NASA-CASE-XFR-00811
US-PATENT-APPL-SN-257346
US-PATENT-CLASS-29-234
US-PATENT-3,166,834
c14 N70-36907 ..... NASA-CASE-XNP-00614
US-PATENT-APPL-SN-247419
US-PATENT-CLASS-33-1
US-PATENT-3,163,935
c15 N70-36908 ..... NASA-CASE-XNP-00214
US-PATENT-APPL-SN-180377
US-PATENT-CLASS-137-625.69
US-PATENT-3,140,728
c28 N70-36910 ..... NASA-CASE-XNP-00610
US-PATENT-APPL-SN-211464
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,290
c07 N70-36911 ..... NASA-CASE-XNP-00748
US-PATENT-APPL-SN-184649
US-PATENT-CLASS-343-17.2
US-PATENT-3,183,506
c11 N70-36913 ..... NASA-CASE-XNF-00411
US-PATENT-APPL-SN-158914
US-PATENT-CLASS-73-147
US-PATENT-3,182,496
c21 N70-36938 ..... NASA-CASE-XNP-00294
US-PATENT-APPL-SN-182696
US-PATENT-CLASS-60-35.5
US-PATENT-3,178,883
c21 N70-36943 ..... NASA-CASE-XLA-00281
US-PATENT-APPL-SN-84962
US-PATENT-CLASS-244-1
US-PATENT-3,180,587
c25 N70-36946 ..... NASA-CASE-XLA-01354
US-PATENT-APPL-SN-253774
US-PATENT-CLASS-60-35.5
US-PATENT-3,174,278
c15 N70-36947 ..... NASA-CASE-XNP-00416
US-PATENT-APPL-SN-180395
US-PATENT-CLASS-189-36
US-PATENT-3,169,613
c28 N70-37245 ..... NASA-CASE-XLE-00376
US-PATENT-APPL-SN-139007
US-PATENT-CLASS-60-35.5
US-PATENT-3,156,090
c31 N70-37924 ..... NASA-CASE-XGS-00260
US-PATENT-APPL-SN-187446
US-PATENT-CLASS-244-1
US-PATENT-3,090,580
c15 N70-37925 ..... NASA-CASE-XLA-00128
US-PATENT-APPL-SN-32496
US-PATENT-CLASS-73-384
US-PATENT-3,093,000
c31 N70-37938 ..... NASA-CASE-XLA-00149
US-PATENT-APPL-SN-847023
US-PATENT-CLASS-244-1
US-PATENT-3,093,346
c02 N70-37939 ..... NASA-CASE-XLE-00222
US-PATENT-APPL-SN-77252
US-PATENT-CLASS-244-113
US-PATENT-3,098,630
c33 N70-37979 ..... NASA-CASE-XLA-00349
US-PATENT-APPL-SN-141220
US-PATENT-CLASS-62-467
US-PATENT-3,090,212
c28 N70-37980 ..... NASA-CASE-XLE-00342
US-PATENT-APPL-SN-60531
US-PATENT-CLASS-60-35.5
US-PATENT-3,119,232
c31 N70-37981 ..... NASA-CASE-XLA-00138
US-PATENT-APPL-SN-8204
US-PATENT-CLASS-343-18
US-PATENT-3,115,630
c31 N70-37986 ..... NASA-CASE-XLA-00241
US-PATENT-APPL-SN-61329
US-PATENT-CLASS-244-1
US-PATENT-3,104,079
c02 N70-38009 ..... NASA-CASE-XLA-00195
US-PATENT-APPL-SN-60536
US-PATENT-CLASS-244-140
US-PATENT-3,079,113
c31 N70-38010 ..... NASA-CASE-XLA-00805
US-PATENT-APPL-SN-181829
US-PATENT-CLASS-244-46
US-PATENT-3,120,361
c02 N70-38011 ..... NASA-CASE-XLA-00350
US-PATENT-APPL-SN-153266
US-PATENT-CLASS-244-46
US-PATENT-3,104,082
c15 N70-38020 ..... NASA-CASE-XLE-00345
US-PATENT-APPL-SN-183978
US-PATENT-CLASS-62-55
US-PATENT-3,122,000
c28 N70-38181 ..... NASA-CASE-XNP-00217
US-PATENT-APPL-SN-180374
US-PATENT-CLASS-102-49
US-PATENT-3,122,098
c11 N70-38182 ..... NASA-CASE-XNP-00612
US-PATENT-APPL-SN-228507
US-PATENT-CLASS-220-63
US-PATENT-3,123,248
c11 N70-38196 ..... NASA-CASE-XNF-00424
US-PATENT-APPL-SN-159804
US-PATENT-CLASS-73-517
US-PATENT-3,141,340
c28 N70-38197 ..... NASA-CASE-XLE-00455
US-PATENT-APPL-SN-203409
US-PATENT-CLASS-75-222
US-PATENT-3,141,769
c17 N70-38198 ..... NASA-CASE-XLE-00231
US-PATENT-APPL-SN-64226
US-PATENT-CLASS-22-203
US-PATENT-3,138,837
c28 N70-38199 ..... NASA-CASE-XLE-00111
US-PATENT-APPL-SN-835152
US-PATENT-CLASS-60-39.48
US-PATENT-3,136,123
c07 N70-38200 ..... NASA-CASE-XLA-00414
US-PATENT-APPL-SN-209478
US-PATENT-CLASS-343-705
US-PATENT-3,132,342
c09 N70-38201 ..... NASA-CASE-XNP-00738
US-PATENT-APPL-SN-204015
US-PATENT-CLASS-174-115
US-PATENT-3,106,603
c11 N70-38202 ..... NASA-CASE-XNP-00425
US-PATENT-APPL-SN-180396
US-PATENT-CLASS-89-1.7
US-PATENT-3,112,672
c15 N70-38225 ..... NASA-CASE-XNP-00840
US-PATENT-APPL-SN-269222
US-PATENT-CLASS-267-1
US-PATENT-3,127,157
c28 N70-38249 ..... NASA-CASE-XNP-00249
US-PATENT-APPL-SN-180391
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,738
c17 N70-38490 ..... NASA-CASE-XLE-00228
US-PATENT-APPL-SN-64224
US-PATENT-CLASS-29-183.5
US-PATENT-3,084,421
c28 N70-38504 ..... NASA-CASE-XNS-00583
US-PATENT-APPL-SN-182699
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,089
c28 N70-38505 ..... NASA-CASE-XLE-00323
US-PATENT-APPL-SN-183977
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,090
c15 N70-38601 ..... NASA-CASE-XLA-00679
US-PATENT-APPL-SN-213836
US-PATENT-CLASS-188-1
US-PATENT-3,128,845
c14 N70-38602 ..... NASA-CASE-XLE-00243
US-PATENT-APPL-SN-118203

US-PATENT-CLASS-324-106
US-PATENT-3,202,915
c15 N70-38603 ..... NASA-CASE-XNP-00450
US-PATENT-APPL-SN-180394
US-PATENT-CLASS-137-495
US-PATENT-3,105,515
c09 N70-38604 ..... NASA-CASE-XGS-00458
US-PATENT-APPL-SN-139006
US-PATENT-CLASS-307-88
US-PATENT-3,128,389
c15 N70-38620 ..... NASA-CASE-XNP-00476
US-PATENT-APPL-SN-182698
US-PATENT-CLASS-308-9
US-PATENT-3,132,903
c28 N70-38645 ..... NASA-CASE-XNP-00234
US-PATENT-APPL-SN-180382
US-PATENT-CLASS-60-35.54
US-PATENT-3,139,725
c11 N70-38675 ..... NASA-CASE-XNP-00459
US-PATENT-APPL-SN-180384
US-PATENT-CLASS-73-432
US-PATENT-3,187,583
c31 N70-38676 ..... NASA-CASE-XLA-00258
US-PATENT-APPL-SN-101029
US-PATENT-CLASS-244-1
US-PATENT-3,144,219
c28 N70-38710 ..... NASA-CASE-XMF-00148
US-PATENT-APPL-SN-118202
US-PATENT-CLASS-60-35.6
US-PATENT-3,122,885
c28 N70-38711 ..... NASA-CASE-XLE-00057
US-PATENT-APPL-SN-0914
US-PATENT-CLASS-60-35.55
US-PATENT-3,080,711
c09 N70-38712 ..... NASA-CASE-XMF-01129
US-PATENT-APPL-SN-273534
US-PATENT-CLASS-318-260
US-PATENT-3,147,422
c03 N70-38713 ..... NASA-CASE-XGS-00473
US-PATENT-APPL-SN-139012
US-PATENT-CLASS-200-39
US-PATENT-3,141,932
c09 N70-38995 ..... NASA-CASE-XGS-00131
US-PATENT-APPL-SN-14488
US-PATENT-CLASS-331-113
US-PATENT-3,150,329
c15 N70-38996 ..... NASA-CASE-XNP-00676
US-PATENT-APPL-SN-290870
US-PATENT-CLASS-222-389
US-PATENT-3,170,605
c12 N70-38997 ..... NASA-CASE-XMF-00658
US-PATENT-APPL-SN-216710
US-PATENT-CLASS-137-1
US-PATENT-3,110,318
c09 N70-38998 ..... NASA-CASE-XNP-00431
US-PATENT-APPL-SN-180380
US-PATENT-CLASS-340-147
US-PATENT-3,100,294
c28 N70-39895 ..... NASA-CASE-XLE-00085
US-PATENT-APPL-SN-25175
US-PATENT-CLASS-253-66
US-PATENT-3,070,349
c15 N70-39896 ..... NASA-CASE-XMF-00339
US-PATENT-APPL-SN-110591
US-PATENT-CLASS-308-9
US-PATENT-3,070,407
c18 N70-39897 ..... NASA-CASE-XLE-00353
US-PATENT-APPL-SN-65548
US-PATENT-CLASS-252-58
US-PATENT-3,072,574
c14 N70-39898 ..... NASA-CASE-XMF-00480
US-PATENT-APPL-SN-144804
US-PATENT-CLASS-248-346
US-PATENT-3,069,123
c28 N70-39899 ..... NASA-CASE-XLE-00005
US-PATENT-APPL-SN-718095
US-PATENT-CLASS-60-35.6
US-PATENT-3,067,573
c09 N70-39915 ..... NASA-CASE-XAC-00060
US-PATENT-APPL-SN-47121
US-PATENT-CLASS-200-19
US-PATENT-3,076,065
c05 N70-39922 ..... NASA-CASE-XFS-01115
US-PATENT-APPL-SN-277404
US-PATENT-CLASS-128-29
US-PATENT-3,229,689
c15 N70-39924 ..... NASA-CASE-XMF-00640
US-PATENT-APPL-SN-341467
US-PATENT-CLASS-228-50
US-PATENT-3,229,884
c28 N70-39925 ..... NASA-CASE-XLE-00660
US-PATENT-APPL-SN-231604
US-PATENT-CLASS-313-11.5
US-PATENT-3,229,139
c03 N70-39930 ..... NASA-CASE-XLA-00791
US-PATENT-APPL-SN-347960
US-PATENT-CLASS-102-49
US-PATENT-3,229,636
c28 N70-39931 ..... NASA-CASE-XNP-01104
US-PATENT-APPL-SN-290867
US-PATENT-CLASS-60-39.48
US-PATENT-3,229,863
c14 N70-40003 ..... NASA-CASE-XGS-01036
US-PATENT-APPL-SN-227692
US-PATENT-CLASS-88-14
US-PATENT-3,229,568
c26 N70-40015 ..... NASA-CASE-XLA-02057
US-PATENT-APPL-SN-320595
US-PATENT-CLASS-23-277
US-PATENT-3,230,053
c30 N70-40016 ..... NASA-CASE-XGS-00619
US-PATENT-APPL-SN-264728
US-PATENT-CLASS-244-1
US-PATENT-3,229,930
c15 N70-40062 ..... NASA-CASE-XMS-01624
US-PATENT-APPL-SN-422867
US-PATENT-CLASS-55-408
US-PATENT-3,224,173
c07 N70-40063 ..... NASA-CASE-XMS-00893
US-PATENT-APPL-SN-251449
US-PATENT-CLASS-343-18
US-PATENT-3,224,001
c09 N70-40123 ..... NASA-CASE-XGS-01881
US-PATENT-APPL-SN-155584
US-PATENT-CLASS-324-43
US-PATENT-3,218,547
c12 N70-40124 ..... NASA-CASE-XLE-01512
US-PATENT-APPL-SN-315096
US-PATENT-CLASS-149-2
US-PATENT-3,215,572
c08 N70-40125 ..... NASA-CASE-XAC-00404
US-PATENT-APPL-SN-209801
US-PATENT-CLASS-340-347
US-PATENT-3,216,007
c15 N70-40156 ..... NASA-CASE-XLA-01019
US-PATENT-APPL-SN-282817
US-PATENT-CLASS-248-358
US-PATENT-3,223,374
c14 N70-40157 ..... NASA-CASE-XLA-00487
US-PATENT-APPL-SN-236748
US-PATENT-CLASS-73-178
US-PATENT-3,221,549
c15 N70-40180 ..... NASA-CASE-XAC-00472
US-PATENT-APPL-SN-236749
US-PATENT-CLASS-73-142
US-PATENT-3,224,263
c14 N70-40201 ..... NASA-CASE-XLE-00720
US-PATENT-APPL-SN-302749
US-PATENT-CLASS-73-134
US-PATENT-3,221,547
c07 N70-40202 ..... NASA-CASE-XMF-00437
US-PATENT-APPL-SN-120795
US-PATENT-CLASS-343-705
US-PATENT-3,077,599
c14 N70-40203 ..... NASA-CASE-XLE-00702
US-PATENT-APPL-SN-258931
US-PATENT-CLASS-73-116
US-PATENT-3,201,980
c15 N70-40204 ..... NASA-CASE-XMF-00722
US-PATENT-APPL-SN-347626
US-PATENT-CLASS-228-50
US-PATENT-3,219,250
c14 N70-40233 ..... NASA-CASE-XMS-01546
US-PATENT-APPL-SN-386467
US-PATENT-CLASS-222-45
US-PATENT-3,228,558
c09 N70-40234 ..... NASA-CASE-XLE-01716
US-PATENT-APPL-SN-349778
US-PATENT-CLASS-126-270
US-PATENT-3,229,682
c14 N70-40238 ..... NASA-CASE-XMF-00908
US-PATENT-APPL-SN-241085
US-PATENT-CLASS-250-201
US-PATENT-3,229,099
c14 N70-40239 ..... NASA-CASE-XLA-00183
US-PATENT-APPL-SN-199202
US-PATENT-CLASS-250-203
US-PATENT-3,229,102

c14 N70-40240 ..... NASA-CASE-XHQ-04106
US-PATENT-APPL-SN-91180
US-PATENT-CLASS-250-105
US-PATENT-3,143,651
c09 N70-40272 ..... NASA-CASE-XNP-00701
US-PATENT-APPL-SN-261917
US-PATENT-CLASS-307-88.5
US-PATENT-3,218,479
c14 N70-40273 ..... NASA-CASE-XNP-00637
US-PATENT-APPL-SN-280776
US-PATENT-CLASS-95-58
US-PATENT-3,217,624
c30 N70-40309 ..... NASA-CASE-XLA-00210
US-PATENT-APPL-SN-82658
US-PATENT-CLASS-343-18
US-PATENT-3,220,004
c30 N70-40353 ..... NASA-CASE-XNP-03198
US-PATENT-APPL-SN-370134
US-PATENT-CLASS-89-1.7
US-PATENT-3,224,336
c15 N70-40354 ..... NASA-CASE-XNP-01045
US-PATENT-APPL-SN-355130
US-PATENT-CLASS-188-1
US-PATENT-3,228,492
c28 N70-40367 ..... NASA-CASE-XLE-00177
US-PATENT-APPL-SN-10812
US-PATENT-CLASS-60-35.3
US-PATENT-3,045,424
c14 N70-40400 ..... NASA-CASE-XAC-00648
US-PATENT-APPL-SN-216939
US-PATENT-CLASS-73-147
US-PATENT-3,218,850
c28 N70-41275 ..... NASA-CASE-XNP-01390
US-PATENT-APPL-SN-424157
US-PATENT-CLASS-60-259
US-PATENT-3,300,981
c05 N70-41297 ..... NASA-CASE-XMS-01492
US-PATENT-APPL-SN-398131
US-PATENT-CLASS-55-35
US-PATENT-3,300,949
c15 N70-41310 ..... NASA-CASE-XNP-01567
US-PATENT-APPL-SN-448898
US-PATENT-CLASS-248-178
US-PATENT-3,295,808
c28 N70-41311 ..... NASA-CASE-XNP-00876
US-PATENT-APPL-SN-377784
US-PATENT-CLASS-60-251
US-PATENT-3,298,182
c05 N70-41329 ..... NASA-CASE-XMS-01615
US-PATENT-APPL-SN-329595
US-PATENT-CLASS-128-2.05
US-PATENT-3,298,362
c14 N70-41330 ..... NASA-CASE-XLE-00688
US-PATENT-APPL-SN-334672
US-PATENT-CLASS-73-32
US-PATENT-3,298,221
c07 N70-41331 ..... NASA-CASE-XLA-01400
US-PATENT-APPL-SN-363653
US-PATENT-CLASS-325-65
US-PATENT-3,296,531
c14 N70-41332 ..... NASA-CASE-XLA-00495
US-PATENT-APPL-SN-269215
US-PATENT-CLASS-324-70
US-PATENT-3,296,526
c14 N70-41366 ..... NASA-CASE-XLA-01353
US-PATENT-APPL-SN-403960
US-PATENT-CLASS-73-147
US-PATENT-3,301,046
c32 N70-41367 ..... NASA-CASE-XGS-00938
US-PATENT-APPL-SN-392970
US-PATENT-CLASS-214-1
US-PATENT-3,295,699
c32 N70-41370 ..... NASA-CASE-XNP-01962
US-PATENT-APPL-SN-369640
US-PATENT-CLASS-92-94
US-PATENT-3,298,285
c15 N70-41371 ..... NASA-CASE-XNP-01452
US-PATENT-APPL-SN-356692
US-PATENT-CLASS-29-271
US-PATENT-3,300,847
c07 N70-41372 ..... NASA-CASE-XLA-01127
US-PATENT-APPL-SN-363654
US-PATENT-CLASS-325-65
US-PATENT-3,300,731
c31 N70-41373 ..... NASA-CASE-XMS-01906
US-PATENT-APPL-SN-339040
US-PATENT-CLASS-244-1
US-PATENT-3,300,162
c28 N70-41447 ..... NASA-CASE-XNP-00732
US-PATENT-APPL-SN-261918
US-PATENT-CLASS-210-314
US-PATENT-3,295,684
c28 N70-41576 ..... NASA-CASE-XIE-00519
US-PATENT-APPL-SN-249542
US-PATENT-CLASS-313-63
US-PATENT-3,287,582
c16 N70-41578 ..... NASA-CASE-XGS-01504
US-PATENT-APPL-SN-340113
US-PATENT-CLASS-331-94
US-PATENT-3,287,660
c32 N70-41579 ..... NASA-CASE-XIE-00620
US-PATENT-APPL-SN-304698
US-PATENT-CLASS-138-119
US-PATENT-3,295,556
c03 N70-41580 ..... NASA-CASE-XIA-04622
US-PATENT-APPL-SN-277833
US-PATENT-CLASS-126-270
US-PATENT-3,295,512
c05 N70-41581 ..... NASA-CASE-XAC-01404
US-PATENT-APPL-SN-363348
US-PATENT-CLASS-74-471
US-PATENT-3,295,386
c28 N70-41582 ..... NASA-CASE-XNP-01813
US-PATENT-APPL-SN-375674
US-PATENT-CLASS-181-52
US-PATENT-3,270,835
c18 N70-41583 ..... NASA-CASE-XNP-01030
US-PATENT-APPL-SN-317389
US-PATENT-CLASS-161-115
US-PATENT-3,296,060
c31 N70-41588 ..... NASA-CASE-XNP-01973
US-PATENT-APPL-SN-375682
US-PATENT-CLASS-244-1
US-PATENT-3,295,790
c02 N70-41589 ..... NASA-CASE-XNP-01174
US-PATENT-APPL-SN-410331
US-PATENT-CLASS-244-100
US-PATENT-3,295,798
c25 N70-41628 ..... NASA-CASE-XAC-00319
US-PATENT-APPL-SN-77251
US-PATENT-CLASS-315-111
US-PATENT-3,229,155
c15 N70-41629 ..... NASA-CASE-XGS-02441
US-PATENT-APPL-SN-411944
US-PATENT-CLASS-285-331
US-PATENT-3,301,578
c02 N70-41630 ..... NASA-CASE-XMS-00907
US-PATENT-APPL-SN-428890
US-PATENT-CLASS-244-138
US-PATENT-3,301,511
c31 N70-41631 ..... NASA-CASE-XMS-04142
US-PATENT-APPL-SN-422865
US-PATENT-CLASS-244-1
US-PATENT-3,301,507
c15 N70-41646 ..... NASA-CASE-XLE-01449
US-PATENT-APPL-SN-330209
US-PATENT-CLASS-137-197
US-PATENT-3,295,545
c14 N70-41647 ..... NASA-CASE-XGS-00769
US-PATENT-APPL-SN-319893
US-PATENT-CLASS-242-55.19
US-PATENT-3,295,782
c09 N70-41655 ..... NASA-CASE-XNP-00906
US-PATENT-APPL-SN-264731
US-PATENT-CLASS-324-113
US-PATENT-3,287,640
c09 N70-41675 ..... NASA-CASE-XMS-01315
US-PATENT-APPL-SN-347101
US-PATENT-CLASS-307-88.5
US-PATENT-3,302,040
c14 N70-41676 ..... NASA-CASE-XGS-01231
US-PATENT-APPL-SN-346356
US-PATENT-CLASS-250-71
US-PATENT-3,302,023
c11 N70-41677 ..... NASA-CASE-XNP-01772
US-PATENT-APPL-SN-370135
US-PATENT-CLASS-73-116
US-PATENT-3,295,366
c07 N70-41678 ..... NASA-CASE-XGS-02608
US-PATENT-APPL-SN-456578
US-PATENT-CLASS-343-18
US-PATENT-3,289,205
c15 N70-41679 ..... NASA-CASE-XIA-01401
US-PATENT-APPL-SN-516151
US-PATENT-CLASS-102-49
US-PATENT-3,302,569
c07 N70-41680 ..... NASA-CASE-XNP-02723
US-PATENT-APPL-SN-371857

US-PATENT-CLASS-343-14
US-PATENT-3,287,725
c14 N70-41681 ..... NASA-CASE-XAC-02877
US-PATENT-APPL-SN-449902
US-PATENT-CLASS-73-30
US-PATENT-3,295,360
c14 N70-41682 ..... NASA-CASE-XMS-05936
US-PATENT-APPL-SN-557868
US-PATENT-CLASS-73-517
US-PATENT-3,295,377
c09 N70-41717 ..... NASA-CASE-XMS-02087
US-PATENT-APPL-SN-439489
US-PATENT-CLASS-165-1
US-PATENT-3,301,315
c14 N70-41807 ..... NASA-CASE-XNP-01472
US-PATENT-APPL-SN-321656
US-PATENT-CLASS-178-7.2
US-PATENT-3,287,496
c15 N70-41808 ..... NASA-CASE-XMS-02532
US-PATENT-APPL-SN-398132
US-PATENT-CLASS-285-27
US-PATENT-3,287,031
c15 N70-41811 ..... NASA-CASE-XNP-01152
US-PATENT-APPL-SN-369337
US-PATENT-CLASS-137-539
US-PATENT-3,302,662
c14 N70-41812 ..... NASA-CASE-XMS-03792
US-PATENT-APPL-SN-516159
US-PATENT-CLASS-200-61.45
US-PATENT-3,303,304
c28 N70-41818 ..... NASA-CASE-XLE-00150
US-PATENT-APPL-SN-843032
US-PATENT-CLASS-29-157.3
US-PATENT-3,035,333
c05 N70-41819 ..... NASA-CASE-XAC-00405
US-PATENT-APPL-SN-158916
US-PATENT-CLASS-128-1
US-PATENT-3,302,633
c15 N70-41829 ..... NASA-CASE-XNP-01371
US-PATENT-APPL-SN-353634
US-PATENT-CLASS-287-119
US-PATENT-3,302,960
c31 N70-41855 ..... NASA-CASE-XNP-02982
US-PATENT-APPL-SN-388966
US-PATENT-CLASS-244-1
US-PATENT-3,304,028
c21 N70-41856 ..... NASA-CASE-XNP-01307
US-PATENT-APPL-SN-390250
US-PATENT-CLASS-244-1
US-PATENT-3,286,953
c02 N70-41863 ..... NASA-CASE-XLA-01220
US-PATENT-APPL-SN-379417
US-PATENT-CLASS-244-16
US-PATENT-3,286,957
c03 N70-41864 ..... NASA-CASE-XGS-01419
US-PATENT-APPL-SN-323182
US-PATENT-CLASS-136-179
US-PATENT-3,287,174
c31 N70-41871 ..... NASA-CASE-XMS-04390
US-PATENT-APPL-SN-502729
US-PATENT-CLASS-62-45
US-PATENT-3,304,729
c27 N70-41897 ..... NASA-CASE-XNP-01749
US-PATENT-APPL-SN-440033
US-PATENT-CLASS-149-109
US-PATENT-3,305,415
c28 N70-41922 ..... NASA-CASE-XNP-02839
US-PATENT-APPL-SN-477333
US-PATENT-CLASS-60-202
US-PATENT-3,304,718
c09 N70-41929 ..... NASA-CASE-XNP-01951
US-PATENT-APPL-SN-413662
US-PATENT-CLASS-335-300
US-PATENT-3,305,810
c21 N70-41930 ..... NASA-CASE-XNP-01501
US-PATENT-APPL-SN-432027
US-PATENT-CLASS-343-12
US-PATENT-3,305,861
c14 N70-41946 ..... NASA-CASE-XLE-00011
US-PATENT-APPL-SN-735911
US-PATENT-CLASS-88-14
US-PATENT-2,960,002
c31 N70-41948 ..... NASA-CASE-XNP-01899
US-PATENT-APPL-SN-428882
US-PATENT-CLASS-60-257
US-PATENT-3,304,724
c03 N70-41954 ..... NASA-CASE-XAC-03392
US-PATENT-APPL-SN-430776
US-PATENT-CLASS-74-519
US-PATENT-3,304,799
c14 N70-41955 ..... NASA-CASE-XNP-02029
US-PATENT-APPL-SN-221276
US-PATENT-CLASS-88-14
US-PATENT-3,323,408
c14 N70-41957 ..... NASA-CASE-XAC-01101
US-PATENT-APPL-SN-355129
US-PATENT-CLASS-73-141
US-PATENT-3,304,773
c15 N70-41960 ..... NASA-CASE-XNP-05082
US-PATENT-APPL-SN-521753
US-PATENT-CLASS-174-68.5
US-PATENT-3,321,570
c08 N70-41961 ..... NASA-CASE-XNP-00911
US-PATENT-APPL-SN-280777
US-PATENT-CLASS-178-67
US-PATENT-3,305,636
c10 N70-41964 ..... NASA-CASE-XGS-01983
US-PATENT-APPL-SN-388023
US-PATENT-CLASS-333-79
US-PATENT-3,305,801
c28 N70-41967 ..... NASA-CASE-XLA-02651
US-PATENT-APPL-SN-449901
US-PATENT-CLASS-102-49
US-PATENT-3,304,865
c10 N70-41991 ..... NASA-CASE-XNP-03128
US-PATENT-APPL-SN-397665
US-PATENT-CLASS-250-83.6
US-PATENT-3,321,628
c28 N70-41992 ..... NASA-CASE-XLE-00685
US-PATENT-APPL-SN-407595
US-PATENT-CLASS-60-260
US-PATENT-3,321,922
c15 N70-41993 ..... NASA-CASE-XLE-01300
US-PATENT-APPL-SN-380960
US-PATENT-CLASS-73-100
US-PATENT-3,323,356
c14 N70-41994 ..... NASA-CASE-XNP-02822
US-PATENT-APPL-SN-403959
US-PATENT-CLASS-73-194
US-PATENT-3,323,362
c05 N70-42000 ..... NASA-CASE-XMS-03371
US-PATENT-APPL-SN-418931
US-PATENT-CLASS-73-432
US-PATENT-3,323,370
c32 N70-42003 ..... NASA-CASE-XLA-02131
US-PATENT-APPL-SN-377777
US-PATENT-CLASS-73-90
US-PATENT-3,304,768
c31 N70-42015 ..... NASA-CASE-XLA-01967
US-PATENT-APPL-SN-457875
US-PATENT-CLASS-244-135
US-PATENT-3,321,159
c02 N70-42016 ..... NASA-CASE-XLA-01290
US-PATENT-APPL-SN-393451
US-PATENT-CLASS-244-42
US-PATENT-3,321,157
c15 N70-42017 ..... NASA-CASE-XMS-04072
US-PATENT-APPL-SN-485960
US-PATENT-CLASS-30-228
US-PATENT-3,320,669
c10 N70-42032 ..... NASA-CASE-XNP-02654
US-PATENT-APPL-SN-435387
US-PATENT-CLASS-307-88.5
US-PATENT-3,321,645
c15 N70-42033 ..... NASA-CASE-XNP-02092
US-PATENT-APPL-SN-371856
US-PATENT-CLASS-156-345
US-PATENT-3,323,967
c15 N70-42034 ..... NASA-CASE-XNP-01412
US-PATENT-APPL-SN-426702
US-PATENT-CLASS-175-310
US-PATENT-3,321,034
c03 N70-42073 ..... NASA-CASE-XFB-04104
US-PATENT-APPL-SN-476759
US-PATENT-CLASS-74-471
US-PATENT-3,323,386
c14 N70-42074 ..... NASA-CASE-XLE-02998
US-PATENT-APPL-SN-516794
US-PATENT-CLASS-116-117
US-PATENT-3,323,484
c31 N70-42075 ..... NASA-CASE-XMS-02677
US-PATENT-APPL-SN-472066
US-PATENT-CLASS-244-1
US-PATENT-3,321,154
c14 N71-10500 ..... NASA-CASE-XLE-01609
US-PATENT-APPL-SN-438797
US-PATENT-CLASS-73-290
US-PATENT-3,326,043

c24 N71-10560 ..... NASA-CASE-XLE-00808
US-PATENT-APPL-SN-307269
US-PATENT-CLASS-148-188
US-PATENT-3,310,443
c28 N71-10574 ..... NASA-CASE-XLE-01902
US-PATENT-APPL-SN-485656
US-PATENT-CLASS-60-202
US-PATENT-3,324,659
c15 N71-10577 ..... NASA-CASE-XLE-04677
US-PATENT-APPL-SN-447928
US-PATENT-CLASS-220-67
US-PATENT-3,326,407
c10 N71-10578 ..... NASA-CASE-XMS-01554
US-PATENT-APPL-SN-414482
US-PATENT-CLASS-323-8
US-PATENT-3,325,723
c31 N71-10582 ..... NASA-CASE-XLA-02132
US-PATENT-APPL-SN-453227
US-PATENT-CLASS-102-49
US-PATENT-3,286,630
c11 N71-10604 ..... NASA-CASE-XMF-03248
US-PATENT-APPL-SN-377780
US-PATENT-CLASS-73-116
US-PATENT-3,310,980
c26 N71-10607 ..... NASA-CASE-XLE-02792
US-PATENT-APPL-SN-352400
US-PATENT-CLASS-148-1.5
US-PATENT-3,311,510
c03 N71-10608 ..... NASA-CASE-XGS-03505
US-PATENT-APPL-SN-498167
US-PATENT-CLASS-136-28
US-PATENT-3,311,502
c07 N71-10609 ..... NASA-CASE-XGS-01223
US-PATENT-APPL-SN-319892
US-PATENT-CLASS-242-55.19
US-PATENT-3,311,315
c14 N71-10616 ..... NASA-CASE-XNF-02433
US-PATENT-APPL-SN-405630
US-PATENT-CLASS-73-70.2
US-PATENT-3,310,978
c15 N71-10617 ..... NASA-CASE-XNF-01887
US-PATENT-APPL-SN-422868
US-PATENT-CLASS-308-5
US-PATENT-3,325,229
c09 N71-10618 ..... NASA-CASE-XNP-03332
US-PATENT-APPL-SN-368123
US-PATENT-CLASS-313-63
US-PATENT-3,311,772
c15 N71-10658 ..... NASA-CASE-XMS-03252
US-PATENT-APPL-SN-425362
US-PATENT-CLASS-60-54.5
US-PATENT-3,318,093
c09 N71-10659 ..... NASA-CASE-XNP-01383
US-PATENT-APPL-SN-369336
US-PATENT-CLASS-324-77
US-PATENT-3,317,832
c15 N71-10672 ..... NASA-CASE-XLA-01091
US-PATENT-APPL-SN-351259
US-PATENT-CLASS-264-102
US-PATENT-3,317,641
c09 N71-10673 ..... NASA-CASE-XGS-01473
US-PATENT-APPL-SN-364867
US-PATENT-CLASS-307-88.5
US-PATENT-3,317,751
c07 N71-10676 ..... NASA-CASE-XNP-03134
US-PATENT-APPL-SN-422095
US-PATENT-CLASS-333-21
US-PATENT-3,324,423
c09 N71-10677 ..... NASA-CASE-XGS-01451
US-PATENT-APPL-SN-405629
US-PATENT-CLASS-318-138
US-PATENT-3,324,370
c21 N71-10678 ..... NASA-CASE-XGS-01159
US-PATENT-APPL-SN-332313
US-PATENT-CLASS-250-203
US-PATENT-3,311,748
c03 N71-10728 ..... NASA-CASE-XNP-01464
US-PATENT-APPL-SN-430778
US-PATENT-CLASS-136-182
US-PATENT-3,317,352
c11 N71-10746 ..... NASA-CASE-XMS-02977
US-PATENT-APPL-SN-416938
US-PATENT-CLASS-35-12
US-PATENT-3,281,963
c31 N71-10747 ..... NASA-CASE-XNF-00442
US-PATENT-APPL-SN-202030
US-PATENT-CLASS-343-705
US-PATENT-3,277,486
c11 N71-10748 ..... NASA-CASE-XFR-04147
US-PATENT-APPL-SN-476761
US-PATENT-CLASS-35-12
US-PATENT-3,281,965
c21 N71-10771 ..... NASA-CASE-XNP-03914
US-PATENT-APPL-SN-468647
US-PATENT-CLASS-250-203
US-PATENT-3,317,731
c18 N71-10772 ..... NASA-CASE-XLE-01765
US-PATENT-APPL-SN-316477
US-PATENT-CLASS-117-65.2
US-PATENT-3,317,341
c14 N71-10773 ..... NASA-CASE-XLA-02605
US-PATENT-APPL-SN-459138
US-PATENT-CLASS-177-210
US-PATENT-3,316,991
c14 N71-10774 ..... NASA-CASE-XLA-01131
US-PATENT-APPL-SN-322545
US-PATENT-CLASS-73-23
US-PATENT-3,312,101
c07 N71-10775 ..... NASA-CASE-XLA-00901
US-PATENT-APPL-SN-269212
US-PATENT-CLASS-325-305
US-PATENT-3,311,832
c11 N71-10776 ..... NASA-CASE-XLA-03127
US-PATENT-APPL-SN-447927
US-PATENT-CLASS-35-12
US-PATENT-3,281,964
c11 N71-10777 ..... NASA-CASE-XLE-01533
US-PATENT-APPL-SN-334678
US-PATENT-CLASS-55-400
US-PATENT-3,282,035
c15 N71-10778 ..... NASA-CASE-XNP-00710
US-PATENT-APPL-SN-271821
US-PATENT-CLASS-251-61
US-PATENT-3,317,180
c14 N71-10779 ..... NASA-CASE-XNF-02307
US-PATENT-APPL-SN-422869
US-PATENT-CLASS-73-40.5
US-PATENT-3,316,752
c28 N71-10780 ..... NASA-CASE-XLA-01043
US-PATENT-APPL-SN-379768
US-PATENT-CLASS-60-225
US-PATENT-3,316,716
c14 N71-10781 ..... NASA-CASE-XLE-01481
US-PATENT-APPL-SN-319905
US-PATENT-CLASS-73-99
US-PATENT-3,282,091
c15 N71-10782 ..... NASA-CASE-XKS-01985
US-PATENT-APPL-SN-357337
US-PATENT-CLASS-285-24
US-PATENT-3,319,979
c14 N71-10797 ..... NASA-CASE-XLE-01246
US-PATENT-APPL-SN-249537
US-PATENT-CLASS-324-61
US-PATENT-3,324,388
c09 N71-10798 ..... NASA-CASE-XMS-00945
US-PATENT-APPL-SN-385530
US-PATENT-CLASS-330-22
US-PATENT-3,319,175
c15 N71-10799 ..... NASA-CASE-XLA-01807
US-PATENT-APPL-SN-442558
US-PATENT-CLASS-287-189.36
US-PATENT-3,318,622
c15 N71-10809 ..... NASA-CASE-XNF-02107
US-PATENT-APPL-SN-384811
US-PATENT-CLASS-140-124
US-PATENT-3,318,343
c02 N71-11037 ..... NASA-CASE-XLA-06824-2
US-PATENT-APPL-SN-775966
US-PATENT-CLASS-244-31
US-PATENT-3,508,724
c02 N71-11038 ..... NASA-CASE-XLA-06958
US-PATENT-APPL-SN-551815
US-PATENT-CLASS-244-44
US-PATENT-3,310,261
c02 N71-11039 ..... NASA-CASE-MSC-12111-1
US-PATENT-APPL-SN-775877
US-PATENT-CLASS-244-23
US-PATENT-3,490,721
c02 N71-11041 ..... NASA-CASE-XLA-03659
US-PATENT-APPL-SN-444087
US-PATENT-CLASS-244-46
US-PATENT-3,270,989
c02 N71-11043 ..... NASA-CASE-XLA-08801-1
US-PATENT-APPL-SN-710533
US-PATENT-CLASS-244-43
US-PATENT-3,493,197
c03 N71-11049 ..... NASA-CASE-MFO-10109
US-PATENT-APPL-SN-701654

US-PATENT-CLASS-136-89
US-PATENT-3,532,551
c03 N71-11050 ..... NASA-CASE-XNP-06506
US-PATENT-APPL-SN-577778
US-PATENT-CLASS-136-89
US-PATENT-3,446,676
c03 N71-11051 ..... NASA-CASE-XNP-03378
US-PATENT-APPL-SN-360878
US-PATENT-CLASS-136-170
US-PATENT-3,282,740
c03 N71-11052 ..... NASA-CASE-XLE-04526
US-PATENT-APPL-SN-640457
US-PATENT-CLASS-136-86
US-PATENT-3,507,704
c03 N71-11053 ..... NASA-CASE-XGS-00886
US-PATENT-APPL-SN-319894
US-PATENT-CLASS-136-132
US-PATENT-3,282,739
c03 N71-11055 ..... NASA-CASE-XMF-05843
US-PATENT-APPL-SN-666553
US-PATENT-CLASS-310-4
US-PATENT-3,509,386
c03 N71-11056 ..... NASA-CASE-XNP-05821
US-PATENT-APPL-SN-545223
US-PATENT-CLASS-136-89
US-PATENT-3,493,437
c03 N71-11057 ..... NASA-CASE-MSC-13112
US-PATENT-APPL-SN-765738
US-PATENT-CLASS-290-40
US-PATENT-3,508,070
c03 N71-11058 ..... NASA-CASE-XGS-01475
US-PATENT-APPL-SN-344793
US-PATENT-CLASS-244-1
US-PATENT-3,459,391
c05 N71-11189 ..... NASA-CASE-XFR-10856
US-PATENT-APPL-SN-626376
US-PATENT-3,534,727
c05 N71-11190 ..... NASA-CASE-XMS-04935
US-PATENT-APPL-SN-518487
US-PATENT-CLASS-128-142.5
US-PATENT-3,502,074
c05 N71-11193 ..... NASA-CASE-ARC-10043-1
US-PATENT-APPL-SN-676012
US-PATENT-CLASS-128-2.1
US-PATENT-3,508,541
c05 N71-11194 ..... NASA-CASE-XLA-05332
US-PATENT-APPL-SN-757861
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,407
c05 N71-11195 ..... NASA-CASE-LAR-10007-1
US-PATENT-APPL-SN-770203
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,406
c05 N71-11199 ..... NASA-CASE-XKS-02342
US-PATENT-APPL-SN-407603
US-PATENT-CLASS-182-191
US-PATENT-3,262,518
c05 N71-11202 ..... NASA-CASE-XFR-08403
US-PATENT-APPL-SN-700420
US-PATENT-CLASS-73-23
US-PATENT-3,507,146
c05 N71-11203 ..... NASA-CASE-XMS-09632-1
US-PATENT-APPL-SN-791693
US-PATENT-CLASS-128-142.5
US-PATENT-3,500,827
c05 N71-11207 ..... NASA-CASE-XLA-03213
US-PATENT-APPL-SN-621715
US-PATENT-CLASS-202-182
US-PATENT-3,444,051
c06 N71-11235 ..... NASA-CASE-XLA-03104
US-PATENT-APPL-SN-510155
US-PATENT-CLASS-260-78
US-PATENT-3,518,232
c06 N71-11236 ..... NASA-CASE-XMF-08651
US-PATENT-APPL-SN-593594
US-PATENT-CLASS-260-72.5
US-PATENT-3,526,611
c06 N71-11237 ..... NASA-CASE-XMF-10753
US-PATENT-APPL-SN-668751
US-PATENT-CLASS-260-46.5
US-PATENT-3,444,127
c06 N71-11238 ..... NASA-CASE-XLA-08802
US-PATENT-APPL-SN-640454
US-PATENT-CLASS-260-78
US-PATENT-3,532,673
c06 N71-11239 ..... NASA-CASE-XMF-08655
US-PATENT-APPL-SN-593593
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,970
c06 N71-11240 ..... NASA-CASE-NFS-13994-1
US-PATENT-APPL-SN-715975
US-PATENT-CLASS-260-46.5
US-PATENT-3,516,964
c06 N71-11242 ..... NASA-CASE-XMF-08656
US-PATENT-APPL-SN-593605
US-PATENT-CLASS-260-2.5
US-PATENT-3,493,524
c06 N71-11243 ..... NASA-CASE-XMF-08652
US-PATENT-APPL-SN-593606
US-PATENT-CLASS-260-2
US-PATENT-3,493,522
c07 N71-11266 ..... NASA-CASE-XLA-03076
US-PATENT-APPL-SN-591004
US-PATENT-CLASS-325-42
US-PATENT-3,508,152
c07 N71-11267 ..... NASA-CASE-XNP-10843
US-PATENT-APPL-SN-649358
US-PATENT-CLASS-325-363
US-PATENT-3,508,156
c07 N71-11281 ..... NASA-CASE-XNP-10830
US-PATENT-APPL-SN-692332
US-PATENT-CLASS-178-69.5
US-PATENT-3,535,451
c07 N71-11282 ..... NASA-CASE-XGS-02889
US-PATENT-APPL-SN-685748
US-PATENT-CLASS-329-104
US-PATENT-3,501,704
c07 N71-11284 ..... NASA-CASE-XLA-01552
US-PATENT-APPL-SN-332339
US-PATENT-CLASS-325-65
US-PATENT-3,277,375
c07 N71-11285 ..... NASA-CASE-NPO-10539
US-PATENT-APPL-SN-743429
US-PATENT-CLASS-343-779
US-PATENT-3,534,375
c07 N71-11298 ..... NASA-CASE-XMF-01160
US-PATENT-APPL-SN-310507
US-PATENT-CLASS-340-198
US-PATENT-3,243,791
c07 N71-11300 ..... NASA-CASE-XMS-07168
US-PATENT-APPL-SN-769788
US-PATENT-CLASS-178-6.6
US-PATENT-3,493,677
c21 N71-11766 ..... NASA-CASE-LAR-10403
US-PATENT-APPL-SN-676391
US-PATENT-CLASS-343-6.5
US-PATENT-3,447,154
c01 N71-12217 ..... NASA-CASE-FEC-10063
US-PATENT-APPL-SN-21263
c02 N71-12243 ..... NASA-CASE-XLA-04451
US-PATENT-APPL-SN-457876
US-PATENT-CLASS-244-85
US-PATENT-3,310,262
c03 N71-12255 ..... NASA-CASE-NEC-10404
US-PATENT-APPL-SN-728234
US-PATENT-CLASS-321-2
US-PATENT-3,532,960
c03 N71-12258 ..... NASA-CASE-XLA-00711
US-PATENT-APPL-SN-357334
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,012
c03 N71-12259 ..... NASA-CASE-XLA-01396
US-PATENT-APPL-SN-357336
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,013
c03 N71-12260 ..... NASA-CASE-XNP-01020
US-PATENT-APPL-SN-430780
US-PATENT-CLASS-60-97
US-PATENT-3,238,730
c05 N71-12335 ..... NASA-CASE-XMS-00784
US-PATENT-APPL-SN-358127
US-PATENT-CLASS-2-2.1
US-PATENT-3,286,274
c05 N71-12336 ..... NASA-CASE-XMS-05304
US-PATENT-APPL-SN-511567
US-PATENT-CLASS-244-4
US-PATENT-3,270,986
c05 N71-12341 ..... NASA-CASE-NFS-14671
US-PATENT-APPL-SN-723476
US-PATENT-CLASS-297-385
US-PATENT-3,516,711
c05 N71-12342 ..... NASA-CASE-XAC-05706
US-PATENT-APPL-SN-592694
US-PATENT-CLASS-325-143
US-PATENT-3,453,546
c05 N71-12343 ..... NASA-CASE-MSC-11253
US-PATENT-APPL-SN-695973
US-PATENT-CLASS-297-68

US-PATENT-3,466,085
c05 N71-12344 ..... NASA-CASE-XMS-09636
US-PATENT-APPL-SN-586330
US-PATENT-CLASS-2-2.1
US-PATENT-3,492,672
c05 N71-12345 ..... NASA-CASE-MSC-12086-1
US-PATENT-APPL-SN-812999
US-PATENT-CLASS-29-400
US-PATENT-3,490,130
c05 N71-12346 ..... NASA-CASE-XMS-04212-1
US-PATENT-APPL-SN-607461
US-PATENT-CLASS-128-2.1
US-PATENT-3,490,440
c05 N71-12351 ..... NASA-CASE-LAR-10056
US-PATENT-APPL-SN-674357
US-PATENT-CLASS-224-25
US-PATENT-3,493,153
c07 N71-12389 ..... NASA-CASE-XLA-01090
US-PATENT-APPL-SN-741824
US-PATENT-CLASS-250-199
US-PATENT-RE-26,548
c07 N71-12390 ..... NASA-CASE-XER-09213
US-PATENT-APPL-SN-668302
US-PATENT-CLASS-332-9
US-PATENT-3,535,657
c07 N71-12391 ..... NASA-CASE-XMS-05454-1
US-PATENT-APPL-SN-771803
US-PATENT-CLASS-343-17.7
US-PATENT-3,471,858
c07 N71-12392 ..... NASA-CASE-XGS-01590
US-PATENT-APPL-SN-584067
US-PATENT-CLASS-178-88
US-PATENT-3,491,202
c07 N71-12396 ..... NASA-CASE-GSC-10452
US-PATENT-APPL-SN-797794
US-PATENT-CLASS-343-776
US-PATENT-3,495,262
c08 N71-12494 ..... NASA-CASE-XGS-04767
US-PATENT-APPL-SN-645584
US-PATENT-CLASS-307-296
US-PATENT-3,535,560
c08 N71-12500 ..... NASA-CASE-XNP-07040
US-PATENT-APPL-SN-649357
US-PATENT-CLASS-332-31
US-PATENT-3,535,658
c08 N71-12501 ..... NASA-CASE-XLA-00670
US-PATENT-APPL-SN-235162
US-PATENT-CLASS-340-347
US-PATENT-3,251,053
c08 N71-12502 ..... NASA-CASE-NPO-10112
US-PATENT-APPL-SN-673226
US-PATENT-CLASS-340-172.5
US-PATENT-3,533,074
c08 N71-12503 ..... NASA-CASE-NPO-10351
US-PATENT-APPL-SN-712065
US-PATENT-CLASS-328-37
US-PATENT-3,535,642
c08 N71-12504 ..... NASA-CASE-XNP-05835
US-PATENT-APPL-SN-627257
US-PATENT-CLASS-340-174
US-PATENT-3,493,942
c08 N71-12505 ..... NASA-CASE-XNP-05415
US-PATENT-APPL-SN-578932
US-PATENT-CLASS-340-146.2
US-PATENT-3,493,929
c08 N71-12506 ..... NASA-CASE-XNP-08832
US-PATENT-APPL-SN-681692
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,696
c08 N71-12507 ..... NASA-CASE-XLA-01952
US-PATENT-APPL-SN-676386
US-PATENT-CLASS-340-324
US-PATENT-3,537,096
c09 N71-12513 ..... NASA-CASE-XGS-07801
US-PATENT-APPL-SN-640452
US-PATENT-CLASS-148-188
US-PATENT-3,490,965
c09 N71-12514 ..... NASA-CASE-XLA-07497
US-PATENT-APPL-SN-631848
US-PATENT-CLASS-307-252
US-PATENT-3,491,255
c09 N71-12515 ..... NASA-CASE-XNP-08836
US-PATENT-APPL-SN-668968
US-PATENT-CLASS-340-174
US-PATENT-3,535,702
c09 N71-12516 ..... NASA-CASE-XNP-09768
US-PATENT-APPL-SN-698629
US-PATENT-CLASS-307-243
US-PATENT-3,535,554
c09 N71-12517 ..... NASA-CASE-XAC-10608-1
US-PATENT-APPL-SN-710561
US-PATENT-CLASS-333-80
US-PATENT-3,493,901
c09 N71-12518 ..... NASA-CASE-XNP-09808
US-PATENT-APPL-SN-692471
US-PATENT-CLASS-200-61.42
US-PATENT-3,488,461
c09 N71-12519 ..... NASA-CASE-XNP-06519
US-PATENT-APPL-SN-656952
US-PATENT-CLASS-328-110
US-PATENT-3,535,644
c09 N71-12520 ..... NASA-CASE-NPO-10230
US-PATENT-APPL-SN-691735
US-PATENT-CLASS-307-229
US-PATENT-3,535,547
c09 N71-12521 ..... NASA-CASE-ARC-10030
US-PATENT-APPL-SN-679885
US-PATENT-CLASS-313-110
US-PATENT-3,493,805
c09 N71-12526 ..... NASA-CASE-MSC-12135-1
US-PATENT-APPL-SN-761404
US-PATENT-CLASS-317-31
US-PATENT-3,448,341
c09 N71-12539 ..... NASA-CASE-ERC-10552
US-PATENT-APPL-SN-720125
US-PATENT-CLASS-178-7.7
US-PATENT-3,535,446
c09 N71-12540 ..... NASA-CASE-XNP-01058
US-PATENT-APPL-SN-313136
US-PATENT-CLASS-315-160
US-PATENT-3,271,620
c10 N71-12554 ..... NASA-CASE-NPO-10348
US-PATENT-APPL-SN-704668
US-PATENT-CLASS-324-95
US-PATENT-3,532,979
c01 N71-13410 ..... NASA-CASE-XLA-00755
US-PATENT-APPL-SN-247423
US-PATENT-CLASS-244-35
US-PATENT-3,270,988
c01 N71-13411 ..... NASA-CASE-XLA-05828
US-PATENT-APPL-SN-509460
US-PATENT-CLASS-235-61.6
US-PATENT-3,500,020
c02 N71-13421 ..... NASA-CASE-XFR-00756
US-PATENT-APPL-SN-212173
US-PATENT-CLASS-235-150.22
US-PATENT-3,258,582
c02 N71-13422 ..... NASA-CASE-XLA-06339
US-PATENT-APPL-SN-801336
US-PATENT-CLASS-244-76
US-PATENT-3,534,930
c06 N71-13461 ..... NASA-CASE-LAR-10180-1
US-PATENT-APPL-SN-709398
US-PATENT-CLASS-250-41.9
US-PATENT-3,521,054
c09 N71-13486 ..... NASA-CASE-MFS-20333
US-PATENT-APPL-SN-820965
US-PATENT-CLASS-307-149
US-PATENT-3,535,543
c09 N71-13518 ..... NASA-CASE-MSC-12178-1
US-PATENT-APPL-SN-845365
US-PATENT-CLASS-315-241
US-PATENT-3,530,336
c09 N71-13521 ..... NASA-CASE-XMS-09348
US-PATENT-APPL-SN-677505
US-PATENT-CLASS-343-703
US-PATENT-3,526,897
c09 N71-13522 ..... NASA-CASE-LEW-10364-1
US-PATENT-APPL-SN-822518
US-PATENT-CLASS-317-258
US-PATENT-3,535,602
c09 N71-13530 ..... NASA-CASE-XNP-00384
US-PATENT-APPL-SN-180392
US-PATENT-CLASS-324-132
US-PATENT-3,263,171
c09 N71-13531 ..... NASA-CASE-MSC-12033-1
US-PATENT-APPL-SN-602828
US-PATENT-CLASS-330-11
US-PATENT-3,526,845
c10 N71-13537 ..... NASA-CASE-XNP-08274
US-PATENT-APPL-SN-730703
US-PATENT-CLASS-73-382
US-PATENT-3,520,190
c10 N71-13545 ..... NASA-CASE-LAR-10774
US-PATENT-APPL-SN-802820
US-PATENT-CLASS-73-1
US-PATENT-3,534,584
c15 N71-13789 ..... NASA-CASE-XLA-01141

US-PATENT-APPL-SN-353632
US-PATENT-CLASS-102-49
US-PATENT-3,263,610
c21 N71-13558 ..... NASA-CASE-GSC-10087-2
US-PATENT-APPL-SN-701744
US-PATENT-CLASS-343-112
US-PATENT-3,495,260
c18 N71-14014 ..... NASA-CASE-GSC-10072
US-PATENT-APPL-SN-686296
US-PATENT-CLASS-106-15
US-PATENT-3,493,401
c33 N71-14032 ..... NASA-CASE-XLE-05913
US-PATENT-APPL-SN-551933
US-PATENT-CLASS-117-106
US-PATENT-3,490,939
c33 N71-14035 ..... NASA-CASE-XLE-03307
US-PATENT-APPL-SN-613979
US-PATENT-CLASS-244-1
US-PATENT-3,490,718
c28 N71-14043 ..... NASA-CASE-XLE-01124
US-PATENT-APPL-SN-312269
US-PATENT-CLASS-60-35.5
US-PATENT-3,238,715
c28 N71-14044 ..... NASA-CASE-XGS-08729
US-PATENT-APPL-SN-667637
US-PATENT-CLASS-60-200
US-PATENT-3,490,235
c28 N71-14058 ..... NASA-CASE-MSC-12139-1
US-PATENT-APPL-SN-797796
US-PATENT-CLASS-103-37
US-PATENT-3,492,947
c27 N71-14090 ..... NASA-CASE-LAR-10173-1
US-PATENT-APPL-SN-758942
US-PATENT-CLASS-149-19
US-PATENT-3,492,176
c21 N71-14132 ..... NASA-CASE-XLA-05464
US-PATENT-APPL-SN-656995
US-PATENT-CLASS-244-1
US-PATENT-3,493,194
c21 N71-14159 ..... NASA-CASE-XGS-04393
US-PATENT-APPL-SN-700142
US-PATENT-CLASS-244-1
US-PATENT-3,490,719
c26 N71-14354 ..... NASA-CASE-ERC-10138
US-PATENT-APPL-SN-821586
US-PATENT-CLASS-225-2
US-PATENT-3,493,155
c15 N71-14932 ..... NASA-CASE-LEW-11531
US-PATENT-APPL-SN-643332
US-PATENT-CLASS-219-72
US-PATENT-3,493,711
c14 N71-14996 ..... NASA-CASE-XLA-00936
US-PATENT-APPL-SN-282818
US-PATENT-CLASS-73-170
US-PATENT-3,238,774
c23 N71-15467 ..... NASA-CASE-XNP-03796
US-PATENT-APPL-SN-453231
US-PATENT-CLASS-62-6
US-PATENT-3,260,055
c17 N71-15468 ..... NASA-CASE-LEW-10393-1
US-PATENT-APPL-SN-644799
US-PATENT-CLASS-75-202
US-PATENT-3,535,110
c18 N71-15469 ..... NASA-CASE-ARC-10099-1
US-PATENT-APPL-SN-704224
US-PATENT-CLASS-106-15
US-PATENT-3,535,130
c18 N71-15545 ..... NASA-CASE-XMS-09691-1
US-PATENT-APPL-SN-738119
US-PATENT-CLASS-8-94.12
US-PATENT-3,526,473
c16 N71-15550 ..... NASA-CASE-XNP-05219
US-PATENT-APPL-SN-336103
US-PATENT-CLASS-330-4
US-PATENT-3,299,364
c16 N71-15551 ..... NASA-CASE-ERC-10019
US-PATENT-APPL-SN-677508
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,013
c25 N71-15562 ..... NASA-CASE-XLA-03374
US-PATENT-APPL-SN-793770
US-PATENT-CLASS-315-111
US-PATENT-3,535,586
c28 N71-15563 ..... NASA-CASE-XLA-02865
US-PATENT-APPL-SN-816946
US-PATENT-CLASS-244-53
US-PATENT-3,270,990
c16 N71-15565 ..... NASA-CASE-MFS-20074
US-PATENT-APPL-SN-801312
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,014
c31 N71-15566 ..... NASA-CASE-XKS-08012-2
US-PATENT-APPL-SN-874958
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,683
c16 N71-15567 ..... NASA-CASE-ERC-10017
US-PATENT-APPL-SN-677506
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,012
c33 N71-15568 ..... NASA-CASE-XLE-09475-1
US-PATENT-APPL-SN-710945
US-PATENT-CLASS-136-228
US-PATENT-3,535,165
c15 N71-15571 ..... NASA-CASE-XLA-07911
US-PATENT-APPL-SN-660572
US-PATENT-CLASS-33-207
US-PATENT-3,492,739
c21 N71-15582 ..... NASA-CASE-XLA-01163
US-PATENT-APPL-SN-405632
US-PATENT-CLASS-60-35.55
US-PATENT-3,270,505
c21 N71-15583 ..... NASA-CASE-XNP-01598
US-PATENT-APPL-SN-333770
US-PATENT-CLASS-244-1
US-PATENT-3,270,985
c15 N71-15597 ..... NASA-CASE-XLE-08917
US-PATENT-APPL-SN-662829
US-PATENT-CLASS-113-116
US-PATENT-3,490,405
c14 N71-15598 ..... NASA-CASE-XAC-00812
US-PATENT-APPL-SN-255132
US-PATENT-CLASS-73-341
US-PATENT-3,238,777
c14 N71-15599 ..... NASA-CASE-XNP-04161
US-PATENT-APPL-SN-568356
US-PATENT-CLASS-250-83.3
US-PATENT-3,444,375
c14 N71-15600 ..... NASA-CASE-XKS-06250
US-PATENT-APPL-SN-649075
US-PATENT-CLASS-73-97
US-PATENT-3,492,862
c14 N71-15604 ..... NASA-CASE-NPO-10337
US-PATENT-APPL-SN-714296
US-PATENT-CLASS-350-58
US-PATENT-3,488,103
c14 N71-15605 ..... NASA-CASE-GSC-10062
US-PATENT-APPL-SN-658955
US-PATENT-CLASS-350-285
US-PATENT-3,493,294
c15 N71-15606 ..... NASA-CASE-XNP-06031
US-PATENT-APPL-SN-590144
US-PATENT-CLASS-250-52
US-PATENT-3,493,746
c15 N71-15607 ..... NASA-CASE-XNP-03287
US-PATENT-APPL-SN-658956
US-PATENT-CLASS-228-7
US-PATENT-3,443,732
c15 N71-15608 ..... NASA-CASE-NPO-10117
US-PATENT-APPL-SN-668238
US-PATENT-CLASS-138-42
US-PATENT-3,493,012
c15 N71-15609 ..... NASA-CASE-XNP-04709
US-PATENT-APPL-SN-683507
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,003
c15 N71-15610 ..... NASA-CASE-XLE-01604-2
US-PATENT-APPL-SN-683613
US-PATENT-CLASS-117-50
US-PATENT-3,493,415
c14 N71-15620 ..... NASA-CASE-XLA-01926
US-PATENT-APPL-SN-784521
US-PATENT-CLASS-340-57
US-PATENT-3,491,335
c14 N71-15621 ..... NASA-CASE-XNP-09572
US-PATENT-APPL-SN-660841
US-PATENT-CLASS-35-10.2
US-PATENT-3,493,665
c14 N71-15622 ..... NASA-CASE-XNP-04111
US-PATENT-APPL-SN-560969
US-PATENT-CLASS-350-213
US-PATENT-3,493,291
c33 N71-15623 ..... NASA-CASE-XMS-01816
US-PATENT-APPL-SN-425364
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,503
c33 N71-15625 ..... NASA-CASE-XLE-01399
US-PATENT-APPL-SN-320233
US-PATENT-CLASS-13-26

US-PATENT-3,263,016
c27 N71-15634 ..... NASA-CASE-XLE-01988
US-PATENT-APPL-SN-308918
US-PATENT-CLASS-60-35.6
US-PATENT-3,258,912
c27 N71-15635 ..... NASA-CASE-XLE-01182
US-PATENT-APPL-SN-411949
US-PATENT-CLASS-60-39.46
US-PATENT-3,258,918
c31 N71-15637 ..... NASA-CASE-XLE-01640
US-PATENT-APPL-SN-473535
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,504
c33 N71-15641 ..... NASA-CASE-XNP-09802
US-PATENT-APPL-SN-673229
US-PATENT-CLASS-73-190
US-PATENT-3,531,989
c21 N71-15642 ..... NASA-CASE-XGS-03431
US-PATENT-APPL-SN-588635
US-PATENT-CLASS-250-203
US-PATENT-3,488,504
c31 N71-15643 ..... NASA-CASE-NPO-10311
US-PATENT-APPL-SN-725475
US-PATENT-CLASS-73-116
US-PATENT-3,534,597
c17 N71-15644 ..... NASA-CASE-XLE-00726
US-PATENT-APPL-SN-355126
US-PATENT-CLASS-75-170
US-PATENT-3,271,140
c31 N71-15647 ..... NASA-CASE-XGS-01143
US-PATENT-APPL-SN-349781
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,501
c25 N71-15650 ..... NASA-CASE-XLE-00821
US-PATENT-APPL-SN-228707
US-PATENT-CLASS-324-72
US-PATENT-3,300,717
c28 N71-15658 ..... NASA-CASE-XLE-00409
US-PATENT-APPL-SN-249539
US-PATENT-CLASS-29-157
US-PATENT-3,254,395
c28 N71-15659 ..... NASA-CASE-XLE-05689
US-PATENT-APPL-SN-491845
US-PATENT-CLASS-60-35.60
US-PATENT-3,254,487
c28 N71-15660 ..... NASA-CASE-XNP-00968
US-PATENT-APPL-SN-339825
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,499
c28 N71-15661 ..... NASA-CASE-XLE-02066
US-PATENT-APPL-SN-426455
US-PATENT-CLASS-60-35.5
US-PATENT-3,262,262
c31 N71-15663 ..... NASA-CASE-XLA-00256
US-PATENT-APPL-SN-333766
US-PATENT-CLASS-244-1
US-PATENT-3,262,655
c31 N71-15664 ..... NASA-CASE-XLA-01332
US-PATENT-APPL-SN-250974
US-PATENT-CLASS-220-15
US-PATENT-3,270,908
c23 N71-15673 ..... NASA-CASE-XMS-01620
US-PATENT-APPL-SN-357340
US-PATENT-CLASS-248-358
US-PATENT-3,243,154
c31 N71-15674 ..... NASA-CASE-XLA-03691
US-PATENT-APPL-SN-667625
US-PATENT-CLASS-244-1
US-PATENT-3,534,924
c31 N71-15675 ..... NASA-CASE-XNP-03169
US-PATENT-APPL-SN-375405
US-PATENT-CLASS-89-1.5
US-PATENT-3,262,365
c31 N71-15676 ..... NASA-CASE-XGS-05579
US-PATENT-APPL-SN-719869
US-PATENT-CLASS-244-1
US-PATENT-3,534,925
c31 N71-15687 ..... NASA-CASE-XLA-05369
US-PATENT-APPL-SN-765123
US-PATENT-CLASS-102-49.5
US-PATENT-3,534,686
c18 N71-15688 ..... NASA-CASE-XNP-03459-2
US-PATENT-APPL-SN-681942
US-PATENT-CLASS-260-404.5
US-PATENT-3,535,352
c31 N71-15689 ..... NASA-CASE-MFS-14685
US-PATENT-APPL-SN-752947
US-PATENT-CLASS-180-118
US-PATENT-CLASS-180-121
US-PATENT-3,534,826
c31 N71-15692 ..... NASA-CASE-XLA-01339
US-PATENT-APPL-SN-373591
US-PATENT-CLASS-102-49
US-PATENT-3,260,204
c15 N71-15871 ..... NASA-CASE-XNP-02039
US-PATENT-APPL-SN-434143
US-PATENT-CLASS-219-131
US-PATENT-3,271,558
c15 N71-15906 ..... NASA-CASE-XNP-00920
US-PATENT-APPL-SN-329331
US-PATENT-CLASS-62-2
US-PATENT-3,270,512
c07 N71-15907 ..... NASA-CASE-XNP-01057
US-PATENT-APPL-SN-301683
US-PATENT-CLASS-343-786
US-PATENT-3,305,870
c08 N71-15908 ..... NASA-CASE-XLA-02705
US-PATENT-APPL-SN-473537
US-PATENT-CLASS-129-16.7
US-PATENT-3,310,054
c10 N71-15909 ..... NASA-CASE-XAC-03777
US-PATENT-APPL-SN-484489
US-PATENT-CLASS-200-6
US-PATENT-3,283,088
c10 N71-15910 ..... NASA-CASE-XGS-00823
US-PATENT-APPL-SN-336607
US-PATENT-CLASS-307-88.5
US-PATENT-3,283,175
c15 N71-15918 ..... NASA-CASE-XMS-02383
US-PATENT-APPL-SN-299042
US-PATENT-CLASS-140-123
US-PATENT-3,299,913
c15 N71-15922 ..... NASA-CASE-XGS-01971
US-PATENT-APPL-SN-353645
US-PATENT-CLASS-85-33
US-PATENT-3,262,351
c11 N71-15925 ..... NASA-CASE-XLA-00378
US-PATENT-APPL-SN-266107
US-PATENT-CLASS-219-10.49
US-PATENT-3,238,345
c11 N71-15926 ..... NASA-CASE-XLA-00939
US-PATENT-APPL-SN-309354
US-PATENT-CLASS-73-147
US-PATENT-3,276,251
c11 N71-15960 ..... NASA-CASE-XAC-00731
US-PATENT-APPL-SN-232318
US-PATENT-CLASS-220-89
US-PATENT-3,145,874
c14 N71-15962 ..... NASA-CASE-XGS-01587
US-PATENT-APPL-SN-298799
US-PATENT-CLASS-324-43
US-PATENT-3,258,687
c15 N71-15966 ..... NASA-CASE-XLE-00953
US-PATENT-APPL-SN-336320
US-PATENT-CLASS-22-200
US-PATENT-3,237,253
c15 N71-15967 ..... NASA-CASE-XLE-00703
US-PATENT-APPL-SN-271822
US-PATENT-CLASS-137-13
US-PATENT-3,270,756
c15 N71-15968 ..... NASA-CASE-XLE-00586
US-PATENT-APPL-SN-317391
US-PATENT-CLASS-55-160
US-PATENT-3,257,780
c14 N71-15969 ..... NASA-CASE-XNP-01099
US-PATENT-APPL-SN-73367
US-PATENT-CLASS-73-517
US-PATENT-3,261,210
c32 N71-15974 ..... NASA-CASE-XMS-06782
US-PATENT-APPL-SN-691739
US-PATENT-CLASS-338-5
US-PATENT-3,464,049
c23 N71-15978 ..... NASA-CASE-XGS-00373
US-PATENT-APPL-SN-105518
US-PATENT-CLASS-161-189
US-PATENT-3,276,946
c15 N71-15986 ..... NASA-CASE-XNP-03498
US-PATENT-APPL-SN-396443
US-PATENT-CLASS-29-155.55
US-PATENT-3,258,831
c30 N71-15990 ..... NASA-CASE-XAC-08494
US-PATENT-APPL-SN-690998
US-PATENT-CLASS-356-74
US-PATENT-3,532,428
c14 N71-15992 ..... NASA-CASE-XGS-01052
US-PATENT-APPL-SN-314572
US-PATENT-CLASS-73-15
US-PATENT-3,242,716

c14 N71-16014 ..... NASA-CASE-XLE-00820
US-PATENT-APPL-SN-228569
US-PATENT-CLASS-324-32
US-PATENT-3,283,241
c17 N71-16025 ..... NASA-CASE-XLE-02991
US-PATENT-APPL-SN-375401
US-PATENT-CLASS-75-170
US-PATENT-3,276,865
c17 N71-16026 ..... NASA-CASE-XLE-02082
US-PATENT-APPL-SN-360180
US-PATENT-CLASS-75-171
US-PATENT-3,276,866
c11 N71-16028 ..... NASA-CASE-XLA-01787
US-PATENT-APPL-SN-304749
US-PATENT-CLASS-35-29
US-PATENT-3,270,441
c10 N71-16030 ..... NASA-CASE-XNF-01096
US-PATENT-APPL-SN-307270
US-PATENT-CLASS-318-376
US-PATENT-3,271,649
c12 N71-16031 ..... NASA-CASE-XMS-01445
US-PATENT-APPL-SN-385526
US-PATENT-CLASS-137-615
US-PATENT-3,308,848
c26 N71-16037 ..... NASA-CASE-XGS-05718
US-PATENT-APPL-SN-584071
US-PATENT-CLASS-29-472.9
US-PATENT-3,452,423
c10 N71-16042 ..... NASA-CASE-XAC-00942
US-PATENT-APPL-SN-310506
US-PATENT-CLASS-307-88.5
US-PATENT-3,277,314
c17 N71-16044 ..... NASA-CASE-XGS-06306
US-PATENT-APPL-SN-685473
US-PATENT-CLASS-156-3
US-PATENT-3,532,568
c18 N71-16046 ..... NASA-CASE-GSC-10007
US-PATENT-APPL-SN-627599
US-PATENT-CLASS-117-201
US-PATENT-3,532,538
c15 N71-16052 ..... NASA-CASE-XLE-02999
US-PATENT-APPL-SN-431235
US-PATENT-CLASS-29-148.4
US-PATENT-3,262,186
c10 N71-16057 ..... NASA-CASE-XNP-01193
US-PATENT-APPL-SN-366226
US-PATENT-CLASS-324-57
US-PATENT-3,277,366
c10 N71-16058 ..... NASA-CASE-XNF-01097
US-PATENT-APPL-SN-290873
US-PATENT-CLASS-340-227
US-PATENT-3,277,458
c25 N71-16073 ..... NASA-CASE-XAC-05695
US-PATENT-APPL-SN-634038
US-PATENT-CLASS-324-34
US-PATENT-3,517,302
c15 N71-16075 ..... NASA-CASE-XLA-00284
US-PATENT-APPL-SN-240760
US-PATENT-CLASS-117-69
US-PATENT-3,264,135
c15 N71-16076 ..... NASA-CASE-XLE-00106
US-PATENT-APPL-SN-629759
US-PATENT-CLASS-25-156
US-PATENT-2,944,316
c15 N71-16077 ..... NASA-CASE-XLA-00302
US-PATENT-APPL-SN-284266
US-PATENT-CLASS-117-46
US-PATENT-3,271,181
c15 N71-16078 ..... NASA-CASE-XGS-00824
US-PATENT-APPL-SN-379072
US-PATENT-CLASS-89-1
US-PATENT-3,309,961
c15 N71-16079 ..... NASA-CASE-XLA-00415
US-PATENT-APPL-SN-314074
US-PATENT-CLASS-233-11
US-PATENT-3,276,679
c31 N71-16080 ..... NASA-CASE-MSC-12049
US-PATENT-APPL-SN-693420
US-PATENT-CLASS-52-3
US-PATENT-3,465,482
c31 N71-16081 ..... NASA-CASE-XGS-03351
US-PATENT-APPL-SN-472747
US-PATENT-CLASS-244-31
US-PATENT-3,276,726
c31 N71-16085 ..... NASA-CASE-XLA-09881
US-PATENT-APPL-SN-710562
US-PATENT-CLASS-244-138
US-PATENT-3,520,503
c09 N71-16086 ..... NASA-CASE-XLE-02038
US-PATENT-APPL-SN-349782
US-PATENT-CLASS-73-147
US-PATENT-3,273,388
c02 N71-16087 ..... NASA-CASE-XAC-02058
US-PATENT-APPL-SN-342572
US-PATENT-CLASS-244-1
US-PATENT-3,276,722
c07 N71-16088 ..... NASA-CASE-XGS-01022
US-PATENT-APPL-SN-341323
US-PATENT-CLASS-325-4
US-PATENT-3,277,373
c09 N71-16089 ..... NASA-CASE-XAC-02405
US-PATENT-APPL-SN-433821
US-PATENT-CLASS-200-6
US-PATENT-3,271,532
c30 N71-16090 ..... NASA-CASE-GSC-10083-1
US-PATENT-APPL-SN-641431
US-PATENT-CLASS-343-6
US-PATENT-3,471,856
c24 N71-16095 ..... NASA-CASE-XAC-06506-1
US-PATENT-APPL-SN-701732
US-PATENT-CLASS-250-41.9
US-PATENT-3,532,880
c23 N71-16098 ..... NASA-CASE-XAC-03107
US-PATENT-APPL-SN-538168
US-PATENT-CLASS-73-505
US-PATENT-3,455,171
c23 N71-16099 ..... NASA-CASE-XGS-07514
US-PATENT-APPL-SN-640453
US-PATENT-CLASS-328-1
US-PATENT-3,509,469
c23 N71-16100 ..... NASA-CASE-XGS-05715
US-PATENT-APPL-SN-668257
US-PATENT-CLASS-250-233
US-PATENT-3,532,894
c23 N71-16101 ..... NASA-CASE-XNP-08883
US-PATENT-APPL-SN-617021
US-PATENT-CLASS-356-117
US-PATENT-3,520,617
c31 N71-16102 ..... NASA-CASE-XGS-09190
US-PATENT-APPL-SN-647298
US-PATENT-CLASS-343-915
US-PATENT-3,521,290
c32 N71-16103 ..... NASA-CASE-LAR-10317-1
US-PATENT-APPL-SN-739927
US-PATENT-CLASS-137-582
US-PATENT-3,508,578
c33 N71-16104 ..... NASA-CASE-XLE-00785
US-PATENT-APPL-SN-666554
US-PATENT-CLASS-60-108
US-PATENT-3,508,402
c18 N71-16105 ..... NASA-CASE-XLE-08511-2
US-PATENT-APPL-SN-711921
US-PATENT-CLASS-117-119
US-PATENT-3,508,955
c32 N71-16106 ..... NASA-CASE-XLA-04605
US-PATENT-APPL-SN-619519
US-PATENT-CLASS-137-582
US-PATENT-3,443,584
c18 N71-16124 ..... NASA-CASE-XNP-05279
US-PATENT-APPL-SN-617774
US-PATENT-CLASS-106-88
US-PATENT-3,508,940
c18 N71-16210 ..... NASA-CASE-XNE-08837
US-PATENT-APPL-SN-691736
US-PATENT-CLASS-204-20
US-PATENT-3,526,580
c23 N71-16212 ..... NASA-CASE-NPO-10250
US-PATENT-APPL-SN-736848
US-PATENT-CLASS-149-1
US-PATENT-3,516,879
c24 N71-16213 ..... NASA-CASE-XGS-06628
US-PATENT-APPL-SN-665680
US-PATENT-CLASS-315-111
US-PATENT-3,509,419
c31 N71-16221 ..... NASA-CASE-XLA-05906
US-PATENT-APPL-SN-777766
US-PATENT-CLASS-73-432
US-PATENT-3,526,139
c31 N71-16222 ..... NASA-CASE-MFS-11133
US-PATENT-APPL-SN-693419
US-PATENT-CLASS-244-1
US-PATENT-3,508,723
c27 N71-16223 ..... NASA-CASE-MFS-12750
US-PATENT-APPL-SN-806149
US-PATENT-CLASS-73-432
US-PATENT-3,526,140
c28 N71-16224 ..... NASA-CASE-MFS-11497
US-PATENT-APPL-SN-730733

US-PATENT-CLASS-239-265.43
US-PATENT-3,526,365
c33 N71-16277 ..... NASA-CASE-XMS-04268
US-PATENT-APPL-SN-516160
US-PATENT-CLASS-165-133
US-PATENT-3,502,141
c33 N71-16278 ..... NASA-CASE-XMF-04237
US-PATENT-APPL-SN-539237
US-PATENT-CLASS-219-364
US-PATENT-3,517,162
c20 N71-16281 ..... NASA-CASE-XLA-02081
US-PATENT-APPL-SN-522795
US-PATENT-CLASS-73-189
US-PATENT-3,507,150
c20 N71-16340 ..... NASA-CASE-XMF-14032
US-PATENT-APPL-SN-679862
US-PATENT-CLASS-250-209
US-PATENT-3,501,641
c23 N71-16341 ..... NASA-CASE-XGS-05291
US-PATENT-APPL-SN-553891
US-PATENT-CLASS-356-209
US-PATENT-3,504,983
c31 N71-16345 ..... NASA-CASE-XMF-05344
US-PATENT-APPL-SN-702396
US-PATENT-CLASS-244-1
US-PATENT-3,520,496
c31 N71-16346 ..... NASA-CASE-XMS-03613
US-PATENT-APPL-SN-802816
US-PATENT-CLASS-244-1
US-PATENT-3,526,372
c27 N71-16348 ..... NASA-CASE-MSC-12280
US-PATENT-APPL-SN-372648
US-PATENT-CLASS-250-43.5
US-PATENT-3,501,632
c23 N71-16355 ..... NASA-CASE-XGS-05534
US-PATENT-APPL-SN-578925
US-PATENT-CLASS-23-253
US-PATENT-3,520,660
c33 N71-16356 ..... NASA-CASE-NPO-10158
US-PATENT-APPL-SN-730702
US-PATENT-CLASS-73-343
US-PATENT-3,526,134
c33 N71-16357 ..... NASA-CASE-NPO-10138
US-PATENT-APPL-SN-759457
US-PATENT-CLASS-236-1
US-PATENT-3,526,359
c23 N71-16365 ..... NASA-CASE-XNP-08840
US-PATENT-APPL-SN-649360
US-PATENT-CLASS-356-36
US-PATENT-3,526,460
c27 N71-16392 ..... NASA-CASE-XNP-09744
US-PATENT-APPL-SN-685750
US-PATENT-CLASS-60-39.47
US-PATENT-3,507,114
c17 N71-16393 ..... NASA-CASE-NPO-10271
US-PATENT-APPL-SN-763869
US-PATENT-CLASS-21-207
US-PATENT-3,529,928
c32 N71-16428 ..... NASA-CASE-XLA-03135
US-PATENT-APPL-SN-582171
US-PATENT-CLASS-73-71.4
US-PATENT-3,503,251
c12 N71-16895 ..... NASA-CASE-XLA-02079
US-PATENT-APPL-SN-435756
US-PATENT-CLASS-188-87
US-PATENT-3,310,138
c12 N71-17569 ..... NASA-CASE-MSC-12084-1
US-PATENT-APPL-SN-762438
US-PATENT-CLASS-73-204
US-PATENT-3,500,686
c12 N71-17573 ..... NASA-CASE-LAR-10323-1
US-PATENT-APPL-SN-738314
US-PATENT-CLASS-73-45.5
US-PATENT-3,516,284
c14 N71-17574 ..... NASA-CASE-XGS-04993
US-PATENT-APPL-SN-577775
US-PATENT-CLASS-96-49
US-PATENT-3,458,313
c14 N71-17575 ..... NASA-CASE-XMF-06531
US-PATENT-APPL-SN-732917
US-PATENT-CLASS-204-195
US-PATENT-3,509,034
c12 N71-17578 ..... NASA-CASE-MFS-10412
US-PATENT-APPL-SN-701635
US-PATENT-CLASS-137-81.5
US-PATENT-3,520,317
c12 N71-17579 ..... NASA-CASE-XLA-07391
US-PATENT-APPL-SN-726898
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,004
c14 N71-17584 ..... NASA-CASE-XNP-09462
US-PATENT-APPL-SN-658957
US-PATENT-CLASS-73-57
US-PATENT-3,500,677
c14 N71-17585 ..... NASA-CASE-XGS-05680
US-PATENT-APPL-SN-656953
US-PATENT-CLASS-318-138
US-PATENT-3,501,664
c14 N71-17586 ..... NASA-CASE-XLA-08646
US-PATENT-APPL-SN-677476
US-PATENT-CLASS-73-105
US-PATENT-3,534,596
c14 N71-17587 ..... NASA-CASE-XMF-05844
US-PATENT-APPL-SN-706564
US-PATENT-CLASS-73-382
US-PATENT-3,500,688
c14 N71-17588 ..... NASA-CASE-MFS-12806
US-PATENT-APPL-SN-686933
US-PATENT-CLASS-55-179
US-PATENT-3,490,205
c05 N71-17599 ..... NASA-CASE-MSC-12206-1
US-PATENT-APPL-SN-856258
US-PATENT-CLASS-128-142.5
US-PATENT-3,516,404
c11 N71-17600 ..... NASA-CASE-MFS-12915
US-PATENT-APPL-SN-694340
US-PATENT-CLASS-220-89
US-PATENT-3,469,734
c32 N71-17609 ..... NASA-CASE-XLA-02332
US-PATENT-APPL-SN-388024
US-PATENT-CLASS-212-11
US-PATENT-3,276,602
c33 N71-17610 ..... NASA-CASE-XLA-00377
US-PATENT-APPL-SN-270118
US-PATENT-CLASS-230-162
US-PATENT-3,309,012
c14 N71-17626 ..... NASA-CASE-LAR-10274-1
US-PATENT-APPL-SN-717052
US-PATENT-CLASS-188-1
US-PATENT-3,491,857
c14 N71-17627 ..... NASA-CASE-XGS-03532
US-PATENT-APPL-SN-538913
US-PATENT-CLASS-356-106
US-PATENT-3,488,123
c15 N71-17628 ..... NASA-CASE-MFS-10340
US-PATENT-APPL-SN-716734
US-PATENT-CLASS-225-1
US-PATENT-3,507,425
c31 N71-17629 ..... NASA-CASE-XLE-03583
US-PATENT-APPL-SN-400617
US-PATENT-CLASS-244-3.22
US-PATENT-3,276,376
c12 N71-17631 ..... NASA-CASE-NPO-10122
US-PATENT-APPL-SN-710949
US-PATENT-CLASS-60-217
US-PATENT-3,534,555
c32 N71-17645 ..... NASA-CASE-XNP-01153
US-PATENT-APPL-SN-336608
US-PATENT-CLASS-73-88
US-PATENT-3,273,381
c15 N71-17647 ..... NASA-CASE-XMF-01667
US-PATENT-APPL-SN-577115
US-PATENT-CLASS-118-11
US-PATENT-3,502,051
c15 N71-17648 ..... NASA-CASE-MSC-12116-1
US-PATENT-APPL-SN-768336
US-PATENT-CLASS-251-358
US-PATENT-3,508,739
c15 N71-17649 ..... NASA-CASE-MFS-11132
US-PATENT-APPL-SN-744910
US-PATENT-CLASS-248-360
US-PATENT-3,526,382
c15 N71-17650 ..... NASA-CASE-XMF-05114
US-PATENT-APPL-SN-637882
US-PATENT-CLASS-29-517
US-PATENT-3,507,034
c15 N71-17651 ..... NASA-CASE-XLE-03803-2
US-PATENT-APPL-SN-669336
US-PATENT-CLASS-156-172
US-PATENT-3,535,179
c15 N71-17652 ..... NASA-CASE-XLE-05079
US-PATENT-APPL-SN-601228
US-PATENT-CLASS-310-93
US-PATENT-3,493,797
c15 N71-17653 ..... NASA-CASE-ARC-10140-1
US-PATENT-APPL-SN-783379
US-PATENT-CLASS-24-211
US-PATENT-CLASS-85-3

US-PATENT-3,534,650
c15 N71-17654 ..... NASA-CASE-XNP-09702
US-PATENT-APPL-SN-730734
US-PATENT-CLASS-239-416
US-PATENT-3,534,909
c14 N71-17655 ..... NASA-CASE-NPO-10320
US-PATENT-APPL-SN-718689
US-PATENT-CLASS-356-106
US-PATENT-3,535,041
c14 N71-17656 ..... NASA-CASE-MFS-12827
US-PATENT-APPL-SN-742816
US-PATENT-CLASS-73-88.5
US-PATENT-3,534,592
c14 N71-17657 ..... NASA-CASE-XNP-09205
US-PATENT-APPL-SN-768473
US-PATENT-CLASS-33-149
US-PATENT-3,534,479
c14 N71-17658 ..... NASA-CASE-XMF-04966
US-PATENT-APPL-SN-727480
US-PATENT-CLASS-33-174
US-PATENT-3,534,480
c14 N71-17659 ..... NASA-CASE-XMF-02964
US-PATENT-APPL-SN-493942
US-PATENT-CLASS-73-15.4
US-PATENT-3,465,569
c12 N71-17661 ..... NASA-CASE-NPO-10298
US-PATENT-APPL-SN-745852
US-PATENT-CLASS-137-341
US-PATENT-3,534,765
c14 N71-17662 ..... NASA-CASE-NPO-10300
US-PATENT-APPL-SN-718769
US-PATENT-CLASS-350-285
US-PATENT-3,535,024
c31 N71-17679 ..... NASA-CASE-XNP-02507
US-PATENT-APPL-SN-475299
US-PATENT-CLASS-244-1
US-PATENT-3,310,256
c31 N71-17680 ..... NASA-CASE-XLA-00117
US-PATENT-APPL-SN-835153
US-PATENT-CLASS-220-1
US-PATENT-2,996,212
c15 N71-17685 ..... NASA-CASE-NPO-10034
US-PATENT-APPL-SN-668241
US-PATENT-CLASS-339-17
US-PATENT-3,464,051
c15 N71-17686 ..... NASA-CASE-MFS-20586
US-PATENT-APPL-SN-688868
US-PATENT-CLASS-29-428
US-PATENT-3,526,030
c15 N71-17687 ..... NASA-CASE-XLA-04143
US-PATENT-APPL-SN-628246
US-PATENT-CLASS-156-510
US-PATENT-3,508,999
c15 N71-17688 ..... NASA-CASE-XLE-09527
US-PATENT-APPL-SN-686344
US-PATENT-CLASS-29-148.4
US-PATENT-3,500,525
c31 N71-17691 ..... NASA-CASE-XLA-00937
US-PATENT-APPL-SN-393461
US-PATENT-CLASS-244-3.14
US-PATENT-3,310,258
c15 N71-17692 ..... NASA-CASE-MFS-14772
US-PATENT-APPL-SN-774151
US-PATENT-CLASS-74-63
US-PATENT-3,529,480
c15 N71-17693 ..... NASA-CASE-NPO-10064
US-PATENT-APPL-SN-668755
US-PATENT-CLASS-244-1
US-PATENT-3,501,112
c15 N71-17694 ..... NASA-CASE-XNP-08897
US-PATENT-APPL-SN-640450
US-PATENT-CLASS-318-22
US-PATENT-3,501,683
c15 N71-17696 ..... NASA-CASE-XLA-05100
US-PATENT-APPL-SN-724551
US-PATENT-CLASS-73-103
US-PATENT-3,487,680
c14 N71-17701 ..... NASA-CASE-NPO-10144
US-PATENT-APPL-SN-688805
US-PATENT-CLASS-73-29
US-PATENT-3,534,585
c06 N71-17705 ..... NASA-CASE-XGS-05532
US-PATENT-APPL-SN-570093
US-PATENT-CLASS-195-99
US-PATENT-3,423,290
c31 N71-17729 ..... NASA-CASE-XAC-01591
US-PATENT-APPL-SN-385527
US-PATENT-CLASS-244-1
US-PATENT-3,282,532
c31 N71-17730 ..... NASA-CASE-XNP-01543
US-PATENT-APPL-SN-402365
US-PATENT-CLASS-102-49
US-PATENT-3,286,629
c30 N71-17788 ..... NASA-CASE-XGS-00783
US-PATENT-APPL-SN-372438
US-PATENT-CLASS-73-432
US-PATENT-3,286,531
c23 N71-17802 ..... NASA-CASE-XLE-00454
US-PATENT-APPL-SN-295855
US-PATENT-CLASS-73-295
US-PATENT-3,273,392
c15 N71-17803 ..... NASA-CASE-XMS-05516
US-PATENT-APPL-SN-563648
US-PATENT-CLASS-264-92
US-PATENT-3,488,414
c15 N71-17805 ..... NASA-CASE-MFS-12805
US-PATENT-APPL-SN-758082
US-PATENT-CLASS-81-63.1
US-PATENT-CLASS-192-43.1
US-PATENT-3,534,836
c26 N71-17818 ..... NASA-CASE-XNP-01016
US-PATENT-APPL-SN-326299
US-PATENT-CLASS-264-27
US-PATENT-3,274,304
c15 N71-17822 ..... NASA-CASE-ARC-10009-1
US-PATENT-APPL-SN-714595
US-PATENT-CLASS-324-58.5
US-PATENT-3,532,973
c33 N71-17897 ..... NASA-CASE-XLA-00892
US-PATENT-APPL-SN-245941
US-PATENT-CLASS-62-467
US-PATENT-3,273,355
c26 N71-18064 ..... NASA-CASE-XNP-01328
US-PATENT-APPL-SN-296879
US-PATENT-CLASS-317-234
US-PATENT-3,271,637
c15 N71-18132 ..... NASA-CASE-MFS-13686
US-PATENT-APPL-SN-716183
US-PATENT-CLASS-73-67.2
US-PATENT-3,531,982
c14 N71-18465 ..... NASA-CASE-NPO-10174
US-PATENT-APPL-SN-690163
US-PATENT-CLASS-95-11
US-PATENT-3,520,238
c14 N71-18481 ..... NASA-CASE-XLA-02758
US-PATENT-APPL-SN-759665
US-PATENT-CLASS-73-4
US-PATENT-3,531,978
c14 N71-18482 ..... NASA-CASE-XLA-07424
US-PATENT-APPL-SN-635326
US-PATENT-CLASS-313-7
US-PATENT-3,466,484
c14 N71-18483 ..... NASA-CASE-XER-09519
US-PATENT-APPL-SN-676375
US-PATENT-CLASS-55-208
US-PATENT-3,469,375
c11 N71-18578 ..... NASA-CASE-XAC-05902
US-PATENT-APPL-SN-662828
US-PATENT-CLASS-89-8
US-PATENT-3,465,638
c15 N71-18579 ..... NASA-CASE-XGS-04175
US-PATENT-APPL-SN-606464
US-PATENT-CLASS-72-364
US-PATENT-3,465,567
c15 N71-18580 ..... NASA-CASE-XNP-09698
US-PATENT-APPL-SN-698592
US-PATENT-CLASS-138-4
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-118
US-PATENT-CLASS-251-121
US-PATENT-3,532,128
c08 N71-18594 ..... NASA-CASE-XAC-04031
US-PATENT-APPL-SN-538905
US-PATENT-CLASS-340-347
US-PATENT-3,533,098
c08 N71-18595 ..... NASA-CASE-XGS-03303
US-PATENT-APPL-SN-520838
US-PATENT-CLASS-340-174
US-PATENT-3,501,752
c09 N71-18598 ..... NASA-CASE-NPO-10066
US-PATENT-APPL-SN-681693
US-PATENT-CLASS-343-13
US-PATENT-3,447,155
c09 N71-18599 ..... NASA-CASE-LAR-10372
US-PATENT-APPL-SN-730162
US-PATENT-CLASS-102-70.2
US-PATENT-3,500,747
c09 N71-18600 ..... NASA-CASE-MSC-12168-1

US-PATENT-APPL-SN-640154
US-PATENT-CLASS-312-296
US-PATENT-3,447,850
c08 N71-18602 ..... NASA-CASE-XGS-04766
US-PATENT-APPL-SN-598120
US-PATENT-CLASS-235-175
US-PATENT-3,532,866
c12 N71-18603 ..... NASA-CASE-ERC-10031
US-PATENT-APPL-SN-741461
US-PATENT-CLASS-40-28
US-PATENT-3,516,185
c31 N71-18611 ..... NASA-CASE-MFS-20400
US-PATENT-APPL-SN-551694
US-PATENT-CLASS-152-11
US-PATENT-3,493,027
c15 N71-18613 ..... NASA-CASE-XNP-02588
US-PATENT-APPL-SN-563644
US-PATENT-CLASS-219-91
US-PATENT-3,466,418
c16 N71-18614 ..... NASA-CASE-XGS-03644
US-PATENT-APPL-SN-505320
US-PATENT-CLASS-331-94.5
US-PATENT-3,517,328
c12 N71-18615 ..... NASA-CASE-XNP-09704
US-PATENT-APPL-SN-730701
US-PATENT-CLASS-137-594
US-PATENT-CLASS-138-46
US-PATENT-CLASS-251-61.1
US-PATENT-CLASS-251-127
US-PATENT-CLASS-251-333
US-PATENT-CLASS-251-342
US-PATENT-3,532,118
c15 N71-18616 ..... NASA-CASE-XLA-07390
US-PATENT-APPL-SN-665681
US-PATENT-CLASS-72-53
US-PATENT-3,531,964
c14 N71-18625 ..... NASA-CASE-NPO-10175
US-PATENT-APPL-SN-685787
US-PATENT-CLASS-137-505.12
US-PATENT-3,443,583
c08 N71-18692 ..... NASA-CASE-MFS-14322
US-PATENT-APPL-SN-646934
US-PATENT-CLASS-328-134
US-PATENT-3,501,701
c08 N71-18693 ..... NASA-CASE-XGS-04765
US-PATENT-APPL-SN-577545
US-PATENT-CLASS-235-156
US-PATENT-3,508,036
c08 N71-18694 ..... NASA-CASE-NPO-10201
US-PATENT-APPL-SN-691738
US-PATENT-CLASS-340-174
US-PATENT-3,509,551
c03 N71-18698 ..... NASA-CASE-NPO-10373
US-PATENT-APPL-SN-718752
US-PATENT-CLASS-136-89
US-PATENT-3,507,706
c14 N71-18699 ..... NASA-CASE-XLA-03273
US-PATENT-APPL-SN-487352
US-PATENT-CLASS-250-83.3
US-PATENT-3,458,702
c15 N71-18701 ..... NASA-CASE-XMF-07587
US-PATENT-APPL-SN-649359
US-PATENT-CLASS-317-122
US-PATENT-3,448,346
c09 N71-18720 ..... NASA-CASE-MSC-12101
US-PATENT-APPL-SN-763705
US-PATENT-CLASS-343-718
US-PATENT-3,509,570
c09 N71-18721 ..... NASA-CASE-XER-07894
US-PATENT-APPL-SN-644444
US-PATENT-CLASS-331-107
US-PATENT-3,509,491
c10 N71-18722 ..... NASA-CASE-ERC-10046
US-PATENT-APPL-SN-793772
US-PATENT-CLASS-343-100
US-PATENT-3,501,764
c10 N71-18723 ..... NASA-CASE-XNP-09450
US-PATENT-APPL-SN-640459
US-PATENT-CLASS-307-273
US-PATENT-3,501,649
c10 N71-18724 ..... NASA-CASE-XLA-09371
US-PATENT-APPL-SN-568160
US-PATENT-CLASS-318-257
US-PATENT-3,504,258
c08 N71-18751 ..... NASA-CASE-XLA-07732
US-PATENT-APPL-SN-641441
US-PATENT-CLASS-307-216
US-PATENT-3,512,009
c08 N71-18752 ..... NASA-CASE-XMF-00663
US-PATENT-APPL-SN-205470
US-PATENT-CLASS-321-5
US-PATENT-3,521,143
c10 N71-18772 ..... NASA-CASE-GSC-10366-1
US-PATENT-APPL-SN-771523
US-PATENT-CLASS-318-138
US-PATENT-3,532,948
c11 N71-18773 ..... NASA-CASE-XNP-07488
US-PATENT-APPL-SN-707495
US-PATENT-CLASS-35-12
US-PATENT-3,534,485
c09 N71-18830 ..... NASA-CASE-XAC-10768
US-PATENT-APPL-SN-711970
US-PATENT-CLASS-250-83
US-PATENT-3,508,053
c09 N71-18843 ..... NASA-CASE-XNP-03263
US-PATENT-APPL-SN-506908
US-PATENT-CLASS-340-146.1
US-PATENT-3,501,743
c21 N71-19212 ..... NASA-CASE-MFS-20386
US-PATENT-APPL-SN-818349
US-PATENT-CLASS-356-28
US-PATENT-3,532,427
c15 N71-19213 ..... NASA-CASE-MFS-14259
US-PATENT-APPL-SN-787410
US-PATENT-CLASS-138-43
US-PATENT-3,536,103
c15 N71-19214 ..... NASA-CASE-MFS-20410
US-PATENT-APPL-SN-819599
US-PATENT-CLASS-244-1
US-PATENT-3,534,926
c02 N71-19287 ..... NASA-CASE-GSC-10087-1
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-343-112
US-PATENT-3,534,367
c08 N71-19288 ..... NASA-CASE-NPO-10068
US-PATENT-APPL-SN-668969
US-PATENT-CLASS-340-172.5
US-PATENT-3,501,750
c10 N71-19417 ..... NASA-CASE-XMS-10984-1
US-PATENT-APPL-SN-605095
US-PATENT-CLASS-340-213.1
US-PATENT-3,533,093
c10 N71-19418 ..... NASA-CASE-GSC-10041-1
US-PATENT-APPL-SN-684209
US-PATENT-CLASS-331-113
US-PATENT-3,458,833
c08 N71-19420 ..... NASA-CASE-XNP-09453
US-PATENT-APPL-SN-640448
US-PATENT-CLASS-226-190
US-PATENT-3,507,436
c10 N71-19421 ..... NASA-CASE-XLA-08493
US-PATENT-APPL-SN-749148
US-PATENT-CLASS-324-72
US-PATENT-3,532,975
c14 N71-19431 ..... NASA-CASE-XGS-02439
US-PATENT-APPL-SN-487341
US-PATENT-CLASS-324-120
US-PATENT-3,422,352
c08 N71-19432 ..... NASA-CASE-XGS-02440
US-PATENT-APPL-SN-655677
US-PATENT-CLASS-328-42
US-PATENT-3,517,318
c07 N71-19433 ..... NASA-CASE-MFS-13046
US-PATENT-APPL-SN-673228
US-PATENT-CLASS-178-6
US-PATENT-3,532,807
c08 N71-19435 ..... NASA-CASE-XGS-02612
US-PATENT-APPL-SN-502743
US-PATENT-CLASS-340-347
US-PATENT-3,509,558
c07 N71-19436 ..... NASA-CASE-XMF-09822
US-PATENT-APPL-SN-783378
US-PATENT-CLASS-174-35
US-PATENT-3,517,109
c08 N71-19437 ..... NASA-CASE-XGS-04768
US-PATENT-APPL-SN-598119
US-PATENT-CLASS-235-158
US-PATENT-3,508,039
c03 N71-19438 ..... NASA-CASE-XGS-05432
US-PATENT-APPL-SN-549860
US-PATENT-CLASS-320-23
US-PATENT-3,426,263
c05 N71-19439 ..... NASA-CASE-XMS-09571
US-PATENT-APPL-SN-678700
US-PATENT-CLASS-165-46
US-PATENT-3,425,487
c05 N71-19440 ..... NASA-CASE-XMS-01177
US-PATENT-APPL-SN-516150

US-PATENT-CLASS-250-83
US-PATENT-3,427,454
c09 N71-19449 ..... NASA-CASE-XFR-03107
US-PATENT-APPL-SN-507257
US-PATENT-CLASS-178-6
US-PATENT-3,458,651
c09 N71-19466 ..... NASA-CASE-XGS-02812
US-PATENT-APPL-SN-502750
US-PATENT-CLASS-330-30
US-PATENT-3,466,560
c10 N71-19467 ..... NASA-CASE-XMF-08665
US-PATENT-APPL-SN-582609
US-PATENT-CLASS-325-63
US-PATENT-3,470,475
c10 N71-19468 ..... NASA-CASE-XMS-05605-1
US-PATENT-APPL-SN-764812
US-PATENT-CLASS-178-69.5
US-PATENT-3,532,819
c10 N71-19469 ..... NASA-CASE-XNP-00777
US-PATENT-APPL-SN-486573
US-PATENT-CLASS-329-122
US-PATENT-3,517,268
c09 N71-19470 ..... NASA-CASE-XGS-05289
US-PATENT-APPL-SN-632104
US-PATENT-CLASS-331-113
US-PATENT-3,470,496
c10 N71-19471 ..... NASA-CASE-XLE-03804
US-PATENT-APPL-SN-526631
US-PATENT-CLASS-307-235
US-PATENT-3,463,939
c10 N71-19472 ..... NASA-CASE-XAC-04030
US-PATENT-APPL-SN-520839
US-PATENT-CLASS-328-1
US-PATENT-3,464,016
c09 N71-19479 ..... NASA-CASE-XMS-04300
US-PATENT-APPL-SN-516158
US-PATENT-CLASS-350-275
US-PATENT-3,427,093
c09 N71-19480 ..... NASA-CASE-XFR-05637
US-PATENT-APPL-SN-484855
US-PATENT-CLASS-235-194
US-PATENT-3,423,579
c15 N71-19485 ..... NASA-CASE-MSC-11010
US-PATENT-APPL-SN-605090
US-PATENT-CLASS-251-31
US-PATENT-3,447,774
c15 N71-19486 ..... NASA-CASE-XMF-08522
US-PATENT-APPL-SN-640447
US-PATENT-CLASS-219-121
US-PATENT-3,474,220
c15 N71-19489 ..... NASA-CASE-XMF-04680
US-PATENT-APPL-SN-634040
US-PATENT-CLASS-33-147
US-PATENT-3,425,131
c07 N71-19493 ..... NASA-CASE-XKS-08485
US-PATENT-APPL-SN-649078
US-PATENT-CLASS-343-873
US-PATENT-3,509,578
c11 N71-19494 ..... NASA-CASE-MFS-10555
US-PATENT-APPL-SN-700984
US-PATENT-CLASS-35-12
US-PATENT-3,516,179
c09 N71-19516 ..... NASA-CASE-XNP-06937
US-PATENT-APPL-SN-640449
US-PATENT-CLASS-330-30
US-PATENT-3,501,712
c08 N71-19544 ..... NASA-CASE-XGS-01230
US-PATENT-APPL-SN-356488
US-PATENT-CLASS-340-347
US-PATENT-3,474,441
c03 N71-19545 ..... NASA-CASE-NPO-10821
US-PATENT-APPL-SN-670814
US-PATENT-CLASS-136-89
US-PATENT-3,466,198
c10 N71-19547 ..... NASA-CASE-XGS-03058
US-PATENT-APPL-SN-568987
US-PATENT-CLASS-307-289
US-PATENT-3,517,221
c14 N71-19568 ..... NASA-CASE-MSC-10966
US-PATENT-APPL-SN-665676
US-PATENT-CLASS-250-203
US-PATENT-3,421,004
c15 N71-19569 ..... NASA-CASE-XLA-05749
US-PATENT-APPL-SN-621714
US-PATENT-CLASS-137-582
US-PATENT-3,426,791
c15 N71-19570 ..... NASA-CASE-XLE-05130-2
US-PATENT-APPL-SN-700586
US-PATENT-CLASS-277-25
US-PATENT-3,466,052
c09 N71-19610 ..... NASA-CASE-NPO-10037
US-PATENT-APPL-SN-700987
US-PATENT-CLASS-200-152
US-PATENT-3,470,342
c08 N71-19687 ..... NASA-CASE-XNP-04780
US-PATENT-APPL-SN-455477
US-PATENT-CLASS-340-347
US-PATENT-3,430,227
c08 N71-19763 ..... NASA-CASE-XAC-06302
US-PATENT-APPL-SN-574284
US-PATENT-CLASS-325-60
US-PATENT-3,456,193
c07 N71-19773 ..... NASA-CASE-GSC-10373-1
US-PATENT-APPL-SN-712658
US-PATENT-CLASS-325-4
US-PATENT-3,532,985
c07 N71-19854 ..... NASA-CASE-GSC-10553-1
US-PATENT-APPL-SN-820963
US-PATENT-CLASS-343-100
US-PATENT-3,534,365
c03 N71-20273 ..... NASA-CASE-NPO-10188
US-PATENT-APPL-SN-681687
US-PATENT-CLASS-244-1
US-PATENT-3,473,758
c28 N71-20330 ..... NASA-CASE-XLE-103477-1
US-PATENT-APPL-SN-466390
US-PATENT-CLASS-60-39.36
US-PATENT-3,433,015
c15 N71-20393 ..... NASA-CASE-MFS-06074
US-PATENT-APPL-SN-688743
US-PATENT-CLASS-228-9
US-PATENT-3,458,104
c15 N71-20395 ..... NASA-CASE-XMF-06065
US-PATENT-APPL-SN-665679
US-PATENT-CLASS-219-275
US-PATENT-3,466,424
c31 N71-20396 ..... NASA-CASE-XMF-08523
US-PATENT-APPL-SN-645563
US-PATENT-CLASS-244-1
US-PATENT-3,465,986
c16 N71-20400 ..... NASA-CASE-MFS-11279
US-PATENT-APPL-SN-628094
US-PATENT-CLASS-219-121
US-PATENT-3,472,998
c03 N71-20407 ..... NASA-CASE-NPO-10194
US-PATENT-APPL-SN-668249
US-PATENT-CLASS-136-182
US-PATENT-3,460,995
c14 N71-20427 ..... NASA-CASE-XMS-13052
US-PATENT-APPL-SN-561223
US-PATENT-CLASS-62-268
US-PATENT-3,455,121
c14 N71-20428 ..... NASA-CASE-XGS-04879
US-PATENT-APPL-SN-541399
US-PATENT-CLASS-324-.5
US-PATENT-3,443,208
c14 N71-20429 ..... NASA-CASE-XLE-05260
US-PATENT-APPL-SN-674355
US-PATENT-CLASS-73-117.4
US-PATENT-3,463,001
c14 N71-20430 ..... NASA-CASE-XLA-03645
US-PATENT-APPL-SN-600266
US-PATENT-CLASS-250-83
US-PATENT-3,450,878
c14 N71-20435 ..... NASA-CASE-XMS-06767-1
US-PATENT-APPL-SN-716795
US-PATENT-CLASS-73-422
US-PATENT-3,438,263
c12 N71-20436 ..... NASA-CASE-LAR-11138
US-PATENT-APPL-SN-694317
US-PATENT-CLASS-73-147
US-PATENT-3,461,721
c14 N71-20439 ..... NASA-CASE-XAC-04886-1
US-PATENT-APPL-SN-574290
US-PATENT-CLASS-73-142
US-PATENT-3,425,272
c15 N71-20440 ..... NASA-CASE-XNP-09770
US-PATENT-APPL-SN-700120
US-PATENT-CLASS-209-10
US-PATENT-3,472,372
c15 N71-20441 ..... NASA-CASE-XMS-06329-1
US-PATENT-APPL-SN-688742
US-PATENT-CLASS-73-141
US-PATENT-3,472,069
c14 N71-20442 ..... NASA-CASE-MFS-11537
US-PATENT-APPL-SN-636878
US-PATENT-CLASS-23-254
US-PATENT-3,472,629

c15 N71-20443 ..... NASA-CASE-MFS-07369
US-PATENT-APPL-SN-640462
US-PATENT-CLASS-29-492
US-PATENT-3,473,216
c09 N71-20445 ..... NASA-CASE-XNP-09775
US-PATENT-APPL-SN-668247
US-PATENT-CLASS-333-96
US-PATENT-3,474,357
c09 N71-20446 ..... NASA-CASE-XLE-04250
US-PATENT-APPL-SN-621098
US-PATENT-CLASS-310-54
US-PATENT-3,447,003
c09 N71-20447 ..... NASA-CASE-XLA-02850
US-PATENT-APPL-SN-556784
US-PATENT-CLASS-307-267
US-PATENT-3,473,050
c10 N71-20448 ..... NASA-CASE-XNP-03744
US-PATENT-APPL-SN-547677
US-PATENT-CLASS-318-314
US-PATENT-3,424,966
c14 N71-20461 ..... NASA-CASE-XNP-09763
US-PATENT-APPL-SN-600682
US-PATENT-CLASS-117-6
US-PATENT-3,433,662
c03 N71-20491 ..... NASA-CASE-XGS-05434
US-PATENT-APPL-SN-667636
US-PATENT-CLASS-136-182
US-PATENT-3,463,673
c03 N71-20492 ..... NASA-CASE-XLE-04787
US-PATENT-APPL-SN-551846
US-PATENT-CLASS-136-89
US-PATENT-3,434,885
c24 N71-20518 ..... NASA-CASE-XNP-02592
US-PATENT-APPL-SN-484490
US-PATENT-CLASS-324-33
US-PATENT-3,430,131
c25 N71-20563 ..... NASA-CASE-XLA-06232
US-PATENT-APPL-SN-612740
US-PATENT-CLASS-324-58.5
US-PATENT-3,473,116
c09 N71-20569 ..... NASA-CASE-XMS-08589-1
US-PATENT-APPL-SN-544899
US-PATENT-CLASS-324-57
US-PATENT-3,434,050
c02 N71-20570 ..... NASA-CASE-XAC-08972
US-PATENT-APPL-SN-700174
US-PATENT-CLASS-244-76
US-PATENT-3,472,470
c08 N71-20571 ..... NASA-CASE-XGS-04987
US-PATENT-APPL-SN-619908
US-PATENT-CLASS-315-24
US-PATENT-3,437,874
c09 N71-20658 ..... NASA-CASE-XMS-03454
US-PATENT-APPL-SN-425363
US-PATENT-CLASS-343-915
US-PATENT-3,360,798
c09 N71-20705 ..... NASA-CASE-XNF-01599
US-PATENT-APPL-SN-381940
US-PATENT-CLASS-117-212
US-PATENT-3,359,132
c06 N71-20717 ..... NASA-CASE-XNF-04133
US-PATENT-APPL-SN-554949
US-PATENT-CLASS-260-2
US-PATENT-3,354,098
c05 N71-20718 ..... NASA-CASE-XMS-04625
US-PATENT-APPL-SN-519161
US-PATENT-CLASS-244-122
US-PATENT-3,356,320
c15 N71-20739 ..... NASA-CASE-XGS-02011
US-PATENT-APPL-SN-502693
US-PATENT-CLASS-308-9
US-PATENT-3,359,046
c15 N71-20740 ..... NASA-CASE-XLA-01808
US-PATENT-APPL-SN-517159
US-PATENT-CLASS-74-471
US-PATENT-3,364,777
c14 N71-20741 ..... NASA-CASE-XMS-01618
US-PATENT-APPL-SN-418362
US-PATENT-CLASS-73-29
US-PATENT-3,360,980
c18 N71-20742 ..... NASA-CASE-XMS-02952
US-PATENT-APPL-SN-519160
US-PATENT-CLASS-55-158
US-PATENT-3,355,861
c17 N71-20743 ..... NASA-CASE-XNF-02786
US-PATENT-APPL-SN-466873
US-PATENT-CLASS-75-142
US-PATENT-3,347,665
c25 N71-20747 ..... NASA-CASE-XLE-02578
US-PATENT-APPL-SN-469012
US-PATENT-CLASS-313-271
US-PATENT-3,356,885
c10 N71-20782 ..... NASA-CASE-XGS-01784
US-PATENT-APPL-SN-396444
US-PATENT-CLASS-250-206
US-PATENT-3,348,053
c07 N71-20791 ..... NASA-CASE-XNP-05254
US-PATENT-APPL-SN-472372
US-PATENT-CLASS-325-31
US-PATENT-3,350,643
c15 N71-20813 ..... NASA-CASE-XMS-02184
US-PATENT-APPL-SN-608247
US-PATENT-CLASS-248-27
US-PATENT-3,361,400
c07 N71-20814 ..... NASA-CASE-XNP-01306
US-PATENT-APPL-SN-343426
US-PATENT-CLASS-179-15
US-PATENT-3,364,311
c12 N71-20815 ..... NASA-CASE-XNP-01779
US-PATENT-APPL-SN-521999
US-PATENT-CLASS-346-1
US-PATENT-3,357,024
c09 N71-20816 ..... NASA-CASE-XAC-01677
US-PATENT-APPL-SN-596338
US-PATENT-CLASS-73-147
US-PATENT-3,360,988
c33 N71-20834 ..... NASA-CASE-XMS-02009
US-PATENT-APPL-SN-455352
US-PATENT-CLASS-141-5
US-PATENT-3,349,814
c10 N71-20841 ..... NASA-CASE-XGS-01222
US-PATENT-APPL-SN-354182
US-PATENT-CLASS-325-305
US-PATENT-3,348,152
c09 N71-20842 ..... NASA-CASE-XNP-05381
US-PATENT-APPL-SN-568352
US-PATENT-CLASS-338-82
US-PATENT-3,350,671
c09 N71-20851 ..... NASA-CASE-XNP-04732
US-PATENT-APPL-SN-557584
US-PATENT-CLASS-339-177
US-PATENT-3,358,264
c10 N71-20852 ..... NASA-CASE-XGS-03502
US-PATENT-APPL-SN-584066
US-PATENT-CLASS-331-17
US-PATENT-3,361,985
c09 N71-20864 ..... NASA-CASE-XGS-03501
US-PATENT-APPL-SN-576521
US-PATENT-CLASS-343-16
US-PATENT-3,359,555
c03 N71-20895 ..... NASA-CASE-XNP-00826
US-PATENT-APPL-SN-327163
US-PATENT-CLASS-136-89
US-PATENT-3,346,419
c12 N71-20896 ..... NASA-CASE-XNP-02251
US-PATENT-APPL-SN-432030
US-PATENT-CLASS-321-48
US-PATENT-3,337,790
c03 N71-20904 ..... NASA-CASE-XLE-01645
US-PATENT-APPL-SN-342574
US-PATENT-CLASS-136-86
US-PATENT-3,357,862
c06 N71-20905 ..... NASA-CASE-XNF-02584
US-PATENT-APPL-SN-506135
US-PATENT-CLASS-260-2
US-PATENT-3,346,515
c17 N71-20941 ..... NASA-CASE-XMS-00370
US-PATENT-APPL-SN-71366
US-PATENT-CLASS-106-55
US-PATENT-3,350,214
c28 N71-20942 ..... NASA-CASE-XNP-04389
US-PATENT-APPL-SN-523511
US-PATENT-CLASS-60-265
US-PATENT-3,353,359
c14 N71-21006 ..... NASA-CASE-XLA-01832
US-PATENT-APPL-SN-517858
US-PATENT-CLASS-346-50
US-PATENT-3,354,462
c14 N71-21007 ..... NASA-CASE-XMS-06236
US-PATENT-APPL-SN-482670
US-PATENT-CLASS-73-290
US-PATENT-3,355,948
c14 N71-21040 ..... NASA-CASE-XMS-03478
US-PATENT-APPL-SN-422100
US-PATENT-CLASS-250-207
US-PATENT-3,358,145
c08 N71-21042 ..... NASA-CASE-XGS-01021
US-PATENT-APPL-SN-279646

US-PATENT-CLASS-340-174.1
US-PATENT-3,327,298
c32 N71-21045 ..... NASA-CASE-XLA-01731
US-PATENT-APPL-SN-425365
US-PATENT-CLASS-52-2
US-PATENT-3,364,631
c15 N71-21060 ..... NASA-CASE-XLA-03660
US-PATENT-APPL-SN-482307
US-PATENT-CLASS-95-53
US-PATENT-3,361,045
c31 N71-21064 ..... NASA-CASE-XGS-02554
US-PATENT-APPL-SN-504266
US-PATENT-CLASS-244-1
US-PATENT-3,350,034
c18 N71-21068 ..... NASA-CASE-XNP-02888
US-PATENT-APPL-SN-409126
US-PATENT-CLASS-239-265.11
US-PATENT-3,347,465
c14 N71-21072 ..... NASA-CASE-XAC-02981
US-PATENT-APPL-SN-464879
US-PATENT-CLASS-73-398
US-PATENT-3,352,157
c15 N71-21076 ..... NASA-CASE-XMS-03745
US-PATENT-APPL-SN-534295
US-PATENT-CLASS-24-263
US-PATENT-3,346,929
c15 N71-21078 ..... NASA-CASE-XNP-03459
US-PATENT-APPL-SN-457879
US-PATENT-CLASS-29-495
US-PATENT-3,357,093
c14 N71-21079 ..... NASA-CASE-XLA-03102
US-PATENT-APPL-SN-576195
US-PATENT-CLASS-33-31
US-PATENT-3,364,578
c14 N71-21082 ..... NASA-CASE-XGS-02629
US-PATENT-APPL-SN-500435
US-PATENT-CLASS-244-1
US-PATENT-3,350,033
c14 N71-21088 ..... NASA-CASE-XNP-06957
US-PATENT-APPL-SN-406097
US-PATENT-CLASS-250-83.3
US-PATENT-3,348,048
c12 N71-21089 ..... NASA-CASE-XMS-01905
US-PATENT-APPL-SN-280580
US-PATENT-CLASS-141-91
US-PATENT-3,331,404
c14 N71-21090 ..... NASA-CASE-XLE-00787
US-PATENT-APPL-SN-330210
US-PATENT-CLASS-324-33
US-PATENT-3,346,806
c14 N71-21091 ..... NASA-CASE-XNP-02983
US-PATENT-APPL-SN-407599
US-PATENT-CLASS-73-88.5
US-PATENT-3,350,926
c15 N71-21177 ..... NASA-CASE-XAC-06956
US-PATENT-APPL-SN-538166
US-PATENT-CLASS-259-71
US-PATENT-3,347,531
c15 N71-21179 ..... NASA-CASE-XLA-01401
US-PATENT-APPL-SN-382976
US-PATENT-CLASS-235-61.6
US-PATENT-3,346,724
c15 N71-21234 ..... NASA-CASE-XKS-02582
US-PATENT-APPL-SN-424153
US-PATENT-CLASS-251-172
US-PATENT-3,327,991
c15 N71-21311 ..... NASA-CASE-XNP-03637
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-310-9.1
US-PATENT-3,359,435
c15 N71-21403 ..... NASA-CASE-XNF-03988
US-PATENT-APPL-SN-578923
US-PATENT-CLASS-252-26
US-PATENT-3,361,666
c15 N71-21404 ..... NASA-CASE-XLA-01262
US-PATENT-APPL-SN-386800
US-PATENT-CLASS-156-3
US-PATENT-3,356,549
c09 N71-21449 ..... NASA-CASE-XMS-01991
US-PATENT-APPL-SN-410326
US-PATENT-CLASS-323-22
US-PATENT-3,344,340
c10 N71-21473 ..... NASA-CASE-XGS-08679
US-PATENT-APPL-SN-312443
US-PATENT-CLASS-343-113
US-PATENT-3,340,532
c11 N71-21474 ..... NASA-CASE-XMS-04798
US-PATENT-APPL-SN-480210
US-PATENT-CLASS-35-12
US-PATENT-3,330,052
c11 N71-21475 ..... NASA-CASE-XLA-05378
US-PATENT-APPL-SN-484156
US-PATENT-CLASS-73-343
US-PATENT-3,331,246
c07 N71-21476 ..... NASA-CASE-XNF-00746
US-PATENT-APPL-SN-271824
US-PATENT-CLASS-235-181
US-PATENT-3,359,409
c11 N71-21481 ..... NASA-CASE-XLA-01326
US-PATENT-APPL-SN-422097
US-PATENT-CLASS-73-147
US-PATENT-3,345,866
c10 N71-21483 ..... NASA-CASE-XGS-01155
US-PATENT-APPL-SN-557871
US-PATENT-CLASS-343-16
US-PATENT-3,344,425
c15 N71-21489 ..... NASA-CASE-XNP-06914
US-PATENT-APPL-SN-590147
US-PATENT-CLASS-85-33
US-PATENT-3,352,192
c28 N71-21493 ..... NASA-CASE-XLA-10450
US-PATENT-APPL-SN-594587
US-PATENT-CLASS-239-265.19
US-PATENT-3,347,466
c33 N71-21507 ..... NASA-CASE-XLE-04603
US-PATENT-APPL-SN-638194
US-PATENT-CLASS-60-243
US-PATENT-3,347,046
c15 N71-21528 ..... NASA-CASE-XLA-01446
US-PATENT-APPL-SN-400613
US-PATENT-CLASS-53-102
US-PATENT-3,336,725
c15 N71-21529 ..... NASA-CASE-XGS-02422
US-PATENT-APPL-SN-493943
US-PATENT-CLASS-74-126
US-PATENT-3,331,255
c15 N71-21530 ..... NASA-CASE-XMS-03722
US-PATENT-APPL-SN-487934
US-PATENT-CLASS-267-64
US-PATENT-3,330,549
c15 N71-21531 ..... NASA-CASE-XNP-02341
US-PATENT-APPL-SN-432025
US-PATENT-CLASS-52-127
US-PATENT-3,330,082
c15 N71-21536 ..... NASA-CASE-XMS-06876
US-PATENT-APPL-SN-605100
US-PATENT-CLASS-72-34
US-PATENT-3,345,840
c09 N71-21583 ..... NASA-CASE-XLE-02008
US-PATENT-APPL-SN-487342
US-PATENT-CLASS-338-64
US-PATENT-3,329,918
c33 N71-21586 ..... NASA-CASE-XLA-01794
US-PATENT-APPL-SN-464880
US-PATENT-CLASS-73-86
US-PATENT-3,357,237
c18 N71-21651 ..... NASA-CASE-XNF-01402
US-PATENT-APPL-SN-328140
US-PATENT-CLASS-161-68
US-PATENT-3,346,442
c21 N71-21688 ..... NASA-CASE-XNF-00684
US-PATENT-APPL-SN-260087
US-PATENT-CLASS-235-150.25
US-PATENT-3,331,951
c25 N71-21693 ..... NASA-CASE-XLA-03103
US-PATENT-APPL-SN-531642
US-PATENT-CLASS-315-111
US-PATENT-3,333,152
c25 N71-21694 ..... NASA-CASE-XLE-02902
US-PATENT-APPL-SN-485957
US-PATENT-CLASS-60-202
US-PATENT-3,336,748
c21 N71-21708 ..... NASA-CASE-XLA-02551
US-PATENT-APPL-SN-416940
US-PATENT-CLASS-244-1
US-PATENT-3,329,375
c15 N71-21744 ..... NASA-CASE-XGS-04227
US-PATENT-APPL-SN-545805
US-PATENT-CLASS-74-409
US-PATENT-3,359,819
c27 N71-21819 ..... NASA-CASE-XLE-03494
US-PATENT-APPL-SN-529593
US-PATENT-CLASS-60-251
US-PATENT-3,345,822
c23 N71-21821 ..... NASA-CASE-XNP-01059
US-PATENT-APPL-SN-393464
US-PATENT-CLASS-250-232
US-PATENT-3,354,320

c28 N71-21822 ..... NASA-CASE-XNP-04124
US-PATENT-APPL-SN-498168
US-PATENT-CLASS-60-202
US-PATENT-3,345,820
c26 N71-21824 ..... NASA-CASE-XNP-05429
US-PATENT-APPL-SN-578928
US-PATENT-CLASS-103-1
US-PATENT-3,361,067
c31 N71-21881 ..... NASA-CASE-XNP-02595
US-PATENT-APPL-SN-502709
US-PATENT-CLASS-244-1
US-PATENT-3,333,788
c23 N71-21882 ..... NASA-CASE-XNP-03853
US-PATENT-APPL-SN-578931
US-PATENT-CLASS-88-24
US-PATENT-3,359,855
c15 N71-22705 ..... NASA-CASE-XGS-02884
US-PATENT-APPL-SN-432433
US-PATENT-CLASS-51-57
US-PATENT-3,341,977
c15 N71-22706 ..... NASA-CASE-XMS-09310
US-PATENT-APPL-SN-655724
US-PATENT-CLASS-137-496
US-PATENT-3,384,111
c08 N71-22707 ..... NASA-CASE-XNP-04067
US-PATENT-APPL-SN-466875
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,222
c08 N71-22710 ..... NASA-CASE-XNP-02778
US-PATENT-APPL-SN-508170
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,223
c15 N71-22713 ..... NASA-CASE-XLA-03492
US-PATENT-APPL-SN-395348
US-PATENT-CLASS-156-60
US-PATENT-3,342,653
c15 N71-22721 ..... NASA-CASE-XNP-03212
US-PATENT-APPL-SN-577549
US-PATENT-CLASS-55-418
US-PATENT-3,385,036
c15 N71-22722 ..... NASA-CASE-XMS-04292
US-PATENT-APPL-SN-517157
US-PATENT-CLASS-82-14
US-PATENT-3,373,640
c15 N71-22723 ..... NASA-CASE-XNP-01083
US-PATENT-APPL-SN-432028
US-PATENT-CLASS-72-83
US-PATENT-3,340,713
c05 N71-22748 ..... NASA-CASE-XMS-04170
US-PATENT-APPL-SN-482311
US-PATENT-CLASS-9-312
US-PATENT-3,343,189
c08 N71-22749 ..... NASA-CASE-XNP-02748
US-PATENT-APPL-SN-420245
US-PATENT-CLASS-340-146.1
US-PATENT-3,373,404
c07 N71-22750 ..... NASA-CASE-XNP-01735
US-PATENT-APPL-SN-408438
US-PATENT-CLASS-343-786
US-PATENT-3,373,431
c14 N71-22752 ..... NASA-CASE-XNP-01974
US-PATENT-APPL-SN-568354
US-PATENT-CLASS-73-419
US-PATENT-3,383,922
c14 N71-22765 ..... NASA-CASE-XLA-00934
US-PATENT-APPL-SN-326298
US-PATENT-CLASS-73-84
US-PATENT-3,339,404
c33 N71-22792 ..... NASA-CASE-XLA-01243
US-PATENT-APPL-SN-538911
US-PATENT-CLASS-244-1
US-PATENT-3,384,324
c09 N71-22796 ..... NASA-CASE-XKS-03381
US-PATENT-APPL-SN-437611
US-PATENT-CLASS-317-9
US-PATENT-3,340,430
c15 N71-22797 ..... NASA-CASE-XLE-01092
US-PATENT-APPL-SN-422098
US-PATENT-CLASS-72-253
US-PATENT-3,342,055
c15 N71-22798 ..... NASA-CASE-XMS-04178
US-PATENT-APPL-SN-511299
US-PATENT-CLASS-83-467
US-PATENT-3,367,224
c15 N71-22799 ..... NASA-CASE-XNP-03511
US-PATENT-APPL-SN-540414
US-PATENT-CLASS-90-12
US-PATENT-3,386,337
c15 N71-22874 ..... NASA-CASE-XLA-00188
US-PATENT-APPL-SN-254847
US-PATENT-CLASS-102-49.5
US-PATENT-3,368,486
c11 N71-22875 ..... NASA-CASE-XAC-05333
US-PATENT-APPL-SN-546148
US-PATENT-CLASS-119-15
US-PATENT-3,367,308
c15 N71-22877 ..... NASA-CASE-XNP-10040
US-PATENT-APPL-SN-592680
US-PATENT-CLASS-188-1
US-PATENT-3,381,778
c15 N71-22878 ..... NASA-CASE-XMS-04545
US-PATENT-APPL-SN-508601
US-PATENT-CLASS-73-144
US-PATENT-3,381,527
c21 N71-22880 ..... NASA-CASE-XLA-00793
US-PATENT-APPL-SN-369334
US-PATENT-CLASS-88-1
US-PATENT-3,381,569
c23 N71-22881 ..... NASA-CASE-XLE-04222
US-PATENT-APPL-SN-512559
US-PATENT-CLASS-220-9
US-PATENT-3,379,330
c09 N71-22888 ..... NASA-CASE-XLA-03114
US-PATENT-APPL-SN-440039
US-PATENT-CLASS-343-708
US-PATENT-3,373,430
c33 N71-22890 ..... NASA-CASE-XLA-07728
US-PATENT-APPL-SN-538908
US-PATENT-CLASS-165-96
US-PATENT-3,374,830
c18 N71-22894 ..... NASA-CASE-XLE-03925
US-PATENT-APPL-SN-514407
US-PATENT-CLASS-75-204
US-PATENT-3,337,337
c16 N71-22895 ..... NASA-CASE-XMS-04269
US-PATENT-APPL-SN-516793
US-PATENT-CLASS-250-199
US-PATENT-3,341,708
c05 N71-22896 ..... NASA-CASE-XMS-02399
US-PATENT-APPL-SN-492344
US-PATENT-CLASS-128-2.06
US-PATENT-3,384,075
c08 N71-22897 ..... NASA-CASE-XNP-01753
US-PATENT-APPL-SN-423412
US-PATENT-CLASS-235-92
US-PATENT-3,374,339
c10 N71-22961 ..... NASA-CASE-XMS-02159
US-PATENT-APPL-SN-534564
US-PATENT-CLASS-323-56
US-PATENT-3,365,657
c10 N71-22962 ..... NASA-CASE-XGS-05441
US-PATENT-APPL-SN-505321
US-PATENT-CLASS-328-233
US-PATENT-3,366,886
c14 N71-22964 ..... NASA-CASE-XLE-02024
US-PATENT-APPL-SN-422099
US-PATENT-CLASS-73-15
US-PATENT-3,365,930
c14 N71-22965 ..... NASA-CASE-XGS-02319
US-PATENT-APPL-SN-496205
US-PATENT-CLASS-73-117
US-PATENT-3,365,941
c31 N71-22968 ..... NASA-CASE-XLA-02050
US-PATENT-APPL-SN-568067
US-PATENT-CLASS-244-1
US-PATENT-3,386,685
c31 N71-22969 ..... NASA-CASE-XIA-03132
US-PATENT-APPL-SN-610728
US-PATENT-CLASS-244-1
US-PATENT-3,386,686
c03 N71-22974 ..... NASA-CASE-XGS-02630
US-PATENT-APPL-SN-494287
US-PATENT-CLASS-136-132
US-PATENT-3,382,107
c06 N71-22975 ..... NASA-CASE-XNP-07659
US-PATENT-APPL-SN-567806
US-PATENT-CLASS-18-26
US-PATENT-3,381,339
c15 N71-22982 ..... NASA-CASE-XLA-02809
US-PATENT-APPL-SN-554897
US-PATENT-CLASS-308-176
US-PATENT-3,397,932
c28 N71-22983 ..... NASA-CASE-XNP-06926
US-PATENT-APPL-SN-537615
US-PATENT-CLASS-60-258
US-PATENT-3,336,754
c07 N71-22984 ..... NASA-CASE-XMS-04312
US-PATENT-APPL-SN-521754

US-PATENT-CLASS-343-708
US-PATENT-3,384,895
c09 N71-22985 ..... NASA-CASE-XMF-03934
US-PATENT-APPL-SN-530958
US-PATENT-CLASS-250-83.3
US-PATENT-3,379,885
c10 N71-22986 ..... NASA-CASE-XMF-01892
US-PATENT-APPL-SN-464878
US-PATENT-CLASS-328-167
US-PATENT-3,375,451
c09 N71-22987 ..... NASA-CASE-XLE-04788
US-PATENT-APPL-SN-537617
US-PATENT-CLASS-313-352
US-PATENT-3,396,303
c09 N71-22988 ..... NASA-CASE-XGS-03304
US-PATENT-APPL-SN-483886
US-PATENT-CLASS-73-1
US-PATENT-3,381,517
c14 N71-22989 ..... NASA-CASE-XLA-01551
US-PATENT-APPL-SN-422092
US-PATENT-CLASS-73-190
US-PATENT-3,382,714
c14 N71-22990 ..... NASA-CASE-XMS-04201
US-PATENT-APPL-SN-507254
US-PATENT-CLASS-324-70
US-PATENT-3,379,974
c14 N71-22991 ..... NASA-CASE-XLA-01791
US-PATENT-APPL-SN-462763
US-PATENT-CLASS-250-227
US-PATENT-3,397,318
c14 N71-22992 ..... NASA-CASE-XGS-01023
US-PATENT-APPL-SN-446131
US-PATENT-CLASS-73-65
US-PATENT-3,377,845
c14 N71-22993 ..... NASA-CASE-XMS-05365
US-PATENT-APPL-SN-515484
US-PATENT-CLASS-310-8.5
US-PATENT-3,387,149
c15 N71-22994 ..... NASA-CASE-XFR-05421
US-PATENT-APPL-SN-567686
US-PATENT-CLASS-24-126
US-PATENT-3,378,892
c14 N71-22995 ..... NASA-CASE-XNP-08680
US-PATENT-APPL-SN-562444
US-PATENT-CLASS-73-9
US-PATENT-3,376,730
c14 N71-22996 ..... NASA-CASE-XGS-01331
US-PATENT-APPL-SN-445807
US-PATENT-CLASS-250-218
US-PATENT-3,388,258
c15 N71-22997 ..... NASA-CASE-XNP-01641
US-PATENT-APPL-SN-464885
US-PATENT-CLASS-308-10
US-PATENT-3,378,315
c18 N71-22998 ..... NASA-CASE-XGS-02435
US-PATENT-APPL-SN-392965
US-PATENT-CLASS-106-40
US-PATENT-3,382,082
c09 N71-22999 ..... NASA-CASE-XLA-00781
US-PATENT-APPL-SN-307271
US-PATENT-CLASS-88-14
US-PATENT-3,364,813
c07 N71-23001 ..... NASA-CASE-XGS-01812
US-PATENT-APPL-SN-392973
US-PATENT-CLASS-340-174.1
US-PATENT-3,380,042
c03 N71-23006 ..... NASA-CASE-XGS-02631
US-PATENT-APPL-SN-425972
US-PATENT-CLASS-136-133
US-PATENT-3,340,099
c02 N71-23007 ..... NASA-CASE-XMF-04163
US-PATENT-APPL-SN-424156
US-PATENT-CLASS-73-189
US-PATENT-3,340,732
c31 N71-23008 ..... NASA-CASE-XLA-04804
US-PATENT-APPL-SN-577546
US-PATENT-CLASS-102-49.5
US-PATENT-3,384,016
c31 N71-23009 ..... NASA-CASE-XGS-02607
US-PATENT-APPL-SN-474531
US-PATENT-CLASS-244-1
US-PATENT-3,341,151
c09 N71-23015 ..... NASA-CASE-XGS-02751
US-PATENT-APPL-SN-491059
US-PATENT-CLASS-307-288
US-PATENT-3,374,366
c09 N71-23021 ..... NASA-CASE-XAC-02807
US-PATENT-APPL-SN-456581
US-PATENT-CLASS-324-120
US-PATENT-3,384,820
c15 N71-23022 ..... NASA-CASE-XMS-01625
US-PATENT-APPL-SN-418933
US-PATENT-CLASS-136-86
US-PATENT-3,389,017
c15 N71-23023 ..... NASA-CASE-XNP-04042
US-PATENT-APPL-SN-605518
US-PATENT-CLASS-55-204
US-PATENT-3,397,512
c15 N71-23024 ..... NASA-CASE-XNP-01747
US-PATENT-APPL-SN-413661
US-PATENT-CLASS-251-148
US-PATENT-3,341,169
c15 N71-23025 ..... NASA-CASE-XNP-08877
US-PATENT-APPL-SN-574282
US-PATENT-CLASS-62-6
US-PATENT-3,367,121
c07 N71-23026 ..... NASA-CASE-XNP-02791
US-PATENT-APPL-SN-390251
US-PATENT-CLASS-178-6
US-PATENT-3,383,461
c09 N71-23027 ..... NASA-CASE-XNP-01960
US-PATENT-APPL-SN-438135
US-PATENT-CLASS-29-572
US-PATENT-3,340,599
c10 N71-23029 ..... NASA-CASE-XGS-03427
US-PATENT-APPL-SN-500446
US-PATENT-CLASS-307-265
US-PATENT-3,383,524
c11 N71-23030 ..... NASA-CASE-XNP-03578
US-PATENT-APPL-SN-445292
US-PATENT-CLASS-73-147
US-PATENT-3,342,066
c10 N71-23033 ..... NASA-CASE-XNP-01318
US-PATENT-APPL-SN-380965
US-PATENT-CLASS-340-174
US-PATENT-3,388,387
c14 N71-23036 ..... NASA-CASE-XNP-01660
US-PATENT-APPL-SN-578916
US-PATENT-CLASS-73-4
US-PATENT-3,383,903
c14 N71-23037 ..... NASA-CASE-XAC-01662
US-PATENT-APPL-SN-385520
US-PATENT-CLASS-324-117
US-PATENT-3,365,665
c14 N71-23039 ..... NASA-CASE-XNP-01659
US-PATENT-APPL-SN-410332
US-PATENT-CLASS-136-230
US-PATENT-3,377,208
c14 N71-23040 ..... NASA-CASE-XNP-05535
US-PATENT-APPL-SN-487939
US-PATENT-CLASS-244-1
US-PATENT-3,339,863
c14 N71-23041 ..... NASA-CASE-XNP-01056
US-PATENT-APPL-SN-377146
US-PATENT-CLASS-250-41.9
US-PATENT-3,340,395
c11 N71-23042 ..... NASA-CASE-XMS-02930
US-PATENT-APPL-SN-417253
US-PATENT-CLASS-250-52
US-PATENT-3,340,397
c26 N71-23043 ..... NASA-CASE-XNP-01959
US-PATENT-APPL-SN-410330
US-PATENT-CLASS-136-89
US-PATENT-3,396,057
c17 N71-23046 ..... NASA-CASE-XNP-04338
US-PATENT-APPL-SN-461765
US-PATENT-CLASS-29-182.2
US-PATENT-3,421,864
c18 N71-23047 ..... NASA-CASE-XLA-01995
US-PATENT-APPL-SN-411945
US-PATENT-CLASS-148-6.16
US-PATENT-3,395,053
c15 N71-23048 ..... NASA-CASE-XNP-03972
US-PATENT-APPL-SN-502710
US-PATENT-CLASS-184-1
US-PATENT-3,367,445
c15 N71-23049 ..... NASA-CASE-XNP-01049
US-PATENT-APPL-SN-506137
US-PATENT-CLASS-339-5
US-PATENT-3,375,479
c15 N71-23050 ..... NASA-CASE-XNP-01730
US-PATENT-APPL-SN-517869
US-PATENT-CLASS-228-8
US-PATENT-3,373,914
c15 N71-23051 ..... NASA-CASE-XAC-01158
US-PATENT-APPL-SN-420250
US-PATENT-CLASS-137-625.5
US-PATENT-3,369,564

c15 N71-23052 ..... NASA-CASE-XLA-03497
US-PATENT-APPL-SN-392992
US-PATENT-CLASS-156-285
US-PATENT-3,373,069
c05 N71-23080 ..... NASA-CASE-XLE-02531
US-PATENT-APPL-SN-425096
US-PATENT-CLASS-312-1
US-PATENT-3,337,279
c28 N71-23081 ..... NASA-CASE-XNP-02923
US-PATENT-APPL-SN-494280
US-PATENT-CLASS-60-202
US-PATENT-3,367,114
c10 N71-23084 ..... NASA-CASE-XLA-01219
US-PATENT-APPL-SN-402978
US-PATENT-CLASS-332-1
US-PATENT-3,366,894
c33 N71-23085 ..... NASA-CASE-XPR-03802
US-PATENT-APPL-SN-460877
US-PATENT-CLASS-73-190
US-PATENT-3,367,182
c15 N71-23086 ..... NASA-CASE-XMS-04533
US-PATENT-APPL-SN-557016
US-PATENT-CLASS-202-234
US-PATENT-3,397,117
c14 N71-23087 ..... NASA-CASE-XNP-03918
US-PATENT-APPL-SN-510475
US-PATENT-CLASS-73-88.5
US-PATENT-3,388,590
c18 N71-23088 ..... NASA-CASE-XNP-00597
US-PATENT-APPL-SN-410325
US-PATENT-CLASS-65-7
US-PATENT-3,337,315
c14 N71-23092 ..... NASA-CASE-XLA-01530
US-PATENT-APPL-SN-420466
US-PATENT-CLASS-188-1
US-PATENT-3,337,004
c14 N71-23093 ..... NASA-CASE-XLE-03280
US-PATENT-APPL-SN-517156
US-PATENT-CLASS-73-400
US-PATENT-3,379,064
c05 N71-23096 ..... NASA-CASE-XMS-06064
US-PATENT-APPL-SN-563646
US-PATENT-CLASS-2-14
US-PATENT-3,378,851
c09 N71-23097 ..... NASA-CASE-XNP-02140
US-PATENT-APPL-SN-440036
US-PATENT-CLASS-330-61
US-PATENT-3,337,812
c07 N71-23098 ..... NASA-CASE-XGS-00740
US-PATENT-APPL-SN-353644
US-PATENT-CLASS-325-305
US-PATENT-3,341,778
c10 N71-23099 ..... NASA-CASE-XNP-08875
US-PATENT-APPL-SN-640455
US-PATENT-CLASS-343-6.5
US-PATENT-3,380,049
c05 N71-23159 ..... NASA-CASE-XNF-06589
US-PATENT-APPL-SN-543206
US-PATENT-CLASS-5-82
US-PATENT-3,343,180
c05 N71-23161 ..... NASA-CASE-XAC-07043
US-PATENT-APPL-SN-566397
US-PATENT-CLASS-2-2.1
US-PATENT-3,405,406
c14 N71-23174 ..... NASA-CASE-XGS-02610
US-PATENT-APPL-SN-491054
US-PATENT-CLASS-321-60
US-PATENT-3,417,316
c14 N71-23175 ..... NASA-CASE-XKS-03509
US-PATENT-APPL-SN-566392
US-PATENT-CLASS-356-166
US-PATENT-3,414,358
c04 N71-23185 ..... NASA-CASE-XAC-05422
US-PATENT-APPL-SN-483885
US-PATENT-CLASS-128-2.05
US-PATENT-3,412,729
c03 N71-23187 ..... NASA-CASE-XGS-03390
US-PATENT-APPL-SN-551182
US-PATENT-CLASS-136-89
US-PATENT-3,419,433
c09 N71-23188 ..... NASA-CASE-XNF-14301
US-PATENT-APPL-SN-697341
US-PATENT-CLASS-321-2
US-PATENT-3,470,446
c09 N71-23189 ..... NASA-CASE-XNP-06028
US-PATENT-APPL-SN-649356
US-PATENT-CLASS-315-26
US-PATENT-3,431,460
c09 N71-23190 ..... NASA-CASE-XLE-04501
US-PATENT-APPL-SN-522794
US-PATENT-CLASS-313-231
US-PATENT-3,413,510
c09 N71-23191 ..... NASA-CASE-XMS-05890
US-PATENT-APPL-SN-650166
US-PATENT-CLASS-137-554
US-PATENT-3,414,012
c14 N71-23225 ..... NASA-CASE-XNP-04817
US-PATENT-APPL-SN-516152
US-PATENT-CLASS-73-12
US-PATENT-3,412,598
c14 N71-23226 ..... NASA-CASE-XNP-06509
US-PATENT-APPL-SN-570095
US-PATENT-CLASS-73-194
US-PATENT-3,411,356
c14 N71-23227 ..... NASA-CASE-XNF-06515
US-PATENT-APPL-SN-548808
US-PATENT-CLASS-73-432
US-PATENT-3,408,870
c06 N71-23230 ..... NASA-CASE-XNF-06409
US-PATENT-APPL-SN-575930
US-PATENT-CLASS-260-448.2
US-PATENT-3,433,818
c03 N71-23239 ..... NASA-CASE-XNF-08217
US-PATENT-APPL-SN-688807
US-PATENT-CLASS-321-2
US-PATENT-3,470,443
c14 N71-23240 ..... NASA-CASE-XLA-00941
US-PATENT-APPL-SN-508873
US-PATENT-CLASS-250-227
US-PATENT-3,407,304
c17 N71-23248 ..... NASA-CASE-XLE-03629
US-PATENT-APPL-SN-554950
US-PATENT-CLASS-75-170
US-PATENT-3,415,643
c15 N71-23254 ..... NASA-CASE-XPR-05302
US-PATENT-APPL-SN-685463
US-PATENT-CLASS-85-7
US-PATENT-3,443,472
c15 N71-23255 ..... NASA-CASE-XMS-07487
US-PATENT-APPL-SN-580365
US-PATENT-CLASS-244-83
US-PATENT-3,409,252
c15 N71-23256 ..... NASA-CASE-XNF-03290
US-PATENT-APPL-SN-479353
US-PATENT-CLASS-53-22
US-PATENT-3,415,032
c14 N71-23267 ..... NASA-CASE-XLE-04026
US-PATENT-APPL-SN-617770
US-PATENT-CLASS-13-26
US-PATENT-3,470,304
c14 N71-23268 ..... NASA-CASE-XLA-01907
US-PATENT-APPL-SN-335441
US-PATENT-CLASS-356-72
US-PATENT-3,419,329
c14 N71-23269 ..... NASA-CASE-XLA-01584
US-PATENT-APPL-SN-416943
US-PATENT-CLASS-250-203
US-PATENT-3,389,260
c09 N71-23270 ..... NASA-CASE-XMS-04919
US-PATENT-APPL-SN-516155
US-PATENT-CLASS-307-263
US-PATENT-3,417,266
c10 N71-23271 ..... NASA-CASE-XNP-00952
US-PATENT-APPL-SN-388967
US-PATENT-CLASS-317-148.5
US-PATENT-3,417,298
c21 N71-23289 ..... NASA-CASE-XNF-01669
US-PATENT-APPL-SN-399419
US-PATENT-CLASS-74-5.47
US-PATENT-3,415,126
c26 N71-23292 ..... NASA-CASE-XLE-10715
US-PATENT-APPL-SN-603397
US-PATENT-CLASS-252-62.3
US-PATENT-3,409,554
c28 N71-23293 ..... NASA-CASE-XNF-06942
US-PATENT-APPL-SN-563651
US-PATENT-CLASS-60-202
US-PATENT-3,412,559
c08 N71-23295 ..... NASA-CASE-XNP-04819
US-PATENT-APPL-SN-502701
US-PATENT-CLASS-340-146.2
US-PATENT-3,390,378
c09 N71-23311 ..... NASA-CASE-XGS-03632
US-PATENT-APPL-SN-502739
US-PATENT-CLASS-307-260
US-PATENT-3,390,282
c10 N71-23315 ..... NASA-CASE-XLA-03356
US-PATENT-APPL-SN-536216

US-PATENT-CLASS-307-234
US-PATENT-3,448,290
c09 N71-23316 ..... NASA-CASE-XMS-09352
US-PATENT-APPL-SN-564919
US-PATENT-CLASS-323-22
US-PATENT-3,417,321
c05 N71-23317 ..... NASA-CASE-XMS-06061
US-PATENT-APPL-SN-605092
US-PATENT-CLASS-307-260
US-PATENT-3,467,837
c03 N71-23336 ..... NASA-CASE-XGS-01513
US-PATENT-APPL-SN-502756
US-PATENT-CLASS-136-166
US-PATENT-3,390,017
c03 N71-23354 ..... NASA-CASE-XLE-04535
US-PATENT-APPL-SN-588671
US-PATENT-CLASS-250-212
US-PATENT-3,437,818
c17 N71-23365 ..... NASA-CASE-XNP-03063
US-PATENT-APPL-SN-521994
US-PATENT-CLASS-75-172
US-PATENT-3,413,115
c14 N71-23401 ..... NASA-CASE-XGS-03230
US-PATENT-APPL-SN-517158
US-PATENT-CLASS-250-83
US-PATENT-3,419,992
c07 N71-23405 ..... NASA-CASE-XGS-01537
US-PATENT-APPL-SN-432026
US-PATENT-CLASS-325-163
US-PATENT-3,417,332
c09 N71-23443 ..... NASA-CASE-XLE-02823
US-PATENT-APPL-SN-491058
US-PATENT-CLASS-310-10
US-PATENT-3,393,332
c03 N71-23449 ..... NASA-CASE-XLE-08569
US-PATENT-APPL-SN-641420
US-PATENT-CLASS-136-89
US-PATENT-3,472,698
c01 N71-23497 ..... NASA-CASE-XLA-01486
US-PATENT-APPL-SN-484485
US-PATENT-CLASS-244-13
US-PATENT-3,392,936
c06 N71-23499 ..... NASA-CASE-XNP-03835
US-PATENT-APPL-SN-456874
US-PATENT-CLASS-44-77
US-PATENT-3,393,059
c06 N71-23500 ..... NASA-CASE-XNP-03250
US-PATENT-APPL-SN-485058
US-PATENT-CLASS-260-85.5
US-PATENT-3,419,537
c09 N71-23525 ..... NASA-CASE-XGS-02317
US-PATENT-APPL-SN-576183
US-PATENT-CLASS-328-61
US-PATENT-3,464,018
c06 N71-23527 ..... NASA-CASE-XLE-01997
US-PATENT-APPL-SN-427990
US-PATENT-CLASS-23-230
US-PATENT-3,472,625
c10 N71-23543 ..... NASA-CASE-XMS-00913
US-PATENT-APPL-SN-416945
US-PATENT-CLASS-317-31
US-PATENT-3,393,347
c10 N71-23544 ..... NASA-CASE-XNP-05382
US-PATENT-APPL-SN-536217
US-PATENT-CLASS-332-19
US-PATENT-3,393,380
c09 N71-23545 ..... NASA-CASE-XNP-04367
US-PATENT-APPL-SN-457874
US-PATENT-CLASS-307-235
US-PATENT-3,404,289
c09 N71-23548 ..... NASA-CASE-XNP-06507
US-PATENT-APPL-SN-605099
US-PATENT-CLASS-333-98
US-PATENT-3,419,827
c09 N71-23573 ..... NASA-CASE-XGS-01418
US-PATENT-APPL-SN-392969
US-PATENT-CLASS-333-73
US-PATENT-3,393,384
c09 N71-23598 ..... NASA-CASE-XER-11019
US-PATENT-APPL-SN-711971
US-PATENT-CLASS-331-78
US-PATENT-3,470,489
c22 N71-23599 ..... NASA-CASE-XLE-01903
US-PATENT-APPL-SN-466868
US-PATENT-CLASS-310-4
US-PATENT-3,393,330
c26 N71-23654 ..... NASA-CASE-XLE-02798
US-PATENT-APPL-SN-660571
US-PATENT-CLASS-148-1.5
US-PATENT-3,390,020
c18 N71-23658 ..... NASA-CASE-XLE-02647
US-PATENT-APPL-SN-430226
US-PATENT-CLASS-220-9
US-PATENT-3,392,864
c10 N71-23662 ..... NASA-CASE-XGS-01118
US-PATENT-APPL-SN-408442
US-PATENT-CLASS-235-154
US-PATENT-3,399,299
c10 N71-23663 ..... NASA-CASE-XKS-04631
US-PATENT-APPL-SN-663180
US-PATENT-CLASS-200-82
US-PATENT-3,433,909
c10 N71-23669 ..... NASA-CASE-XAC-10607
US-PATENT-APPL-SN-694345
US-PATENT-CLASS-331-111
US-PATENT-3,470,495
c14 N71-23698 ..... NASA-CASE-XGS-08259
US-PATENT-APPL-SN-666551
US-PATENT-CLASS-242-192
US-PATENT-3,460,781
c14 N71-23699 ..... NASA-CASE-XNP-10289
US-PATENT-APPL-SN-674356
US-PATENT-CLASS-324-72
US-PATENT-3,470,466
c18 N71-23710 ..... NASA-CASE-XLE-08511
US-PATENT-APPL-SN-635972
US-PATENT-CLASS-29-182.1
US-PATENT-3,419,363
c30 N71-23723 ..... NASA-CASE-XNP-09832
US-PATENT-APPL-SN-632163
US-PATENT-CLASS-343-100
US-PATENT-3,417,399
c14 N71-23725 ..... NASA-CASE-XGS-01013
US-PATENT-APPL-SN-665209
US-PATENT-CLASS-73-133
US-PATENT-3,460,381
c14 N71-23726 ..... NASA-CASE-XNP-05224
US-PATENT-APPL-SN-660842
US-PATENT-CLASS-73-189
US-PATENT-3,465,584
c14 N71-23755 ..... NASA-CASE-XNP-04134
US-PATENT-APPL-SN-610723
US-PATENT-CLASS-73-4
US-PATENT-3,472,059
c14 N71-23790 ..... NASA-CASE-XAC-04885
US-PATENT-APPL-SN-573432
US-PATENT-CLASS-73-141
US-PATENT-3,415,116
c14 N71-23797 ..... NASA-CASE-XNP-06510
US-PATENT-APPL-SN-562445
US-PATENT-CLASS-250-203
US-PATENT-3,417,247
c15 N71-23798 ..... NASA-CASE-XNP-02330
US-PATENT-APPL-SN-608944
US-PATENT-CLASS-219-130
US-PATENT-3,469,069
c15 N71-23809 ..... NASA-CASE-XAC-10019
US-PATENT-APPL-SN-686209
US-PATENT-CLASS-74-89.18
US-PATENT-3,472,086
c15 N71-23810 ..... NASA-CASE-XLE-05033
US-PATENT-APPL-SN-510474
US-PATENT-CLASS-252-12
US-PATENT-3,466,243
c15 N71-23811 ..... NASA-CASE-XNP-05297
US-PATENT-APPL-SN-640458
US-PATENT-CLASS-72-354
US-PATENT-3,443,412
c15 N71-23812 ..... NASA-CASE-XNP-07808
US-PATENT-APPL-SN-684178
US-PATENT-CLASS-308-2
US-PATENT-3,463,563
c15 N71-23815 ..... NASA-CASE-XNP-07069
US-PATENT-APPL-SN-672382
US-PATENT-CLASS-219-125
US-PATENT-3,469,068
c15 N71-23816 ..... NASA-CASE-XLE-03803
US-PATENT-APPL-SN-505765
US-PATENT-CLASS-220-9
US-PATENT-3,392,865
c15 N71-23817 ..... NASA-CASE-XLE-06773
US-PATENT-APPL-SN-646124
US-PATENT-CLASS-72-467
US-PATENT-3,469,436
c17 N71-23828 ..... NASA-CASE-XNP-02303
US-PATENT-APPL-SN-453229
US-PATENT-CLASS-148-6.20
US-PATENT-3,416,975

c31 N71-23912 ..... NASA-CASE-XMF-05941
US-PATENT-APPL-SN-653277
US-PATENT-CLASS-244-1
US-PATENT-3,443,773
c28 N71-23968 ..... NASA-CASE-XLE-04857
US-PATENT-APPL-SN-621742
US-PATENT-CLASS-239-127.1
US-PATENT-3,460,759
c32 N71-23971 ..... NASA-CASE-XAC-05632
US-PATENT-APPL-SN-568355
US-PATENT-CLASS-244-77
US-PATENT-3,412,961
c23 N71-23976 ..... NASA-CASE-XLA-01987
US-PATENT-APPL-SN-542713
US-PATENT-CLASS-346-107
US-PATENT-3,392,403
c31 N71-24035 ..... NASA-CASE-XLA-01027
US-PATENT-APPL-SN-494283
US-PATENT-CLASS-52-272
US-PATENT-3,416,274
c15 N71-24042 ..... NASA-CASE-XNP-04731
US-PATENT-APPL-SN-534966
US-PATENT-CLASS-103-48
US-PATENT-3,367,271
c15 N71-24043 ..... NASA-CASE-XKS-03338
US-PATENT-APPL-SN-547072
US-PATENT-CLASS-89-1.806
US-PATENT-3,415,156
c15 N71-24044 ..... NASA-CASE-XMF-06888
US-PATENT-APPL-SN-591000
US-PATENT-CLASS-62-40
US-PATENT-3,415,069
c15 N71-24045 ..... NASA-CASE-XGS-04548
US-PATENT-APPL-SN-672383
US-PATENT-CLASS-74-100
US-PATENT-3,460,397
c15 N71-24046 ..... NASA-CASE-XLE-10337
US-PATENT-APPL-SN-594633
US-PATENT-CLASS-252-26
US-PATENT-3,391,080
c15 N71-24047 ..... NASA-CASE-XGS-03120
US-PATENT-APPL-SN-485958
US-PATENT-CLASS-156-3
US-PATENT-3,470,043
c16 N71-24074 ..... NASA-CASE-XLA-03375
US-PATENT-APPL-SN-512562
US-PATENT-CLASS-356-104
US-PATENT-3,446,558
c17 N71-24142 ..... NASA-CASE-XLE-06969
US-PATENT-APPL-SN-655675
US-PATENT-CLASS-148-126
US-PATENT-3,463,679
c33 N71-24145 ..... NASA-CASE-XLE-03432
US-PATENT-APPL-SN-559349
US-PATENT-CLASS-13-35
US-PATENT-3,409,730
c05 N71-24147 ..... NASA-CASE-XMS-10269
US-PATENT-APPL-SN-590158
US-PATENT-CLASS-165-46
US-PATENT-3,425,486
c15 N71-24164 ..... NASA-CASE-XLA-01494
US-PATENT-APPL-SN-499122
US-PATENT-CLASS-156-545
US-PATENT-3,416,988
c16 N71-24170 ..... NASA-CASE-XLA-04295
US-PATENT-APPL-SN-546149
US-PATENT-CLASS-356-107
US-PATENT-3,468,609
c18 N71-24183 ..... NASA-CASE-XGS-04799
US-PATENT-APPL-SN-452944
US-PATENT-CLASS-106-84
US-PATENT-3,416,939
c18 N71-24184 ..... NASA-CASE-XNP-02139
US-PATENT-APPL-SN-430777
US-PATENT-CLASS-106-84
US-PATENT-3,434,855
c14 N71-24232 ..... NASA-CASE-XAC-04458
US-PATENT-APPL-SN-534975
US-PATENT-CLASS-73-400
US-PATENT-3,392,586
c14 N71-24233 ..... NASA-CASE-XGS-04478
US-PATENT-APPL-SN-566717
US-PATENT-CLASS-73-88.5
US-PATENT-3,460,378
c14 N71-24234 ..... NASA-CASE-XMF-10968
US-PATENT-APPL-SN-644447
US-PATENT-CLASS-73-15.6
US-PATENT-3,469,437
c33 N71-24276 ..... NASA-CASE-XLA-02059
US-PATENT-APPL-SN-576182
US-PATENT-CLASS-165-12
US-PATENT-3,406,742
c32 N71-24285 ..... NASA-CASE-XNP-02392
US-PATENT-APPL-SN-596735
US-PATENT-CLASS-73-49.2
US-PATENT-3,399,574
c31 N71-24315 ..... NASA-CASE-XLA-04901
US-PATENT-APPL-SN-586325
US-PATENT-CLASS-244-1
US-PATENT-3,405,887
c28 N71-24321 ..... NASA-CASE-XNP-03692
US-PATENT-APPL-SN-640787
US-PATENT-CLASS-60-263
US-PATENT-3,443,384
c07 N71-24583 ..... NASA-CASE-NPO-10096
US-PATENT-APPL-SN-730700
US-PATENT-CLASS-329-140
US-PATENT-3,533,001
c09 N71-24595 ..... NASA-CASE-GSC-10021-1
US-PATENT-APPL-SN-790420
US-PATENT-CLASS-343-7.5
US-PATENT-3,540,045
c09 N71-24596 ..... NASA-CASE-XNP-01306-2
US-PATENT-APPL-SN-684083
US-PATENT-CLASS-328-133
US-PATENT-3,509,475
c09 N71-24597 ..... NASA-CASE-ARC-10132-1
US-PATENT-APPL-SN-759460
US-PATENT-CLASS-73-398
US-PATENT-3,545,275
c15 N71-24599 ..... NASA-CASE-MSC-12052-1
US-PATENT-APPL-SN-770371
US-PATENT-CLASS-254-150
US-PATENT-CLASS-254-173
US-PATENT-CLASS-254-186
US-PATENT-3,545,725
c15 N71-24600 ..... NASA-CASE-XGS-08718
US-PATENT-APPL-SN-785611
US-PATENT-CLASS-9-9
US-PATENT-CLASS-74-2
US-PATENT-CLASS-89-1.5
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-150
US-PATENT-3,540,676
c03 N71-24605 ..... NASA-CASE-XNP-04758
US-PATENT-APPL-SN-557861
US-PATENT-CLASS-320-17
US-PATENT-3,413,536
c05 N71-24606 ..... NASA-CASE-XKS-10804
US-PATENT-APPL-SN-691909
US-PATENT-CLASS-35-17
US-PATENT-3,508,347
c06 N71-24607 ..... NASA-CASE-XNP-09699
US-PATENT-APPL-SN-711972
US-PATENT-CLASS-73-17
US-PATENT-3,546,920
c07 N71-24612 ..... NASA-CASE-XMF-06092
US-PATENT-APPL-SN-550088
US-PATENT-CLASS-178-7.1
US-PATENT-3,470,318
c07 N71-24613 ..... NASA-CASE-NPO-10851
US-PATENT-APPL-SN-805406
US-PATENT-CLASS-325-325
US-PATENT-3,551,816
c07 N71-24614 ..... NASA-CASE-XKS-09340
US-PATENT-APPL-SN-666555
US-PATENT-CLASS-343-703
US-PATENT-3,540,056
c09 N71-24618 ..... NASA-CASE-FEC-10029
US-PATENT-APPL-SN-760389
US-PATENT-CLASS-128-2.06
US-PATENT-3,547,105
c07 N71-24621 ..... NASA-CASE-GSC-10118-1
US-PATENT-APPL-SN-783375
US-PATENT-CLASS-179-15
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-100
US-PATENT-3,546,386
c07 N71-24622 ..... NASA-CASE-NPO-10388
US-PATENT-APPL-SN-725432
US-PATENT-CLASS-179-15
US-PATENT-CLASS-324-77
US-PATENT-3,548,107
c05 N71-24623 ..... NASA-CASE-XMS-09635
US-PATENT-APPL-SN-586329
US-PATENT-CLASS-2-2.1
US-PATENT-3,516,091
c07 N71-24624 ..... NASA-CASE-GSC-10131-1

US-PATENT-APPL-SN-754055
US-PATENT-CLASS-340-172.5
US-PATENT-3,546,684
c07 N71-24625 ..... NASA-CASE-XMS-09610
US-PATENT-APPL-SN-766170
US-PATENT-CLASS-343-113
US-PATENT-3,540,054
c08 N71-24633 ..... NASA-CASE-NPO-10567
US-PATENT-APPL-SN-679055
US-PATENT-CLASS-235-153
US-PATENT-3,517,171
c08 N71-24650 ..... NASA-CASE-NPO-10150
US-PATENT-APPL-SN-660843
US-PATENT-CLASS-340-347
US-PATENT-3,537,103
c15 N71-24679 ..... NASA-CASE-XNP-10475
US-PATENT-APPL-SN-763868
US-PATENT-CLASS-72-369
US-PATENT-3,546,917
c03 N71-24681 ..... NASA-CASE-XLE-08569-2
US-PATENT-APPL-SN-829825
US-PATENT-CLASS-29-572
US-PATENT-3,541,679
c12 N71-24692 ..... NASA-CASE-XFR-02007
US-PATENT-APPL-SN-378080
US-PATENT-CLASS-73-389
US-PATENT-3,273,399
c14 N71-24693 ..... NASA-CASE-XNF-04415
US-PATENT-APPL-SN-644446
US-PATENT-CLASS-33-174
US-PATENT-3,360,864
c15 N71-24694 ..... NASA-CASE-GSC-10306-1
US-PATENT-APPL-SN-789278
US-PATENT-CLASS-248-358
US-PATENT-3,537,672
c15 N71-24695 ..... NASA-CASE-XNP-06936
US-PATENT-APPL-SN-640786
US-PATENT-CLASS-318-382
US-PATENT-3,487,281
c15 N71-24696 ..... NASA-CASE-NPO-10173
US-PATENT-APPL-SN-796360
US-PATENT-CLASS-310-101
US-PATENT-3,535,570
c09 N71-24717 ..... NASA-CASE-XNF-08804
US-PATENT-APPL-SN-683606
US-PATENT-CLASS-324-181
US-PATENT-3,543,159
c03 N71-24718 ..... NASA-CASE-MSC-10960-1
US-PATENT-APPL-SN-751198
US-PATENT-CLASS-204-305
US-PATENT-3,547,801
c03 N71-24719 ..... NASA-CASE-GSC-10487-1
US-PATENT-APPL-SN-828983
US-PATENT-CLASS-320-39
US-PATENT-3,541,422
c23 N71-24725 ..... NASA-CASE-GSC-10188-1
US-PATENT-APPL-SN-791888
US-PATENT-CLASS-62-384
US-PATENT-3,545,226
c05 N71-24728 ..... NASA-CASE-MSC-12243-1
US-PATENT-APPL-SN-857445
US-PATENT-CLASS-244-1
US-PATENT-3,537,668
c05 N71-24729 ..... NASA-CASE-MSC-13282-1
US-PATENT-APPL-SN-8498
US-PATENT-CLASS-128-2.1
US-PATENT-3,548,812
c05 N71-24730 ..... NASA-CASE-XMS-09637-1
US-PATENT-APPL-SN-785710
US-PATENT-CLASS-2-2.1
US-PATENT-3,537,107
c28 N71-24736 ..... NASA-CASE-XLE-03157
US-PATENT-APPL-SN-591014
US-PATENT-CLASS-60-240
US-PATENT-3,408,816
c05 N71-24738 ..... NASA-CASE-ARC-10100-1
US-PATENT-APPL-SN-797058
US-PATENT-CLASS-128-24
US-PATENT-CLASS-128-25
US-PATENT-3,550,585
c06 N71-24739 ..... NASA-CASE-ARC-10098-1
US-PATENT-APPL-SN-702967
US-PATENT-CLASS-260-2.5
US-PATENT-3,549,564
c06 N71-24740 ..... NASA-CASE-XNF-03074
US-PATENT-APPL-SN-593595
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,971
c07 N71-24741 ..... NASA-CASE-NPO-10118
US-PATENT-APPL-SN-704465
US-PATENT-CLASS-235-152
US-PATENT-3,541,314
c07 N71-24742 ..... NASA-CASE-NPO-10140
US-PATENT-APPL-SN-691737
US-PATENT-CLASS-187-7.1
US-PATENT-3,541,250
c31 N71-24750 ..... NASA-CASE-XGS-01654
US-PATENT-APPL-SN-434148
US-PATENT-CLASS-102-50
US-PATENT-3,282,541
c10 N71-24798 ..... NASA-CASE-XLE-03061-1
US-PATENT-APPL-SN-632152
US-PATENT-CLASS-340-412
US-PATENT-3,546,694
c10 N71-24799 ..... NASA-CASE-XNP-06505
US-PATENT-APPL-SN-562933
US-PATENT-CLASS-307-254
US-PATENT-3,501,648
c09 N71-24800 ..... NASA-CASE-ERC-10075
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-45
US-PATENT-3,539,905
c09 N71-24803 ..... NASA-CASE-NPO-10242
US-PATENT-APPL-SN-749181
US-PATENT-CLASS-307-88
US-PATENT-3,541,346
c09 N71-24804 ..... NASA-CASE-GSC-10299-1
US-PATENT-APPL-SN-836367
US-PATENT-CLASS-343-100
US-PATENT-3,540,050
c09 N71-24805 ..... NASA-CASE-XNF-06892
US-PATENT-APPL-SN-757875
US-PATENT-CLASS-318-318
US-PATENT-3,546,553
c09 N71-24806 ..... NASA-CASE-NPO-10198
US-PATENT-APPL-SN-723804
US-PATENT-CLASS-328-165
US-PATENT-3,550,023
c09 N71-24807 ..... NASA-CASE-MFS-14114-2
US-PATENT-APPL-SN-854815
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-107
US-PATENT-CLASS-165-138
US-PATENT-CLASS-310-4
US-PATENT-3,537,515
c09 N71-24808 ..... NASA-CASE-XNP-08880
US-PATENT-APPL-SN-605094
US-PATENT-CLASS-333-98
US-PATENT-3,416,106
c14 N71-24809 ..... NASA-CASE-XNP-08961
US-PATENT-APPL-SN-661170
US-PATENT-CLASS-250-84
US-PATENT-3,487,216
c31 N71-24813 ..... NASA-CASE-XAC-06029-1
US-PATENT-APPL-SN-588651
US-PATENT-CLASS-343-100
US-PATENT-3,540,048
c16 N71-24828 ..... NASA-CASE-XAC-10770-1
US-PATENT-APPL-SN-690997
US-PATENT-CLASS-356-28
US-PATENT-3,547,540
c17 N71-24830 ..... NASA-CASE-XNP-04148
US-PATENT-APPL-SN-536210
US-PATENT-CLASS-204-38
US-PATENT-3,472,742
c16 N71-24831 ..... NASA-CASE-NPO-10548
US-PATENT-APPL-SN-775072
US-PATENT-CLASS-330-4
US-PATENT-3,486,123
c16 N71-24832 ..... NASA-CASE-ERC-10178
US-PATENT-APPL-SN-800973
US-PATENT-CLASS-331-94.5
US-PATENT-3,550,034
c15 N71-24833 ..... NASA-CASE-XNF-03793
US-PATENT-APPL-SN-453225
US-PATENT-CLASS-72-56
US-PATENT-3,360,972
c15 N71-24834 ..... NASA-CASE-XNP-05634
US-PATENT-APPL-SN-605096
US-PATENT-CLASS-73-95
US-PATENT-3,460,379
c15 N71-24835 ..... NASA-CASE-NFC-10123
US-PATENT-APPL-SN-731388
US-PATENT-CLASS-128-272
US-PATENT-CLASS-128-275
US-PATENT-3,540,449
c15 N71-24836 ..... NASA-CASE-XLE-08917-2
US-PATENT-APPL-SN-852131

US-PATENT-CLASS-72-60
US-PATENT-3,541,825
c07 N71-24840 ..... NASA-CASE-NPO-10649
US-PATENT-APPL-SN-795182
US-PATENT-CLASS-325-113
US-PATENT-3,541,450
c09 N71-24841 ..... NASA-CASE-XNP-09771
US-PATENT-APPL-SN-698630
US-PATENT-CLASS-333-83
US-PATENT-3,541,479
c09 N71-24842 ..... NASA-CASE-MSC-12209
US-PATENT-APPL-SN-881039
US-PATENT-CLASS-343-797
US-PATENT-3,546,705
c09 N71-24843 ..... NASA-CASE-XMF-06617
US-PATENT-APPL-SN-656993
US-PATENT-CLASS-324-71
US-PATENT-3,541,439
c10 N71-24844 ..... NASA-CASE-NPO-10169
US-PATENT-APPL-SN-701733
US-PATENT-CLASS-328-171
US-PATENT-3,541,459
c23 N71-24857 ..... NASA-CASE-XMS-06056-1
US-PATENT-APPL-SN-532006
US-PATENT-CLASS-350-189
US-PATENT-3,472,577
c33 N71-24858 ..... NASA-CASE-MFS-14253
US-PATENT-APPL-SN-709622
US-PATENT-CLASS-161-69
US-PATENT-3,551,266
c10 N71-24861 ..... NASA-CASE-XMF-05195
US-PATENT-APPL-SN-785595
US-PATENT-CLASS-318-599
US-PATENT-3,523,228
c10 N71-24862 ..... NASA-CASE-FRC-10010
US-PATENT-APPL-SN-771937
US-PATENT-CLASS-307-235
US-PATENT-3,543,050
c10 N71-24863 ..... NASA-CASE-XMF-02966
US-PATENT-APPL-SN-560968
US-PATENT-CLASS-324-70
US-PATENT-3,406,336
c14 N71-24864 ..... NASA-CASE-XLE-04503
US-PATENT-APPL-SN-606463
US-PATENT-CLASS-250-225
US-PATENT-3,546,471
c15 N71-24865 ..... NASA-CASE-XMF-05114-3
US-PATENT-APPL-SN-837378
US-PATENT-CLASS-72-56
US-PATENT-3,540,250
c23 N71-24868 ..... NASA-CASE-ERC-10001
US-PATENT-APPL-SN-712099
US-PATENT-CLASS-350-310
US-PATENT-3,540,802
c15 N71-24875 ..... NASA-CASE-XLA-06199
US-PATENT-APPL-SN-702911
US-PATENT-CLASS-148-6.11
US-PATENT-3,540,942
c33 N71-24876 ..... NASA-CASE-XNP-05524
US-PATENT-APPL-SN-250567
US-PATENT-CLASS-165-2
US-PATENT-3,270,802
c08 N71-24890 ..... NASA-CASE-XKS-06167
US-PATENT-APPL-SN-649076
US-PATENT-CLASS-235-155
US-PATENT-3,535,497
c08 N71-24891 ..... NASA-CASE-XNP-09759
US-PATENT-APPL-SN-606462
US-PATENT-CLASS-235-92
US-PATENT-3,541,312
c09 N71-24892 ..... NASA-CASE-NPO-10716
US-PATENT-APPL-SN-851394
US-PATENT-CLASS-307-104
US-PATENT-CLASS-317-123
US-PATENT-CLASS-317-148.5
US-PATENT-3,549,955
c09 N71-24893 ..... NASA-CASE-ERC-10125
US-PATENT-APPL-SN-773029
US-PATENT-CLASS-323-56
US-PATENT-3,541,428
c15 N71-24895 ..... NASA-CASE-XLA-07473
US-PATENT-APPL-SN-839935
US-PATENT-CLASS-318-265
US-PATENT-3,546,552
c15 N71-24896 ..... NASA-CASE-ERC-10034
US-PATENT-APPL-SN-763706
US-PATENT-CLASS-250-83.5
US-PATENT-3,549,882
c15 N71-24897 ..... NASA-CASE-XLA-03538
US-PATENT-APPL-SN-749149
US-PATENT-CLASS-294-83
US-PATENT-3,508,779
c15 N71-24903 ..... NASA-CASE-MFS-20395
US-PATENT-APPL-SN-830715
US-PATENT-CLASS-285-38
US-PATENT-CLASS-285-314
US-PATENT-CLASS-285-317
US-PATENT-CLASS-285-406
US-PATENT-3,545,792
c09 N71-24904 ..... NASA-CASE-MFS-20385
US-PATENT-APPL-SN-853716
US-PATENT-CLASS-310-10
US-PATENT-3,541,361
c15 N71-24910 ..... NASA-CASE-ERC-10045
US-PATENT-APPL-SN-763685
US-PATENT-CLASS-73-40.7
US-PATENT-3,548,636
c17 N71-24911 ..... NASA-CASE-XLE-04946
US-PATENT-APPL-SN-605093
US-PATENT-CLASS-118-308
US-PATENT-3,472,202
c18 N71-24934 ..... NASA-CASE-NPO-10051
US-PATENT-APPL-SN-711898
US-PATENT-CLASS-73-38
US-PATENT-3,548,633
c21 N71-24948 ..... NASA-CASE-ERC-10090
US-PATENT-APPL-SN-811542
US-PATENT-CLASS-343-112
US-PATENT-3,550,129
c11 N71-24964 ..... NASA-CASE-NPO-10141
US-PATENT-APPL-SN-673227
US-PATENT-CLASS-62-55.5
US-PATENT-3,443,390
c15 N71-24984 ..... NASA-CASE-MFS-14971
US-PATENT-APPL-SN-827579
US-PATENT-CLASS-74-468
US-PATENT-3,541,875
c11 N71-24985 ..... NASA-CASE-KSC-10126
US-PATENT-APPL-SN-845973
US-PATENT-CLASS-73-15
US-PATENT-3,545,252
c10 N71-25139 ..... NASA-CASE-MFS-10068
US-PATENT-APPL-SN-700541
US-PATENT-CLASS-321-9
US-PATENT-3,487,288
c28 N71-25213 ..... NASA-CASE-GSC-10709-1
US-PATENT-APPL-SN-791288
US-PATENT-CLASS-60-202
US-PATENT-3,545,208
c33 N71-25351 ..... NASA-CASE-MFS-14023
US-PATENT-APPL-SN-795217
US-PATENT-CLASS-52-249
US-PATENT-CLASS-52-404
US-PATENT-CLASS-62-45
US-PATENT-CLASS-161-161
US-PATENT-CLASS-220-9
US-PATENT-3,540,615
c33 N71-25353 ..... NASA-CASE-MFS-20355
US-PATENT-APPL-SN-845974
US-PATENT-CLASS-165-104
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-133
US-PATENT-CLASS-219-378
US-PATENT-CLASS-219-530
US-PATENT-CLASS-244-1
US-PATENT-3,548,930
c32 N71-25360 ..... NASA-CASE-XLA-08530
US-PATENT-APPL-SN-808577
US-PATENT-CLASS-73-90
US-PATENT-3,546,931
c31 N71-25434 ..... NASA-CASE-MSC-13047-1
US-PATENT-APPL-SN-850586
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-138
US-PATENT-3,547,376
c26 N71-25490 ..... NASA-CASE-ERC-10088
US-PATENT-APPL-SN-760927
US-PATENT-CLASS-73-141
US-PATENT-3,537,305
c24 N71-25555 ..... NASA-CASE-XNP-09469
US-PATENT-APPL-SN-645573
US-PATENT-CLASS-204-168
US-PATENT-3,540,989
c10 N71-25865 ..... NASA-CASE-KSC-10002
US-PATENT-APPL-SN-782956
US-PATENT-CLASS-178-69.5
US-PATENT-3,567,861

c09 N71-25866 ..... NASA-CASE-ARC-10003-1
US-PATENT-APPL-SN-717822
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-100.2
US-PATENT-3,549,799
c18 N71-25881 ..... NASA-CASE-XGS-05180
US-PATENT-APPL-SN-721607
US-PATENT-CLASS-260-37
US-PATENT-3,567,677
c10 N71-25882 ..... NASA-CASE-GSC-10022-1
US-PATENT-APPL-SN-785546
US-PATENT-CLASS-331-113
US-PATENT-3,559,096
c14 N71-25892 ..... NASA-CASE-XLA-04555-1
US-PATENT-APPL-SN-594584
US-PATENT-CLASS-148-13
US-PATENT-3,468,727
c10 N71-25899 ..... NASA-CASE-LEW-10345-1
US-PATENT-APPL-SN-805298
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-235-201
US-PATENT-3,568,702
c10 N71-25900 ..... NASA-CASE-ERC-10032
US-PATENT-APPL-SN-757857
US-PATENT-CLASS-333-30
US-PATENT-CLASS-333-72
US-PATENT-3,568,103
c14 N71-25901 ..... NASA-CASE-XLA-02810
US-PATENT-APPL-SN-764252
US-PATENT-CLASS-250-43.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-340-233
US-PATENT-CLASS-340-285
US-PATENT-3,569,710
c17 N71-25903 ..... NASA-CASE-XLA-08966-1
US-PATENT-APPL-SN-570678
US-PATENT-CLASS-204-33
US-PATENT-3,468,765
c16 N71-25914 ..... NASA-CASE-XLA-03410
US-PATENT-APPL-SN-512561
US-PATENT-CLASS-250-199
US-PATENT-3,469,087
c10 N71-25917 ..... NASA-CASE-NPO-10595
US-PATENT-APPL-SN-771760
US-PATENT-CLASS-340-347
US-PATENT-3,569,956
c06 N71-25929 ..... NASA-CASE-NPO-10596
US-PATENT-APPL-SN-756381
US-PATENT-CLASS-260-2.5
US-PATENT-3,557,027
c10 N71-25950 ..... NASA-CASE-XGS-06226
US-PATENT-APPL-SN-676387
US-PATENT-CLASS-331-113
US-PATENT-3,466,570
c15 N71-25975 ..... NASA-CASE-XMS-10660-1
US-PATENT-APPL-SN-797056
US-PATENT-CLASS-24-205.17
US-PATENT-3,469,289
c09 N71-25999 ..... NASA-CASE-XGS-05290
US-PATENT-APPL-SN-754019
US-PATENT-CLASS-310-168
US-PATENT-CLASS-310-254
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-3,569,804
c09 N71-26000 ..... NASA-CASE-XNP-08567
US-PATENT-APPL-SN-640783
US-PATENT-CLASS-307-88
US-PATENT-3,466,459
c09 N71-26002 ..... NASA-CASE-XMS-04213-1
US-PATENT-APPL-SN-607484
US-PATENT-CLASS-128-2.1
US-PATENT-3,468,303
c03 N71-26084 ..... NASA-CASE-LEW-11358
US-PATENT-APPL-SN-787906
US-PATENT-CLASS-136-6
US-PATENT-3,554,806
c10 N71-26085 ..... NASA-CASE-GSC-10735-1
US-PATENT-APPL-SN-863963
US-PATENT-CLASS-321-2
US-PATENT-3,559,031
c09 N71-26092 ..... NASA-CASE-XNP-07477
US-PATENT-APPL-SN-605098
US-PATENT-CLASS-318-258
US-PATENT-3,501,684
c18 N71-26100 ..... NASA-CASE-XLA-04251
US-PATENT-APPL-SN-657742
US-PATENT-CLASS-117-104
US-PATENT-3,553,002
c07 N71-26101 ..... NASA-CASE-NPO-10231
US-PATENT-APPL-SN-701767
US-PATENT-CLASS-343-786
US-PATENT-3,534,376
c07 N71-26102 ..... NASA-CASE-XNP-06611
NASA-CASE-XNP-09830
US-PATENT-APPL-SN-593607
US-PATENT-CLASS-178-6.6
US-PATENT-3,474,192
c10 N71-26103 ..... NASA-CASE-XNP-04623
US-PATENT-APPL-SN-510150
US-PATENT-CLASS-340-146.1
US-PATENT-3,474,813
c02 N71-26110 ..... NASA-CASE-LAR-10249-1
US-PATENT-APPL-SN-835060
US-PATENT-CLASS-244-42
US-PATENT-3,576,301
c09 N71-26133 ..... NASA-CASE-MFS-20075
US-PATENT-APPL-SN-835059
US-PATENT-CLASS-317-101
US-PATENT-CLASS-339-17
US-PATENT-3,575,638
c15 N71-26134 ..... NASA-CASE-XKS-07953
US-PATENT-APPL-SN-725405
US-PATENT-CLASS-51-170
US-PATENT-3,553,904
c14 N71-26135 ..... NASA-CASE-XAC-03740
US-PATENT-APPL-SN-480211
US-PATENT-CLASS-324-43
US-PATENT-3,564,401
c14 N71-26136 ..... NASA-CASE-XLA-01782
US-PATENT-APPL-SN-576792
US-PATENT-CLASS-73-15.6
US-PATENT-3,472,060
c14 N71-26137 ..... NASA-CASE-LAR-10305
US-PATENT-APPL-SN-811037
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-324-58.5
US-PATENT-3,562,631
c10 N71-26142 ..... NASA-CASE-NPO-10302
US-PATENT-APPL-SN-848811
US-PATENT-CLASS-343-768
US-PATENT-3,553,704
c15 N71-26145 ..... NASA-CASE-FRC-10005
US-PATENT-APPL-SN-756266
US-PATENT-CLASS-33-189
US-PATENT-3,562,919
c15 N71-26148 ..... NASA-CASE-XMF-05114-2
US-PATENT-APPL-SN-837377
US-PATENT-CLASS-72-56
US-PATENT-3,555,867
c18 N71-26153 ..... NASA-CASE-XLE-03940
US-PATENT-APPL-SN-539255
US-PATENT-CLASS-148-126
US-PATENT-3,472,709
c16 N71-26154 ..... NASA-CASE-ERC-10020
US-PATENT-APPL-SN-709399
US-PATENT-CLASS-350-3.5
US-PATENT-3,540,790
c18 N71-26155 ..... NASA-CASE-LAR-10373-1
US-PATENT-APPL-SN-761007
US-PATENT-CLASS-260-2.5
US-PATENT-3,481,887
c14 N71-26161 ..... NASA-CASE-XLA-08254
US-PATENT-APPL-SN-867843
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-79
US-PATENT-3,576,127
c15 N71-26162 ..... NASA-CASE-MSC-15474-1
US-PATENT-APPL-SN-878731
US-PATENT-CLASS-24-263
US-PATENT-3,564,564
c28 N71-26173 ..... NASA-CASE-LEW-10689-1
US-PATENT-APPL-SN-830978
US-PATENT-CLASS-60-202
US-PATENT-3,552,125
c07 N71-26181 ..... NASA-CASE-MSC-12223-1
US-PATENT-APPL-SN-839941
US-PATENT-CLASS-179-1
US-PATENT-3,555,192
c09 N71-26182 ..... NASA-CASE-NPO-10625
US-PATENT-APPL-SN-856415
US-PATENT-CLASS-60-23
US-PATENT-CLASS-313-236
US-PATENT-CLASS-313-237
US-PATENT-3,562,575
c15 N71-26185 ..... NASA-CASE-MFS-14711
US-PATENT-APPL-SN-774266
US-PATENT-CLASS-55-75

US-PATENT-3,557,534
c15 N71-26189 ..... NASA-CASE-XLE-09527-2
US-PATENT-APPL-SN-840870
US-PATENT-CLASS-308-187
US-PATENT-3,561,828
c14 N71-26199 ..... NASA-CASE-NPO-10691
US-PATENT-APPL-SN-816988
US-PATENT-CLASS-73-61
US-PATENT-3,566,676
c23 N71-26206 ..... NASA-CASE-XGS-08269
US-PATENT-APPL-SN-787393
US-PATENT-CLASS-356-76
US-PATENT-3,554,647
c15 N71-26243 ..... NASA-CASE-MSC-10959
US-PATENT-APPL-SN-725719
US-PATENT-CLASS-188-1
US-PATENT-3,420,338
c14 N71-26244 ..... NASA-CASE-XMS-06497
US-PATENT-APPL-SN-617778
US-PATENT-CLASS-324-115
US-PATENT-3,464,012
c14 N71-26266 ..... NASA-CASE-XNP-09830
US-PATENT-APPL-SN-632165
US-PATENT-CLASS-324-0.5
US-PATENT-3,474,328
c18 N71-26285 ..... NASA-CASE-MSC-12109
US-PATENT-APPL-SN-889376
US-PATENT-CLASS-2-81
US-PATENT-CLASS-2-275
US-PATENT-CLASS-112-402
US-PATENT-3,563,198
c07 N71-26291 ..... NASA-CASE-HQN-10541-1
US-PATENT-APPL-SN-494739
US-PATENT-CLASS-350-96
US-PATENT-3,556,634
c07 N71-26292 ..... NASA-CASE-XKS-10543
US-PATENT-APPL-SN-719870
US-PATENT-CLASS-325-67
US-PATENT-3,553,586
c05 N71-26293 ..... NASA-CASE-XFR-07658-1
US-PATENT-APPL-SN-586324
US-PATENT-CLASS-128-2.06
US-PATENT-3,426,746
c15 N71-26294 ..... NASA-CASE-XNP-02862-1
US-PATENT-APPL-SN-556830
US-PATENT-CLASS-277-13
US-PATENT-3,468,548
c15 N71-26312 ..... NASA-CASE-XNP-01263-2
US-PATENT-APPL-SN-718279
US-PATENT-CLASS-287-189.365
US-PATENT-3,481,638
c10 N71-26326 ..... NASA-CASE-NPO-10143
US-PATENT-APPL-SN-692331
US-PATENT-CLASS-58-24
US-PATENT-3,472,019
c10 N71-26331 ..... NASA-CASE-XNP-10854
US-PATENT-APPL-SN-668248
US-PATENT-CLASS-330-31
US-PATENT-3,482,179
c05 N71-26333 ..... NASA-CASE-XMS-09652-1
US-PATENT-APPL-SN-618969
US-PATENT-CLASS-2-6
US-PATENT-3,473,165
c10 N71-26334 ..... NASA-CASE-ILA-02619
US-PATENT-APPL-SN-796691
US-PATENT-CLASS-317-DIG.3
US-PATENT-CLASS-317-153
US-PATENT-CLASS-340-235
US-PATENT-3,575,641
c10 N71-26339 ..... NASA-CASE-NPO-10185
US-PATENT-APPL-SN-723805
US-PATENT-CLASS-73-432
US-PATENT-3,472,080
c15 N71-26346 ..... NASA-CASE-XLE-05641-1
US-PATENT-APPL-SN-605091
US-PATENT-CLASS-72-61
US-PATENT-3,461,700
c10 N71-26374 ..... NASA-CASE-GSC-11367
US-PATENT-APPL-SN-675238
US-PATENT-CLASS-331-18
US-PATENT-3,484,712
c12 N71-26387 ..... NASA-CASE-XLA-05541
US-PATENT-APPL-SN-700986
US-PATENT-CLASS-73-301
US-PATENT-3,473,379
c10 N71-26414 ..... NASA-CASE-XNP-04958-1
US-PATENT-APPL-SN-448365
US-PATENT-CLASS-321-69
US-PATENT-3,434,037
c10 N71-26415 ..... NASA-CASE-NPO-10003
US-PATENT-APPL-SN-638192
US-PATENT-CLASS-330-13
US-PATENT-3,461,393
c10 N71-26418 ..... NASA-CASE-XGS-04224
US-PATENT-APPL-SN-568364
US-PATENT-CLASS-340-174
US-PATENT-3,483,535
c10 N71-26434 ..... NASA-CASE-XNP-01466
US-PATENT-APPL-SN-487940
US-PATENT-CLASS-340-174
US-PATENT-3,461,437
c14 N71-26474 ..... NASA-CASE-XNP-03844-1
US-PATENT-APPL-SN-601229
US-PATENT-CLASS-95-44
US-PATENT-3,472,140
c14 N71-26475 ..... NASA-CASE-XNP-09701
US-PATENT-APPL-SN-584015
US-PATENT-CLASS-250-83.3
US-PATENT-3,461,290
c10 N71-26531 ..... NASA-CASE-GSC-10413
US-PATENT-APPL-SN-789043
US-PATENT-CLASS-317-20
US-PATENT-CLASS-317-33
US-PATENT-3,555,361
c31 N71-26537 ..... NASA-CASE-GSC-10556-1
NASA-CASE-GSC-10557-1
US-PATENT-APPL-SN-808193
US-PATENT-CLASS-74-5.12
US-PATENT-CLASS-244-1
US-PATENT-CLASS-308-1
US-PATENT-3,554,466
c10 N71-26544 ..... NASA-CASE-NPO-10344
US-PATENT-APPL-SN-732921
US-PATENT-CLASS-340-347
US-PATENT-3,566,396
c12 N71-26546 ..... NASA-CASE-ERC-10022
US-PATENT-APPL-SN-763729
US-PATENT-CLASS-73-194
US-PATENT-3,555,898
c10 N71-26577 ..... NASA-CASE-NPO-10214
US-PATENT-APPL-SN-704299
US-PATENT-CLASS-325-41
US-PATENT-3,566,268
c07 N71-26579 ..... NASA-CASE-XMS-06740-1
US-PATENT-APPL-SN-554277
US-PATENT-CLASS-178-6
US-PATENT-3,470,313
c15 N71-26611 ..... NASA-CASE-MSC-11817-1
US-PATENT-APPL-SN-7668
US-PATENT-CLASS-165-44
US-PATENT-CLASS-165-86
US-PATENT-CLASS-188-88
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-57
US-PATENT-3,563,307
c10 N71-26626 ..... NASA-CASE-GSC-10891-1
US-PATENT-APPL-SN-568620
US-PATENT-CLASS-307-53
US-PATENT-3,480,789
c14 N71-26627 ..... NASA-CASE-MFS-14017
US-PATENT-APPL-SN-762956
US-PATENT-CLASS-248-183
US-PATENT-CLASS-308-9
US-PATENT-3,559,937
c15 N71-26635 ..... NASA-CASE-ERC-10022
US-PATENT-APPL-SN-874733
US-PATENT-CLASS-74-89.15
US-PATENT-CLASS-74-424.8
US-PATENT-3,576,135
c28 N71-26642 ..... NASA-CASE-LEW-10106-1
US-PATENT-APPL-SN-758390
US-PATENT-CLASS-60-202
US-PATENT-3,552,124
c23 N71-26654 ..... NASA-CASE-NPO-10467
US-PATENT-APPL-SN-798277
US-PATENT-CLASS-62-514
US-PATENT-3,564,866
c14 N71-26672 ..... NASA-CASE-ERC-10033
US-PATENT-APPL-SN-801660
US-PATENT-CLASS-73-49.3
US-PATENT-3,559,460
c15 N71-26673 ..... NASA-CASE-XAC-09489-1
US-PATENT-APPL-SN-694246
US-PATENT-CLASS-356-154
US-PATENT-3,565,530
c19 N71-26674 ..... NASA-CASE-XGS-04173
US-PATENT-APPL-SN-658964
US-PATENT-CLASS-350-285

US-PATENT-3,560,081
c09 N71-26678 ..... NASA-CASE-ERC-10013
US-PATENT-APPL-SN-802972
US-PATENT-CLASS-29-25.18
US-PATENT-3,562,881
c32 N71-26681 ..... NASA-CASE-LAR-10098
US-PATENT-APPL-SN-677475
US-PATENT-CLASS-73-71.4
US-PATENT-3,564,906
c09 N71-26701 ..... NASA-CASE-NPO-10331
US-PATENT-APPL-SN-757625
US-PATENT-CLASS-118-49.5
US-PATENT-CLASS-204-298
US-PATENT-3,556,048
c15 N71-26721 ..... NASA-CASE-LAR-10121-1
US-PATENT-APPL-SN-766244
US-PATENT-CLASS-18-6
US-PATENT-3,562,857
c23 N71-26722 ..... NASA-CASE-GSC-10216-1
US-PATENT-APPL-SN-756260
US-PATENT-CLASS-331-94.5
US-PATENT-3,555,455
c03 N71-26726 ..... NASA-CASE-XNP-03413
US-PATENT-APPL-SN-640456
US-PATENT-CLASS-156-212
US-PATENT-3,565,719
c06 N71-26754 ..... NASA-CASE-XNP-09451
US-PATENT-APPL-SN-713162
US-PATENT-CLASS-23-253
US-PATENT-3,560,161
c18 N71-26772 ..... NASA-CASE-XMF-07770-2
US-PATENT-APPL-SN-711903
US-PATENT-CLASS-106-296
US-PATENT-3,576,656
c17 N71-26773 ..... NASA-CASE-XNP-04262-2
US-PATENT-APPL-SN-684894
US-PATENT-CLASS-75-66
US-PATENT-3,565,607
c14 N71-26774 ..... NASA-CASE-ERC-11020
US-PATENT-APPL-SN-686248
US-PATENT-CLASS-325-363
US-PATENT-3,564,420
c28 N71-26779 ..... NASA-CASE-XLA-04126
US-PATENT-APPL-SN-467820
US-PATENT-CLASS-86-1
US-PATENT-CLASS-86-20.2
US-PATENT-CLASS-102-101
US-PATENT-CLASS-264-3
US-PATENT-3,570,364
c28 N71-26781 ..... NASA-CASE-LEW-10210-1
US-PATENT-APPL-SN-804172
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-3,576,107
c09 N71-26787 ..... NASA-CASE-XKS-05932
US-PATENT-APPL-SN-752729
US-PATENT-CLASS-240-11.2
US-PATENT-CLASS-240-11.4
US-PATENT-CLASS-240-51.11
US-PATENT-CLASS-313-22
US-PATENT-3,564,234
c14 N71-26788 ..... NASA-CASE-MFS-20240
US-PATENT-APPL-SN-825259
US-PATENT-CLASS-356-203
US-PATENT-3,563,668
c09 N71-27001 ..... NASA-CASE-XGS-11177
US-PATENT-APPL-SN-828921
US-PATENT-CLASS-317-9
US-PATENT-CLASS-317-33
US-PATENT-3,571,656
c14 N71-27005 ..... NASA-CASE-MFS-20261
US-PATENT-APPL-SN-845990
US-PATENT-CLASS-1
US-PATENT-CLASS-141-258
US-PATENT-CLASS-222-49
US-PATENT-CLASS-222-137
US-PATENT-3,568,885
c15 N71-27006 ..... NASA-CASE-LAR-10083-1
US-PATENT-APPL-SN-837825
US-PATENT-CLASS-73-147
US-PATENT-3,572,112
c09 N71-27016 ..... NASA-CASE-GSC-11139
US-PATENT-APPL-SN-756511
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-246
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-120
US-PATENT-CLASS-330-30
US-PATENT-3,569,744
c11 N71-27036 ..... NASA-CASE-XNP-09770-3
US-PATENT-APPL-SN-863967
US-PATENT-CLASS-74-18.2
US-PATENT-3,574,286
c09 N71-27053 ..... NASA-CASE-ERC-10113
US-PATENT-APPL-SN-865811
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-60
US-PATENT-3,571,699
c07 N71-27056 ..... NASA-CASE-MSC-12205-1
US-PATENT-APPL-SN-882577
US-PATENT-CLASS-325-16
US-PATENT-CLASS-325-23
US-PATENT-CLASS-325-369
US-PATENT-CLASS-343-100
US-PATENT-CLASS-343-117
US-PATENT-CLASS-343-176
US-PATENT-3,568,197
c08 N71-27057 ..... NASA-CASE-XLA-07828
US-PATENT-APPL-SN-770209
US-PATENT-CLASS-318-20.105
US-PATENT-CLASS-325-151.11
US-PATENT-CLASS-340-347DA
US-PATENT-3,573,797
c14 N71-27058 ..... NASA-CASE-MSC-13276-1
US-PATENT-APPL-SN-880272
US-PATENT-CLASS-219-505
US-PATENT-3,575,585
c15 N71-27067 ..... NASA-CASE-XKS-07814
US-PATENT-APPL-SN-672384
US-PATENT-CLASS-182-10
US-PATENT-CLASS-188-65.5
US-PATENT-3,568,795
c15 N71-27068 ..... NASA-CASE-NPO-10796
US-PATENT-APPL-SN-815760
US-PATENT-CLASS-220-46
US-PATENT-3,568,874
c15 N71-27084 ..... NASA-CASE-NPO-10755
US-PATENT-APPL-SN-816733
US-PATENT-CLASS-417-50
US-PATENT-3,567,339
c02 N71-27088 ..... NASA-CASE-XIA-08967
US-PATENT-APPL-SN-837830
US-PATENT-CLASS-244-90
US-PATENT-3,570,789
c14 N71-27090 ..... NASA-CASE-ERC-10044-1
US-PATENT-APPL-SN-811892
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.6R
US-PATENT-CLASS-324-33
US-PATENT-3,575,597
c15 N71-27091 ..... NASA-CASE-MFS-13929
US-PATENT-APPL-SN-779847
US-PATENT-CLASS-152-225
US-PATENT-CLASS-152-250
US-PATENT-3,568,748
c28 N71-27094 ..... NASA-CASE-GSC-10710-1
US-PATENT-APPL-SN-828909
US-PATENT-CLASS-73-117.4
US-PATENT-3,572,104
c28 N71-27095 ..... NASA-CASE-MFS-20325
US-PATENT-APPL-SN-840176
US-PATENT-CLASS-244-1
US-PATENT-3,572,610
c10 N71-27126 ..... NASA-CASE-LEW-10233
US-PATENT-APPL-SN-750787
US-PATENT-CLASS-307-253
US-PATENT-CLASS-307-300
US-PATENT-3,566,158
c15 N71-27135 ..... NASA-CASE-HQN-10541-2
US-PATENT-APPL-SN-822088
US-PATENT-CLASS-219-121
US-PATENT-CLASS-331-94.5
US-PATENT-3,571,555
c10 N71-27136 ..... NASA-CASE-GSC-10065-1
US-PATENT-APPL-SN-808462
US-PATENT-CLASS-318-571
US-PATENT-CLASS-318-653
US-PATENT-3,568,028
c10 N71-27137 ..... NASA-CASE-XNP-06234
US-PATENT-APPL-SN-723827
US-PATENT-CLASS-235-92
US-PATENT-CLASS-328-49
US-PATENT-3,567,913
c15 N71-27146 ..... NASA-CASE-LAR-10193-1
US-PATENT-APPL-SN-794968
US-PATENT-CLASS-188-1
US-PATENT-CLASS-188-103

US-PATENT-3,568,805
c15 N71-27147 ..... NASA-CASE-MSC-12121-1
US-PATENT-APPL-SN-783374
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-461
US-PATENT-3,563,135
c15 N71-27169 ..... NASA-CASE-LAR-10106-1
US-PATENT-APPL-SN-810575
US-PATENT-CLASS-188-1
US-PATENT-CLASS-310-51
US-PATENT-3,566,993
c18 N71-27170 ..... NASA-CASE-XMF-02221
US-PATENT-APPL-SN-430192
US-PATENT-CLASS-252-301.2
US-PATENT-3,567,651
c16 N71-27183 ..... NASA-CASE-HQN-10541-4
US-PATENT-APPL-SN-822090
US-PATENT-CLASS-250-199
US-PATENT-3,575,602
c15 N71-27184 ..... NASA-CASE-XNP-08124
US-PATENT-APPL-SN-697075
US-PATENT-CLASS-75-63
US-PATENT-3,563,727
c14 N71-27185 ..... NASA-CASE-NPO-10556
US-PATENT-APPL-SN-796405
US-PATENT-CLASS-73-71.6
US-PATENT-3,572,089
c14 N71-27186 ..... NASA-CASE-XMF-03968
US-PATENT-APPL-SN-719029
US-PATENT-CLASS-60-35.6
US-PATENT-CLASS-174-110.3
US-PATENT-CLASS-324-65
US-PATENT-CLASS-340-227
US-PATENT-3,569,828
c07 N71-27191 ..... NASA-CASE-MFS-20068
US-PATENT-APPL-SN-797795
US-PATENT-CLASS-174-28
US-PATENT-CLASS-333-95
US-PATENT-CLASS-333-96
US-PATENT-CLASS-343-884
US-PATENT-3,569,875
c08 N71-27210 ..... NASA-CASE-GSC-10097-1
US-PATENT-APPL-SN-762957
US-PATENT-CLASS-29-603
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-174.1
US-PATENT-3,566,045
c15 N71-27214 ..... NASA-CASE-XLA-08911
US-PATENT-APPL-SN-777764
US-PATENT-CLASS-219-229
US-PATENT-CLASS-228-53
US-PATENT-3,575,336
c14 N71-27215 ..... NASA-CASE-LAR-10204
US-PATENT-APPL-SN-766245
US-PATENT-CLASS-235-92
US-PATENT-CLASS-356-106
US-PATENT-3,572,935
c09 N71-27232 ..... NASA-CASE-NPO-10607
US-PATENT-APPL-SN-799353
US-PATENT-CLASS-250-83
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-231
US-PATENT-CLASS-317-238
US-PATENT-3,568,010
c07 N71-27233 ..... NASA-CASE-GSC-10220-1
US-PATENT-APPL-SN-759256
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-799
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-854
US-PATENT-3,569,976
c05 N71-27234 ..... NASA-CASE-XFR-07172
US-PATENT-APPL-SN-720041
US-PATENT-CLASS-128-2.05
US-PATENT-3,563,232
c06 N71-27254 ..... NASA-CASE-NPO-10768
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-615
US-PATENT-3,574,770
c08 N71-27255 ..... NASA-CASE-NPO-12107
US-PATENT-APPL-SN-555189
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,571,801
c10 N71-27271 ..... NASA-CASE-XLA-03893
US-PATENT-APPL-SN-779024
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117
US-PATENT-CLASS-331-177
US-PATENT-CLASS-332-30
US-PATENT-3,569,866
c10 N71-27272 ..... NASA-CASE-XLA-08799
US-PATENT-APPL-SN-668242
US-PATENT-CLASS-340-150
US-PATENT-CLASS-340-164
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-213
US-PATENT-CLASS-340-403
US-PATENT-3,571,800
c14 N71-27323 ..... NASA-CASE-NPO-10810
US-PATENT-APPL-SN-805405
US-PATENT-CLASS-73-355
US-PATENT-CLASS-250-83.3
US-PATENT-3,566,122
c21 N71-27324 ..... NASA-CASE-GSC-10555-1
US-PATENT-APPL-SN-785620
US-PATENT-CLASS-244-1
US-PATENT-3,567,155
c14 N71-27325 ..... NASA-CASE-GSC-10441-1
US-PATENT-APPL-SN-782544
US-PATENT-CLASS-324-43
US-PATENT-3,571,700
c12 N71-27332 ..... NASA-CASE-NPC-10416
US-PATENT-APPL-SN-754020
US-PATENT-CLASS-137-81.5
US-PATENT-3,570,513
c14 N71-27334 ..... NASA-CASE-EBC-10087
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-3,566,459
c10 N71-27338 ..... NASA-CASE-KSC-10020
US-PATENT-APPL-SN-817482
US-PATENT-CLASS-324-103
US-PATENT-CLASS-324-107
US-PATENT-CLASS-324-133
US-PATENT-CLASS-340-248
US-PATENT-3,571,707
c07 N71-27341 ..... NASA-CASE-NPO-10343
US-PATENT-APPL-SN-750786
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-178-7.3
US-PATENT-3,566,027
c06 N71-27363 ..... NASA-CASE-HQN-10364
US-PATENT-APPL-SN-713616
US-PATENT-CLASS-260-2
US-PATENT-3,563,918
c09 N71-27364 ..... NASA-CASE-EBC-10065
US-PATENT-APPL-SN-777818
US-PATENT-CLASS-321-61
US-PATENT-CLASS-321-64
US-PATENT-CLASS-322-32
US-PATENT-3,571,693
c10 N71-27365 ..... NASA-CASE-NPO-10251
US-PATENT-APPL-SN-774265
US-PATENT-CLASS-35-19
US-PATENT-3,570,143
c10 N71-27366 ..... NASA-CASE-GSC-10114-1
US-PATENT-APPL-SN-796370
US-PATENT-CLASS-317-33
US-PATENT-CLASS-321-12
US-PATENT-3,571,662
c15 N71-27372 ..... NASA-CASE-NPO-10070
US-PATENT-APPL-SN-780064
US-PATENT-CLASS-23-259
US-PATENT-3,565,584
c18 N71-27397 ..... NASA-CASE-XNP-02500
US-PATENT-APPL-SN-508169
US-PATENT-CLASS-324-58.5
US-PATENT-CLASS-324-61
US-PATENT-3,569,827
c14 N71-27407 ..... NASA-CASE-GSC-10376-1
US-PATENT-APPL-SN-806226
US-PATENT-CLASS-307-126
US-PATENT-CLASS-323-20
US-PATENT-3,566,143
c15 N71-27432 ..... NASA-CASE-NPO-10808
US-PATENT-APPL-SN-808192
US-PATENT-CLASS-60-243
US-PATENT-3,568,447
c28 N71-27585 ..... NASA-CASE-MFS-20130
US-PATENT-APPL-SN-809822
US-PATENT-CLASS-244-4
US-PATENT-3,570,785
c15 N71-27754 ..... NASA-CASE-ARC-10131-1
US-PATENT-APPL-SN-808576
US-PATENT-CLASS-60-51

US-PATENT-CLASS-91-361
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-448
US-PATENT-3,568,572
c33 N71-27862 ..... NASA-CASE-MFS-14114
US-PATENT-APPL-SN-706013
US-PATENT-CLASS-310-4
US-PATENT-3,535,562
c09 N71-28421 ..... NASA-CASE-NPO-10412
US-PATENT-APPL-SN-768470
US-PATENT-CLASS-310-4
US-PATENT-3,578,992
c07 N71-28429 ..... NASA-CASE-MSC-13201-1
US-PATENT-APPL-SN-789903
US-PATENT-CLASS-332-29
US-PATENT-CLASS-332-30
US-PATENT-3,579,147
c07 N71-28430 ..... NASA-CASE-GSC-10668-1
US-PATENT-APPL-SN-743525
US-PATENT-CLASS-307-296
US-PATENT-CLASS-325-185
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-124
US-PATENT-CLASS-330-200
US-PATENT-3,577,092
c15 N71-28465 ..... NASA-CASE-ERC-10097
US-PATENT-APPL-SN-797059
US-PATENT-CLASS-308-170
US-PATENT-3,583,777
c15 N71-28467 ..... NASA-CASE-NPO-10646
US-PATENT-APPL-SN-813488
US-PATENT-CLASS-64-18
US-PATENT-3,574,277
c09 N71-28468 ..... NASA-CASE-ARC-10137-1
US-PATENT-APPL-SN-799013
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-328-207
US-PATENT-3,584,311
c16 N71-28554 ..... NASA-CASE-XGS-10518
US-PATENT-APPL-SN-764470
US-PATENT-CLASS-335-216
US-PATENT-3,541,486
c03 N71-28575 ..... NASA-CASE-LEW-11359
US-PATENT-APPL-SN-787911
US-PATENT-CLASS-136-83
US-PATENT-3,573,986
c15 N71-28582 ..... NASA-CASE-LEW-10278-1
US-PATENT-APPL-SN-760928
US-PATENT-CLASS-117-224
US-PATENT-3,573,977
c09 N71-28618 ..... NASA-CASE-ERC-10098
US-PATENT-APPL-SN-779169
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-54CF
US-PATENT-CLASS-178-54PE
US-PATENT-3,582,960
c05 N71-28619 ..... NASA-CASE-ARC-10153
US-PATENT-APPL-SN-783377
US-PATENT-CLASS-35-29
US-PATENT-CLASS-104-1
US-PATENT-CLASS-104-139
US-PATENT-CLASS-119-96
US-PATENT-CLASS-238-1
US-PATENT-CLASS-248-361
US-PATENT-CLASS-272-70
US-PATENT-3,583,322
c06 N71-28620 ..... NASA-CASE-NPO-10701
US-PATENT-APPL-SN-763355
US-PATENT-CLASS-260-47
US-PATENT-3,576,786
c11 N71-28629 ..... NASA-CASE-KSC-10198
US-PATENT-APPL-SN-845971
US-PATENT-CLASS-73-15
US-PATENT-CLASS-73-432
US-PATENT-3,578,756
c09 N71-28691 ..... NASA-CASE-MFS-13687
US-PATENT-APPL-SN-723488
US-PATENT-CLASS-204-30
US-PATENT-3,576,723
c18 N71-28729 ..... NASA-CASE-LEW-10219-1
US-PATENT-APPL-SN-785780
US-PATENT-CLASS-148-126
US-PATENT-3,579,390
c10 N71-28739 ..... NASA-CASE-XNP-01068
US-PATENT-APPL-SN-375680
US-PATENT-CLASS-307-88.5
US-PATENT-3,271,594
c15 N71-28740 ..... NASA-CASE-ILA-09346
US-PATENT-APPL-SN-820964
US-PATENT-CLASS-73-147
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-153
US-PATENT-3,583,815
c12 N71-28741 ..... NASA-CASE-XLE-09341
US-PATENT-APPL-SN-780065
US-PATENT-CLASS-137-81.5
US-PATENT-3,583,419
c17 N71-28747 ..... NASA-CASE-XNP-08881
US-PATENT-APPL-SN-732922
US-PATENT-CLASS-161-89
US-PATENT-3,579,412
c22 N71-28759 ..... NASA-CASE-LEW-10250-1
US-PATENT-APPL-SN-732455
US-PATENT-CLASS-176-45
US-PATENT-3,574,057
c11 N71-28779 ..... NASA-CASE-XNP-00250
US-PATENT-APPL-SN-212497
US-PATENT-CLASS-181-.5
US-PATENT-3,260,326
c10 N71-28783 ..... NASA-CASE-XMS-02182
US-PATENT-APPL-SN-516153
US-PATENT-CLASS-317-100
US-PATENT-3,317,797
c06 N71-28807 ..... NASA-CASE-XNP-08674
US-PATENT-APPL-SN-617775
US-PATENT-CLASS-260-47
US-PATENT-3,370,039
c06 N71-28808 ..... NASA-CASE-XNP-04023
US-PATENT-APPL-SN-470902
US-PATENT-CLASS-260-429
US-PATENT-3,396,184
c07 N71-28809 ..... NASA-CASE-XGS-02290
US-PATENT-APPL-SN-544895
US-PATENT-CLASS-343-771
US-PATENT-3,417,400
c09 N71-28810 ..... NASA-CASE-XNP-03916
US-PATENT-APPL-SN-535304
US-PATENT-CLASS-331-113
US-PATENT-3,325,749
c28 N71-28849 ..... NASA-CASE-XMS-04826
US-PATENT-APPL-SN-521755
US-PATENT-CLASS-60-258
US-PATENT-3,318,096
c28 N71-28850 ..... NASA-CASE-XNP-01954
US-PATENT-APPL-SN-372730
US-PATENT-CLASS-313-230
US-PATENT-3,328,624
c31 N71-28851 ..... NASA-CASE-XMS-06162
US-PATENT-APPL-SN-610724
US-PATENT-CLASS-244-138
US-PATENT-3,330,510
c33 N71-28852 ..... NASA-CASE-XNP-01310
US-PATENT-APPL-SN-379771
US-PATENT-CLASS-60-266
US-PATENT-3,279,193
c10 N71-28859 ..... NASA-CASE-XNP-01107
US-PATENT-APPL-SN-384010
US-PATENT-CLASS-330-51
US-PATENT-3,389,346
c10 N71-28860 ..... NASA-CASE-MSC-13492-1
US-PATENT-APPL-SN-53156
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-92
US-PATENT-CLASS-328-207
US-PATENT-3,577,014
c14 N71-28863 ..... NASA-CASE-ERC-10014
US-PATENT-APPL-SN-815367
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-3,567,927
c09 N71-28886 ..... NASA-CASE-MFS-14610
US-PATENT-APPL-SN-885571
US-PATENT-CLASS-318-317
US-PATENT-CLASS-318-331
US-PATENT-CLASS-318-345
US-PATENT-CLASS-318-504
US-PATENT-3,573,583
c33 N71-28892 ..... NASA-CASE-XNP-05046
US-PATENT-APPL-SN-559350
US-PATENT-CLASS-62-45
US-PATENT-3,365,897
c07 N71-28900 ..... NASA-CASE-XNP-02389
US-PATENT-APPL-SN-516162

US-PATENT-CLASS-343-100
US-PATENT-3,331,071
c33 N71-28903 ..... NASA-CASE-XLA-01745
US-PATENT-APPL-SN-538907
US-PATENT-CLASS-244-1
US-PATENT-3,409,247
c28 N71-28915 ..... NASA-CASE-LEW-10286-1
US-PATENT-APPL-SN-839994
US-PATENT-CLASS-60-39.36
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-431-352
US-PATENT-3,581,492
c08 N71-28925 ..... NASA-CASE-XNP-01012
US-PATENT-APPL-SN-369338
US-PATENT-CLASS-340-174
US-PATENT-3,394,359
c09 N71-28926 ..... NASA-CASE-XMS-03542
US-PATENT-APPL-SN-482952
US-PATENT-CLASS-307-263
US-PATENT-3,364,366
c28 N71-28928 ..... NASA-CASE-XNP-00816
US-PATENT-APPL-SN-235588
US-PATENT-CLASS-253-77
US-PATENT-3,202,398
c27 N71-28929 ..... NASA-CASE-XNP-00650
US-PATENT-APPL-SN-271823
US-PATENT-CLASS-60-39.48
US-PATENT-3,170,295
c14 N71-28933 ..... NASA-CASE-XLA-08913
US-PATENT-APPL-SN-865109
US-PATENT-CLASS-204-263
US-PATENT-3,574,084
c14 N71-28935 ..... NASA-CASE-LAR-10686
US-PATENT-APPL-SN-280362
US-PATENT-CLASS-226-58
US-PATENT-3,298,582
c15 N71-28936 ..... NASA-CASE-XMS-10993
US-PATENT-APPL-SN-660573
US-PATENT-CLASS-244-1
US-PATENT-3,389,877
c15 N71-28937 ..... NASA-CASE-XNP-01855
US-PATENT-APPL-SN-408435
US-PATENT-CLASS-285-45
US-PATENT-3,219,365
c15 N71-28951 ..... NASA-CASE-XNP-02278
US-PATENT-APPL-SN-11853
US-PATENT-CLASS-60-35.55
US-PATENT-3,132,479
c15 N71-28952 ..... NASA-CASE-XAC-00001
US-PATENT-APPL-SN-612568
US-PATENT-CLASS-318-31
US-PATENT-2,837,706
c14 N71-28958 ..... NASA-CASE-XNP-02792
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-219-413
US-PATENT-3,197,616
c15 N71-28959 ..... NASA-CASE-XNP-01848
US-PATENT-APPL-SN-359532
US-PATENT-CLASS-64-27
US-PATENT-3,236,066
c10 N71-28960 ..... NASA-CASE-XNP-00745
US-PATENT-APPL-SN-314570
US-PATENT-CLASS-328-67
US-PATENT-3,252,100
c16 N71-28963 ..... NASA-CASE-XLA-01090
US-PATENT-APPL-SN-274065
US-PATENT-CLASS-250-199
US-PATENT-3,215,842
c07 N71-28965 ..... NASA-CASE-GSC-10949-1
US-PATENT-APPL-SN-94369
c07 N71-28979 ..... NASA-CASE-HQN-00937
US-PATENT-APPL-SN-343760
US-PATENT-CLASS-343-823
US-PATENT-3,299,431
c07 N71-28980 ..... NASA-CASE-XLA-10772
US-PATENT-APPL-SN-887700
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-784
US-PATENT-CLASS-343-872
US-PATENT-3,579,242
c14 N71-28991 ..... NASA-CASE-XLA-06713
US-PATENT-APPL-SN-863913
US-PATENT-CLASS-324-5
US-PATENT-CLASS-324-73
US-PATENT-CLASS-340-347AD
US-PATENT-3,579,103
c14 N71-28992 ..... NASA-CASE-ERC-10150
US-PATENT-APPL-SN-822519
US-PATENT-CLASS-73-40.7
US-PATENT-CLASS-250-41.95
US-PATENT-3,578,758
c14 N71-28993 ..... NASA-CASE-MFS-20044
US-PATENT-APPL-SN-838630
US-PATENT-CLASS-250-219
US-PATENT-CLASS-356-209
US-PATENT-3,574,470
c14 N71-28994 ..... NASA-CASE-XER-11203
US-PATENT-APPL-SN-815366
US-PATENT-CLASS-250-218
US-PATENT-CLASS-356-103
US-PATENT-3,578,867
c09 N71-29008 ..... NASA-CASE-MSC-11277
US-PATENT-APPL-SN-771759
US-PATENT-CLASS-317-33
US-PATENT-CLASS-317-54
US-PATENT-CLASS-317-60
US-PATENT-CLASS-317-155.5
US-PATENT-3,579,041
c15 N71-29018 ..... NASA-CASE-XLA-08916
US-PATENT-APPL-SN-777765
US-PATENT-CLASS-29-421
US-PATENT-3,583,058
c15 N71-29032 ..... NASA-CASE-XNP-05999
US-PATENT-APPL-SN-752946
US-PATENT-CLASS-117-212
US-PATENT-3,576,669
c08 N71-29033 ..... NASA-CASE-GSC-10554-1
US-PATENT-APPL-SN-828984
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.27
US-PATENT-CLASS-235-151.1
US-PATENT-3,578,957
c08 N71-29034 ..... NASA-CASE-NPO-11088
US-PATENT-APPL-SN-887701
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-222
US-PATENT-CLASS-328-44
US-PATENT-CLASS-328-167
US-PATENT-3,579,122
c09 N71-29035 ..... NASA-CASE-LEW-10155-1
US-PATENT-APPL-SN-889387
US-PATENT-CLASS-337-114
US-PATENT-CLASS-337-121
US-PATENT-3,579,168
c18 N71-29040 ..... NASA-CASE-XLE-10910
US-PATENT-APPL-SN-751061
US-PATENT-CLASS-148-6
US-PATENT-3,573,996
c14 N71-29041 ..... NASA-CASE-XLA-10402
US-PATENT-APPL-SN-762935
US-PATENT-CLASS-356-76
US-PATENT-3,574,462
c03 N71-29044 ..... NASA-CASE-XMS-02063
US-PATENT-APPL-SN-422096
US-PATENT-CLASS-136-86
US-PATENT-3,382,105
c33 N71-29046 ..... NASA-CASE-XHQ-03673
US-PATENT-APPL-SN-559055
US-PATENT-CLASS-165-86
US-PATENT-3,347,309
c23 N71-29049 ..... NASA-CASE-XNP-06503
US-PATENT-APPL-SN-370989
US-PATENT-CLASS-335-216
US-PATENT-3,273,094
c31 N71-29050 ..... NASA-CASE-HQN-00936
US-PATENT-APPL-SN-862921
US-PATENT-CLASS-244-1
US-PATENT-3,396,920
c33 N71-29051 ..... NASA-CASE-XNP-04208
US-PATENT-APPL-SN-428887
US-PATENT-CLASS-73-190
US-PATENT-3,372,588
c33 N71-29052 ..... NASA-CASE-MSC-12389
US-PATENT-APPL-SN-229286
US-PATENT-CLASS-165-47
US-PATENT-3,212,564
c33 N71-29053 ..... NASA-CASE-HQN-00938
US-PATENT-APPL-SN-300957
US-PATENT-CLASS-60-267
US-PATENT-3,298,175
c07 N71-29065 ..... NASA-CASE-ERC-10011
US-PATENT-APPL-SN-802818
US-PATENT-CLASS-333-81
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-286
US-PATENT-3,574,438
c23 N71-29123 ..... NASA-CASE-XNP-08907

US-PATENT-APPL-SN-824042
US-PATENT-CLASS-350-102
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-3,574,448
c23 N71-29125 ..... NASA-CASE-NPO-11087
US-PATENT-APPL-SN-840359
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-356-153
US-PATENT-3,574,467
c02 N71-29128 ..... NASA-CASE-XAC-00048
US-PATENT-APPL-SN-765264
US-PATENT-CLASS-121-38
US-PATENT-2,898,889
c03 N71-29129 ..... NASA-CASE-XGS-01674
US-PATENT-APPL-SN-248985
US-PATENT-CLASS-320-13
US-PATENT-3,118,100
c16 N71-29131 ..... NASA-CASE-ERC-10151
US-PATENT-APPL-SN-853856
US-PATENT-CLASS-350-3.5
US-PATENT-3,578,838
c15 N71-29132 ..... NASA-CASE-NPO-10431
US-PATENT-APPL-SN-865329
US-PATENT-CLASS-73-49.8
US-PATENT-3,583,239
c15 N71-29133 ..... NASA-CASE-MFS-20453
US-PATENT-APPL-SN-885594
US-PATENT-CLASS-29-278R
US-PATENT-CLASS-81-3R
US-PATENT-CLASS-294-15
US-PATENT-CLASS-339-17R
US-PATENT-3,583,744
c14 N71-29134 ..... NASA-CASE-MFS-11204
US-PATENT-APPL-SN-845991
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-304C
US-PATENT-3,578,755
c10 N71-29135 ..... NASA-CASE-GSC-10564
US-PATENT-APPL-SN-292596
US-PATENT-CLASS-340-174
US-PATENT-3,348,218
c15 N71-29136 ..... NASA-CASE-XLA-00013
US-PATENT-APPL-SN-579121
US-PATENT-CLASS-308-177
US-PATENT-2,903,307
c17 N71-29137 ..... NASA-CASE-XNP-04339
US-PATENT-APPL-SN-451596
US-PATENT-CLASS-264-111
US-PATENT-3,413,393
c08 N71-29138 ..... NASA-CASE-ERC-10041
US-PATENT-APPL-SN-889478
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-265
US-PATENT-CLASS-324-106
US-PATENT-CLASS-328-58
US-PATENT-CLASS-332-9R
US-PATENT-CLASS-332-10
US-PATENT-3,579,146
c09 N71-29139 ..... NASA-CASE-XLA-07788
US-PATENT-APPL-SN-874732
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-294
US-PATENT-CLASS-328-207
US-PATENT-3,578,988
c33 N71-29151 ..... NASA-CASE-XLE-00035
US-PATENT-APPL-SN-575291
US-PATENT-CLASS-204-37
US-PATENT-2,926,123
c33 N71-29152 ..... NASA-CASE-XLE-00027
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-253-39.1
US-PATENT-2,956,772
c28 N71-29153 ..... NASA-CASE-MFS-20831
US-PATENT-APPL-SN-238421
US-PATENT-CLASS-60-35.54
US-PATENT-3,212,259
c28 N71-29154 ..... NASA-CASE-XLE-00155
US-PATENT-APPL-SN-348600
US-PATENT-CLASS-253-77
US-PATENT-2,997,274
c27 N71-29155 ..... NASA-CASE-MSC-12390
US-PATENT-APPL-SN-231520
US-PATENT-CLASS-222-61
US-PATENT-3,286,882
c26 N71-29156 ..... NASA-CASE-XNP-01961
US-PATENT-APPL-SN-442835
US-PATENT-CLASS-148-174
US-PATENT-3,397,094
c25 N71-29184 ..... NASA-CASE-XLA-00327
US-PATENT-APPL-SN-199199
US-PATENT-CLASS-315-111
US-PATENT-3,238,413
c14 N71-30026 ..... NASA-CASE-MFS-20096
US-PATENT-APPL-SN-435434
US-PATENT-CLASS-73-432
US-PATENT-3,396,584
c23 N71-30027 ..... NASA-CASE-GSC-10700
US-PATENT-APPL-SN-311387
US-PATENT-CLASS-350-2
US-PATENT-3,394,975
c15 N71-30028 ..... NASA-CASE-MFS-20830
US-PATENT-APPL-SN-286620
US-PATENT-3,262,395
c14 N71-30265 ..... NASA-CASE-HQN-10780
US-PATENT-APPL-SN-247136
US-PATENT-CLASS-73-497
US-PATENT-3,270,565
c23 N71-30292 ..... NASA-CASE-HQN-10781
US-PATENT-APPL-SN-86018
US-PATENT-3,239,660
c18 N71-31140 ..... NASA-CASE-NPO-11433
US-PATENT-APPL-SN-111123
c07 N71-33108 ..... NASA-CASE-KSC-10164
US-PATENT-APPL-SN-782955
US-PATENT-CLASS-179-1B
US-PATENT-CLASS-179-1VC
US-PATENT-3,588,359
c09 N71-33109 ..... NASA-CASE-ARC-10101-1
US-PATENT-APPL-SN-793823
US-PATENT-CLASS-307-251
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-47
US-PATENT-3,588,671
c08 N71-33110 ..... NASA-CASE-GSC-10186
US-PATENT-APPL-SN-713188
US-PATENT-CLASS-235-164
US-PATENT-CLASS-235-175
US-PATENT-3,588,483
c10 N71-33129 ..... NASA-CASE-GSC-10667-1
US-PATENT-APPL-SN-749548
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-16
US-PATENT-CLASS-330-24
US-PATENT-3,585,514
c31 N71-33160 ..... NASA-CASE-XIA-04063
US-PATENT-APPL-SN-802948
US-PATENT-CLASS-179-1
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-83
US-PATENT-3,586,261
c23 N71-33229 ..... NASA-CASE-NPC-10468
US-PATENT-APPL-SN-787846
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-310
US-PATENT-3,588,220
c10 N71-33407 ..... NASA-CASE-NPO-10342
US-PATENT-APPL-SN-704446
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-347DD
US-PATENT-3,588,883
c17 N71-33408 ..... NASA-CASE-LEW-10327
US-PATENT-APPL-SN-772006
US-PATENT-CLASS-148-6.3
US-PATENT-3,591,426
c03 N71-33409 ..... NASA-CASE-ARC-10050
US-PATENT-APPL-SN-797219
US-PATENT-CLASS-136-89
US-PATENT-3,591,420
c16 N71-33410 ..... NASA-CASE-NPO-10417
US-PATENT-APPL-SN-753974
US-PATENT-CLASS-95-11
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-352-84
US-PATENT-3,587,424
c15 N71-33518 ..... NASA-CASE-XIA-03661
US-PATENT-APPL-SN-751266
US-PATENT-CLASS-90-11
US-PATENT-CLASS-408-137
US-PATENT-3,585,882
c09 N71-33519 ..... NASA-CASE-ERC-10100
US-PATENT-APPL-SN-766697
US-PATENT-CLASS-313-109.5
US-PATENT-CLASS-313-231

US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-111
US-PATENT-CLASS-340-324
US-PATENT-CLASS-340-336
US-PATENT-3,588,874
c07 N71-33606 ..... NASA-CASE-NPO-11031
US-PATENT-APPL-SN-864097
US-PATENT-CLASS-333-6
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-21A
US-PATENT-3,588,751
c11 N71-33612 ..... NASA-CASE-XLA-09480
US-PATENT-APPL-SN-874435
US-PATENT-CLASS-73-147
US-PATENT-3,587,306
c07 N71-33613 ..... NASA-CASE-NPO-10700
US-PATENT-APPL-SN-840308
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-3,588,648
c07 N71-33696 ..... NASA-CASE-MSC-12165-1
US-PATENT-APPL-SN-875849
US-PATENT-CLASS-325-347
US-PATENT-CLASS-325-348
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-478
US-PATENT-CLASS-325-480
US-PATENT-CLASS-325-482
US-PATENT-CLASS-328-164
US-PATENT-CLASS-328-165
US-PATENT-CLASS-329-145
US-PATENT-3,588,705
c03 N71-34044 ..... NASA-CASE-NPO-11190
US-PATENT-APPL-SN-115944
c09 N71-34212 ..... NASA-CASE-MFS-20935
US-PATENT-APPL-SN-136007
c14 N72-10375 ..... NASA-CASE-GSC-11095-1
US-PATENT-APPL-SN-147940
c02 N72-11018 ..... NASA-CASE-LAR-10557
US-PATENT-APPL-SN-853746
US-PATENT-CLASS-416-115
US-PATENT-CLASS-416-121
US-PATENT-CLASS-416-127
US-PATENT-CLASS-416-130
US-PATENT-CLASS-416-149
US-PATENT-CLASS-416-200
US-PATENT-3,592,559
c03 N72-11062 ..... NASA-CASE-XGS-04047-2
US-PATENT-APPL-SN-843251
US-PATENT-CLASS-136-206
US-PATENT-3,597,281
c05 N72-11084 ..... NASA-CASE-NPO-10677
US-PATENT-APPL-SN-868530
US-PATENT-CLASS-62-56
US-PATENT-CLASS-62-467
US-PATENT-3,599,443
c05 N72-11085 ..... NASA-CASE-MSC-13140
US-PATENT-APPL-SN-796358
US-PATENT-CLASS-5-69
US-PATENT-CLASS-285-410
US-PATENT-CLASS-297-68
US-PATENT-CLASS-297-232
US-PATENT-3,592,505
c07 N72-11148 ..... NASA-CASE-NPO-10301
US-PATENT-APPL-SN-848810
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-853
US-PATENT-3,599,216
c07 N72-11149 ..... NASA-CASE-GSC-10390-1
US-PATENT-APPL-SN-749121
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-39
US-PATENT-CLASS-325-58
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-7.5
US-PATENT-CLASS-343-179
US-PATENT-3,593,138
c07 N72-11150 ..... NASA-CASE-NPO-11064
US-PATENT-APPL-SN-880248
US-PATENT-CLASS-331-7
US-PATENT-CLASS-331-10
US-PATENT-CLASS-331-34
US-PATENT-CLASS-331-66
US-PATENT-3,593,180
c08 N72-11171 ..... NASA-CASE-NPO-10769
US-PATENT-APPL-SN-813494
US-PATENT-CLASS-179-15.55R
US-PATENT-3,598,921
c08 N72-11172 ..... NASA-CASE-GSC-10880-1
US-PATENT-APPL-SN-831118
US-PATENT-CLASS-33-15A
US-PATENT-CLASS-33-204C
US-PATENT-CLASS-235-61N9
US-PATENT-3,599,335
c09 N72-11224 ..... NASA-CASE-GSC-10614-1
US-PATENT-APPL-SN-822534
US-PATENT-CLASS-179-100-2CA
US-PATENT-CLASS-179-100-2MD
US-PATENT-CLASS-274-4R
US-PATENT-3,592,478
c09 N72-11225 ..... NASA-CASE-KSC-10162
US-PATENT-APPL-SN-817481
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-119
US-PATENT-CLASS-324-123R
US-PATENT-3,593,132
c10 N72-11256 ..... NASA-CASE-ARC-10042-2
US-PATENT-APPL-SN-33159
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,593,175
c14 N72-11363 ..... NASA-CASE-MSC-11847-1
US-PATENT-APPL-SN-8497
US-PATENT-CLASS-73-149
US-PATENT-CLASS-73-290B
US-PATENT-3,596,510
c14 N72-11364 ..... NASA-CASE-NPO-10778
US-PATENT-APPL-SN-865909
US-PATENT-CLASS-33-125
US-PATENT-CLASS-73-95
US-PATENT-CLASS-250-235
US-PATENT-CLASS-356-32
US-PATENT-CLASS-356-167
US-PATENT-3,592,545
c14 N72-11365 ..... NASA-CASE-MFS-20485
US-PATENT-APPL-SN-22320
US-PATENT-CLASS-73-194F
US-PATENT-CLASS-250-43.5FC
US-PATENT-3,599,489
c15 N72-11385 ..... NASA-CASE-MFS-18495
US-PATENT-APPL-SN-38814
US-PATENT-CLASS-24-211M
US-PATENT-CLASS-85-5B
US-PATENT-3,596,554
c15 N72-11386 ..... NASA-CASE-MFS-20249
US-PATENT-APPL-SN-794530
US-PATENT-CLASS-33-72
US-PATENT-CLASS-248-183
US-PATENT-CLASS-248-278
US-PATENT-CLASS-248-487
US-PATENT-CLASS-350-285
US-PATENT-CLASS-350-287
US-PATENT-3,596,863
c15 N72-11387 ..... NASA-CASE-XMF-09902
US-PATENT-APPL-SN-769665
US-PATENT-CLASS-75-20F
US-PATENT-3,592,628
c15 N72-11388 ..... NASA-CASE-MFS-20423
US-PATENT-APPL-SN-865298
US-PATENT-CLASS-212-134
US-PATENT-CLASS-308-5
US-PATENT-3,600,046
c15 N72-11389 ..... NASA-CASE-XLA-05056
US-PATENT-APPL-SN-596733
US-PATENT-CLASS-210-445
US-PATENT-3,592,768
c15 N72-11390 ..... NASA-CASE-MFS-18100
US-PATENT-APPL-SN-784055
US-PATENT-CLASS-15-143
US-PATENT-CLASS-15-210
US-PATENT-3,591,885
c15 N72-11391 ..... NASA-CASE-NPO-11012
US-PATENT-APPL-SN-845807
US-PATENT-CLASS-248-18
US-PATENT-CLASS-248-20
US-PATENT-3,592,422
c15 N72-11392 ..... NASA-CASE-MFS-20299
US-PATENT-APPL-SN-889437
US-PATENT-CLASS-156-66
US-PATENT-CLASS-156-320
US-PATENT-CLASS-219-221
US-PATENT-CLASS-219-243
US-PATENT-3,593,001
c23 N72-11568 ..... NASA-CASE-GSC-11133-1
US-PATENT-APPL-SN-121328
c24 N72-11595 ..... NASA-CASE-MFS-20095
US-PATENT-APPL-SN-855004
US-PATENT-CLASS-250-49.5R

US-PATENT-CLASS-250-49.5TE
US-PATENT-CLASS-250-51
US-PATENT-CLASS-250-52
US-PATENT-3,593,024

c28 N72-11708 ..... NASA-CASE-MFS-20619
US-PATENT-APPL-SN-18982
US-PATENT-CLASS-60-271
US-PATENT-CLASS-139-425R
US-PATENT-CLASS-239-265.19
US-PATENT-CLASS-239-265.43
US-PATENT-3,596,465

c28 N72-11709 ..... NASA-CASE-NPO-10737
US-PATENT-APPL-SN-760114
US-PATENT-CLASS-60-39-48
US-PATENT-CLASS-60-202
US-PATENT-3,591,967

c07 N72-12080 ..... NASA-CASE-GSC-10087-3
US-PATENT-APPL-SN-880885
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,594,790

c07 N72-12081 ..... NASA-CASE-GSC-10185-1
US-PATENT-APPL-SN-733039
US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.3
US-PATENT-CLASS-325-10
US-PATENT-CLASS-325-13
US-PATENT-3,588,331

c09 N72-12136 ..... NASA-CASE-XER-09521
US-PATENT-APPL-SN-771530
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-206
US-PATENT-CLASS-136-227
US-PATENT-CLASS-343-DIG.3
US-PATENT-CLASS-343-720
US-PATENT-CLASS-343-840
US-PATENT-3,594,803

c15 N72-12408 ..... NASA-CASE-XLA-05966
US-PATENT-APPL-SN-784544
US-PATENT-CLASS-72-307
US-PATENT-CLASS-140-105
US-PATENT-3,584,660

c15 N72-12409 ..... NASA-CASE-NPO-10637
US-PATENT-APPL-SN-851298
US-PATENT-CLASS-60-23
US-PATENT-CLASS-236-68
US-PATENT-CLASS-337-75
US-PATENT-CLASS-337-354
US-PATENT-CLASS-337-359
US-PATENT-3,591,960

c16 N72-12440 ..... NASA-CASE-MFS-20180
US-PATENT-APPL-SN-863276
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-312
US-PATENT-3,593,194

c16 N72-13437 ..... NASA-CASE-MFS-20125
US-PATENT-APPL-SN-830366
US-PATENT-CLASS-178-DIG.21
US-PATENT-CLASS-178-6
US-PATENT-CLASS-250-203X
US-PATENT-CLASS-356-152
US-PATENT-3,603,686

c05 N72-15098 ..... NASA-CASE-MSC-13917-1
US-PATENT-APPL-SN-198355

c03 N72-15986 ..... NASA-CASE-XGS-10010
US-PATENT-APPL-SN-729299
US-PATENT-CLASS-136-6
US-PATENT-CLASS-136-133
US-PATENT-CLASS-136-135
US-PATENT-3,607,401

c05 N72-16015 ..... NASA-CASE-KSC-10278
US-PATENT-APPL-SN-856327
US-PATENT-CLASS-35-8
US-PATENT-CLASS-324-66
US-PATENT-CLASS-340-279
US-PATENT-3,609,740

c10 N72-16172 ..... NASA-CASE-ARC-10269-1
US-PATENT-APPL-SN-56791
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-262
US-PATENT-CLASS-328-155
US-PATENT-3,614,475

c14 N72-16282 ..... NASA-CASE-LAR-10913
US-PATENT-APPL-SN-779160
US-PATENT-CLASS-73-12
US-PATENT-3,605,482

c14 N72-16283 ..... NASA-CASE-GSC-10780-1
US-PATENT-APPL-SN-860493
US-PATENT-CLASS-82-24R
US-PATENT-3,608,409

c15 N72-16329 ..... NASA-CASE-XLA-07829
US-PATENT-APPL-SN-763684
US-PATENT-CLASS-264-DIG.44
US-PATENT-CLASS-264-221
US-PATENT-CLASS-264-225
US-PATENT-CLASS-264-227
US-PATENT-3,608,046

c15 N72-16330 ..... NASA-CASE-LAR-10203-1
US-PATENT-APPL-SN-769592
US-PATENT-CLASS-156-84
US-PATENT-CLASS-156-86
US-PATENT-3,607,495

c06 N72-17093 ..... NASA-CASE-LEW-10794-1
US-PATENT-APPL-SN-33535
US-PATENT-CLASS-23-55
US-PATENT-CLASS-23-88
US-PATENT-CLASS-23-97
US-PATENT-3,607,015

c06 N72-17094 ..... NASA-CASE-NPO-10234
US-PATENT-APPL-SN-800204
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-73-23.1
US-PATENT-3,607,076

c06 N72-17095 ..... NASA-CASE-NPO-10774
US-PATENT-APPL-SN-848805
US-PATENT-CLASS-23-201
US-PATENT-CLASS-23-230
US-PATENT-CLASS-23-253
US-PATENT-CLASS-73-76
US-PATENT-3,607,080

c07 N72-17109 ..... NASA-CASE-MSC-12146-1
US-PATENT-APPL-SN-50206
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-5.4
US-PATENT-CLASS-178-6.7
US-PATENT-3,603,722

c09 N72-17152 ..... NASA-CASE-ARC-10178-1
US-PATENT-APPL-SN-47443
US-PATENT-CLASS-250-211J
US-PATENT-3,603,798

c09 N72-17153 ..... NASA-CASE-ARC-10105
US-PATENT-APPL-SN-887698
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-307-252F
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-177
US-PATENT-3,603,946

c09 N72-17154 ..... NASA-CASE-EEC-10139
US-PATENT-APPL-SN-889555
US-PATENT-CLASS-321-10
US-PATENT-CLASS-336-178
US-PATENT-3,603,864

c09 N72-17155 ..... NASA-CASE-NPO-11023
US-PATENT-APPL-SN-865274
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-3,603,892

c09 N72-17156 ..... NASA-CASE-NPO-10199
US-PATENT-APPL-SN-739391
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-35
US-PATENT-3,609,230

c09 N72-17157 ..... NASA-CASE-NPO-11253
US-PATENT-APPL-SN-21906
US-PATENT-CLASS-307-81
US-PATENT-CLASS-307-223
US-PATENT-CLASS-307-227
US-PATENT-CLASS-328-186
US-PATENT-3,609,387

c10 N72-17171 ..... NASA-CASE-XAC-05462-2
US-PATENT-APPL-SN-28235
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-176
US-PATENT-CLASS-333-70CR
US-PATENT-3,609,567

c10 N72-17172 ..... NASA-CASE-AEC-10020
US-PATENT-APPL-SN-31885
US-PATENT-CLASS-330-26
US-PATENT-CLASS-330-31

US-PATENT-CLASS-330-94
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,605,032
c10 N72-17173 ..... NASA-CASE-MFS-13130
US-PATENT-APPL-SN-7868
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-250-209
US-PATENT-CLASS-340-228.2
US-PATENT-3,609,364
c11 N72-17183 ..... NASA-CASE-MFS-20509
US-PATENT-APPL-SN-889557
US-PATENT-CLASS-73-147
US-PATENT-3,602,920
c14 N72-17323 ..... NASA-CASE-ERC-10248
US-PATENT-APPL-SN-868445
US-PATENT-CLASS-350-162
US-PATENT-CLASS-356-113
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,603,690
c14 N72-17324 ..... NASA-CASE-MFS-20596
US-PATENT-APPL-SN-7867
US-PATENT-CLASS-350-3.5
US-PATENT-3,605,519
c14 N72-17325 ..... NASA-CASE-MSC-15158-1
US-PATENT-APPL-SN-889479
US-PATENT-CLASS-324-52
US-PATENT-3,609,535
c14 N72-17326 ..... NASA-CASE-XMS-01994-1
US-PATENT-APPL-SN-814212
US-PATENT-CLASS-356-4
US-PATENT-3,603,683
c14 N72-17327 ..... NASA-CASE-LEW-10281-1
US-PATENT-APPL-SN-861649
US-PATENT-CLASS-73-198
US-PATENT-3,605,495
c14 N72-17328 ..... NASA-CASE-XLA-07813
US-PATENT-APPL-SN-791364
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-CLASS-250-71.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-250-207
US-PATENT-3,609,353
c14 N72-17329 ..... NASA-CASE-FRC-10012
US-PATENT-APPL-SN-771216
US-PATENT-CLASS-73-194A
US-PATENT-3,611,801
c15 N72-17450 ..... NASA-CASE-MSC-12279
US-PATENT-APPL-SN-24154
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-129
US-PATENT-3,603,433
c15 N72-17451 ..... NASA-CASE-WLP-10002
US-PATENT-APPL-SN-47062
US-PATENT-CLASS-180-125
US-PATENT-CLASS-180-127
[illegible]
US-PATENT-CLASS-308-5
US-PATENT-CLASS-308-9
US-PATENT-3,610,365
c15 N72-17452 ..... NASA-CASE-XLA-10322
US-PATENT-APPL-SN-887699
US-PATENT-CLASS-73-88.5R
US-PATENT-3,608,365
c15 N72-17453 ..... NASA-CASE-NPO-11177
US-PATENT-APPL-SN-20960
US-PATENT-CLASS-62-51
US-PATENT-3,605,424
c15 N72-17454 ..... NASA-CASE-NPO-11059
US-PATENT-APPL-SN-864020
US-PATENT-CLASS-248-14
US-PATENT-3,606,979
c15 N72-17455 ..... NASA-CASE-NPO-11140
US-PATENT-APPL-SN-15019
US-PATENT-CLASS-89-1.811
US-PATENT-CLASS-174-84
US-PATENT-CLASS-200-64
US-PATENT-CLASS-339-46
US-PATENT-CLASS-339-176M
US-PATENT-CLASS-339-278M
US-PATENT-3,611,274
c18 N72-17532 ..... NASA-CASE-MFS-13532
US-PATENT-APPL-SN-720546
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-299
US-PATENT-3,607,338
c23 N72-17747 ..... NASA-CASE-ERC-10089

US-PATENT-APPL-SN-791267
US-PATENT-CLASS-340-174AG
US-PATENT-CLASS-340-174CT
US-PATENT-CLASS-340-174GA
US-PATENT-CLASS-340-174SC
US-PATENT-3,611,330
c26 N72-17820 ..... NASA-CASE-IER-08476-1
US-PATENT-APPL-SN-672388
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-589
US-PATENT-CLASS-148-187
US-PATENT-3,602,984
c28 N72-17843 ..... NASA-CASE-NPO-10046
US-PATENT-APPL-SN-860635
US-PATENT-CLASS-60-39.74
US-PATENT-CLASS-60-258
US-PATENT-3,603,092
c30 N72-17873 ..... NASA-CASE-ARC-10134
US-PATENT-APPL-SN-819898
US-PATENT-CLASS-244-3.21
US-PATENT-3,603,532
c33 N72-17947 ..... NASA-CASE-MSC-12143-1
US-PATENT-APPL-SN-791268
US-PATENT-CLASS-102-105
US-PATENT-CLASS-161-67
US-PATENT-CLASS-244-117
US-PATENT-3,603,260
c33 N72-17948 ..... NASA-CASE-NPO-10828
US-PATENT-APPL-SN-873260
US-PATENT-CLASS-165-105
US-PATENT-3,603,382
c08 N72-18184 ..... NASA-CASE-NPO-10629
US-PATENT-APPL-SN-860751
US-PATENT-CLASS-178-50
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-15
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DD
US-PATENT-3,603,976
c14 N72-18411 ..... NASA-CASE-KSC-10294
US-PATENT-APPL-SN-889556
US-PATENT-CLASS-95-1.1
US-PATENT-CLASS-307-311
US-PATENT-CLASS-346-23
US-PATENT-CLASS-346-107A
US-PATENT-CLASS-352-84
US-PATENT-3,603,974
c15 N72-18477 ..... NASA-CASE-GSC-10566-1
US-PATENT-APPL-SN-889438
US-PATENT-CLASS-52-108
US-PATENT-CLASS-242-54
US-PATENT-3,608,844
c28 N72-18766 ..... NASA-CASE-GSC-10640-1
US-PATENT-APPL-SN-17101
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288
US-PATENT-CLASS-60-260
US-PATENT-3,603,093
c31 N72-18835 ..... [illegible]
US-PATENT-APPL-SN-7669
US-PATENT-CLASS-244-15.5
US-PATENT-3,606,212
c03 N72-20031 ..... NASA-CASE-GSC-10669-1
US-PATENT-APPL-SN-90595
US-PATENT-CLASS-136-89
US-PATENT-CLASS-244-ISS
US-PATENT-CLASS-340-210
US-PATENT-3,636,539
c03 N72-20032 ..... NASA-CASE-NPO-11021
US-PATENT-APPL-SN-880250
US-PATENT-CLASS-136-79
US-PATENT-CLASS-136-81
US-PATENT-CLASS-136-166
US-PATENT-3,625,766
c03 N72-20033 ..... NASA-CASE-NPO-10401
US-PATENT-APPL-SN-15025
US-PATENT-CLASS-210-212
US-PATENT-CLASS-356-222
US-PATENT-3,630,627
c03 N72-20034 ..... NASA-CASE-LEW-11359-2
US-PATENT-APPL-SN-57399
US-PATENT-CLASS-136-83R
US-PATENT-CLASS-136-100R
US-PATENT-CLASS-136-175
US-PATENT-3,635,765
c05 N72-20096 ..... NASA-CASE-MSC-12411-1
US-PATENT-APPL-SN-701244
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-128-142.5

US-PATENT-CLASS-128-402
US-PATENT-3,635,216
c05 N72-20097 ..... NASA-CASE-MFS-20332
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-469
US-PATENT-3,636,966
c05 N72-20098 ..... NASA-CASE-MSC-12398
US-PATENT-APPL-SN-785615
US-PATENT-CLASS-2-2.1
US-PATENT-3,624,839
c06 N72-20121 ..... NASA-CASE-NPO-10765
US-PATENT-APPL-SN-770425
US-PATENT-CLASS-260-544F
US-PATENT-3,637,842
c07 N72-20140 ..... NASA-CASE-NPO-10844
US-PATENT-APPL-SN-839934
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-321
US-PATENT-3,626,298
c07 N72-20141 ..... NASA-CASE-ERC-10179
US-PATENT-APPL-SN-50207
US-PATENT-CLASS-325-445
US-PATENT-CLASS-329-161
US-PATENT-CLASS-329-162
US-PATENT-CLASS-332-51W
US-PATENT-CLASS-333-73W
US-PATENT-CLASS-343-772
US-PATENT-CLASS-343-773
US-PATENT-CLASS-343-786
US-PATENT-3,633,110
c07 N72-20154 ..... NASA-CASE-NPO-11243
US-PATENT-APPL-SN-177753
c08 N72-20176 ..... NASA-CASE-NPO-11130
US-PATENT-APPL-SN-21508
US-PATENT-CLASS-235-92CC
US-PATENT-CLASS-235-92DE
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-347DA
US-PATENT-CLASS-340-347DD
US-PATENT-3,632,996
c08 N72-20177 ..... NASA-CASE-NPO-10748
US-PATENT-APPL-SN-63383
US-PATENT-CLASS-324-77G
US-PATENT-3,631,339
c09 N72-20199 ..... NASA-CASE-NPO-10722
US-PATENT-APPL-SN-860492
US-PATENT-CLASS-200-81.9M
US-PATENT-CLASS-335-205
US-PATENT-3,632,923
c09 N72-20200 ..... NASA-CASE-NPO-10694
US-PATENT-APPL-SN-24224
US-PATENT-CLASS-339-275T
US-PATENT-CLASS-339-276T
US-PATENT-3,631,382
c10 N72-20221 ..... NASA-CASE-GSC-10082-1
US-PATENT-APPL-SN-41430
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-307-313
US-PATENT-CLASS-328-207
US-PATENT-CLASS-330-30D
US-PATENT-3,633,048
c10 N72-20222 ..... NASA-CASE-XLA-11189
US-PATENT-APPL-SN-889375
US-PATENT-CLASS-324-115
US-PATENT-CLASS-324-132
US-PATENT-3,638,114
c10 N72-20223 ..... NASA-CASE-NPO-11133
US-PATENT-APPL-SN-887685
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-16
US-PATENT-CLASS-328-20
US-PATENT-CLASS-328-38
US-PATENT-CLASS-328-166
US-PATENT-3,626,308
c10 N72-20224 ..... NASA-CASE-NPO-11203
US-PATENT-APPL-SN-3696
US-PATENT-CLASS-324-83A
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-133
US-PATENT-CLASS-343-12
US-PATENT-3,631,351
c10 N72-20225 ..... NASA-CASE-MSC-13407-1
US-PATENT-APPL-SN-65840
US-PATENT-CLASS-315-22
US-PATENT-CLASS-315-25
US-PATENT-3,638,066
c11 N72-20244 ..... NASA-CASE-NPO-11210
US-PATENT-APPL-SN-880831
US-PATENT-CLASS-123-102
US-PATENT-CLASS-180-105E
US-PATENT-CLASS-318-308
US-PATENT-CLASS-318-327
US-PATENT-CLASS-318-376
US-PATENT-3,630,304
c14 N72-20379 ..... NASA-CASE-GSC-10514-1
US-PATENT-APPL-SN-873045
US-PATENT-CLASS-250-208
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-152
US-PATENT-3,637,312
c14 N72-20380 ..... NASA-CASE-LAR-10176-1
US-PATENT-APPL-SN-811038
US-PATENT-CLASS-95-18
US-PATENT-3,626,828
c14 N72-20381 ..... NASA-CASE-GSC-10503-1
US-PATENT-APPL-SN-789044
US-PATENT-CLASS-250-83.6R
US-PATENT-3,626,189
c14 N72-20394 ..... NASA-CASE-MSC-12448-1
US-PATENT-APPL-SN-212010
c15 N72-20442 ..... NASA-CASE-GSC-10607-1
US-PATENT-APPL-SN-27340
US-PATENT-CLASS-251-129
US-PATENT-CLASS-251-333
US-PATENT-3,632,081
c15 N72-20443 ..... NASA-CASE-NPO-10671
US-PATENT-APPL-SN-857967
US-PATENT-CLASS-188-1E
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-268
US-PATENT-3,637,051
c15 N72-20444 ..... NASA-CASE-ERC-10038
US-PATENT-APPL-SN-889554
US-PATENT-CLASS-29-412
US-PATENT-CLASS-29-426
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-29-624
US-PATENT-CLASS-51-216
US-PATENT-CLASS-51-320
US-PATENT-CLASS-51-323
US-PATENT-3,636,623
c15 N72-20445 ..... NASA-CASE-NPO-10704
US-PATENT-APPL-SN-59895
US-PATENT-CLASS-138-178
US-PATENT-CLASS-285-18
US-PATENT-CLASS-285-345
US-PATENT-3,632,140
c15 N72-20446 ..... NASA-CASE-MFS-20698
US-PATENT-APPL-SN-3418
US-PATENT-CLASS-23-209.1
US-PATENT-CLASS-100-299
US-PATENT-CLASS-264-22
US-PATENT-CLASS-425-77
US-PATENT-3,632,242
c22 N72-20597 ..... NASA-CASE-XLE-04599
US-PATENT-APPL-SN-751215
US-PATENT-CLASS-176-86G
US-PATENT-3,629,068
c28 N72-20758 ..... NASA-CASE-XNP-03282
US-PATENT-APPL-SN-745337
US-PATENT-CLASS-60-254
US-PATENT-3,636,711
c31 N72-20840 ..... NASA-CASE-MFS-20922
US-PATENT-APPL-SN-220274
c33 N72-20915 ..... NASA-CASE-NPO-10831
US-PATENT-APPL-SN-10161
US-PATENT-CLASS-122-32
US-PATENT-CLASS-165-133
US-PATENT-CLASS-165-155
US-PATENT-CLASS-165-158
US-PATENT-CLASS-165-161
US-PATENT-CLASS-165-179
US-PATENT-3,630,276
c06 N72-21094 ..... NASA-CASE-ERC-10108
US-PATENT-APPL-SN-833049
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-156-3
US-PATENT-3,615,465
c06 N72-21105 ..... NASA-CASE-GSC-11304-1

US-PATENT-APPL-SN-137912
c07 N72-21117 ..... NASA-CASE-XLA-11154
US-PATENT-APPL-SN-23532
US-PATENT-CLASS-343-706
US-PATENT-CLASS-343-912
US-PATENT-3,623,107
c07 N72-21118 ..... NASA-CASE-NPO-11001
US-PATENT-APPL-SN-856279
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-100ST
US-PATENT-3,624,650
c07 N72-21119 ..... NASA-CASE-ERC-10112
US-PATENT-APPL-SN-796690
US-PATENT-CLASS-179-100.2K
US-PATENT-3,614,343
c08 N72-21197 ..... NASA-CASE-KSC-10326
US-PATENT-APPL-SN-25487
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,638,002
c08 N72-21198 ..... NASA-CASE-ERC-10307
US-PATENT-APPL-SN-39755
US-PATENT-CLASS-307-299
US-PATENT-CLASS-307-303
US-PATENT-CLASS-307-311
US-PATENT-CLASS-340-173.2
US-PATENT-CLASS-340-173LS
US-PATENT-3,623,030
c08 N72-21199 ..... NASA-CASE-NPO-10743
US-PATENT-APPL-SN-850587
US-PATENT-CLASS-340-174CS
US-PATENT-CLASS-340-174LC
US-PATENT-CLASS-340-174S
US-PATENT-CLASS-340-174SR
US-PATENT-3,613,110
c08 N72-21200 ..... NASA-CASE-NPO-11018
US-PATENT-APPL-SN-873259
US-PATENT-CLASS-340-347AD
US-PATENT-3,613,111
c09 N72-21243 ..... NASA-CASE-LEW-11005-1
US-PATENT-APPL-SN-86548
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-38
US-PATENT-3,638,103
c09 N72-21244 ..... NASA-CASE-LAR-10545-1
US-PATENT-APPL-SN-31703
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-893
US-PATENT-3,638,224
c09 N72-21245 ..... NASA-CASE-ARC-10192
US-PATENT-APPL-SN-15024
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-142
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-70R
US-PATENT-CLASS-330-85
US-PATENT-CLASS-333-80
US-PATENT-3,621,407
c09 N72-21246 ..... NASA-CASE-NPO-11134
US-PATENT-APPL-SN-883524
US-PATENT-CLASS-318-576
US-PATENT-CLASS-324-71R
US-PATENT-CLASS-346-1
US-PATENT-CLASS-346-29
US-PATENT-3,624,659
c09 N72-21247 ..... NASA-CASE-KSC-10393
US-PATENT-APPL-SN-71047
US-PATENT-CLASS-307-257
US-PATENT-CLASS-307-259
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-30
US-PATENT-CLASS-331-111
US-PATENT-3,614,648
c09 N72-21248 ..... NASA-CASE-LAR-10503-1
US-PATENT-APPL-SN-229143
c12 N72-21310 ..... NASA-CASE-MFS-20829
US-PATENT-APPL-SN-61894
US-PATENT-CLASS-169-28
US-PATENT-CLASS-169-36
US-PATENT-3,613,794
c14 N72-21405 ..... NASA-CASE-NPO-10832
US-PATENT-APPL-SN-22265
US-PATENT-CLASS-73-141A
US-PATENT-3,623,360
c14 N72-21407 ..... NASA-CASE-MFS-20642
US-PATENT-APPL-SN-873793
US-PATENT-CLASS-73-147
US-PATENT-3,623,361
c14 N72-21408 ..... NASA-CASE-MSC-13332-1
US-PATENT-APPL-SN-77169
US-PATENT-CLASS-250-83.5R
US-PATENT-CLASS-250-83.3R
US-PATENT-3,614,431
c14 N72-21409 ..... NASA-CASE-MSC-12105-1
US-PATENT-APPL-SN-763743
US-PATENT-CLASS-356-17
US-PATENT-CLASS-356-18
US-PATENT-3,614,228
c14 N72-21432 ..... NASA-CASE-LAR-10766-1
US-PATENT-APPL-SN-188836
c14 N72-21433 ..... NASA-CASE-ARC-10344-1
US-PATENT-APPL-SN-180962
c15 N72-21462 ..... NASA-CASE-NPO-10679
US-PATENT-APPL-SN-848282
US-PATENT-CLASS-74-89.15
US-PATENT-3,614,898
c15 N72-21463 ..... NASA-CASE-MFS-20413
US-PATENT-APPL-SN-69209
US-PATENT-CLASS-74-469
US-PATENT-3,620,095
c15 N72-21464 ..... NASA-CASE-ARC-10176-1
US-PATENT-APPL-SN-889583
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-64
US-PATENT-CLASS-324-71R
US-PATENT-3,624,496
c15 N72-21465 ..... NASA-CASE-GSC-10218-1
US-PATENT-APPL-SN-15022
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-259
US-PATENT-CLASS-73-425.6
US-PATENT-CLASS-141-23
US-PATENT-CLASS-195-127
US-PATENT-CLASS-222-71
US-PATENT-CLASS-222-135
US-PATENT-CLASS-222-309
US-PATENT-3,615,241
c15 N72-21466 ..... NASA-CASE-NPO-10440
US-PATENT-APPL-SN-756834
US-PATENT-CLASS-204-59
US-PATENT-CLASS-204-130
US-PATENT-3,616,338
c15 N72-21489 ..... NASA-CASE-XLA-10470
US-PATENT-APPL-SN-219436
c21 N72-21624 ..... NASA-CASE-HQN-10439
US-PATENT-APPL-SN-889551
US-PATENT-CLASS-244-1SA
US-PATENT-3,637,170
c21 N72-21631 ..... NASA-CASE-ERC-10419
US-PATENT-APPL-SN-219722
c26 N72-21701 ..... NASA-CASE-ERC-10119
US-PATENT-APPL-SN-825258
US-PATENT-CLASS-307-299
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-331-107
US-PATENT-CLASS-332-51
US-PATENT-3,614,557
c03 N72-22041 ..... NASA-CASE-NPO-10591
US-PATENT-APPL-SN-776185
US-PATENT-CLASS-29-572
US-PATENT-3,616,528
c03 N72-22042 ..... NASA-CASE-ERC-10747
US-PATENT-APPL-SN-6616
US-PATENT-CLASS-136-89
US-PATENT-3,615,853
c05 N72-22092 ..... NASA-CASE-ARC-10275-1
US-PATENT-APPL-SN-21644
US-PATENT-CLASS-2-2.1A
US-PATENT-3,636,564
c05 N72-22093 ..... NASA-CASE-MSC-12324-1
US-PATENT-APPL-SN-63384
US-PATENT-CLASS-4-99
US-PATENT-CLASS-4-110
US-PATENT-CLASS-128-295
US-PATENT-3,602,923
c06 N72-22107 ..... NASA-CASE-NPO-10862
US-PATENT-APPL-SN-810815
US-PATENT-CLASS-260-877
US-PATENT-3,639,510
c07 N72-22127 ..... NASA-CASE-NPO-10303
US-PATENT-APPL-SN-848776
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-797

US-PATENT-CLASS-343-853
US-PATENT-CLASS-343-912
US-PATENT-3,623,114
c08 N72-22162 ..... NASA-CASE-NPO-11333
US-PATENT-APPL-SN-78065
US-PATENT-CLASS-178-52
US-PATENT-CLASS-179-1P
US-PATENT-CLASS-179-15BL
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-251
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,614,327
c08 N72-22163 ..... NASA-CASE-MSC-13110-1
US-PATENT-APPL-SN-23132
US-PATENT-CLASS-340-347AD
US-PATENT-3,614,772
c08 N72-22164 ..... NASA-CASE-NPO-10745
US-PATENT-APPL-SN-878730
US-PATENT-CLASS-178-DIG.28
US-PATENT-CLASS-178-DIG.36
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-178-7.2R
US-PATENT-3,621,130
c08 N72-22165 ..... NASA-CASE-NPO-11104
US-PATENT-APPL-SN-860750
US-PATENT-CLASS-235-150.52
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-183
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-CLASS-340-347R
US-PATENT-3,621,228
c08 N72-22166 ..... NASA-CASE-NPO-10560
US-PATENT-APPL-SN-856282
US-PATENT-CLASS-235-153
US-PATENT-CLASS-324-73AT
US-PATENT-CLASS-340-347AD
US-PATENT-3,603,772
c08 N72-22167 ..... NASA-CASE-NPO-11082
US-PATENT-APPL-SN-868529
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-348
US-PATENT-3,609,327
c09 N72-22195 ..... NASA-CASE-MFS-14710
US-PATENT-APPL-SN-852843
US-PATENT-CLASS-74-105
US-PATENT-3,614,899
c09 N72-22196 ..... NASA-CASE-ERC-10075-2
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-14
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-25
US-PATENT-CLASS-323-56
US-PATENT-CLASS-323-89C
US-PATENT-3,614,587
c09 N72-22197 ..... NASA-CASE-LEW-10433-1
US-PATENT-APPL-SN-849106
US-PATENT-CLASS-307-88MP
US-PATENT-CLASS-307-262
US-PATENT-3,612,895
c09 N72-22198 ..... NASA-CASE-MFS-13687-2
US-PATENT-APPL-SN-80369
US-PATENT-CLASS-174-36
US-PATENT-CLASS-174-106R
US-PATENT-CLASS-174-117FF
US-PATENT-3,612,743
c09 N72-22199 ..... NASA-CASE-ERC-10222
US-PATENT-APPL-SN-832603
US-PATENT-CLASS-29-590
US-PATENT-3,621,565
c09 N72-22200 ..... NASA-CASE-FRC-10036
US-PATENT-APPL-SN-872602
US-PATENT-CLASS-73-88.5
US-PATENT-CLASS-307-237
US-PATENT-CLASS-307-254
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-1
US-PATENT-CLASS-328-151
US-PATENT-3,621,285
c09 N72-22201 ..... NASA-CASE-LEW-10387
US-PATENT-APPL-SN-76899
US-PATENT-CLASS-307-223B
US-PATENT-CLASS-307-241
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-307-252K
US-PATENT-CLASS-307-284
US-PATENT-CLASS-307-304
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-106
US-PATENT-3,621,287
c09 N72-22202 ..... NASA-CASE-ARC-10136-1
US-PATENT-APPL-SN-865106
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2B
US-PATENT-CLASS-307-231
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-288
US-PATENT-CLASS-325-29
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-171
US-PATENT-CLASS-340-203
US-PATENT-3,621,290
c09 N72-22203 ..... NASA-CASE-XER-11046
US-PATENT-APPL-SN-810579
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-15
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-45
US-PATENT-CLASS-331-117
US-PATENT-3,621,362
c09 N72-22204 ..... NASA-CASE-LAR-10137-1
US-PATENT-APPL-SN-881041
US-PATENT-CLASS-200-81R
US-PATENT-CLASS-200-82C
US-PATENT-3,609,271
c10 N72-22235 ..... NASA-CASE-GSC-10064-1
US-PATENT-APPL-SN-802812
US-PATENT-CLASS-343-7.4
US-PATENT-CLASS-343-16M
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-3,623,094
c10 N72-22236 ..... NASA-CASE-GSC-10878-1
US-PATENT-APPL-SN-889423
US-PATENT-CLASS-307-206
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-322
US-PATENT-CLASS-307-323
US-PATENT-3,621,277
c11 N72-22245 ..... NASA-CASE-NPO-12109
US-PATENT-APPL-SN-690172
US-PATENT-CLASS-230-54
US-PATENT-CLASS-230-221
US-PATENT-3,612,391
c11 N72-22246 ..... NASA-CASE-XLA-07430
US-PATENT-APPL-SN-867841
US-PATENT-CLASS-73-147
US-PATENT-3,620,076
c11 N72-22247 ..... NASA-CASE-NPO-11013
US-PATENT-APPL-SN-858695
US-PATENT-CLASS-42-1F
US-PATENT-3,619,924
c14 N72-22437 ..... NASA-CASE-LAR-10496-1
US-PATENT-APPL-SN-12661
US-PATENT-CLASS-73-141A
US-PATENT-3,611,798
c14 N72-22438 ..... NASA-CASE-ARC-10263-1
US-PATENT-APPL-SN-882122
US-PATENT-CLASS-73-398C
US-PATENT-3,620,083
c14 N72-22439 ..... NASA-CASE-MFS-20890
US-PATENT-APPL-SN-103229
US-PATENT-CLASS-29-421
US-PATENT-CLASS-264-22
US-PATENT-CLASS-310-11
US-PATENT-CLASS-310-42
US-PATENT-3,626,218
c14 N72-22440 ..... NASA-CASE-ARC-10154-1
US-PATENT-APPL-SN-793771
US-PATENT-CLASS-73-67.2
US-PATENT-3,620,069
c14 N72-22441 ..... NASA-CASE-NPO-11002
US-PATENT-APPL-SN-856328
US-PATENT-CLASS-350-19
US-PATENT-CLASS-350-23
US-PATENT-CLASS-350-26
US-PATENT-CLASS-350-35
US-PATENT-CLASS-350-36
US-PATENT-CLASS-350-49
US-PATENT-CLASS-350-52
US-PATENT-3,612,645
c14 N72-22442 ..... NASA-CASE-MFS-21629
US-PATENT-APPL-SN-612265
US-PATENT-CLASS-73-304
US-PATENT-CLASS-324-61

US-PATENT-3,639,835
c14 N72-22443 ..... NASA-CASE-XGS-03736
US-PATENT-APPL-SN-749320
US-PATENT-CLASS-96-90PC
US-PATENT-CLASS-252-300
US-PATENT-3,639,250
c14 N72-22444 ..... NASA-CASE-LAR-10523-1
US-PATENT-APPL-SN-32665
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-16
US-PATENT-CLASS-350-52
US-PATENT-CLASS-356-248
US-PATENT-3,647,276
c14 N72-22445 ..... NASA-CASE-LAR-10184
US-PATENT-APPL-SN-16808
US-PATENT-CLASS-33-174S
US-PATENT-CLASS-350-86
US-PATENT-3,620,595
c15 N72-22482 ..... NASA-CASE-XLA-04897
US-PATENT-APPL-SN-880249
US-PATENT-CLASS-73-133
US-PATENT-3,613,457
c15 N72-22483 ..... NASA-CASE-XNP-09770-2
US-PATENT-APPL-SN-864039
US-PATENT-CLASS-209-349
US-PATENT-3,615,021
c15 N72-22484 ..... NASA-CASE-LAR-10031
US-PATENT-APPL-SN-867851
US-PATENT-CLASS-62-55.5
US-PATENT-3,625,018
c15 N72-22485 ..... NASA-CASE-MSC-13512-1
US-PATENT-APPL-SN-73932
US-PATENT-CLASS-74-501R
US-PATENT-3,625,084
c15 N72-22486 ..... NASA-CASE-KSC-10031
US-PATENT-APPL-SN-98773
US-PATENT-CLASS-220-5R
US-PATENT-CLASS-317-101DH
US-PATENT-CLASS-317-117
US-PATENT-CLASS-317-120
US-PATENT-3,639,809
c15 N72-22487 ..... NASA-CASE-GSC-10303
US-PATENT-APPL-SN-802813
US-PATENT-CLASS-29-473.1
US-PATENT-3,619,896
c15 N72-22488 ..... NASA-CASE-MSC-11849-1
US-PATENT-APPL-SN-6617
US-PATENT-CLASS-85-1
US-PATENT-3,623,394
c15 N72-22489 ..... NASA-CASE-GSC-10518-1
US-PATENT-APPL-SN-789045
US-PATENT-CLASS-55-446
US-PATENT-CLASS-55-464
US-PATENT-CLASS-417-152
US-PATENT-3,623,828
c15 N72-22490 ..... NASA-CASE-LEW-10856-1
US-PATENT-APPL-SN-3417
US-PATENT-CLASS-308-195
US-PATENT-3,620,585
c15 N72-22491 ..... NASA-CASE-GSC-10913
US-PATENT-APPL-SN-889558
US-PATENT-CLASS-29-628
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-158
US-PATENT-CLASS-219-234
US-PATENT-CLASS-228-57
US-PATENT-3,621,194
c15 N72-22492 ..... NASA-CASE-MFS-20482
US-PATENT-APPL-SN-6610
US-PATENT-CLASS-29-472.9
US-PATENT-CLASS-29-473.1
US-PATENT-3,602,979
c16 N72-22520 ..... NASA-CASE-LAR-10815-1
US-PATENT-APPL-SN-233587
c17 N72-22530 ..... NASA-CASE-XLE-06461
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-75-.5B
US-PATENT-3,623,861
c17 N72-22535 ..... NASA-CASE-LEW-10874-1
US-PATENT-APPL-SN-68024
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32.5
US-PATENT-3,620,718
c18 N72-22566 ..... NASA-CASE-MFS-20011
US-PATENT-APPL-SN-813338
US-PATENT-CLASS-106-84
US-PATENT-CLASS-106-286
US-PATENT-CLASS-106-288B
US-PATENT-3,620,791
c18 N72-22567 ..... NASA-CASE-NPO-11091
US-PATENT-APPL-SN-860781
US-PATENT-CLASS-260-2.1E
US-PATENT-3,629,161
c21 N72-22619 ..... NASA-CASE-ARC-10179-1
US-PATENT-APPL-SN-835058
US-PATENT-CLASS-244-114
US-PATENT-CLASS-340-26
US-PATENT-3,624,598
c23 N72-22673 ..... NASA-CASE-XER-07896-2
US-PATENT-APPL-SN-36819
US-PATENT-CLASS-350-310
US-PATENT-3,620,606
c28 N72-22769 ..... NASA-CASE-ARC-10106-1
US-PATENT-APPL-SN-812998
US-PATENT-CLASS-244-3.22
US-PATENT-3,612,442
c28 N72-22770 ..... NASA-CASE-LEW-10770-1
US-PATENT-APPL-SN-880246
US-PATENT-CLASS-60-202
US-PATENT-3,613,370
c28 N72-22771 ..... NASA-CASE-LEW-10835-1
US-PATENT-APPL-SN-67815
US-PATENT-CLASS-60-202
US-PATENT-3,620,018
c28 N72-22772 ..... NASA-CASE-NPO-12072
US-PATENT-APPL-SN-82647
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-261-145
US-PATENT-3,640,256
c31 N72-22874 ..... NASA-CASE-NPO-10883
US-PATENT-APPL-SN-26573
US-PATENT-CLASS-136-89
US-PATENT-CLASS-312-257
US-PATENT-3,620,846
c03 N72-23048 ..... NASA-CASE-NPO-11388
US-PATENT-APPL-SN-119282
US-PATENT-CLASS-310-2
US-PATENT-CLASS-321-2
US-PATENT-CLASS-322-2
US-PATENT-3,648,152
c05 N72-23085 ..... NASA-CASE-LAR-10102-1
US-PATENT-APPL-SN-13266
US-PATENT-CLASS-224-25A
US-PATENT-3,649,921
c09 N72-23171 ..... NASA-CASE-GSC-10221-1
US-PATENT-APPL-SN-779025
US-PATENT-CLASS-307-252N
US-PATENT-CLASS-307-252R
US-PATENT-CLASS-307-259
US-PATENT-CLASS-307-305
US-PATENT-3,621,294
c09 N72-23172 ..... NASA-CASE-LAR-10320-1
US-PATENT-APPL-SN-18427
US-PATENT-CLASS-324-20R
US-PATENT-3,649,907
c09 N72-23173 ..... NASA-CASE-EEC-10267
US-PATENT-APPL-SN-41348
US-PATENT-CLASS-235-197
US-PATENT-CLASS-307-229
US-PATENT-CLASS-328-145
US-PATENT-3,648,043
c11 N72-23215 ..... NASA-CASE-MFS-20710
US-PATENT-APPL-SN-114848
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-31
US-PATENT-3,647,924
c14 N72-23457 ..... NASA-CASE-MSC-12297
US-PATENT-APPL-SN-792623
US-PATENT-CLASS-55-493
US-PATENT-CLASS-55-498
US-PATENT-CLASS-55-502
US-PATENT-CLASS-55-521
US-PATENT-3,650,095
c15 N72-23497 ..... NASA-CASE-KSC-10242
US-PATENT-APPL-SN-73834
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-109
US-PATENT-CLASS-219-234
US-PATENT-CLASS-324-65R
US-PATENT-3,621,193
c18 N72-23581 ..... NASA-CASE-GSC-10361-1
US-PATENT-APPL-SN-700040
US-PATENT-CLASS-106-84
US-PATENT-3,620,784
c23 N72-23695 ..... NASA-CASE-HQN-10541-3
US-PATENT-APPL-SN-822089
US-PATENT-CLASS-350-171

US-PATENT-3,606,522
c28 N72-23809 ..... NASA-CASE-XNP-09461
US-PATENT-APPL-SN-670829
US-PATENT-CLASS-239-418
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-543
US-PATENT-3,650,474
c28 N72-23810 ..... NASA-CASE-NPO-11458
US-PATENT-APPL-SN-36926
US-PATENT-CLASS-60-266
US-PATENT-CLASS-60-271
US-PATENT-3,648,461
c03 N72-24037 ..... NASA-CASE-GSC-11514-1
US-PATENT-APPL-SN-820453
US-PATENT-CLASS-117-201
US-PATENT-CLASS-136-89
US-PATENT-3,653,970
c14 N72-24477 ..... NASA-CASE-ARC-10138-1
US-PATENT-APPL-SN-774733
US-PATENT-CLASS-73-355R
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-317-247
US-PATENT-CLASS-324-61R
US-PATENT-3,657,644
c15 N72-24522 ..... NASA-CASE-NPO-11036
US-PATENT-APPL-SN-41346
US-PATENT-CLASS-264-92
US-PATENT-3,658,974
c25 N72-24753 ..... NASA-CASE-XNP-04167-2
US-PATENT-APPL-SN-866442
US-PATENT-CLASS-313-186
US-PATENT-CLASS-313-212
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-CLASS-315-326
US-PATENT-CLASS-315-358
US-PATENT-CLASS-331-94.5
US-PATENT-3,617,804
c03 N72-25019 ..... NASA-CASE-NPO-10575
US-PATENT-APPL-SN-6615
US-PATENT-CLASS-156-250
US-PATENT-CLASS-156-510
US-PATENT-3,654,036
c03 N72-25020 ..... NASA-CASE-GSC-11211-1
US-PATENT-APPL-SN-139528
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-307-141.8
US-PATENT-CLASS-320-48
US-PATENT-CLASS-324-29.5
US-PATENT-3,663,938
c03 N72-25021 ..... NASA-CASE-NPO-11118
US-PATENT-APPL-SN-8650
US-PATENT-CLASS-214-90R
US-PATENT-3,666,120
c05 N72-25119 ..... NASA-CASE-MSC-12397-1
US-PATENT-APPL-SN-785613
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-2-115
US-PATENT-3,660,851
c05 N72-25120 ..... NASA-CASE-MSC-90153-2
US-PATENT-APPL-SN-844225
US-PATENT-CLASS-106-209
US-PATENT-CLASS-128-2.1
US-PATENT-CLASS-128-417
US-PATENT-CLASS-252-514
US-PATENT-CLASS-264-104
US-PATENT-3,665,064
c05 N72-25121 ..... NASA-CASE-FRC-10029-2
US-PATENT-APPL-SN-78704
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-630A
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-308
US-PATENT-3,662,441
c05 N72-25122 ..... NASA-CASE-MSC-13609-1
US-PATENT-APPL-SN-94347
US-PATENT-CLASS-128-2N
US-PATENT-3,662,744
c06 N72-25146 ..... NASA-CASE-NPO-11322
US-PATENT-APPL-SN-87550
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-250-43.5R
US-PATENT-3,666,942
c06 N72-25147 ..... NASA-CASE-ARC-10325
US-PATENT-APPL-SN-63610
US-PATENT-CLASS-260-2.5FP
US-PATENT-3,663,464
c06 N72-25148 ..... NASA-CASE-MFS-13994-2
US-PATENT-APPL-SN-870689
US-PATENT-CLASS-260-348SC
US-PATENT-3,660,434
c06 N72-25149 ..... NASA-CASE-GSC-10565-1
US-PATENT-APPL-SN-822039
US-PATENT-CLASS-195-28N
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-260-211.5
US-PATENT-3,660,240
c06 N72-25150 ..... NASA-CASE-XLE-06774-2
US-PATENT-APPL-SN-5114
US-PATENT-CLASS-117-132
US-PATENT-CLASS-117-161
US-PATENT-CLASS-260-2.5
US-PATENT-CLASS-260-92.1
US-PATENT-3,666,741
c06 N72-25151 ..... NASA-CASE-MFS-20979
US-PATENT-APPL-SN-100774
US-PATENT-CLASS-260-18S
US-PATENT-CLASS-260-46.5E
US-PATENT-CLASS-260-46.5G
US-PATENT-CLASS-260-46.5P
US-PATENT-CLASS-260-448.2D
US-PATENT-3,666,718
c06 N72-25152 ..... NASA-CASE-NPO-10863-2
US-PATENT-APPL-SN-145026
US-PATENT-CLASS-260-92.1
US-PATENT-3,663,521
c07 N72-25170 ..... NASA-CASE-LAR-10513-1
US-PATENT-APPL-SN-64723
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-333-98F
US-PATENT-CLASS-333-98R
US-PATENT-CLASS-333-98S
US-PATENT-3,649,935
c07 N72-25171 ..... NASA-CASE-MFS-21042
US-PATENT-APPL-SN-86417
US-PATENT-CLASS-102-34.4
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-114
US-PATENT-CLASS-343-6.5R
US-PATENT-3,667,044
c07 N72-25172 ..... NASA-CASE-NPO-11358
US-PATENT-APPL-SN-116786
US-PATENT-CLASS-179-15BV
US-PATENT-CLASS-340-172.5
US-PATENT-3,665,417
c07 N72-25173 ..... NASA-CASE-FRC-10324
US-PATENT-APPL-SN-54270
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-51
US-PATENT-CLASS-325-55
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-64
US-PATENT-CLASS-325-141
US-PATENT-CLASS-325-302
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-167
US-PATENT-3,665,313
c07 N72-25174 ..... NASA-CASE-NPO-11264
US-PATENT-APPL-SN-36531
US-PATENT-CLASS-343-762
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-853
US-PATENT-3,665,481
c08 N72-25206 ..... NASA-CASE-KSC-10397
US-PATENT-APPL-SN-25488
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DA
US-PATENT-3,648,275
c08 N72-25207 ..... NASA-CASE-NPO-11161
US-PATENT-APPL-SN-889374
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,648,256
c08 N72-25208 ..... NASA-CASE-NPO-11338
US-PATENT-APPL-SN-89212
US-PATENT-CLASS-178-50
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-179-15FD
US-PATENT-CLASS-325-62
US-PATENT-CLASS-332-21
US-PATENT-3,659,055

c08 N72-25209 ..... NASA-CASE-NPO-11194
US-PATENT-APPL-SN-63532
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-12R
US-PATENT-CLASS-343-18
US-PATENT-3,659,292
c08 N72-25210 ..... NASA-CASE-NPO-10636
US-PATENT-APPL-SN-77221
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,662,337
c09 N72-25247 ..... NASA-CASE-LAR-10163-1
US-PATENT-APPL-SN-73310
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-873
US-PATENT-3,653,052
c09 N72-25248 ..... NASA-CASE-NPO-11342
US-PATENT-APPL-SN-89209
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-340-324A
US-PATENT-3,648,250
c09 N72-25249 ..... NASA-CASE-GSC-10656-1
US-PATENT-APPL-SN-59969
US-PATENT-CLASS-321-2
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-3,621,372
c09 N72-25250 ..... NASA-CASE-KSC-10565
US-PATENT-APPL-SN-98517
US-PATENT-CLASS-315-135
US-PATENT-CLASS-315-349
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-59
US-PATENT-CLASS-340-332
US-PATENT-3,659,148
c09 N72-25251 ..... NASA-CASE-ERC-10048
US-PATENT-APPL-SN-10329
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-18
US-PATENT-3,659,184
c09 N72-25252 ..... NASA-CASE-ERC-10268
US-PATENT-APPL-SN-39342
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-45BR
US-PATENT-CLASS-321-45R
US-PATENT-3,663,940
c09 N72-25253 ..... NASA-CASE-GSC-11126-1
US-PATENT-APPL-SN-98640
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-47
US-PATENT-CLASS-331-113A
US-PATENT-3,663,941
c09 N72-25254 ..... NASA-CASE-NPO-10760
US-PATENT-APPL-SN-129071
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45R
US-PATENT-CLASS-331-113A
US-PATENT-3,663,944
c09 N72-25255 ..... NASA-CASE-LAR-10620-1
US-PATENT-APPL-SN-125979
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-15
US-PATENT-3,663,843
c09 N72-25256 ..... NASA-CASE-XLA-02609
US-PATENT-APPL-SN-41347
US-PATENT-CLASS-333-79
US-PATENT-CLASS-339-143R
US-PATENT-CLASS-339-147R
US-PATENT-3,663,929
c09 N72-25257 ..... NASA-CASE-MSC-12395
US-PATENT-APPL-SN-134573
US-PATENT-CLASS-307-233
US-PATENT-CLASS-324-78D
US-PATENT-CLASS-324-186
US-PATENT-CLASS-328-136
US-PATENT-CLASS-328-140
US-PATENT-3,663,885
c09 N72-25258 ..... NASA-CASE-LAR-10253-1
US-PATENT-APPL-SN-99175
US-PATENT-CLASS-307-88.3
US-PATENT-CLASS-330-4.5
US-PATENT-3,663,886
c09 N72-25259 ..... NASA-CASE-GSC-10695-1
US-PATENT-APPL-SN-889422
US-PATENT-CLASS-29-198
US-PATENT-CLASS-117-200
US-PATENT-CLASS-136-89
US-PATENT-3,664,874
c09 N72-25260 ..... NASA-CASE-NPO-11283
US-PATENT-APPL-SN-118270
US-PATENT-CLASS-310-4
US-PATENT-3,663,839
c09 N72-25261 ..... NASA-CASE-ERC-10224
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-492
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-502
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-628
US-PATENT-3,665,589
c09 N72-25262 ..... NASA-CASE-NPO-11078
US-PATENT-APPL-SN-82280
US-PATENT-CLASS-307-83
US-PATENT-CLASS-307-103
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-82
US-PATENT-3,663,828
c11 N72-25284 ..... NASA-CASE-LAR-10507-1
US-PATENT-APPL-SN-874177
US-PATENT-CLASS-195-127
US-PATENT-3,649,462
c11 N72-25287 ..... NASA-CASE-LAR-10546-1
US-PATENT-APPL-SN-32664
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-655
US-PATENT-CLASS-287-54A
US-PATENT-3,665,670
c11 N72-25288 ..... NASA-CASE-MFS-20434
US-PATENT-APPL-SN-55534
US-PATENT-CLASS-73-140
US-PATENT-CLASS-73-161
US-PATENT-3,665,758
c12 N72-25292 ..... NASA-CASE-NPO-11556
US-PATENT-APPL-SN-82648
US-PATENT-CLASS-210-188
US-PATENT-CLASS-310-11
US-PATENT-3,648,083
c13 N72-25323 ..... NASA-CASE-NPO-11373
US-PATENT-APPL-SN-81095
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-73-422GC
US-PATENT-CLASS-73-422TC
US-PATENT-3,662,604
c14 N72-25409 ..... NASA-CASE-ERC-10174
US-PATENT-APPL-SN-39344
US-PATENT-CLASS-250-83.3HY
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-226
US-PATENT-CLASS-350-203
US-PATENT-3,657,549
c14 N72-25410 ..... NASA-CASE-ERC-10292
US-PATENT-APPL-SN-45519
US-PATENT-CLASS-73-515
US-PATENT-CLASS-73-521
US-PATENT-CLASS-350-160R
US-PATENT-3,657,928
c14 N72-25411 ..... NASA-CASE-MSC-15626-1
US-PATENT-APPL-SN-94374
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-492
US-PATENT-CLASS-116-114AB
US-PATENT-3,656,352
c14 N72-25412 ..... NASA-CASE-MFS-15063
US-PATENT-APPL-SN-51477
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-340-227B
US-PATENT-3,659,043
c14 N72-25413 ..... NASA-CASE-GSC-10879-1
US-PATENT-APPL-SN-889420
US-PATENT-CLASS-195-127
US-PATENT-3,666,631
c14 N72-25414 ..... NASA-CASE-NPO-11311
US-PATENT-APPL-SN-57252
US-PATENT-CLASS-178-7.92
US-PATENT-CLASS-350-175PS
US-PATENT-3,663,753
c14 N72-25428 ..... NASA-CASE-HQN-10756-1
US-PATENT-APPL-SN-236052
c15 N72-25447 ..... NASA-CASE-LEW-10489-1
US-PATENT-APPL-SN-889682

US-PATENT-CLASS-29-599
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.16D
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-211
US-PATENT-CLASS-117-217
US-PATENT-3,649,356
c15 N72-25448 ..... NASA-CASE-LEW-10450-1
US-PATENT-APPL-SN-880271
US-PATENT-CLASS-75-0.5BB
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-213
US-PATENT-3,649,242
c15 N72-25450 ..... NASA-CASE-NPO-11202
US-PATENT-APPL-SN-66004
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-3
US-PATENT-CLASS-285-33
US-PATENT-CLASS-285-316
US-PATENT-CLASS-339-45M
US-PATENT-CLASS-339-91B
US-PATENT-3,656,781
c15 N72-25451 ..... NASA-CASE-NPO-10606
US-PATENT-APPL-SN-8636
US-PATENT-CLASS-251-360
US-PATENT-3,658,295
c15 N72-25452 ..... NASA-CASE-LEW-10965-1
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-117-16R
US-PATENT-CLASS-117-37
US-PATENT-CLASS-117-47R
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-117-124C
US-PATENT-CLASS-117-152
US-PATENT-CLASS-204-49
US-PATENT-CLASS-204-157.18AG
US-PATENT-CLASS-250-65F
US-PATENT-3,658,569
c15 N72-25453 ..... NASA-CASE-KSC-10513
US-PATENT-APPL-SN-61535
US-PATENT-CLASS-187-1
US-PATENT-CLASS-187-20
US-PATENT-CLASS-187-95
US-PATENT-CLASS-254-190
US-PATENT-3,666,051
c15 N72-25454 ..... NASA-CASE-MSC-12233-1
US-PATENT-APPL-SN-73422
US-PATENT-CLASS-52-169
US-PATENT-CLASS-52-173
US-PATENT-CLASS-52-594
US-PATENT-3,665,669
c15 N72-25455 ..... NASA-CASE-NPO-11095
US-PATENT-APPL-SN-19585
US-PATENT-CLASS-60-39.74A
US-PATENT-CLASS-60-258
US-PATENT-CLASS-239-424
US-PATENT-3,662,547
c15 N72-25456 ..... NASA-CASE-NPO-11222
US-PATENT-APPL-SN-59893
US-PATENT-CLASS-310-68
US-PATENT-CLASS-310-80
US-PATENT-CLASS-310-83
US-PATENT-3,660,704
c15 N72-25457 ..... NASA-CASE-ERC-10325
US-PATENT-APPL-SN-43884
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158T
US-PATENT-3,665,307
c16 N72-25485 ..... NASA-CASE-ERC-10283
US-PATENT-APPL-SN-39185
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-3,659,225
c18 N72-25539 ..... NASA-CASE-LEW-10424-2-2
US-PATENT-APPL-SN-15222
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-208
US-PATENT-CLASS-75-211
US-PATENT-CLASS-75-226
US-PATENT-3,653,882
c18 N72-25540 ..... NASA-CASE-ERC-10364
US-PATENT-APPL-SN-55537
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,347
c18 N72-25541 ..... NASA-CASE-ERC-10363
US-PATENT-APPL-SN-57253
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,346
c21 N72-25595 ..... NASA-CASE-MSC-13397-1
US-PATENT-APPL-SN-59966
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-23A
US-PATENT-3,662,973
c23 N72-25619 ..... NASA-CASE-NPO-10634
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-62-6
US-PATENT-CLASS-62-80
US-PATENT-CLASS-62-85
US-PATENT-CLASS-62-475
US-PATENT-3,656,313
c26 N72-25679 ..... NASA-CASE-XER-07895
US-PATENT-APPL-SN-651627
US-PATENT-CLASS-317-234J
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-CLASS-317-235B
US-PATENT-CLASS-331-107G
US-PATENT-3,667,010
c26 N72-25680 ..... NASA-CASE-ERC-10275
US-PATENT-APPL-SN-47061
US-PATENT-CLASS-324-92
US-PATENT-CLASS-324-96
US-PATENT-CLASS-340-324R
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160R
US-PATENT-3,667,039
c27 N72-25699 ..... NASA-CASE-NPO-12000
US-PATENT-APPL-SN-74861
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-20
US-PATENT-CLASS-149-36
US-PATENT-CLASS-149-92
US-PATENT-3,658,608
c31 N72-25842 ..... NASA-CASE-MSC-12372-1
US-PATENT-APPL-SN-64391
US-PATENT-CLASS-95-12.5
US-PATENT-3,662,661
c32 N72-25877 ..... NASA-CASE-LAR-10270-1
US-PATENT-APPL-SN-60881
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-100
US-PATENT-3,665,751
c33 N72-25911 ..... NASA-CASE-LEW-10359
US-PATENT-APPL-SN-47063
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-CLASS-102-105
US-PATENT-3,656,317
c33 N72-25913 ..... NASA-CASE-XMS-09690
US-PATENT-APPL-SN-853641
US-PATENT-CLASS-73-15R
US-PATENT-3,665,750
c03 N72-26031 ..... NASA-CASE-NPC-10753
US-PATENT-APPL-SN-844355
US-PATENT-CLASS-136-202
US-PATENT-3,666,566
c15 N72-26371 ..... NASA-CASE-NPO-10244
US-PATENT-APPL-SN-43327
US-PATENT-CLASS-73-136R
US-PATENT-CLASS-308-2A
US-PATENT-3,664,185
c03 N72-27053 ..... NASA-CASE-GSC-10344-1
US-PATENT-APPL-SN-785078
US-PATENT-CLASS-136-89
US-PATENT-3,672,999
c05 N72-27102 ..... NASA-CASE-LAR-10365-1
US-PATENT-APPL-SN-3151
US-PATENT-CLASS-210-103
US-PATENT-CLASS-210-104
US-PATENT-CLASS-210-110
US-PATENT-CLASS-210-137
US-PATENT-3,670,890
c05 N72-27103 ..... NASA-CASE-MSC-13648
US-PATENT-APPL-SN-87222
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E

US-PATENT-CLASS-128-417
US-PATENT-3,669,110
c06 N72-27144 ..... NASA-CASE-NPO-10768-2
US-PATENT-APPL-SN-99524
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-77.5AP
US-PATENT-CLASS-260-535H
US-PATENT-3,671,497
c06 N72-27151 ..... NASA-CASE-NPO-10767-2
US-PATENT-APPL-SN-241061
c09 N72-27226 ..... NASA-CASE-LEW-10330-1
US-PATENT-APPL-SN-110402
US-PATENT-CLASS-336-60
US-PATENT-CLASS-336-198
US-PATENT-CLASS-336-220
US-PATENT-3,648,209
c09 N72-27227 ..... NASA-CASE-KSC-10644
US-PATENT-APPL-SN-114849
US-PATENT-CLASS-307-92
US-PATENT-CLASS-307-118
US-PATENT-CLASS-340-240
US-PATENT-3,673,424
c09 N72-27228 ..... NASA-CASE-NPO-10542
US-PATENT-APPL-SN-767741
US-PATENT-CLASS-310-4
US-PATENT-3,673,440
c10 N72-27246 ..... NASA-CASE-ERC-10015-2
US-PATENT-APPL-SN-97343
US-PATENT-APPL-SN-763744
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-336
US-PATENT-CLASS-313-351
US-PATENT-CLASS-315-36
US-PATENT-3,671,798
c11 N72-27262 ..... NASA-CASE-MFS-20620
US-PATENT-APPL-SN-154935
US-PATENT-CLASS-73-117.1
US-PATENT-CLASS-73-432SD
US-PATENT-3,670,564
c14 N72-27400 ..... NASA-CASE-NPO-11147
US-PATENT-APPL-SN-63195
US-PATENT-CLASS-324-79R
US-PATENT-CLASS-328-189
US-PATENT-CLASS-331-44
US-PATENT-3,670,241
c14 N72-27409 ..... NASA-CASE-NPO-11201
US-PATENT-APPL-SN-77220
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-225
US-PATENT-CLASS-350-147
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-3,670,168
c14 N72-27410 ..... NASA-CASE-XLE-05230
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-136-233
US-PATENT-3,671,329
c14 N72-27411 ..... NASA-CASE-MSC-12293-1
US-PATENT-APPL-SN-59956
US-PATENT-CLASS-250-205
US-PATENT-CLASS-315-151
US-PATENT-CLASS-315-156
US-PATENT-CLASS-315-158
US-PATENT-CLASS-315-297
US-PATENT-CLASS-315-307
US-PATENT-CLASS-315-310
US-PATENT-CLASS-315-311
US-PATENT-3,670,202
c14 N72-27412 ..... NASA-CASE-MFS-20523
US-PATENT-APPL-SN-77786
US-PATENT-CLASS-73-71.6
US-PATENT-CLASS-73-103
US-PATENT-3,670,563
c15 N72-27484 ..... NASA-CASE-NPO-10721
US-PATENT-APPL-SN-59968
US-PATENT-CLASS-248-188.4
US-PATENT-3,669,393
c15 N72-27485 ..... NASA-CASE-XLA-09843
US-PATENT-APPL-SN-60876
US-PATENT-CLASS-83-8
US-PATENT-CLASS-83-522
US-PATENT-CLASS-83-562
US-PATENT-CLASS-83-563
US-PATENT-CLASS-83-588
US-PATENT-3,668,956
c23 N72-27728 ..... NASA-CASE-ARC-10160-1
US-PATENT-APPL-SN-867842
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-178-6.5
US-PATENT-CLASS-350-138
US-PATENT-3,670,097
c26 N72-27784 ..... NASA-CASE-LAR-10836-1
US-PATENT-APPL-SN-138227
US-PATENT-CLASS-350-161
US-PATENT-3,671,105
c33 N72-27959 ..... NASA-CASE-LAR-10800-1
US-PATENT-APPL-SN-154094
US-PATENT-CLASS-73-35
US-PATENT-3,670,559
c03 N72-28025 ..... NASA-CASE-NPO-10633
US-PATENT-APPL-SN-885521
US-PATENT-CLASS-62-93
US-PATENT-CLASS-165-3
US-PATENT-CLASS-165-20
US-PATENT-3,675,712
c09 N72-28225 ..... NASA-CASE-MFS-20757
US-PATENT-APPL-SN-136006
US-PATENT-CLASS-339-75MP
US-PATENT-CLASS-339-94M
US-PATENT-CLASS-339-176MP
US-PATENT-CLASS-339-218M
US-PATENT-3,670,290
c10 N72-28240 ..... NASA-CASE-ARC-10265-1
US-PATENT-APPL-SN-64709
US-PATENT-CLASS-324-41
US-PATENT-CLASS-340-258
US-PATENT-3,676,772
c10 N72-28241 ..... NASA-CASE-GSC-10786-1
US-PATENT-APPL-SN-773072
US-PATENT-CLASS-330-29
US-PATENT-3,533,006
c14 N72-28436 ..... NASA-CASE-XLA-06683
US-PATENT-APPL-SN-10827
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-75R
US-PATENT-3,675,332
c14 N72-28437 ..... NASA-CASE-ERC-10081
US-PATENT-APPL-SN-877990
US-PATENT-CLASS-73-355
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100MR
US-PATENT-CLASS-343-112D
US-PATENT-3,665,467
c14 N72-28438 ..... NASA-CASE-XLA-04980-2
US-PATENT-APPL-SN-577548
US-PATENT-APPL-SN-763040
US-PATENT-CLASS-148-187
US-PATENT-3,549,435
c15 N72-28495 ..... NASA-CASE-MFS-14405
US-PATENT-APPL-SN-73283
US-PATENT-CLASS-74-469
US-PATENT-CLASS-214-1CM
US-PATENT-3,631,737
c15 N72-28496 ..... NASA-CASE-MFS-20433
US-PATENT-APPL-SN-114847
US-PATENT-CLASS-52-1
US-PATENT-CLASS-52-573
US-PATENT-3,675,376
c16 N72-28521 ..... NASA-CASE-NPO-11437
US-PATENT-APPL-SN-63144
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,676,787
c17 N72-28535 ..... NASA-CASE-XLE-06461-2
US-PATENT-APPL-SN-156778
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-266-24
US-PATENT-3,675,910
c17 N72-28536 ..... NASA-CASE-XLE-03940-2
US-PATENT-APPL-SN-539255
US-PATENT-APPL-SN-793657
US-PATENT-CLASS-29-182.5
US-PATENT-3,676,084
c24 N72-28714 ..... NASA-CASE-LEW-10518-2
US-PATENT-APPL-SN-266927
c26 N72-28761 ..... NASA-CASE-NPO-11775
US-PATENT-APPL-SN-162230
US-PATENT-CLASS-29-570
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-261
US-PATENT-3,676,754
c26 N72-28762 ..... NASA-CASE-LAR-10294-1
US-PATENT-APPL-SN-796685
US-PATENT-CLASS-29-25.42
US-PATENT-CLASS-106-39
US-PATENT-CLASS-106-46
US-PATENT-CLASS-117-212
US-PATENT-CLASS-117-217

US-PATENT-3,649,353
c09 N72-29172 ..... NASA-CASE-LAR-10511-1
US-PATENT-APPL-SN-41345
US-PATENT-CLASS-333-24R
US-PATENT-CLASS-333-98P
US-PATENT-CLASS-333-98R
US-PATENT-3,676,809
c14 N72-29464 ..... NASA-CASE-ARC-10017-1
US-PATENT-APPL-SN-55536
US-PATENT-CLASS-250-41.9D
US-PATENT-CLASS-250-71.5R
US-PATENT-CLASS-313-356
US-PATENT-3,676,674
c15 N72-29488 ..... NASA-CASE-XLE-10326-2
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-74
US-PATENT-3,675,935
c06 N72-31140 ..... NASA-CASE-MSC-13335-1
US-PATENT-APPL-SN-55806
US-PATENT-CLASS-55-16
US-PATENT-CLASS-55-55
US-PATENT-3,678,654
c06 N72-31141 ..... NASA-CASE-ARC-10308-1
US-PATENT-APPL-SN-134568
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-356-51
US-PATENT-3,679,899
c08 N72-31226 ..... NASA-CASE-NPO-11016
US-PATENT-APPL-SN-889584
US-PATENT-CLASS-235-92MT
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-151.1
US-PATENT-CLASS-323-19
US-PATENT-CLASS-340-347AD
US-PATENT-3,681,581
c09 N72-31235 ..... NASA-CASE-ERC-10214
US-PATENT-APPL-SN-863914
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,680,142
c10 N72-31273 ..... NASA-CASE-KSC-10647-1
US-PATENT-APPL-SN-774691
US-PATENT-CLASS-178-7.5E
US-PATENT-CLASS-315-22R
US-PATENT-CLASS-315-30R
US-PATENT-CLASS-330-27R
US-PATENT-3,678,191
c14 N72-31446 ..... NASA-CASE-ERC-10087-2
US-PATENT-APPL-SN-91642
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-CLASS-317-234D
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-235M
US-PATENT-CLASS-317-235R
US-PATENT-3,686,542
c15 N72-31483 ..... NASA-CASE-LAR-10061-1
US-PATENT-APPL-SN-104047
US-PATENT-CLASS-251-86
US-PATENT-CLASS-251-331
US-PATENT-3,680,830
c21 N72-31637 ..... NASA-CASE-GSC-10945-1
US-PATENT-APPL-SN-75431
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-26
US-PATENT-3,678,685
c07 N72-32169 ..... NASA-CASE-NPO-11361
US-PATENT-APPL-SN-112988
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-915
US-PATENT-3,680,144
c14 N72-32452 ..... NASA-CASE-MFS-15162
US-PATENT-APPL-SN-100639
US-PATENT-CLASS-350-79
US-PATENT-CLASS-356-241
US-PATENT-3,694,094
c15 N72-32487 ..... NASA-CASE-LAR-10541-1
US-PATENT-APPL-SN-138229
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-204-298
US-PATENT-CLASS-219-121P
US-PATENT-CLASS-219-273
US-PATENT-3,690,291
c25 N72-32688 ..... NASA-CASE-MFS-20589
US-PATENT-APPL-SN-103077
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-3,693,002
c04 N72-33072 ..... NASA-CASE-ERC-10338
US-PATENT-APPL-SN-50339
US-PATENT-CLASS-23-109
US-PATENT-3,679,360
c05 N72-33096 ..... NASA-CASE-MSC-13540-1
US-PATENT-APPL-SN-68023
US-PATENT-CLASS-99-80PS
US-PATENT-3,692,533
c07 N72-33146 ..... NASA-CASE-MSC-12259-2
US-PATENT-APPL-SN-61895
US-PATENT-APPL-SN-853763
US-PATENT-CLASS-325-373
US-PATENT-3,694,753
c08 N72-33172 ..... NASA-CASE-NPO-11630
US-PATENT-APPL-SN-143078
US-PATENT-CLASS-179-15.55R
US-PATENT-3,694,581
c09 N72-33204 ..... NASA-CASE-NPO-11129
US-PATENT-APPL-SN-883523
US-PATENT-CLASS-307-262
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-24
US-PATENT-CLASS-328-155
US-PATENT-3,621,406
c09 N72-33205 ..... NASA-CASE-GSC-10835-1
US-PATENT-APPL-SN-116778
US-PATENT-CLASS-317-101A
US-PATENT-CLASS-317-235
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-3,694,700
c10 N72-33230 ..... NASA-CASE-GSC-11340-1
US-PATENT-APPL-SN-107379
US-PATENT-CLASS-330-12
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-333-80T
US-PATENT-3,693,105
c14 N72-33377 ..... NASA-CASE-MFS-20760
US-PATENT-APPL-SN-99174
US-PATENT-CLASS-73-85
US-PATENT-CLASS-73-141AB
US-PATENT-3,693,418
c15 N72-33476 ..... NASA-CASE-XGS-07805
US-PATENT-APPL-SN-104884
US-PATENT-CLASS-308-10
US-PATENT-3,694,041
c15 N72-33477 ..... NASA-CASE-NPC-11340
US-PATENT-APPL-SN-147997
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-36
US-PATENT-CLASS-137-13
US-PATENT-CLASS-137-81.5
US-PATENT-3,693,346
c24 N72-33681 ..... NASA-CASE-LEW-10518-1
US-PATENT-APPL-SN-863280
US-PATENT-CLASS-176-11
US-PATENT-3,694,313
c25 N72-33696 ..... NASA-CASE-GSC-11291-1
US-PATENT-APPL-SN-102412
US-PATENT-CLASS-250-83.6R
US-PATENT-3,694,655
c08 N73-12175 ..... NASA-CASE-NPC-11406
US-PATENT-APPL-SN-95183
US-PATENT-CLASS-235-152
US-PATENT-CLASS-331-78
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,700,869
c08 N73-12176 ..... NASA-CASE-KSC-10595
US-PATENT-APPL-SN-98772
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,697,733
c08 N73-12177 ..... NASA-CASE-NPC-11371
US-PATENT-APPL-SN-117575
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,697,950
c09 N73-12211 ..... NASA-CASE-ERC-10412-1
US-PATENT-APPL-SN-72024
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-11R

US-PATENT-CLASS-343-11VB
US-PATENT-3,696,418
c09 N73-12214 ..... NASA-CASE-NPO-13091-1
US-PATENT-APPL-SN-290022
c09 N73-12216 ..... NASA-CASE-LAR-11084-1
US-PATENT-APPL-SN-308362
c10 N73-12244 ..... NASA-CASE-NPO-11631
US-PATENT-APPL-SN-123253
US-PATENT-CLASS-179-1P
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-480
US-PATENT-3,700,812
c11 N73-12264 ..... NASA-CASE-LAR-10348-1
US-PATENT-APPL-SN-70032
US-PATENT-CLASS-73-147
US-PATENT-3,695,101
c11 N73-12265 ..... NASA-CASE-NPO-10890
US-PATENT-APPL-SN-99903
US-PATENT-CLASS-52-171
US-PATENT-CLASS-137-559
US-PATENT-CLASS-219-203
US-PATENT-CLASS-219-522
US-PATENT-3,696,833
c14 N73-12444 ..... NASA-CASE-GSC-10903-1
US-PATENT-APPL-SN-114846
US-PATENT-CLASS-73-421.5
US-PATENT-CLASS-250-41.9G
US-PATENT-CLASS-250-41.9S
US-PATENT-3,700,893
c14 N73-12445 ..... NASA-CASE-LAR-10728-1
US-PATENT-APPL-SN-112998
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,700,897
c14 N73-12446 ..... NASA-CASE-NPO-11239
US-PATENT-APPL-SN-89211
US-PATENT-CLASS-356-106
US-PATENT-CLASS-356-114
US-PATENT-3,700,334
c14 N73-12447 ..... NASA-CASE-NPO-11493
US-PATENT-APPL-SN-151413
US-PATENT-CLASS-136-224
US-PATENT-3,700,503
c15 N73-12486 ..... NASA-CASE-KSC-10615
US-PATENT-APPL-SN-103078
US-PATENT-CLASS-62-7
US-PATENT-CLASS-62-45
US-PATENT-CLASS-244-1SB
US-PATENT-CLASS-244-135
US-PATENT-3,697,021
c15 N73-12487 ..... NASA-CASE-FRC-10019
US-PATENT-APPL-SN-880398
US-PATENT-CLASS-204-192
US-PATENT-3,700,575
c15 N73-12488 ..... NASA-CASE-ARC-10345-1
US-PATENT-APPL-SN-193671
US-PATENT-CLASS-74-5F
US-PATENT-CLASS-287-85R
US-PATENT-CLASS-308-2A
US-PATENT-3,700,291
c15 N73-12489 ..... NASA-CASE-MSC-12357
US-PATENT-APPL-SN-662763
US-PATENT-CLASS-264-28
US-PATENT-CLASS-264-36
US-PATENT-CLASS-264-40
US-PATENT-CLASS-264-102
US-PATENT-3,697,630
c15 N73-12492 ..... NASA-CASE-XLA-8914
US-PATENT-APPL-SN-810576
c15 N73-12495 ..... NASA-CASE-NPO-13086-1
US-PATENT-APPL-SN-292477
c15 N73-12496 ..... NASA-CASE-LAR-10961-1
US-PATENT-APPL-SN-308363
c17 N73-12547 ..... NASA-CASE-LAR-10539-1
US-PATENT-APPL-SN-136085
US-PATENT-CLASS-23-230R
US-PATENT-3,701,631
c18 N73-12604 ..... NASA-CASE-MFS-20408
US-PATENT-APPL-SN-71048
US-PATENT-CLASS-161-93
US-PATENT-3,700,538
c30 N73-12884 ..... NASA-CASE-MSC-12391
US-PATENT-APPL-SN-106465
US-PATENT-CLASS-244-155
US-PATENT-3,700,193
c02 N73-13008 ..... NASA-CASE-GSC-11077-1
US-PATENT-APPL-SN-127618
US-PATENT-CLASS-244-32
US-PATENT-3,698,667
c02 N73-13023 ..... NASA-CASE-LAR-10531-1
US-PATENT-APPL-SN-304720
c05 N73-13114 ..... NASA-CASE-MSC-13604-1
US-PATENT-APPL-SN-78717
US-PATENT-CLASS-35-22R
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-273-1E
US-PATENT-3,698,385
c06 N73-13128 ..... NASA-CASE-GSC-11214-1
US-PATENT-APPL-SN-115134
US-PATENT-CLASS-117-35R
US-PATENT-3,702,775
c06 N73-13129 ..... NASA-CASE-XNP-08124-2
US-PATENT-APPL-SN-97829
US-PATENT-CLASS-75-66
US-PATENT-3,702,762
c07 N73-13149 ..... NASA-CASE-NPO-11302-1
US-PATENT-APPL-SN-70967
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-181
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-146.1
US-PATENT-3,701,894
c08 N73-13187 ..... NASA-CASE-GSC-10975-1
US-PATENT-APPL-SN-100996
US-PATENT-CLASS-340-172.5
US-PATENT-3,702,463
c09 N73-13208 ..... NASA-CASE-LEW-11192-1
US-PATENT-APPL-SN-198285
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-5.38
US-PATENT-3,702,951
c09 N73-13209 ..... NASA-CASE-XLA-05099
US-PATENT-APPL-SN-98798
US-PATENT-CLASS-235-152
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-215
US-PATENT-3,700,868
c10 N73-13235 ..... NASA-CASE-KSC-10003
US-PATENT-APPL-SN-60883
US-PATENT-CLASS-178-DIG.6
US-PATENT-CLASS-178-6
US-PATENT-CLASS-307-242
US-PATENT-CLASS-307-259
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,702,898
c11 N73-13257 ..... NASA-CASE-LAR-10574-1
US-PATENT-APPL-SN-66206
US-PATENT-CLASS-244-1SS
US-PATENT-3,698,659
c14 N73-13415 ..... NASA-CASE-LAR-10855-1
US-PATENT-APPL-SN-166541
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-3,699,811
c14 N73-13416 ..... NASA-CASE-GSC-11302-1
US-PATENT-APPL-SN-168650
US-PATENT-CLASS-73-71.6
US-PATENT-3,699,807
c14 N73-13417 ..... NASA-CASE-XLE-05230-2
US-PATENT-APPL-SN-147099
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-29-573
US-PATENT-CLASS-29-624
US-PATENT-CLASS-136-233
US-PATENT-3,699,645
c14 N73-13418 ..... NASA-CASE-MFS-14216
US-PATENT-APPL-SN-50208
US-PATENT-CLASS-92-49
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-487.5
US-PATENT-3,698,412
c14 N73-13420 ..... NASA-CASE-NPO-11418-1
US-PATENT-APPL-SN-193947
US-PATENT-CLASS-333-81B
US-PATENT-CLASS-333-98R
US-PATENT-3,702,979
c14 N73-13435 ..... NASA-CASE-GSC-11533-1
US-PATENT-APPL-SN-305013
c15 N73-13462 ..... NASA-CASE-NFC-11479
US-PATENT-APPL-SN-170440
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-137-608
US-PATENT-CLASS-138-45

US-PATENT-CLASS-251-122
US-PATENT-3,700,005
c15 N73-13463 ..... NASA-CASE-MFS-20317
US-PATENT-APPL-SN-67730
US-PATENT-CLASS-72-447
US-PATENT-CLASS-72-476
US-PATENT-CLASS-173-131
US-PATENT-3,699,799
c15 N73-13464 ..... NASA-CASE-NPO-10812
US-PATENT-APPL-SN-129073
US-PATENT-CLASS-72-258
US-PATENT-CLASS-425-113
US-PATENT-CLASS-425-133
US-PATENT-CLASS-425-176
US-PATENT-3,698,848
c15 N73-13465 ..... NASA-CASE-LEW-10805-1
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-148-11.5R
US-PATENT-3,702-791
c15 N73-13466 ..... NASA-CASE-MFS-20944
US-PATENT-APPL-SN-148756
US-PATENT-CLASS-91-363A
US-PATENT-CLASS-91-448
US-PATENT-3,702,575
c15 N73-13467 ..... NASA-CASE-NPO-11369
US-PATENT-APPL-SN-129072
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-37
US-PATENT-3,702,532
c16 N73-13489 ..... NASA-CASE-HQN-10654-1
US-PATENT-APPL-SN-182978
US-PATENT-CLASS-324-.5R
US-PATENT-CLASS-331-94
US-PATENT-3,702,972
c18 N73-13562 ..... NASA-CASE-ARC-10196-1
US-PATENT-APPL-SN-115082
US-PATENT-CLASS-260-2.5F
US-PATENT-3,702,841
c21 N73-13643 ..... NASA-CASE-HQN-10703
US-PATENT-APPL-SN-156724
US-PATENT-CLASS-340-27NA
US-PATENT-CLASS-340-33
US-PATENT-CLASS-340-97
US-PATENT-CLASS-343-112CA
US-PATENT-3,699,511
c21 N73-13644 ..... NASA-CASE-NPO-11481
US-PATENT-APPL-SN-134571
US-PATENT-CLASS-74-5.22
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-340-174.1R
US-PATENT-CLASS-346-74MD
US-PATENT-CLASS-346-138
US-PATENT-3,697,968
c23 N73-13660 ..... NASA-CASE-MFS-20809
US-PATENT-APPL-SN-173185
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-315-169TV
US-PATENT-CLASS-317-101A
US-PATENT-3,700,961
c23 N73-13661 ..... NASA-CASE-MSC-12404-1
US-PATENT-APPL-SN-142662
US-PATENT-CLASS-356-106S
US-PATENT-3,702,735
c23 N73-13662 ..... NASA-CASE-MFS-20243
US-PATENT-APPL-SN-59894
US-PATENT-CLASS-250-51.5
US-PATENT-CLASS-250-52
US-PATENT-3,702,933
c28 N73-13773 ..... NASA-CASE-LEW-10374-1
US-PATENT-APPL-SN-107380
US-PATENT-CLASS-60-211
US-PATENT-CLASS-60-240
US-PATENT-CLASS-60-243
US-PATENT-CLASS-137-81.5
US-PATENT-3,702,536
c31 N73-13898 ..... NASA-CASE-LAR-10549-1
US-PATENT-APPL-SN-108824
US-PATENT-CLASS-60-291
US-PATENT-CLASS-244-139
US-PATENT-3,700,192
c32 N73-13921 ..... NASA-CASE-MSC-12233-2
US-PATENT-APPL-SN-107298
US-PATENT-CLASS-52-284
US-PATENT-CLASS-52-594
US-PATENT-CLASS-229-DIG.11
US-PATENT-3,702,520
c32 N73-13929 ..... NASA-CASE-LAR-11052-1
US-PATENT-APPL-SN-310611

c07 N73-14130 ..... NASA-CASE-NPO-11661
US-PATENT-APPL-SN-200682
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-915
US-PATENT-3,705,406
c09 N73-14214 ..... NASA-CASE-ARC-10467-1
US-PATENT-APPL-SN-212028
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-307-310
US-PATENT-CLASS-307-311
US-PATENT-3,705,316
c09 N73-14215 ..... NASA-CASE-IKS-00348
US-PATENT-APPL-SN-209802
US-PATENT-CLASS-40-130
US-PATENT-3,137,082
c14 N73-14427 ..... NASA-CASE-NPO-10758
US-PATENT-APPL-SN-81096
US-PATENT-CLASS-95-12.5
US-PATENT-CLASS-95-59
US-PATENT-CLASS-352-169
US-PATENT-3,704,659
c14 N73-14428 ..... NASA-CASE-NPO-10764-1
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-252-408
US-PATENT-3,700,603
c14 N73-14429 ..... NASA-CASE-NPO-11387
US-PATENT-APPL-SN-142719
US-PATENT-CLASS-73-57
US-PATENT-CLASS-73-60
US-PATENT-3,706,221
c15 N73-14469 ..... NASA-CASE-GSC-10791-1
US-PATENT-APPL-SN-84289
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-591
US-PATENT-CLASS-174-52S
US-PATENT-CLASS-317-234A
US-PATENT-CLASS-317-234G
US-PATENT-3,705,255
c18 N73-14584 ..... NASA-CASE-LAR-10894-1
US-PATENT-APPL-SN-189375
US-PATENT-CLASS-106-39R
US-PATENT-CLASS-106-55
US-PATENT-CLASS-106-58
US-PATENT-CLASS-106-63
US-PATENT-CLASS-264-DIG.36
US-PATENT-CLASS-264-65
US-PATENT-3,706,583
c21 N73-14692 ..... NASA-CASE-EEC-10392
US-PATENT-APPL-SN-36534
US-PATENT-CLASS-340-27AT
US-PATENT-3,706,970
c31 N73-14853 ..... NASA-CASE-GSC-10590-1
US-PATENT-APPL-SN-130353
US-PATENT-CLASS-102-49.5
US-PATENT-3,706,281
c31 N73-14854 ..... NASA-CASE-MSC-12433
US-PATENT-APPL-SN-103551
US-PATENT-CLASS-244-155
US-PATENT-3,702,688
c31 N73-14855 ..... NASA-CASE-NPO-10680
US-PATENT-APPL-SN-104048
US-PATENT-CLASS-74-2
US-PATENT-3,706,230
c09 N73-15235 ..... NASA-CASE-NPO-12106
US-PATENT-APPL-SN-175881
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235AG
US-PATENT-CLASS-317-235K
US-PATENT-CLASS-331-90
US-PATENT-CLASS-331-107G
US-PATENT-CLASS-331-177R
US-PATENT-3,694,771
c06 N73-16106 ..... NASA-CASE-LAR-10668-1
US-PATENT-APPL-SN-172459
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-250-71R
US-PATENT-CLASS-250-83.3DV
US-PATENT-3,709,663
c07 N73-16121 ..... NASA-CASE-NPO-11572
US-PATENT-APPL-SN-125234
US-PATENT-CLASS-179-15AN
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-60

US-PATENT-CLASS-343-200
US-PATENT-3,710,257
c10 N73-16205 ..... NASA-CASE-NPO-11282
US-PATENT-APPL-SN-101354
US-PATENT-CLASS-325-346
US-PATENT-CLASS-325-419
US-PATENT-3,710,261
c10 N73-16206 ..... NASA-CASE-ERC-10285
US-PATENT-APPL-SN-55333
US-PATENT-CLASS-331-45
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-853
US-PATENT-3,710,329
c14 N73-16483 ..... NASA-CASE-ERC-10226-1
US-PATENT-APPL-SN-124909
US-PATENT-APPL-SN-808822
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-215
US-PATENT-CLASS-250-217
US-PATENT-CLASS-315-153
US-PATENT-CLASS-340-25
US-PATENT-CLASS-340-27R
US-PATENT-3,708,671
c14 N73-16484 ..... NASA-CASE-LAR-10739-1
US-PATENT-APPL-SN-134567
US-PATENT-CLASS-250-217F
US-PATENT-CLASS-340-228S
US-PATENT-CLASS-340-418
US-PATENT-3,708,674
c16 N73-16536 ..... NASA-CASE-LAR-10311-1
US-PATENT-APPL-SN-31702
US-PATENT-CLASS-250-199
US-PATENT-CLASS-340-171
US-PATENT-CLASS-350-293
US-PATENT-3,710,122
c27 N73-16764 ..... NASA-CASE-NPO-12015
US-PATENT-APPL-SN-74862
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-36
US-PATENT-3,708,359
c33 N73-16918 ..... NASA-CASE-MSC-15567-1
US-PATENT-APPL-SN-87551
US-PATENT-CLASS-204-324
US-PATENT-CLASS-204-325
US-PATENT-CLASS-204-328
US-PATENT-3,708,419
c02 N73-19004 ..... NASA-CASE-ERC-10439
US-PATENT-APPL-SN-54271
US-PATENT-CLASS-244-17.13
US-PATENT-CLASS-244-77D
US-PATENT-CLASS-318-489
US-PATENT-3,711,042
c09 N73-19234 ..... NASA-CASE-GSC-11013-1
US-PATENT-APPL-SN-200717
US-PATENT-CLASS-343-754
US-PATENT-CLASS-343-839
US-PATENT-CLASS-343-854
US-PATENT-CLASS-343-895
US-PATENT-3,713,163
c09 N73-19235 ..... NASA-CASE-MFS-20407
US-PATENT-APPL-SN-116777
US-PATENT-CLASS-317-235AM
US-PATENT-CLASS-317-235N
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-317-235T
US-PATENT-CLASS-317-235UA
US-PATENT-3,714,526
c14 N73-19419 ..... NASA-CASE-LAR-10226-1
US-PATENT-APPL-SN-98774
US-PATENT-CLASS-95-11.5R
US-PATENT-CLASS-95-11R
US-PATENT-CLASS-250-217R
US-PATENT-3,712,195
c14 N73-19420 ..... NASA-CASE-MFS-20774
US-PATENT-APPL-SN-161028
US-PATENT-CLASS-73-84
US-PATENT-3,712,121
c14 N73-19421 ..... NASA-CASE-MFS-20242
US-PATENT-APPL-SN-213004
US-PATENT-CLASS-73-71.6
US-PATENT-3,712,120
c15 N73-19457 ..... NASA-CASE-MFS-20698-2
US-PATENT-APPL-SN-3418
US-PATENT-APPL-SN-136086
US-PATENT-CLASS-423-446
US-PATENT-CLASS-423-625
US-PATENT-3,714,332
c15 N73-19458 ..... NASA-CASE-LAR-10195-1
US-PATENT-APPL-SN-201782
US-PATENT-CLASS-259-4
US-PATENT-3,712,591
c21 N73-19630 ..... NASA-CASE-GSC-11188-2
US-PATENT-APPL-SN-244440
c28 N73-19793 ..... NASA-CASE-LEW-11187-1
US-PATENT-APPL-SN-147922
US-PATENT-CLASS-60-39.28R
US-PATENT-3,713,290
c28 N73-19819 ..... NASA-CASE-LAR-10951-1
US-PATENT-APPL-SN-331759
c03 N73-20039 ..... NASA-CASE-GSC-10814-1
US-PATENT-APPL-SN-41404
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-1SS
US-PATENT-3,715,092
c03 N73-20040 ..... NASA-CASE-NPO-11771
US-PATENT-APPL-SN-200762
US-PATENT-CLASS-60-26
US-PATENT-CLASS-244-1.55
US-PATENT-CLASS-250-212
US-PATENT-CLASS-250-234
US-PATENT-3,715,600
c05 N73-20137 ..... NASA-CASE-LAR-10076-1
US-PATENT-APPL-SN-84290
US-PATENT-CLASS-62-259
US-PATENT-CLASS-165-46
US-PATENT-CLASS-312-1
US-PATENT-3,713,480
c07 N73-20174 ..... NASA-CASE-GSC-10087-4
US-PATENT-APPL-SN-47440
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-5
US-PATENT-CLASS-325-7
US-PATENT-CLASS-325-8
US-PATENT-CLASS-325-9
US-PATENT-CLASS-325-12
US-PATENT-CLASS-325-17
US-PATENT-CLASS-325-63
US-PATENT-CLASS-343-179
US-PATENT-3,715,663
c07 N73-20175 ..... NASA-CASE-KSC-10698
US-PATENT-APPL-SN-213949
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-324-72
US-PATENT-3,715,660
c07 N73-20176 ..... NASA-CASE-KSC-10521
US-PATENT-APPL-SN-212921
US-PATENT-CLASS-340-146.1C
US-PATENT-CLASS-340-147R
US-PATENT-CLASS-340-163
US-PATENT-3,715,723
c08 N73-20217 ..... NASA-CASE-LAR-10128-1
US-PATENT-APPL-SN-84002
US-PATENT-CLASS-235-92FQ
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-340-347AD
US-PATENT-3,714,645
c09 N73-20231 ..... NASA-CASE-ARC-10264-1
US-PATENT-APPL-SN-80368
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-86
US-PATENT-CLASS-330-109
US-PATENT-3,714,588
c09 N73-20232 ..... NASA-CASE-MFS-21433
US-PATENT-APPL-SN-236281
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-304
US-PATENT-CLASS-330-20
US-PATENT-CLASS-330-22
US-PATENT-CLASS-330-30D
US-PATENT-CLASS-330-35
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-80T
US-PATENT-3,715,693
c10 N73-20253 ..... NASA-CASE-LAR-10310-1
US-PATENT-APPL-SN-147103
US-PATENT-CLASS-235-197
US-PATENT-3,714,405
c10 N73-20254 ..... NASA-CASE-NPO-11868
US-PATENT-APPL-SN-192101
US-PATENT-CLASS-307-221R
US-PATENT-CLASS-328-37
US-PATENT-CLASS-328-61
US-PATENT-CLASS-328-187
US-PATENT-3,718,863
c11 N73-20267 ..... NASA-CASE-MFS-21362

US-PATENT-APPL-SN-211411
US-PATENT-CLASS-73-432SD
US-PATENT-3,714,833
c14 N73-20474 ..... NASA-CASE-ERC-10350
US-PATENT-APPL-SN-55535
US-PATENT-CLASS-340-27R
US-PATENT-3,714,624
c14 N73-20475 ..... NASA-CASE-LAR-10726-1
US-PATENT-APPL-SN-146935
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-250-231
US-PATENT-3,714,432
c14 N73-20476 ..... NASA-CASE-MFS-20673
US-PATENT-APPL-SN-94049
US-PATENT-CLASS-73-90
US-PATENT-CLASS-73-91
US-PATENT-3,714,821
c14 N73-20477 ..... NASA-CASE-ARC-10443-1
US-PATENT-APPL-SN-128419
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,715,590
c14 N73-20478 ..... NASA-CASE-NPO-10985
US-PATENT-APPL-SN-74759
US-PATENT-CLASS-73-194E
US-PATENT-CLASS-324-30R
US-PATENT-CLASS-324-65P
US-PATENT-3,712,132
c15 N73-20514 ..... NASA-CASE-NPO-11213
US-PATENT-APPL-SN-78703
US-PATENT-CLASS-195-127
US-PATENT-3,713,987
c15 N73-20535 ..... NASA-CASE-LAR-11072-1
US-PATENT-APPL-SN-280030
c32 N73-20740 ..... NASA-CASE-LAR-10765-1
US-PATENT-APPL-SN-138230
US-PATENT-CLASS-73-88A
US-PATENT-CLASS-356-32
US-PATENT-3,715,915
c23 N73-20741 ..... NASA-CASE-ARC-10194-1
US-PATENT-APPL-SN-107659
US-PATENT-CLASS-350-202
US-PATENT-3,715,152
c31 N73-20880 ..... NASA-CASE-LAR-10788-1
US-PATENT-APPL-SN-340865
c07 N73-22076 ..... NASA-CASE-NPO-10166-1
US-PATENT-APPL-SN-192803
c27 N73-22710 ..... NASA-CASE-NPO-10893
US-PATENT-APPL-SN-845584
US-PATENT-CLASS-260-94.8
US-PATENT-3,634,383
c07 N73-24176 ..... NASA-CASE-NPO-11751
US-PATENT-APPL-SN-192141
US-PATENT-CLASS-343-DIG.2
US-PATENT-CLASS-343-915
US-PATENT-3,729,743
c07 N73-24187 ..... NASA-CASE-GSC-11388-1
US-PATENT-APPL-SN-306980
c14 N73-24472 ..... NASA-CASE-LEW-11072-1
US-PATENT-APPL-SN-104885
US-PATENT-CLASS-136-225
US-PATENT-3,729,343
c14 N73-24473 ..... NASA-CASE-MFS-20418
US-PATENT-APPL-SN-162101
US-PATENT-CLASS-128-206F
US-PATENT-CLASS-324-78E
US-PATENT-3,729,676
c15 N73-24513 ..... NASA-CASE-NPO-11417
US-PATENT-APPL-SN-120241
US-PATENT-CLASS-60-25
US-PATENT-CLASS-417-391
US-PATENT-3,732,040
c17 N73-24569 ..... NASA-CASE-LEW-10920-1
US-PATENT-APPL-SN-106424
US-PATENT-CLASS-204-192
US-PATENT-3,732,158
c28 N73-24783 ..... NASA-CASE-NPO-11880
US-PATENT-APPL-SN-209535
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-DIG.8
US-PATENT-CLASS-313-63
US-PATENT-CLASS-313-204
US-PATENT-CLASS-313-231
US-PATENT-3,728,861
c28 N73-24784 ..... NASA-CASE-NPO-11559
US-PATENT-APPL-SN-147996
US-PATENT-CLASS-60-254
US-PATENT-CLASS-60-256
US-PATENT-CLASS-102-49.7
US-PATENT-CLASS-102-49.8
US-PATENT-3,729,935
c05 N73-25125 ..... NASA-CASE-MFS-20332-2
US-PATENT-APPL-SN-195061
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-2-4.1A
US-PATENT-CLASS-128-142.5
US-PATENT-CLASS-137-538
US-PATENT-3,720,208
c07 N73-25160 ..... NASA-CASE-ARC-10097-2
US-PATENT-APPL-SN-115083
US-PATENT-APPL-SN-768662
US-PATENT-CLASS-325-45
US-PATENT-CLASS-325-61
US-PATENT-CLASS-325-113
US-PATENT-CLASS-325-139
US-PATENT-CLASS-340-207
US-PATENT-CLASS-340-258R
US-PATENT-3,719,891
c07 N73-25161 ..... NASA-CASE-NPO-11707
US-PATENT-APPL-SN-196399
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,729,736
c08 N73-25206 ..... NASA-CASE-NPO-11497
US-PATENT-APPL-SN-155565
US-PATENT-CLASS-235-10.2
US-PATENT-CLASS-235-92CV
US-PATENT-CLASS-235-92DN
US-PATENT-CLASS-235-92EA
US-PATENT-CLASS-235-92EV
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-151.27
US-PATENT-3,729,129
c10 N73-25240 ..... NASA-CASE-MSC-12428-1
US-PATENT-APPL-SN-170681
US-PATENT-CLASS-179-1SA
US-PATENT-CLASS-235-151.31
US-PATENT-CLASS-324-77E
US-PATENT-CLASS-324-78J
US-PATENT-3,732,405
c10 N73-25241 ..... NASA-CASE-GSC-11239-1
US-PATENT-APPL-SN-180683
US-PATENT-CLASS-325-67
US-PATENT-CLASS-325-363
US-PATENT-3,737,781
c10 N73-25243 ..... NASA-CASE-MFS-21919-1
US-PATENT-APPL-SN-193456
US-PATENT-CLASS-317-100
US-PATENT-CLASS-317-101DH
US-PATENT-3,735,206
c12 N73-25262 ..... NASA-CASE-LAR-10578-1
US-PATENT-APPL-SN-233098
US-PATENT-CLASS-73-147
US-PATENT-3,731,528
c14 N73-25460 ..... NASA-CASE-MFS-20916
US-PATENT-APPL-SN-212165
US-PATENT-CLASS-73-189
US-PATENT-3,731,531
c14 N73-25461 ..... NASA-CASE-KSC-10108
US-PATENT-APPL-SN-73922
US-PATENT-CLASS-343-6.8R
US-PATENT-CLASS-343-14
US-PATENT-CLASS-343-17.5
US-PATENT-3,732,567
c14 N73-25462 ..... NASA-CASE-NPO-11686
US-PATENT-APPL-SN-212900
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-214
US-PATENT-CLASS-250-214
US-PATENT-CLASS-356-152
US-PATENT-3,723,475
c14 N73-25463 ..... NASA-CASE-ARC-10278-1
US-PATENT-APPL-SN-154933
US-PATENT-CLASS-356-110
US-PATENT-3,729,260
c15 N73-25512 ..... NASA-CASE-LAR-10129-1
US-PATENT-APPL-SN-99201
US-PATENT-CLASS-24-134B
US-PATENT-CLASS-182-5
US-PATENT-CLASS-188-65.1
US-PATENT-CLASS-254-156
US-PATENT-3,729,068
c15 N73-25513 ..... NASA-CASE-GSC-11205-1
US-PATENT-APPL-SN-107376
US-PATENT-CLASS-188-266
US-PATENT-CLASS-244-138A
US-PATENT-3,737,118

c25 N73-25760 ..... NASA-CASE-LEW-11180-1
US-PATENT-APPL-SN-175852
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-161
US-PATENT-CLASS-313-231
US-PATENT-3,735,591
c33 N73-25952 ..... NASA-CASE-LEW-10359-2
US-PATENT-APPL-SN-47063
US-PATENT-APPL-SN-150215
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-CLASS-102-105
US-PATENT-CLASS-244-117A
US-PATENT-3,720,075
c02 N73-26004 ..... NASA-CASE-LAR-10682-1
US-PATENT-APPL-SN-127915
US-PATENT-CLASS-244-75A
US-PATENT-CLASS-244-76C
US-PATENT-CLASS-244-77F
US-PATENT-CLASS-244-77G
US-PATENT-3,734,432
c02 N73-26005 ..... NASA-CASE-ARC-10470-1
US-PATENT-APPL-SN-206279
US-PATENT-CLASS-244-13
US-PATENT-CLASS-244-46
US-PATENT-CLASS-244-55
US-PATENT-3,737,121
c02 N73-26006 ..... NASA-CASE-MSC-12393-1
US-PATENT-APPL-SN-203405
US-PATENT-CLASS-9-2A
US-PATENT-CLASS-9-3
US-PATENT-CLASS-9-11A
US-PATENT-CLASS-114-122
US-PATENT-3,736,607
c02 N73-26008 ..... NASA-CASE-LAR-11087-1
US-PATENT-APPL-SN-367267
c05 N73-26071 ..... NASA-CASE-ARC-10599-1
US-PATENT-APPL-SN-247481
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-62-89
US-PATENT-CLASS-62-176
US-PATENT-CLASS-62-207
US-PATENT-CLASS-62-209
US-PATENT-CLASS-62-259
US-PATENT-CLASS-165-46
US-PATENT-3,736,764
c05 N73-26072 ..... NASA-CASE-ARC-10329-1
US-PATENT-APPL-SN-159857
US-PATENT-CLASS-128-2.1R
US-PATENT-CLASS-351-23
US-PATENT-CLASS-351-30
US-PATENT-CLASS-351-36
US-PATENT-3,737,217
c06 N73-26100 ..... NASA-CASE-GSC-11358-1
US-PATENT-APPL-SN-226551
US-PATENT-CLASS-260-46.5R
US-PATENT-3,733,350
c07 N73-26117 ..... NASA-CASE-KSC-10392
US-PATENT-APPL-SN-181024
US-PATENT-CLASS-343-880
US-PATENT-CLASS-343-883
US-PATENT-CLASS-343-889
US-PATENT-CLASS-343-895
US-PATENT-3,737,912
c07 N73-26118 ..... NASA-CASE-NPO-11548
US-PATENT-APPL-SN-151411
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15BM
US-PATENT-CLASS-325-40
US-PATENT-CLASS-343-204
US-PATENT-3,737,776
c07 N73-26119 ..... NASA-CASE-NPO-11426
US-PATENT-APPL-SN-89210
US-PATENT-CLASS-250-199
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-CLASS-356-4
US-PATENT-CLASS-356-5
US-PATENT-3,737,231
c08 N73-26175 ..... NASA-CASE-NPO-11821-1
US-PATENT-APPL-SN-236285
US-PATENT-CLASS-235-152
US-PATENT-CLASS-235-164
US-PATENT-CLASS-328-167
US-PATENT-3,732,409
c08 N73-26176 ..... NASA-CASE-NPO-11456
US-PATENT-APPL-SN-153543
US-PATENT-CLASS-340-172.5
US-PATENT-3,740,725
c09 N73-26195 ..... NASA-CASE-GSC-10990-1
US-PATENT-APPL-SN-93329
US-PATENT-CLASS-333-73B
US-PATENT-CLASS-333-73S
US-PATENT-CLASS-333-82A
US-PATENT-CLASS-333-84R
US-PATENT-3,737,815
c10 N73-26228 ..... NASA*CASE-ERC-10403-1
US-PATENT-APPL-SN-253405
US-PATENT-CLASS-317-DIG.6
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-45C
US-PATENT-3,737,757
c10 N73-26229 ..... NASA-CASE-NPO-11569
US-PATENT-APPL-SN-199957
US-PATENT-CLASS-307-220
US-PATENT-CLASS-307-233
US-PATENT-3,737,676
c10 N73-26230 ..... NASA-CASE-MSC-13907-1
US-PATENT-APPL-SN-254177
US-PATENT-CLASS-235-186
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-3,737,639
c11 N73-26238 ..... NASA-CASE-NPO-11366
US-PATENT-APPL-SN-144139
US-PATENT-CLASS-180-6.5
US-PATENT-CLASS-180-7R
US-PATENT-CLASS-180-8A
US-PATENT-CLASS-180-9.2R
US-PATENT-CLASS-180-9.5
US-PATENT-CLASS-180-41
US-PATENT-CLASS-305-35BB
US-PATENT-CLASS-305-39
US-PATENT-3,730,287
c14 N73-26430 ..... NASA-CASE-NPO-11304
US-PATENT-APPL-SN-101214
US-PATENT-CLASS-219-50
US-PATENT-CLASS-219-499
US-PATENT-3,733,463
c14 N73-26431 ..... NASA-CASE-MSC-12363-1
US-PATENT-APPL-SN-125236
US-PATENT-CLASS-95-1.1
US-PATENT-3,736,849
c14 N73-26432 ..... NASA-CASE-ERC-10276
US-PATENT-APPL-SN-24155
US-PATENT-CLASS-250-209
US-PATENT-CLASS-340-15.5GC
US-PATENT-CLASS-343-100ME
US-PATENT-3,737,905
c15 N73-26472 ..... NASA-CASE-KSC-10639
US-PATENT-APPL-SN-181023
US-PATENT-CLASS-137-397
US-PATENT-CLASS-137-582
US-PATENT-3,736,956
c18 N73-26572 ..... NASA-CASE-ARC-10304-1
US-PATENT-APPL-SN-140946
US-PATENT-CLASS-252-8.1
US-PATENT-3,730,891
c26 N73-26751 ..... NASA-CASE-MFS-20675
US-PATENT-APPL-SN-200085
US-PATENT-CLASS-250-219TH
US-PATENT-CLASS-356-108
US-PATENT-CLASS-356-161
US-PATENT-CLASS-356-202
US-PATENT-3,737,237
c26 N73-26752 ..... NASA-CASE-LEW-11726-1
US-PATENT-APPL-SN-280031
US-PATENT-CLASS-29-599
US-PATENT-CLASS-156-18
US-PATENT-CLASS-174-DIG.6
US-PATENT-CLASS-336-DIG.1
US-PATENT-CLASS-336-200
US-PATENT-3,737,824
c31 N73-26876 ..... NASA-CASE-MFS-20863
US-PATENT-APPL-SN-159966
US-PATENT-CLASS-244-15D
US-PATENT-CLASS-244-137P
US-PATENT-3,737,117
c32 N73-26910 ..... NASA-CASE-LAR-10756-1
US-PATENT-APPL-SN-160859
US-PATENT-CLASS-73-67.3
US-PATENT-CLASS-73-88.5R
US-PATENT-CLASS-73-91
US-PATENT-CLASS-235-92MT
US-PATENT-3,733,424
c33 N73-26958 ..... NASA-CASE-NPO-11330

US-PATENT-APPL-SN-118269
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-316
US-PATENT-3,737,181
c04 N73-27052 ..... NASA-CASE-GSC-11092-2
US-PATENT-APPL-SN-60950
US-PATENT-APPL-SN-139250
US-PATENT-CLASS-103.5R
US-PATENT-3,745,090
c05 N73-27062 ..... NASA-CASE-LEW-11669-1
US-PATENT-APPL-SN-198885
US-PATENT-CLASS-32-28
US-PATENT-CLASS-32-58
US-PATENT-CLASS-128-2
US-PATENT-CLASS-128-24A
US-PATENT-CLASS-128-305
US-PATENT-3,736,938
c06 N73-27086 ..... NASA-CASE-GSC-10225-1
US-PATENT-APPL-SN-710621
US-PATENT-CLASS-195-66R
US-PATENT-3,745,089
c09 N73-27150 ..... NASA-CASE-ERC-10224-2
US-PATENT-APPL-SN-221833
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-580
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-234L
US-PATENT-CLASS-317-234M
US-PATENT-CLASS-317-234N
US-PATENT-CLASS-317-234R
US-PATENT-3,742,316
c10 N73-27171 ..... NASA-CASE-NPO-11941-1
US-PATENT-APPL-SN-241614
US-PATENT-CLASS-330-70CR
US-PATENT-CLASS-331-17
US-PATENT-CLASS-331-25
US-PATENT-3,740,671
c14 N73-27376 ..... NASA-CASE-HQN-10037-1
US-PATENT-APPL-SN-235957
US-PATENT-CLASS-73-28
US-PATENT-3,741,001
c14 N73-27377 ..... NASA-CASE-MFS-21046-1
US-PATENT-APPL-SN-156725
US-PATENT-CLASS-35-12C
US-PATENT-CLASS-272-73
US-PATENT-3,744,794
c14 N73-27378 ..... NASA-CASE-KSC-10626
US-PATENT-APPL-SN-180963
US-PATENT-CLASS-222-414
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-244-135
US-PATENT-3,744,738
c14 N73-27379 ..... NASA-CASE-ERC-10060-1
US-PATENT-APPL-SN-189290
US-PATENT-CLASS-73-1DV
US-PATENT-CLASS-179-175.1A
US-PATENT-CLASS-340-5C
US-PATENT-3,744,294
c15 N73-27405 ..... NASA-CASE-MFS-20855
US-PATENT-APPL-SN-127647
US-PATENT-CLASS-53-22A
US-PATENT-CLASS-53-112A
US-PATENT-CLASS-219-348
US-PATENT-3,745,739
c15 N73-27406 ..... NASA-CASE-NPO-11377
US-PATENT-APPL-SN-187262
US-PATENT-CLASS-137-1
US-PATENT-CLASS-137-154
US-PATENT-CLASS-137-604
US-PATENT-3,744,510
c15 N73-27407 ..... NASA-CASE-KSC-10752-1
US-PATENT-APPL-SN-372143
c17 N73-27446 ..... NASA-CASE-LAR-10953-1
US-PATENT-APPL-SN-163152
US-PATENT-CLASS-23-230R
US-PATENT-3,744,972
c27 N73-27695 ..... NASA-CASE-LEW-11071-1
US-PATENT-APPL-SN-370581
c28 N73-27699 ..... NASA-CASE-XLE-10453-2
US-PATENT-APPL-SN-180473
US-PATENT-APPL-SN-758540
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-63
US-PATENT-CLASS-313-217
US-PATENT-CLASS-313-218
US-PATENT-CLASS-313-230
US-PATENT-CLASS-313-355
US-PATENT-3,744,247
c33 N73-27796 ..... NASA-CASE-LAR-10439-1
US-PATENT-APPL-SN-182033
US-PATENT-CLASS-73-86
US-PATENT-CLASS-73-339
US-PATENT-CLASS-73-432R
US-PATENT-CLASS-356-72
US-PATENT-3,745,816
c05 N73-27941 ..... NASA-CASE-MFS-21109-1
US-PATENT-APPL-SN-202769
US-PATENT-CLASS-73-379
US-PATENT-CLASS-128-2.05R
US-PATENT-CLASS-128-2.06R
US-PATENT-CLASS-272-73
US-PATENT-3,744,480
c06 N73-27980 ..... NASA-CASE-LEW-11325-1
US-PATENT-APPL-SN-184960
US-PATENT-CLASS-117-161P
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-117-228
US-PATENT-CLASS-161-214
US-PATENT-CLASS-161-227
US-PATENT-CLASS-260-30.2
US-PATENT-CLASS-260-30.8DS
US-PATENT-CLASS-260-32.6N
US-PATENT-CLASS-260-33.4R
US-PATENT-CLASS-260-33.6R
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-65
US-PATENT-CLASS-260-78TF
US-PATENT-CLASS-260-780A
US-PATENT-3,745,149
c07 N73-28012 ..... NASA-CASE-NPO-11593-1
US-PATENT-APPL-SN-172807
US-PATENT-CLASS-179-15FS
US-PATENT-CLASS-325-419
US-PATENT-CLASS-329-122
US-PATENT-3,745,255
c07 N73-28013 ..... NASA-CASE-GSC-11046-1
US-PATENT-APPL-SN-182399
US-PATENT-CLASS-343-725
US-PATENT-CLASS-343-729
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-803
US-PATENT-CLASS-343-893
US-PATENT-3,747,111
c08 N73-28045 ..... NASA-CASE-XNP-00477
US-PATENT-APPL-SN-175497
US-PATENT-CLASS-340-347
US-PATENT-3,219,997
c09 N73-28083 ..... NASA-CASE-GSC-11215-1
US-PATENT-APPL-SN-114873
US-PATENT-CLASS-29-628
US-PATENT-CLASS-29-629
US-PATENT-CLASS-29-630
US-PATENT-CLASS-29-630A
US-PATENT-3,744,128
c09 N73-28084 ..... NASA-CASE-XNP-03623
US-PATENT-APPL-SN-471154
US-PATENT-CLASS-178-69.5
US-PATENT-3,402,265
c12 N73-28144 ..... NASA-CASE-LAR-10612-1
US-PATENT-APPL-SN-233173
US-PATENT-CLASS-73-147
US-PATENT-3,744,305
c14 N73-28486 ..... NASA-CASE-NPO-11749
US-PATENT-APPL-SN-175267
US-PATENT-CLASS-73-15R
US-PATENT-CLASS-324-52
US-PATENT-3,737,762
c14 N73-28488 ..... NASA-CASE-LEW-11159-1
US-PATENT-APPL-SN-104346
US-PATENT-CLASS-250-336
US-PATENT-CLASS-307-308
US-PATENT-3,745,357
c14 N73-28489 ..... NASA-CASE-GSC-11074-1
US-PATENT-APPL-SN-198362
US-PATENT-CLASS-34-155
US-PATENT-CLASS-34-160
US-PATENT-CLASS-34-162
US-PATENT-3,744,148
c14 N73-28490 ..... NASA-CASE-GSC-11444-1
US-PATENT-APPL-SN-229128
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-214R
US-PATENT-CLASS-356-141
US-PATENT-3,744,913
c14 N73-28491 ..... NASA-CASE-XNP-05231
US-PATENT-APPL-SN-524746
US-PATENT-CLASS-250-51.5

US-PATENT-3,440,419
c14 N73-28499 ..... NASA-CASE-GSC-11690-1
US-PATENT-APPL-SN-379290
c15 N73-28515 ..... NASA-CASE-LEW-10533-1
US-PATENT-APPL-SN-134658
US-PATENT-CLASS-27-498
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-219-62
US-PATENT-CLASS-219-107
US-PATENT-3,745,300
c15 N73-28516 ..... NASA-CASE-XNP-01187
US-PATENT-APPL-SN-155598
US-PATENT-CLASS-317-158
US-PATENT-3,244,943
c17 N73-28573 ..... NASA-CASE-XNP-08876
US-PATENT-APPL-SN-527331
US-PATENT-CLASS-75-66
US-PATENT-3,419,384
c22 N73-28660 ..... NASA-CASE-LEW-11645-2
US-PATENT-APPL-SN-376258
c26 N73-28710 ..... NASA-CASE-XNP-01185
US-PATENT-APPL-SN-155595
US-PATENT-CLASS-317-158
US-PATENT-3,198,994
c05 N73-30078 ..... NASA-CASE-MFS-21010-1
US-PATENT-APPL-SN-251609
US-PATENT-CLASS-73-379
US-PATENT-3,750,479
c06 N73-30097 ..... NASA-CASE-LAR-10670-1
US-PATENT-APPL-SN-59892
US-PATENT-CLASS-60-215
US-PATENT-CLASS-149-1
US-PATENT-CLASS-149-36
US-PATENT-CLASS-252-301.4
US-PATENT-CLASS-252-305
US-PATENT-3,751,913
c06 N73-30098 ..... NASA-CASE-MFS-21040-1
US-PATENT-APPL-SN-183240
US-PATENT-CLASS-260-485F
US-PATENT-3,752,847
c06 N73-30099 ..... NASA-CASE-MFS-10512
US-PATENT-APPL-SN-606027
US-PATENT-CLASS-260-77.5
US-PATENT-3,463,761
c06 N73-30100 ..... NASA-CASE-MFS-10506
US-PATENT-APPL-SN-606036
US-PATENT-CLASS-260-77.5
US-PATENT-3,463,762
c06 N73-30101 ..... NASA-CASE-MFS-10507
US-PATENT-APPL-SN-605994
US-PATENT-CLASS-260-615
US-PATENT-3,452,103
c06 N73-30102 ..... NASA-CASE-MFS-11492
US-PATENT-APPL-SN-707440
US-PATENT-CLASS-260-2
US-PATENT-3,577,356
c06 N73-30103 ..... NASA-CASE-MFS-10509
US-PATENT-APPL-SN-605964
US-PATENT-CLASS-260-77.5
US-PATENT-3,475,384
c07 N73-30113 ..... NASA-CASE-NPO-11628-1
US-PATENT-APPL-SN-207211
US-PATENT-CLASS-325-420
US-PATENT-CLASS-325-422
US-PATENT-CLASS-329-120
US-PATENT-3,746,998
c07 N73-30115 ..... NASA-CASE-KSC-10654-1
US-PATENT-APPL-SN-250766
US-PATENT-CLASS-178-DIG.23
US-PATENT-CLASS-178-6.6DD
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-179-15BS
US-PATENT-3,749,831
c08 N73-30135 ..... NASA-CASE-NPO-10817-1
US-PATENT-APPL-SN-82649
US-PATENT-CLASS-250-229
US-PATENT-CLASS-250-237R
US-PATENT-CLASS-250-239
US-PATENT-3,745,352
c09 N73-30181 ..... NASA-CASE-MFS-21214-1
US-PATENT-APPL-SN-235269
US-PATENT-CLASS-313-161
US-PATENT-CLASS-315-248
US-PATENT-CLASS-315-324
US-PATENT-3,745,410
c09 N73-30185 ..... NASA-CASE-NPO-11738-1
US-PATENT-APPL-SN-235295
US-PATENT-CLASS-335-296
US-PATENT-CLASS-335-297
US-PATENT-3,750,067
c10 N73-30205 ..... NASA-CASE-NPO-11307-1
US-PATENT-APPL-SN-169671
US-PATENT-CLASS-340-277
US-PATENT-CLASS-340-279
US-PATENT-3,750,131
c14 N73-30386 ..... NASA-CASE-MFS-20658-1
US-PATENT-APPL-SN-205675
US-PATENT-CLASS-324-79D
US-PATENT-CLASS-328-48
US-PATENT-CLASS-328-129
US-PATENT-CLASS-328-134
US-PATENT-3,745,475
c14 N73-30388 ..... NASA-CASE-NPO-11291-1
US-PATENT-APPL-SN-116790
US-PATENT-CLASS-324-29.5
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-62R
US-PATENT-CLASS-324-95
US-PATENT-3,750,016
c14 N73-30389 ..... NASA-CASE-MFS-20546-2
US-PATENT-APPL-SN-11220
US-PATENT-APPL-SN-51317
US-PATENT-CLASS-250-65R
US-PATENT-CLASS-250-105
US-PATENT-3,749,911
c14 N73-30390 ..... NASA-CASE-XGS-07752
US-PATENT-APPL-SN-533659
US-PATENT-CLASS-73-4
US-PATENT-3,395,565
c14 N73-30391 ..... NASA-CASE-XLA-05087
US-PATENT-APPL-SN-459407
US-PATENT-CLASS-315-111
US-PATENT-3,394,286
c14 N73-30392 ..... NASA-CASE-MFS-21441-1
US-PATENT-APPL-SN-231662
US-PATENT-CLASS-250-394
US-PATENT-CLASS-250-518
US-PATENT-3,752,986
c14 N73-30393 ..... NASA-CASE-GSC-11487-1
US-PATENT-APPL-SN-193814
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-199
US-PATENT-CLASS-350-204
US-PATENT-3,752,559
c14 N73-30394 ..... NASA-CASE-LAR-10000
US-PATENT-APPL-SN-613235
US-PATENT-CLASS-73-398
US-PATENT-3,446,075
c14 N73-30395 ..... NASA-CASE-LAR-10623-1
US-PATENT-APPL-SN-214086
US-PATENT-CLASS-15-415
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-421.5R
US-PATENT-3,748,905
c15 N73-30457 ..... NASA-CASE-GSC-11149-1
US-PATENT-APPL-SN-152849
US-PATENT-CLASS-29-452
US-PATENT-CLASS-81-57.38
US-PATENT-CLASS-254-29A
US-PATENT-3,749,362
c15 N73-30458 ..... NASA-CASE-LEW-11087-1
US-PATENT-APPL-SN-201904
US-PATENT-CLASS-308-188
US-PATENT-CLASS-308-193
US-PATENT-3,751,123
c15 N73-30459 ..... NASA-CASE-MSC-13587-1
US-PATENT-APPL-SN-206698
US-PATENT-CLASS-137-516.27
US-PATENT-CLASS-137-535
US-PATENT-3,749,123
c15 N73-30460 ..... NASA-CASE-HQN-10638-1
US-PATENT-APPL-SN-212977
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-297-386
US-PATENT-3,749,205
c16 N73-30476 ..... NASA-CASE-MFS-20823-1
US-PATENT-APPL-SN-175981
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-108
US-PATENT-CLASS-356-109
US-PATENT-3,744,912
c18 N73-30532 ..... NASA-CASE-ERC-10339-1
US-PATENT-APPL-SN-43883
US-PATENT-CLASS-156-285
US-PATENT-3,745,082
c21 N73-30640 ..... NASA-CASE-GSC-10890-1
US-PATENT-APPL-SN-111998

US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-236
US-PATENT-3,752,993
c21 N73-30641 ..... NASA-CASE-LAR-10717-1
US-PATENT-APPL-SN-242028
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-112CA
US-PATENT-3,750,168
c23 N73-30665 ..... NASA-CASE-LEW-11326-1
US-PATENT-APPL-SN-192970
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-60-39.66
US-PATENT-CLASS-60-39.72
US-PATENT-CLASS-60-39.74R
US-PATENT-CLASS-431-9
US-PATENT-CLASS-431-173
US-PATENT-3,748,853
c23 N73-30666 ..... NASA-CASE-GSC-11296-1
US-PATENT-APPL-SN-228190
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-162SF
US-PATENT-3,752,564
c31 N73-30829 ..... NASA-CASE-GSC-11018-1
US-PATENT-APPL-SN-244523
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-47
US-PATENT-CLASS-165-96
US-PATENT-CLASS-165-105
US-PATENT-CLASS-244-1SS
US-PATENT-3,749,156
c03 N73-31988 ..... NASA-CASE-MSC-12396-1
US-PATENT-APPL-SN-258331
US-PATENT-CLASS-307-18
US-PATENT-CLASS-307-28
US-PATENT-CLASS-307-29
US-PATENT-CLASS-307-38
US-PATENT-3,755,686
c05 N73-32011 ..... NASA-CASE-GSC-11169-2
US-PATENT-APPL-SN-60882
US-PATENT-APPL-SN-139094
US-PATENT-CLASS-195-127
US-PATENT-3,756,920
c05 N73-32012 ..... NASA-CASE-MSC-12609-1
US-PATENT-APPL-SN-750031
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-81
US-PATENT-CLASS-128-1A
US-PATENT-3,751,727
c05 N73-32013 ..... NASA-CASE-MFS-16570-1
US-PATENT-APPL-SN-228150
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-6
US-PATENT-CLASS-3-12
US-PATENT-3,751,733
c05 N73-32014 ..... NASA-CASE-MSC-11561-1
US-PATENT-APPL-SN-146940
US-PATENT-CLASS-91-186
US-PATENT-CLASS-137-535
US-PATENT-CLASS-272-DIG.1
US-PATENT-CLASS-272-DIG.4
US-PATENT-CLASS-272-DIG.5
US-PATENT-CLASS-272-79C
US-PATENT-3,758,112
c05 N73-32015 ..... NASA-CASE-MSC-13436-1
US-PATENT-APPL-SN-173190
US-PATENT-CLASS-73-194E
US-PATENT-CLASS-73-194M
US-PATENT-CLASS-128-2.07
US-PATENT-CLASS-128-2.08
US-PATENT-3,759,249
c06 N73-32029 ..... NASA-CASE-NPO-10998-1
NASA-CASE-NPO-10999-1
US-PATENT-APPL-SN-145027
US-PATENT-CLASS-252-431N
US-PATENT-CLASS-252-431R
US-PATENT-CLASS-260-47UP
US-PATENT-CLASS-260-93.5A
US-PATENT-CLASS-260-93.5S
US-PATENT-CLASS-260-94.2M
US-PATENT-CLASS-260-94.2R
US-PATENT-CLASS-260-94.7R
US-PATENT-CLASS-260-567.6M
US-PATENT-3,755,283
c06 N73-32030 ..... NASA-CASE-MFS-20979-2
US-PATENT-APPL-SN-100774
US-PATENT-APPL-SN-219590
US-PATENT-CLASS-260-448.2D
US-PATENT-3,763,204
c08 N73-32081 ..... NASA-CASE-MSC-12458-1
US-PATENT-APPL-SN-188927
US-PATENT-CLASS-235-151.IE
US-PATENT-CLASS-340-347DA
US-PATENT-3,754,236
c09 N73-32107 ..... NASA-CASE-MFS-20207-1
US-PATENT-APPL-SN-239574
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-328
US-PATENT-3,757,183
c09 N73-32108 ..... NASA-CASE-GSC-11368-1
US-PATENT-APPL-SN-237029
US-PATENT-CLASS-136-24
US-PATENT-3,759,746
c09 N73-32109 ..... NASA-CASE-GSC-11394-1
US-PATENT-APPL-SN-292698
US-PATENT-CLASS-136-89
US-PATENT-CLASS-250-212
US-PATENT-CLASS-321-1.5
US-PATENT-3,760,257
c09 N73-32110 ..... NASA-CASE-KSC-10729-1
US-PATENT-APPL-SN-221714
US-PATENT-CLASS-343-112R
US-PATENT-CLASS-343-113R
US-PATENT-3,754,263
c09 N73-32111 ..... NASA-CASE-ARC-10463-1
US-PATENT-APPL-SN-241615
US-PATENT-CLASS-331-94.5
US-PATENT-3,753,148
c09 N73-32112 ..... NASA-CASE-ARC-10330-1
US-PATENT-APPL-SN-151412
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-317-235AB
US-PATENT-3,760,239
c10 N73-32143 ..... NASA-CASE-MSC-13746-1
US-PATENT-APPL-SN-226476
US-PATENT-CLASS-178-18
US-PATENT-3,758,718
c10 N73-32144 ..... NASA-CASE-NPO-11703-1
US-PATENT-APPL-SN-223560
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-173
US-PATENT-CLASS-340-223
US-PATENT-CLASS-340-415
US-PATENT-3,760,394
c10 N73-32145 ..... NASA-CASE-MFS-21465-1
US-PATENT-APPL-SN-218965
US-PATENT-CLASS-307-271
US-PATENT-CLASS-318-230
US-PATENT-CLASS-318-231
US-PATENT-CLASS-318-341
US-PATENT-CLASS-331-135
US-PATENT-3,760,248
c11 N73-32152 ..... NASA-CASE-MSC-13789-1
US-PATENT-APPL-SN-166487
US-PATENT-CLASS-89-8
US-PATENT-CLASS-102-95
US-PATENT-CLASS-188-1C
US-PATENT-3,763,740
c14 N73-32317 ..... NASA-CASE-NPO-12128-1
US-PATENT-APPL-SN-841845
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-207
US-PATENT-CLASS-313-104
US-PATENT-3,758,781
c14 N73-32318 ..... NASA-CASE-KSC-10730-1
US-PATENT-APPL-SN-248469
US-PATENT-CLASS-324-72
US-PATENT-3,760,268
c14 N73-32319 ..... NASA-CASE-KSC-10728-1
US-PATENT-APPL-SN-292682
US-PATENT-CLASS-95-11
US-PATENT-CLASS-95-11.5
US-PATENT-3,759,152
c14 N73-32320 ..... NASA-CASE-GSC-11188-1
US-PATENT-APPL-SN-80029
US-PATENT-APPL-SN-244440
US-PATENT-CLASS-29-195Y
US-PATENT-3,759,672
c14 N73-32321 ..... NASA-CASE-XNP-05530
NASA-CASE-XNP-06933
US-PATENT-APPL-SN-488381
US-PATENT-CLASS-73-81
US-PATENT-3,379,052
c14 N73-32322 ..... NASA-CASE-LAR-10319-1
US-PATENT-APPL-SN-197870
US-PATENT-CLASS-95-42

US-PATENT-CLASS-346-110
US-PATENT-3,757,659
c14 N73-32323 ..... NASA-CASE-LAR-10440-1
US-PATENT-APPL-SN-229413
US-PATENT-CLASS-73-94
US-PATENT-CLASS-73-103
US-PATENT-3,757,568
c14 N73-32324 ..... NASA-CASE-LAR-02743
US-PATENT-APPL-SN-404212
US-PATENT-CLASS-313-7
US-PATENT-3,310,699
c14 N73-32325 ..... NASA-CASE-XNP-04231
US-PATENT-APPL-SN-362261
US-PATENT-CLASS-250-41.9
US-PATENT-3,334,225
c14 N73-32326 ..... NASA-CASE-ARC-10362-1
US-PATENT-APPL-SN-198289
US-PATENT-CLASS-73-194EM
US-PATENT-CLASS-128-2.05F
US-PATENT-3,751,980
c14 N73-32327 ..... NASA-CASE-LAR-10483-1
US-PATENT-APPL-SN-184090
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-170R
US-PATENT-3,763,691
c15 N73-32358 ..... NASA-CASE-LEW-11388-1
US-PATENT-APPL-SN-289033
US-PATENT-CLASS-29-497
US-PATENT-CLASS-219-91
US-PATENT-CLASS-219-117
US-PATENT-3,758,741
c15 N73-32359 ..... NASA-CASE-LEW-11152-1
US-PATENT-APPL-SN-198379
US-PATENT-CLASS-308-9
US-PATENT-CLASS-308-35
US-PATENT-3,759,588
c15 N73-32360 ..... NASA-CASE-GSC-11163-1
US-PATENT-APPL-SN-205047
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-72-53
US-PATENT-CLASS-117-66
US-PATENT-CLASS-117-105
US-PATENT-CLASS-117-105.5
US-PATENT-CLASS-117-130R
US-PATENT-CLASS-117-138.8R
US-PATENT-CLASS-117-151
US-PATENT-CLASS-117-160R
US-PATENT-3,754,976
c15 N73-32361 ..... NASA-CASE-XNP-01188
US-PATENT-APPL-SN-155596
US-PATENT-CLASS-317-158
US-PATENT-3,262,025
c15 N73-32362 ..... NASA-CASE-XNP-07169
US-PATENT-APPL-SN-486884
US-PATENT-CLASS-175-26
US-PATENT-3,375,885
c15 N73-32371 ..... NASA-CASE-LAR-10941-2
US-PATENT-APPL-SN-395493
c16 N73-32391 ..... NASA-CASE-GSC-11222-1
US-PATENT-APPL-SN-251621
US-PATENT-CLASS-307-157
US-PATENT-CLASS-315-DIG.2
US-PATENT-CLASS-315-101
US-PATENT-CLASS-315-258
US-PATENT-CLASS-315-356
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5
US-PATENT-3,758,877
c17 N73-32414 ..... NASA-CASE-LEW-11267-1
US-PATENT-APPL-SN-190316
US-PATENT-CLASS-29-196.2
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-3,762,884
c17 N73-32415 ..... NASA-CASE-LEW-10436-1
US-PATENT-APPL-SN-221093
US-PATENT-CLASS-73-170
US-PATENT-CLASS-75-171
US-PATENT-3,762,918
c18 N73-32437 ..... NASA-CASE-HFS-20861-1
US-PATENT-APPL-SN-160860
US-PATENT-CLASS-75-135
US-PATENT-3,752,665
c22 N73-32528 ..... NASA-CASE-XLE-00209
US-PATENT-APPL-SN-60276
US-PATENT-CLASS-176-169
US-PATENT-3,759,787
c23 N73-32538 ..... NASA-CASE-LAR-10385-3
US-PATENT-APPL-SN-370999
c23 N73-32542 ..... NASA-CASE-ARC-10749-1
US-PATENT-APPL-SN-402866
c26 N73-32571 ..... NASA-CASE-LEW-11015
US-PATENT-APPL-SN-235266
US-PATENT-CLASS-29-599
US-PATENT-CLASS-174-DIG.6
US-PATENT-CLASS-174-126CP
US-PATENT-CLASS-335-216
US-PATENT-3,763,552
c28 N73-32606 ..... NASA-CASE-NPO-12070-1
US-PATENT-APPL-SN-153542
US-PATENT-CLASS-60-267
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-141
US-PATENT-CLASS-165-185
US-PATENT-CLASS-239-127.1
US-PATENT-3,759,443
c31 N73-32749 ..... NASA-CASE-ERC-10365-1
US-PATENT-APPL-SN-99198
US-PATENT-CLASS-52-64
US-PATENT-CLASS-52-80
US-PATENT-CLASS-52-109
US-PATENT-CLASS-52-646
US-PATENT-CLASS-287-92
US-PATENT-3,757,476
c31 N73-32750 ..... NASA-CASE-LEW-11101-1
US-PATENT-APPL-SN-175983
US-PATENT-CLASS-47-1.4
US-PATENT-CLASS-47-17
US-PATENT-CLASS-244-1SC
US-PATENT-CLASS-244-1SS
US-PATENT-3,749,332
c33 N73-32818 ..... NASA-CASE-NPO-11942-1
US-PATENT-APPL-SN-266866
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-96
US-PATENT-CLASS-165-106
US-PATENT-CLASS-244-1SS
US-PATENT-3,763,928
c06 N73-33076 ..... NASA-CASE-NPO-10767-1
US-PATENT-APPL-SN-241061
US-PATENT-APPL-SN-770417
US-PATENT-CLASS-260-77.5AP
US-PATENT-3,755,265
c14 N73-33361 ..... NASA-CASE-ARC-10468-1
US-PATENT-APPL-SN-288857
US-PATENT-CLASS-95-12
US-PATENT-CLASS-355-18
US-PATENT-3,764,209
c15 N73-33383 ..... NASA-CASE-LEW-11026-1
US-PATENT-APPL-SN-196970
US-PATENT-CLASS-29-487
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-29-498
US-PATENT-3,748,722
c16 N73-33397 ..... NASA-CASE-ARC-10444-1
US-PATENT-APPL-SN-167719
US-PATENT-CLASS-331-94.5A
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-148
US-PATENT-CLASS-356-153
US-PATENT-CLASS-356-172
US-PATENT-3,764,220
c02 N74-10034 ..... NASA-CASE-LAR-10776-1
US-PATENT-APPL-SN-211332
US-PATENT-CLASS-244-145
US-PATENT-3,764,097
c32 N74-10132 ..... NASA-CASE-NPO-11302-2
US-PATENT-APPL-SN-70967
US-PATENT-APPL-SN-266822
US-PATENT-CLASS-178-69.4R
US-PATENT-3,766,315
c33 N74-10194 ..... NASA-CASE-NPO-11962-1
US-PATENT-APPL-SN-292681
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-4
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-17
US-PATENT-CLASS-331-18
US-PATENT-CLASS-331-178
US-PATENT-3,764,933
c33 N74-10195 ..... NASA-CASE-LEW-11617-1
US-PATENT-APPL-SN-266832
US-PATENT-CLASS-315-5.35
US-PATENT-CLASS-315-5.38
US-PATENT-3,764,850
c33 N74-10223 ..... NASA-CASE-LAR-10730-1

US-PATENT-APPL-SN-239573
US-PATENT-CLASS-235-92CA
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-150.3
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-48
US-PATENT-3,764,790

c35 N74-10415 ..... NASA-CASE-MFS-20335-1
US-PATENT-APPL-SN-238263
US-PATENT-CLASS-73-67.8S
US-PATENT-3,765,229

c37 N74-10474 ..... NASA-CASE-LEW-10326-3
US-PATENT-APPL-SN-99901
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-96
US-PATENT-3,767,212

c31 N74-10476 ..... NASA-CASE-LEW-10518-3
US-PATENT-APPL-SN-394207

c26 N74-10521 ..... NASA-CASE-LEW-10805-3
US-PATENT-APPL-SN-29917
US-PATENT-APPL-SN-266928
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-226
US-PATENT-CLASS-148-126
US-PATENT-3,765,958

c05 N74-10907 ..... NASA-CASE-XMF-02263
US-PATENT-APPL-SN-78766
US-PATENT-CLASS-D71-1
US-PATENT-DES-228,688

c08 N74-10942 ..... NASA-CASE-MSC-12394-1
US-PATENT-APPL-SN-341662
US-PATENT-CLASS-244-83
US-PATENT-CLASS-318-580
US-PATENT-CLASS-318-628
US-PATENT-3,771,037

c52 N74-10975 ..... NASA-CASE-MSC-13972-1
US-PATENT-APPL-SN-200040
US-PATENT-CLASS-73-149
US-PATENT-CLASS-128-2S
US-PATENT-3,769,834

c32 N74-11000 ..... NASA-CASE-NPO-13171-1
US-PATENT-APPL-SN-290915
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-909
US-PATENT-3,769,623

c33 N74-11049 ..... NASA-CASE-HQN-10792-1
US-PATENT-APPL-SN-245063
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-45S
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-331-62
US-PATENT-CLASS-331-113A
US-PATENT-3,771,040

c33 N74-11050 ..... NASA-CASE-LAR-10868-1
US-PATENT-APPL-SN-253249
US-PATENT-CLASS-137-819
US-PATENT-CLASS-137-833
US-PATENT-CLASS-137-840
US-PATENT-3,770,021

c35 N74-11283 ..... NASA-CASE-NPO-11659-1
US-PATENT-APPL-SN-228189
US-PATENT-CLASS-178-6.6DD
US-PATENT-CLASS-179-100.2MD
US-PATENT-CLASS-179-100.2T
US-PATENT-CLASS-340-174.1L
US-PATENT-3,770,903

c35 N74-11284 ..... NASA-CASE-NPO-11919-1
US-PATENT-APPL-SN-237694
US-PATENT-CLASS-250-343
US-PATENT-3,766,380

c37 N74-11300 ..... NASA-CASE-LEW-10533-2
US-PATENT-APPL-SN-247055
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-219-78
US-PATENT-CLASS-219-101
US-PATENT-CLASS-219-107
US-PATENT-3,770,933

c37 N74-11301 ..... NASA-CASE-LAR-10170-1
US-PATENT-APPL-SN-217213
US-PATENT-CLASS-29-460
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-503
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-117-105.2
US-PATENT-3,769,689

c36 N74-11313 ..... NASA-CASE-HQN-10790-1
US-PATENT-APPL-SN-235962
US-PATENT-CLASS-333-83R
US-PATENT-CLASS-333-97R
US-PATENT-3,771,074

c52 N74-12778 ..... NASA-CASE-MFS-20284-1
US-PATENT-APPL-SN-242027
US-PATENT-CLASS-128-2.05T
US-PATENT-CLASS-128-2.06F
US-PATENT-CLASS-324-78D
US-PATENT-CLASS-324-186
US-PATENT-3,773,038

c54 N74-12779 ..... NASA-CASE-MFS-21115-1
US-PATENT-APPL-SN-266930
US-PATENT-CLASS-222-309
US-PATENT-CLASS-222-340
US-PATENT-CLASS-222-387
US-PATENT-CLASS-222-514
US-PATENT-3,777,942

c27 N74-12812 ..... NASA-CASE-ARC-10464-1
US-PATENT-APPL-SN-198472
US-PATENT-CLASS-260-2.5AM
US-PATENT-3,772,216

c25 N74-12813 ..... NASA-CASE-LAR-10551-1
US-PATENT-APPL-SN-191301
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288F
US-PATENT-CLASS-23-288J
US-PATENT-CLASS-55-510
US-PATENT-CLASS-55-518
US-PATENT-CLASS-128-191R
US-PATENT-CLASS-423-231
US-PATENT-3,771,959

c27 N74-12814 ..... NASA-CASE-ARC-10180-1
US-PATENT-APPL-SN-136253
US-PATENT-CLASS-260-2.5L
US-PATENT-3,772,220

c32 N74-12843 ..... NASA-CASE-LAR-11170-1
US-PATENT-APPL-SN-418010

c33 N74-12887 ..... NASA-CASE-NPO-11905-1
US-PATENT-APPL-SN-290030
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-CLASS-329-104
US-PATENT-CLASS-329-122
US-PATENT-CLASS-329-126
US-PATENT-3,772,272

c60 N74-12888 ..... NASA-CASE-MSC-14053-1
US-PATENT-APPL-SN-266899
US-PATENT-CLASS-328-123
US-PATENT-CLASS-340-173CR
US-PATENT-CLASS-340-173LM
US-PATENT-3,778,786

c32 N74-12912 ..... NASA-CASE-NPO-11850-1
US-PATENT-APPL-SN-186700
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.5SS
US-PATENT-CLASS-343-18B
US-PATENT-3,772,691

c33 N74-12913 ..... NASA-CASE-LEW-11162-1
US-PATENT-APPL-SN-143508
US-PATENT-CLASS-313-32
US-PATENT-CLASS-313-153
US-PATENT-CLASS-313-209
US-PATENT-CLASS-313-217
US-PATENT-CLASS-313-224
US-PATENT-3,777,200

c33 N74-12951 ..... NASA-CASE-MFS-21374-1
US-PATENT-APPL-SN-238047
US-PATENT-CLASS-317-234E
US-PATENT-CLASS-317-234F
US-PATENT-CLASS-317-234M
US-PATENT-CLASS-317-234N
US-PATENT-CLASS-317-234R
US-PATENT-3,778,685

c46 N74-13011 ..... NASA-CASE-MSC-12408-1
US-PATENT-APPL-SN-229916
US-PATENT-CLASS-423-579
US-PATENT-3,773,913

c35 N74-13129 ..... NASA-CASE-FRC-10051-1
US-PATENT-APPL-SN-253725
US-PATENT-CLASS-73-88R
US-PATENT-CLASS-254-93R
US-PATENT-3,776,028

c91 N74-13130 ..... NASA-CASE-NPO-12127-1
US-PATENT-APPL-SN-106106
US-PATENT-CLASS-250-83CD
US-PATENT-CLASS-250-219DF
US-PATENT-3,752,996

c39 N74-13131 ..... NASA-CASE-MFS-20730-1
US-PATENT-APPL-SN-182977
US-PATENT-CLASS-83-452
US-PATENT-CLASS-83-602
US-PATENT-CLASS-83-917
US-PATENT-CLASS-269-48.1
US-PATENT-3,777,605
c35 N74-13132 ..... NASA-CASE-LAR-10910-1
US-PATENT-APPL-SN-239577
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-420
US-PATENT-3,777,546
c31 N74-13177 ..... NASA-CASE-LAR-10547-1
US-PATENT-APPL-SN-193980
US-PATENT-CLASS-264-294
US-PATENT-3,772,418
c37 N74-13178 ..... NASA-CASE-LAR-10544-1
US-PATENT-APPL-SN-188928
US-PATENT-CLASS-222-193
US-PATENT-3,776,432
c37 N74-13179 ..... NASA-CASE-LEW-10805-2
US-PATENT-APPL-SN-29917
US-PATENT-APPL-SN-233743
US-PATENT-CLASS-29-182
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-213
US-PATENT-CLASS-75-214
US-PATENT-CLASS-75-226
US-PATENT-3,775,101
c37 N74-13199 ..... NASA-CASE-LEW-11583-1
US-PATENT-APPL-SN-414042
c36 N74-13205 ..... NASA-CASE-NPO-11317-2
US-PATENT-APPL-SN-34989
US-PATENT-APPL-SN-187143
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-217
US-PATENT-CLASS-340-174.1M
US-PATENT-CLASS-340-174YC
US-PATENT-CLASS-350-151
US-PATENT-3,778,791
c27 N74-13270 ..... NASA-CASE-LEW-11262-1
US-PATENT-APPL-SN-136008
US-PATENT-CLASS-204-192
US-PATENT-3,772,174
c04 N74-13420 ..... NASA-CASE-FRC-10049-1
US-PATENT-APPL-SN-232021
US-PATENT-CLASS-235.150.27
US-PATENT-CLASS-235-150.22
US-PATENT-CLASS-235-150.26
US-PATENT-CLASS-244-77A
US-PATENT-CLASS-244-77B
US-PATENT-CLASS-343-108R
US-PATENT-3,776,455
c70 N74-13436 ..... NASA-CASE-LAR-10385-2
US-PATENT-APPL-SN-38816
US-PATENT-APPL-SN-239803
US-PATENT-CLASS-117-33.3
US-PATENT-CLASS-117-106A
US-PATENT-3,779,788
c20 N74-13502 ..... NASA-CASE-LEW-11058-1
US-PATENT-APPL-SN-233519
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-259
US-PATENT-3,777,490
c31 N74-14133 ..... NASA-CASE-LAR-10782-1
US-PATENT-APPL-SN-197689
US-PATENT-CLASS-264-102
US-PATENT-3,780,151
c44 N74-14784 ..... NASA-CASE-LEW-11069-1
US-PATENT-APPL-SN-83816
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-588
US-PATENT-CLASS-136-89
US-PATENT-3,780,424
c54 N74-14845 ..... NASA-CASE-LAR-10241-1
US-PATENT-APPL-SN-193672
US-PATENT-CLASS-9-11A
US-PATENT-3,781,933
c62 N74-14920 ..... NASA-CASE-MSC-13932-1
US-PATENT-APPL-SN-229354
US-PATENT-CLASS-235-153AK
US-PATENT-3,783,250
c33 N74-14935 ..... NASA-CASE-MFS-21462-1
US-PATENT-APPL-SN-239576
US-PATENT-CLASS-219-477
US-PATENT-CLASS-219-539
US-PATENT-CLASS-338-320
US-PATENT-3,732,397
c33 N74-14939 ..... NASA-CASE-FRC-10072-1
US-PATENT-APPL-SN-162100
US-PATENT-CLASS-330-9
US-PATENT-CLASS-330-10
US-PATENT-CLASS-330-35
US-PATENT-3,783,399
c33 N74-14941 ..... NASA-CASE-ARC-10364-2(B)
US-PATENT-APPL-SN-433968
c33 N74-14956 ..... NASA-CASE-MSC-17832-1
US-PATENT-APPL-SN-293727
US-PATENT-CLASS-307-127
US-PATENT-CLASS-317-33SC
US-PATENT-CLASS-317-43
US-PATENT-CLASS-317-46
US-PATENT-CLASS-317-47
US-PATENT-CLASS-317-48
US-PATENT-3,783,354
c19 N74-15089 ..... NASA-CASE-LAR-10586-1
US-PATENT-APPL-SN-289049
US-PATENT-CLASS-102-70.2R
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-3.16
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-237R
US-PATENT-3,780,566
c35 N74-15090 ..... NASA-CASE-NPO-11432-2
US-PATENT-APPL-SN-88435
US-PATENT-APPL-SN-258152
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-214
US-PATENT-CLASS-317-235N
US-PATENT-3,781,549
c35 N74-15091 ..... NASA-CASE-LAR-11155-1
US-PATENT-APPL-SN-313381
US-PATENT-CLASS-250-360
US-PATENT-CLASS-250-361
US-PATENT-CLASS-250-369
US-PATENT-CLASS-250-492
US-PATENT-3,781,562
c35 N74-15092 ..... NASA-CASE-LAR-10862-1
US-PATENT-APPL-SN-271951
US-PATENT-CLASS-73-4V
US-PATENT-3,780,563
c35 N74-15093 ..... NASA-CASE-ARC-10442-1
US-PATENT-APPL-SN-280032
US-PATENT-CLASS-62-45
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-109
US-PATENT-CLASS-259-DIG.18
US-PATENT-CLASS-259-60
US-PATENT-3,782,698
c35 N74-15094 ..... NASA-CASE-NPO-13044-1
US-PATENT-APPL-SN-305012
US-PATENT-CLASS-73-497
US-PATENT-CLASS-73-517B
US-PATENT-CLASS-74-5.6
US-PATENT-3,782,205
c74 N74-15095 ..... NASA-CASE-MSC-14096-1
US-PATENT-APPL-SN-242662
US-PATENT-CLASS-350-7
US-PATENT-CLASS-350-236
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-43
US-PATENT-CLASS-356-216
US-PATENT-3,782,835
c37 N74-15125 ..... NASA-CASE-XLE-10326-4
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-220251
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-91
US-PATENT-3,782,737
c35 N74-15126 ..... NASA-CASE-ARC-10441-1
US-PATENT-APPL-SN-280029
US-PATENT-CLASS-259-98
US-PATENT-CLASS-417-470
US-PATENT-CLASS-417-471
US-PATENT-3,782,699
c35 N74-15127 ..... NASA-CASE-NPO-11682-1
US-PATENT-APPL-SN-187365
US-PATENT-CLASS-23-284
US-PATENT-3,782,904
c37 N74-15128 ..... NASA-CASE-LEW-11087-2
US-PATENT-APPL-SN-201904
US-PATENT-APPL-SN-280390
US-PATENT-CLASS-29-148.4A
US-PATENT-CLASS-29-148.4B
US-PATENT-3,781,958

c39 N74-13131 ..... NASA-CASE-MFS-20730-1
US-PATENT-APPL-SN-182977
US-PATENT-CLASS-83-452
US-PATENT-CLASS-83-602
US-PATENT-CLASS-83-917
US-PATENT-CLASS-269-48.1
US-PATENT-3,777,605
c35 N74-13132 ..... NASA-CASE-LAR-10910-1
US-PATENT-APPL-SN-239577
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-420
US-PATENT-3,777,546
c31 N74-13177 ..... NASA-CASE-LAR-10547-1
US-PATENT-APPL-SN-193980
US-PATENT-CLASS-264-294
US-PATENT-3,772,418
c37 N74-13178 ..... NASA-CASE-LAR-10544-1
US-PATENT-APPL-SN-188928
US-PATENT-CLASS-222-193
US-PATENT-3,776,432
c37 N74-13179 ..... NASA-CASE-LEW-10805-2
US-PATENT-APPL-SN-29917
US-PATENT-APPL-SN-233743
US-PATENT-CLASS-29-182
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-213
US-PATENT-CLASS-75-214
US-PATENT-CLASS-75-226
US-PATENT-3,775,101
c37 N74-13199 ..... NASA-CASE-LEW-11583-1
US-PATENT-APPL-SN-414042
c36 N74-13205 ..... NASA-CASE-NPO-11317-2
US-PATENT-APPL-SN-34989
US-PATENT-APPL-SN-187143
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-217
US-PATENT-CLASS-340-174.1M
US-PATENT-CLASS-340-174YC
US-PATENT-CLASS-350-151
US-PATENT-3,778,791
c27 N74-13270 ..... NASA-CASE-LEW-11262-1
US-PATENT-APPL-SN-136008
US-PATENT-CLASS-204-192
US-PATENT-3,772,174
c04 N74-13420 ..... NASA-CASE-FRC-10049-1
US-PATENT-APPL-SN-232021
US-PATENT-CLASS-235.150.27
US-PATENT-CLASS-235-150.22
US-PATENT-CLASS-235-150.26
US-PATENT-CLASS-244-77A
US-PATENT-CLASS-244-77B
US-PATENT-CLASS-343-108R
US-PATENT-3,776,455
c70 N74-13436 ..... NASA-CASE-LAR-10385-2
US-PATENT-APPL-SN-38816
US-PATENT-APPL-SN-239803
US-PATENT-CLASS-117-33.3
US-PATENT-CLASS-117-106A
US-PATENT-3,779,788
c20 N74-13502 ..... NASA-CASE-LEW-11058-1
US-PATENT-APPL-SN-233519
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-259
US-PATENT-3,777,490
c31 N74-14133 ..... NASA-CASE-LAR-10782-1
US-PATENT-APPL-SN-197689
US-PATENT-CLASS-264-102
US-PATENT-3,780,151
c44 N74-14784 ..... NASA-CASE-LEW-11069-1
US-PATENT-APPL-SN-83816
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-588
US-PATENT-CLASS-136-89
US-PATENT-3,780,424
c54 N74-14845 ..... NASA-CASE-LAR-10241-1
US-PATENT-APPL-SN-193672
US-PATENT-CLASS-9-11A
US-PATENT-3,781,933
c62 N74-14920 ..... NASA-CASE-MSC-13932-1
US-PATENT-APPL-SN-229354
US-PATENT-CLASS-235-153AK
US-PATENT-3,783,250
c33 N74-14935 ..... NASA-CASE-MFS-21462-1
US-PATENT-APPL-SN-239576
US-PATENT-CLASS-219-477
US-PATENT-CLASS-219-539
US-PATENT-CLASS-338-320
US-PATENT-3,732,397
c33 N74-14939 ..... NASA-CASE-FRC-10072-1
US-PATENT-APPL-SN-162100
US-PATENT-CLASS-330-9
US-PATENT-CLASS-330-10
US-PATENT-CLASS-330-35
US-PATENT-3,783,399
c33 N74-14941 ..... NASA-CASE-ARC-10364-2(B)
US-PATENT-APPL-SN-433968
c33 N74-14956 ..... NASA-CASE-MSC-17832-1
US-PATENT-APPL-SN-293727
US-PATENT-CLASS-307-127
US-PATENT-CLASS-317-33SC
US-PATENT-CLASS-317-43
US-PATENT-CLASS-317-46
US-PATENT-CLASS-317-47
US-PATENT-CLASS-317-48
US-PATENT-3,783,354
c19 N74-15089 ..... NASA-CASE-LAR-10586-1
US-PATENT-APPL-SN-289049
US-PATENT-CLASS-102-70.2R
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-3.16
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-237R
US-PATENT-3,780,966
c35 N74-15090 ..... NASA-CASE-NPO-11432-2
US-PATENT-APPL-SN-88435
US-PATENT-APPL-SN-256152
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-214
US-PATENT-CLASS-317-235N
US-PATENT-3,781,549
c35 N74-15091 ..... NASA-CASE-LAR-11155-1
US-PATENT-APPL-SN-313381
US-PATENT-CLASS-250-360
US-PATENT-CLASS-250-361
US-PATENT-CLASS-250-369
US-PATENT-CLASS-250-492
US-PATENT-3,781,562
c35 N74-15092 ..... NASA-CASE-LAR-10862-1
US-PATENT-APPL-SN-271951
US-PATENT-CLASS-73-4V
US-PATENT-3,780,563
c35 N74-15093 ..... NASA-CASE-ARC-10442-1
US-PATENT-APPL-SN-280032
US-PATENT-CLASS-62-45
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-109
US-PATENT-CLASS-259-DIG.18
US-PATENT-CLASS-259-60
US-PATENT-3,782,698
c35 N74-15094 ..... NASA-CASE-NPO-13044-1
US-PATENT-APPL-SN-305012
US-PATENT-CLASS-73-497
US-PATENT-CLASS-73-517B
US-PATENT-CLASS-74-5.6
US-PATENT-3,782,205
c74 N74-15095 ..... NASA-CASE-MSC-14096-1
US-PATENT-APPL-SN-242662
US-PATENT-CLASS-350-7
US-PATENT-CLASS-350-236
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-43
US-PATENT-CLASS-356-216
US-PATENT-3,782,835
c37 N74-15125 ..... NASA-CASE-XLE-10326-4
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-220251
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-91
US-PATENT-3,782,737
c35 N74-15126 ..... NASA-CASE-ARC-10441-1
US-PATENT-APPL-SN-280029
US-PATENT-CLASS-259-98
US-PATENT-CLASS-417-470
US-PATENT-CLASS-417-471
US-PATENT-3,782,699
c35 N74-15127 ..... NASA-CASE-NPO-11682-1
US-PATENT-APPL-SN-187365
US-PATENT-CLASS-23-284
US-PATENT-3,782,904
c37 N74-15128 ..... NASA-CASE-LEW-11087-2
US-PATENT-APPL-SN-201904
US-PATENT-APPL-SN-280390
US-PATENT-CLASS-29-148.4A
US-PATENT-CLASS-29-148.4B
US-PATENT-3,781,958

c38 N74-15130 ..... NASA-CASE-MFS-20767-1
US-PATENT-APPL-SN-196898
US-PATENT-CLASS-73-67.8S
US-PATENT-3,777,552
c36 N74-15145 ..... NASA-CASE-NPO-11856-1
US-PATENT-APPL-SN-235268
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-331-94.5K
US-PATENT-CLASS-331-94.5S
US-PATENT-CLASS-350-6
US-PATENT-CLASS-356-4
US-PATENT-CLASS-356-5
US-PATENT-CLASS-356-152
US-PATENT-3,781,111
c35 N74-15146 ..... NASA-CASE-MFS-21455-1
US-PATENT-APPL-SN-281877
US-PATENT-CLASS-73-71.3
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-106
US-PATENT-3,782,825
c38 N74-15395 ..... NASA-CASE-MFS-21233-1
US-PATENT-APPL-SN-246056
US-PATENT-CLASS-73-67.5R
US-PATENT-CLASS-73-71.5U
US-PATENT-CLASS-324-40
US-PATENT-3,782,177
c07 N74-15453 ..... NASA-CASE-LEW-11569-1
US-PATENT-APPL-SN-316678
US-PATENT-CLASS-181-43
US-PATENT-3,780,827
c34 N74-15652 ..... NASA-CASE-LAR-10105-1
US-PATENT-APPL-SN-170680
US-PATENT-CLASS-73-86
US-PATENT-3,782,181
c51 N74-15778 ..... NASA-CASE-ARC-10302-1
US-PATENT-APPL-SN-203271
US-PATENT-CLASS-119-51.5
US-PATENT-CLASS-119-51.13
US-PATENT-CLASS-119-51R
US-PATENT-CLASS-119-52AF
US-PATENT-CLASS-119-54
US-PATENT-CLASS-221-265
US-PATENT-3,782,334
c35 N74-15831 ..... NASA-CASE-GSC-11553-1
US-PATENT-APPL-SN-177985
US-PATENT-CLASS-34-162
US-PATENT-CLASS-95-89R
US-PATENT-CLASS-178-6.7R
US-PATENT-CLASS-219-216
US-PATENT-CLASS-219-388
US-PATENT-CLASS-346-24
US-PATENT-CLASS-346-108
US-PATENT-CLASS-346-138
US-PATENT-3,781,902
c35 N74-16135 ..... NASA-CASE-LAR-10595-1
US-PATENT-APPL-SN-273240
US-PATENT-CLASS-340-5R
US-PATENT-CLASS-340-8R
US-PATENT-CLASS-340-12R
US-PATENT-3,783,443
c35 N74-17153 ..... NASA-CASE-MFS-21087-1
US-PATENT-APPL-SN-149283
US-PATENT-CLASS-350-3.5
US-PATENT-3,752,556
c27 N74-17283 ..... NASA-CASE-MFS-20486-2
US-PATENT-APPL-SN-84212
US-PATENT-APPL-SN-292382
US-PATENT-CLASS-260-29.6S
US-PATENT-3,784,499
c54 N74-17853 ..... NASA-CASE-MFS-21163-1
US-PATENT-APPL-SN-266925
US-PATENT-CLASS-222-324
US-PATENT-CLASS-224-444
US-PATENT-3,790,037
c35 N74-17885 ..... NASA-CASE-GSC-13855-1
US-PATENT-APPL-SN-196931
US-PATENT-CLASS-325-38B
US-PATENT-CLASS-332-11D
US-PATENT-CLASS-340-347AD
US-PATENT-3,795,900
c33 N74-17927 ..... NASA-CASE-NPO-13138-1
US-PATENT-APPL-SN-335201
US-PATENT-CLASS-328-155
US-PATENT-CLASS-333-16
US-PATENT-CLASS-333-18
US-PATENT-3,790,906
c33 N74-17928 ..... NASA-CASE-NPO-11966-1
NASA-CASE-NPO-13159-1
US-PATENT-APPL-SN-284245
US-PATENT-CLASS-100-8
US-PATENT-CLASS-346-140
US-PATENT-3,792,499
c33 N74-17929 ..... NASA-CASE-ARC-10197-1
US-PATENT-APPL-SN-310624
US-PATENT-CLASS-317-16
US-PATENT-CLASS-317-31
US-PATENT-3,795,840
c33 N74-17930 ..... NASA-CASE-NUC-10107-1
US-PATENT-APPL-SN-201700
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-118
US-PATENT-CLASS-329-50
US-PATENT-3,795,862
c09 N74-17955 ..... NASA-CASE-LAR-10812-1
US-PATENT-APPL-SN-263815
US-PATENT-CLASS-73-147
US-PATENT-3,791,207
c35 N74-18088 ..... NASA-CASE-LAR-11027-1
US-PATENT-APPL-SN-275118
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-370
US-PATENT-CLASS-250-371
US-PATENT-3,790,795
c31 N74-18089 ..... NASA-CASE-LAR-10318-1
US-PATENT-APPL-SN-224489
US-PATENT-CLASS-156-245
US-PATENT-CLASS-156-247
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-309
US-PATENT-3,793,109
c35 N74-18090 ..... NASA-CASE-NPO-13160-1
US-PATENT-APPL-SN-359157
US-PATENT-CLASS-321-8R
US-PATENT-CLASS-324-57R
US-PATENT-3,795,858
c37 N74-18123 ..... NASA-CASE-LAR-10634-1
US-PATENT-APPL-SN-214084
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-23-259
US-PATENT-CLASS-259-72
US-PATENT-CLASS-312-209
US-PATENT-CLASS-356-85
US-PATENT-CLASS-356-197
US-PATENT-3,790,347
c31 N74-18124 ..... NASA-CASE-LAR-10489-1
US-PATENT-APPL-SN-198763
US-PATENT-CLASS-264-102
US-PATENT-3,790,650
c37 N74-18125 ..... NASA-CASE-MFS-21309-1
US-PATENT-APPL-SN-244519
US-PATENT-CLASS-180-79.3
US-PATENT-CLASS-301-5P
US-PATENT-3,789,947
c37 N74-18126 ..... NASA-CASE-MFS-21364-1
US-PATENT-APPL-SN-214006
US-PATENT-CLASS-156-331
US-PATENT-CLASS-161-42
US-PATENT-CLASS-161-43
US-PATENT-CLASS-161-93
US-PATENT-CLASS-161-182
US-PATENT-CLASS-161-192
US-PATENT-CLASS-260-2R
US-PATENT-CLASS-264-136
US-PATENT-CLASS-264-136
US-PATENT-CLASS-264-257
US-PATENT-3,790,432
c37 N74-18127 ..... NASA-CASE-MFS-21481-1
US-PATENT-APPL-SN-266771
US-PATENT-CLASS-74-594.6
US-PATENT-CLASS-74-594.7
US-PATENT-CLASS-128-25R
US-PATENT-CLASS-272-73
US-PATENT-CLASS-272-80
US-PATENT-3,788,163
c37 N74-18128 ..... NASA-CASE-LEW-11387-1
US-PATENT-APPL-SN-247090
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-488
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-3,787,959
c35 N74-18323 ..... NASA-CASE-MFS-21136-1
US-PATENT-APPL-SN-262430
US-PATENT-CLASS-74-5.7
US-PATENT-CLASS-308-10
US-PATENT-3,763,708
c25 N74-18551 ..... NASA-CASE-LAR-11052-1
US-PATENT-APPL-SN-281845

US-PATENT-CLASS-73-15R
US-PATENT-3,789,654
c34 N74-18552 ..... NASA-CASE-NPO-11120-1
US-PATENT-APPL-SN-39343
US-PATENT-CLASS-29-157.3R
US-PATENT-CLASS-165-105
US-PATENT-CLASS-267-166
US-PATENT-3,789,920
c72 N74-19310 ..... NASA-CASE-HQN-10740-1
US-PATENT-APPL-SN-266943
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-106R
US-PATENT-CLASS-356-112
US-PATENT-3,795,448
c09 N74-19528 ..... NASA-CASE-LAR-10426-1
US-PATENT-APPL-SN-239575
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-91
US-PATENT-3,795,134
c44 N74-19692 ..... NASA-CASE-GSC-11367-1
US-PATENT-APPL-SN-236985
US-PATENT-CLASS-136-36
US-PATENT-3,759,747
c44 N74-19693 ..... NASA-CASE-NPO-11806-1
US-PATENT-APPL-SN-228163
US-PATENT-CLASS-136-20
US-PATENT-CLASS-136-30
US-PATENT-3,790,409
c24 N74-19769 ..... NASA-CASE-ERC-10073-1
US-PATENT-APPL-SN-856253
US-PATENT-CLASS-117-95
US-PATENT-3,796,592
c27 N74-19772 ..... NASA-CASE-LAR-11372-1
US-PATENT-APPL-SN-448321
c32 N74-19788 ..... NASA-CASE-NPO-11820-1
US-PATENT-APPL-SN-266912
US-PATENT-CLASS-307-237
US-PATENT-CLASS-328-160
US-PATENT-CLASS-328-168
US-PATENT-CLASS-328-172
US-PATENT-CLASS-333-14
US-PATENT-3,800,237
c32 N74-19790 ..... NASA-CASE-MFS-21540-1
US-PATENT-APPL-SN-333912
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-325-148
US-PATENT-3,800,224
c44 N74-19870 ..... NASA-CASE-MFS-21470-1
US-PATENT-APPL-SN-340871
US-PATENT-CLASS-325-62
US-PATENT-CLASS-333-17
US-PATENT-CLASS-343-7.5
US-PATENT-CLASS-343-17.7
US-PATENT-3,795,910
c74 N74-20008 ..... NASA-CASE-GSC-11188-3
US-PATENT-APPL-SN-80029
US-PATENT-APPL-SN-244566
US-PATENT-CLASS-117-45
US-PATENT-3,799,793
c36 N74-20009 ..... NASA-CASE-NPO-11861-1
US-PATENT-APPL-SN-266911
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.6
US-PATENT-3,800,074
c37 N74-20063 ..... NASA-CASE-LAR-10129-2
US-PATENT-APPL-SN-99201
US-PATENT-APPL-SN-319410
US-PATENT-CLASS-312-1
US-PATENT-3,796,473
c76 N74-20329 ..... NASA-CASE-GSC-11425-1
US-PATENT-APPL-SN-206266
US-PATENT-CLASS-148-1.5
US-PATENT-3,799,813
c02 N74-20646 ..... NASA-CASE-LEW-11188-1
US-PATENT-APPL-SN-152328
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-137-15.2
US-PATENT-CLASS-244-53B
US-PATENT-3,799,475
c54 N74-20725 ..... NASA-CASE-MFS-22102-1
US-PATENT-APPL-SN-341621
US-PATENT-CLASS-4-10
US-PATENT-CLASS-4-120
US-PATENT-3,805,303
c52 N74-20726 ..... NASA-CASE-ARC-10597-1
US-PATENT-APPL-SN-281876
US-PATENT-CLASS-73-67.9
US-PATENT-CLASS-128-2V
US-PATENT-3,802,253
c52 N74-20728 ..... NASA-CASE-MFS-21415-1
US-PATENT-APPL-SN-318152
US-PATENT-CLASS-73-23
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-128-2.07
US-PATENT-CLASS-128-2.08
US-PATENT-3,799,149
c32 N74-20809 ..... NASA-CASE-MSC-12462-1
US-PATENT-APPL-SN-274360
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-CLASS-325-423
US-PATENT-3,800,227
c32 N74-20810 ..... NASA-CASE-MSC-12494-1
US-PATENT-APPL-SN-304705
US-PATENT-CLASS-325-321
US-PATENT-CLASS-325-419
US-PATENT-3,806,816
c32 N74-20811 ..... NASA-CASE-NPC-13103-1
US-PATENT-APPL-SN-338484
US-PATENT-CLASS-325-320
US-PATENT-CLASS-325-419
US-PATENT-CLASS-329-142
US-PATENT-3,806,815
c32 N74-20813 ..... NASA-CASE-ERC-10071-1
US-PATENT-APPL-SN-307727
US-PATENT-CLASS-178-7.7
US-PATENT-CLASS-315-18
US-PATENT-CLASS-315-22
US-PATENT-3,803,445
c60 N74-20836 ..... NASA-CASE-ERC-10180-1
US-PATENT-APPL-SN-858278
US-PATENT-CLASS-235-164
US-PATENT-3,803,393
c33 N74-20859 ..... NASA-CASE-XLE-2529-3
US-PATENT-APPL-SN-288856
US-PATENT-APPL-SN-487929
US-PATENT-APPL-SN-848403
US-PATENT-CLASS-315-211
US-PATENT-CLASS-315-228
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-332-7.51
US-PATENT-3,806,835
c33 N74-20860 ..... NASA-CASE-GSC-11446-1
US-PATENT-APPL-SN-263230
US-PATENT-CLASS-343-DIG.2
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-854
US-PATENT-3,806,932
c33 N74-20861 ..... NASA-CASE-GSC-11560-1
US-PATENT-APPL-SN-361906
US-PATENT-CLASS-95-59EA
US-PATENT-CLASS-350-269
US-PATENT-CLASS-354-234
US-PATENT-3,804,506
c33 N74-20862 ..... NASA-CASE-GSC-11513-1
US-PATENT-APPL-SN-315069
US-PATENT-CLASS-331-108A
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-331-159
US-PATENT-3,806,831
c32 N74-20863 ..... NASA-CASE-GSC-11909
US-PATENT-APPL-SN-244158
US-PATENT-CLASS-343-730
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,803,617
c32 N74-20864 ..... NASA-CASE-GSC-11428-1
US-PATENT-APPL-SN-292685
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-769
US-PATENT-CLASS-343-853
US-PATENT-3,805,266
c71 N74-21014 ..... NASA-CASE-HQN-10834-1
US-PATENT-APPL-SN-301417
US-PATENT-CLASS-35-35A
US-PATENT-CLASS-178-DIG.32
US-PATENT-CLASS-178-5.8B
US-PATENT-CLASS-178-7.2
US-PATENT-CLASS-340-407
US-PATENT-3,800,082
c19 N74-21015 ..... NASA-CASE-LAR-10626-1
US-PATENT-APPL-SN-202750
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-46R

US-PATENT-3,798,778
c35 N74-21017 ..... NASA-CASE-MFS-21660-1
US-PATENT-APPL-SN-310616
US-PATENT-CLASS-324-83Q
US-PATENT-3,806,802
c35 N74-21018 ..... NASA-CASE-LEW-10981-1
US-PATENT-APPL-SN-214089
US-PATENT-CLASS-73-194EM
US-PATENT-CLASS-310-11
US-PATENT-CLASS-324-34PL
US-PATENT-3,802,262
c35 N74-21019 ..... NASA-CASE-GSC-11600-1
US-PATENT-APPL-SN-318357
US-PATENT-CLASS-73-1F
US-PATENT-3,802,249
c37 N74-21055 ..... NASA-CASE-LEW-11388-2
US-PATENT-APPL-SN-289033
US-PATENT-APPL-SN-293726
US-PATENT-CLASS-29-487
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-504
US-PATENT-3,798,748
c37 N74-21056 ..... NASA-CASE-LAR-10688-1
US-PATENT-APPL-SN-285705
US-PATENT-CLASS-235-92PE
US-PATENT-CLASS-235-92SB
US-PATENT-CLASS-235-151
US-PATENT-3,800,253
c37 N74-21057 ..... NASA-CASE-LAR-10941-1
US-PATENT-APPL-SN-289048
US-PATENT-CLASS-29-470.1
US-PATENT-3,797,098
c37 N74-21058 ..... NASA-CASE-MFS-22411-1
US-PATENT-APPL-SN-382262
US-PATENT-CLASS-260-448.2N
US-PATENT-3,801,617
c31 N74-21059 ..... NASA-CASE-LAR-10409-1
US-PATENT-APPL-SN-340864
US-PATENT-CLASS-29-423
US-PATENT-3,798,741
c37 N74-21060 ..... NASA-CASE-NPO-13105-1
US-PATENT-APPL-SN-283502
US-PATENT-CLASS-60-25
US-PATENT-3,798,896
c37 N74-21061 ..... NASA-CASE-LEW-11076-1
US-PATENT-APPL-SN-238264
US-PATENT-CLASS-308-73
US-PATENT-3,804,472
c35 N74-21062 ..... NASA-CASE-LAR-10295-1
US-PATENT-APPL-SN-221685
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-432
US-PATENT-3,805,622
c37 N74-21063 ..... NASA-CASE-LEW-10698-1
US-PATENT-APPL-SN-30498
US-PATENT-CLASS-65-DIG.11
US-PATENT-CLASS-106-52
US-PATENT-CLASS-117-129
US-PATENT-CLASS-161-196
US-PATENT-3,804,703
c37 N74-21064 ..... NASA-CASE-LEW-11087-3
US-PATENT-APPL-SN-201904
US-PATENT-APPL-SN-346361
US-PATENT-CLASS-308-188
US-PATENT-CLASS-308-191
US-PATENT-3,802,753
c37 N74-21065 ..... NASA-CASE-NPO-11951-1
US-PATENT-APPL-SN-287150
US-PATENT-CLASS-137-628
US-PATENT-CLASS-251-120
US-PATENT-CLASS-251-122
US-PATENT-CLASS-251-210
US-PATENT-3,802,660
c36 N74-21091 ..... NASA-CASE-GSC-11262-1
US-PATENT-APPL-SN-162380
US-PATENT-CLASS-33-285
US-PATENT-CLASS-250-204
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-172
US-PATENT-3,804,525
c27 N74-21156 ..... NASA-CASE-ARC-10592-1
US-PATENT-APPL-SN-321179
US-PATENT-CLASS-260.46.5E
US-PATENT-3,803,090
c70 N74-21200 ..... NASA-CASE-ARC-10516-1
US-PATENT-APPL-SN-267768
US-PATENT-CLASS-350-270
US-PATENT-CLASS-354-234
US-PATENT-3,797,919
c74 N74-21304 ..... NASA-CASE-GSC-11353-1
US-PATENT-APPL-SN-260241
US-PATENT-CLASS-250-231SE
US-PATENT-CLASS-350-299
US-PATENT-CLASS-356-152
US-PATENT-3,802,779
c33 N74-21850 ..... NASA-CASE-GSC-11602-1
US-PATENT-APPL-SN-298157
US-PATENT-CLASS-315-10
US-PATENT-CLASS-315-11
US-PATENT-CLASS-315-12
US-PATENT-3,806,756
c33 N74-21851 ..... NASA-CASE-ARC-10596-1
US-PATENT-APPL-SN-267862
US-PATENT-CLASS-330-28
US-PATENT-CLASS-330-59
US-PATENT-3,811,094
c35 N74-22095 ..... NASA-CASE-NPO-10617-1
US-PATENT-APPL-SN-828920
US-PATENT-CLASS-73-190H
US-PATENT-3,648,516
c32 N74-22096 ..... NASA-CASE-XLE-04791
US-PATENT-APPL-SN-582213
US-PATENT-CLASS-330-103
US-PATENT-3,404,348
c18 N74-22136 ..... NASA-CASE-MFS-20922-1
US-PATENT-APPL-SN-220274
US-PATENT-CLASS-49-68
US-PATENT-CLASS-61-83
US-PATENT-CLASS-244-1SS
US-PATENT-3,807,656
c52 N74-22771 ..... NASA-CASE-ARC-10447-1
US-PATENT-APPL-SN-311175
US-PATENT-CLASS-128-214E
US-PATENT-CLASS-235-151.3
US-PATENT-3,809,871
c33 N74-22814 ..... NASA-CASE-NPO-13081-1
US-PATENT-APPL-SN-345372
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-290
US-PATENT-CLASS-328-154
US-PATENT-3,808,464
c33 N74-22864 ..... NASA-CASE-XER-11046-2
US-PATENT-APPL-SN-87597
US-PATENT-APPL-SN-810579
US-PATENT-CLASS-321-45R
US-PATENT-3,808,511
c33 N74-22865 ..... NASA-CASE-LAR-10168-1
US-PATENT-APPL-SN-354407
US-PATENT-CLASS-174-DIG.8
US-PATENT-CLASS-174-69
US-PATENT-CLASS-174-70R
US-PATENT-CLASS-244-151R
US-PATENT-3,809,800
c33 N74-22885 ..... NASA-CASE-MFS-21671-1
US-PATENT-APPL-SN-329958
US-PATENT-CLASS-323-106
US-PATENT-CLASS-323-122
US-PATENT-CLASS-323-128
US-PATENT-3,808,517
c34 N74-23039 ..... NASA-CASE-GSC-11620-1
US-PATENT-APPL-SN-280305
US-PATENT-CLASS-126-270
US-PATENT-CLASS-244-31
US-PATENT-CLASS-244-127
US-PATENT-3,807,384
c35 N74-23040 ..... NASA-CASE-NPO-11932-1
NASA-CASE-NPO-13127-1
US-PATENT-APPL-SN-311234
US-PATENT-CLASS-356-113
US-PATENT-CLASS-356-1065
US-PATENT-3,809,481
c37 N74-23064 ..... NASA-CASE-LAR-10900-1
US-PATENT-APPL-SN-290021
US-PATENT-CLASS-161-116
US-PATENT-3,809,601
c31 N74-23065 ..... NASA-CASE-NPO-11758-1
US-PATENT-APPL-SN-266913
US-PATENT-CLASS-204-222
US-PATENT-3,810,829
c34 N74-23066 ..... NASA-CASE-LAR-10089-1
US-PATENT-APPL-SN-305638
US-PATENT-CLASS-240-47
US-PATENT-CLASS-353-54
US-PATENT-CLASS-353-61
US-PATENT-3,811,044

c46 N74-23068 ..... NASA-CASE-INP-10007-1
US-PATENT-APPL-SN-611414
US-PATENT-APPL-SN-768942
US-PATENT-CLASS-299-67
US-PATENT-3,606,470
c46 N74-23069 ..... NASA-CASE-INP-09755
US-PATENT-APPL-SN-611414
US-PATENT-APPL-SN-857241
US-PATENT-CLASS-51-283
US-PATENT-CLASS-125-1
US-PATENT-CLASS-125-3
US-PATENT-CLASS-299-86
US-PATENT-3,612,030
c37 N74-23070 ..... NASA-CASE-MFS-20645-1
US-PATENT-APPL-SN-103091
US-PATENT-CLASS-74-217R
US-PATENT-3,678,771
c27 N74-23125 ..... NASA-CASE-LEW-10199-1
US-PATENT-APPL-SN-651972
US-PATENT-CLASS-117-126GR
US-PATENT-CLASS-117-132B
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-260-78TF
US-PATENT-3,647,529
c37 N74-25968 ..... NASA-CASE-MFS-21485-1
US-PATENT-APPL-SN-277436
US-PATENT-CLASS-90-12.5
US-PATENT-CLASS-408-80
US-PATENT-CLASS-408-111
US-PATENT-3,813,183
c52 N74-26625 ..... NASA-CASE-NPO-13065-1
US-PATENT-APPL-SN-269073
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-325-113
US-PATENT-CLASS-325-141
US-PATENT-CLASS-340-183
US-PATENT-CLASS-340-203
US-PATENT-CLASS-340-207R
US-PATENT-3,815,109
c52 N74-26626 ..... NASA-CASE-MSC-13999-1
US-PATENT-APPL-SN-256317
US-PATENT-CLASS-128-2.05A
US-PATENT-CLASS-128-2.05S
US-PATENT-3,814,083
c32 N74-26654 ..... NASA-CASE-MSC-14065-1
US-PATENT-APPL-SN-297128
US-PATENT-CLASS-178-67
US-PATENT-CLASS-325-30
US-PATENT-3,816,657
c33 N74-26732 ..... NASA-CASE-MFS-21698-1
US-PATENT-APPL-SN-37050
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117R
US-PATENT-CLASS-331-183
US-PATENT-3,815,048
c73 N74-26767 ..... NASA-CASE-NPO-13112-1
US-PATENT-APPL-SN-267572
US-PATENT-CLASS-250-499
US-PATENT-CLASS-313-61S
US-PATENT-3,816,785
c35 N74-26945 ..... NASA-CASE-MFS-21556-1
US-PATENT-APPL-SN-340791
US-PATENT-CLASS-73-141A
US-PATENT-CLASS-177-200
US-PATENT-CLASS-177-211
US-PATENT-CLASS-177-246
US-PATENT-3,812,924
c35 N74-26946 ..... NASA-CASE-MFS-22040-1
US-PATENT-APPL-SN-365644
US-PATENT-CLASS-96-38.2
US-PATENT-CLASS-96-79
US-PATENT-CLASS-350-3.5
US-PATENT-3,815,969
c25 N74-26947 ..... NASA-CASE-ARC-10633-1
US-PATENT-APPL-SN-354611
US-PATENT-CLASS-250-304
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-373
US-PATENT-3,814,939
c25 N74-26948 ..... NASA-CASE-MFS-21395-1
US-PATENT-APPL-SN-260093
US-PATENT-CLASS-204-180R
US-PATENT-3,814,678
c35 N74-26949 ..... NASA-CASE-GSC-11492-1
US-PATENT-APPL-SN-372148
US-PATENT-CLASS-250-374
US-PATENT-CLASS-250-385
US-PATENT-CLASS-313-93
US-PATENT-3,812,358
c37 N74-26976 ..... NASA-CASE-MFS-21846-1
US-PATENT-APPL-SN-359958
US-PATENT-CLASS-188-163
US-PATENT-CLASS-188-171
US-PATENT-3,812,936
c33 N74-26977 ..... NASA-CASE-MFS-22133-1
US-PATENT-APPL-SN-337487
US-PATENT-CLASS-29-203MW
US-PATENT-3,815,205
c24 N74-27035 ..... NASA-CASE-XLA-11028-1
US-PATENT-APPL-SN-219435
US-PATENT-CLASS-156-285
US-PATENT-3,814,653
c27 N74-27037 ..... NASA-CASE-ARC-10304-2
US-PATENT-APPL-SN-140946
US-PATENT-APPL-SN-318358
US-PATENT-CLASS-102-105
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-252-8.1
US-PATENT-CLASS-252-62
US-PATENT-CLASS-260-DIG.24
US-PATENT-CLASS-260-2.5FP
US-PATENT-CLASS-260-2.5R
US-PATENT-CLASS-260-28
US-PATENT-CLASS-260-396N
US-PATENT-3,819,550
c15 N74-27360 ..... NASA-CASE-LAR-10670-2
US-PATENT-APPL-SN-59892
US-PATENT-APPL-SN-248761
US-PATENT-CLASS-60-39.46
US-PATENT-CLASS-60-214
US-PATENT-CLASS-60-215
US-PATENT-CLASS-102-90
US-PATENT-3,813,875
c18 N74-27397 ..... NASA-CASE-MFS-21680-1
NASA-CASE-MFS-21681-1
US-PATENT-APPL-SN-343607
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-248-16
US-PATENT-CLASS-248-23
US-PATENT-3,814,350
c28 N74-27425 ..... NASA-CASE-NFC-11743-1
US-PATENT-APPL-SN-277904
US-PATENT-CLASS-102-28EB
US-PATENT-CLASS-102-70.2A
US-PATENT-CLASS-102-70-2R
US-PATENT-3,812,783
c07 N74-27490 ..... NASA-CASE-LEW-11286-1
US-PATENT-APPL-SN-339806
US-PATENT-CLASS-181-33HB
US-PATENT-CLASS-239-265.17
US-PATENT-3,820,630
c44 N74-27519 ..... NASA-CASE-MFS-20761-1
US-PATENT-APPL-SN-326327
US-PATENT-CLASS-136-182
US-PATENT-CLASS-324-29.5
US-PATENT-CLASS-324-72.5
US-PATENT-3,818,325
c52 N74-27566 ..... NASA-CASE-GSC-11531-1
US-PATENT-APPL-SN-291845
US-PATENT-CLASS-73-398AR
US-PATENT-CLASS-128-2.05E
US-PATENT-3,811,429
c32 N74-27612 ..... NASA-CASE-MSC-14219-1
US-PATENT-APPL-SN-324029
US-PATENT-CLASS-117-2R
US-PATENT-CLASS-156-94
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-179-100.2E
US-PATENT-CLASS-264-36
US-PATENT-3,819,440
c33 N74-27682 ..... NASA-CASE-ARC-10593-1
US-PATENT-APPL-SN-310193
US-PATENT-CLASS-250-207
US-PATENT-CLASS-307-252L
US-PATENT-CLASS-307-252Q
US-PATENT-3,821,546
c33 N74-27683 ..... NASA-CASE-LEW-10950-1
US-PATENT-APPL-SN-273222
US-PATENT-CLASS-174-15C
US-PATENT-CLASS-174-28
US-PATENT-CLASS-174-111
US-PATENT-CLASS-310-4R
US-PATENT-3,821,462
c33 N74-27705 ..... NASA-CASE-MSC-14066-1
US-PATENT-APPL-SN-297127
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-3,818,346

c34 N74-27730 ..... NASA-CASE-MFS-21424-1
US-PATENT-APPL-SN-315048
US-PATENT-CLASS-73-3
US-PATENT-CLASS-73-147
US-PATENT-3,817,082
c34 N74-27744 ..... NASA-CASE-MFS-21394-1
US-PATENT-APPL-SN-258171
US-PATENT-CLASS-204-180R
US-PATENT-CLASS-204-299
US-PATENT-3,821,102
c34 N74-27859 ..... NASA-CASE-GSC-11434-1
US-PATENT-APPL-SN-263498
US-PATENT-CLASS-73-190R
US-PATENT-3,813,937
c35 N74-27860 ..... NASA-CASE-MSC-14081-1
US-PATENT-APPL-SN-331760
US-PATENT-CLASS-250-576
US-PATENT-CLASS-356-180
US-PATENT-CLASS-356-246
US-PATENT-3,817,627
c34 N74-27861 ..... NASA-CASE-MFS-21108-1
US-PATENT-APPL-SN-307728
US-PATENT-CLASS-136-213
US-PATENT-CLASS-136-230
US-PATENT-CLASS-136-233
US-PATENT-3,819,419
c33 N74-27862 ..... NASA-CASE-KSC-10731-1
US-PATENT-APPL-SN-288847
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-324-72
US-PATENT-CLASS-340-151
US-PATENT-CLASS-340-182
US-PATENT-CLASS-340-200
US-PATENT-3,820,095
c52 N74-27864 ..... NASA-CASE-MFS-21049-1
US-PATENT-APPL-SN-304430
US-PATENT-CLASS-73-88.5R
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-338-5
US-PATENT-CLASS-338-114
US-PATENT-3,820,529
c35 N74-27865 ..... NASA-CASE-MFS-21728-1
US-PATENT-APPL-SN-361907
US-PATENT-CLASS-73-141A
US-PATENT-3,820,388
c74 N74-27866 ..... NASA-CASE-MFS-21372-1
US-PATENT-APPL-SN-226477
US-PATENT-CLASS-250-505
US-PATENT-CLASS-250-511
US-PATENT-3,821,556
c06 N74-27872 ..... NASA-CASE-ARC-10806
US-PATENT-APPL-SN-478802
c31 N74-27900 ..... NASA-CASE-LAR-10841-1
US-PATENT-APPL-SN-307729
US-PATENT-CLASS-13-31
US-PATENT-CLASS-73-15R
US-PATENT-3,817,084
c37 N74-27901 ..... NASA-CASE-ARC-10462-1
US-PATENT-APPL-SN-310615
US-PATENT-CLASS-74-675
US-PATENT-CLASS-74-710
US-PATENT-3,818,775
c31 N74-27902 ..... NASA-CASE-GSC-11445-1
US-PATENT-APPL-SN-248471
US-PATENT-CLASS-98-39
US-PATENT-CLASS-236-49
US-PATENT-3,818,814
c37 N74-27903 ..... NASA-CASE-MSC-12549-1
US-PATENT-APPL-SN-301039
US-PATENT-CLASS-244-1SD
US-PATENT-3,820,741
c37 N74-27904 ..... NASA-CASE-LEW-11672-1
US-PATENT-APPL-SN-305639
US-PATENT-CLASS-417-52
US-PATENT-3,819,299
c37 N74-27905 ..... NASA-CASE-LAR-10450-1
US-PATENT-APPL-SN-289017
US-PATENT-CLASS-51-97R
US-PATENT-CLASS-51-225
US-PATENT-CLASS-51-234
US-PATENT-3,820,286
c35 N74-28097 ..... NASA-CASE-GSC-11479-1
US-PATENT-APPL-SN-293739
US-PATENT-CLASS-74-5.5
US-PATENT-CLASS-244-1SA
US-PATENT-3,818,767
c07 N74-28226 ..... NASA-CASE-LEW-11402-1
US-PATENT-APPL-SN-219806
US-PATENT-CLASS-415-181
US-PATENT-CLASS-416-223
US-PATENT-CLASS-416-237
US-PATENT-3,820,918
c19 N74-29410 ..... NASA-CASE-MFS-21577-1
US-PATENT-APPL-SN-343308
US-PATENT-CLASS-250-372
US-PATENT-CLASS-250-394
US-PATENT-3,825,760
c33 N74-29556 ..... NASA-CASE-KSC-10769-1
US-PATENT-APPL-SN-374583
US-PATENT-CLASS-318-602
US-PATENT-CLASS-318-603
US-PATENT-CLASS-318-664
US-PATENT-3,826,964
c24 N74-30001 ..... NASA-CASE-LAR-10416-1
US-PATENT-APPL-SN-251752
US-PATENT-CLASS-156-94
US-PATENT-3,814,645
c74 N74-30118 ..... NASA-CASE-LAR-11206-1
US-PATENT-APPL-SN-491413
c75 N74-30156 ..... NASA-CASE-ARC-10598-1
US-PATENT-APPL-SN-318151
US-PATENT-CLASS-356-43
US-PATENT-CLASS-356-73
US-PATENT-CLASS-356-85
US-PATENT-CLASS-356-87
US-PATENT-CLASS-356-201
US-PATENT-3,817,622
c08 N74-30421 ..... NASA-CASE-LAR-10753-1
US-PATENT-APPL-SN-289018
US-PATENT-CLASS-244-90R
US-PATENT-CLASS-244-91
US-PATENT-CLASS-244-327
US-PATENT-3,826,446
c44 N74-30448 ..... NASA-CASE-NPO-13482-1
US-PATENT-APPL-SN-495021
c25 N74-30502 ..... NASA-CASE-LEW-10906-1
US-PATENT-APPL-SN-245279
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-204-157.1H
US-PATENT-3,826,726
c32 N74-30523 ..... NASA-CASE-NPO-11921-1
US-PATENT-APPL-SN-359039
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-346
US-PATENT-3,828,138
c32 N74-30524 ..... NASA-CASE-MSC-13912-1
US-PATENT-APPL-SN-310034
US-PATENT-CLASS-179-15AT
US-PATENT-CLASS-179-15BY
US-PATENT-3,828,137
c09 N74-30597 ..... NASA-CASE-LAR-10550-1
US-PATENT-APPL-SN-261183
US-PATENT-CLASS-35-12E
US-PATENT-3,824,707
c34 N74-30608 ..... NASA-CASE-LAR-10194-1
US-PATENT-APPL-SN-169962
US-PATENT-CLASS-55-43
US-PATENT-CLASS-55-159
US-PATENT-CLASS-55-199
US-PATENT-3,828,524
c89 N74-30886 ..... NASA-CASE-GSC-11569-1
US-PATENT-APPL-SN-293725
US-PATENT-CLASS-33-268
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-147
US-PATENT-3,827,807
c71 N74-31148 ..... NASA-CASE-NPO-11625-1
US-PATENT-APPL-SN-235338
US-PATENT-CLASS-73-69
US-PATENT-CLASS-73-71.5R
US-PATENT-CLASS-181.5R
US-PATENT-3,827,286
c20 N74-31269 ..... NASA-CASE-LEW-11646-1
US-PATENT-APPL-SN-292686
US-PATENT-CLASS-204-192
US-PATENT-3,826,729
c07 N74-31270 ..... NASA-CASE-LAR-10642-1
US-PATENT-APPL-SN-266820
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-415-181
US-PATENT-3,829,237
c07 N74-32418 ..... NASA-CASE-LAR-11141-1
US-PATENT-APPL-SN-359957
US-PATENT-CLASS-181-33C
US-PATENT-CLASS-181-33F
US-PATENT-CLASS-181-33H
US-PATENT-CLASS-181-331

US-PATENT-CLASS-181-42
US-PATENT-3,830,335
c54 N74-32546 ..... NASA-CASE-MSC-11072
US-PATENT-APPL-SN-689455
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-82
US-PATENT-CLASS-156-218
US-PATENT-3,832,735
c32 N74-32598 ..... NASA-CASE-MSC-14070-1
US-PATENT-APPL-SN-266940
US-PATENT-CLASS-340-146.1AQ
US-PATENT-3,831,142
c32 N74-32601 ..... NASA-CASE-MSC-12616-1
US-PATENT-APPL-SN-493360
c33 N74-32660 ..... NASA-CASE-GSC-11617-1
US-PATENT-APPL-SN-402865
US-PATENT-CLASS-330-4.9
US-PATENT-CLASS-330-53
US-PATENT-3,833,857
c33 N74-32711 ..... NASA-CASE-MSC-14130-1
US-PATENT-APPL-SN-373587
US-PATENT-CLASS-307-267
US-PATENT-CLASS-328-58
US-PATENT-3,831,098
c33 N74-32712 ..... NASA-CASE-NPO-11948-1
US-PATENT-APPL-SN-306652
US-PATENT-CLASS-307-230
US-PATENT-CLASS-330-69
US-PATENT-CLASS-333-80R
US-PATENT-3,831,117
c35 N74-32877 ..... NASA-CASE-LAR-10806-1
US-PATENT-APPL-SN-322998
US-PATENT-CLASS-33-1M
US-PATENT-CLASS-33-23R
US-PATENT-CLASS-338-89
US-PATENT-CLASS-340-347AD
US-PATENT-CLASS-346-33R
US-PATENT-3,832,781
c35 N74-32878 ..... NASA-CASE-LAR-11139-1
US-PATENT-APPL-SN-287149
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-388
US-PATENT-3,832,903
c35 N74-32879 ..... NASA-CASE-MSC-14187-1
US-PATENT-APPL-SN-326326
US-PATENT-CLASS-23-230L
US-PATENT-CLASS-73-15.4
US-PATENT-CLASS-73-40.7
US-PATENT-CLASS-73-104
US-PATENT-3,830,094
c31 N74-32917 ..... NASA-CASE-NPO-13205-1
US-PATENT-APPL-SN-393525
US-PATENT-CLASS-425-28B
US-PATENT-CLASS-425-35
US-PATENT-3,833,322
c37 N74-32918 ..... NASA-CASE-NPO-13157-1
US-PATENT-APPL-SN-370872
US-PATENT-CLASS-29-203H
US-PATENT-CLASS-29-268
US-PATENT-3,832,764
c20 N74-32919 ..... NASA-CASE-LEW-11118-1
US-PATENT-APPL-SN-289050
US-PATENT-CLASS-204-9
US-PATENT-3,832,290
c31 N74-32920 ..... NASA-CASE-LAR-10489-2
US-PATENT-APPL-SN-198763
US-PATENT-APPL-SN-350300
US-PATENT-CLASS-249-83
US-PATENT-CLASS-249-95
US-PATENT-CLASS-249-145
US-PATENT-CLASS-249-184
US-PATENT-CLASS-425-128
US-PATENT-CLASS-425-415
US-PATENT-3,830,609
c37 N74-32921 ..... NASA-CASE-LEW-11076-2
US-PATENT-APPL-SN-238264
US-PATENT-APPL-SN-346483
US-PATENT-CLASS-308-121
US-PATENT-3,830,552
c28 N74-33209 ..... NASA-CASE-NPO-11975-1
US-PATENT-APPL-SN-329243
US-PATENT-CLASS-149-17
US-PATENT-CLASS-149-60
US-PATENT-CLASS-149-76
US-PATENT-3,830,673
c07 N74-33218 ..... NASA-CASE-ARC-10712-1
US-PATENT-APPL-SN-344410
US-PATENT-CLASS-181-33HC
US-PATENT-CLASS-239-265.11
US-PATENT-3,830,431
c25 N74-33378 ..... NASA-CASE-MFS-21675-1
US-PATENT-APPL-SN-392823
US-PATENT-CLASS-23-277C
US-PATENT-CLASS-431-202
US-PATENT-3,833,336
c44 N74-33379 ..... NASA-CASE-ARC-10461-1
US-PATENT-APPL-SN-336319
US-PATENT-CLASS-60-527
US-PATENT-3,830,060
c27 N74-34579 ..... NASA-CASE-LEW-12053-1
US-PATENT-APPL-SN-513613
c33 N74-34638 ..... NASA-CASE-MFS-22343-1
US-PATENT-APPL-SN-329237
US-PATENT-CLASS-307-18
US-PATENT-CLASS-307-35
US-PATENT-CLASS-307-295
US-PATENT-CLASS-307-304
US-PATENT-3,840,829
c85 N74-34672 ..... NASA-CASE-LAR-10256-1
US-PATENT-APPL-SN-220785
US-PATENT-CLASS-104-23FS
US-PATENT-CLASS-104-138R
US-PATENT-CLASS-238-134
US-PATENT-3,837,285
c35 N74-34857 ..... NASA-CASE-LAR-11428-1
US-PATENT-APPL-SN-188836
US-PATENT-APPL-SN-357126
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-295
US-PATENT-3,835,318
c34 N74-34881 ..... NASA-CASE-LAR-11522-1
US-PATENT-APPL-SN-513689
c25 N75-12086 ..... NASA-CASE-ARC-10469-1
US-PATENT-APPL-SN-281908
US-PATENT-CLASS-195-103.5R
US-PATENT-3,846,243
c25 N75-12087 ..... NASA-CASE-ARC-10643-1
US-PATENT-APPL-SN-513389
US-PATENT-CLASS-117-93.1GD
US-PATENT-CLASS-117-161UA
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-117-161UZ
US-PATENT-CLASS-204-177
US-PATENT-CLASS-210-500
US-PATENT-CLASS-264-22
US-PATENT-CLASS-264-217
US-PATENT-3,847,652
c31 N75-12161 ..... NASA-CASE-MFS-20775-1
US-PATENT-APPL-SN-356664
US-PATENT-CLASS-118-49.1
US-PATENT-3,847,115
c34 N75-12222 ..... NASA-CASE-GSC-11619-1
US-PATENT-APPL-SN-397476
US-PATENT-CLASS-138-113
US-PATENT-CLASS-138-114
US-PATENT-CLASS-138-148
US-PATENT-CLASS-165-1
US-PATENT-CLASS-165-47
US-PATENT-CLASS-165-105
US-PATENT-CLASS-220-15
US-PATENT-CLASS-244-1SC
US-PATENT-3,847,208
c35 N75-12270 ..... NASA-CASE-KSC-10750-1
US-PATENT-APPL-SN-346372
US-PATENT-CLASS-324-60C
US-PATENT-CLASS-324-158T
US-PATENT-3,848,190
c35 N75-12271 ..... NASA-CASE-MFS-20994-1
US-PATENT-APPL-SN-386789
US-PATENT-CLASS-73-67.1
US-PATENT-CLASS-128-2V
US-PATENT-3,847,141
c35 N75-12272 ..... NASA-CASE-LAR-11069-1
US-PATENT-APPL-SN-326198
US-PATENT-CLASS-195-127
US-PATENT-3,841,973
c35 N75-12273 ..... NASA-CASE-MFS-20506-1
US-PATENT-APPL-SN-328792
US-PATENT-CLASS-33-DIG.13
US-PATENT-CLASS-33-180R
US-PATENT-CLASS-350-292
US-PATENT-3,842,509
c37 N75-12326 ..... NASA-CASE-LAR-11211-1
US-PATENT-APPL-SN-302681
US-PATENT-CLASS-29-470.1
US-PATENT-CLASS-29-475
US-PATENT-3,842,485
c54 N75-12616 ..... NASA-CASE-MFS-21611-1

US-PATENT-APPL-SN-403694
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-307-149
US-PATENT-CLASS-308-174
US-PATENT-3,849,668

c74 N75-12732 ..... NASA-CASE-ARC-10448-2
US-PATENT-APPL-SN-374424
US-PATENT-CLASS-156-7
US-PATENT-CLASS-156-16
US-PATENT-CLASS-156-18
US-PATENT-CLASS-250-495
US-PATENT-3,847,689

c76 N75-12810 ..... NASA-CASE-LAR-11059-1
US-PATENT-APPL-SN-367294
US-PATENT-CLASS-73-32R
US-PATENT-CLASS-73-432PS
US-PATENT-3,842,656

c05 N75-12930 ..... NASA-CASE-ARC-10456-1
US-PATENT-APPL-SN-237491
US-PATENT-CLASS-74-480R
US-PATENT-CLASS-244-75R
US-PATENT-CLASS-244-83R
US-PATENT-CLASS-416-25
US-PATENT-3,850,388

c09 N75-12968 ..... NASA-CASE-MFS-22039-1
US-PATENT-APPL-SN-386790
US-PATENT-CLASS-108-136
US-PATENT-3,853,075

c09 N75-12969 ..... NASA-CASE-ARC-10710-1
US-PATENT-APPL-SN-379019
US-PATENT-CLASS-73-147
US-PATENT-3,853,003

c15 N75-13007 ..... NASA-CASE-GSC-11182-1
US-PATENT-APPL-SN-393527
US-PATENT-CLASS-325-4
US-PATENT-3,851,250

c24 N75-13032 ..... NASA-CASE-LAR-10994-1
US-PATENT-APPL-SN-390466
US-PATENT-CLASS-29-420
US-PATENT-CLASS-29-604
US-PATENT-CLASS-75-200
US-PATENT-CLASS-340-174MA
US-PATENT-3,849,877

c25 N75-13054 ..... NASA-CASE-LAR-11302-1
US-PATENT-APPL-SN-521007

c31 N75-13111 ..... NASA-CASE-LAR-10782-2
US-PATENT-APPL-SN-197689
US-PATENT-APPL-SN-379049
US-PATENT-CLASS-249-59
US-PATENT-CLASS-249-144
US-PATENT-CLASS-249-145
US-PATENT-CLASS-425-DIG.43
US-PATENT-CLASS-425-405R
US-PATENT-CLASS-425-438
US-PATENT-CLASS-425-468
US-PATENT-3,850,567

c33 N75-13139 ..... NASA-CASE-MFS-22073-1
US-PATENT-APPL-SN-409991
US-PATENT-CLASS-318-608
US-PATENT-CLASS-318-640
US-PATENT-CLASS-318-649
US-PATENT-CLASS-318-675
US-PATENT-3,851,238

c35 N75-13213 ..... NASA-CASE-LEW-11632-2
US-PATENT-APPL-SN-254173
US-PATENT-APPL-SN-327969
US-PATENT-CLASS-29-571
US-PATENT-CLASS-29-592
US-PATENT-CLASS-307-309
US-PATENT-CLASS-317-235H
US-PATENT-CLASS-330-6
US-PATENT-3,849,875

c37 N75-13261 ..... NASA-CASE-LEW-11696-1
US-PATENT-APPL-SN-298156
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-CLASS-29-460
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-29-504
US-PATENT-3,849,865

c37 N75-13265 ..... NASA-CASE-KSC-10723-1
US-PATENT-APPL-SN-347952
US-PATENT-CLASS-338-75
US-PATENT-CLASS-338-97
US-PATENT-CLASS-338-162
US-PATENT-3,854,113

c37 N75-13266 ..... NASA-CASE-NPO-13281-1
US-PATENT-APPL-SN-412079
US-PATENT-CLASS-74-436
US-PATENT-CLASS-74-820
US-PATENT-3,855,873

c37 N75-13268 ..... NASA-CASE-LAR-11643-1
US-PATENT-APPL-SN-531649

c51 N75-13502 ..... NASA-CASE-LAR-11074-1
US-PATENT-APPL-SN-326364
US-PATENT-CLASS-115-103.5
US-PATENT-CLASS-195-120
US-PATENT-CLASS-195-127
US-PATENT-3,850,754

c51 N75-13506 ..... NASA-CASE-ARC-10643-2
US-PATENT-APPL-SN-521619

c54 N75-13531 ..... NASA-CASE-LEW-11581-1
US-PATENT-APPL-SN-327921
US-PATENT-CLASS-128-2.05A
US-PATENT-CLASS-128-2.05P
US-PATENT-3,850,169

c60 N75-13539 ..... NASA-CASE-ARC-10466-1
US-PATENT-APPL-SN-352382
US-PATENT-CLASS-235-156
US-PATENT-CLASS-235-197
US-PATENT-CLASS-324-77B
US-PATENT-3,851,162

c75 N75-13625 ..... NASA-CASE-MFS-22145-1
US-PATENT-APPL-SN-367606
US-PATENT-CLASS-176-3
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-CLASS-328-233
US-PATENT-3,854,097

c23 N75-14834 ..... NASA-CASE-MSC-13540-2
US-PATENT-APPL-SN-69488
US-PATENT-APPL-SN-178771
US-PATENT-CLASS-106-13
US-PATENT-CLASS-106-15R
US-PATENT-CLASS-106-287SB
US-PATENT-CLASS-117-124F
US-PATENT-CLASS-117-135.5
US-PATENT-CLASS-252-70
US-PATENT-CLASS-252-549
US-PATENT-3,856,534

c24 N75-14839 ..... NASA-CASE-LEW-11484-2
US-PATENT-APPL-SN-531568

c25 N75-14844 ..... NASA-CASE-NPO-12130-1
US-PATENT-APPL-SN-750235
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-23-253R
US-PATENT-3,856,471

c33 N75-14957 ..... NASA-CASE-MSC-14240-1
US-PATENT-APPL-SN-351929
US-PATENT-CLASS-307-205
US-PATENT-CLASS-307-208
US-PATENT-3,857,045

c35 N75-15014 ..... NASA-CASE-LAR-11213-1
US-PATENT-APPL-SN-406715
US-PATENT-CLASS-250-201
US-PATENT-CLASS-356-4
US-PATENT-3,857,031

c36 N75-15028 ..... NASA-CASE-MFS-21244-1
US-PATENT-APPL-SN-350249
US-PATENT-CLASS-356-5
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-103
US-PATENT-3,856,402

c36 N75-15029 ..... NASA-CASE-NPO-13050-1
US-PATENT-APPL-SN-317567
US-PATENT-CLASS-117-95
US-PATENT-CLASS-117-97
US-PATENT-CLASS-330-4
US-PATENT-CLASS-332-7.5
US-PATENT-3,859,119

c37 N75-15050 ..... NASA-CASE-NPO-13201-1
US-PATENT-APPL-SN-372149
US-PATENT-CLASS-74-424.8VA
US-PATENT-CLASS-137-505.38
US-PATENT-CLASS-137-505.42
US-PATENT-3,856,042

c52 N75-15270 ..... NASA-CASE-NPO-12119-1
US-PATENT-APPL-SN-847815
US-PATENT-CLASS-424-180
US-PATENT-3,849,554

c09 N75-15662 ..... NASA-CASE-LAR-10276-1
US-PATENT-APPL-SN-29979
US-PATENT-CLASS-35-12C
US-PATENT-CLASS-272-1R
US-PATENT-CLASS-272-57A

US-PATENT-3,859,736
c32 N75-15854 ..... NASA-CASE-NPO-13292-1
US-PATENT-APPL-SN-416135
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-9
US-PATENT-CLASS-343-17.5
US-PATENT-CLASS-343-100ST
US-PATENT-3,860,921
c33 N75-15874 ..... NASA-CASE-MFS-22088-1
US-PATENT-APPL-SN-426155
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-CLASS-318-231
US-PATENT-3,860,858
c35 N75-15931 ..... NASA-CASE-MFS-21761-1
US-PATENT-APPL-SN-337816
US-PATENT-CLASS-73-40
US-PATENT-CLASS-73-49.2
US-PATENT-CLASS-200-83N
US-PATENT-3,859,845
c35 N75-15932 ..... NASA-CASE-MFS-21045-1
US-PATENT-APPL-SN-411572
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-379
US-PATENT-3,859,840
c36 N75-15973 ..... NASA-CASE-NPO-13532-1
US-PATENT-APPL-SN-537473
c37 N75-15992 ..... NASA-CASE-GSC-11577-1
US-PATENT-APPL-SN-322997
US-PATENT-CLASS-29-472.7
US-PATENT-CLASS-29-473.1
US-PATENT-CLASS-65-43
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-117-106A
US-PATENT-CLASS-156-89
US-PATENT-CLASS-156-99
US-PATENT-3,859,714
c24 N75-16635 ..... NASA-CASE-MSC-12662-1
US-PATENT-APPL-SN-540779
c35 N75-16783 ..... NASA-CASE-ARC-10637-1
US-PATENT-APPL-SN-352383
US-PATENT-CLASS-356-28
US-PATENT-3,860,342
c20 N75-18310 ..... NASA-CASE-LEW-11694-1
US-PATENT-APPL-SN-352381
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-72-63
US-PATENT-3,864,797
c33 N75-18477 ..... NASA-CASE-MFS-22129-1
US-PATENT-APPL-SN-370255
US-PATENT-CLASS-324-32
US-PATENT-CLASS-324-54
US-PATENT-3,866,114
c33 N75-18479 ..... NASA-CASE-MSC-14129-1
US-PATENT-APPL-SN-362146
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-235R
US-PATENT-CLASS-307-267
US-PATENT-CLASS-328-58
US-PATENT-CLASS-328-115
US-PATENT-CLASS-328-151
US-PATENT-3,869,624
c37 N75-18573 ..... NASA-CASE-NPO-13253-1
US-PATENT-APPL-SN-395687
US-PATENT-CLASS-248-358R
US-PATENT-3,863,881
c37 N75-18574 ..... NASA-CASE-GSC-11079-1
US-PATENT-APPL-SN-100637
US-PATENT-CLASS-308-10
US-PATENT-3,865,442
c18 N75-19329 ..... NASA-CASE-MFS-22734-1
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-244-162
US-PATENT-3,866,863
c26 N75-19408 ..... NASA-CASE-LEW-11696-2
US-PATENT-APPL-SN-298156
US-PATENT-APPL-SN-436315
US-PATENT-CLASS-29-194
US-PATENT-CLASS-29-196.2
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-3,869,779
c33 N75-19515 ..... NASA-CASE-MSC-14131-1
US-PATENT-APPL-SN-373588
US-PATENT-CLASS-307-260
US-PATENT-CLASS-324-78J
US-PATENT-CLASS-328-59
US-PATENT-CLASS-331-78
US-PATENT-3,866,128
c33 N75-19516 ..... NASA-CASE-GSC-11760-1
NASA-CASE-GSC-11783-1
US-PATENT-APPL-SN-395868
US-PATENT-CLASS-343-761
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-3,866,233
c33 N75-19517 ..... NASA-CASE-GSC-11582-1
US-PATENT-APPL-SN-397477
US-PATENT-CLASS-178-15
US-PATENT-CLASS-315-18
US-PATENT-CLASS-340-324AD
US-PATENT-3,866,210
c33 N75-19518 ..... NASA-CASE-ARC-10348-1
US-PATENT-APPL-SN-140439
US-PATENT-CLASS-330-69
US-PATENT-CLASS-330-86
US-PATENT-3,872,395
c33 N75-19519 ..... NASA-CASE-NPO-13125-1
US-PATENT-APPL-SN-319150
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-235-92VA
US-PATENT-3,866,022
c33 N75-19520 ..... NASA-CASE-ARC-10364-3
US-PATENT-APPL-SN-209618
US-PATENT-APPL-SN-462844
US-PATENT-CLASS-307-321
US-PATENT-CLASS-324-DIG.1
US-PATENT-CLASS-329-166
US-PATENT-CLASS-329-204
US-PATENT-CLASS-332-47
US-PATENT-3,869,676
c33 N75-19521 ..... NASA-CASE-KSC-10736-1
US-PATENT-APPL-SN-348787
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-113
US-PATENT-3,869,667
c33 N75-19522 ..... NASA-CASE-GSC-11844-1
US-PATENT-APPL-SN-452761
US-PATENT-CLASS-307-227
US-PATENT-CLASS-321-15
US-PATENT-CLASS-324-32
US-PATENT-3,869,659
c33 N75-19524 ..... NASA-CASE-NPO-13374-1
US-PATENT-APPL-SN-449118
US-PATENT-CLASS-318-137
US-PATENT-CLASS-318-167
US-PATENT-CLASS-318-176
US-PATENT-CLASS-318-183
US-PATENT-3,867,677
c34 N75-19579 ..... NASA-CASE-LEW-12252-1
US-PATENT-APPL-SN-559847
c34 N75-19580 ..... NASA-CASE-LEW-12441-1
US-PATENT-APPL-SN-559846
c35 N75-19611 ..... NASA-CASE-LAR-11071-1
US-PATENT-APPL-SN-334349
US-PATENT-CLASS-73-221
US-PATENT-CLASS-417-36
US-PATENT-CLASS-417-138
US-PATENT-CLASS-417-395
US-PATENT-3,864,060
c35 N75-19612 ..... NASA-CASE-LAR-11237-1
US-PATENT-APPL-SN-402868
US-PATENT-CLASS-73-46
US-PATENT-CLASS-73-49.2
US-PATENT-CLASS-340-242
US-PATENT-3,864,960
c35 N75-19613 ..... NASA-CASE-LAR-11207-1
US-PATENT-APPL-SN-385013
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-250-332
US-PATENT-CLASS-356-83
US-PATENT-CLASS-356-96
US-PATENT-CLASS-356-186
US-PATENT-CLASS-356-189
US-PATENT-3,869,212
c35 N75-19614 ..... NASA-CASE-LAR-11173-1
US-PATENT-APPL-SN-354408
US-PATENT-CLASS-73-557
US-PATENT-CLASS-332-2
US-PATENT-3,868,856
c35 N75-19615 ..... NASA-CASE-MFS-22189-1
US-PATENT-APPL-SN-405342
US-PATENT-CLASS-33-148D
US-PATENT-CLASS-73-143
US-PATENT-3,864,953

c35 N75-19616 ..... NASA-CASE-MFS-20932-1
US-PATENT-APPL-SN-374441
US-PATENT-CLASS-250-505
US-PATENT-CLASS-250-508
US-PATENT-CLASS-250-510
US-PATENT-3,869,615
c35 N75-19627 ..... NASA-CASE-NPO-13606-1
US-PATENT-APPL-SN-553210
c35 N75-19628 ..... NASA-CASE-NPO-13614-1
US-PATENT-APPL-SN-553209
c36 N75-19652 ..... NASA-CASE-NPO-13131-1
US-PATENT-APPL-SN-390468
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-250-211R
US-PATENT-CLASS-250-578
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-340-173LS
US-PATENT-3,865,975
c36 N75-19653 ..... NASA-CASE-HQN-10844-1
US-PATENT-APPL-SN-412080
US-PATENT-CLASS-356-106LR
US-PATENT-3,869,210
c36 N75-19654 ..... NASA-CASE-GSC-11746-1
US-PATENT-APPL-SN-393528
US-PATENT-CLASS-331-94.5M
US-PATENT-3,869,680
c36 N75-19655 ..... NASA-CASE-LAR-11341-1
US-PATENT-APPL-SN-367293
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5P
US-PATENT-3,868,591
c37 N75-19683 ..... NASA-CASE-MSC-19095-1
US-PATENT-APPL-SN-415486
US-PATENT-CLASS-219-137
US-PATENT-3,864,542
c37 N75-19684 ..... NASA-CASE-NPO-13345-1
US-PATENT-APPL-SN-462705
US-PATENT-CLASS-204-192
US-PATENT-CLASS-204-298
US-PATENT-3,864,239
c37 N75-19686 ..... NASA-CASE-MFS-19193-1
US-PATENT-APPL-SN-461477
US-PATENT-CLASS-285-114
US-PATENT-CLASS-285-226
US-PATENT-3,869,151
c77 N75-20139 ..... NASA-CASE-MSC-14143-1
US-PATENT-APPL-SN-393526
US-PATENT-CLASS-62-93
US-PATENT-CLASS-62-285
US-PATENT-CLASS-62-288
US-PATENT-CLASS-62-289
US-PATENT-CLASS-62-290
US-PATENT-CLASS-62-317
US-PATENT-CLASS-165-110
US-PATENT-CLASS-165-111
US-PATENT-3,868,830
c77 N75-20140 ..... NASA-CASE-GSC-11752-1
US-PATENT-APPL-SN-446569
US-PATENT-CLASS-219-497
US-PATENT-CLASS-219-501
US-PATENT-CLASS-219-505
US-PATENT-3,869,597
c32 N75-21485 ..... NASA-CASE-MSC-12607-1
US-PATENT-APPL-SN-407323
US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-358-36
US-PATENT-3,875,584
c32 N75-21486 ..... NASA-CASE-MSC-14558-1
US-PATENT-APPL-SN-428994
US-PATENT-CLASS-178-58A
US-PATENT-CLASS-178-79
US-PATENT-3,875,332
c35 N75-21582 ..... NASA-CASE-MFS-22671-1
US-PATENT-APPL-SN-419831
US-PATENT-CLASS-178-69A
US-PATENT-CLASS-235-181
US-PATENT-CLASS-324-57PS
US-PATENT-CLASS-324-77H
US-PATENT-CLASS-325-67
US-PATENT-3,875,500
c35 N75-21600 ..... NASA-CASE-NPO-13569-1
US-PATENT-APPL-SN-565162
c37 N75-21631 ..... NASA-CASE-LEW-11274-1
US-PATENT-APPL-SN-380630
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-40
US-PATENT-CLASS-277-134
US-PATENT-3,874,677
c39 N75-21671 ..... NASA-CASE-MSC-12619-1
US-PATENT-APPL-SN-555750
c73 N75-22108 ..... NASA-CASE-HQN-10841-1
US-PATENT-APPL-SN-560891
c37 N75-22748 ..... NASA-CASE-NPO-13619-1
US-PATENT-APPL-SN-572990
c35 N75-23910 ..... NASA-CASE-NPO-13327-1
US-PATENT-APPL-SN-429437
US-PATENT-CLASS-247-171
US-PATENT-CLASS-250-203
US-PATENT-CLASS-250-211R
US-PATENT-3,875,404
c05 N75-24716 ..... NASA-CASE-MSC-14339-1
US-PATENT-APPL-SN-347953
US-PATENT-CLASS-128.2.06E
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.06B
US-PATENT-3,882,846
c07 N75-24736 ..... NASA-CASE-ARC-10754-1
US-PATENT-APPL-SN-398886
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-3,883,095
c09 N75-24758 ..... NASA-CASE-GSC-11127-1
US-PATENT-APPL-SN-401466
US-PATENT-CLASS-318-314
US-PATENT-CLASS-318-318
US-PATENT-CLASS-318-341
US-PATENT-3,883,785
c12 N75-24774 ..... NASA-CASE-NPO-13263-1
US-PATENT-APPL-SN-393523
US-PATENT-CLASS-73-505
US-PATENT-3,882,732
c14 N75-24794 ..... NASA-CASE-MFS-21488-1
US-PATENT-APPL-SN-359156
US-PATENT-CLASS-73-143
US-PATENT-3,882,719
c20 N75-24837 ..... NASA-CASE-NPO-13303-1
US-PATENT-APPL-SN-457295
US-PATENT-CLASS-60-516
US-PATENT-CLASS-60-530
US-PATENT-CLASS-62-3
US-PATENT-CLASS-62-467
US-PATENT-CLASS-310-4
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-40
US-PATENT-CLASS-310-52
US-PATENT-CLASS-335-216
US-PATENT-3,875,435
c32 N75-24981 ..... NASA-CASE-GSC-11743-1
US-PATENT-APPL-SN-370271
US-PATENT-CLASS-178-66R
US-PATENT-CLASS-325-30
US-PATENT-CLASS-325-60
US-PATENT-3,878,464
c32 N75-24982 ..... NASA-CASE-NPO-13140-1
US-PATENT-APPL-SN-374422
US-PATENT-CLASS-343-5GC
US-PATENT-CLASS-343-100PE
US-PATENT-3,883,872
c33 N75-25040 ..... NASA-CASE-GSC-11623-1
US-PATENT-APPL-SN-389929
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-18
US-PATENT-CLASS-331-25
US-PATENT-3,883,817
c33 N75-25041 ..... NASA-CASE-ARC-10364-2
US-PATENT-APPL-SN-209618
US-PATENT-APPL-SN-433968
US-PATENT-CLASS-307-321
US-PATENT-CLASS-324-DIG.1
US-PATENT-CLASS-329-166
US-PATENT-CLASS-329-204
US-PATENT-3,883,812
c35 N75-25122 ..... NASA-CASE-NPO-10764-2
US-PATENT-APPL-SN-273519
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-73-356
US-PATENT-CLASS-116-114.5
US-PATENT-CLASS-117-72
US-PATENT-3,874,240
c35 N75-25123 ..... NASA-CASE-NPO-13214-1
NASA-CASE-NPO-13215-1
US-PATENT-APPL-SN-394149
US-PATENT-CLASS-178-DIG.29
US-PATENT-CLASS-178-7.2
US-PATENT-3,883,689
c35 N75-25124 ..... NASA-CASE-MFS-21704-1
US-PATENT-APPL-SN-386793
US-PATENT-CLASS-350-3.5

US-PATENT-3,883,215
c35 N75-25134 ..... NASA-CASE-GSC-11956-1
US-PATENT-APPL-SN-576767
c37 N75-25185 ..... NASA-CASE-NPO-13360-1
US-PATENT-APPL-SN-401920
US-PATENT-CLASS-228-1
US-PATENT-CLASS-251-333
US-PATENT-3,874,635
c37 N75-25186 ..... NASA-CASE-MFS-22649-1
US-PATENT-APPL-SN-398901
US-PATENT-CLASS-408-112
US-PATENT-CLASS-408-186
US-PATENT-CLASS-408-193
US-PATENT-CLASS-408-195
US-PATENT-3,877,833
c51 N75-25503 ..... NASA-CASE-ARC-10722-1
US-PATENT-APPL-SN-428995
US-PATENT-CLASS-47-1.2
US-PATENT-CLASS-47-39
US-PATENT-CLASS-47-58
US-PATENT-3,882,634
c54 N75-25594 ..... NASA-CASE-MSC-14632-1
US-PATENT-APPL-SN-571459
c74 N75-25706 ..... NASA-CASE-HQN-10542-1
US-PATENT-APPL-SN-163151
US-PATENT-CLASS-178-DIG.25
US-PATENT-CLASS-250-566
US-PATENT-CLASS-350-311
US-PATENT-3,883,436
c76 N75-25730 ..... NASA-CASE-GSC-11425-2
US-PATENT-APPL-SN-206266
US-PATENT-APPL-SN-394206
US-PATENT-CLASS-357-23
US-PATENT-CLASS-357-29
US-PATENT-CLASS-357-42
US-PATENT-CLASS-357-52
US-PATENT-CLASS-357-54
US-PATENT-CLASS-357-91
US-PATENT-3,882,530
c05 N75-25914 ..... NASA-CASE-LAR-11252-1
US-PATENT-APPL-SN-367268
US-PATENT-CLASS-D12-76
US-PATENT-CLASS-244-13
US-PATENT-CLASS-244-15
US-PATENT-CLASS-244-42DA
US-PATENT-CLASS-244-55
US-PATENT-3,884,432
c05 N75-25915 ..... NASA-CASE-ARC-10519-2
US-PATENT-APPL-SN-452767
US-PATENT-CLASS-280-150SB
US-PATENT-CLASS-297-385
US-PATENT-CLASS-297-388
US-PATENT-CLASS-297-389
US-PATENT-3,887,233
c25 N75-26043 ..... NASA-CASE-LAR-11144-1
US-PATENT-APPL-SN-426405
US-PATENT-CLASS-117-106A
US-PATENT-CLASS-117-107.2
US-PATENT-CLASS-117-201
US-PATENT-CLASS-118-48
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-148-175
US-PATENT-CLASS-252-62.3GA
US-PATENT-3,888,705
c32 N75-26194 ..... NASA-CASE-NPO-13217-1
US-PATENT-APPL-SN-362145
US-PATENT-CLASS-343-105R
US-PATENT-CLASS-343-112D
US-PATENT-3,889,264
c32 N75-26195 ..... NASA-CASE-NPO-13321-1
US-PATENT-APPL-SN-455163
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-4
US-PATENT-3,889,064
c33 N75-26243 ..... NASA-CASE-GSC-11744-1
US-PATENT-APPL-SN-353162
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-181
US-PATENT-CLASS-324-83Q
US-PATENT-CLASS-328-133
US-PATENT-3,875,394
c33 N75-26244 ..... NASA-CASE-MFS-22208-1
US-PATENT-APPL-SN-448325
US-PATENT-CLASS-315-10
US-PATENT-CLASS-315-367
US-PATENT-CLASS-315-369
US-PATENT-CLASS-315-387
US-PATENT-3,889,155
c33 N75-26245 ..... NASA-CASE-LAR-11352-1
US-PATENT-APPL-SN-459736
US-PATENT-CLASS-23-259R
US-PATENT-CLASS-324-58.5A
US-PATENT-CLASS-324-58.5C
US-PATENT-3,889,182
c33 N75-26246 ..... NASA-CASE-KSC-10807-1
US-PATENT-APPL-SN-461073
US-PATENT-CLASS-324-72
US-PATENT-3,889,185
c34 N75-26282 ..... NASA-CASE-LAR-11110-1
US-PATENT-APPL-SN-420424
US-PATENT-CLASS-233-DIG.1
US-PATENT-CLASS-233-6
US-PATENT-CLASS-233-20BP
US-PATENT-CLASS-233-25
US-PATENT-CLASS-233-46
US-PATENT-3,888,410
c35 N75-26334 ..... NASA-CASE-ARC-10344-2
US-PATENT-APPL-SN-446564
US-PATENT-CLASS-55-386
US-PATENT-3,887,345
c37 N75-26371 ..... NASA-CASE-GSC-10984-1
US-PATENT-APPL-SN-127480
US-PATENT-CLASS-29-182.2
US-PATENT-CLASS-29-182.5
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-65-3
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-208R
US-PATENT-CLASS-75-212
US-PATENT-CLASS-75-214
US-PATENT-CLASS-75-222
US-PATENT-CLASS-117-126GB
US-PATENT-CLASS-117-126R
US-PATENT-CLASS-161-92
US-PATENT-CLASS-161-93
US-PATENT-3,887,365
c37 N75-26372 ..... NASA-CASE-MFS-21931-1
US-PATENT-APPL-SN-464721
US-PATENT-CLASS-250-359
US-PATENT-CLASS-250-460
US-PATENT-CLASS-250-492
US-PATENT-3,889,122
c70 N75-26789 ..... NASA-CASE-MFS-22758-1
US-PATENT-APPL-SN-581514
c18 N75-27040 ..... NASA-CASE-HQ-02146
US-PATENT-APPL-SN-290043
US-PATENT-CLASS-52-71
US-PATENT-3,206,897
c18 N75-27041 ..... NASA-CASE-MSC-14245-1
US-PATENT-APPL-SN-389916
US-PATENT-CLASS-214-1CM
US-PATENT-3,893,573
c26 N75-27125 ..... NASA-CASE-NPF-05868
US-PATENT-APPL-SN-512509
US-PATENT-CLASS-260-29.6
US-PATENT-3,475,442
c26 N75-27126 ..... NASA-CASE-NPF-06053
US-PATENT-APPL-SN-542192
US-PATENT-CLASS-75-173
US-PATENT-3,411,900
c26 N75-27127 ..... NASA-CASE-NPF-03878
US-PATENT-APPL-SN-488745
US-PATENT-CLASS-75-173
US-PATENT-3,373,016
c27 N75-27160 ..... NASA-CASE-MFS-22324-1
US-PATENT-APPL-SN-350250
US-PATENT-CLASS-106-48
US-PATENT-CLASS-106-54
US-PATENT-CLASS-117-129
US-PATENT-3,891,452
c33 N75-27249 ..... NASA-CASE-NPS-02744
US-PATENT-APPL-SN-351950
US-PATENT-CLASS-200-129
US-PATENT-3,281,558
c33 N75-27250 ..... NASA-CASE-NPF-01296
US-PATENT-APPL-SN-147984
US-PATENT-CLASS-315-30
US-PATENT-3,189,784
c33 N75-27251 ..... NASA-CASE-HQN-10069
US-PATENT-APPL-SN-739072
US-PATENT-CLASS-330-5
US-PATENT-3,551,831
c33 N75-27252 ..... NASA-CASE-LAR-11042-1
US-PATENT-APPL-SN-440916
US-PATENT-CLASS-200-242

US-PATENT-CLASS-204-267
US-PATENT-CLASS-204-279
US-PATENT-CLASS-204-286
US-PATENT-CLASS-204-290R
US-PATENT-3,891,533
c33 N75-27261 ..... NASA-CASE-LAR-11264-1
US-PATENT-APPL-SN-594971
c35 N75-27328 ..... NASA-CASE-MFS-22537-1
US-PATENT-APPL-SN-387266
US-PATENT-CLASS-350-3.5
US-PATENT-3,888,561
c35 N75-27329 ..... NASA-CASE-XMF-05882
US-PATENT-APPL-SN-533650
US-PATENT-CLASS-250-83.3
US-PATENT-3,454,766
c35 N75-27330 ..... NASA-CASE-LAR-11354-1
US-PATENT-APPL-SN-409990
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-195-120
US-PATENT-CLASS-195-127
US-PATENT-CLASS-195-141
US-PATENT-3,884,765
c35 N75-27331 ..... NASA-CASE-GSC-11829-1
US-PATENT-APPL-SN-502136
US-PATENT-CLASS-250-385
US-PATENT-3,891,851
c36 N75-27364 ..... NASA-CASE-XLE-2529-2
US-PATENT-APPL-SN-848403
US-PATENT-CLASS-240-41B
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5A
US-PATENT-3,894,289
c37 N75-27376 ..... NASA-CASE-XMS-01330
US-PATENT-APPL-SN-153624
US-PATENT-APPL-SN-322565
US-PATENT-CLASS-219-125
US-PATENT-3,275,794
c45 N75-27585 ..... NASA-CASE-NPO-13231-1
US-PATENT-APPL-SN-428993
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-345
US-PATENT-CLASS-250-432
US-PATENT-3,891,848
c54 N75-27758 ..... NASA-CASE-NPO-13386-1
US-PATENT-APPL-SN-475336
US-PATENT-CLASS-214-1B
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-318-640
US-PATENT-3,888,362
c54 N75-27759 ..... NASA-CASE-MSC-13601-2
US-PATENT-APPL-SN-395495
US-PATENT-CLASS-351-38
US-PATENT-3,891,311
c54 N75-27760 ..... NASA-CASE-ARC-10753-1
US-PATENT-APPL-SN-427395
US-PATENT-CLASS-74-471XY
US-PATENT-CLASS-128-2.05Z
US-PATENT-CLASS-128-2V
US-PATENT-CLASS-128-24A
US-PATENT-3,893,449
c54 N75-27761 ..... NASA-CASE-NPO-13313-1
US-PATENT-APPL-SN-449153
US-PATENT-CLASS-55-DIG.35
US-PATENT-CLASS-128-145.8
US-PATENT-3,893,458
c24 N75-28135 ..... NASA-CASE-MFS-21077-1
US-PATENT-APPL-SN-127481
US-PATENT-CLASS-29-419
US-PATENT-CLASS-228-190
US-PATENT-CLASS-228-193
US-PATENT-3,894,677
c44 N75-28519 ..... NASA-CASE-NPO-13579-1
NASA-CASE-NPO-13580-1
US-PATENT-APPL-SN-598969
c23 N75-29181 ..... NASA-CASE-LAR-11828-1
US-PATENT-APPL-SN-562992
c25 N75-29192 ..... NASA-CASE-HQN-10462
US-PATENT-APPL-SN-773530
US-PATENT-CLASS-118-43
US-PATENT-3,603,285
c26 N75-29236 ..... NASA-CASE-XNP-01311
US-PATENT-APPL-SN-430496
US-PATENT-CLASS-148-127
US-PATENT-3,390,023
c27 N75-29263 ..... NASA-CASE-LAR-11397-1
US-PATENT-APPL-SN-532784
c33 N75-29318 ..... NASA-CASE-ARC-10266-1
US-PATENT-APPL-SN-453241
US-PATENT-APPL-SN-585988
US-PATENT-CLASS-315-111
US-PATENT-3,469,143
c35 N75-29380 ..... NASA-CASE-MFS-22060-1
US-PATENT-APPL-SN-521603
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-255E
US-PATENT-CLASS-73-23
US-PATENT-CLASS-311-37
US-PATENT-CLASS-331-65
US-PATENT-3,895,912
c35 N75-29381 ..... NASA-CASE-ARC-10806-1
US-PATENT-APPL-SN-478802
US-PATENT-CLASS-73-178R
US-PATENT-3,895,521
c35 N75-29382 ..... NASA-CASE-XMS-05731
US-PATENT-APPL-SN-441279
US-PATENT-CLASS-73-117.4
US-PATENT-3,375,712
c37 N75-29426 ..... NASA-CASE-XLE-10717
US-PATENT-APPL-SN-844243
US-PATENT-CLASS-315-111
US-PATENT-3,004,189
c03 N75-30132 ..... NASA-CASE-ERC-10419-1
US-PATENT-APPL-SN-219722
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-112CA
US-PATENT-3,900,847
c23 N75-30256 ..... NASA-CASE-MFS-22356-1
US-PATENT-APPL-SN-489008
US-PATENT-CLASS-260-78TF
US-PATENT-CLASS-260-346.3
US-PATENT-CLASS-260-520
US-PATENT-3,899,517
c24 N75-30260 ..... NASA-CASE-LAR-10337-1
US-PATENT-APPL-SN-424038
US-PATENT-CLASS-29-610
US-PATENT-CLASS-29-613
US-PATENT-CLASS-338-13
US-PATENT-CLASS-338-283
US-PATENT-3,898,730
c32 N75-30385 ..... NASA-CASE-HQN-10880-1
US-PATENT-APPL-SN-595254
c33 N75-30428 ..... NASA-CASE-MFS-22342-1
US-PATENT-APPL-SN-361666
US-PATENT-CLASS-330-13
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-63
US-PATENT-3,898,578
c33 N75-30429 ..... NASA-CASE-MFS-21616-1
US-PATENT-APPL-SN-464723
US-PATENT-CLASS-330-24
US-PATENT-CLASS-330-207A
US-PATENT-3,899,745
c33 N75-30430 ..... NASA-CASE-NPO-13504-1
US-PATENT-APPL-SN-483852
US-PATENT-CLASS-33-96
US-PATENT-CLASS-333-21R
US-PATENT-CLASS-333-83BT
US-PATENT-CLASS-333-98R
US-PATENT-3,902,143
c33 N75-30431 ..... NASA-CASE-KSC-10782-1
US-PATENT-APPL-SN-400467
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-6.8
US-PATENT-3,900,705
c35 N75-30502 ..... NASA-CASE-ARC-10802-1
US-PATENT-APPL-SN-484208
US-PATENT-CLASS-205-343
US-PATENT-CLASS-250-351
US-PATENT-CLASS-250-373
US-PATENT-CLASS-356-51
US-PATENT-3,899,252
c35 N75-30503 ..... NASA-CASE-LEW-12078-1
US-PATENT-APPL-SN-447124
US-PATENT-CLASS-73-194M
US-PATENT-CLASS-73-195
US-PATENT-3,898,882
c35 N75-30504 ..... NASA-CASE-MSC-12531-1
US-PATENT-APPL-SN-354612
US-PATENT-CLASS-307-204
US-PATENT-CLASS-307-211
US-PATENT-CLASS-307-219
US-PATENT-CLASS-328-61
US-PATENT-CLASS-328-62
US-PATENT-3,900,741
c36 N75-30524 ..... NASA-CASE-NPO-13308-1
US-PATENT-APPL-SN-455165
US-PATENT-CLASS-310-4

US-PATENT-CLASS-331-DIG.1
US-PATENT-3,899,696
c37 N75-30562 ..... NASA-CASE-LEW-11076-3
US-PATENT-APPL-SN-405346
US-PATENT-CLASS-308-73
US-PATENT-CLASS-308-121
US-PATENT-3,899,224
c73 N75-30876 ..... NASA-CASE-LEW-11227-1
US-PATENT-APPL-SN-146939
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-250-493
US-PATENT-CLASS-250-496
US-PATENT-3,899,680
c33 N75-31329 ..... NASA-CASE-NPO-13423-1
US-PATENT-APPL-SN-470429
US-PATENT-CLASS-73-88.5
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-338-2
US-PATENT-3,905,356
c33 N75-31330 ..... NASA-CASE-NPO-13426-1
US-PATENT-APPL-SN-45053
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-41
US-PATENT-3,906,374
c33 N75-31331 ..... NASA-CASE-NPO-11156-2
US-PATENT-APPL-SN-174684
US-PATENT-CLASS-307-238
US-PATENT-CLASS-340-173CA
US-PATENT-CLASS-357-7
US-PATENT-CLASS-357-24
US-PATENT-3,906,296
c33 N75-31332 ..... NASA-CASE-NPO-13348-1
US-PATENT-APPL-SN-452770
US-PATENT-CLASS-250-238
US-PATENT-CLASS-250-370
US-PATENT-CLASS-357-5
US-PATENT-3,906,231
c36 N75-31426 ..... NASA-CASE-ARC-10370-1
US-PATENT-APPL-SN-137391
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-3,906,397
c36 N75-31427 ..... NASA-CASE-NPO-13175-1
US-PATENT-APPL-SN-374423
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-96WG
US-PATENT-CLASS-350-161
US-PATENT-3,906,393
c37 N75-31446 ..... NASA-CASE-LEW-11925-1
US-PATENT-APPL-SN-450505
US-PATENT-CLASS-308-191
US-PATENT-CLASS-308-195
US-PATENT-CLASS-308-201
US-PATENT-3,905,660
c39 N75-31479 ..... NASA-CASE-LAR-11181-1
US-PATENT-APPL-SN-571816
c31 N75-32262 ..... NASA-CASE-MSC-14773-1
US-PATENT-APPL-SN-612966
c34 N75-32389 ..... NASA-CASE-ARC-10896-1
US-PATENT-APPL-SN-615030
c36 N75-32441 ..... NASA-CASE-NPO-13449-1
US-PATENT-APPL-SN-420813
US-PATENT-CLASS-310-11
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5PE
US-PATENT-CLASS-331-94-5G
US-PATENT-3,906,398
c37 N75-32465 ..... NASA-CASE-ARC-10907-1
US-PATENT-APPL-SN-619986
c44 N75-32581 ..... NASA-CASE-MFS-21628-1
US-PATENT-APPL-SN-421702
US-PATENT-CLASS-60-641
US-PATENT-CLASS-60-659
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-105
US-PATENT-CLASS-244-173
US-PATENT-3,903,699
c54 N75-32766 ..... NASA-CASE-ARC-10820-1
US-PATENT-APPL-SN-620675
c24 N75-33181 ..... NASA-CASE-LEW-11484-1
US-PATENT-APPL-SN-356554
US-PATENT-CLASS-29-DIG.24
US-PATENT-CLASS-29-DIG.39
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-72-46
US-PATENT-CLASS-117-8.5
US-PATENT-CLASS-117-38
US-PATENT-CLASS-117-46FS
US-PATENT-CLASS-117-105.2
US-PATENT-3,906,769
c34 N75-33342 ..... NASA-CASE-MSC-14273-1
US-PATENT-APPL-SN-385522
US-PATENT-CLASS-210-82
US-PATENT-CLASS-210-234
US-PATENT-CLASS-210-259
US-PATENT-CLASS-210-304
US-PATENT-CLASS-210-333
US-PATENT-CLASS-210-340
US-PATENT-CLASS-210-411
US-PATENT-CLASS-210-425
US-PATENT-CLASS-210-512
US-PATENT-3,907,686
c35 N75-33367 ..... NASA-CASE-LAR-10629-1
US-PATENT-APPL-SN-402867
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-432PS
US-PATENT-CLASS-116-114AB
US-PATENT-3,896,758
c35 N75-33368 ..... NASA-CASE-LAR-11326-1
US-PATENT-APPL-SN-491416
US-PATENT-CLASS-195-103.5R
US-PATENT-3,907,646
c35 N75-33369 ..... NASA-CASE-LAR-11263-1
US-PATENT-APPL-SN-472775
US-PATENT-CLASS-73-141A
US-PATENT-3,906,788
c37 N75-33395 ..... NASA-CASE-MFS-22283-1
US-PATENT-APPL-SN-387095
US-PATENT-CLASS-29-26A
US-PATENT-CLASS-279-1B
US-PATENT-CLASS-279-89
US-PATENT-CLASS-279-107
US-PATENT-CLASS-294-86.33
US-PATENT-CLASS-294-116
US-PATENT-3,907,312
c52 N75-33640 ..... NASA-CASE-LEW-12051-1
US-PATENT-APPL-SN-397478
US-PATENT-CLASS-128-230
US-PATENT-CLASS-128-305
US-PATENT-3,906,954
c09 N76-10148 ..... NASA-CASE-ARC-10903-1
US-PATENT-APPL-SN-623536
c27 N76-13294 ..... NASA-CASE-NPO-13690-1
US-PATENT-APPL-SN-633876
c34 N76-13419 ..... NASA-CASE-LAR-11669-1
US-PATENT-APPL-SN-630582
c37 N76-13496 ..... NASA-CASE-MSC-14757-1
US-PATENT-APPL-SN-625734
c37 N76-13500 ..... NASA-CASE-MFS-23051-1
US-PATENT-APPL-SN-632111
c60 N76-13781 ..... NASA-CASE-GSC-12044-1
US-PATENT-APPL-SN-631341
c74 N76-13909 ..... NASA-CASE-MFS-23194-1
US-PATENT-APPL-SN-629458
c15 N76-14158 ..... NASA-CASE-LAR-11051-1
US-PATENT-APPL-SN-384773
US-PATENT-CLASS-74-5.7
US-PATENT-CLASS-244-3.21
US-PATENT-CLASS-244-165
US-PATENT-3,915,416
c18 N76-14186 ..... NASA-CASE-MSC-12559-1
US-PATENT-APPL-SN-370582
US-PATENT-CLASS-33-286
US-PATENT-CLASS-35-12
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-244-161
US-PATENT-CLASS-356-153
US-PATENT-3,910,533
c20 N76-14190 ..... NASA-CASE-LEW-11593-1
US-PATENT-APPL-SN-363691
US-PATENT-CLASS-60-39.23
US-PATENT-CLASS-60-39.29
US-PATENT-CLASS-60-39.74R
US-PATENT-3,910,035
c20 N76-14191 ..... NASA-CASE-LEW-11118-2
US-PATENT-APPL-SN-436316
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-239-127.3
US-PATENT-3,910,039
c24 N76-14203 ..... NASA-CASE-NPO-12122-1
US-PATENT-APPL-SN-401921
US-PATENT-CLASS-149-36
US-PATENT-CLASS-423-407
US-PATENT-3,919,014
c24 N76-14204 ..... NASA-CASE-MSC-12568-1
US-PATENT-APPL-SN-325784

US-PATENT-CLASS-136-146
US-PATENT-CLASS-136-148
US-PATENT-CLASS-162-102
US-PATENT-CLASS-162-153
US-PATENT-CLASS-162-222
US-PATENT-CLASS-162-228
US-PATENT-3,910,814
c27 N76-14264 ..... NASA-CASE-MSC-14182-1
US-PATENT-APPL-SN-419748
US-PATENT-CLASS-403-28
US-PATENT-CLASS-403-179
US-PATENT-CLASS-428-77
US-PATENT-CLASS-428-109
US-PATENT-CLASS-428-212
US-PATENT-CLASS-428-214
US-PATENT-CLASS-428-416
US-PATENT-CLASS-428-447
US-PATENT-3,920,339
c31 N76-14284 ..... NASA-CASE-NPO-13435-1
US-PATENT-APPL-SN-478803
US-PATENT-CLASS-62-49
US-PATENT-CLASS-62-129
US-PATENT-CLASS-73-295
US-PATENT-3,914,950
c32 N76-14321 ..... NASA-CASE-LAR-11021-1
US-PATENT-APPL-SN-453115
US-PATENT-CLASS-325-304
US-PATENT-CLASS-325-306
US-PATENT-CLASS-325-372
US-PATENT-CLASS-328-145
US-PATENT-CLASS-343-176
US-PATENT-3,916,316
c33 N76-14371 ..... NASA-CASE-KSC-10834-1
US-PATENT-APPL-SN-536535
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-178-88
US-PATENT-CLASS-328-63
US-PATENT-CLASS-328-190
US-PATENT-3,916,084
c33 N76-14372 ..... NASA-CASE-LAR-10970-1
US-PATENT-APPL-SN-527790
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-846
US-PATENT-3,919,710
c33 N76-14373 ..... NASA-CASE-NPO-13451-1
US-PATENT-APPL-SN-501012
US-PATENT-CLASS-235-92SH
US-PATENT-CLASS-307-221R
US-PATENT-CLASS-328-37
US-PATENT-3,911,330
c35 N76-14429 ..... NASA-CASE-LAR-11552-1
US-PATENT-APPL-SN-518685
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-212
US-PATENT-3,914,997
c35 N76-14430 ..... NASA-CASE-NPO-13170-1
US-PATENT-APPL-SN-382261
US-PATENT-CLASS-73-88.5R
US-PATENT-CLASS-338-6
US-PATENT-3,914,991
c35 N76-14431 ..... NASA-CASE-LEW-11915-1
US-PATENT-APPL-SN-474744
US-PATENT-CLASS-60-39.29
US-PATENT-CLASS-137-15.2
US-PATENT-CLASS-235-151.34
US-PATENT-3,911,260
c35 N76-14433 ..... JPL-CASE-13687
NASA-CASE-NPO-13687-1
US-PATENT-APPL-SN-641803
c35 N76-14434 ..... JPL-CASE-13756
NASA-CASE-NPO-13756-1
US-PATENT-APPL-SN-641801
c36 N76-14447 ..... NASA-CASE-ARC-10642-1
US-PATENT-APPL-SN-446562
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-106R
US-PATENT-3,915,572
c37 N76-14460 ..... NASA-CASE-MFS-19194-1
US-PATENT-APPL-SN-483850
US-PATENT-CLASS-285-226
US-PATENT-CLASS-285-265
US-PATENT-3,915,482
c37 N76-14461 ..... NASA-CASE-LEW-11694-2
US-PATENT-APPL-SN-352381
US-PATENT-APPL-SN-462903
US-PATENT-CLASS-29-421
US-PATENT-CLASS-72-54
US-PATENT-CLASS-72-63
US-PATENT-CLASS-72-363
US-PATENT-3,864,797
US-PATENT-3,914,969
c37 N76-14463 ..... NASA-CASE-MFS-22323-1
US-PATENT-APPL-SN-474745
US-PATENT-CLASS-137-515.3
US-PATENT-CLASS-137-550
US-PATENT-CLASS-210-429
US-PATENT-CLASS-251-149.6
US-PATENT-3,910,307
c44 N76-14595 ..... NASA-CASE-MFS-22562-1
US-PATENT-APPL-SN-458484
US-PATENT-CLASS-29-194
US-PATENT-CLASS-29-195
US-PATENT-CLASS-29-197
US-PATENT-CLASS-126-270
US-PATENT-CLASS-136-206
US-PATENT-CLASS-204-32R
US-PATENT-CLASS-204-33
US-PATENT-CLASS-204-38A
US-PATENT-CLASS-204-40
US-PATENT-CLASS-204-42
US-PATENT-CLASS-204-49
US-PATENT-3,920,413
c44 N76-14600 ..... NASA-CASE-LEW-11065-2
US-PATENT-APPL-SN-154930
US-PATENT-APPL-SN-371322
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89
US-PATENT-3,912,540
c44 N76-14601 ..... NASA-CASE-MFS-22749-1
US-PATENT-APPL-SN-483857
US-PATENT-CLASS-136-90
US-PATENT-CLASS-136-114
US-PATENT-CLASS-136-162
US-PATENT-CLASS-136-182
US-PATENT-3,912,541
c44 N76-14602 ..... NASA-CASE-NPO-13497-1
US-PATENT-APPL-SN-526448
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-211
US-PATENT-3,915,148
c44 N76-14612 ..... NASA-CASE-LEW-11330-1
US-PATENT-APPL-SN-642083
c52 N76-14757 ..... NASA-CASE-MSC-14180-1
US-PATENT-APPL-SN-354406
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2.06R
US-PATENT-CLASS-128-2R
US-PATENT-3,910,257
c54 N76-14804 ..... NASA-CASE-MSC-14640-1
US-PATENT-APPL-SN-526449
US-PATENT-CLASS-73-421R
US-PATENT-CLASS-128-2F
US-PATENT-3,915,012
c60 N76-14818 ..... NASA-CASE-NPO-13422-1
US-PATENT-APPL-SN-521601
US-PATENT-CLASS-340-147C
US-PATENT-CLASS-340-147R
US-PATENT-3,916,380
c75 N76-14931 ..... NASA-CASE-MFS-22287-1
US-PATENT-APPL-SN-438147
US-PATENT-CLASS-73-12
US-PATENT-CLASS-89-8
US-PATENT-CLASS-315-111.6
US-PATENT-3,916,761
c12 N76-15189 ..... NASA-CASE-MSC-12611-1
US-PATENT-APPL-SN-446560
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-293
US-PATENT-CLASS-427-162
US-PATENT-CLASS-427-250
US-PATENT-3,927,227
c23 N76-15268 ..... NASA-CASE-MFS-22355-1
US-PATENT-APPL-SN-487852
US-PATENT-CLASS-260-32.6N
US-PATENT-CLASS-260-32.8N
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-78TF
US-PATENT-CLASS-260-346.3
US-PATENT-CLASS-260-571
US-PATENT-3,925,312
c27 N76-15310 ..... NASA-CASE-ARC-10714-1
US-PATENT-APPL-SN-398885
US-PATENT-CLASS-260-2.5AK
US-PATENT-CLASS-427-196
US-PATENT-CLASS-427-426
US-PATENT-CLASS-428-303

US-PATENT-3,916,060
c27 N76-15311 ..... NASA-CASE-NPO-13120-1
US-PATENT-APPL-SN-348422
US-PATENT-CLASS-29-182.5
US-PATENT-3,926,567
c27 N76-15314 ..... NASA-CASE-MSC-14795-1
US-PATENT-APPL-SN-640806
c32 N76-15329 ..... NASA-CASE-GSC-11968-1
US-PATENT-APPL-SN-512825
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-876
US-PATENT-3,927,408
c32 N76-15330 ..... NASA-CASE-LAR-11112-1
US-PATENT-APPL-SN-491419
US-PATENT-CLASS-343-786
US-PATENT-3,924,237
c33 N76-15373 ..... NASA-CASE-LEW-11938-1
US-PATENT-APPL-SN-544611
US-PATENT-CLASS-317-258
US-PATENT-CLASS-317-261
US-PATENT-3,924,164
c35 N76-15431 ..... NASA-CASE-MSC-13802-2
US-PATENT-APPL-SN-189438
US-PATENT-APPL-SN-475338
US-PATENT-CLASS-250-251
US-PATENT-CLASS-250-287
US-PATENT-CLASS-250-423
US-PATENT-3,916,187
c35 N76-15432 ..... NASA-CASE-LAR-11435-1
US-PATENT-APPL-SN-522556
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-310-8.2
US-PATENT-3,924,444
c35 N76-15433 ..... NASA-CASE-GSC-11892-1
US-PATENT-APPL-SN-502135
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-489
US-PATENT-3,927,324
c35 N76-15434 ..... NASA-CASE-LEW-11072-2
US-PATENT-APPL-SN-104885
US-PATENT-APPL-SN-254323
US-PATENT-CLASS-136-211
US-PATENT-CLASS-136-212
US-PATENT-CLASS-136-225
US-PATENT-3,729,343
US-PATENT-3,925,104
c35 N76-15435 ..... NASA-CASE-NPO-13506-1
US-PATENT-APPL-SN-483851
US-PATENT-CLASS-343-909
US-PATENT-3,924,239
c35 N76-15436 ..... NASA-CASE-GSC-11895-1
US-PATENT-APPL-SN-511887
US-PATENT-CLASS-331-3
US-PATENT-CLASS-331-94
US-PATENT-3,924,200
c36 N76-15451 ..... NASA-CASE-GSC-12083-1
US-PATENT-APPL-SN-643897
c37 N76-15457 ..... NASA-CASE-MFS-22707-1
US-PATENT-APPL-SN-535410
US-PATENT-CLASS-74-384
US-PATENT-CLASS-74-665B
US-PATENT-CLASS-214-1R
US-PATENT-3,922,930
c37 N76-15460 ..... NASA-CASE-MFS-22022-1
US-PATENT-APPL-SN-405341
US-PATENT-CLASS-214-ICM
US-PATENT-3,923,166
c37 N76-15461 ..... NASA-CASE-LEW-11076-4
US-PATENT-APPL-SN-238264
US-PATENT-APPL-SN-346483
US-PATENT-APPL-SN-445178
US-PATENT-CLASS-308-9
US-PATENT-CLASS-308-72
US-PATENT-CLASS-308-73
US-PATENT-CLASS-308-122
US-PATENT-CLASS-308-160
US-PATENT-3,804,472
US-PATENT-3,830,552
US-PATENT-3,926,482
c44 N76-15573 ..... NASA-CASE-NPO-13114-2
US-PATENT-APPL-SN-634214
c44 N76-15603 ..... NASA-CASE-LEW-12159-1
US-PATENT-APPL-SN-643041
c54 N76-15792 ..... NASA-CASE-MSC-12564-1
US-PATENT-APPL-SN-641862
c72 N76-15860 ..... NASA-CASE-LEW-11866-1
US-PATENT-APPL-SN-500980
US-PATENT-CLASS-250-499
US-PATENT-CLASS-250-500
US-PATENT-3,924,137
c02 N76-16014 ..... NASA-CASE-LAR-11575-1
US-PATENT-APPL-SN-527727
US-PATENT-CLASS-244-139
US-PATENT-3,930,628
c27 N76-16228 ..... NASA-CASE-NPO-12061-1
US-PATENT-APPL-SN-45549
US-PATENT-CLASS-260-92.1
US-PATENT-CLASS-260-879
US-PATENT-CLASS-260-900
US-PATENT-3,931,132
c27 N76-16229 ..... NASA-CASE-LEW-11179-1
US-PATENT-APPL-SN-357312
US-PATENT-CLASS-29-195A
US-PATENT-CLASS-427-203
US-PATENT-CLASS-427-204
US-PATENT-CLASS-427-205
US-PATENT-CLASS-427-270
US-PATENT-CLASS-427-275
US-PATENT-CLASS-427-287
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-469
US-PATENT-CLASS-428-539
US-PATENT-3,931,447
c27 N76-16230 ..... NASA-CASE-ARC-10813-1
US-PATENT-APPL-SN-437556
US-PATENT-CLASS-264-331
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-911
US-PATENT-CLASS-428-920
US-PATENT-CLASS-428-921
US-PATENT-3,928,708
c31 N76-16245 ..... NASA-CASE-MSC-19523-1
US-PATENT-APPL-SN-643895
c32 N76-16249 ..... NASA-CASE-MSC-14557-1
US-PATENT-APPL-SN-426994
US-PATENT-APPL-SN-464720
US-PATENT-CLASS-178-69C
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-321
US-PATENT-3,924,068
c33 N76-16331 ..... NASA-CASE-MSC-14649-1
US-PATENT-APPL-SN-505819
US-PATENT-CLASS-324-79D
US-PATENT-CLASS-328-134
US-PATENT-3,924,183
c33 N76-16332 ..... NASA-CASE-GSC-11849-1
US-PATENT-APPL-SN-470428
US-PATENT-CLASS-174-145
US-PATENT-CLASS-174-148
US-PATENT-CLASS-339-143C
US-PATENT-CLASS-339-198R
US-PATENT-CLASS-339-242
US-PATENT-CLASS-339-275R
US-PATENT-3,931,456
c35 N76-16390 ..... NASA-CASE-NPO-13388-1
US-PATENT-APPL-SN-522552
US-PATENT-CLASS-324-43R
US-PATENT-3,924,176
c35 N76-16391 ..... NASA-CASE-NPO-10166-2
US-PATENT-APPL-SN-192803
US-PATENT-APPL-SN-668116
US-PATENT-CLASS-360-9
US-PATENT-CLASS-360-10
US-PATENT-CLASS-360-35
US-PATENT-CLASS-360-101
US-PATENT-3,924,267
c35 N76-16392 ..... NASA-CASE-LAR-11458-1
US-PATENT-APPL-SN-504225
US-PATENT-CLASS-294-1R
US-PATENT-CLASS-294-19R
US-PATENT-3,929,364
c35 N76-16393 ..... NASA-CASE-GSC-11889-1
US-PATENT-APPL-SN-502124
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-287
US-PATENT-CLASS-250-288
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-423
US-PATENT-3,931,516
c37 N76-16446 ..... NASA-CASE-NPO-13342-1
US-PATENT-APPL-SN-390089
c44 N76-16612 ..... NASA-CASE-MFS-22002-1
US-PATENT-APPL-SN-452769

US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-210
US-PATENT-CLASS-165-105
US-PATENT-CLASS-310-4
US-PATENT-3,931,532
c44 N76-16621 ..... NASA-CASE-MSC-12669-1
US-PATENT-APPL-SN-645503
c18 N76-17185 ..... NASA-CASE-MSC-12561-1
US-PATENT-APPL-SN-448323
US-PATENT-CLASS-244-162
US-PATENT-CLASS-244-172
US-PATENT-3,929,306
c26 N76-17233 ..... NASA-CASE-LEW-12095-1
US-PATENT-APPL-SN-651009
c34 N76-17317 ..... NASA-CASE-LAR-10799-2
US-PATENT-APPL-SN-301419
US-PATENT-APPL-SN-419319
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-106
US-PATENT-CLASS-237-60
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-244-135R
US-PATENT-CLASS-417-209
US-PATENT-3,929,305
c35 N76-17369 ..... NASA-CASE-GSC-12088-1
US-PATENT-APPL-SN-648700
c39 N76-17427 ..... NASA-CASE-NPO-13731-1
US-PATENT-APPL-SN-653681
c45 N76-17656 ..... NASA-CASE-LAR-11675-1
US-PATENT-APPL-SN-557448
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-250-373
US-PATENT-CLASS-340-237S
US-PATENT-CLASS-356-207
US-PATENT-3,931,462
c75 N76-17951 ..... NASA-CASE-MFS-22145-2
US-PATENT-APPL-SN-367606
US-PATENT-APPL-SN-500982
US-PATENT-CLASS-89-8
US-PATENT-CLASS-124-1
US-PATENT-CLASS-124-11R
US-PATENT-3,854,097
US-PATENT-3,929,119
c07 N76-18117 ..... NASA-CASE-LAR-11674-1
US-PATENT-APPL-SN-331759
US-PATENT-APPL-SN-488616
US-PATENT-CLASS-181-33HC
US-PATENT-CLASS-239-265.11
US-PATENT-3,938,742
c07 N76-18131 ..... NASA-CASE-ARC-10812-1
US-PATENT-APPL-SN-657903
c19 N76-18227 ..... NASA-CASE-LAR-11889-1
US-PATENT-APPL-SN-662182
c25 N76-18245 ..... NASA-CASE-NPO-13063-1
US-PATENT-APPL-SN-227977
US-PATENT-CLASS-23-230M
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-23-255R
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-235-151.13
US-PATENT-3,860,393
c26 N76-18257 ..... NASA-CASE-MFS-22907-1
US-PATENT-APPL-SN-518546
US-PATENT-CLASS-324-34R
US-PATENT-3,938,037
c26 N76-18262 ..... NASA-CASE-LEW-12083-1
US-PATENT-APPL-SN-659882
c32 N76-18295 ..... NASA-CASE-GSC-11862-1
US-PATENT-APPL-SN-500979
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-912
US-PATENT-CLASS-343-915
US-PATENT-3,938,162
c33 N76-18345 ..... NASA-CASE-NPO-13385-1
US-PATENT-APPL-SN-501011
US-PATENT-CLASS-340-347AD
US-PATENT-3,938,188
c33 N76-18353 ..... NASA-CASE-GSC-11925-1
US-PATENT-APPL-SN-538983
US-PATENT-CLASS-360-26
US-PATENT-CLASS-360-51
US-PATENT-3,938,182
c34 N76-18364 ..... NASA-CASE-LAR-11570-1
US-PATENT-APPL-SN-482967
US-PATENT-CLASS-60-316
US-PATENT-CLASS-244-23D
US-PATENT-3,940,097
c34 N76-18374 ..... NASA-CASE-MFS-22938-1
US-PATENT-APPL-SN-542754
US-PATENT-CLASS-250-335
US-PATENT-3,940,621
c35 N76-18400 ..... NASA-CASE-LAR-10208-1
US-PATENT-APPL-SN-483858
US-PATENT-CLASS-73-95
US-PATENT-CLASS-73-103
US-PATENT-3,938,373
c35 N76-18401 ..... NASA-CASE-NPO-13396-1
US-PATENT-APPL-SN-563283
US-PATENT-CLASS-55-261
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-421.5R
US-PATENT-3,938,367
c35 N76-18402 ..... NASA-CASE-MFS-22517-1
US-PATENT-APPL-SN-506804
US-PATENT-CLASS-350-3.5
US-PATENT-3,937,555
c35 N76-18403 ..... NASA-CASE-ARC-10322-1
US-PATENT-APPL-SN-484209
US-PATENT-CLASS-23-254EF
US-PATENT-3,938,956
c36 N76-18427 ..... NASA-CASE-NPO-11945-1
US-PATENT-APPL-SN-269450
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160
US-PATENT-CLASS-423-352
US-PATENT-CLASS-423-644
US-PATENT-3,806,834
c36 N76-18428 ..... NASA-CASE-NPO-13544-1
US-PATENT-APPL-SN-533555
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-96WG
US-PATENT-3,939,439
c37 N76-18454 ..... NASA-CASE-MFS-23047-1
US-PATENT-APPL-SN-521602
US-PATENT-CLASS-29-81D
US-PATENT-CLASS-72-453
US-PATENT-CLASS-73-399
US-PATENT-CLASS-173-132
US-PATENT-3,937,055
c37 N76-18455 ..... NASA-CASE-MSC-14435-1
US-PATENT-APPL-SN-450500
US-PATENT-CLASS-228-193
US-PATENT-CLASS-228-206
US-PATENT-CLASS-228-214
US-PATENT-CLASS-228-238
US-PATENT-3,937,387
c37 N76-18456 ..... NASA-CASE-LAR-11224-1
US-PATENT-APPL-SN-450502
US-PATENT-CLASS-19-205
US-PATENT-CLASS-134-21
US-PATENT-CLASS-134-37
US-PATENT-CLASS-209-250
US-PATENT-CLASS-209-300
US-PATENT-CLASS-209-305
US-PATENT-3,937,661
c37 N76-18457 ..... NASA-CASE-NPO-13402-1
US-PATENT-APPL-SN-387342
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-89A
US-PATENT-CLASS-123-119E
US-PATENT-CLASS-123-120
US-PATENT-CLASS-123-121
US-PATENT-3,906,913
c37 N76-18458 ..... NASA-CASE-LEW-11860-1
US-PATENT-APPL-SN-527728
US-PATENT-CLASS-204-157.1E
US-PATENT-CLASS-250-527
US-PATENT-3,939,048
c37 N76-18459 ..... NASA-CASE-GSC-11551-1
US-PATENT-APPL-SN-440917
US-PATENT-CLASS-308-10
US-PATENT-3,937,533
c44 N76-18641 ..... NASA-CASE-NPO-13237-1
US-PATENT-APPL-SN-378127
US-PATENT-CLASS-136-83E
US-PATENT-CLASS-136-86S
US-PATENT-3,894,887
c44 N76-18642 ..... NASA-CASE-NPO-13464-1
US-PATENT-APPL-SN-428444
US-PATENT-CLASS-23-281

US-PATENT-CLASS-48-63
US-PATENT-CLASS-48-75
US-PATENT-CLASS-48-95
US-PATENT-CLASS-48-116
US-PATENT-CLASS-48-117
US-PATENT-CLASS-123-3
US-PATENT-CLASS-423-650
US-PATENT-3,920,416
c44 N76-18643 ..... NASA-CASE-NPO-11961-1
US-PATENT-APPL-SN-378126
US-PATENT-CLASS-136-6LF
US-PATENT-CLASS-136-30
US-PATENT-CLASS-320-21
US-PATENT-CLASS-320-22
US-PATENT-3,912,999
c60 N76-18800 ..... NASA-CASE-NPO-13067-1
US-PATENT-APPL-SN-274348
US-PATENT-CLASS-340-172.5
US-PATENT-3,829,839
c60 N76-18803 ..... NASA-CASE-GSC-11839-2
US-PATENT-APPL-SN-657996
c71 N76-18886 ..... NASA-CASE-NPO-13802-1
US-PATENT-APPL-SN-658133
c74 N76-18913 ..... NASA-CASE-GSC-11877-1
US-PATENT-APPL-SN-482953
US-PATENT-CLASS-235-184
US-PATENT-CLASS-250-199
US-PATENT-3,937,945
c74 N76-18917 ..... NASA-CASE-MSC-12618-1
US-PATENT-APPL-SN-651007
c24 N76-19234 ..... NASA-CASE-GSC-11577-3
US-PATENT-APPL-SN-645502
c33 N76-19338 ..... NASA-CASE-NPO-13519-1
US-PATENT-APPL-SN-536761
US-PATENT-CLASS-33-155B
US-PATENT-CLASS-33-174D
US-PATENT-CLASS-73-88.5SD
US-PATENT-CLASS-128-2S
US-PATENT-3,937,212
c33 N76-19339 ..... NASA-CASE-ARC-10810-1
US-PATENT-APPL-SN-489009
US-PATENT-CLASS-204-195R
US-PATENT-CLASS-215-247
US-PATENT-CLASS-324-30B
US-PATENT-3,938,035
c35 N76-19405 ..... NASA-CASE-MFS-23008-1
US-PATENT-APPL-SN-665734
c35 N76-19407 ..... NASA-CASE-LEW-12174-1
US-PATENT-APPL-SN-667929
c35 N76-19408 ..... NASA-CASE-GSC-12032-2
US-PATENT-APPL-SN-578700
c37 N76-19436 ..... NASA-CASE-MFS-20607-1
US-PATENT-APPL-SN-478800
US-PATENT-CLASS-222-145
US-PATENT-CLASS-259-4AC
US-PATENT-3,941,355
c37 N76-19437 ..... NASA-CASE-MSC-12615-1
US-PATENT-APPL-SN-491417
US-PATENT-CLASS-29-432
US-PATENT-CLASS-29-433
US-PATENT-CLASS-29-526
US-PATENT-CLASS-52-705
US-PATENT-CLASS-52-758F
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-244-163
US-PATENT-3,936,927
c44 N76-19552 ..... NASA-CASE-LEW-12363-1
US-PATENT-APPL-SN-665034
c52 N76-19785 ..... NASA-CASE-LAR-11667-1
US-PATENT-APPL-SN-583487
US-PATENT-CLASS-128-DIG.20
US-PATENT-CLASS-128-26
US-PATENT-3,937,215
c66 N76-19888 ..... NASA-CASE-MFS-22631-1
US-PATENT-APPL-SN-531572
US-PATENT-CLASS-340-38P
US-PATENT-CLASS-356-71
US-PATENT-CLASS-356-162
US-PATENT-CLASS-356-167
US-PATENT-3,930,735
c74 N76-19935 ..... NASA-CASE-MFS-21672-1
US-PATENT-APPL-SN-354060
US-PATENT-CLASS-356-123
US-PATENT-CLASS-356-124
US-PATENT-3,938,892
c04 N76-20114 ..... NASA-CASE-LAR-11387-1
US-PATENT-APPL-SN-531647
US-PATENT-CLASS-33-356
US-PATENT-CLASS-75-178R
US-PATENT-3,943,763
c20 N76-20215 ..... NASA-CASE-LEW-12137-1
US-PATENT-APPL-SN-672210
c37 N76-20480 ..... NASA-CASE-NPO-13059-1
NASA-CASE-NPO-13436-1
US-PATENT-APPL-SN-513690
US-PATENT-CLASS-81-56
US-PATENT-CLASS-81-57.31
US-PATENT-3,942,398
c37 N76-20485 ..... NASA-CASE-ARC-10917-1
US-PATENT-APPL-SN-672223
c37 N76-20486 ..... NASA-CASE-LEW-11981-1
US-PATENT-APPL-SN-672220
c37 N76-20487 ..... NASA-CASE-LEW-11855-1
US-PATENT-APPL-SN-672222
c37 N76-20488 ..... NASA-CASE-LEW-12119-1
US-PATENT-APPL-SN-672219
c74 N76-20958 ..... NASA-CASE-ARC-10631-1
US-PATENT-APPL-SN-514546
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-573
US-PATENT-3,943,368
c76 N76-20994 ..... NASA-CASE-NPO-13443-1
US-PATENT-APPL-SN-522551
US-PATENT-CLASS-324-60C
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158R
US-PATENT-CLASS-324-158T
US-PATENT-3,943,442
c17 N76-21250 ..... NASA-CASE-MSC-12593-1
US-PATENT-APPL-SN-419747
US-PATENT-CLASS-325-14
US-PATENT-CLASS-343-100SR
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-112TC
US-PATENT-3,949,400
c20 N76-21275 ..... NASA-CASE-MFS-21311-1
US-PATENT-APPL-SN-493359
US-PATENT-CLASS-244-3.22
US-PATENT-3,948,470
c20 N76-21276 ..... NASA-CASE-LEW-11876-1
US-PATENT-APPL-SN-542157
US-PATENT-CLASS-29-25.18
US-PATENT-3,947,933
c32 N76-21365 ..... NASA-CASE-NPO-13568-1
US-PATENT-APPL-SN-534265
US-PATENT-CLASS-343-761
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-786
US-PATENT-3,949,404
c32 N76-21366 ..... NASA-CASE-MFS-22729-1
US-PATENT-APPL-SN-533608
US-PATENT-CLASS-235-156
US-PATENT-CLASS-325-42
US-PATENT-CLASS-333-18
US-PATENT-3,949,206
c33 N76-21390 ..... NASA-CASE-ARC-10711-2
US-PATENT-APPL-SN-493363
US-PATENT-APPL-SN-596788
US-PATENT-CLASS-73-398C
US-PATENT-CLASS-317-246
US-PATENT-3,948,102
c37 N76-21554 ..... NASA-CASE-LAR-11465-1
US-PATENT-APPL-SN-502137
US-PATENT-CLASS-33-1G
US-PATENT-CLASS-33-174B
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-382
US-PATENT-CLASS-156-556
US-PATENT-CLASS-248-362
US-PATENT-CLASS-248-363
US-PATENT-CLASS-269-21
US-PATENT-3,945,879
c45 N76-21742 ..... NASA-CASE-NPO-13474-1
US-PATENT-APPL-SN-521817
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-250-574
US-PATENT-CLASS-356-37
US-PATENT-3,945,801
c60 N76-21914 ..... NASA-CASE-NPO-13139-1
US-PATENT-APPL-SN-393524
US-PATENT-CLASS-235-153AE
US-PATENT-CLASS-340-172.5
US-PATENT-3,950,729
c02 N76-22154 ..... NASA-CASE-LAR-10585-1
US-PATENT-APPL-SN-197183
US-PATENT-CLASS-244-35R
US-PATENT-CLASS-244-40R
US-PATENT-3,952,971

c07 N76-22198 ..... NASA-CASE-LEW-12417-1
US-PATENT-APPL-SN-674340
c07 N76-22202 ..... NASA-CASE-LAR-11919-1
US-PATENT-APPL-SN-672221
c17 N76-22245 ..... NASA-CASE-GSC-11868-1
US-PATENT-APPL-SN-565290
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-328-155
US-PATENT-CLASS-340-147SY
US-PATENT-CLASS-340-207P
US-PATENT-3,953,674
c19 N76-22284 ..... NASA-CASE-MFS-22905-1
US-PATENT-APPL-SN-518545
US-PATENT-CLASS-188-1B
US-PATENT-CLASS-248-22
US-PATENT-CLASS-248-358R
US-PATENT-3,952,980
c20 N76-22296 ..... NASA-CASE-MFS-19220-1
US-PATENT-APPL-SN-571821
US-PATENT-CLASS-89-1.801
US-PATENT-CLASS-254-93R
US-PATENT-CLASS-254-124
US-PATENT-3,952,998
c24 N76-22309 ..... NASA-CASE-LEW-11930-1
US-PATENT-APPL-SN-513611
US-PATENT-CLASS-252-12
US-PATENT-3,953,343
c25 N76-22323 ..... NASA-CASE-ARC-10760-1
US-PATENT-APPL-SN-526438
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-344
US-PATENT-CLASS-250-432R
US-PATENT-3,953,734
c27 N76-22376 ..... NASA-CASE-ARC-10721-1
US-PATENT-APPL-SN-427775
US-PATENT-CLASS-264-60
US-PATENT-CLASS-264-63
US-PATENT-CLASS-264-66
US-PATENT-3,952,083
c27 N76-22377 ..... NASA-CASE-MSC-14270-1
US-PATENT-APPL-SN-482104
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-376
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-402
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-538
US-PATENT-CLASS-428-920
US-PATENT-3,953,646
c28 N76-22399 ..... NASA-CASE-LEW-12081-1
US-PATENT-APPL-SN-676432
c35 N76-22509 ..... NASA-CASE-LAR-11434-1
US-PATENT-APPL-SN-464722
US-PATENT-CLASS-209-127R
US-PATENT-CLASS-317-246
US-PATENT-CLASS-324-61R
US-PATENT-CLASS-324-71CP
US-PATENT-3,953,792
c37 N76-22540 ..... NASA-CASE-MFS-22636-1
US-PATENT-APPL-SN-536762
US-PATENT-CLASS-114-16.6
US-PATENT-CLASS-244-137P
US-PATENT-CLASS-244-158
US-PATENT-CLASS-244-161
US-PATENT-3,952,976
c37 N76-22541 ..... NASA-CASE-LEW-11676-1
US-PATENT-APPL-SN-551184
US-PATENT-CLASS-277-4
US-PATENT-CLASS-277-41
US-PATENT-CLASS-277-74
US-PATENT-CLASS-277-93R
US-PATENT-3,953,038
c44 N76-22657 ..... NASA-CASE-MFS-22743-1
US-PATENT-APPL-SN-518684
US-PATENT-CLASS-126-271
US-PATENT-3,951,129
c54 N76-22914 ..... NASA-CASE-GSC-12082-1
US-PATENT-APPL-SN-676958
c74 N76-22993 ..... NASA-CASE-ARC-10932-1
US-PATENT-APPL-SN-681001
c09 N76-23273 ..... NASA-CASE-MFS-23099-1
US-PATENT-APPL-SN-607969
US-PATENT-CLASS-73-147
US-PATENT-3,952,590
c24 N76-23359 ..... NASA-CASE-LEW-12554-1
US-PATENT-APPL-SN-686449
c25 N76-23387 ..... NASA-CASE-MSC-14831-1
US-PATENT-APPL-SN-685027
c27 N76-23426 ..... NASA-CASE-MSC-14270-2
US-PATENT-APPL-SN-482105
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-376
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-402
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-538
US-PATENT-CLASS-428-920
US-PATENT-3,955,034
c27 N76-23436 ..... NASA-CASE-LAR-11902-1
US-PATENT-APPL-SN-672695
c33 N76-23482 ..... NASA-CASE-GSC-12010-1
US-PATENT-APPL-SN-680958
c33 N76-23483 ..... NASA-CASE-MFS-23186-1
US-PATENT-APPL-SN-684810
c34 N76-23522 ..... NASA-CASE-XLA-8914-2
US-PATENT-APPL-SN-662181
c37 N76-23570 ..... NASA-CASE-LEW-11169-1
US-PATENT-APPL-SN-446568
US-PATENT-CLASS-164-132
US-PATENT-3,957,104
c37 N76-23585 ..... NASA-CASE-MSC-19568-1
US-PATENT-APPL-SN-681000
c43 N76-23671 ..... NASA-CASE-GSC-11976-1
US-PATENT-APPL-SN-677352
c44 N76-23675 ..... NASA-CASE-MFS-21628-2
US-PATENT-APPL-SN-421702
US-PATENT-APPL-SN-561020
US-PATENT-CLASS-126-270
US-PATENT-CLASS-165-133
US-PATENT-3,903,699
US-PATENT-3,957,030
c44 N76-23713 ..... NASA-CASE-LEW-12039-1
US-PATENT-APPL-SN-687822
c52 N76-23837 ..... NASA-CASE-LEW-12668-1
US-PATENT-APPL-SN-677353
c60 N76-23850 ..... NASA-CASE-MSC-14082-1
US-PATENT-APPL-SN-315070
US-PATENT-CLASS-340-347DD
US-PATENT-CLASS-340-347P
US-PATENT-3,958,238
c74 N76-23985 ..... NASA-CASE-LAR-11711-1
US-PATENT-APPL-SN-674195
c75 N76-24001 ..... NASA-CASE-MFS-22906-1
US-PATENT-APPL-SN-684807
c09 N76-24280 ..... NASA-CASE-ARC-10808-1
US-PATENT-APPL-SN-505881
US-PATENT-CLASS-35-12N
US-PATENT-CLASS-178-DIG.35
US-PATENT-CLASS-178-7.89
US-PATENT-3,956,833
c24 N76-24363 ..... NASA-CASE-GSC-11786-1
US-PATENT-APPL-SN-401919
US-PATENT-CLASS-106-306
US-PATENT-CLASS-250-372
US-PATENT-CLASS-252-300
US-PATENT-CLASS-350-1
US-PATENT-3,957,675
c27 N76-24405 ..... NASA-CASE-MSC-14331-1
US-PATENT-APPL-SN-374421
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-260-DIG.24
US-PATENT-CLASS-260-33.8F
US-PATENT-CLASS-260-45.7
US-PATENT-CLASS-260-92.1
US-PATENT-CLASS-526-1
US-PATENT-CLASS-526-255
US-PATENT-3,956,233
c27 N76-24408 ..... NASA-CASE-MSC-14331-2
US-PATENT-APPL-SN-657907
c27 N76-24409 ..... NASA-CASE-MSC-14331-3
US-PATENT-APPL-SN-657998
c35 N76-24523 ..... NASA-CASE-LAR-11500-1
US-PATENT-APPL-SN-534266
US-PATENT-CLASS-73-1E
US-PATENT-CLASS-73-15.6
US-PATENT-3,956,919
c35 N76-24524 ..... NASA-CASE-NPO-13462-1
US-PATENT-APPL-SN-545282
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-208
US-PATENT-3,956,932
c35 N76-24525 ..... NASA-CASE-ARC-10816-1

US-PATENT-APPL-SN-552454
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-2.1Z
US-PATENT-CLASS-128-2.05V
US-PATENT-3,957,037
c35 N76-24529 ..... NASA-CASE-MFS-23114-1
US-PATENT-APPL-SN-686331
c36 N76-24553 ..... NASA-CASE-NPO-13531-1
US-PATENT-APPL-SN-531565
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-96WG
US-PATENT-3,958,188
c37 N76-24575 ..... NASA-CASE-LAR-10073-1
US-PATENT-APPL-SN-436317
US-PATENT-CLASS-156-242
US-PATENT-CLASS-156-286
US-PATENT-CLASS-264-102
US-PATENT-CLASS-264-267
US-PATENT-CLASS-428-117
US-PATENT-3,956,050
c44 N76-24696 ..... NASA-CASE-MFS-22744-1
US-PATENT-APPL-SN-518544
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-299
US-PATENT-3,958,553
c54 N76-24900 ..... NASA-CASE-MSC-14733-1
NASA-CASE-MSC-14735-1
US-PATENT-APPL-SN-522971
US-PATENT-CLASS-128-142.2
US-PATENT-CLASS-128-203
US-PATENT-CLASS-137-DIG.9
US-PATENT-CLASS-137-110
US-PATENT-3,957,044
c76 N76-25049 ..... NASA-CASE-LEW-12094-1
US-PATENT-APPL-SN-508784
US-PATENT-CLASS-148-175
US-PATENT-CLASS-156-610
US-PATENT-CLASS-156-612
US-PATENT-CLASS-156-613
US-PATENT-CLASS-252-62.3
US-PATENT-CLASS-423-345
US-PATENT-CLASS-423-346
US-PATENT-3,956,032
c04 N76-26175 ..... NASA-CASE-MFS-23551-1
US-PATENT-APPL-SN-114772
US-PATENT-CLASS-74-5.34
US-PATENT-CLASS-244-79
US-PATENT-3,739,646
c09 N76-26224 ..... NASA-CASE-ARC-10971-1
US-PATENT-APPL-SN-694402
c24 N76-26281 ..... NASA-CASE-NPO-13764-1
US-PATENT-APPL-SN-674194
c24 N76-26282 ..... NASA-CASE-LEW-11930-2
US-PATENT-APPL-SN-616528
c24 N76-26284 ..... NASA-CASE-LAR-11756-1
US-PATENT-APPL-SN-688879
c24 N76-26286 ..... NASA-CASE-ARC-10913-1
US-PATENT-APPL-SN-698646
c33 N76-26393 ..... NASA-CASE-NPO-13832-1
US-PATENT-APPL-SN-684809
c33 N76-26394 ..... NASA-CASE-MFS-23312-1
US-PATENT-APPL-SN-699012
c35 N76-26448 ..... NASA-CASE-MSC-14805-1
US-PATENT-APPL-SN-688856
c35 N76-26449 ..... NASA-CASE-MFS-23461-1
US-PATENT-APPL-SN-694406
c35 N76-26450 ..... NASA-CASE-NPO-13772-1
US-PATENT-APPL-SN-676351
c37 N76-26511 ..... NASA-CASE-MSC-12731-1
US-PATENT-APPL-SN-690816
c44 N76-26690 ..... NASA-CASE-NPO-13734-1
US-PATENT-APPL-SN-680939
c44 N76-26692 ..... NASA-CASE-NPO-13821-1
US-PATENT-APPL-SN-688852
c44 N76-26695 ..... NASA-CASE-GSC-12022-2
US-PATENT-APPL-SN-693074
c54 N76-26871 ..... NASA-CASE-ARC-10916-1
US-PATENT-APPL-SN-701448
c74 N76-26988 ..... NASA-CASE-MFS-22409-2
US-PATENT-APPL-SN-636193
c07 N76-27232 ..... NASA-CASE-LAR-11476-1
US-PATENT-APPL-SN-592159
US-PATENT-CLASS-73-557
US-PATENT-3,964,319
c25 N76-27383 ..... NASA-CASE-LEW-11390-2
US-PATENT-APPL-SN-247434
US-PATENT-APPL-SN-340863
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-16
US-PATENT-CLASS-423-249
US-PATENT-3,966,547
c33 N76-27472 ..... NASA-CASE-GSC-11924-1
US-PATENT-APPL-SN-582318
US-PATENT-CLASS-343-755
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-854
US-PATENT-3,965,475
c33 N76-27473 ..... NASA-CASE-HQN-10876-1
US-PATENT-APPL-SN-555336
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-372
US-PATENT-3,965,354
c34 N76-27515 ..... NASA-CASE-NPO-13391-1
US-PATENT-APPL-SN-446567
US-PATENT-CLASS-29-182
US-PATENT-CLASS-29-193
US-PATENT-CLASS-55-523
US-PATENT-CLASS-55-526
US-PATENT-CLASS-75-225
US-PATENT-CLASS-165-105
US-PATENT-3,964,902
c34 N76-27517 ..... NASA-CASE-ARC-10755-2
US-PATENT-APPL-SN-424013
US-PATENT-APPL-SN-545284
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-194B
US-PATENT-3,964,306
c37 N76-27567 ..... NASA-CASE-LAR-11709-1
US-PATENT-APPL-SN-548468
US-PATENT-CLASS-339-17M
US-PATENT-CLASS-339-18C
US-PATENT-3,964,813
c37 N76-27568 ..... NASA-CASE-LAR-11726-1
US-PATENT-APPL-SN-538047
US-PATENT-CLASS-219-92
US-PATENT-CLASS-219-118
US-PATENT-3,967,091
c44 N76-27664 ..... NASA-CASE-MFS-23059-1
US-PATENT-APPL-SN-537024
US-PATENT-CLASS-136-86A
US-PATENT-3,964,928
c52 N76-27839 ..... NASA-CASE-MSC-14836-1
US-PATENT-APPL-SN-691647
c72 N76-27967 ..... NASA-CASE-LEW-12465-1
US-PATENT-APPL-SN-692413
c27 N76-28421 ..... NASA-CASE-ARC-11008-1
US-PATENT-APPL-SN-708951
c27 N76-28425 ..... NASA-CASE-MSC-14903-1
US-PATENT-APPL-SN-706424
c33 N76-28471 ..... NASA-CASE-MFS-23280-1
US-PATENT-APPL-SN-706425
c33 N76-28472 ..... NASA-CASE-LEW-12277-1
US-PATENT-APPL-SN-708659
c35 N76-28530 ..... NASA-CASE-LAR-11490-1
US-PATENT-APPL-SN-707125
c35 N76-28535 ..... NASA-CASE-ARC-11046-1
US-PATENT-APPL-SN-712419
c37 N76-28554 ..... NASA-CASE-MFS-23311-1
US-PATENT-APPL-SN-708800
c38 N76-28563 ..... NASA-CASE-NPO-12142-1
US-PATENT-APPL-SN-637249
US-PATENT-CLASS-73-88.5
US-PATENT-3,545,262
c44 N76-28635 ..... NASA-CASE-GSC-12022-1
NASA-CASE-GSC-12023-1
US-PATENT-APPL-SN-576488
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89
US-PATENT-CLASS-148-174
US-PATENT-CLASS-148-175
US-PATENT-CLASS-156-612
US-PATENT-CLASS-156-613
US-PATENT-CLASS-156-614
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-427-86
US-PATENT-CLASS-427-113
US-PATENT-CLASS-427-248
US-PATENT-CLASS-427-249
US-PATENT-CLASS-427-250
US-PATENT-3,961,997
c44 N76-28646 ..... NASA-CASE-LEW-11877-1
US-PATENT-APPL-SN-708660
c05 N76-29217 ..... NASA-CASE-ARC-10470-3

US-PATENT-APPL-SN-206279
US-PATENT-APPL-SN-321180
US-PATENT-APPL-SN-496779
US-PATENT-CLASS-204-46
US-PATENT-3,737,121
US-PATENT-3,971,535
c17 N76-29347 ..... NASA-CASE-ARC-10849-1
US-PATENT-APPL-SN-563049
US-PATENT-CLASS-73-493
US-PATENT-CLASS-73-517R
US-PATENT-CLASS-340-189M
US-PATENT-CLASS-340-206
US-PATENT-3,972,038
c20 N76-29365 ..... NASA-CASE-LAR-12018-1
US-PATENT-APPL-SN-678520
c25 N76-29379 ..... NASA-CASE-LEW-11390-3
US-PATENT-APPL-SN-247434
US-PATENT-APPL-SN-380046
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-14
US-PATENT-CLASS-176-16
US-PATENT-CLASS-250-400
US-PATENT-CLASS-250-429
US-PATENT-CLASS-250-492R
US-PATENT-3,971,697
c26 N76-29401 ..... NASA-CASE-MSC-19693-1
US-PATENT-APPL-SN-708771
c35 N76-29551 ..... NASA-CASE-LAR-10907-1
US-PATENT-APPL-SN-559845
US-PATENT-CLASS-250-340
US-PATENT-CLASS-250-353
US-PATENT-3,971,940
c35 N76-29552 ..... NASA-CASE-MSC-12617-1
US-PATENT-APPL-SN-513576
US-PATENT-CLASS-235-61NV
US-PATENT-CLASS-235-78M
US-PATENT-CLASS-235-88M
US-PATENT-3,971,915
c36 N76-29575 ..... NASA-CASE-NPO-13346-1
US-PATENT-APPL-SN-533556
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5C
US-PATENT-3,972,008
c37 N76-29588 ..... NASA-CASE-LEW-11949-1
US-PATENT-APPL-SN-590182
US-PATENT-CLASS-308-160
US-PATENT-CLASS-308-163
US-PATENT-CLASS-308-170
US-PATENT-3,971,602
c37 N76-29590 ..... NASA-CASE-NPO-13613-1
US-PATENT-APPL-SN-574208
US-PATENT-CLASS-62-6
US-PATENT-3,971,230
c44 N76-29699 ..... NASA-CASE-HQN-10862-1
US-PATENT-APPL-SN-604374
US-PATENT-CLASS-136-30
US-PATENT-CLASS-136-143
US-PATENT-3,972,727
c44 N76-29700 ..... NASA-CASE-NPO-13342-2
US-PATENT-APPL-SN-390049
US-PATENT-APPL-SN-548559
US-PATENT-CLASS-23-281
US-PATENT-CLASS-48-95
US-PATENT-CLASS-48-215
US-PATENT-CLASS-123-1A
US-PATENT-CLASS-123-3
US-PATENT-CLASS-423-650
US-PATENT-3,955,941
c44 N76-29701 ..... NASA-CASE-NPO-13567-1
US-PATENT-APPL-SN-566493
US-PATENT-CLASS-60-517
US-PATENT-CLASS-62-6
US-PATENT-CLASS-417-141
US-PATENT-CLASS-417-207
US-PATENT-CLASS-417-209
US-PATENT-CLASS-417-379
US-PATENT-3,972,651
c44 N76-29704 ..... NASA-CASE-NPO-13464-2
US-PATENT-APPL-SN-428444
US-PATENT-APPL-SN-553687
US-PATENT-CLASS-42-215
US-PATENT-CLASS-48-197R
US-PATENT-CLASS-252-373
US-PATENT-CLASS-423-650
US-PATENT-CLASS-431-4
US-PATENT-CLASS-431-163
US-PATENT-CLASS-431-210
US-PATENT-3,920,416
US-PATENT-3,971,847
c51 N76-29891 ..... NASA-CASE-GSC-11917-2
US-PATENT-APPL-SN-475337
US-PATENT-APPL-SN-555641
US-PATENT-CLASS-195-103.5R
US-PATENT-3,971,703
c52 N76-29894 ..... NASA-CASE-ARC-10583-1
US-PATENT-APPL-SN-301418
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2B
US-PATENT-CLASS-128-2P
US-PATENT-3,971,362
c52 N76-29895 ..... NASA-CASE-NPO-13644-1
US-PATENT-APPL-SN-574218
US-PATENT-CLASS-128-2.05R
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-338-6
US-PATENT-3,971,363
c52 N76-29896 ..... NASA-CASE-NPO-13643-1
US-PATENT-APPL-SN-578241
US-PATENT-CLASS-73-398AB
US-PATENT-CLASS-128-2.05E
US-PATENT-CLASS-128-2.06E
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-128-418
US-PATENT-CLASS-128-419P
US-PATENT-3,971,364
c74 N76-30053 ..... NASA-CASE-GSC-11782-1
US-PATENT-APPL-SN-463925
US-PATENT-CLASS-250-199
US-PATENT-3,971,930
c76 N76-30084 ..... NASA-CASE-MFS-23274-1
US-PATENT-APPL-SN-714158
c91 N76-30131 ..... NASA-CASE-MSC-12423-1
US-PATENT-APPL-SN-448320
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-425.2
US-PATENT-CLASS-73-432R
US-PATENT-3,971,256
c44 N76-30652 ..... NASA-CASE-GSC-12030-1
US-PATENT-APPL-SN-710035
c52 N76-30793 ..... NASA-CASE-ARC-10329-2
NASA-CASE-RE-ARC-10329-2
US-PATENT-APPL-SN-159857
US-PATENT-APPL-SN-452768
US-PATENT-CLASS-351-23
US-PATENT-CLASS-351-30
US-PATENT-CLASS-351-36
US-PATENT-RE-28,921
US-PATENT-3,737,214
c05 N76-31219 ..... NASA-CASE-LAR-11932-1
US-PATENT-APPL-SN-718244
c06 N76-31229 ..... NASA-CASE-LAR-11833-1
US-PATENT-APPL-SN-725828
c31 N76-31365 ..... NASA-CASE-ARC-10445-1
US-PATENT-APPL-SN-491418
US-PATENT-CLASS-313-250
US-PATENT-CLASS-313-306
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-338
US-PATENT-3,978,364
c32 N76-31372 ..... NASA-CASE-NPO-13465-1
US-PATENT-APPL-SN-531575
US-PATENT-CLASS-179-1SA
US-PATENT-3,978,287
c32 N76-31373 ..... NASA-CASE-NPO-13836-1
US-PATENT-APPL-SN-699002
c33 N76-31409 ..... NASA-CASE-NPO-12134-1
US-PATENT-APPL-SN-536785
US-PATENT-CLASS-313-94
US-PATENT-CLASS-357-63
US-PATENT-3,978,360
c33 N76-31410 ..... NASA-CASE-MFS-22880-1
US-PATENT-APPL-SN-557444
US-PATENT-CLASS-307-255
US-PATENT-CLASS-307-300
US-PATENT-CLASS-307-313
US-PATENT-CLASS-307-315
US-PATENT-3,978,350
c35 N76-31489 ..... NASA-CASE-GSC-11893-1
US-PATENT-APPL-SN-585420
US-PATENT-CLASS-73-9
US-PATENT-3,977,231
c35 N76-31490 ..... NASA-CASE-NPO-13604-1
US-PATENT-APPL-SN-574219
US-PATENT-CLASS-356-106S
US-PATENT-CLASS-356-114
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,977,787

c36 N76-31512 ..... NASA-CASE-NPO-13490-1
US-PATENT-APPL-SN-549418
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,978,417
c36 N76-31514 ..... NASA-CASE-NPO-13801-1
US-PATENT-APPL-SN-708796
c37 N76-31524 ..... NASA-CASE-NPO-13535-1
US-PATENT-APPL-SN-563050
US-PATENT-CLASS-264-129
US-PATENT-CLASS-264-161
US-PATENT-CLASS-264-219
US-PATENT-CLASS-264-304
US-PATENT-CLASS-264-305
US-PATENT-CLASS-264-308
US-PATENT-CLASS-264-310
US-PATENT-CLASS-264-318
US-PATENT-CLASS-264-334
US-PATENT-CLASS-427-230
US-PATENT-3,978,187
c37 N76-31529 ..... NASA-CASE-MSC-19666-1
US-PATENT-APPL-SN-721150
c39 N76-31562 ..... NASA-CASE-MSC-19372-1
US-PATENT-APPL-SN-517995
US-PATENT-CLASS-29-467
US-PATENT-CLASS-29-526
US-PATENT-CLASS-52-236
US-PATENT-CLASS-52-637
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-651
US-PATENT-CLASS-52-726
US-PATENT-CLASS-52-745
US-PATENT-CLASS-52-749
US-PATENT-CLASS-182-178
US-PATENT-3,977,147
c44 N76-31666 ..... NASA-CASE-NPO-13087-2
US-PATENT-APPL-SN-296622
US-PATENT-APPL-SN-462341
US-PATENT-CLASS-136-89
US-PATENT-CLASS-136-206
US-PATENT-3,966,499
c44 N76-31667 ..... NASA-CASE-MFS-23167-1
US-PATENT-APPL-SN-602618
US-PATENT-CLASS-60-659
US-PATENT-CLASS-165-10
US-PATENT-3,977,197
c44 N76-31674 ..... NASA-CASE-LEW-12649-1
US-PATENT-APPL-SN-720521
c45 N76-31714 ..... NASA-CASE-LAR-11405-1
US-PATENT-APPL-SN-537480
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-3,977,831
c62 N76-31946 ..... NASA-CASE-GSC-12115-1
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-340-347SY
US-PATENT-3,976,997
c74 N76-31998 ..... NASA-CASE-MSC-12640-1
US-PATENT-APPL-SN-591568
US-PATENT-CLASS-350-162SF
US-PATENT-3,977,771
c76 N76-32029 ..... NASA-CASE-MFS-23315-1
US-PATENT-APPL-SN-724874
c03 N76-32140 ..... NASA-CASE-MFS-16609-3
US-PATENT-APPL-SN-82279
US-PATENT-APPL-SN-307714
US-PATENT-APPL-SN-511894
US-PATENT-CLASS-325-114
US-PATENT-CLASS-325-115
US-PATENT-CLASS-325-186
US-PATENT-CLASS-343-705
US-PATENT-3,978,410
c27 N76-32315 ..... NASA-CASE-ARC-10592-2
US-PATENT-APPL-SN-321179
US-PATENT-APPL-SN-414043
US-PATENT-CLASS-260-240G
US-PATENT-CLASS-260-566B
US-PATENT-3,803,090
US-PATENT-3,965,096
c33 N76-32457 ..... NASA-CASE-NPO-13553-1
US-PATENT-APPL-SN-616333
US-PATENT-CLASS-343-882
US-PATENT-CLASS-343-915
US-PATENT-3,978,490
c44 N76-32645 ..... NASA-CASE-LAR-12009-1
US-PATENT-APPL-SN-717320
c32 N76-33364 ..... NASA-CASE-MFS-22234-1
US-PATENT-APPL-SN-730778
c35 N76-33469 ..... NASA-CASE-MFS-23363-1
US-PATENT-APPL-SN-730046
c35 N76-33470 ..... NASA-CASE-LAR-10344-1
US-PATENT-APPL-SN-730779
c44 N76-33624 ..... NASA-CASE-LEW-11330-2
US-PATENT-APPL-SN-727725
c52 N76-33835 ..... NASA-CASE-ARC-10994-1
US-PATENT-APPL-SN-728369
c02 N77-10001 ..... NASA-CASE-LAR-11645-1
US-PATENT-APPL-SN-473973
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-130
US-PATENT-3,984,070
c09 N77-10071 ..... NASA-CASE-NPO-13528-1
US-PATENT-APPL-SN-521620
US-PATENT-CLASS-73-147
US-PATENT-3,983,749
c15 N77-10112 ..... NASA-CASE-MFS-20855-1
US-PATENT-APPL-SN-243374
US-PATENT-CLASS-244-1SD
US-PATENT-3,744,739
c15 N77-10113 ..... NASA-CASE-MFS-22787-1
US-PATENT-APPL-SN-511346
US-PATENT-CLASS-244-3.21
US-PATENT-CLASS-244-169
US-PATENT-CLASS-244-171
US-PATENT-3,984,072
c20 N77-10148 ..... NASA-CASE-LEW-12082-1
US-PATENT-APPL-SN-612964
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-231.4
US-PATENT-CLASS-313-240
US-PATENT-CLASS-313-361
US-PATENT-CLASS-315-111.3
US-PATENT-3,983,695
c27 N77-10198 ..... NASA-CASE-LAR-12147-1
US-PATENT-APPL-SN-733825
c27 N77-10201 ..... NASA-CASE-ARC-11051-1
US-PATENT-APPL-SN-726910
c28 N77-10213 ..... NASA-CASE-LAR-11995-1
US-PATENT-APPL-SN-238826
US-PATENT-CLASS-86-1R
US-PATENT-CLASS-102-99
US-PATENT-CLASS-264-3R
US-PATENT-3,983,780
c31 N77-10229 ..... NASA-CASE-NPO-13459-1
US-PATENT-APPL-SN-598967
US-PATENT-CLASS-62-217
US-PATENT-CLASS-62-514JT
US-PATENT-3,983,714
c32 N77-10392 ..... NASA-CASE-LAR-11827-1
US-PATENT-APPL-SN-412379
US-PATENT-APPL-SN-561764
US-PATENT-CLASS-178-88
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-156
US-PATENT-CLASS-325-323
US-PATENT-CLASS-325-349
US-PATENT-CLASS-325-476
US-PATENT-3,984,634
c33 N77-10428 ..... NASA-CASE-NPO-13512-1
US-PATENT-APPL-SN-533734
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-19
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-23
US-PATENT-3,984,799
c33 N77-10429 ..... NASA-CASE-GSC-11963-1
US-PATENT-APPL-SN-595197
US-PATENT-CLASS-244-1A
US-PATENT-CLASS-244-42CG
US-PATENT-CLASS-317-2D
US-PATENT-CLASS-324-72
US-PATENT-3,984,730
c34 N77-10463 ..... NASA-CASE-MFS-22991-1
US-PATENT-APPL-SN-521006
US-PATENT-CLASS-165-164
US-PATENT-CLASS-165-170
US-PATENT-3,983,933
c35 N77-10492 ..... NASA-CASE-NPO-13479-1
US-PATENT-APPL-SN-500981
US-PATENT-CLASS-250-290
US-PATENT-CLASS-250-291
US-PATENT-3,984,681
c35 N77-10493 ..... NASA-CASE-MFS-23178-1
US-PATENT-APPL-SN-637247
US-PATENT-CLASS-250-338

US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-347
US-PATENT-CLASS-356-106R
US-PATENT-3,984,686

c35 N77-10497 ..... NASA-CASE-LAR-11869-1
US-PATENT-APPL-SN-740155

c35 N77-10498 ..... NASA-CASE-ARC-10981-1
US-PATENT-APPL-SN-738218

c36 N77-10516 ..... NASA-CASE-MFS-19259-1
US-PATENT-APPL-SN-732630

c36 N77-10517 ..... NASA-CASE-LAR-12012-1
US-PATENT-APPL-SN-738219

c43 N77-10584 ..... NASA-CASE-MSC-14472-1
US-PATENT-APPL-SN-502138
US-PATENT-CLASS-235-181
US-PATENT-CLASS-340-146.3P
US-PATENT-CLASS-340-146.3Q
US-PATENT-3,984,671

c44 N77-10635 ..... NASA-CASE-MFS-22458-1
US-PATENT-APPL-SN-571458
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89
US-PATENT-3,984,256

c44 N77-10636 ..... NASA-CASE-NPO-13560-1
NASA-CASE-NPO-13561-1
US-PATENT-APPL-SN-487156
US-PATENT-CLASS-23-281
US-PATENT-CLASS-48-61
US-PATENT-CLASS-48-116
US-PATENT-CLASS-48-117
US-PATENT-CLASS-48-197R
US-PATENT-CLASS-48-212
US-PATENT-CLASS-123-3
US-PATENT-CLASS-252-373
US-PATENT-CLASS-423-650
US-PATENT-CLASS-431-11
US-PATENT-CLASS-431-41
US-PATENT-CLASS-431-116
US-PATENT-CLASS-431-162
US-PATENT-CLASS-431-170
US-PATENT-3,982,910

c47 N77-10753 ..... NASA-CASE-MFS-23362-1
US-PATENT-APPL-SN-637268
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-347
US-PATENT-CLASS-356-106R
US-PATENT-3,984,685

c52 N77-10780 ..... NASA-CASE-ARC-10855-1
US-PATENT-APPL-SN-617612
US-PATENT-CLASS-73-343R
US-PATENT-CLASS-128-2R
US-PATENT-3,983,753

c74 N77-10899 ..... NASA-CASE-MSC-19442-1
US-PATENT-APPL-SN-558600
US-PATENT-CLASS-356-237
US-PATENT-CLASS-356-239
US-PATENT-3,985,454

c13 N77-11079 ..... NASA-CASE-MFS-23564-1
US-PATENT-APPL-SN-739908

c24 N77-11119 ..... NASA-CASE-ARC-11042-1
US-PATENT-APPL-SN-734902

c32 N77-11269 ..... NASA-CASE-NPO-13886-1
US-PATENT-APPL-SN-730045

c33 N77-11296 ..... NASA-CASE-FRC-10090-1
US-PATENT-APPL-SN-737974

c35 N77-11363 ..... NASA-CASE-NPO-13759-1
US-PATENT-APPL-SN-718266

c35 N77-11364 ..... NASA-CASE-ARC-11036-1
US-PATENT-APPL-SN-740457

c37 N77-11397 ..... NASA-CASE-LAR-11549-1
US-PATENT-APPL-SN-537979
US-PATENT-CLASS-219-92
US-PATENT-CLASS-219-118
US-PATENT-3,988,561

c37 N77-11398 ..... NASA-CASE-NPO-13763-1
US-PATENT-APPL-SN-718268

c37 N77-11403 ..... NASA-CASE-MFS-23447-1
US-PATENT-APPL-SN-736909

c04 N77-12031 ..... NASA-CASE-ARC-10990-1
US-PATENT-APPL-SN-749420

c09 N77-12070 ..... NASA-CASE-MFS-23460-1
US-PATENT-APPL-SN-746578

c25 N77-12157 ..... NASA-CASE-ARC-10991-1
US-PATENT-APPL-SN-744574

c32 N77-12239 ..... NASA-CASE-MSC-12506-1
US-PATENT-APPL-SN-545283
US-PATENT-CLASS-340-347DD
US-PATENT-3,988,729

c32 N77-12240 ..... NASA-CASE-NPO-13543-1
NASA-CASE-NPO-13545-1
US-PATENT-APPL-SN-589173
US-PATENT-CLASS-325-41
US-PATENT-CLASS-340-146.1AL
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,988,677

c32 N77-12247 ..... NASA-CASE-GSC-12150-1
US-PATENT-APPL-SN-736286

c32 N77-12248 ..... NASA-CASE-MSC-16170-1
US-PATENT-APPL-SN-737975

c34 N77-12332 ..... NASA-CASE-LAR-11626-1
US-PATENT-APPL-SN-744542

c37 N77-12402 ..... NASA-CASE-MFS-23062-1
US-PATENT-APPL-SN-591569
US-PATENT-CLASS-60-527
US-PATENT-3,987,630

c44 N77-12511 ..... NASA-CASE-MFS-23270-1
US-PATENT-APPL-SN-744573

c60 N77-12721 ..... NASA-CASE-NPO-13428-1
NASA-CASE-NPO-13447-1
US-PATENT-APPL-SN-495022
US-PATENT-CLASS-179-15BA
US-PATENT-CLASS-328-111
US-PATENT-CLASS-340-172.5
US-PATENT-3,988,716

c07 N77-13062 ..... NASA-CASE-MSC-16000-1
US-PATENT-APPL-SN-739915

c27 N77-13217 ..... NASA-CASE-NPO-13666-1
US-PATENT-APPL-SN-633877
US-PATENT-CLASS-29-182.5
US-PATENT-3,990,860

c33 N77-13315 ..... NASA-CASE-NPO-11515-1
US-PATENT-APPL-SN-139596
US-PATENT-CLASS-307-233
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-133
US-PATENT-3,750,035

c33 N77-13335 ..... NASA-CASE-MSC-14916-1
US-PATENT-APPL-SN-739914

c33 N77-13338 ..... NASA-CASE-MSC-12745-1
US-PATENT-APPL-SN-746579

c37 N77-13418 ..... NASA-CASE-ARC-10905-1
US-PATENT-APPL-SN-618594
US-PATENT-CLASS-219-300
US-PATENT-CLASS-219-304
US-PATENT-CLASS-239-171
US-PATENT-CLASS-252-359A
US-PATENT-3,990,987

c37 N77-13426 ..... NASA-CASE-LEW-12785-1
US-PATENT-APPL-SN-739909

c07 N77-14025 ..... NASA-CASE-LEW-12419-1
US-PATENT-APPL-SN-579375
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-416-153
US-PATENT-CLASS-416-160
US-PATENT-CLASS-416-162
US-PATENT-CLASS-416-165
US-PATENT-CLASS-416-167
US-PATENT-3,994,128

c27 N77-14262 ..... NASA-CASE-MSC-16074-1
US-PATENT-APPL-SN-747674

c32 N77-14292 ..... NASA-CASE-LAR-11607-1
US-PATENT-APPL-SN-617895
US-PATENT-CLASS-325-145
US-PATENT-CLASS-332-22
US-PATENT-CLASS-332-23R
US-PATENT-3,996,532

c33 N77-14333 ..... NASA-CASE-GSC-11789-1
US-PATENT-APPL-SN-538982
US-PATENT-CLASS-317-31
US-PATENT-CLASS-321-13
US-PATENT-3,996,506

c33 N77-14334 ..... NASA-CASE-GSC-12018-1
US-PATENT-APPL-SN-635531
US-PATENT-CLASS-329-122
US-PATENT-CLASS-329-124
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-36C
US-PATENT-CLASS-332-30V
US-PATENT-3,997,848

c33 N77-14335 ..... NASA-CASE-MFS-22560-1
US-PATENT-APPL-SN-589233
US-PATENT-CLASS-250-214A
US-PATENT-CLASS-330-14
US-PATENT-CLASS-330-28
US-PATENT-CLASS-330-59
US-PATENT-3,996,462

c34 N77-14372 ..... NASA-CASE-ARC-11043-1
US-PATENT-APPL-SN-753964
c35 N77-14406 ..... NASA-CASE-NPO-13663-1
US-PATENT-APPL-SN-634205
US-PATENT-CLASS-250-289
US-PATENT-CLASS-250-298
US-PATENT-3,996,464
c35 N77-14407 ..... NASA-CASE-LAR-11648-1
US-PATENT-APPL-SN-645571
US-PATENT-CLASS-73-133R
US-PATENT-3,995,476
c35 N77-14408 ..... NASA-CASE-ARC-10448-3
US-PATENT-APPL-SN-221670
US-PATENT-APPL-SN-318848
US-PATENT-CLASS-250-396
US-PATENT-3,996,468
c35 N77-14409 ..... NASA-CASE-NPO-13540-1
US-PATENT-APPL-SN-526450
US-PATENT-CLASS-136-232
US-PATENT-CLASS-136-233
US-PATENT-3,996,070
c35 N77-14411 ..... NASA-CASE-NPO-13683-1
US-PATENT-APPL-SN-599284
US-PATENT-CLASS-250-343
US-PATENT-CLASS-356-97
US-PATENT-CLASS-356-201
US-PATENT-CLASS-356-204
US-PATENT-3,995,960
c37 N77-14477 ..... NASA-CASE-FRC-10081-1
US-PATENT-APPL-SN-598504
US-PATENT-CLASS-280-432
US-PATENT-3,995,877
c37 N77-14478 ..... NASA-CASE-LAR-11658-1
US-PATENT-APPL-SN-625759
US-PATENT-CLASS-83-451
US-PATENT-CLASS-83-467R
US-PATENT-3,995,522
c37 N77-14479 ..... NASA-CASE-GSC-11960-1
US-PATENT-APPL-SN-629456
US-PATENT-CLASS-242-57
US-PATENT-CLASS-242-187
US-PATENT-CLASS-242-193
US-PATENT-CLASS-242-204
US-PATENT-CLASS-242-210
US-PATENT-3,995,789
c44 N77-14580 ..... NASA-CASE-LEW-11496-1
US-PATENT-APPL-SN-645508
US-PATENT-CLASS-136-89
US-PATENT-CLASS-204-192
US-PATENT-3,996,067
c44 N77-14581 ..... NASA-CASE-LEW-12220-1
US-PATENT-APPL-SN-606891
US-PATENT-CLASS-320-2
US-PATENT-CLASS-429-23
US-PATENT-CLASS-429-34
US-PATENT-3,996,064
c52 N77-14735 ..... NASA-CASE-MFS-23225-1
US-PATENT-APPL-SN-612965
US-PATENT-CLASS-3-1.2
US-PATENT-CLASS-3-14
US-PATENT-3,995,324
c52 N77-14736 ..... NASA-CASE-ARC-11007-1
US-PATENT-APPL-SN-652948
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-128-379
US-PATENT-CLASS-128-400
US-PATENT-CLASS-128-402
US-PATENT-3,995,621
c52 N77-14737 ..... NASA-CASE-MSC-14276-1
US-PATENT-APPL-SN-557430
US-PATENT-CLASS-250-363R
US-PATENT-CLASS-250-444
US-PATENT-CLASS-250-498
US-PATENT-3,996,471
c52 N77-14738 ..... NASA-CASE-KSC-10849-1
US-PATENT-APPL-SN-613734
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-128-418
US-PATENT-CLASS-339-252R
US-PATENT-3,995,644
c54 N77-14742 ..... NASA-CASE-ARC-11101-1
US-PATENT-APPL-SN-753976
c54 N77-14743 ..... NASA-CASE-ARC-11059-1
US-PATENT-APPL-SN-753978
c60 N77-14751 ..... NASA-CASE-GSC-11839-1
US-PATENT-APPL-SN-468614
US-PATENT-CLASS-235-152
US-PATENT-CLASS-250-227
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-350-96R
US-PATENT-3,996,455
c74 N77-14842 ..... NASA-CASE-MFS-23513-1
US-PATENT-APPL-SN-755323
c05 N77-15027 ..... NASA-CASE-LAR-11852-1
US-PATENT-APPL-SN-742035
c07 N77-15036 ..... NASA-CASE-LAR-11903-1
US-PATENT-APPL-SN-753971
c24 N77-15103 ..... NASA-CASE-LAR-11898-1
US-PATENT-APPL-SN-723264
c24 N77-15105 ..... NASA-CASE-MFS-23506-1
US-PATENT-APPL-SN-760809
c27 N77-15192 ..... NASA-CASE-LAR-12181-1
US-PATENT-APPL-SN-734901
c31 N77-15219 ..... NASA-CASE-NPO-13839-1
US-PATENT-APPL-SN-712981
c32 N77-15233 ..... NASA-CASE-MSC-16100-1
US-PATENT-APPL-SN-750796
c32 N77-15236 ..... NASA-CASE-LAR-12016-1
US-PATENT-APPL-SN-754066
c34 N77-15343 ..... NASA-CASE-LEW-12508-1
US-PATENT-APPL-SN-746580
c37 N77-15397 ..... NASA-CASE-MSC-16043-1
US-PATENT-APPL-SN-750792
c37 N77-15400 ..... NASA-CASE-GSC-11883-2
US-PATENT-APPL-SN-747675
c44 N77-15490 ..... NASA-CASE-LEW-12185-1
US-PATENT-APPL-SN-746269
c44 N77-15493 ..... NASA-CASE-KSC-11010-1
US-PATENT-APPL-SN-753977
c52 N77-15619 ..... NASA-CASE-ARC-10994-2
US-PATENT-APPL-SN-759965
c52 N77-15621 ..... NASA-CASE-ARC-11035-1
US-PATENT-APPL-SN-758721
c54 N77-15641 ..... NASA-CASE-ARC-11058-1
US-PATENT-APPL-SN-753965
c74 N77-15826 ..... NASA-CASE-KSC-11047-1
US-PATENT-APPL-SN-715485
c05 N77-17029 ..... NASA-CASE-ARC-10807-1
US-PATENT-APPL-SN-513612
US-PATENT-CLASS-416-104
US-PATENT-CLASS-416-138
US-PATENT-CLASS-416-141
US-PATENT-3,999,886
c07 N77-17059 ..... NASA-CASE-LEW-12760-1
US-PATENT-APPL-SN-569925
US-PATENT-CLASS-60-226A
US-PATENT-CLASS-60-228
US-PATENT-4,005,574
c20 N77-17143 ..... NASA-CASE-XLA-1349
US-PATENT-APPL-SN-54552
US-PATENT-APPL-SN-256493
US-PATENT-CLASS-86-1R
US-PATENT-CLASS-86-20R
US-PATENT-CLASS-102-49.3
US-PATENT-CLASS-264-3R
US-PATENT-3,193,883
US-PATENT-4,000,682
c23 N77-17161 ..... NASA-CASE-MSC-14428-1
US-PATENT-APPL-SN-450504
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-23-230H
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-231
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-55-67
US-PATENT-CLASS-55-74
US-PATENT-CLASS-55-197
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-73-61.1C
US-PATENT-4,003,257
c25 N77-17178 ..... NASA-CASE-ARC-10992-1
US-PATENT-APPL-SN-760810
c27 N77-17245 ..... NASA-CASE-ARC-10892-2
US-PATENT-APPL-SN-767912
c28 N77-17258 ..... NASA-CASE-NPO-13858-1
NASA-CASE-NPO-13859-1
US-PATENT-APPL-SN-740153
c32 N77-17325 ..... NASA-CASE-NPO-13862-1
US-PATENT-APPL-SN-744577
c33 N77-17351 ..... NASA-CASE-MFS-23181-1
US-PATENT-APPL-SN-566495
US-PATENT-CLASS-331-114
US-PATENT-CLASS-331-177V
US-PATENT-CLASS-332-18
US-PATENT-CLASS-332-30V
US-PATENT-4,003,004

c33 N77-17354 ..... NASA-CASE-LEW-11881-1
US-PATENT-APPL-SN-598968
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-230
US-PATENT-CLASS-328-161
US-PATENT-4,001,602
c33 N77-17357 ..... NASA-CASE-LEW-12273-1
US-PATENT-APPL-SN-764253
c33 N77-17358 ..... NASA-CASE-NPO-13909-1
US-PATENT-APPL-SN-744477
c33 N77-17359 ..... NASA-CASE-NPO-13872-1
US-PATENT-APPL-SN-742034
c33 N77-17360 ..... NASA-CASE-LEW-12013-1
US-PATENT-APPL-SN-768795
c35 N77-17426 ..... NASA-CASE-MFS-22671-2
US-PATENT-APPL-SN-419831
US-PATENT-APPL-SN-561956
US-PATENT-CLASS-360-25
US-PATENT-CLASS-360-31
US-PATENT-3,875,500
US-PATENT-4,003,084
c35 N77-17430 ..... NASA-CASE-LAR-11617-2
US-PATENT-APPL-SN-668771
c37 N77-17464 ..... NASA-CASE-GSC-11978-1
US-PATENT-APPL-SN-593142
US-PATENT-CLASS-308-10
US-PATENT-4,000,929
c37 N77-17466 ..... NASA-CASE-NPO-13823-1
US-PATENT-APPL-SN-658487
c38 N77-17495 ..... NASA-CASE-GSC-11902-1
US-PATENT-APPL-SN-565289
US-PATENT-CLASS-235-92CA
US-PATENT-CLASS-235-92CT
US-PATENT-CLASS-235-92DN
US-PATENT-CLASS-235-92R
US-PATENT-4,001,552
c44 N77-17564 ..... NASA-CASE-LEW-12552-1
US-PATENT-APPL-SN-776869
c44 N77-17565 ..... NASA-CASE-LEW-12236-1
US-PATENT-APPL-SN-760771
c45 N77-17609 ..... NASA-CASE-LAR-12046-1
US-PATENT-APPL-SN-755310
c52 N77-17701 ..... NASA-CASE-ARC-10985-1
US-PATENT-APPL-SN-769148
c85 N77-17949 ..... NASA-CASE-NPO-13847-2
NASA-CASE-NPO-13848-2
US-PATENT-APPL-SN-750798
c05 N77-18134 ..... NASA-CASE-LAR-11900-1
US-PATENT-APPL-SN-775239
c07 N77-18154 ..... NASA-CASE-ARC-10761-1
US-PATENT-APPL-SN-612899
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-4,007,891
c07 N77-18160 ..... NASA-CASE-LEW-12232-1
US-PATENT-APPL-SN-776029
c14 N77-18179 ..... NASA-CASE-MFS-23052-2
US-PATENT-APPL-SN-772165
c25 N77-18238 ..... NASA-CASE-LEW-12513-1
US-PATENT-APPL-SN-772167
c27 N77-18265 ..... NASA-CASE-ARC-10980-1
US-PATENT-APPL-SN-694407
c32 N77-18307 ..... NASA-CASE-MFS-23303-1
US-PATENT-APPL-SN-676957
US-PATENT-CLASS-333-70R
US-PATENT-CLASS-333-75
US-PATENT-CLASS-333-76
US-PATENT-CLASS-333-82B
US-PATENT-4,007,434
c34 N77-18382 ..... NASA-CASE-LAR-10805-2
US-PATENT-APPL-SN-428992
US-PATENT-APPL-SN-578240
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-427-160
US-PATENT-CLASS-427-322
US-PATENT-CLASS-428-35
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-461
US-PATENT-CLASS-428-474
US-PATENT-4,008,348
c35 N77-18417 ..... NASA-CASE-ARC-10898-1
US-PATENT-APPL-SN-625732
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-71.6
US-PATENT-CLASS-73-432SD
US-PATENT-4,007,623
c36 N77-18429 ..... NASA-CASE-LEW-12217-1
US-PATENT-APPL-SN-763753
c44 N77-18560 ..... NASA-CASE-LEW-12358-1
US-PATENT-APPL-SN-776146
c52 N77-18733 ..... NASA-CASE-GSC-12045-1
US-PATENT-APPL-SN-760795
c73 N77-18891 ..... NASA-CASE-NPO-13121-1
US-PATENT-APPL-SN-294727
US-PATENT-CLASS-310-4R
US-PATENT-CLASS-313-311
US-PATENT-CLASS-346R
US-PATENT-4,008,407
c74 N77-18893 ..... NASA-CASE-MSC-14683-1
US-PATENT-APPL-SN-612967
US-PATENT-CLASS-358-44
US-PATENT-4,004,292
c04 N77-19056 ..... NASA-CASE-LAR-11387-2
US-PATENT-APPL-SN-531647
US-PATENT-APPL-SN-623156
US-PATENT-CLASS-33-356
US-PATENT-CLASS-73-178R
US-PATENT-3,943,763
US-PATENT-4,006,631
c09 N77-19076 ..... NASA-CASE-ARC-10979-1
US-PATENT-APPL-SN-608483
US-PATENT-CLASS-124-6
US-PATENT-CLASS-244-63
US-PATENT-3,989,206
c09 N77-19077 ..... NASA-CASE-MSC-19706-1
US-PATENT-APPL-SN-767911
c24 N77-19170 ..... NASA-CASE-LEW-12550-1
US-PATENT-APPL-SN-596905
US-PATENT-CLASS-416-224
US-PATENT-CLASS-416-230
US-PATENT-4,006,999
c24 N77-19171 ..... NASA-CASE-LEW-12619-1
US-PATENT-APPL-SN-462424
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-204-9
US-PATENT-CLASS-204-16
US-PATENT-CLASS-204-40
US-PATENT-3,989,602
c24 N77-19173 ..... NASA-CASE-ARC-11040-1
US-PATENT-APPL-SN-778195
c32 N77-19290 ..... NASA-CASE-MSC-12743-1
US-PATENT-APPL-SN-765167
c33 N77-19319 ..... NASA-CASE-GSC-12145-1
US-PATENT-APPL-SN-769149
c33 N77-19320 ..... NASA-CASE-MSC-14939-1
US-PATENT-APPL-SN-765165
c34 N77-19353 ..... NASA-CASE-ARC-10912-1
US-PATENT-APPL-SN-623187
US-PATENT-CLASS-62-100
US-PATENT-CLASS-62-121
US-PATENT-CLASS-62-269
US-PATENT-CLASS-62-315
US-PATENT-4,007,601
c35 N77-19385 ..... NASA-CASE-MSC-14653-1
US-PATENT-APPL-SN-521816
US-PATENT-CLASS-73-432R
US-PATENT-CLASS-177-1
US-PATENT-CLASS-177-208
US-PATENT-3,988,933
c35 N77-19388 ..... NASA-CASE-ARC-10639-1
US-PATENT-APPL-SN-643043
c35 N77-19390 ..... NASA-CASE-NPO-13804-1
US-PATENT-APPL-SN-766999
c36 N77-19416 ..... NASA-CASE-INP-04167-3
US-PATENT-APPL-SN-170544
US-PATENT-APPL-SN-479357
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,007,430
c36 N77-19418 ..... NASA-CASE-NPO-13945-1
US-PATENT-APPL-SN-704180
c37 N77-19457 ..... NASA-CASE-MFS-15218-1
US-PATENT-APPL-SN-387094
US-PATENT-CLASS-197-188
US-PATENT-CLASS-197-190
US-PATENT-3,989,136
c37 N77-19458 ..... NASA-CASE-GSC-11883-1
NASA-CASE-GSC-11974-1
NASA-CASE-GSC-11975-1
US-PATENT-APPL-SN-596787
US-PATENT-CLASS-60-527
US-PATENT-CLASS-75-122.7
US-PATENT-CLASS-75-170
US-PATENT-CLASS-310-4A
US-PATENT-CLASS-337-334
US-PATENT-CLASS-340-224
US-PATENT-4,010,455

c37 N77-19459 ..... NASA-CASE-MSC-19514-1
US-PATENT-APPL-SN-772168
c44 N77-19571 ..... NASA-CASE-LEW-11549-1
US-PATENT-APPL-SN-510677
US-PATENT-CLASS-136-89
US-PATENT-3,989,541
c44 N77-19579 ..... NASA-CASE-NPO-13813-1
NASA-CASE-NPO-13914-1
US-PATENT-APPL-SN-765139
c44 N77-19581 ..... NASA-CASE-NPO-13732-1
US-PATENT-APPL-SN-765138
c52 N77-19750 ..... NASA-CASE-NPO-13913-1
US-PATENT-APPL-SN-687251
c60 N77-19760 ..... NASA-CASE-ARC-10899-1
US-PATENT-APPL-SN-576774
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-172.5
US-PATENT-3,990,049
c06 N77-20098 ..... NASA-CASE-LAR-11941-1
US-PATENT-APPL-SN-780568
c20 N77-20162 ..... NASA-CASE-LEW-12048-1
US-PATENT-APPL-SN-665033
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-230
US-PATENT-CLASS-313-231.3
US-PATENT-CLASS-313-360
US-PATENT-CLASS-315-111.3
US-PATENT-CLASS-315-111.6
US-PATENT-4,011,719
c26 N77-20201 ..... NASA-CASE-LEW-12245-1
US-PATENT-APPL-SN-584094
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-2
US-PATENT-CLASS-148-12.7N
US-PATENT-CLASS-148-20.3
US-PATENT-CLASS-148-32.5
US-PATENT-CLASS-148-162
US-PATENT-4,012,237
c27 N77-20256 ..... NASA-CASE-ARC-10915-2
US-PATENT-APPL-SN-779883
c32 N77-20289 ..... NASA-CASE-NPO-13753-1
US-PATENT-APPL-SN-658449
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.8R
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-100ST
US-PATENT-4,012,696
c32 N77-20299 ..... NASA-CASE-GSC-12142-1
US-PATENT-APPL-SN-774553
c33 N77-20341 ..... NASA-CASE-MFS-23659-1
US-PATENT-APPL-SN-782462
c33 N77-20343 ..... NASA-CASE-KSC-11035-1
US-PATENT-APPL-SN-780874
c33 N77-20344 ..... NASA-CASE-GSC-12138-1
US-PATENT-APPL-SN-779871
c35 N77-20399 ..... NASA-CASE-ARC-10716-1
US-PATENT-APPL-SN-403695
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.25
US-PATENT-CLASS-244-3.21
US-PATENT-CLASS-244-165
US-PATENT-CLASS-244-171
US-PATENT-4,012,018
c35 N77-20400 ..... NASA-CASE-ARC-10911-1
US-PATENT-APPL-SN-610802
US-PATENT-CLASS-73-204
US-PATENT-CLASS-338-28
US-PATENT-4,011,756
c35 N77-20401 ..... NASA-CASE-MFS-23267-1
US-PATENT-APPL-SN-653422
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-250-203R
US-PATENT-4,011,854
c35 N77-20408 ..... NASA-CASE-LEW-12718-1
US-PATENT-APPL-SN-779428
c35 N77-20410 ..... NASA-CASE-GSC-12147-1
US-PATENT-APPL-SN-780873
c37 N77-20441 ..... NASA-CASE-MFS-23506-2
US-PATENT-APPL-SN-768794
c44 N77-20565 ..... NASA-CASE-NPO-13579-2
US-PATENT-APPL-SN-762362
c44 N77-20566 ..... NASA-CASE-NPO-13579-3
US-PATENT-APPL-SN-762363
c74 N77-20882 ..... NASA-CASE-LAR-11782-1
US-PATENT-APPL-SN-608482
US-PATENT-CLASS-350-145
US-PATENT-CLASS-350-174
US-PATENT-4,012,123
c26 N77-21217 ..... NASA-CASE-LEW-12543-1
US-PATENT-APPL-SN-788044
c32 N77-21267 ..... NASA-CASE-LAR-11390-1
US-PATENT-APPL-SN-662176
US-PATENT-CLASS-340-5H
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5MM
US-PATENT-CLASS-343-18E
US-PATENT-4,019,179
c33 N77-21314 ..... NASA-CASE-NPO-10189-1
NASA-CASE-NPO-10781-1
US-PATENT-APPL-SN-744522
US-PATENT-CLASS-307-232
US-PATENT-CLASS-307-238
US-PATENT-CLASS-307-280
US-PATENT-CLASS-329-119
US-PATENT-CLASS-329-205
US-PATENT-CLASS-332-16
US-PATENT-CLASS-332-30
US-PATENT-CLASS-332-52
US-PATENT-3,582,828
c33 N77-21315 ..... NASA-CASE-NPO-11510-1
US-PATENT-APPL-SN-773178
US-PATENT-APPL-SN-385059
US-PATENT-CLASS-313-32
US-PATENT-CLASS-313-161
US-PATENT-CLASS-313-184
US-PATENT-CLASS-313-224
US-PATENT-CLASS-315-344
US-PATENT-3,881,132
c33 N77-21316 ..... NASA-CASE-NPO-10790-1
US-PATENT-APPL-SN-841278
US-PATENT-CLASS-313-175
US-PATENT-CLASS-313-180
US-PATENT-CLASS-313-184
US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-110
US-PATENT-3,621,330
c33 N77-21319 ..... NASA-CASE-KSC-11031-1
US-PATENT-APPL-SN-782482
c33 N77-21320 ..... NASA-CASE-KSC-11018-1
US-PATENT-APPL-SN-782693
c33 N77-21321 ..... NASA-CASE-KSC-11008-1
US-PATENT-APPL-SN-780729
c33 N77-21322 ..... NASA-CASE-GSC-12146-1
US-PATENT-APPL-SN-782480
c35 N77-21392 ..... NASA-CASE-NPO-10711-1
US-PATENT-APPL-SN-844315
US-PATENT-CLASS-179-100.2C
US-PATENT-3,697,705
c35 N77-21393 ..... NASA-CASE-NPO-10619-1
US-PATENT-APPL-SN-757017
US-PATENT-CLASS-338-25
US-PATENT-3,555,483
c36 N77-21424 ..... NASA-CASE-LAR-12183-1
US-PATENT-APPL-788704
c44 N77-21666 ..... NASA-CASE-KSC-11034-1
US-PATENT-APPL-SN-782481
c54 N77-21844 ..... NASA-CASE-MFS-23074-1
US-PATENT-APPL-SN-623188
US-PATENT-CLASS-188-291
US-PATENT-CLASS-254-158
US-PATENT-4,018,423
c54 N77-21847 ..... NASA-CASE-MSC-16182-1
US-PATENT-APPL-SN-780930
c74 N77-21941 ..... NASA-CASE-NPO-11429-1
US-PATENT-APPL-SN-95189
US-PATENT-CLASS-240-41.35R
US-PATENT-CLASS-240-41E
US-PATENT-CLASS-240-46.13
US-PATENT-CLASS-356-236
US-PATENT-3,711,701
c02 N77-22045 ..... NASA-CASE-LAR-12034-1
US-PATENT-APPL-SN-733814
c08 N77-22147 ..... NASA-CASE-LAR-11970-1
US-PATENT-APPL-SN-727503
c24 N77-22179 ..... NASA-CASE-LAR-12019-1
US-PATENT-APPL-SN-792067
c27 N77-22257 ..... NASA-CASE-NPO-13867-1
US-PATENT-APPL-SN-692284
c32 N77-22314 ..... NASA-CASE-GSC-12148-1
US-PATENT-APPL-SN-786322
c33 N77-22386 ..... NASA-CASE-NPO-10870-1
NASA-CASE-NPO-11191-1
NASA-CASE-NPO-11403-1
US-PATENT-APPL-SN-1-881-
US-PATENT-CLASS-313-60
US-PATENT-CLASS-313-146

US-PATENT-CLASS-313-182
US-PATENT-3,736,453
c34 N77-22423 ..... NASA-CASE-MSC-12737-1
US-PATENT-APPL-SN-788045
c35 N77-22449 ..... NASA-CASE-LAR-11825-1
US-PATENT-APPL-SN-632112
US-PATENT-CLASS-73-88R
US-PATENT-4,018,085
c35 N77-22450 ..... NASA-CASE-MFS-23281-1
US-PATENT-APPL-SN-657995
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-95
US-PATENT-4,018,080
c35 N77-22452 ..... NASA-CASE-LAR-11201-1
US-PATENT-APPL-SN-788705
c37 N77-22478 ..... NASA-CASE-NPO-10857-1
US-PATENT-APPL-SN-886907
US-PATENT-CLASS-408-186
US-PATENT-CLASS-408-193
US-PATENT-CLASS-408-225
US-PATENT-3,635,573
c37 N77-22479 ..... NASA-CASE-NPO-10316-1
US-PATENT-APPL-SN-703107
US-PATENT-CLASS-60-53
US-PATENT-3,478,514
c37 N77-22480 ..... NASA-CASE-NPO-13058-1
NASA-CASE-NPO-13096-1
US-PATENT-APPL-SN-403154
US-PATENT-CLASS-214-16.1CB
US-PATENT-3,896,955
c37 N77-22482 ..... NASA-CASE-MSC-19536-1
US-PATENT-APPL-SN-658450
US-PATENT-CLASS-74-96
US-PATENT-4,018,092
c37 N77-22484 ..... NASA-CASE-HQN-10888-1
US-PATENT-APPL-SN-760057
c44 N77-22606 ..... NASA-CASE-LEW-12364-1
US-PATENT-APPL-SN-707124
US-PATENT-CLASS-253-317
US-PATENT-CLASS-429-105
US-PATENT-CLASS-429-107
US-PATENT-CLASS-429-190
US-PATENT-4,018,971
c44 N77-22607 ..... NASA-CASE-LAR-11361-1
US-PATENT-APPL-SN-669928
US-PATENT-CLASS-23-277R
US-PATENT-CLASS-23-281
US-PATENT-CLASS-55-158
US-PATENT-CLASS-423-648R
US-PATENT-4,019,868
c44 N77-22615 ..... NASA-CASE-LEW-12541-1
US-PATENT-APPL-SN-790637
c51 N77-22794 ..... NASA-CASE-GSC-12039-1
US-PATENT-APPL-SN-572991
US-PATENT-CLASS-195-103.5K
US-PATENT-CLASS-195-103.5R
US-PATENT-4,014,745
c74 N77-22950 ..... NASA-CASE-ARC-10976-1
US-PATENT-APPL-SN-665032
US-PATENT-CLASS-356-171
US-PATENT-4,018,533
c74 N77-22951 ..... NASA-CASE-NPO-13722-1
US-PATENT-APPL-SN-616472
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-211K
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-172
US-PATENT-4,018,532
c07 N77-23106 ..... NASA-CASE-LEW-12830-1
US-PATENT-APPL-SN-596641
US-PATENT-APPL-SN-655149
US-PATENT-CLASS-60-39.03
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-CLASS-123-41.33
US-PATENT-CLASS-123-122E
US-PATENT-CLASS-137-101
US-PATENT-CLASS-415-180
US-PATENT-4,020,632
c27 N77-23267 ..... NASA-CASE-KSC-11020-1
US-PATENT-APPL-SN-796257
c35 N77-23441 ..... NASA-CASE-LAR-12106-1
US-PATENT-APPL-SN-740156
c37 N77-23482 ..... NASA-CASE-LAR-11563-1
US-PATENT-APPL-SN-672815
US-PATENT-CLASS-29-DIG.35
US-PATENT-CLASS-29-447
US-PATENT-CLASS-53-9
US-PATENT-CLASS-403-273
US-PATENT-4,017,959
c37 N77-23483 ..... NASA-CASE-MFS-23088-1
US-PATENT-APPL-SN-602617
US-PATENT-CLASS-213-81
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-244-161
US-PATENT-4,018,409
c52 N77-23743 ..... NASA-CASE-ARC-11120-1
US-PATENT-APPL-SN-796256
c24 N77-24200 ..... NASA-CASE-ARC-10915-1
US-PATENT-APPL-SN-797217
c26 N77-24254 ..... NASA-CASE-LEW-12542-1
US-PATENT-APPL-SN-803822
c32 N77-24328 ..... NASA-CASE-ARC-10984-1
US-PATENT-APPL-SN-690815
US-PATENT-CLASS-358-133
US-PATENT-CLASS-358-138
US-PATENT-4,025,950
c32 N77-24331 ..... NASA-CASE-MSC-14840-1
US-PATENT-APPL-SN-692414
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-346
US-PATENT-CLASS-329-104
US-PATENT-CLASS-329-122
US-PATENT-4,027,265
c32 N77-24338 ..... NASA-CASE-NPO-14022-1
US-PATENT-APPL-SN-780728
c32 N77-24339 ..... NASA-CASE-LAR-11745-1
US-PATENT-APPL-SN-799025
c32 N77-24340 ..... NASA-CASE-NPO-13641-1
US-PATENT-APPL-SN-777983
c32 N77-24341 ..... NASA-CASE-NPO-13982-1
US-PATENT-APPL-SN-782464
c33 N77-24375 ..... NASA-CASE-MSC-12709-1
US-PATENT-APPL-SN-630583
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-4-6
US-PATENT-CLASS-328-38
US-PATENT-CLASS-328-39
US-PATENT-CLASS-328-63
US-PATENT-4,025,866
c33 N77-24385 ..... NASA-CASE-LEW-12791-1
US-PATENT-APPL-SN-801432
c34 N77-24423 ..... NASA-CASE-LAR-12045-1
US-PATENT-APPL-SN-682416
US-PATENT-CLASS-259/4R
US-PATENT-CLASS-261/DIG.75
US-PATENT-CLASS-261/123
US-PATENT-4,026,527
c35 N77-24454 ..... NASA-CASE-ARC-10900-1
US-PATENT-APPL-SN-630579
US-PATENT-CLASS-338-28
US-PATENT-CLASS-338-229
US-PATENT-4,025,891
c35 N77-24455 ..... NASA-CASE-GSC-12077-1
US-PATENT-APPL-SN-635519
US-PATENT-CLASS-65-59A
US-PATENT-CLASS-65-108
US-PATENT-CLASS-6554
US-PATENT-CLASS-6564
US-PATENT-4,025,227
c35 N77-24456 ..... NASA-CASE-NPO-13808-1
US-PATENT-APPL-SN-675328
c36 N77-24468 ..... NASA-CASE-NPO-13993-1
US-PATENT-APPL-SN-782463
c36 N77-24469 ..... NASA-CASE-NPO-13448-2
US-PATENT-APPL-SN-789760
c37 N77-24496 ..... NASA-CASE-LEW-12569-1
US-PATENT-APPL-SN-792069
c37 N77-24497 ..... NASA-CASE-MFS-23620-1
US-PATENT-APPL-SN-799023
c37 N77-24498 ..... NASA-CASE-LEW-12131-1
US-PATENT-APPL-SN-801290
c44 N77-24585 ..... NASA-CASE-LEW-12775-1
US-PATENT-APPL-SN-799026
c44 N77-24590 ..... NASA-CASE-NPO-13921-1
US-PATENT-APPL-SN-785257
c44 N77-24593 ..... NASA-CASE-LEW-12819-1
US-PATENT-APPL-SN-803823
c51 N77-24755 ..... NASA-CASE-MSC-16098-1
US-PATENT-APPL-SN-792068
c54 N77-24771 ..... NASA-CASE-ARC-10975-1
US-PATENT-APPL-SN-799832
c60 N77-24781 ..... NASA-CASE-NPO-13676-1
US-PATENT-APPL-SN-779415
c28 N77-25346 ..... NASA-CASE-NPO-14103-1
US-PATENT-APPL-SN-797210
c36 N77-25499 ..... NASA-CASE-GSC-11571-1

US-PATENT-APPL-SN-646704
US-PATENT-CLASS-331-94.5S
US-PATENT-4,025,875
c36 N77-25501 ..... NASA-CASE-ARC-10970-1
US-PATENT-APPL-SN-691046
US-PATENT-CLASS-250-574
US-PATENT-CLASS-350-100
US-PATENT-CLASS-350-102
US-PATENT-CLASS-356-28
US-PATENT-4,026,655
c36 N77-25502 ..... NASA-CASE-NPO-13147-1
US-PATENT-APPL-SN-317310
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5P
US-PATENT-4,027,273
c37 N77-25535 ..... NASA-CASE-NPO-13798-1
US-PATENT-APPL-SN-788856
c37 N77-25536 ..... NASA-CASE-MSC-19546-1
US-PATENT-APPL-SN-793670
c51 N77-25769 ..... NASA-CASE-LAR-10773-3
US-PATENT-APPL-SN-125235
US-PATENT-APPL-SN-314656
US-PATENT-APPL-SN-623238
US-PATENT-CLASS-195-1.8
US-PATENT-4,018,649
c52 N77-25772 ..... NASA-CASE-KSC-11030-1
US-PATENT-APPL-SN-709849
US-PATENT-CLASS-3-1
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-339,12R
US-PATENT-4,025,964
c54 N77-25784 ..... NASA-CASE-ARC-11100-1
US-PATENT-APPL-SN-780569
c24 N77-26242 ..... NASA-CASE-LAR-11898-2
US-PATENT-APPL-SN-799024
c27 N77-26308 ..... NASA-CASE-ARC-11057-1
US-PATENT-APPL-SN-807762
c33 N77-26385 ..... NASA-CASE-LEW-11978-1
US-PATENT-APPL-SN-708658
US-PATENT-CLASS-29-597
US-PATENT-CLASS-29-622
US-PATENT-CLASS-29-628
US-PATENT-CLASS-29-630E
US-PATENT-CLASS-204-32A
US-PATENT-4,023,266
c33 N77-26386 ..... NASA-CASE-GSC-11824-1
US-PATENT-APPL-SN-583486
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-254
US-PATENT-4,027,212
c33 N77-26387 ..... NASA-CASE-LAR-11389-1
US-PATENT-APPL-SN-229143
US-PATENT-APPL-SN-340862
US-PATENT-CLASS-310-111
US-PATENT-CLASS-310-168
US-PATENT-CLASS-322-96
US-PATENT-3,849,720
c36 N77-26477 ..... NASA-CASE-NPO-13550-1
US-PATENT-APPL-SN-483301
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-282
US-PATENT-CLASS-250-283
US-PATENT-CLASS-250-423P
US-PATENT-4,031,389
c52 N77-26796 ..... NASA-CASE-GSC-12081-2
US-PATENT-APPL-SN-796258
c52 N77-26797 ..... NASA-CASE-GSC-12046-1
US-PATENT-APPL-SN-680015
c71 N77-26919 ..... NASA-CASE-NPO-13673-1
US-PATENT-APPL-SN-613004
US-PATENT-CLASS-330-5.5
US-PATENT-CLASS-331-107A
US-PATENT-CLASS-333-72
US-PATENT-4,025,876
c74 N77-26942 ..... NASA-CASE-GSC-12058-1
US-PATENT-APPL-SN-680938
US-PATENT-CLASS-250-199
US-PATENT-4,025,783
c07 N77-27116 ..... NASA-CASE-LEW-12608-1
US-PATENT-APPL-SN-680067
US-PATENT-CLASS-416-220R
US-PATENT-CLASS-416-221
US-PATENT-4,033,705
c09 N77-27131 ..... NASA-CASE-LAR-11883-1
US-PATENT-APPL-SN-662175
US-PATENT-CLASS-73-15R
US-PATENT-4,027,524
c24 N77-27187 ..... NASA-CASE-MFS-22926-1
US-PATENT-APPL-SN-557565
US-PATENT-CLASS-75-65R
US-PATENT-CLASS-75-135
US-PATENT-CLASS-75-139
US-PATENT-CLASS-164-60
US-PATENT-4,029,500
c24 N77-27188 ..... NASA-CASE-LEW-12118-1
US-PATENT-APPL-SN-616332
US-PATENT-CLASS-428-301
US-PATENT-CLASS-428-328
US-PATENT-CLASS-428-368
US-PATENT-CLASS-428-418
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-911
US-PATENT-4,029,838
c32 N77-27272 ..... NASA-CASE-GSC-12137-1
US-PATENT-APPL-SN-808510
c33 N77-27308 ..... NASA-CASE-MFS-23541-1
US-PATENT-APPL-SN-814005
c34 N77-27345 ..... NASA-CASE-ARC-10974-1
US-PATENT-APPL-SN-667010
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-228
US-PATENT-4,028,939
c35 N77-27366 ..... NASA-CASE-GSC-12059-1
US-PATENT-APPL-SN-680957
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5T
US-PATENT-CLASS-350-253
US-PATENT-4,030,047
c35 N77-27367 ..... NASA-CASE-NPO-11103-1
US-PATENT-APPL-SN-3654
US-PATENT-CLASS-73-84
US-PATENT-3,623,359
c35 N77-27368 ..... NASA-CASE-MSC-12327-1
US-PATENT-APPL-SN-19572
US-PATENT-CLASS-73-362AR
US-PATENT-3,613,454
c37 N77-27400 ..... NASA-CASE-GSC-11063-1
US-PATENT-APPL-SN-41431
US-PATENT-CLASS-318-267
US-PATENT-CLASS-318-468
US-PATENT-CLASS-318-470
US-PATENT-CLASS-318-675
US-PATENT-3,628,113
c37 N77-27404 ..... NASA-CASE-LEW-11873-1
US-PATENT-APPL-SN-814006
c39 N77-27432 ..... NASA-CASE-LAR-12095-1
US-PATENT-APPL-SN-811401
c51 N77-27677 ..... NASA-CASE-LAR-11649-1
US-PATENT-APPL-SN-626942
US-PATENT-CLASS-8-3
US-PATENT-CLASS-8-94.11
US-PATENT-CLASS-23-253A
US-PATENT-CLASS-23-259
US-PATENT-CLASS-23-292
US-PATENT-CLASS-118-6
US-PATENT-CLASS-118-7
US-PATENT-CLASS-118-9
US-PATENT-CLASS-118-313
US-PATENT-CLASS-424-3
US-PATENT-CLASS-427-4
US-PATENT-4,029,470
c52 N77-27693 ..... NASA-CASE-GSC-12173-1
US-PATENT-APPL-SN-806440
c52 N77-27694 ..... NASA-CASE-GSC-12082-2
US-PATENT-APPL-SN-798976
c05 N77-28111 ..... NASA-CASE-ARC-11045-1
US-PATENT-APPL-SN-818916
c07 N77-28118 ..... NASA-CASE-LAR-11310-1
US-PATENT-APPL-SN-394898
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-263
US-PATENT-CLASS-415-145
US-PATENT-4,033,119
c20 N77-28219 ..... NASA-CASE-GSC-12194-1
US-PATENT-APPL-SN-819029
c24 N77-28225 ..... NASA-CASE-MSC-12631-1
US-PATENT-APPL-SN-568541
US-PATENT-CLASS-156-229
US-PATENT-CLASS-244-123
US-PATENT-CLASS-428-141
US-PATENT-CLASS-428-161
US-PATENT-CLASS-428-425
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-458
US-PATENT-4,032,089

c26 N77-28265 ..... NASA-CASE-LEW-11573-1
US-PATENT-APPL-SN-625733
US-PATENT-CLASS-228-190
US-PATENT-CLASS-228-194
US-PATENT-CLASS-228-232
US-PATENT-4,033,504
c32 N77-28346 ..... NASA-CASE-GSC-12053-1
US-PATENT-APPL-SN-667930
US-PATENT-CLASS-250-199
US-PATENT-CLASS-250-238
US-PATENT-4,033,882
c32 N77-28357 ..... NASA-CASE-NPO-14009-1
US-PATENT-APPL-SN-818917
c32 N77-28358 ..... NASA-CASE-NPO-13955-1
NASA-CASE-NPO-13956-1
NASA-CASE-NPO-13957-1
US-PATENT-APPL-SN-814813
c33 N77-28385 ..... NASA-CASE-LEW-12444-1
US-PATENT-APPL-SN-583485
US-PATENT-CLASS-123-148CB
US-PATENT-CLASS-123-148E
US-PATENT-CLASS-315-176
US-PATENT-4,033,316
c33 N77-28394 ..... NASA-CASE-KSC-10899-1
US-PATENT-APPL-SN-814004
c33 N77-28395 ..... NASA-CASE-NPO-13569-2
US-PATENT-APPL-SN-804035
c35 N77-28470 ..... NASA-CASE-NPO-13948-1
US-PATENT-APPL-SN-752748
c37 N77-28486 ..... NASA-CASE-LEW-11158-1
US-PATENT-APPL-SN-663008
US-PATENT-CLASS-308-5R
US-PATENT-CLASS-308-9
US-PATENT-CLASS-308-73
US-PATENT-4,035,037
c37 N77-28487 ..... NASA-CASE-MSC-14905-1
US-PATENT-APPL-SN-708795
US-PATENT-CLASS-128-DIG.12
US-PATENT-CLASS-128-214F
US-PATENT-CLASS-222-61
US-PATENT-CLASS-222-95
US-PATENT-4,033,479
c39 N77-28511 ..... NASA-CASE-MFS-23299-1
US-PATENT-APPL-SN-700673
US-PATENT-CLASS-73-67.7
US-PATENT-CLASS-73-88R
US-PATENT-4,033,182
c43 N77-28563 ..... NASA-CASE-LAR-11973-1
US-PATENT-APPL-SN-821681
c44 N77-28583 ..... NASA-CASE-NPO-13817-1
US-PATENT-APPL-SN-801452
c44 N77-28584 ..... NASA-CASE-NPO-13581-2
US-PATENT-APPL-SN-811815
c44 N77-28585 ..... NASA-CASE-NPO-13652-1
US-PATENT-APPL-SN-809890
c52 N77-28716 ..... NASA-CASE-LEW-12258-1
US-PATENT-APPL-SN-676433
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-128-303R
US-PATENT-4,033,349
c52 N77-28717 ..... NASA-CASE-MSC-14623-1
US-PATENT-APPL-SN-637269
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-410
US-PATENT-4,033,334
c74 N77-28932 ..... NASA-CASE-GSC-11989-1
US-PATENT-APPL-SN-645500
US-PATENT-CLASS-350-162SP
US-PATENT-CLASS-350-202
US-PATENT-CLASS-350-299
US-PATENT-4,035,062
c74 N77-28933 ..... NASA-CASE-NPO-13707-1
US-PATENT-APPL-SN-617202
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-CLASS-350-320
US-PATENT-4,035,065
c74 N77-28937 ..... NASA-CASE-MFS-23675-1
US-PATENT-APPL-SN-820498
c25 N77-29252 ..... NASA-CASE-ARC-11053-1
US-PATENT-APPL-SN-814378
c26 N77-29260 ..... NASA-CASE-MFS-23405-1
US-PATENT-APPL-SN-718267
US-PATENT-CLASS-228-124
US-PATENT-CLASS-228-263
US-PATENT-4,033,503
c33 N77-29403 ..... NASA-CASE-GSC-12190-1
US-PATENT-APPL-SN-817413
c35 N77-29471 ..... NASA-CASE-GSC-12263-1
US-PATENT-APPL-SN-817415
c27 N77-30236 ..... NASA-CASE-NPO-13620-1
US-PATENT-APPL-SN-666992
US-PATENT-CLASS-210-24
US-PATENT-CLASS-536-56
US-PATENT-CLASS-536-58
US-PATENT-CLASS-536-84
US-PATENT-CLASS-536-105
US-PATENT-CLASS-536-536-85
US-PATENT-4,041,233
c27 N77-30237 ..... NASA-CASE-MFS-23345-1
US-PATENT-APPL-SN-696989
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-296
US-PATENT-CLASS-106-299
US-PATENT-4,039,347
c32 N77-30308 ..... NASA-CASE-GSC-12017-1
US-PATENT-APPL-SN-645510
US-PATENT-CLASS-325-30
US-PATENT-CLASS-325-42
US-PATENT-CLASS-325-65
US-PATENT-CLASS-325-473
US-PATENT-4,041,391
c32 N77-30309 ..... NASA-CASE-GSC-11898-1
US-PATENT-APPL-SN-566494
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15P
US-PATENT-4,039,754
c33 N77-30365 ..... NASA-CASE-NPO-13812-1
US-PATENT-APPL-SN-694855
US-PATENT-CLASS-307-64
US-PATENT-CLASS-363-53
US-PATENT-CLASS-363-70
US-PATENT-4,039,925
c34 N77-30399 ..... NASA-CASE-MFS-19287-1
US-PATENT-APPL-SN-641802
US-PATENT-CLASS-60-259
US-PATENT-CLASS-62-55
US-PATENT-CLASS-137-207
US-PATENT-CLASS-137-209
US-PATENT-4,039,000
c35 N77-30436 ..... NASA-CASE-MFS-23175-1
US-PATENT-APPL-SN-667928
US-PATENT-CLASS-324-163
US-PATENT-CLASS-324-165
US-PATENT-CLASS-324-174
US-PATENT-CLASS-340-271
US-PATENT-CLASS-340-347P
US-PATENT-CLASS-340-347SY
US-PATENT-4,039-946
c44 N77-30613 ..... NASA-CASE-MFS-23349-1
US-PATENT-APPL-SN-823061
c44 N77-30616 ..... NASA-CASE-NPO-14058-1
US-PATENT-APPL-SN-824024
c52 N77-30736 ..... NASA-CASE-LEW-12955-1
US-PATENT-APPL-SN-829318
c52 N77-30737 ..... NASA-CASE-LEW-12723-1
US-PATENT-APPL-SN-829317
c54 N77-30749 ..... NASA-CASE-KSC-11004-1
US-PATENT-APPL-SN-710032
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-21
US-PATENT-4,038,705
c54 N77-30751 ..... NASA-CASE-ARC-11052-1
US-PATENT-APPL-SN-826202
c74 N77-30935 ..... NASA-CASE-GSC-12225-1
US-PATENT-APPL-SN-823566
c76 N77-30984 ..... NASA-CASE-NPO-13969-2
US-PATENT-APPL-SN-820499
c05 N77-31130 ..... NASA-CASE-ARC-11106-1
US-PATENT-APPL-SN-831633
c05 N77-31131 ..... NASA-CASE-MSC-12631-2
US-PATENT-APPL-SN-785279
c05 N77-31132 ..... NASA-CASE-LAR-10706-2
US-PATENT-APPL-SN-730780
c05 N77-31135 ..... NASA-CASE-FRC-10092-1
US-PATENT-APPL-SN-831634
c08 N77-31176 ..... NASA-CASE-LAR-11868-2
US-PATENT-APPL-SN-779429
c12 N77-31213 ..... NASA-CASE-MFS-23579-1
US-PATENT-APPL-SN-829316
c16 N77-31237 ..... NASA-CASE-MSC-12619-2
US-PATENT-APPL-SN-786913
c25 N77-31260 ..... NASA-CASE-ARC-10814-2
US-PATENT-APPL-SN-831632
c27 N77-31308 ..... NASA-CASE-NPO-11609-2
US-PATENT-APPL-SN-228229
US-PATENT-APPL-SN-674700

US-PATENT-CLASS-210-DIG.27
US-PATENT-CLASS-210-40
US-PATENT-CLASS-260-2.5A
US-PATENT-CLASS-260-2.5AM
US-PATENT-CLASS-260-2.5AY
US-PATENT-CLASS-260-77.5AP
US-PATENT-4,039-489

c32 N77-31350 ..... NASA-CASE-GSC-12075-1
US-PATENT-APPL-SN-562499
US-PATENT-CLASS-343-17.7
US-PATENT-4,042,926

c33 N77-31404 ..... NASA-CASE-ARC-10897-1
US-PATENT-APPL-SN-625781
US-PATENT-CLASS-323-93
US-PATENT-CLASS-324-60
US-PATENT-CLASS-340-200
US-PATENT-CLASS-340-347SH
US-PATENT-4,040,041

c33 N77-31407 ..... NASA-CASE-MFS-22880-2
US-PATENT-APPL-SN-829321

c35 N77-31465 ..... NASA-CASE-MFS-23118-1
US-PATENT-APPL-SN-691256
US-PATENT-CLASS-356-212
US-PATENT-4,040,750

c37 N77-31497 ..... NASA-CASE-NPO-13671-1
US-PATENT-APPL-SN-564622
US-PATENT-CLASS-123-DIG.8
US-PATENT-CLASS-123-3
US-PATENT-CLASS-123-37
US-PATENT-CLASS-123-59E
US-PATENT-CLASS-123-119A
US-PATENT-CLASS-123-122AB
US-PATENT-4,041,910

c37 N77-31501 ..... NASA-CASE-NPO-14014-1
US-PATENT-APPL-SN-826204

c43 N77-31583 ..... NASA-CASE-MSC-16253-1
US-PATENT-APPL-SN-831631

c44 N77-31601 ..... NASA-CASE-LEW-12587-1
US-PATENT-APPL-SN-717319
US-PATENT-CLASS-52-173
US-PATENT-CLASS-52-518
US-PATENT-CLASS-136-89-AC
US-PATENT-CLASS-136-89P
US-PATENT-4,040,867

c44 N77-31610 ..... NASA-CASE-MFS-23518-1
US-PATENT-APPL-SN-829390

c44 N77-31611 ..... NASA-CASE-MFS-23518-2
US-PATENT-APPL-SN-830382

c45 N77-31668 ..... NASA-CASE-MSC-16299-1
US-PATENT-APPL-SN-826203

c54 N77-31787 ..... NASA-CASE-LAR-12149-1
US-PATENT-APPL-SN-829314

c60 N77-31800 ..... NASA-CASE-GSC-12111-2
US-PATENT-APPL-SN-830272

c07 N77-32148 ..... NASA-CASE-LEW-12312-1
US-PATENT-APPL-SN-654787
US-PATENT-CLASS-416-135
US-PATENT-CLASS-416-190
US-PATENT-CLASS-416-193A
US-PATENT-CLASS-416-241A
US-PATENT-4,045,149

c23 N77-32244 ..... NASA-CASE-LEW-12053-2
US-PATENT-APPL-SN-796263

c24 N77-32249 ..... NASA-CASE-LEW-11930-3
US-PATENT-APPL-SN-764245

c25 N77-32255 ..... NASA-CASE-NPO-13566-1
US-PATENT-APPL-SN-653316
US-PATENT-CLASS-204-DIG.11
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-204-158R
US-PATENT-CLASS-204-162R
US-PATENT-CLASS-250-527
US-PATENT-4,045,359

c26 N77-32279 ..... NASA-CASE-LEW-12906-1
US-PATENT-APPL-SN-691936
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32
US-PATENT-4,045,255

c26 N77-32280 ..... NASA-CASE-LEW-12270-1
US-PATENT-APPL-SN-645507
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32.5
US-PATENT-4,046,560

c27 N77-32308 ..... NASA-CASE-GSC-12110-1
US-PATENT-APPL-SN-682435
US-PATENT-CLASS-156-645
US-PATENT-CLASS-156-663
US-PATENT-4,046,619

c27 N77-32313 ..... NASA-CASE-NPO-14021-1
US-PATENT-APPL-SN-833636

c32 N77-32342 ..... NASA-CASE-NPO-13587-1
US-PATENT-APPL-SN-589119
US-PATENT-CLASS-343-5CR
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-10
US-PATENT-CLASS-343-100CL
US-PATENT-4,045,795

c33 N77-32402 ..... NASA-CASE-NPO-14056-1
US-PATENT-APPL-SN-833637

c34 N77-32413 ..... NASA-CASE-GSC-11998-1
US-PATENT-APPL-SN-579989
US-PATENT-CLASS-165-105
US-PATENT-4,046,190

c34 N77-32434 ..... NASA-CASE-LEW-11981-2
US-PATENT-APPL-SN-829315

c34 N77-32435 ..... NASA-CASE-LEW-12508-2
US-PATENT-APPL-SN-829319

c35 N77-32454 ..... NASA-CASE-LEW-12050-1
US-PATENT-APPL-SN-629457
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-236R
US-PATENT-CLASS-136-240
US-PATENT-4,045,247

c35 N77-32455 ..... NASA-CASE-NPO-13792-1
US-PATENT-APPL-SN-677351
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-59
US-PATENT-4,045,728

c35 N77-32456 ..... NASA-CASE-GSC-12143-1
US-PATENT-APPL-SN-743249
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-250-288
US-PATENT-4,046,012

c35 N77-32461 ..... NASA-CASE-LEW-12661-1
US-PATENT-APPL-SN-837796

c36 N77-32478 ..... NASA-CASE-LEW-12164-1
US-PATENT-APPL-SN-511334
US-PATENT-CLASS-350-162SF
US-PATENT-4,043,674

c37 N77-32499 ..... NASA-CASE-MSC-19535-1
US-PATENT-APPL-SN-641784
US-PATENT-CLASS-292-110
US-PATENT-4,045,063

c37 N77-32500 ..... NASA-CASE-LEW-12527-1
US-PATENT-APPL-SN-595747
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-72
US-PATENT-CLASS-308-195
US-PATENT-4,046,434

c37 N77-32501 ..... NASA-CASE-LEW-12477-1
US-PATENT-APPL-SN-595745
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-195
US-PATENT-4,046,435

c44 N77-32580 ..... NASA-CASE-NPO-13675-1
US-PATENT-APPL-SN-658132
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-250-527
US-PATENT-4,045,315

c44 N77-32581 ..... NASA-CASE-NPO-13510-1
US-PATENT-APPL-SN-536786
US-PATENT-CLASS-62-4
US-PATENT-CLASS-126-263
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-107
US-PATENT-4,044,821

c44 N77-32582 ..... NASA-CASE-NPO-13810-1
US-PATENT-APPL-SN-681096
US-PATENT-CLASS-52-117
US-PATENT-CLASS-60-641
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,044,753

c44 N77-32583 ..... NASA-CASE-NPO-13736-1
US-PATENT-APPL-SN-681017
US-PATENT-CLASS-52-2
US-PATENT-CLASS-350-295
US-PATENT-CLASS-350-320
US-PATENT-CLASS-427-47
US-PATENT-CLASS-427-130
US-PATENT-4,046,462

c44 N77-32595 ..... NASA-CASE-LEW-12038-2
US-PATENT-APPL-SN-744576

c54 N77-32721 ..... NASA-CASE-ARC-10756-1
US-PATENT-APPL-SN-436313
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-214-1BC
US-PATENT-CLASS-214-1CM

US-PATENT-4,046,262
c54 N77-32722 ..... NASA-CASE-MSC-14771-1
US-PATENT-APPL-SN-688854
US-PATENT-CLASS-55-179
US-PATENT-CLASS-55-269
US-PATENT-CLASS-165-166
US-PATENT-4,046,529
c54 N77-32723 ..... NASA-CASE-NPO-13906-1
US-PATENT-APPL-SN-837259
c60 N77-32731 ..... NASA-CASE-GSC-11839-3
US-PATENT-APPL-SN-468614
US-PATENT-APPL-SN-657997
US-PATENT-CLASS-250-199
US-PATENT-CLASS-340-347AD
US-PATENT-CLASS-350-96R
US-PATENT-3,996,455
US-PATENT-4,045,792
c76 N77-32919 ..... NASA-CASE-MFS-23001-1
US-PATENT-APPL-SN-610801
US-PATENT-CLASS-156-DIG.62
US-PATENT-CLASS-156-601
US-PATENT-CLASS-156-619
US-PATENT-CLASS-156-620
US-PATENT-4,046,617

1. Report No	2. Government Accession No.	3 Recipient's Catalog No
NASA SP-7039 (12)		

4 Title and Subtitle	5 Report Date
NASA PATENT ABSTRACTS BIBLIOGRAPHY A Continuing Bibliography (Supplement 12)	January 1978 6 Performing Organization Code
7 Author(s)	8 Performing Organization Report No
9 Performing Organization Name and Address National Aeronautics and Space Administration Washington, DC 20546	10 Work Unit No. 11 Contract or Grant No 13 Type of Report and Period Covered
12. Sponsoring Agency Name and Address	14 Sponsoring Agency Code

15 Supplementary Notes

Section 2 - Indexes

16 Abstract

This bibliography is issued in two sections: Section 1 - Abstracts, and Section 2 - Indexes. This issue of the Abstract Section cites 1091 patents and applications for patent introduced into the NASA scientific and technical information system during the period January 1974 through December 1977. Each entry in the Abstract Section consists of a citation, an abstract, and in most cases, a key illustration selected from the patent or application for patent. This issue of the Index Section contains entries for 3292 patent and application for patent citations covering the period May 1969 through December 1977. The Index Section contains five indexes -- subject, inventor, source, number, and accession number.

17 Key Words (Suggested by Author(s))	18 Distribution Statement
Bibliographies Inventions NASA Programs Patents	Unclassified - Unlimited

19. Security Classif (of this report)	20 Security Classif (of this page)	21 No of Pages	22. Price*
Unclassified	Unclassified	572	$10.50 HC

*For sale by the National Technical Information Service, Springfield, Virginia 22161

☆US GOVERNMENT PRINTING OFFICE· 1978-735-078/7

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention

CALIFORNIA
University of California, Berkeley
COLORADO
University of Colorado, Boulder
DISTRICT OF COLUMBIA
Library of Congress
GEORGIA
Georgia Institute of Technology, Atlanta
ILLINOIS
The John Crerar Library, Chicago
MASSACHUSETTS
Massachusetts Institute of Technology, Cambridge
MISSOURI
Linda Hall Library, Kansas City
NEW YORK
Columbia University, New York
OKLAHOMA
University of Oklahoma, Bizzell Library
PENNSYLVANIA
Carnegie Library of Pittsburgh
WASHINGTON
University of Washington, Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries

CALIFORNIA
Los Angeles Public Library
San Diego Public Library
COLORADO
Denver Public Library
CONNECTICUT
Hartford Public Library
MARYLAND
Enoch Pratt Free Library, Baltimore
MASSACHUSETTS
Boston Public Library
MICHIGAN
Detroit Public Library
MINNESOTA
Minneapolis Public Library
MISSOURI
Kansas City Public Library
St Louis Public Library
NEW JERSEY
Trenton Public Library
NEW YORK
Brooklyn Public Library
Buffalo and Erie County Public Library
Rochester Public Library
New York Public Library
OHIO
Akron Public Library
Cincinnati Public Library
Cleveland Public Library
Dayton Public Library
Toledo Public Library
TENNESSEE
Memphis Public Library
TEXAS
Dallas Public Library
Fort Worth Public Library
WASHINGTON
Seattle Public Library
WISCONSIN
Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York 10017

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR* European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "*", from ESA - Space Documentation Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France

National Aeronautics and Space Administration

Washington, D.C. 20546

Official Business
Penalty for Private Use, $300

SPECIAL FOURTH CLASS MAIL BOOK

Postage and Fees Paid
National Aeronautics and Space Administration
NASA-451

U.S.MAIL

NASA

POSTMASTER If Undeliverable (Section 158 Postal Manual) Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546